Univ. of
Toronto
Library

P
Astron
Can

DEPARTMENT OF MARINE AND FISHERIES

REPORT

OF THE

METEOROLOGICAL SERVICE

OF

CANADA

Central Office, Toronto

BY

R. F. STUPART, F.R.S.C., DIRECTOR

FOR THE YEAR ENDED DECEMBER 31, 1907

PARTS I TO V.

---

13 14 33
14 12 14

OTTAWA
PRINTED BY C. H. PARMELEE, PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1911

CONTENTS

INDEX.

INTRODUCTION.

CLASSIFICATION OF CANADIAN STATIONS.

LIST OF STATIONS, Latitude, Longitude and Height above Sea, when known, also Index to Tables, and the Class of each Station, Number of Forecasts and Percentage of Fulfilment, Phenological Phenomena, the Weather of 1907, Snow on the Ground, Thickness of Ice.

PART I.—Monthly and Annual Summaries for the Chief Stations.

PART II.—Monthly and Annual Meteorological Summaries for Telegraph Reporting Stations and Ordinary Stations, of the First Class during the Year 1907.

PART III.—Monthly and Annual Meteorological Summaries for Stations of the Second Class during the Year 1907.

PART IV.—Bi-hourly and Hourly Temperatures and Barometric Pressure during the Year 1907.

PART V.—Mean Temperatures, Maximum, Minimum Temperatures, and Mean Daily Range of Temperature, Monthly and Annual Amount of Rainfall and Snowfall in 1907.

PART VI.—Daily Observations from Selected Stations for the Year 1907.

PART VII.—Magnetical Results for each Month and for the Year 1907.

ADDENDA.—Duration of Bright Sunshine.

INDEX.

All stations are arranged in the body of this report in alphabetical order according to their classification.

Summaries for the Chief Stations ..... pages 3 to 8
" Stations of the First Class ..... " 9 to 69
" " Second Class ..... " 72 to 164
Phenological Phenomena ..... " xiii
The Weather of 1907 ..... " xviii
Table of Forecasts and Verification ..... " xi
Temperatures—
Mean ..... " 337 to 342
Mean Maximum ..... " 343 to 348
Mean Minimum ..... " 349 to 354
Maximum ..... " 355 to 361
Minimum ..... " 362 to 368
Mean Daily Range ..... " 369 to 374
Precipitation—
Rainfall ..... " 375 to 382
Snowfall ..... " 383 to 390
Snow on the Ground ..... " xv to xvii
Thickness of Ice ..... " xv to xvii
Self-recording Instruments—
Victoria ..... pages 165 to 189, " 274 to 297
Winnipeg ..... " 202 to 225
Toronto ..... pages 226 to 249, " 298 to 321
Montreal ..... " 250 to 261, " 322 to 333
Bi-hourly Readings—
Regina ..... " 190 to 201
Quebec ..... " 262 to 273
Sunshine Data ..... " 748
Daily Observations (from Selected Stations) ..... " 391 to 738
Magnetic Observatory Report ..... " 739 to 747

INTRODUCTION.

Classification of Canadian Stations.

The classification which has obtained in the Meteorological Service of the Dominion of Canada is as follows:—

Chief Stations, where all ordinary observations are taken day and night at equal intervals of time not exceeding four hours.

Telegraph Reporting Stations, where all ordinary observations are taken three times daily at the same absolute time, namely, 8 A. M., 3 P. M. and 8 P. M., 75th Meridian time, and the first and last are reported by telegraph as soon as taken, to the Central Office at Toronto.

Ordinary Stations of the First Class, where all the ordinary observations are taken three times daily at certain local times.

Ordinary Stations of the Second Class, where regular observations of temperature, extremes of temperature, the direction and velocity of the wind, and the state of the weather, are taken three times daily at regular local times, the rainfall and snowfall al o being measured.

Ordinary Stations of the Third Class, where records are kept of the fall of rain and snow, and the general state of the weather.

Stations in operation during 1907 with the Latitude, Longitude, and Height above Sea when known, also the class of each Station.

(A) Chief Station—(I) First-class Station—(II) Second-class Station—(III) Third-class Station—(T) Telegraph Station—(S) Sunshine registered

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	Observer.
British Columbia.	° ′	° ′	Feet.		
Agassiz, (Experimental Farm)	49 14	121 31	52	II S	T. A. Sharpe.
Alberni	49 15	124 49	300	II	S. R. S. Bayne.
Alberni (2)	49 14	124 50	.....	III	Henry Hills.
Atlin	59 35	133 38	.....	I	F. W. Dowling.
Barkerville	53 2	121 35	4180	T	James Stone.
Bella Coola	52 40	126 54	150	II	Rev. E. A. Hage.
Bamfield	48 50	125 9	.....	I	R. G. McLachlan.
Chilliwack	49 10	121 57	21	I	Mark Jukes.
Chilcotin (Big Creek)	51 40	123 0	.....	II	H. E. Church.
Clayoquot (Christie school)	49 11	125 47	40	II	Rev. P. Mamus.
Cowichan (Tzouhalen)	48 25	123 42	170	II	C. F. Walker.
Crawford Bay	49 15	116 45	2000	II	Cecil Paddon.
Denman Island	.....	.....	.....	III	Rev. B. C. Nixon.
Fairview	.....	.....	.....	II	R. S. Atkins.
Fort St. James (Stuart Lake)	54 28	124 12	2280	II	A. C. Murray.
Garry Point	49 21	123 17	.....	II	Wm. McColl.
Golden	51 16	116 55	2550	II	John Bulman.
Goldstream Lake	48 27	123 33	283	III	George R. Crook.
Hartley Bay	.....	.....	.....	III	A. F. McCoskrie.
Hedley	49 35	120 10	.....	II	E. A. Holbrook.
Hedley (Nickel Plate)	49 30	120 0	5400	II	C. Revely.
Hornby Island	.....	.....	.....	III	R. DeB. Hovell.
Jordon River	.....	.....	.....	III	A. B. Caley.
Kamloops	50 41	120 29	1245	T	C. S. Stevens.
Kelowna (Okanagan Mission)	49 52	119 29	1200	II	F. E. R. Wollaston.
Kitamaat	53 59	128 42	.....	II	Dr. Bower.
Ladner	49 5	123 4	.....	II	A. DeR. Taylor.
Massett	53 58	132 9	30	II	C. Harrison.
Naas Harbour	54 56	129 56	20	III	G. Chambers.
Nanaimo	49 10	123 53	.....	I S	H. L. Good.
Nanaimo (2)	49 10	123 53	30	III	Marshall Bray.
Nelson	49 29	117 21	1760	II	Alfred W. Dyer.
New Westminster	49 13	122 54	330	T	Hugh Willson.
Nicola Lake	50 9	120 39	2120	II	H. H. Matthews.
North Nicomen	49 12	122 2	59	II	J. F. Harris.

STATIONS in operation during 1907, &c—*Continued.*

STATIONS.	Latitude North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
	° ′	° ′	Feet.		
BRITISH COLUMBIA—*Concluded.*					
Penticton	49 29	119 35	.....	II	W. J. Clement.
Princeton	49 29	120 29	1650	II	Mrs. Hugh Hunter.
Port Simpson	54 34	130 26	26	T	Miss M. W. O'Neil.
Quatsino	50 32	128 3	.....	II	B. W. Leeson.
Quesnelle	52 59	122 30	1700	II	D. H. Anderson.
Revelstoke	51 0	118 6	1476	II	F. Fraser.
Rivers Inlet	51 39	127 19	20	I	S. Grant.
Rossland	49 5	117 48	3400	II	H. R. Townsend.
Royal Oak	48 24	123 19	75	III	D. Lehman.
Salmon Arm	50 42	119 35	1245	II	R. Hobson.
Spence's Bridge	50 25	121 30	760	II	J. A. Teit.
Summerland	49 57	119 0	1100	II	R. H. Agur.
Swanson Bay	.....	.....	.....	III	J. S. Mennie.
Thetis Island	49 0	123 40	.....	II	A. P. W. Nixon.
Tobacco Plains	49 1	115 5	2300	II	Michael Phillipps.
Vernon (Coldstream Ranch)	50 14	119 15	1246	II	E. F. Lloyd.
Vancouver	49 17	123 5	195	I	T. S. H. Shearman.
Victoria	48 24	123 19	85	T S	E. Baynes Reed.
YUKON.					
Conrad	.....	.....	.....	II	Percy Reid.
Dawson	64 4	139 20	1200	T	H. G. McKay.
White Horse	60 45	135 0	2075	II	J. A. Macdonald.
ALBERTA.					
Alix	52 28	113 10	.....	III	A. F. Wright.
Banff	51 10	115 34	4542	I	N. B. Sanson.
Barlo	53 17	112 47	.....	III	J. N. Jenning.
Beaver Hills, W.	53 31	113 25	2525	III	Rev. Clement Hoyler.
Bismark	52 44	113 53	.....	III	Henry Nagle.
Bittern Lake	53 4	113 0	.....	II	E. C. Roper.
Blackfalds	52 24	113 47	2876	II	G. L. Gregson.
Bon Accord	54 5	113 24	.....	II	John Schofield.
Bruederheim	53 48	112 4	.....	III	C. A. Albrecht.
Calgary	51 2	114 2	3389	T	Miss M. Bradin.
Cardston	49 12	113 18	.....	II	Martin Woolf.
Clover Bar	53 37	113 23	.....	III	James Drysdale.
Conjuring Creek	53 12	113 47	.....	III	J. A. Sangster.
Coutts	49 0	111 53	3463	III	Sergt. A. K. McLellan.
Didsbury	51 40	114 8	3300	II	C. L. Peterson.
Dorenlee	52 41	112 52	.....	III	C. Nixon.
Dunvegan	55 56	118 35	1505	II	F. J. H. Bedson.
Eckville	52 23	114 22	3000	II	J. S. Shenton.
Edmonton	53 33	113 30	2158	T	S. H. Young.
Fort Chipewyan	58 42	111 10	.....	I	Rev. A. J. Warwick.
Fort Vermilion	55 27	116 3	.....	II	Rev. W. S. Williams.
Gleichen	50 52	112 54	2952	II	Rev. Canon Stocken.
Grassy Lake	49 50	111 18	.....	III	D. K. Slausen.
Gray Hill	52 15	113 53	2795	II	Robert Gray.
Heather Brae	52 56	112 40	.....	III	A. W. Fleming.
High River	50 35	113 53	3394	II	Louis M. Roberts.
Hillsdown	52 3	113 50	.....	II	R. E. Fiske.
Innisfail	52 3	113 55	2806	II	Henry George, M.D., M.R.C.S.
Islay (Island Lake)	.....	.....	.....	III	J. R. Giles.
Josephsburg	.....	.....	.....	III	James Robinson.
Jumping Pound	51 7	114 36	3087	III	C. E. Byron.
Kimball	.....	.....	.....	III	E. D. Mallery.
Kneehills	51 55	113 47	2800	II	Alex. Wyndham.
Lacombe	52 28	113 45	2783	III	P. J. Crow.
Lacombe (Ex. Farm)	.....	.....	.....	II	C. E. Craig.
Lawrence	50 16	113 26	.....	II	A. D. Meacham.
Leavings	49 52	113 31	.....	II	A. Russell.
Lethbridge	49 42	112 51	2982	II	C. B. Bowman.
Macleod	49 44	113 24	3128	II	Sergt. W. Haslett.
Macleod (2)	.....	.....	.....	III	M. J. Stapleton.
Magrath	49 21	112 52	3210	II	W. J. Hopkins.
Mayton	51 51	113 45	.....	III	J. W. Francis.
Medicine Hat	50 1	110 37	2161	T	Walter Crosskill.
Morinville	53 49	113 39	.....	II	A. N. Lavalle.
Okotoks	50 43	113 59	.....	III	J. D. Pugh.
Pakan	54 0	112 31	.....	II	J. A. Mitchell.
Peace River Crossing	56 15	117 15	.....	II	H. A. George.
Pekisko	50 26	114 14	3394	II	F. R. Pike.
Pincher Creek	49 30	113 58	3750	II	G. W. Gill.
Ponoka	52 40	113 34	.....	III	John Hageman.
Red Willow	52 15	112 12	.....	II	Mrs. W. S. Fulton.
Saddle Lake	54 0	111 44	.....	III	J. W. Carroll.

STATIONS in operation during 1907, &c.—*Continued*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
ALBERTA—*Concluded.*	° ′	° ′	Feet.		
Shaftesbury	56 6	117 45		II	Miss L. Miller.
Sion	53 54	114 15		III	F. Mash.
Stirling	49 31	112 31	3045	III	Theo. Brandley.
Taber	51 0	113 0		II	Westlake Bros.
Threehills Creek	51 30	113 11		II	W. E. Cutler.
Vermilion	53 21	110 51		III	H. Sawtell.
Wabamun	53 29	114 25		II	J. C. Haddock.
Waitefield	53 29	113 38		II	Thomas B. Waite.
Wetaskiwin	53 0	113 20	2480	II	J. H. Walker.
SASKATCHEWAN.					
Alameda	49 15	102 17	1892	II	W. A. Nicholson.
Arcola	49 38	102 30		III	J. R. Anderson.
Battleford	52 41	108 20	1622	T S	L. P. O. Noel.
Broadview	50 23	102 33	1960	II	Geo. J. Gill.
Cannington Manor	49 43	102 2	2064	II	J. Cusack.
East End	49 31	108 49		II	B. E. Rose.
Elm How	50 4	105 12		III	H. W. Lindsley.
Estevan	49 12	103 4	1858	II	D. R. Davies.
Fond du Lac				II	Rev. A. Biehler.
Foxleigh	50 37	104 29		II	W. Harford Davis.
Gatesgarth	50 20	105 0	1879	II	B. S. Rice.
Grenfell (Brownhill)	50 23	102 53	1957	II	W. H. Ball.
Haddington	51 29	107 47		II	D. Mowat.
Hanley	51 38	106 28		III	W. D. Mansell.
Heward				II	H. M. Simmers.
Humboldt	52 12	105 9		II	M. Dunsford.
Indian Head (Exp. Farm)	50 28	103 40	1924	II S	E. J. Reynolds.
Insinger	51 30	102 59		II	R. Lowrie, jr.
Kamsack	51 30	101 52		II	M. N. Campbell.
Last Mountain	51 13	104 40		III	L. S. Irvine.
Lemberg	50 43	103 12		II	G. W. A. Bock.
Lloydminster	53 18	110 0		II	Stanley Rackham.
Melfort	52 47	104 30		II	Frank Whitmore.
Meota	51 0	108 20	1700	II	George Douglas.
Moose Jaw	50 21	105 35	1745	II	Mrs. C. A. W. Stunt.
Moosomin	50 0	101 37	1884	II	E. L. Elwood.
Onion Lake	53 52	109 59		II	E. B. Matheson.
Prince Albert	53 10	106 0	1432	T	C. O. Davidson.
Qu'Appelle	50 30	103 47	2115	T	Mrs. C. E. Gordon.
Regina	50 27	104 37	1885	I	R. N. W. M. Police.
Regina (2)				III	W. E. Ekins.
St. Peter's	52 0	105 0	1879	II	Friar Maurus, O.S.B.
Saskatoon	52 15	106 30	1571	II	J. M. Eby.
Swift Current	50 20	107 45	2139	T	Mrs. Vaudreuil.
Woseca	52 6	109 29		II	Wm. Goodridge.
N. W. TERRITORIES.					
Fort Churchill	58 51	94 11		I	D. H. Learmouth.
Fort Good Hope	66 20	128 25		II	Rev. G. Houssis, O.M.I.
Fort Hope	51 32	87 48		I	C. H. M. Gordon.
Fort Norman	64 57	125 0		II	Rev. G. Houssis, O.M.I.
Fort Simpson	61 52	120 43		II	Rev. J. R. Lucas.
Hay River	60 51	115 20		II	Rev. Thos. J. Marsh.
Norway House	53 58	97 52	720	I	C. C. Sinclair.
York Factory	57 0	92 28	55	I	G. R. Ray.
MANITOBA.					
Almasippi	49 14	99 20		II	Geo. T. Irvine.
Aweme (St. Alban's)	49 42	99 33	1180	II	Percy Criddle.
Beaver	50 1	98 42	862	III	H. M. Smith.
Berens River	52 18	97 23	710	II	D. McEwen.
Birtle	50 25	101 1	1703	II	James I. Foster.
Brandon	49 51	99 57	1176	II S	N. Wolverton.
Carberry	49 52	99 20	1258	II	H. Griffith.
Carman	49 31	98 0	872	II	R. Kellett.
Cartwright	49 6	99 20	1540	III	E. F. Heath.
Cypress River	49 33	99 3	1232	II	W. B. Gillam.
Dauphin	51 15	99 30	957	II	R. C. Brown.
Fort Osborne	49 53	97 11	1492	II	A. Codd, M.D.
Gretna	49 1	97 32	760	III	A. Klaassen.
Hillview	49 55	100 33	1650	II	F. W. Stevenson.
Minnedosa	50 15	99 50	1400	T	Mrs. S. J. Wellwood.
Morden	49 11	98 5	1690	II	Miss L. E. Bradshaw.
Norquay	49 29	98 45	798	III	W. H. Holland.
Oakbank	49 57	96 49	1500	II	A. Goodridge.
Oakdale Park	49 11	100 18	740	II	J. D. Hanson.

STATIONS in operation during 1907, &c—*Continued.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
MANITOBA *Concluded.*	° ′	° ′	Feet.		
Pierson	49 11	101 5	1531	II	G. F. Morrison.
Pipestone	49 34	100 58	1800	II	L. G. Connon.
Portage la Prairie	49 57	98 17	2150	II	W. H. Miles.
Portage la Prairie (2)	.....	.....	.....	II	W. P. Smith.
Rapid City	50 7	98 22	1180	II	J. D. Plaice.
Rosebank	.....	.....	.....	III	Jas. S. Gibson.
Stony Mountain	50 4	97 14	803	I	Lt.-Col. A. G. Irvine.
Treherne	49 36	98 40	1212	II	G. F. Brock.
Virden	49 51	100 55	1444	II	M. H. Simpson.
Winnipeg	49 53	97 7	760	T S	St. John's College.
ONTARIO.					
Agincourt	43 47	79 16	590	II	J. C. Clark, J.P.
Alton	43 51	80 5	1250	II	W. J. Dods.
Arden	44 40	76 57	643	III	Thomas Andrew.
Aurora	43 57	79 24	.....	III	Rev. Walter Ames.
Bala	45 0	79 30	740	II	F. W. Sutton.
Bancroft	45 1	77 50	.....	II	D. H. Morrison.
Barrie	44 23	79 41	839	II	E. R. Wainwright.
Beatrice	45 8	79 20	600	II	John Hollingworth.
Birnam	43 2	81 55	600	II	J. S. Mellor.
Bloomfield	43 59	77 21	260	II	C. B. Morgan.
Brantford	43 10	80 21	505	II	A. N. Ashton.
Bruce Mines	46 18	83 55	595	II	John Nicholas.
Chatham	42 23	82 12	595	II	W. W. Turner.
Clinton	43 32	81 37	.....	II	Geo. Baird.
Clontarf	45 23	77 9	.....	II	H. A. Schultz.
Cockburn Island	45 57	83 18	610	II	A. Monck.
Coldwater	44 38	79 40	600	II	James Lazenby.
Copper Cliff	46 30	80 59	.....	II	C. C. Co.
Cottam	42 7	82 45	606	II	Thomas Smith.
Croydon	44 34	77 0	.....	III	James Teskey.
Dutton	42 42	80 24	.....	III	S. Maccoll.
Emsdale	44 30	79 14	1075	III	Wm. Jenkin.
Ennismore	44 23	78 27	.....	III	Ernest Telford.
Georgetown	43 39	79 58	850	III	Mrs. B. Nixon.
Goderich	43 45	81 43	750	II	R. Campbell.
Haileybury	47 29	79 39	687	I	P. A. Cobbold.
Haliburton	45 1	78 28	1050	II	F. Freeman.
Hamilton	43 16	79 54	303	II	Miss I. M. Walker.
Hillside Farm	.....	.....	.....	II	L. H. Baldwin.
Huntsville	45 19	79 8	975	II	F. Wallas.
Huntsville (2)	.....	.....	.....	III	C. A. Wattson.
Judge	.....	.....	.....	II	C. Chapman.
Kenora	49 48	94 32	1102	II	P. C. Mills.
Kingston	44 13	76 29	285	T S	A. P. Knight, M.D.
Lakefield	44 25	78 15	850	II	H. J. Le Fevre.
Lakeside Home (Toronto)	43 38	79 24	.....	II	W. J. Ham.
Lake Talon	46 15	78 48	.....	II	W. T. Gale.
Lansdowne	44 30	76 2	340	III	J. C. Stafford.
Lindsay	44 20	78 45	872	I S	Thomas Beall.
London	42 59	81 13	808	I	Miss M. J. Dewar.
Lucknow	43 56	81 30	908	II	W. E. McDonald.
MacCue	44 53	76 10	.....	III	W. J. McLean.
Madoc	44 30	77 29	502	II	Rev. C. J. Young.
Meaford	44 37	80 37	600	II	M. M. Manley.
Midland	44 44	79 53	753	III	J. L. Ferrier.
Montague	44 55	75 58	.....	III	J. Chalmers.
Moose Factory	51 16	80 56	30	I	W. E. Carswell.
North Bruce	44 23	81 25	.....	II	J. B. Muir.
North Gower	45 8	75 43	.....	II	Clarence Craig.
Orangeville	43 55	80 7	592	III	N. Gordon.
Orillia	44 34	79 24	775	II	M. B. Tudhope.
Otonabee	44 20	78 18	674	II	J. M. Drummond.
Ottawa	45 26	75 42	294	T S	Fisheries Department.
Owen Sound	44 34	80 55	597	II	J. R. McKenzie.
Paris	43 12	80 25	840	II	John Kay, J.P.
Parma	44 9	76 56	.....	III	C. R. Allison.
Parry Sound	45 19	80 0	635	T	W. R. Foote.
Pelee Island	41 50	82 38	585	II	J. R. Lidwell.
Peterborough	44 17	78 19	722	II	Walter Peters.
Point Clark	44 5	81 44	595	II	Murdoch McDonald.
Port Arthur	48 27	89 12	644	T	W. P. Cooke.
Port Burwell	42 39	80 50	592	II	M. G. Burwell.
Port Dover	42 47	80 13	635	II	L. G. Morgan.
Port Hope	43 56	78 20	.....	II	F. H. Barnes
Princeton	43 13	80 38	934	III	D. Beamer.
Renfrew	45 26	76 39	416	I	Geo. McMillan.
Reservoir Grounds (Toronto)	.....	.....	.....	III	D. Robertson.
Rockliffe	46 12	77 55	472	T	Mrs. E. McKay.

STATIONS in operation during 1907, &c.—*Continued.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
	° ′	° ′	Feet.		
ONTARIO—*Concluded.*					
Sarnia	42 59	82 24	586	II	Wm. Mowbray.
Scarboro	43 44	79 13	545	II	Robert Martin.
Southampton	44 30	81 21	656	T	Mrs. Kate Stewart.
Stony Creek	43 13	79 45	292	II	C. T. Van Wagner.
Stratford	43 23	81 0	1191	II	E. H. Eidt.
Strathroy	42 57	81 39	.....	III	B. Gott.
Sunnyside (Wooler)	44 8	76 45	.....	III	J. C. Dunn.
Sutton West	44 19	79 18	.....	II	Rev. G. I. Everest.
Sydenham	44 15	76 28	350	III	E. S. Shorey.
Toronto	43 40	79 24	350	T A S	Observatory.
Uplands	45 48	79 25	.....	II	Poole McDonald.
Ursa	44 54	78 18	.....	II	Stephen Kettle.
Uxbridge	44 5	79 8	886	II	William Foster.
Wallaceburg	42 35	82 24	.....	II	A. N. Clark.
Watford	42 54	81 52	783	III	D. Ross.
Welland	42 59	79 17	425	II	Jas. Coulson.
Westminster	42 56	81 17	.....	III	Geo. Riddell.
Westport	44 37	76 21	.....	III	William McKnight.
White River	48 35	85 16	1252	T	A. G. McCall.
Wiarton	44 44	81 9	530	III	Miss Laura Woodman.
Windsor	42 20	83 4	625	II	F. P. Gavin, B.A.
Wyoming	42 56	82 7	709	III	J. Osborne.
QUEBEC.					
Abitibi	48 43	79 22	.....	II	George Drever.
Anticosti, Heath Point	49 6	61 42	30	II	A. Tremblay.
Anticosti, S.W. Point	49 24	63 35	30	T	Z. Lemieux.
Anticosti, W. Point	49 52	64 32	30	II	A. Maloin.
Bicquet	48 25	68 53	.....	II	Louis Pineault.
Bird Rocks	47 51	61 8	106	T	Wilfrid Bourge.
Brome	45 10	72 36	678	II	G. F. Hall.
Cape Chatte	49 6	66 45	.....	II	Luc. Coté.
Cape Magdalen	49 16	65 20	93	II	J. F. Sasseville.
Chicoutimi	48 25	71 5	150	II	Hotel Dieu Saint Vallier.
Clarke City	50 10	66 25	.....	II	North Shore Power, Ry. and Nav. Co.
Father Point	48 31	68 19	20	T	J. McWilliams.
Montreal	45 30	73 35	187	T S	Prof. C. H. McLeod, Ma. E.
Paspebiac	.....	.....	.....	II	Atlantic, Quebec and Western Ry.
Perce	48 31	64 12	50	II	J. X. Lavoie.
Quebec	46 48	71 13	296	T	Arthur Smith, P.L.S.
Roberval	48 31	72 13	352	II	A. B. Naud.
Ste. Anne de Bellevue	45 27	73 59	.....	II	Benj. Richardson.
Shawenegan Falls	46 34	72 43	.....	II	W. B. Blockley.
Sherbrooke	45 32	72 5	.....	I	Prof. P. A. Begin.
NEW BRUNSWICK.					
Bathurst	47 39	65 42	45	II	Thos. Leahy.
Chatham	47 3	65 29	21	T	
Dalhousie	48 4	66 22	39	II	Jas. Harquail.
Fredericton	45 57	66 36	164	I S	Chanc. C. C. Jones, M.A., L.L.D.
Grand Manan	44 47	66 46	49	T	Mrs. C. C. Seeley.
Moncton	46 9	64 45	50	II	J. Edington, C.E.
Point Escuminac	47 4	64 46	20	II	K. R. McLennan.
Point Lepreaux	45 4	66 28	30	II	R. L. Belding.
St. John	45 17	66 4	70	T	D. L. Hutchinson.
St. Stephen	45 11	67 16	35	II	P. G. McFarlane.
Sussex	45 38	65 38	69	II	H. E. Goold.
Woodstock	.....	.....	.....	II	H. V. Dalling.
NOVA SCOTIA.					
Halifax	44 39	63 36	88	A T	F. P. Ronnan.
Parrsboro	45 23	64 19	40	II	Dr. W. D. McKenzie.
Port Hastings	45 39	61 22	45	II	A. Graham.
Sable Island, E. Pt	43 58	59 46	25	II	Wm. H. Horne.
Sable Island, Main Station	43 57	60 6	25	I	R. J. Boutelier.
Sydney	46 10	60 10	35	T	R. Laffin.
Truro	45 22	63 18	.....	I	Capt. L. Vance.
Whitehead	45 15	61 18	20	II	James Wells.
Windsor	44 59	64 6	.....	II	Rev. C. E. Willets, M. A.
Wolfville	45 7	64 2	28	II	F. E. Porter.
Yarmouth	43 50	66 2	65	T	Capt. J. E. Murphy.
P. E. ISLAND.					
Charlottetown	46 14	63 10	38	T	
Hamilton	46 25	63 48	.....	II	Howard Ramsay.
Summerside	46 10	63 51	.....	II	R. S. Bowness.

STATIONS in operation during 1907, &c.—*Concluded.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
NEWFOUNDLAND.	° ′	° ′	Feet.		
Belle Island	51 53	55 22	436	I	P. J. Colton.
Cape Norman	51 38	55 52	.....	II	J. W. Campbell.
Channel	47 37	59 9	50	II	G. G. Cotter.
Point Amour	51 28	56 51	.....	II	T. H. Wyatt.
Point Rich	50 42	57 25	35	II	Narcise Breton.
St. George	48 40	58 27	21	I	Capt. E. Hirst.
St. John's	47 34	52 42	125	T	Mrs. H. Higgins.
BERMUDA.					
Prospect	32 17	64 30	151	T	Senior Medical Officer.

NUMBER of Predictions and Percentage of Fulfilment in each District, in each Month, and in the Year 1907.

MONTH.	ALBERTA.					SASKATCHEWAN.					MANITOBA.					LAKE SUPERIOR.					GEORGIAN BAY.					LOWER LAKE REGION.				
	No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.			
		No. Fully	No. Partly	No. Not	Percentage		No. Fully	No. Partly	No. Not	Percentage		No. Fully	No. Partly	No. Not	Percentage		No. Fully	No. Partly	No. Not	Percentage		No. Fully	No. Partly	No. Not	Percentage		No. Fully	No. Partly	No. Not	Percentage
January	87	66	14	7	83·9	84	66	10	8	84·5	92	72	13	7	80·1	103	77	20	6	84·5	105	78	19	8	83·3	104	74	22	8	81·7
February	77	66	6	5	89·6	77	66	8	3	90·9	77	69	5	3	92·8	85	67	13	5	86·5	103	74	19	10	81·1	102	78	19	5	85·8
March	80	66	11	3	89·4	80	58	19	3	84·4	83	63	14	6	84·3	89	65	16	8	82·0	94	71	18	5	85·1	94	72	16	6	85·1
April	82	65	15	2	88·4	84	55	18	11	76·2	88	66	13	9	82·4	109	80	23	6	83·9	123	93	20	10	83·7	125	93	26	6	84·8
May	84	72	5	7	88·7	80	67	10	3	90·0	86	71	7	8	86·6	123	95	20	8	85·4	126	98	19	9	85·3	128	100	21	7	86·3
June	75	62	8	5	88·0	75	65	9	1	92·7	75	59	12	4	86·7	92	73	9	7	87·7	116	103	8	5	92·2	116	104	11	1	94·4
July	87	66	19	2	86·7	84	68	12	4	88·1	84	67	13	4	87·5	122	96	17	9	85·7	133	111	18	4	90·2	133	114	15	4	91·4
August	88	61	22	5	81·8	87	67	17	3	86·8	90	73	10	7	86·7	132	99	30	3	86·4	138	112	25	1	90·2	138	110	25	3	88·8
September	78	60	12	6	84·6	79	63	14	2	88·6	83	64	14	5	85·5	112	75	26	11	78·6	125	101	19	5	88·4	125	100	21	4	88·4
October	83	65	7	11	82·5	83	64	12	7	84·3	86	66	12	8	83·7	112	82	21	9	82·6	126	93	29	4	85·3	127	93	28	6	84·9
November	79	54	17	8	79·1	80	55	18	7	80·0	79	63	12	4	87·3	106	76	25	5	83·5	126	83	30	13	77·8	126	82	33	11	78·2
December	76	67	7	2	92·7	76	65	9	2	91·4	79	72	6	1	94·9	101	72	21	8	81·7	119	106	8	5	92·4	119	99	18	2	90·8
Totals	976	770	143	63	86·2	969	759	156	54	86·4	1002	805	131	66	86·8	1286	960	241	85	84·0	1434	1123	232	79	86·4	1437	1119	255	63	86·8

NUMBER of Predictions and Percentage of Fulfilment in each District, in each Month, and in the Year 1907—*Concluded.*

MONTH.	OTTAWA VALLEY.					UPPER ST. LAWRENCE.					LOWER ST. LAWRENCE.					GULF.					MARITIME PROVINCES, W.					MARITIME PROVINCES, E.					TOTALS.				
	No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.				No. of Predictions.	Verified.			
		No. Fully	No. Partly	No. Not	Percent'ge		No. Fully	No. Partly	No. Not	Percent'ge		No. Fully	No. Partly	No. Not	Percent'ge		No. Fully	No. Partly	No. Not	Percent'ge		No. Fully	No. Partly	No. Not	Percent'ge		No. Fully	No. Partly	No. Not	Percent'ge		No. Fully	No. Partly	No. Not	Percent'ge
January	110	73	31	6	80·4	110	75	28	7	80·9	109	78	20	11	80·7	114	83	21	10	82·0	122	82	32	8	80·3	122	92	25	5	85·6	1262	916	255	91	82·7
February	88	67	12	9	82·9	89	67	15	7	83·7	102	81	16	5	87·2	102	79	19	4	86·8	113	91	11	11	85·4	116	91	13	12	84·1	1131	896	156	79	86·1
March	98	71	18	9	81·6	98	73	18	7	83·7	89	65	15	9	81·5	92	71	13	8	84·2	125	92	23	10	82·8	125	88	30	7	82·4	1147	855	211	81	83·7
April	111	87	15	9	85·1	111	86	17	8	85·1	107	78	14	15	79·4	107	76	14	17	77·6	109	76	26	7	81·6	109	76	25	8	81·2	1265	931	226	108	82·5
May	110	89	16	5	88·2	110	89	16	5	88·2	121	98	19	4	88·8	120	95	20	5	87·5	119	94	18	7	86·5	119	88	24	7	84·0	1326	1056	195	75	86·9
June	87	79	6	2	94·3	87	81	5	1	96·0	102	87	9	6	89·7	102	88	7	7	89·7	105	93	10	2	93·3	105	90	10	5	90·5	1137	987	104	46	91·4
July	118	96	14	8	87·3	117	104	6	7	91·5	109	81	16	12	81·7	109	74	26	9	79·8	111	82	23	6	84·2	109	77	26	6	82·6	1316	1036	205	75	86·5
August	115	97	15	3	90·9	115	95	17	3	90·0	117	89	22	6	85·5	118	96	18	4	89·0	129	102	23	4	88·0	129	98	28	3	86·9	1306	1099	252	45	87·7
September	121	92	23	6	85·5	120	93	23	4	87·1	120	92	22	6	85·8	123	98	17	8	86·6	130	96	25	9	83·5	130	95	22	13	81·5	1346	1029	238	79	85·3
October	114	92	20	2	89·5	114	93	19	2	89·9	118	90	20	8	84·7	120	90	22	8	84·2	122	101	11	10	87·3	122	92	21	9	84·0	1327	1021	222	84	85·3
November	120	86	29	5	83·7	119	89	26	4	85·7	116	82	22	12	80·2	116	78	25	13	78·0	119	82	25	9	81·5	116	77	30	9	79·3	1299	907	292	100	81·1
December	110	93	15	2	91·4	110	97	12	1	93·6	113	87	17	9	84·5	115	91	16	8	86·1	115	81	26	8	81·7	116	89	22	5	86·2	1249	1019	177	53	88·6
Totals	1392	1022	214	66	86·7	1300	1042	202	56	87·9	1323	1008	212	103	84·2	1338	1019	218	101	84·6	1416	1072	253	91	84·6	1418	1053	276	89	83·9	1520	11752	2533	916	85·6

Phenological Phenomena.—Dates when first seen, 1907.

Day of the year corresponding to the last day of each month.

January	31	July	212
February	59	August	243
March	90	September	273
April	120	October	304
May	151	November	334
June	181	December	365

Number.		Stuart's Lake, B.C.	Cape Scott, B.C.	Quesnel, B.C.	Princeton, B.C.	Alberni, B.C.	Hanceville, B.C.	Vancouver, B.C.	New Westminster, B.C.	Massett, Q.C.I., B.C.	Fachers, B.C.	Beaver Hill, West Alta.	Bittern Lake, Alta.	Red Willow, Alta.	Sion, Alta.	Alix, Alta.	Ranfurly, Alta.	Gray Hill (near Red Deer), Alta.
1	Blood Root (Sanguinaria Canadensis), flowering	....	121	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2	Hepatica (Hepatica triloba) "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3	Trailing arbutus (Epigæa repens) "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Dandelion (Taraxacum officinale) "	144	110	106	115	101	...	144	108	184	91	134	....	158	158	....	169	160
5	Violet, White (Viola blanda) "	..	105	120	119	....	....	139	110	....	..	156	....	....	167	....	153	150
6	Violet, Blue (Viola cucullata) "	144	105	126	121	101	139	144	....	114	79	155	155	151	151	....	....	139
7	Columbine (Aquilegia formosa) "	....	136	200	....	144	....	....	....	....	....	....	....	170	....	....	....	181
8	Blueberry (Vaccinium) "	....	92	160	....	....	....	167	....	126	....	157	....	....	....	....	....	....
9	Red Clover (Trifolium pratense) "	....	....	165	159	138	180	163	143	130	169	....	....	....	....	....	....	....
10	White Clover (Trifolium repens) "	....	....	160	143	132	....	....	135	106	....	161	....	....	....	....	....	169
11	Wild Raspberry (Rubus) "	....	....	150	159	....	170	....	123	110	76	162	....	....	....	....	....	176
12	Cultivated Currant (Ribes rubrum) "	....	91	153	127	108	139	....	116	133	94	160	165	....	121	....	156	161
13	Wild Rose (Rosa lucida) "	....	....	151	157	147	169	....	109	161	149	175	179	193	176	....	177	178
14	Trillium (Trillium) "	....	....	132	....	....	159	....	....	95	....	....	....	147	....	....	....	....
15	Anemone (Anemone patens) "	....	....	....	....	....	145	....	....	....	118	132	....	125	184	....	127	....
16	Maple (Acer) "	....	....	....	....	....	....	....	113	....	117	147	....	....	....	....	155	....
17	Strawberry, Wild (Fragaria Virginiana) "	144	121	140	118	101	138	144	118	121	100	142	....	163	155	....	157	146
18	Strawberry, Cultivated (Fragaria) "	....	112	....	140	156	....	....	115	134	119	....	....	....	....	....	....	....
19	Crocus, Cultivated (Iris) "	....	51	....	160	73	....	....	60	....	37	....	....	....	....	....	....	....
20	Lilac (Syringa vulgaris) "	....	....	126	170	130	165	171	125	167	134	....	....	....	....	....	....	....
21	Apple (Pyrus malus) "	....	135	150	144	125	....	60	126	....	120	....	....	....	....	....	....	....
22	Plum, Cultivated (Prunus domestica) "	....	135	....	141	116	....	....	111	136	124	....	....	....	....	....	....	....
23	Cherry, Wild (Prunus) "	....	....	132	....	....	....	159	121	175	....	162	....	....	....	....	164	164
24	Cherry, Cultivated (Prunus cerasus) "	....	137	....	138	118	....	....	115	131	117	....	....	....	....	....	....	....
25	Buttercup (Ranunculus acris) "	..	137	139	89	135	122	163	137	123	123	135	....	146	144	....	....	144
26	Yellow Pond Lilly (Nuphar advena) "	....	125	169	....	....	183	....	....	168	....	....	....	....	149	....	....	....
27	Pitcher Plant (Sarracenia purpurea) "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
28	Saskatoon (Amelanchier Canadensis) "	154	....	131	131	...	145	....	....	....	....	156	....	....	167	....	164	158
29	Golden Rod (Solidago) "	....	127	260	225	....	....	....	189	....	210	208	....	....	....	....	177	214
30	Geese, migrating	88	102	128	96	85	95	....	....	116	105	94	98	98	100	86	99	81
31	Ducks "	81	....	132	73	....	97	....	..	....	....	101	102	121	100	93	119	94
32	Robins "	97	74	150	69	56	78	....	....	197	....	122	128	144	136	....	130	101
33	Meadow Larks, migrating	....	....	160	62	....	73	....	....	....	....	136	137	113	....	....	....	97
34	Blue Birds "	101	....	133	94	51	96	....	....	....	....	113	....	....	....	....	....	114
35	Flicker or Golden Woodpecker, migrating	....	96	....	..	..	92	....	....	242	....	138	....	....	....	....	141	134
36	Song Sparrow, migrating	106	....	....	84	....	....	....	....	....	....	122	....	150	165	....	140	94
37	Swallows "	123	103	133	133	127	102	....	....	247	105	138	134	..	157	....	137	139
38	Juncoes "	104	....	....	....	....	....	....	....	....	....	114	....	....	....	....	103	....
39	Orioles "	..	....	....	103	....	....	....	....	....	....	149	....	....	....	....	....	....
40	King Birds "	..	....	....	....	....	....	....	....	....	122	143	....	....	....	....	148	135
41	Humming Birds "	122	95	127	122	108	132	....	137	229	65	....	....	....	....	....	176	....
42	Frogs piping	....	69	....	104	58	....	....	102	....	....	122	....	127	122	....	133	110
43	Earth Worm Casts (Frost out of ground)	....	....	....	....	33	110	....	....	83	38	116	....	....	....	117	133	....
44	Lakes open	133	....	125	....	....	125	....	....	72	....	134	147	122	....	....	146	105
45	Rivers open	144	....	120	72	....	103	....	....	....	....	115	....	....	121	107	....	113
46	Ploughing	128	....	136	104	66	112	....	....	38	46	117	119	124	121	..	133	102
47	Sowing	130	105	150	....	68	110	....	126	131	89	123	126	134	140	....	135	119
48	Hay cutting	206	....	225	186	181	196	220	....	196	182	206	204	203	212	213	219	199
49	Grain "	220	....	230	229	226	250	..	....	243	207	240	252	252	....	246	255	240
50	Potato planting	134	91	....	112	101	140	....	....	105	99	135	143	157	148	....	143	131

Note.—Reports from Vancouver, B.C., and Nova Scotia were kindly supplied by Dr. A. H. Mackay, General Secretary of the Botanical Club of Canada.

PHENOLOGICAL PHENOMENA.—Dates when first seen, 1907—*Concluded*

Day of the year corresponding to the last day of each month.

January	31	July	212
February	59	August	243
March	90	September	273
April	120	October	304
May	151	November	334
June	181	December	365

Number.		St. Albans, Man.	Norquay, Man.	Oakbank, Man.	Morden, Man.	Cottam, Ont.	Queensboro', Ont.	Madoc, Ont.	Beatrice, Ont.	Arden, Ont.	Birnam, Ont.	Woodstock, Ont.	Toronto, Ont.	Hamilton, Ont.	Abitibi, Que.	Richmond and Cape Breton, N.S.	Yarmouth and Digby Counties, N.B.	Average for Nova Scotia.
1	Blood Root (Sanguinaria Canadensis), flowering	....	....	....	....	....	121	124	....	....	118	117	117	113	....	....	....	131
2	Hepatica (Hepatica triloba) "	....	....	....	....	....	111	117	....	111	....	122	114	104	....	....	....	132
3	Trailing Arbutus (Epigæa repens) "	....	....	....	....	....	121	119	....	....	....	....	118	....	....	126	98	115
4	Dandelion (Taraxacum officinale) "	145	152	158	148	116	135	122	142	123	124	88	125	126	....	148	129	137
5	Violet, White (Viola blanda) "	152	....	....	....	....	132	137	140	138	133	138	136	166	....	139	121	130
6	Violet, Blue (Viola cucullata) "	....	151	....	....	....	134	135	162	128	136	122	136	166	....	145	127	134
7	Columbine (Aquilegia formosa) "	....	167	....	....	....	142	157	....	131	....	....	159	....	....	....	....	....
8	Blueberry (Vaccinium) "	....	....	....	....	....	148	....	....	....	....	....	....	165	....	165	140	150
9	Red Clover (Trifolium pratense) "	....	....	....	....	....	169	181	....	172	171	....	....	....	....	175	153	180
10	White Clover (Trifolium repens) "	....	161	185	....	....	168	173	180	172	180	....	..	....	....	173	162	169
11	Wild Raspberry (Rubus) "	174	179	....	....	....	171	175	185	....	....	....	....	....	....	173	169	166
12	Cultivated Currant (Ribes rubrum) "	155	158	....	....	....	141	....	143	138	152	140	149	....	....	160	144	151
13	Wild Rose (Rosa lucida) "	190	173	174	....	....	....	174	....	....	173	....	....	....	....	195	175	180
14	Trillium (Trillium) "	171	160	....	....	....	138	135	147	129	....	123	134	124	....	150	147	151
15	Anemone (Anemone patens) "	115	....	127	....	122	153	182	....	....	....	....	149	....	....	....	....	....
16	Maple (Acer) "	147	150	153	141	117	136	126	141	....	89	....	94	128	....	141	131	134
17	Strawberry, Wild (Fragaria Virginiana) "	147	154	157	....	....	129	135	140	132	144	126	144	166	....	145	126	134
18	Strawberry, Cultivated (Fragaria) "	....	....	....	....	134	148	....	150	....	151	138	149	137	....	....	....	....
19	Crocus, Cultivated (Iris) "	....	....	....	....	....	167	....	....	....	102	80	88	105	....	....	....	....
20	Lilac (Syringa vulgaris) "	....	168	....	166	....	159	162	....	152	155	....	160	155	....	179	165	169
21	Apple (Pyrus malus) "	....	....	....	164	144	161	156	....	152	160	....	152	146	....	172	156	160
22	Plum, Cultivated (Prunus domestica) "	....	162	....	....	135	140	144	....	138	139	138	149	....	....	169	151	159
23	Cherry, Wild (Prunus) "	158	162	167	....	....	150	149	....	155	148	138	....	135	....	164	147	152
24	Cherry, Cultivated (Prunus cerasus) "	....	....	....	....	....	....	155	....	....	145	....	146	166	....	165	146	158
25	Buttercup (Ranunculus acris) "	....	....	....	....	....	164	166	....	....	159	133	160	165	....	168	151	159
26	Yellow Pond Lily (Nuphar advena) "	....	188	....	....	....	177	174	....	....	177	....	....	....	....	167	172	170
27	Pitcher Plant (Sarracenia purpurea) "	179	....	....	....	....	169	173	....	....	....	....	....	....	....	178	171	174
28	Saskatoon (Amelanchier Canadensis) "	160	160	159	....	....	....	....	....	....	....	....	....	....	....	157	143	147
29	Golden Rod (Solidago) "	....	....	....	....	....	....	212	....	....	237	....	....	244	....	....	....	....
30	Geese, migrating	82	109	....	88	78	103	....	129	....	....	....	....	....	133	87	86	87
31	Ducks "	91	111	128	84	79	85	85	....	88	....	....	....	....	112	94	92	91
32	Robins "	82	92	....	88	71	78	78	83	66	68	64	77	74	112	....	....	....
33	Meadow Larks, migrating	91	166	....	80	72	85	91	89	....	83	75	89	81	....	....	....	129
34	Blue Birds "	....	147	....	....	67	80	80	83	1	77	75	81	....	....	....	....	....
35	Flicker or Golden Woodpecker, migrating	93	114	....	93	....	87	87	....	....	94	88	78	....	....	....	....	....
36	Song Sparrow, migrating	115	....	....	....	....	77	76	....	....	69	76	80	....	....	94	88	90
37	Swallows "	141	131	....	144	141	114	113	134	....	119	118	122	133	160	....	....	....
38	Juncoes "	82	83	....	....	....	84	87	....	....	....	88	86	....	....	92	90	92
39	Orioles "	141	148	....	135	....	133	134	....	....	135	133	134	134	....	....	....	....
40	King Birds "	141	142	....	140	....	133	129	....	....	126	..	132	137	....	....	....	....
41	Humming Birds "	....	153	....	....	178	145	153	155	178	157	144	135	....	....	172	157	154
42	Frogs piping	127	134	126	126	78	99	101	113	108	85	81	104	....	144	120	162	113
43	Earthworm casts (frost out of ground)	....	....	....	121	73	135	124	122	112	111	....	95	....	....	....	....	....
44	Lakes open	....	....	....	....	....	120	112	115	112	....	....	....	....	150	113	94	113
45	Rivers open	....	....	....	111	....	87	84	115	....	....	63	....	....	117	99	85	95
46	Ploughing	....	....	....	126	105	130	....	125	127	103	101	106	....	115	125	104	125
47	Sowing	....	137	....	119	95	134	146	128	153	109	117	114	....	....	136	123	138
48	Hay cutting	....	220	....	201	187	191	187	198	191	189	....	....	....	222	213	187	200
49	Grain "	....	245	....	217	220	....	206	229	....	208	....	....	....	....	250	241	241
50	Potato planting	....	142	142	127	114	136	128	140	....	....	....	117	....	170	127	113	133

Depth of Snow on Ground and Thickness of Ice, in inches, at End of each Month during 1907.

STATIONS.	January.		February.		March.		April.		November.		December.	
	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.
Alberta, Saskatchewan and Manitoba.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Alameda	29		22		14						7	
Alix	15 to 24		12 to 24		18 to 24		0 to 12				3½	8
Battleford			12	30								
Bittern Lake			20		23		patches			4	6	
Bruederheim			20				traces					
Blackfalds	25		22		18		gone on level ground		trace		2¾	
Bon Accord	24		22		20		drifts		trace		5	
Carberry	37		36						2		4	
Carcross											2	
Chaplin	30		28		14		patches				6	
Dorenlee			24		16	18	trace			5	2	8
Dunvegan			29		no snow on level							
Didsbury	16		bare in places		none		none					
Estevan	36		2	24	18					9	4	
Edmonton			16	30								
Eckville											5½	
Fond du Lac	26		29		25		16		10		19	
Gleichen	6				trace				bare		¼	
Grassy Lake			4	24	nil		none	1	0			
Gray Hill	2 to 8 open 20 woods 72 drifts		open ground bare 16 woods 72 drifts		woods 16 hills bare except drifts		7 woods heavy drifts in places				open 2 to 3 woods 4	10
Gatesgarth	14		14								3	
High River	5		½		none		none				1	
Hillview	18											
Hillsdown	10 drifted						none				4	
Indian Head	20		15		6		0				4	
Insinger	24	29	26	31	27		16	30				
Islay	16		15		16½		1					
Jumping Pound	6		gone in open		1		3		0		1	no ice
Josephsburg	10	16			nil		nil					
Lacombe	20	26	17	26	14	26			0	5		
Lloydminster											3	
Magrath	18		none				melting fast					
Medicine Hat			2	15								
Manor (Cannington)	36		48				ground bare snow drifts					
Minnedosa			15	24								
Macleod	3		5		0				none		none	
Morden	42 woods 50 roads		30 woods		8		snow drifts in places					
Nanton			7				1					4

DEPTH of Snow on Ground and Thickness of Ice, in inches, at End of each Month during 1907—*Concluded.*

STATIONS.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		NOVEMBER.		DECEMBER.	
	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice
ALBERTA, SASKATCHEWAN AND MANITOBA—*Concluded.*	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.
Oakbank	30 bush						snow in bush and drifts					
Ponoka	30		24	30	18	36	none	3		6		
Pekisko	6		1		drifts	gone	6					
Prince Albert			16									
Pakan			14		16		all gone except in bush	thin			4½	
Qu'Appelle			6									
Ranfurly	32	20	28	30	20	32	11	30		6	2½	15
Rocky Coulee	10	24										
Red Willow					24		patches		none		4	12
Sion	15½		16½				traces					
Swift Current			8	36								
Stettler			30									
Shaftesbury											2	
St. Peter's Monastery		29										
Saskatoon	15		14		10		none				3	
Taber					2							
Three Hills Creek	½				(snow going fast)		gone		none		trace	
Treherne			30 bush									
Vermilion (Fort)	15		14		22		(sleighing in bush)		12		14	
Wabumin	30	16	22	20	20	20	10	20			12	
Winnipeg			5									
Wetaskiwin	33		13		12		bare in patches much snow in bush	none			4	
White Horse	18½		23½		3				4		7	
ONTARIO.												
Arden	3	19	8	29	trace				2		3	thin
Alton	3		6		trace							
Barrie	6	18	6									
Birnam	fields 7 roads 4		fields 8 roads drifts						trace			2
Brantford	2½	11	2	16								
Beatrice	11		14		none		2½		5		7	
Bruce Mines	16	21	19		patches	22			8		2	13
Clinton	6	6	4	10	none				4		trace	
Cockburn Island	5	9									3	none
Emsdale	12		18		trace		8		6		6	
Georgetown	3	15	2						½		6	
Gravenhurst			18	24	none	30					14	4
Hamilton	4		patches	17	none	ice gone						
Huntsville							4		4		10	

Haliburton	3		30 bush		nearly gone						12	
Lansdowne	2	10	5	12	none	10					2	4
London		3½	4½		none				trace		2	
Lindsay									8			
Lakefield		19	13	20								
Lucknow	9 bush		14		none				6		4	
Meaford	9	10	12	18	none		3				6	
Madoc	sleighing all month		14		0		0		3		4	
Ottawa			7	30								
Orillia	20		28						trace			
Owen Sound	17		22	15		none						
Port Burwell	4		trace		none						0	
Port Arthur	5½		9	22	6	20			¾		trace	
Port Stanley			1	18								
Port Dover	2	7	1½	12							0	0
Peterborough	6		12	27	0				5		good sleighing in county	
Rockliffe			25	25								
Renfrew												
Saugeen			18	14								
Scarborough Junction	nearly gone										none	
Sutton West	2		2		trace						2	
Strathroy	4								1			
Toronto	4		7						½		2	
Ursa	20	20			patches	30						
Uplands	21		30		no sleighing				6		13	
Uxbridge				21							good sleighing	
Woodstock	3		3	17								
Wyoming	4		2		0							
West River			22	16½								
Wooler	fairly good sleighing											
Quebec.												
Anticosti			58									
Brome	nearly gone	26										
Father Point			62									
Montreal			31									
Quebec			42									
Sherbrooke	7		8		½		0		5½		2	
Maritime Provinces.												
Chatham			21	24								
Charlottetown			10	15								
Dalhousie	23	30			24	18						
Fredericton	9	24	36	27	12	30			1		1	7½
Halifax			5									
Moncton	12		12		3		none		2			1
Point Lepreaux	11	18	24	24	10	18						
Point Escuminac	11	fresh 19 sea 11	36	fresh 34 sea 15	16	fresh 9 drift			1	fresh 3	4	fresh 6 sea 0
Restigouche	23		36		24				2		6	
Sussex	8											
St. Stephen	18		36		fields trace woods 24		0		¼			
St. John			10									
Sydney			14	24	6	24 harbor 30 lakes			2	0	0	0
Woodstock	10	24	26	28	1	thin	0					
Yarmouth			6									

THE WEATHER OF 1907.

JANUARY.—The first month of the year was remarkable for the exceedingly cold weather which was experienced in the Western Provinces. In British Columbia, Alberta and Saskatchewan this was the coldest January of which the Meteorological Service has any record. The mean temperature of the month in these provinces ranged from 6° to 22° below the January average of many preceding years. At Edmonton, where the average temperature of January for the preceding 24 years was taken as the normal, that of January, 1907, was 18°·6 below normal. The mean of the month was 12°·3 below zero. The lowest temperature was 46° below zero on the 14th and the highest 39° on the 23rd. At stations further north, minimum temperatures as low as 56° below zero were recorded. In Manitoba the mean temperatures were also much below the normal, but not to such a marked extent, nor was the cold so intense in that province as in several previous Januaries. Over the remainder of the Dominion the mean temperature was from 1° to 5° below normal. The highest temperature recorded during the month in Canada was 59° at Birnam, Ontario, on the 19th.

The precipitation of the month was rather irregularly distributed over the Dominion. In the west the whole amount consisted of snow, but in Ontario and the Maritime Provinces of both snow and rain. In British Columbia and the northern portions of the Prairie Provinces the amount was less than normal, but in the southern districts of Alberta, Saskatchewan, and Manitoba there was an excess. In these provinces the snow was much drifted by high winds, and on account of the continuous cold which had afforded no opportunity for the disappearance of the December fall, the depth at the close of the month ranged from 10 to 30 inches over the prairies. Continuous sleighing during the month was reported from many coast towns in British Columbia, a very unusual occurrence. In eastern Ontario and western Quebec and the greater part of the Maritime Provinces precipitation was below average, and in the remainder of the Dominion slightly above. The depth of the snow upon the ground in the Lake Superior and northern districts of Ontario varied from 18 to 24 inches, and elsewhere in the same province from 3 to 10 inches. There were from 18 to 26 inches in the western counties of Quebec and from 46 to 48 in the most easterly. In the Maritime Provinces the range was between 4 and 11 inches although a very few places reported 18. In the western provinces thickness of ice of 30 inches was reported, in northern Ontario and Quebec 25, and elsewhere from 8 to 15. The amount of bright sunshine was greater than the average of ten preceding Januaries except along the shore of Lake Ontario and in the Ottawa and St. Lawrence valleys.

FEBRUARY.—West of Lake Superior, with the exception of the Lower Mainland and Vancouver Island in British Columbia, the mean temperature of February was above the normal, while east of Lake Superior the mean was less than the normal. Roughly, the mean temperature in the Western Provinces was about 5° above the normal for February; in Ontario was about 4° below, and in Quebec and the Maritime Provinces about 6° below. The first six days of the month were very cold in British Columbia but the remainder of the month was much milder. In Alberta, Saskatchewan and Manitoba the first five or six days were exceedingly cold, but the following fortnight was unseasonably mild, and the remainder of the month moderately cold. From Ontario eastward, although not extremely cold, the weather was almost continuously below normal.

The precipitation of the month was above the normal amount in British Columbia, and consisted largely of rain, which rapidly cleared away the snow which lay upon the ground at the beginning of the month. No rain fell in the Western Provinces and the snowfall was light. In southern Ontario there were a few showers but the major portion of the precipitation was snow, while the total amount was less than normal. Except in the Gulf districts the snowfall was below the normal in Quebec. In eastern Nova Scotia and the greater part of New Brunswick, however, the total amount, a small portion of which was rain, was in excess.

At the close of the month there was no snow upon the ground at the lower levels in British Columbia nor in southwestern Alberta. Elsewhere in Canada the snow was distributed deeply over the northern districts and lightly over the southern. The thickness of ice varied from 10 to 30 inches.

In British Columbia, northern Saskatchewan and Alberta, Quebec and the Maritime Provinces the duration of bright sunshine registered during the month was either average or below; elsewhere in Canada the average was exceeded.

MARCH.—The distribution of temperature and precipitation was very irregular over the Dominion in March. In Manitoba and the greater part of Ontario it was a mild month, the mean temperature exceeding the normal by from 4° to 5° in the former, and from 4° to 8° in the latter province. After the 21st a period of unusually mild weather ensued in Ontario. This was very marked in the extreme southwestern counties of the peninsula, temperatures of 70° to 75° having been registered during that period at Chatham, Cottam, Windsor, Wallaceburg, Sarnia and other towns near Lake St. Clair. In British Columbia the month was somewhat colder than usual with unsettled or stormy weather, the mean temperature falling from 1° to 3° below the normal. In Alberta the mean temperature was either normal or slightly below in the western districts but about 1° above in the eastern. In Saskatchewan mean temperatures below the normal appeared to be restricted to the south-central districts, temperatures elsewhere exceeding the normal by about 1°. In Manitoba the excess over the normal temperature averaged about 3°. In northern Quebec the mean temperature was about normal but in eastern Quebec was about 2° below and in western Quebec about 2° above. In southwestern Nova Scotia and near the Bay of Fundy the mean temperature was very little below average but elsewhere in the Maritime Provinces was from 2° to 4° below.

In British Columbia except on the highlands of the interior and on the extreme south coast, in the greater part of Alberta, all Saskatchewan except the central-southern districts, Manitoba except the most eastern portion, the greater part of the Ontario peninsula, along the Middle St. Lawrence and very locally on the east coast of Nova Scotia the amount of precipitation was more than the normal. Both snow and rain were of frequent occurrence in British Columbia, while in Saskatchewan and Alberta there was no rain during the first week and but little fell

during the remainder of the month, the precipitation consisting almost entirely of snow. The month opened with snow in Manitoba and snow fell about every five days till the close of the month, some rain being recorded on the 21st and 24th. Rain and snow were both recorded in Ontario and during the last week thunderstorms occurred. Except during the last week there was very little rain in Quebec and this fell principally during and in the track of thunderstorms. After the 15th several heavy falls of rain were recorded in the Maritime Provinces but occurred for the most part in Prince Edward Island.

In southern British Columbia, the extreme southwest of the Maritime Provinces and the peninsula of Ontario there was little or no snow on the ground at the close of the month, but elsewhere in the Dominion the depth varied greatly. In southern Alberta there was only a trace but further north the depth increased to 9 inches. In Saskatchewan the depth varied from 4 to 10 inches, in Manitoba from a trace to 8 inches, in northern Ontario from 2 to 9, in Quebec from 6 to 24, and from 6 to as much as 24 in the northern counties of the Maritime Provinces. In some districts of British Columbia, notably on the lower levels of the Cariboo district, the snow had accumulated to great depths, as much as 68 inches having been reported.

The duration of bright sunshine registered during the month was above the normal in British Columbia, southern Saskatchewan and Manitoba, and differed very little from the normal elsewhere.

April.—The outstanding feature of the weather of April was the unusual cold experienced in Alberta, Saskatchewan and Manitoba. In the two latter provinces the mean temperature of the month was from 10° to 17° below the April average for many years previous, and in Alberta from 4° to 7°. Temperatures below zero were recorded as late as the 28th. In Ontario and Quebec the cold was not so severe but was considerably below the seasonal average. In the remainder of the Dominion the temperature was for the most part lower than normal but not to any unusual extent.

The precipitation of the month was irregularly distributed. In British Columbia it was nearly normal, but in Alberta, Saskatchewan and Manitoba was generally very light, although in the vicinity of Calgary and Swift Current it was above normal, more than twice the average amount being recorded at Calgary. In Ontario, Nova Scotia and Prince Edward Island some districts reported excess and others deficiency, but in no case was the departure from normal excessive. In Quebec and New Brunswick an excess was reported from most districts, from one to two inches more than average having fallen.

May.—The month of May was very cold in nearly all portions of Canada. The extremely subnormal conditions of April continued in the Western Provinces and Ontario, and as a result vegetation was very backward and did not make much progress till nearly the end of the month. The mean temperature was 10° to 15° lower than the May normal in most districts of the Western Provinces and from 6° to 10° in Ontario, in Quebec from 4° to 8° in the western counties and about 3° in the Gulf districts. In the Maritime Provinces a few districts reported normal temperatures or slightly higher, but there was a deficiency of about 3° over the greater part of these provinces. In British Columbia alone was warm weather experienced. Here much fine bright weather occurred during the first ten and last nine days. From the 27th to the 31st 80° was exceeded each day at many stations, and on the 30th 94° was recorded at Spence's Bridge.

Precipitation was generally deficient over the Dominion, and especially so in British Columbia, where the total rainfall on the lower mainland and of rain and melted snow on the higher levels was less than 1 inch. In Ontario, except in Algoma, Nipissing and the Niagara Peninsula, there was a deficiency amounting to between 30 and 40 per cent of the normal quantity. Elsewhere there was very little difference from normal, although the general tendency was to a deficiency.

June.—During the month of June the weather in Canada returned to nearly normal conditions, although the month opened with low temperature in nearly all portions of the Dominion. The mean temperature of the month was a little higher than average in the northern portions of Ontario, in Manitoba and Saskatchewan and on Vancouver Island, while in other parts of the Dominion it was below, but not to any marked extent. In Ontario and Quebec 80° was frequently exceeded after the 16th, and on several days 90° was reached in many localities. In Quebec, western Manitoba, and southern Saskatchewan, the rainfall was heavy; and in Alberta, northern New Brunswick and western Ontario was equal to the normal. Elsewhere in the Dominion it was deficient.

July.—The temperature was above the normal in British Columbia, and also locally in the Western Provinces, Ontario and the central portion of Quebec. Over the greater portion of Canada, however, it was lower than the average. The difference from average was, however, small, except in the Gaspe peninsula of Quebec, where 5° less was reported.

On the lower mainland of British Columbia there was less than the usual quantity of rain, but on the upper mainland the normal was exceeded at many stations. Dull weather prevailed in the Western Provinces except during the first and last weeks, the duration of bright sunshine being less than the usual. During the dull period showers were frequent but the aggregate rainfall was less than the average July precipitation. In Ontario there was much fine weather and a deficiency of rain in most districts. Dull days throughout the month and excessive precipitation characterized the weather of the month in Quebec. Dull, cool weather with heavy, but not frequent, showers obtained in the Maritime Provinces.

August.—A marked excess of precipitation and a very general subnormal temperature marked the weather of August throughout the greater portion of British Columbia, the only exception being the southern part of Vancouver Island, where the precipitation was somewhat deficient and the temperature a little higher than average. The continued rains delayed the harvest somewhat. Maximum temperatures exceeding 90° were recorded at many stations, occurring at most places during the first three days.

Throughout the Western Provinces conditions were cool, and on a few occasions frost was recorded at many places. The rainfall was heavy except in southwestern Alberta, where a subnormal amount was recorded. Harvesting was well under way by the end of the month.

In Ontario fine weather predominated and the rainfall was light. The second week of the month was generally warm but otherwise conditions were cool. Pastures and root crops were much affected by drought, but the dry weather allowed the harvesting of grain in excellent condition.

In the western portion of Quebec conditions were much the same as in Ontario, but over eastern districts, the rainfall was excessive and the weather cool.

Much cloudy, wet, cool weather prevailed during August throughout the Maritime Provinces and in consequence vegetation, though of rank growth, was not approaching maturity. Light local frosts were recorded in Cape Breton Island on the 22nd.

September.—In British Columbia the mean temperature was above the average by from 1° to 3° and in the peninsula of Ontario by from 1° to 2°. Elsewhere in Canada less than the average was recorded. The greatest differences from average, amounting to 3°, were reported from Alberta and Saskatchewan. Frosts occurred frequently during the second half of the month in the Western Provinces and during the last few days in Ontario. On the mainland of British Columbia, in Quebec and the Maritime Provinces, the greater part of Ontario, and locally in Alberta, the rainfall was heavy, but elsewhere was either average or less. The duration of bright sunshine was above the average from Manitoba westward, but in the east was deficient.

October.—From Manitoba to the Pacific Coast the temperature and bright sunshine exceeded the normal while there was a deficiency of rain. In Alberta the mean temperature was from 2° to 7° higher than is usual for the month of October. In Ontario the precipitation was irregularly distributed ; some counties recorded an excess, others a deficiency. In the Ottawa and St. Lawrence Valleys, however, there was a marked excess, twice as much as usual falling in many localities. Except in Cape Breton, the precipitation was not heavy in the Maritime Provinces. Temperatures were from 2° to 7° below the normal in Ontario and Quebec and from 1° to 4° over the greater part of the Maritime Provinces.

November.—From the 12th to the 16th, and again during the last few days of the month, decidedly cool weather prevailed from Ontario to the Maritime Provinces. During the remainder of the month there were many very mild days, while the mean temperature was from 5° to 10° higher than the normal in the Western Provinces. In the peninsula and eastern Ontario from 1° to 2° less than usual were reported, but in Quebec and the Maritime Provinces from average to 2° above.

The precipitation was heavy over the lower mainland of British Columbia and comparatively light on the upper mainland. In the Western Provinces it was almost nil, ranging from just a few snow flurries in Alberta to an aggregate of 0·15 rain and about 4 inches of snow in Manitoba. Over the greater portion of Ontario the precipitation was part rain and part snow, but chiefly the former. It was in excess of the average except near the shores of the Great Lakes, where there was a small deficiency. In Quebec and the Maritime Provinces departures from the average amount were not pronounced except in Prince Edward Island, where the quantity recorded was much below average and decidedly less than in New Brunswick and Nova Scotia.

At the close of the month there was a light covering of snow over the whole of Quebec and over the larger portion of Ontario, while in parts of this latter province east and north of the Georgian Bay as much as 12 inches was reported. In northern New Brunswick there was also a slight covering, but further south and also in Prince Edward Island and Nova Scotia there was but a trace here and there. In Manitoba there was from half an inch to 2 inches, but further west all the prairie lands were quite bare, as were also the lower levels in British Columbia.

December.—Except in British Columbia, where the normal was not exceeded, the mean temperature of December was much higher than usual. During the first week temperatures exceeding 50° were of frequent occurrence in Alberta. Although temperatures below zero were recorded from the 16th to 20th and the 23rd to 31st in the Western Provinces, the average of the month was from 5° to 9° above normal. In Ontario the normal was exceeded by from 2° to 7°, in Quebec from 5° to 8°, and in the Maritime Provinces from 3° to 8°.

Heavy precipitation was recorded in southern Saskatchewan, Quebec and the Maritime Provinces, and less than the normal amount in British Columbia, Manitoba, Alberta and the remainder of Saskatchewan. In Ontario some districts recorded a marked excess and others as noticeable a deficiency. Departures from average, whether negative or positive, were in nearly all cases remarkable.

At the close of the month and year there was a remarkable absence of deep snow on the ground. In Alberta, parts of Ontario and the Maritime Provinces there was none, and in the remainder of the Dominion 6 inches was exceeded in very few localities.

PART I.

Monthly and Annual Summaries for the Chief Stations, 1907.

TORONTO, ONT.—Mean Barometric Pressure at 32°, for the Year 1907.

MONTH.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	in.	in.	in.	in.	in.	in.	in.
January	29·7636	29·7744	29·7638	29·7762	29·8055	29·7953	29·7798
February	29·6900	29·7148	29·6744	29·6739	29·6992	29·6949	29·6912
March	29·6444	29·6636	29·6373	29·6228	29·6558	29·6483	29·6454
April	29·5460	29·5569	29·5260	29·5121	29·5476	29·5427	29·5386
May	29·6204	29·6322	29·6072	29·5927	29·6033	29·6020	29·6096
June	29·5635	29·5772	29·5487	29·5399	29·5468	29·5481	29·5540
July	29·5194	29·5274	29·4989	29·4849	29·5098	29·5140	29·5091
August	29·6362	29·6508	29·6128	29·5977	29·6268	29·6344	29·6265
September	29·5864	29·6013	29·5657	29·5589	29·5889	29·5836	29·5808
October	29·6740	29·6978	29·6609	29·6566	29·6639	29·6567	29·6683
November	29·6272	29·6376	29·6083	29·6116	29·6218	29·6204	29·6212
December	29·5684	29·5785	59·5329	29·5397	29·5638	29·5676	29·5585
Year	29·6199	29·6344	29·6030	29·5972	29·6194	29·6173	29·6152

TORONTO, ONT.—Mean Temperature of the Air, for the Year 1907.

MONTH.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°
January	20·98	20·04	24·03	24·12	21·63	21·35	22·02
February	15·58	14·53	21·36	21·74	17·73	17·70	18·17
March	29·93	30·58	37·45	37·90	32·97	32·12	33·50
April	32·93	35·80	42·93	42·62	36·17	35·49	37·66
May	41·36	47·11	54·69	54·43	45·39	44·29	47·88
June	56·84	62·94	70·67	69·61	60·60	59·31	63·33
July	60·89	68·27	77·93	77·97	65·24	63·71	69·00
August	56·96	63·31	73·63	72·68	61·44	59·88	64·64
September	56·19	58·12	67·07	66·16	58·86	58·50	60·82
October	39·82	40·95	51·03	49·79	43·49	42·68	44·63
November	34·96	34·65	40·97	39·96	35·74	35·43	36·95
December	28·82	28·69	32·16	31·58	29·77	29·79	30·14
Year	39·60	42·12	49·49	49·04	42·42	41·69	44·06

TORONTO, ONT.—Mean Temperature of the Wet Bulb Thermometer, for the Year 1907.

MONTH.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
January	20·29	19·20	22·50	22·60	20·72	20·61	20·99
February	14·87	14·12	19·50	19·66	16·54	16·59	16·88
March	28·87	29·14	33·90	34·14	30·92	30·39	31·23
April	31·32	33·42	38·01	37·38	33·78	33·03	34·49
May	38·43	42·55	46·96	46·67	41·66	40·40	42·78
June	53·71	57·79	61·56	60·69	56·63	55·36	57·62
July	57·85	62·80	66·80	66·60	60·95	59·58	62·33
August	54·16	58·51	62·66	61·72	56·79	55·81	58·28
September	54·26	55·86	60·00	59·29	56·29	55·76	56·91
October	38·26	38·94	45·44	44·63	41·23	40·46	41·49
November	33·23	33·37	37·64	36·93	34·05	33·47	34·76
December	27·35	27·65	30·21	29·75	28·55	28·18	28·61
Year	37·72	39·45	43·76	43·29	39·84	39·14	40·53

TORONTO, ONT.—Mean Pressure of Vapour, for the Year 1907.

MONTH.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
January	0·116	0·109	0·113	0·115	0·116	0·118	0·115
February	0·090	0·086	0·093	0·190	0·089	0·090	0·077
March	0·153	0·152	0·163	0·164	0·157	0·158	0·158
April	0·160	0·167	0·173	0·164	0·168	0·161	0·166
May	0·201	0·221	0·235	0·227	0·223	0·208	0·219
June	0·370	0·409	0·430	0·413	0·408	0·386	0·403
July	0·443	0·503	0·515	0·485	0·486	0·462	0·482
August	0·386	0·432	0·429	0·412	0·406	0·395	0·410
September	0·404	0·429	0·439	0·428	0·431	0·417	0·425
October	0·221	0·224	0·241	0·237	0·241	0·233	0·233
November	0·174	0·181	0·187	0·184	0·180	0·172	0·180
December	0·137	0·143	0·149	0·147	0·148	0·141	0·144
Year	0·228	0·255	0·264	0·264	0·254	0·245	0·253

TORONTO, ONT.—Mean Relative Humidity, for the Year 1907.

MONTH.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	%	%	%	%	%	%	%
January	91	89	80	80	87	91	86
February	88	86	74	72	81	82	81
March	88	84	67	66	79	82	78
April	83	77	62	59	77	77	73
May	75	66	52	52	70	69	64
June	80	71	57	58	77	77	70
July	81	73	54	51	76	77	69
August	83	74	52	51	73	76	68
September	87	86	65	65	84	83	78
October	84	84	61	63	81	81	76
November	83	87	72	73	83	81	80
December	83	88	79	80	87	82	83
Year	84	80	65	62	79	80	75

TORONTO, ONT.—Mean Amount of Sky Clouded, for the Year 1907.

MONTH.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	%	%	%	%	%	%	%
January	82	80	77	71	79	82	79
February	63	60	65	57	60	69	62
March	77	75	68	63	55	54	65
April	53	51	67	69	55	48	57
May	47	49	59	58	39	34	48
June	37	41	48	52	35	32	41
July	41	45	51	49	28	28	40
August	27	33	47	50	21	28	34
September	72	68	64	65	52	52	62
October	46	40	62	64	39	41	49
November	70	67	80	76	60	63	69
December	88	89	80	81	75	82	82
Year	59	58	64	66	50	51	58

Toronto, Ont.—Mean Temperature of the Dew Point, for the Year 1907.

Month.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°
January	18·73	17·08	18·69	18·83	18·50	19·12	18·49
February	12·57	11·54	14·19	13·66	13·04	13·20	13·03
March	27·01	26·30	27·52	27·74	27·04	27·31	27·14
April	28·38	29·20	29·82	28·59	29·61	28·75	29·06
May	33·76	36·11	37·37	36·38	36·32	33·93	35·65
June	50·53	53·51	54·49	53·44	52·98	51·67	52·77
July	55·38	58·80	59·26	57·46	57·65	56·32	57·48
August	51·30	54·44	54·12	52·67	52·73	51 92	52·86
September	52·13	53·71	54·22	53·53	53·99	52·91	53·41
October	35·89	36·24	38·29	37·48	37·84	36·75	37·08
November	30 28	31·29	32·20	31·86	31·17	30 09	31·15
December	24·40	25·61	26·58	26·22	26·26	25·09	25·69
Year	35·03	36·15	37·23	36·49	36·43	35·59	36·15

Woodstock, Ont., Mean Barometric Pressure at 32°, for the Year 1907.

Month.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
	in.	in.	in.	in.	in.	in.	in.
January	29·0422	29·0380	29·1034	29·0867	29·0844	29·0746	29·0715
February	28·9752	28·9739	29·0183	28·9986	28·9849	28·9839	28·9891
March	28·9545	28·9600	28·9859	28·9562	28·9449	28·9586	28·9600
April	28·8579	28·8528	28·8801	28·8547	28·8475	28·8610	28·8590
May	28·9364	28·9389	28·9721	28·9420	28·9160	28·9204	28·9376
June	28·8848	28·9110	28·9204	28·9034	28·8908	28·8935	28·9006
July	28·8628	28·8996	28·8956	28·8724	28·8667	28·8793	28·8794
August	28·9678	29·0014	29·0007	28·9710	28·9655	28·9821	28·9814
September	28·8848	28·9255	28·9592	28·9228	28·9066	28·9101	28·9182
October	28·9878	29·0162	29·0434	29·0098	28·9952	28·9920	29·0074
November	28·9474	28·9531	28·9862	28·9473	28·9440	28·9371	28·9525
December	28·8692	28·8697	28·8980	28·8616	28·8654	26·8806	28·8741
Year	28·9309	28·9450	28·9719	28·9439	28·9343	28·9394	28·9442

Woodstock, Ont., Mean Temperature of the Air, for the Year 1907.

Month.	3 a.m.	7 a.m.	11 a.m.	3 a.m.	7 p.m.	11 p.m.	Mean.
	°	°	°	°	°	°	°
January	18·85	19·56	22·54	24·57	21·79	20·15	21·24
February	13·23	13·80	18·04	20·92	17·64	15·69	16·55
March	28·31	29·01	35·85	38·92	34·84	31·31	33·04
April	31·52	32·91	40·26	43·08	37·40	34·46	36·60
May	40·69	42·08	53·18	56·41	51·53	45·11	48·17
June	55·05	56·59	67·83	69·92	65·77	58·49	62·27
July	59·40	62·31	73·69	75·66	70·95	62·39	67·40
August	55·87	56·97	70·51	74·15	68·55	59·43	64·25
September	55·60	55·05	63·53	65·95	60·75	56·65	59·59
October	39·98	39·34	48·28	50·57	44·64	42·14	44·16
November	32·83	32·35	37·27	38·89	35.24	34·13	35·12
December	26·65	26·39	29·10	30·77	28·76	27·80	28·24
Year	38·16	38·86	46·67	49·15	44·82	40·64	43·05

WOODSTOCK, ONT.—The Mean Relative Humidity, for the Year 1907.

MONTH.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
	%	%	%	%	%	%	%
January	86	84	84	81	87	87	85
February	84	82	80	79	85	85	82
March	89	88	77	74	87	87	83
April	87	86	73	64	81	83	79
May	84	83	65	59	71	79	73
June	86	83	68	68	73	84	77
July	90	86	68	65	74	88	78
August	91	90	66	60	72	84	77
September	92	92	76	71	84	90	84
October	87	88	70	66	80	85	79
November	87	85	76	75	85	87	83
December	83	86	83	80	85	84	83
Year	87	86	74	70	80	85	80

WOODSTOCK, ONT.—Mean Amount of Sky Clouded, for the Year 1907.

MONTH.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
	%	%	%	%	%	%	%
January	77	77	91	81	64	71	77
February	64	64	69	81	50	57	64
March	61	58	79	78	65	45	64
April	53	53	80	84	53	43	61
May	26	29	67	80	32	42	46
June	35	53	68	64	57	40	53
July	35	48	60	70	58	25	49
August	24	51	53	62	48	29	44
September	36	66	75	78	63	37	59
October	16	43	72	70	36	16	42
November	30	53	89	93	49	33	58
December	81	81	83	85	68	68	77
Year	45	56	74	77	54	42	58

PART II.

Monthly and Annual Summaries from Telegraph and Ordinary Stations of the First Class for the Year 1907.

Pressure.—The monthly means and extremes of pressures have been reduced to 32° Fahr. and corrected for gravity and instrumental error. No gravity correction has been applied to those stations marked *.

Temperature.—The monthly means have been obtained from the formula $\frac{\text{max.} + \text{min}}{2}$. The extremes are for the 24 hours, 8 a.m. to 8 p.m.

Precipitation.—The maximum precipitation in any one day is for the 24 hours ending at 8 a.m.

Cloudiness.—The cloudiness is the average of three estimates made during the day. A day is termed "clear" when the amount of cloud is less than 30 per cent.

MONTHLY and Annual Summaries for the Year 1907, Anticosti, S. W. Point, Quebec—Latitude, N. 49° 24′; Longitude, W. 63° 35′. Height above Sea, 30 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		a.m.	p.m.	p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·00	30·60	28 98	7·9	10·5	9·5	17·0	3·6	6·7	36·0	40 0	..	..	..	..	74	81	82	79	.....	14·8	1·48	0·18
February	29·89	30·55	29·05	5·9	11·2	9·2	15·2	3·1	6·0	34·5	25·0	..	..	..	..	75	68	48	64	.....	8·4	0·84	0·62
March	29·93	30·31	29·35	16·9	21·5	20·3	24 3	8·4	16·4	35·5	9·5	..	..	..	..	48	31	34	38	·10	3·8	0·48	0·08
April	29·78	30·41	29·09	29·2	31·1	29 4	33·3	23·4	28·3	41·0	10·0	..	..	..	..	68	53	48	56	·60	1·6	0·76	0·50
May	29·86	30·43	29·43	37·9	38·9	36·7	41·6	32·0	36·8	41·6	32·0	..	..	..	..	56	48	59	54	·21	2·2	0·43	0·12
June	29 90	30·21	29·24	48·8	49·8	47·4	54·4	41·5	48 0	69·0	35·0	..	..	..	..	47	52	58	52	3·64	....	3·64	1 20
July	29 77	30·14	29·35	54·1	54·5	52·6	62·6	48·9	55·7	72 0	44·0	..	..	..	..	85	84	89	86	8·70	...	8·70	2·00
August	29·82	30·17	29·44	55·5	56·4	54·3	58·1	50·0	54 0	65·0	45·0	..	..	..	..	64	51	50	56	4·14	....	4·14	1·60
September	29·91	30·30	29·23	49·7	50·9	49·4	53·2	44·3	48·7	60·0	34·5	..	..	..	..	50	45	52	49	3·92	....	3·92	1·68
October	29·86	30·39	29·13	39·2	40·6	39·6	43·2	34·2	38·7	53·0	24·0	..	..	..	..	61	66	66	64	2·93	0·8	3·01	1·82
November	29·94	30·60	29 24	32·1	32·7	32·7	36·7	26·9	31·8	47·0	5·0	..	..	..	..	75	67	58	67	3·32	1·3	3·45	1·00
December	29·79	30·33	28·98	24·6	26·2	25·3	29·7	18·5	24·1	45·0	2·0	..	..	..	..	79	77	79	78	2·20	2·3	2·43	1·60
Year	29·87	30·60	28·98	33·5	35·4	33·9	39·1	26·8	32·9	72·0	40·0	..	..	..	..	65	60	60	62	29·76	35·2	33·28	2·00

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	7	9	7	4	6	1	11	17	0	21·3	55	N.W.	18	5	1	25	20	20	....	5	1	....	....	....
February	14	8	4	8	6	1	9	6	0	18·8	50	N.W.	12	9	3	16	13	13	....	9	2	....	....	....
March	11	12	8	3	7	6	8	6	1	16·0	48	E.	9	18	4	9	10	8	...	19	....	....	....	....
April	16	6	10	9	4	1	3	9	2	15·7	41	N.E.	11	11	3	16	6	3	....	11	1	..	....	....
May	10	8	2	16	5	2	7	11	0	18·3	52	N.W.	16	13	5	13	7	4	....	15	3	....	....	....
June	10	6	8	25	2	1	4	4	0	13·8	48	W.	9	13	2	15	9	....	....	15	5	....	....	....
July	7	6	4	31	8	3	1	2	0	16·8	38	S.E.	12	2	2	27	17	....	...	3	18	....	....	....
August	12	3	1	25	10	0	1	9	1	15·9	36	S.	12	11	4	16	13	....	....	14	5	1	....	....
September	6	12	1	9	10	3	6	11	2	16·6	52	N.W.	13	12	6	12	12	....	...	14	5	....	....	....
October	20	3	2	13	7	0	4	12	1	19·6	60	S.	17	6	7	18	9	2	...	12	4	....	....	....
November	4	4	4	6	12	5	9	16	0	19·6	41	N W.	17	7	4	19	11	5	....	10	3	....	..	....
December	9	9	8	5	5	5	9	11	1	18·3	48	N.W.	15	5	4	22	13	10	....	8	3	....	....	....
Year	126	86	59	154	82	28	72	114	8	17 6	60	S.	161	112	45	208	140	75	0	135	50	1	0	0

MONTHLY and Annual Summaries for the Year 1907, Atlin, B.C. Latitude, N. 59° 35′; Longitude, W. 133° 38′. Height above Sea, 2,240 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		a.m.	p.m.	p.m.	Mean.	5 a.m.	Noon.	5 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5 a.m.	Noon.	5 p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	27·83	28·35	27·20	11·0	3·7	8·5	0·4	17·6	9·0	35·0	40·0	..	..	..	..	48	49	49	49	....	9·9	0·99	·35
February	27·47	28·20	26·88	4·8	4·8	0·1	6·9	9·4	1·2	40·0	43·0	..	..	..	..	52	57	47	52	·03	21·5	2·18	·45
March	27·49	28·07	26·82	4·9	18·4	11·2	20·5	0·3	10·1	35·0	24·0	..	..	..	..	63	55	49	56	...	5·5	·55	·20
April	27·59	28·03	26·98	26·0	39·6	32·4	41·1	21·4	31·3	53·0	2·5	..	..	..	..	54	68	58	60	T	0·9	·09	·04
May	27·61	27·99	27·06	42·1	54·8	47·5	57·4	35·0	46·2	69·0	25·5	..	..	..	..	58	71	60	63	·34	....	·34	·21
June	27·58	27·94	27·21	48·9	59·1	52·1	62·1	38·0	50·1	75·0	32·0	..	..	..	..	60	66	59	62	·32	....	·32	·16
July	27·64	27·99	27·45	52·8	63·2	56·7	66·3	43·2	54·8	80·5	35·0	..	..	..	..	51	57	67	58	·42	.....	·42	13
August	27·56	27·78	27·17	50·6	57·8	51·3	60·3	43·2	51·7	71·0	33·5	..	..	..	..	55	70	68	64	1·48	....	1·48	·65
September	27·63	28·30	27·14	42·6	49·9	42·8	53·3	35·6	44·9	66·5	25·0	..	..	..	..	71	67	41	60	·58	.....	·58	·25
October	27·41	28·05	27·01	36·5	40·8	37·8	42·9	32·9	37·9	54·5	2·0	..	..	..	..	64	76	56	66	·42	4·0	·82	·25
November	27·23	27·99	26·60	25·8	29·9	28·8	32·5	22·9	27·7	48·0	8·5	..	..	..	..	62	68	60	63	·31	20·3	2·34	·75
December	27·19	27·82	26·59	18·5	21·0	19·2	23·7	14·1	18·9	36·5	0·0	..	..	..	..	76	72	61	70	....	5·1	51	·25
Year	27·77	28·35	26·59	27·74	36·0	30·9	38·9	21·7	30·3	80·5	43·0	..	..	..	..	60	65	56	60	3·90	67·20	10·62	·75

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	11	9	2	2	1	0	6	1	32	1·8	12	N.	....	11	10	10	8	8	0	23	0	0	0	1
February	5	7	1	7	11	1	0	2	22	2·4	8	N.	....	11	6	11	12	11	0	16	0	0	0	2
March	8	8	7	2	9	0	6	7	15	3·2	12	S.E. W. N.W.	....	9	11	11	7	7	0	24	0	0	0	4
April	2	1	2	3	14	1	3	3	31	1·3	6	S. W.	....	8	9	13	4	4	0	26	0	0	0	0
May	2	0	4	1	25	0	10	0	20	2·2	8	S.	....	6	12	13	4	0	0	27	0	0	0	0
June	1	0	2	6	39	2	2	1	7	2·8	14	S.W.	....	6	10	14	4	0	0	26	0	0	0	0
July	0	1	0	2	34	6	4	0	15	2·4	6	S.	....	9	10	12	6	0	0	25	0	0	0	0
August	3	0	7	5	33	2	3	2	7	3·3	10	S.	....	5	12	14	13	0	0	18	0	0	0	0
September	7	2	11	9	23	0	2	1	5	3·5	10	S.E. N.W.	....	5	13	12	7	0	1	23	0	0	0	1
October	3	2	11	13	27	2	1	0	3	5·0	12	S.	....	1	20	10	11	0	0	20	0	0	0	0
November	6	1	19	13	15	0	1	3	2	5·8	16	S.	....	4	12	14	9	6	0	21	0	0	0	0
December	9	7	24	11	7	1	1	0	2	4·6	16	S.	....	4	10	17	5	0	0	26	0	0	0	0
Year	57	38	90	74	238	15	37	20	161	3·4	16	S.	....	79	135	151	90	36	1	275	0	0	0	8

MONTHLY and Annual Summaries for the Year 1907, Banff, Alberta—Latitude, N. 51° 10′; Longitude, W. 115° 34′. Height above Sea, 4,542 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		6 a.m.	6 p.m.	Mean.		6 a.m.	p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	6 a.m.	p.m.	6 p.m.	Max.	Min.	Mthly		Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%		%	°	%	%	in.	in.	in.	in.
January	25·27	25·74	24·73	9·3	...	1·6	7·4	15·9	4·3		43·2	48·2	71	69	70		41	.....	47	44	.....	16·4	1·64	0·71
February	25·33	25·69	24·92	14·6	...	25·9	31·5	11·3	21·4		46·3	46·3	73	69	66		45	.....	53	49	.....	5·6	0·56	0·20
March	25·16	25·50	24·79	13·8	.....	28·5	33·7	10·8	22·3		48·2	10·8	74	52	63		59	.....	60	60	0·11	14·4	1·55	0·65
April	25·33	25·74	24·85	23·9	.....	37·7	43·0	23·1	33·0		56·3	3·2	73	49	61		61	...	64	62	0·35	12·7	1·63	0·29
May	25·39	25·71	24·95	33·6	...	48·2	54·3	31·2	42·8		71·4	19·2	78	47	62		70	.....	75	73	2·71	6·2	3·33	2·08
June	25·31	25·73	25·02	40·6	.....	56·4	63·4	38·8	51·1		81·9	28·1	82	45	63		60	.....	69	64	2·80	....	2·80	0·93
July	25·44	25·74	25·22	43·2	.....	62·7	71·2	42·0	56·6		81·0	34·7	86	49	67		53	.....	66	50	1·90	....	1·90	0·58
August	25·38	25·66	25·11	41·8	.....	55·5	62·7	41·0	51·9		79·5	30·0	88	61	75		67	.....	74	70	4·26	S.	4·26	0·96
September	25·44	25·73	25·09	37·7	..	51·0	58·0	35·9	46·9		74·3	23·2	82	59	71		58	....	61	59	1·97	6·3	2·60	0·60
October	25·43	25·75	25·07	35·3	.....	47·7	56·7	32·5	44·6		67·8	20·7	78	51	64		33	.....	34	33	0·96	....	0·96	0·45
November	25·35	25·78	24·90	28·8	.....	32·8	37·4	24·5	31·0		47·7	8·0	76	66	71		54	.....	62	58	0·11	11·1	1·22	0·67
December	25·20	25·57	24·52	18·0	.....	22·9	26·8	13·1	20·0		45·2	15·2	75	69	72		39	.....	52	46	...	11·1	1·11	0·36
Year	25·31	25·78	24·52	26·8	.....	38·9	45·5	24·0	34·8		81·9	48·2	78	56	67		53	.....	59	56	15·18	83·8	23·56	2·08

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	5	0	0	2	9	9	3	33	4·7	26	W.	3	14	5	12	10	10	....	18	....	....	....	....
February	1	4	0	0	0	29	10	6	12	9·0	25	W.	1	11	8	9	7	7	....	16	....	....	....	5
March	6	9	0	1	1	28	2	0	21	5·4	19	S.W.	....	6	8	17	13	12	....	12	....	....	....	2
April	4	12	1	1	2	24	1	1	14	4·9	16	S.W.	....	7	5	18	13	11	....	10	....	1	....	....
May	5	18	2	0	1	6	9	4	17	4·1	15	N.E.	..	3	7	21	16	10	....	7	....	....	....	....
June	3	7	3	1	0	24	3	0	19	4·6	18	S.W.	....	6	5	19	15	..	....	10	3	1	....	....
July	4	8	2	1	5	25	3	1	13	4·8	20	S.W.	....	4	13	14	15	....	....	9	1	6	....	....
August	1	6	0	2	3	26	2	2	20	3·4	13	S.W.	....	4	9	18	21	....	..	9	2	2	....	....
September	1	10	0	0	3	22	1	2	21	4·2	20	N.E	....	6	9	15	12	4	1	13	....	3	4	....
October	0	1	0	0	6	25	3	0	27	4·1	25	S.W.	1	17	8	6	6	....	....	21	....	....	....	....
November	0	1	1	0	2	25	7	0	24	4·4	25	S.W.	1	7	10	13	7	6	....	15	..	....	....	....
December	0	0	0	0	0	25	19	1	17	6·5	26	S.W.	3	11	11	9	7	7	....	20	..	....	....	....
Year	20	81	9	6	25	268	69	14	238	5·0	26	W. S.W.	9	96	98	171	142	67	1	160	6	13	4	7

MONTHLY and Annual Summaries for the Year 1907, Barkerville, British Columbia—Latitude N. 53° 02′; Longitude, W. 121° 35′. Height above Sea, 4180 feet.

MONTH.	PRESSURE AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		5 a.m.	Noon.	5 p.m.	Mean.	5 a.m.	Noon.	5 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5 a.m.	Noon.	5 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January																								
February																								
March																								
April	25·61	26·01	25·02	24·6	37·3	39·0	41·1	21·3	31·2	52·0	10·0		96	73	71	80	40	60	63	51	0·16	17·0	1·86	0·50
May	25·65	25·91	25·19	39·5	49·5	52·2	55·3	33·7	44·5	66·0	20·0		87	63	58	69	45	58	74	59	1·06		1·06	0·38
June																								
July	25·69	25·99	24·85	50·6	63·6	59·6	72·7	42·9	57·8	82·0	36·0		84	75	76	78	55	55	59	57	6·40		6·40	1·06
August	25·69	26·01	25·47	42·5	53·2	51·6	58·6	39·3	48·9	76·0	28·0		89	85	86	87	76	72	66	71	5·24		5·24	0·59
September	25·70	26·10	25·24	38·4	51·3	49·8	54·1	36·2	45·1	66·0	23·0		91	79	83	84	45	54	62	53	3·25		3·25	1·36
October	25·72	26·04	25·27	33·3	47·5	43·6	52·4	31·6	42·0	62·0	19·0		94	75	83	84	39	50	40	43	1·49	1·00	1·59	0·33
November	25·59	26·08	25·07	24·8	33·8	31·1	35·2	22·2	28·7	45·0	2·0						51	70	63	57	0·79	32·50	4·04	0·85
December	25·44	25·91	24·60	16·4	24·8	20·1	27·3	13·6	20·4	58·0	6·0						61	65	59	62	0·10	42·00	4·30	1·70
Year																								

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January																								
February																								
March																								
April	2	0	0	2	6	0	3	4	43	2·3	16	S.		12	5	13	10	7		16				
May	2	0	0	1	4	0	1	3	51	1·1	16	S.E.		12	5	14	7			16				
June																								
July	0	0	2	3	2	3	3	0	49	0·9	7	S.W.		9	10	12	16			14		4		
August	1	0	4	11	4	16	14	12	0	2·9	7	W.		4	7	20	19			9		2		
September	0	1	0	7	1	19	20	11	1	2·1	10	S.E.		6	13	11	9			21		1		
October	1	1	1	17	1	3	17		21	1·3	10	S.E.		12	10	9	11			20				
November	1	0	0	13	0	18	7	7	14	2·8	20	S.W. S.E.		3	9	13	21			9				
December	9	0	0	1	1	29	3	4	15	1·6	10	S.W.		7	8	16	15			16				
Year																								

MONTHLY and Annual Summaries for the Year 1907, Battleford, Saskatchewan—Latitude, N. 53° 41′; Longitude, W. 108° 20′. Height above Sea, 1,622 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 a.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	28·36	28·76	27·78	22·6	12·7	15·3	8·3	27·1	17·7	28·0	50·0	100	100	100	100	27	19	26	24	....	1·3	·13	·02
February	28·26	28·81	27·58	3·7	10·9	9·7	15 8	6·1	4·8	45·0	46·0	100	100	100	100	34	32	30	32	....	0·7	·07	·05
March	28·12	28·75	27·52	4·6	19·8	20·5	24·9	3·0	13·9	40·0	18·0	100	100	100	100	39	31	28	33	....	5·2	·52	·16
April	28·28	28·69	27·40	19 4	32·9	32·8	36·3	18·1	27·2	51·0	2·0	100	100	100	100	43	39	31	37	R	1·3	·13	·02
May	28·29	28·58	27·67	32 0	47·5	47·1	52·8	28·5	40 6	76·0	10 0	99	94	94	96	50	59	49	53	0 24	0 6	·30	·05
June	28·07	28·55	27·74	51·2	68·3	67·4	73·0	48·4	60·7	88·0	34·0	96	74	74	82	45	62	60	56	1·54	.....	1·54	54
July	28·16	28·45	27·80	55·3	69·6	69·8	76·7	50·8	63·8	81·0	44·0	88	63	63	72	38	46	36	40	2·26	.....	2·26	·51
August	28·12	28·48	27·44	51·9	64·3	65 9	71·7	46·4	59·0	89·0	36·0	85	65	65	71	27	27	23	26	2·58	.....	2·58	1·66
September	28 25	28·66	27·68	42·4	55·6	56·4	62·3	37·7	50·0	81·0	21·0	89	67	67	73	43	39	34	39	2·13	.....	2·13	1·39
October	28·22	28·83	27·76	27·3	55·6	51·3	59·6	25·6	42·6	78·0	8·0	100	86	86	94	30	14	18	21	0·04	.....	0·04	·03
November	28·15	28·77	27·57	20·6	35·9	30·9	38·9	17 7	28·3	58 0	0·0	100	98	98	99	43	29	33	35	0·01	S	0·01	·01
December	28·08	28·59	27·50	7·4	17·9	14·4	22·0	3·4	12·7	51·0	21·0	100	100	100	100	34	39	44	39	0 01	3·9	0·40	·20
Year	28·19	28·83	27·40	23·8	38·8	37·6	43·8	20·5	32·2	89·0	50·0	96	87	88	90	38	36	34	36	8·81	13·0	10·1	..

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Alone.	Lightning Storms.	Aurora.
										mls.	mls.													
January	0	0	8	0	0	0	9	6	39	3·9	28	N.W.	1	21	7	3	3	3	....	25	...	..	.....	....
February	0	0	13	0	0	0	10	6	27	6·2	36	N.W.	3	17	4	7	2	2	....	30	....	.....	.....	2
March	10	0	19	1	0	2	10	5	25	7·3	30	E.	3	20	4	7	6	6	...	21	.....	.....	.....	.....
April	2	1	20	0	0	4	6	12	15	11·3	32	N.W.	5	16	6	8	8	8	....	16	.....	.....	.....	.....
May	0	7	15	2	0	2	4	15	17	10·7	38	E.	4	8	6	17	9	4	....	13	.....	.....	.....	.....
June	0	3	8	7	1	5	9	8	19	12·3	38	N.W.	6	9	5	16	13	.....	.....	10	....	3	.....	.....
July	0	2	1	3	0	3	17	11	25	8·5	42	W.	4	14	8	9	16	.....	.....	13	.....	.....	.....	.....
August	6	2	3	8	1	2	7	16	17	6·8	25	N.W.	2	22	4	5	9	.....	.....	21	1	.....	.....	.....
September	9	4	2	3	1	4	7	8	22	5·6	21	N.W.	....	14	7	9	8	.....	.....	18	..	.....	.....	.....
October	0	0	3	8	2	0	5	11	33	7·9	38	N.W.	4	23	7	1	2	.....	.....	26	.....	.....	.....	.....
November	1	0	6	1	2	1	9	6	34	6·9	38	N.W.	6	17	6	7	1	..	....	22	.....	.....	.....	.....
December	1	1	10	1	1	1	7	1	39	45	36	S.W.	1	15	8	8	7	6	....	19	..	.....	...	...
Year	29	20	108	34	8	24	100	105	312	7·7	42	W.	39	196	72	97	84	29	0	224	1	3	0	2

MONTHLY and ANNUAL SUMMARIES for the YEAR 1907, BELLE ISLE, NEWFOUNDLAND—LATITUDE, N. 51° 53′; LONGITUDE W, 55° 22′. HEIGHT ABOVE SEA, 436 FEET.

MONTH	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·45	30·10	28·63	3·2	6·1	4·8	11·2	0·9	5·1	33·0	15·0					44	47	48	46		15·0	1·50	60
February	29·32	29·96	28·70	1·5	4·4	3·7	9·6	1·7	3·9	35·0	21·0					52	52	52	52	1·01	13·5	2·36	1·01
March	29·28	29·79	28·51	9·6	16·3	13·0	20·3	6·9	13·6	33·0	12·0					62	61	58	60		44·0	4·40	1·80
April	29·32	29·88	28·85	21·0	28·9	24·1	32·3	18·4	25·3	41·0	1·0					68	67	68	67	1·05	22·0	3·25	1·30
May	29·36	30·02	29·06	30·4	36·0	32·3	38·5	28·9	33·7	47·0	17·0					72	70	69	70	5·70	7·0	6·40	1·25
June	29·47	29·83	29·12	33·4	40·2	36·2	43·7	31·9	37·8	51·0	29·0					73	65	61	66	2·57	....	2·57	1·03
July	29·48	29·83	29·07	45·4	53·8	47·4	58·5	42·5	50·5	65·0	38·0					72	72	71	72	7·66	....	7·66	2·16
August	29·43	29·68	28·90	46·3	54·9	48·0	58·1	43·6	50·8	65·0	40·0					69	65	65	66	8·17	....	8·17	2·01
September	29·37	29·63	28·90	41·2	48·1	41·6	50·7	39·5	45·1	59·0	32·0					53	51	51	52	10·33	....	10·33	2·15
October	29·36	29·85	28·60	33·6	39·7	34·7	42·4	30·9	36·6	48·0	23·0					56	51	56	54	2·23	4·0	2·63	1·03
November																							
December																							
Year																							

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	25	1	0	3	2	4	33	20	5	V	VIII	N.	14	17	1	13	5	5	0	18	2	0	0	12
February	12	9	7	2	6	4	24	20	0	IV	VII	W.	12	13	3	12	5	4	0	16	4	0	0	7
March	25	8	0	0	4	8	25	21	2	V	VII	N.E.	13	11	3	17	6	6	0	14	1	0	0	10
April	17	7	28	14	7	1	10	6	0	IV	VII	N.	5	9	3	18	8	7	0	12	5	0	0	7
May	12	2	19	9	12	11	26	2	0	IV	VII	E.	12	7	5	19	9	3	0	12	10	0	0	7
June	9	9	10	7	21	9	25	0	0	III	V	W.	4	7	8	15	6	0	0	15	12	0	0	2
July	1	9	17	17	12	10	21	6	0	III	VII	E.	5	6	6	19	7	0	0	12	20	0	0	4
August	6	1	7	10	14	6	36	13	0	IV	V	N.	4	11	1	19	6	0	0	12	18	0	0	4
September	11	13	10	3	0	10	25	12	0	IV	VIII	N.	8	11	5	15	12	0	0	16	11	0	0	8
October	7	1	0	5	10	8	19	6	0	....	....	....	....	8	11	12	5	1	0	19	7	0	0	6
November																								
December																								
Year																								

MONTHLY and Annual Summaries for the Year 1907, Prospect, Bermuda—Latitude, N. 32° 17′; Longitude, W. 64° 30′. Height above Sea, 151 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	2 a.m.	p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	9 a.m.	p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·10	30·26	29·89	64·9	....	63·1	69·1	60·0	64·5	72·0	54·6	85	..	85	85	53	.....	59	56	1·48	.. .	.....	....
Febrnary	30·00	30·36	29·63	62·9	....	61·2	67·2	57·6	62·4	71·6	48·0	81	..	86	83	65	.....	70	68	5·76	....	.....	....
March	29·96	30·32	29·52	63·2	....	60·8	67 8	57·4	62·6	78·0	50·4	81	..	85	83	63	.....	67	65	1·58	....	.....	....
April	29·84	30·22	29·35	64·9	...	64·3	69·1	60·0	64·5	74·6	51·6	84	..	86	85	70	.....	67	69	4·84	....	.....	....
May	29·98	30·19	29·66	69·8	....	68·6	73·1	64·2	68·7	76·4	60·0	83	..	86	85	58	...	57	58	3·88	..	. ...	....
June	29·95	30·13	29·54	73 9	....	72·5	77·2	68·5	72·8	82 6	61·6	84	..	87	86	64	....	59	61	4·82	....	.....	....
July	29·99	30 18	29·83	79·7	....	78·8	83·1	74·4	78·8	86·6	71·0	80	..	84	82	59	.....	51	55	2·24	....	.....	....
August	30·01	30·19	29·75	80·6	....	78·3	84·4	74·4	79·4	86·4	71·0	79	..	83	81	57	.....	41	49	3·16	...	. . .	....
September	29 99	30·11	29·73	79·8	....	76·0	82·9	71·4	77·1	85·6	68·4	77	..	83	80	54	.....	34	44	3·34	....	.....	....
October	29·89	30·10	29·59	74·1	....	72·0	78·0	68·0	73·0	83·0	62·4	81	..	83	82	59	. ...	56	57	7·02	....	...	....
November	29·87	30·13	29·74	70·4	...	67·6	74·1	63·5	68·8	76·6	60·0	79	..	80	80	68	.....	57	63	1·76	....	.. ..	....
December	30·02	30·24	29·67	67·0	...	65·0	70·9	60·6	65·7	76·4	51·0	84	..	84	84	69	.....	60	65	5·48	....	....	....
Year.	29·97	30·36	29·35	70·9	....	69·0	74·7	65·0	69·9	86·6	48·0	81	..	84	83	62	.....	56	59	45·36	....	.....	....

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning. Alone.	Aurora.
										mls.	mls.													
January	7	5	11	6	1	8	9	8	7	10·3	25	N.E.	1	5	16	10	11	....	....	13	....	3	....	....
February	1	4	0	0	0	29	10	0	12	14·0	32	N.W.	5	1	10	17	16	..	....	6	....	3	....	...
March	3	12	5	2	7	9	6	15	3	16·7	46	N.	7	1	15	15	13	....	....	12	....	2	....	...
April	4	4	7	11	3	17	7	7	0	16·4	42	N.E.	5	0	12	18	12	...	1	9	...	3	....	....
May	3	8	13	10	4	10	4	4	6	10·6	25	S.W.	1	5	14	12	10	....	....	16	....	....	....	....
June	1	2	6	6	8	18	5	7	7	10·5	26	S.W.	1	4	15	11	14	....	...	12	. ..	3	....	....
July	0	0	4	6	5	31	13	1	2	11·7	24	S.	....	4	17	10	9	....	....	17	....	5	....	....
August	3	3	1	0	7	26	12	4	6	8·4	18	S.	....	6	18	7	17	...	....	14	....	4	6	....
September	7	7	12	7	9	7	1	4	6	8·9	20	N.W.	....	12	14	4	13	....	....	17	....	4	1	....
October	6	9	6	10	8	4	8	10	1	14·6	36	N.E.	5	5	15	11	15	....	....	14	.. .	2	....	...
November	3	14	8	8	2	7	10	4	4	11·2	28	S.W.	3	0	17	13	13	....	....	12	...	..	. ..	....
December	0	3	13	7	4	8	10	10	7	11 5	28	S.W.	3	4	11	16	19	....	....	8	....	1	....	....
Year.	38	71	86	73	58	174	95	74	61	12·1	46	N.	31	47	174	144	162	0	1	150	0	30	7	0

MONTHLY and Annual Summaries for the Year 1907, Bird Rocks, Quebec—Latitude, N. 47° 51′; Longitude, W. 61° 8′. Height above Sea, —— feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly		Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·78	30·49	28·72	15·7	17·4	15·8	23·4	7·5	15·4		42·0	9·0					62	67	60	63	0·39	20·7	2·46	0·39
February	29·72	30·32	29·09	10·4	13·2	12·4	18·8	0·8	9·8		40·0	16·4					61	69	50	60	0·19	11·0	1·29	0·25
March	29·75	30·23	28·75	18·8	21·6	20·6	24·6	11·2	17·9		36·0	5·2					54	54	44	51	0·07	11·4	1·21	0·30
April	29·59	30·29	28·89	29·4	32·2	28·8	33·3	22·9	28·1		41·0	11·0					74	51	46	57	0·08	18·0	1·88	0 80
May	29·71	30·27	29·21	35·5	37 8	34·9	45·4	30·6	38·0		52·0	26·2					53	57	53	54	1·38	8·0	2·18	0·80
June	29·75	30·08	29·13	43·6	45·5	44·2	50·8	37·8	44·3		60·0	27·2					56	59	50	55	0·35	....	0·35	0·17
July	29 63	30·00	29·12	52 2	53·5	51 8	56·2	45·8	51·0		65·0	38·2					76	73	73	74	2·05	....	2·05	2 40
August	29·70	30·01	29·35	56·2	57·3	55·8	62·1	50·6	56·4		78·0	44 2					50	56	50	52	1·02	....	1·02	0·48
September	29·77	30·28	29·24	54·0	55·1	53·5	60·6	46·2	53·4		65·0	36·0					53	50	51	51	2 17	....	2 17	0·82
October	29·72	30 22	29·07	46·0	44·4	44 6	49·0	38·5	43 8		58·9	28·9					64	62	53	61	1·33	2·4	1·57	0·29
November	29·67	30·37	29·23	37·3	37·7	37·3	44·1	30·7	37·4		49·9	22 5					65	61	50	58	1·08	0·2	1·10	0·38
December	29·61	30·14	28·62	30·8	30·9	31·5	35·4	24·3	29·8		46·0	18·1					74	72	69	68	0·98	16·7	2 65	0·60
Year	29·70	30·49	28·62	35·8	37·2	35·9	41·9	28·9	35·4		78·0	16·4					62	62	54	59	11·09	88·4	19·93	2 40

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	8	5	1	2	3	4	10	29	0	3·6	8	N.W.	12	2	15	14	15	14	....	12	1	....	....	....
February	11	7	3	3	4	6	6	14	2	2·7	6	N.W.	6	6	8	14	9	8	....	13	2	....	....	2
March	19	11	5	3	4	6	10	4	0	2·3	7	S.W.	2	9	13	9	10	9	....	18	2	1	....	1
April	11	7	9	7	6	6	4	8	2	2·0	6	N.	1	10	9	11	9	8	....	19	5	....	....	....
May	6	6	9	6	7	10	8	9	1	2·3	6	E.	3	10	5	16	5	2	....	15	7	....	....	1
June	8	8	7	12	4	6	12	3	0	2·5	7	S.E.	3	8	13	9	3	....	....	21	5	....	....	....
July	2	9	2	6	29	7	2	3	2	2·3	6	S.	2	5	6	20	10	....	....	11	15	5	....	....
August	7	3	1	1	15	14	7	11	3	2·0	5	W.	1	11	8	12	5	....	....	18	6	1	....	5
September	12	4	1	7	2	8	15	10	1	2·4	7	N.	2	8	12	10	7	....	....	16	4	....	....	5
October	6	8	3	5	6	9	7	18	0	3·1	7	N.E.	11	4	12	15	8	8	1	16	1	....	....	....
November	5	2	0	8	2	10	15	18	0	3·1	8	S.E.	7	5	14	11	5	1	....	17	3	....	....	....
December	5	5	6	2	2	8	14	20	0	3·3	8	S.	7	1	14	16	12	8	....	10	1	....	....	....
Year	100	75	47	62	84	94	110	147	11	2·6	8	N.W.-S.E.-S.	57	79	129	157	98	58	1	186	52	7	0	14

MONTHLY and Annual Summaries for the Year 1907, Calgary, Alberta—Latitude, N. 51° 2′; Longitude, W. 114° 2′. Height above Sea, 3,389 feet.

MONTH.	BAROMTER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		5.55 a.m.	p.m.	5.55 p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5.55 a.m.	p.m.	5.55 a.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January ...	26·39	26·89	25·80	9·2	....	5·0	3·0	15·5	6·3	38·0	34·8	100	...	100	100	42	....	61	51	.....	4·0	0·40	0·20
February...	26·38	26·80	25·94	13·6	....	23·8	32·1	9·8	20·9	57·0	40·0	86	...	76	81	46	....	47	46	....	2·0	0·20	0·10
March.....	26·24	26·74	25·79	14·8	...	26·5	33·1	11·1	22·1	58·0	6·8	99	...	92	96	46	....	49	47	.....	7·6	0·76	0·24
April	26·41	26·82	25·75	26·0	....	40·0	45·4	23·8	34·6	66·0	7·0	94	...	60	77	67	....	57	62	0·01	17·8	1·79	0·82
May	26·45	29·73	25·91	33·5	....	50·3	56·3	32·0	44·1	74·0	16·0	83	...	52	68	69	....	72	70	1·02	0·2	1·04	0·36
June..	26·32	26·73	26·03	44·6	....	61·6	67·1	42·9	55·0	80·0	33·0	83	...	53	68	61	....	56	58	3·76	...	3·76	0·82
July	26·45	26·76	26·20	48·2	...	68·4	74·6	45·9	60·2	84·0	40·0	85	...	50	67	34	....	50	42	0·85	...	0·85	0·24
August.....	26·39	26·69	26·08	45·3	....	60·8	66·8	43·1	55·0	82·0	31·0	87	...	61	74	58	...	66	62	3·34	....	3·34	0·79
September..	26·47	26·81	26·07	39·6	....	55·0	60·2	37·6	48·9	80·0	20·0	87	...	62	74	52	....	47	50	1·44	10·5	2·49	0·60
October.....	26·44	26·87	26·08	36·6	....	52·5	62·4	33·7	48·0	72·0	20·0	81	...	51	66	36	....	21	25	0·15	....	0·15	0·15
November..	26·35	26·90	25·84	29·5	....	36·4	45·7	23·3	34·5	61·0	10·0	82	...	74	78	28	....	53	40	.....	0·8	0·08	0·04
December ..	26·21	26·72	25·53	19·4	...	24·0	34·4	12·9	23·6	57·0	8·0	94	...	92	93	39	.. .	45	42	.....	1·0	0·10	0·06
Year.....	26·37	26·90	25·53	28·5	....	41·2	48·4	25·1	36·7	84·0	40·0	88	...	69	78	44	.	62	50	10·57	43·9	14·96	0·82

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January.....	3	8	1	3	1	1	4	20	21	6·2	28	N.E.	2	10	9	12	4	4	....	18	....	....	....	.. .
February	4	3	1	9	0	3	4	19	13	7·1	24	S.W.	0	11	8	9	3	3	....	19	...	....	....	....
March	2	7	3	12	2	5	4	17	10	7·8	36	N.W.	1	8	15	8	8	8	....	18	1	....	....	....
April	1	9	2	12	1	3	4	23	5	10·5	36	N.W.	1	6	7	17	9	8	....	13	.	....	....	....
May.....	3	12	4	11	1	2	1	18	10	7·6	17	N.	0	2	10	19	10	1	....	10	2	1	....	....
June.....	5	9	1	8	0	2	4	23	8	6·4	28	N.	1	9	4	17	15	....	2	10	....	4	1	....
July..	3	11	3	6	2	1	4	26	6	7·2	26	N.W.	1	12	14	5	9	....	....	20	. .	5	....	....
August..	5	9	0	3	2	5	5	23	10	7·0	21	N.	0	6	8	17	13	....	....	12	..	3	....	....
September	2	10	2	7	1	3	7	16	12	6·2	22	N.W.	0	12	6	12	10	4	....	17	....	1	....	....
October.....	2	3	0	11	2	1	25	9	9	6·6	20	N.W.	0	22	6	3	1	....	....	28	...	....	...	....
November	3	0	0	3	4	11	12	13	14	6·4	24	S.W.	0	12	14	4	2	2	...	24	...	....	....	....
December.....	0	3	3	1	1	6	18	12	18	5·6	17	N.W.	0	11	14	6	3	3	....	24	1	..	....	....
Year	33	84	20	86	17	43	92	219	136	7·0	36	N.W.	6	121	115	129	87	33	....	213	4	14	1	0

MONTHLY and ANNUAL SUMMARIES for the Year 1907, Charlottetown, Prince Edward Island—Latitude, N. 46° 14′; Longitude, W. 63° 10′. Height above Sea, 38 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.			9 a.m.	p.m.	9 p.m.	Mean.	9 a.m.	p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	9 a.m.	p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·08	30·64	29·07	15·2	16·8	13 7	23·8	7·1	15·4	46·0	−11·0		88	83	89	88	67	63	61	64	1 27	20·6	3·33	0·86
February	29·92	30·60	29·27	12·0	16·0	12·9	22·1	3·5	12 8	44·6	− 8·5		88	83	89	89	65	55	46	55	1·03	15·8	2 61	0·68
March	29·94	39·41	28·53	21·2	26·4	22·3	30 0	14·5	22·2	44·5	− 7·0		82	79	86	84	57	65	48	52	0 90	14·1	2·31	0·70
April	29·76	30·46	28·97	34·4	38·7	32.7	41·9	27.6	34·7	60·0	12·0		80	76	86	83	73	67	47	60	0·94	14·2	2·36	0·45
May	29·88	30·39	29·33	44·5	47·7	40 6	52·0	36·6	44·3	64·0	28·3		74	66	82	78	69	73	62	65	2·39	7·5	3·14	0·54
June	29·91	30·18	29·31	55·9	60·3	52·9	64·4	46·8	55·6	75·0	35·0		76	68	80	78	61	65	55	58	1·41	....	1·41	0·43
July	29·79	30·17	29·26	62·1	...	60·2	69 7	56·6	63·2	83·0	51·0		87	..	89	88	79	.....	69	74	5·18	....	5·18	1·05
August	29·88	30·18	29 55	63 2	....	60·6	70 0	55·9	63·0	77·0	47·0		83	..	87	85	76	.....	61	68	3·54	....	3·54	1·18
September	29·95	30·34	29·47	57·1	...	54·7	63·3	50·2	56·8	72·0	35·5		88	..	91	89	69	....	49	59	3·63	....	3·63	0·52
October	29·90	30·48	29·35	44·6	...	44·4	51·3	39·7	45·5	63·0	28·5		88	..	89	88	64	....	73	68	4·20	3·4	1·54	0·84
November	30·01	30·51	29·41	36·5	....	36·9	42·8	32·1	37·4	56·0	20·5		86	..	85	85	74	.....	65	69	1·56	0 6	1·62	0·57
December	29·80	30 30	28·85	29·7	....	30 2	35 9	24·4	30·1	50·0	12·0		86	..	87	86	83	.....	69	76	2·50	15·1	4·01	0·71
Year	29·90	30·64	28·53	39·7	....	38·5	47·3	32·9	40·1	83·0	−11·0		84	..	87	85	69	.....	59	64	28·55	91·3	37·68	1·18

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	2	0	5	2	2	2	16	32	5·2	28	S.E.	2	6	8	17	10	9	....	11	....	....	....	....
February	0	8	0	3	3	8	0	9	25	7·2	25	S.E.	1	10	6	12	13	11	....	11	....	....	...	2
March	7	12	0	6	2	5	1	10	19	7·1	34	S.E.	3	7	11	13	11	7	....	15	1	...	....	2
April	2	7	4	4	4	5	1	11	22	6·6	27	N.W.	1	8	6	16	13	7	....	11	....	....	...	....
May	0	14	0	6	2	9	2	8	21	6·5	20	N.W.	....	3	10	18	12	2	....	10	....	...	...	....
June	4	12	6	6	6	14	1	1	10	6·1	19	N.W.	....	8	7	15	7	....	....	12	..	....	....	....
July	4	5	8	5	14	11	6	8	1	6·9	16	N.W.	....	2	9	20	17	....	1	10	1	5	....	....
August	5	1	4	4	11	14	18	4	1	6·5	19	S.E.	....	3	10	18	17	....	....	7	....	2	....	....
September	10	9	0	3	18	13	3	12	2	6·9	20	N.W.	....	5	12	13	14	....	....	12	....	2	....	....
October	10	2	1	2	7	13	13	10	4	9·3	31	S.W.	1	5	12	14	16	1	....	13	....	....	....	1
November	3	7	1	7	1	23	9	6	3	8·9	32	S.E.	2	4	6	20	9	1	....	7	1	...	....	...
December	3	5	2	2	4	24	15	7	0	9·4	22	S.W.	....	3	8	19	10	5	...	9	....	....	....	....
Year	49	84	26	53	74	141	71	102	140	7·2	34	S.E.	10	64	105	195	149	43	1	128	3	9	0	5

MONTHLY and Annual Summaries for the Year 1907, Chatham, New Brunswick—Latitude, N. 47° 03′; Longitude, W. 65° 29′. Height above Sea, 21 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.			9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·10	30·70	29·15	3·7	16·1	9·6	20·6	2·2	9·2	48·0	26·0		69	72	72	71	47	56	48	50	1·33	25·2	3·85	0·67
February	29·94	30·66	29·07	2·8	17·5	8·6	21·2	4·4	8·4	36·5	28·0		73	74	74	74	51	50	43	48	0·16	25·7	2·73	·50
March	29·96	30·45	29·06	16·2	33·6	22·9	36·1	9·3	22·7	54·0	18·5		74	79	76	76	42	49	42	44	0·35	30·8	3·43	1·87
April	29·77	30·37	29·21	33·8	43·6	33·9	45·8	25·7	35·7	66·0	2·0		81	80	80	80	63	62	52	59	1·58	27·4	4·32	·98
May	29·89	30·40	29·51	46·0	53·9	45·0	56·5	36·5	46·5	77·0	27·5		69	70	76	72	60	67	65	64	3·45	1·5	3·60	·79
June	29·90	30·16	29·53	56·2	67·8	57·2	71·6	46·4	59·0	94·0	34·0		77	66	78	74	65	57	64	63	3·75	.....	3·75	·62
July	29·78	30·13	29·23	62·3	73·0	62·4	74·1	56·3	65·2	90·5	50·0		84	74	85	81	75	78	71	75	7·09	.....	7·09	2·20
August	29·86	30·23	29·46	60·9	71·7	61·5	74·0	53·6	63·8	87·0	45·0		81	65	82	76	54	65	51	56	5·47	.....	5·47	1·70
September	29·96	30·35	29·36	52·8	62·9	54·0	65·4	46·9	56·1	78·0	30·0		83	70	84	79	60	67	59	62	4·30	.....	4·30	·88
October	29·92	30·43	29·21	39·5	50·2	41·8	53·2	34·3	43·8	66·5	22·0		82	73	83	79	55	63	51	56	3·76	0·2	3·78	1·02
November	30·01	30·58	29·36	31·0	39·5	33·1	42·4	26·8	34·6	58·5	14·0		80	77	81	79	59	62	48	56	4·40	2·2	4·62	2·44
December	29·84	30·37	28·76	24·1	30·6	25·8	33·8	17·8	25·8	57·5	5·0		79	77	78	78	65	72	54	64	1·71	12·9	3·00	·62
Year	29·91	30·70	28·76	35·8	46·7	37·9	49·6	28·9	39·2	94·0	28·0		78	73	79	77	58	62	54	58	37·35	125·9	49·94	2·44

MONTH.	NUMBER OF WINDS FROM										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lighting Alone.	Aurora.
											mls.	mls.													
January	0	1	12	3	0	4	30	11	1		4·4	18	E.	....	10	10	11	14	13	....	12	....	....	....	....
February	3	2	12	1	1	10	18	6	3		4·5	40	N.W.	1	11	5	12	14	14	....	13	....	....	....	....
March	2	4	11	0	0	14	16	13	2		4·4	44	E.	1	13	5	13	8	6	....	16	....	....	....	....
April	6	3	23	0	0	7	10	11	0		5·7	20	N.E.	....	8	9	13	12	7	....	14	....	....	....	....
May	1	2	24	1	0	5	13	16	0		5·4	30	W.	1	6	8	17	15	4	....	8	....	....	....	....
June	1	3	29	2	0	3	16	6	0		4·3	20	W.	....	10	3	18	14	....	....	11	....	3	....	....
July	3	0	19	3	1	14	11	11	0		3·9	10	N.W.	....	2	8	21	18	....	....	8	....	6	....	....
August	3	2	4	3	1	10	22	16	1		4·2	10	W.	....	9	9	13	14	....	....	13	....	2	....	....
September	6	2	13	3	0	11	13	11	1		3·9	12	W.	....	6	9	15	14	....	....	11	....	1	....	....
October	1	1	6	2	1	13	17	20	1		5·4	32	N.W.	1	10	6	15	12	1	..	14	....	....	....	....
November	2	3	9	0	1	11	27	7	0		3·7	14	W.	....	11	4	15	13	6	....	10	....	....	....	....
December	3	4	9	1	0	15	18	11	1		3·7	14	N.W.	....	6	8	17	11	5	....	11	....	....	....	....
Year	31	27	171	19	5	117	211	139	10		4·5	41	E.	4	102	84	180	159	56	0	141	0	12	0	0

Monthly and Annual Summaries for the Year 1907, Dawson, Yukon—Latitude, N. 64° 4′; Longitude, W. 139° 20′. Height above Sea, 1,200 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	4 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	4 p.m.	8 p.m.	Mean.	8 a.m.	4 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·29	29·80	28·74	24·1	21·9	22·9	15·2	30·9	23·1	20·0	59·0	..	..	..	..	67	68	56	64	....	15·3	1·53	0·70
February	28·85	29·81	27·71	28·7	21·8	24·7	18·2	34·1	26·2	45·0	55·0	..	..	..	..	64	57	44	55	....	3·4	0·34	0·20
March	28·90	29·43	28·19	11·1	7·0	0·6	9·8	15·4	2·8	33·0	41·5	..	..	..	..	44	38	33	38	....	8·8	0·88	0·32
April	28·82	29·87	28·30	23·3	41·8	33·8	43·3	17·8	30·6	61·0	29·5	..	..	..	..	44	41	45	43	·06	1·7	0·23	0·07
May	28·74	29·06	28·14	48·2	61·5	53·5	64·0	39·0	51·5	80·0	23·0	..	..	..	..	45	61	52	53	·76	3·0	1·06	0·30
June	28·68	29·00	28·33	54·3	67·5	60·4	71·9	42·5	57·2	87·0	31·0	..	..	..	..	54	70	59	62	·85	.....	0·85	0·15
July	28·71	29·09	28·43	56·4	70·4	61·2	72·3	45·6	58·9	88·5	38·0	..	..	..	..	53	63	53	56	1·93	.....	1·93	0·66
August	28·67	29·02	28·15	50·4	64·2	56·5	67·4	40·9	54·2	79·0	30·0	..	..	..	..	55	70	54	60	1·28	.....	1·28	0·40
September	28·78	29·48	28·06	37·1	50·3	42·4	51·6	33·2	42·4	64·0	24·0	..	..	..	..	67	63	63	64	1·89	4·5	2·34	0·65
October	28·52	29·41	28·10	23·7	28·9	25·2	32·0	19·6	25·9	49·0	15·0	..	..	..	..	72	66	64	67	0·26	38·3	4·09	1·20
November	28·54	29·40	27·81	7·0	9·7	2·2	7·6	7·3	0·2	26·0	31·0	..	..	..	..	64	4·	63	64	...	26·0	2·60	0·50
December	28·39	29·04	27·74	5·5	4·9	5·1	1·0	11·7	5·3	20·0	41·0	..	..	..	..	52	58	48	53	....	6·2	0·62	·30
Year	28·74	29·87	27·71	18·1	29·4	23·5	32·3	11·6	21·9	88·5	59·0	..	..	..	..	57	30	53	57	7·03	107·2	17·75	1·20

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	11	0	1	6	20	2	0	2	20	3·1	30	S.E.	1	5	14	12	10	10	0	9	10	0	0	0
February	13	3	0	3	21	0	1	2	13	3·9	20	N.	0	5	15	8	3	3	0	14	5	0	0	0
March	10	0	0	7	13	3	1	4	24	4·3	35	N.	2	14	10	7	6	6	0	22	0	0	1	3
April	16	0	0	1	3	0	3	8	29	3·0	17	N.	0	13	9	8	8	5	0	17	1	0	0	3
May	13	3	1	1	9	1	5	8	21	3·2	10	N. W.	0	7	11	13	9	8	0	14	0	0	0	0
June	14	1	1	4	8	1	5	0	26	3·6	20	N.	0	5	9	16	9	0	0	13	0	3	0	0
July	7	0	3	2	3	2	4	3	38	2·9	15	S.	0	7	9	15	11	0	0	14	0	0	0	0
August	9	0	0	4	7	1	5	0	36	3·4	15	S.	0	4	16	11	9	0	0	14	0	0	0	0
September	7	0	2	2	9	1	2	6	31	2·8	15	W.	0	7	6	17	10	1	0	11	2	0	0	1
October	21	0	0	0	15	0	2	2	22	4·0	20	N.	0	4	7	20	17	14	0	7	1	0	0	6
November	13	0	0	3	18	1	0	6	19	5·0	20	N.	0	4	13	13	12	12	0	13	0	0	0	4
December	9	0	1	3	16	0	3	4	26	3·5	25	N. W.	2	3	22	6	5	5	0	20	0	0	0	0
Year	143	7	9	36	142	12	31	45	305	3·6	35	N.	5	78	141	146	109	64	0	168	19	3	1	17

MONTHLY and Annual Summaries for the Year 1907, Edmonton, Alberta—Latitude, N. 53° 33′ ; Longitude, W. 113° 30′. Height above Sea, 2,158 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		5·20 a.m.	p.m.	5·20 p.m.	Mean.	5·20 a.m.	p.m.	5·20 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5·20 a.m.	p.m.	5·20 p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	27·75	28·22	27·18	17·4	....	7·9	1·3	23·3	12·29	39·0	46·0	100	..	100	100	36	....	41	38	.....	10·4	1·04	0·40
February	27·66	28·22	27·14	7·7	....	18·6	24·7	4·2	14·44	52·0	43·0	100	..	100	100	56	....	52	54	.....	2·7	0·27	0·12
March	27·52	28·07	26·96	10·2	....	25·2	30·9	8·4	19·61	51·0	11·0	99	..	71	85	55	....	49	52	.....	5·0	0·50	0·45
April	27·67	28·06	27·02	24·3	....	38·3	43·2	22·6	32·92	64·0	8·0	90	..	58	74	63	....	55	59	....	4·9	0·49	0·15
May	27·71	28·04	27·21	33·2	....	50·0	55·0	31·5	43·32	76·0	15·0	87	..	54	70	57	....	69	63	·69	9·1	1·60	0·40
June	27·52	27·89	27·19	47·4	....	64·7	68·7	45·3	56·98	84·0	35·0	94	..	67	81	57	....	71	64	3·09	....	3·09	0·92
July	27·62	27·95	27·27	51·1	....	68·4	72·3	48·8	60·55	81·0	42·0	97	.	75	86	55	...	50	53	2·79	....	2·79	0·74
August	27·58	27·87	27·19	45·9	....	62·5	67·3	44·5	55·90	84·0	31·0	98	..	78	88	57	...	61	59	4·66	....	4·66	1·04
September	27·68	28·16	27·19	40·1	....	55·8	61·9	38·0	49·94	78·0	25·0	96	..	65	80	64	....	57	60	1·21	1·1	1·32	0·82
October	27·64	28·15	27·30	36·4	....	52·4	60·3	34·6	47·42	76·0	15·0	81	..	57	69	33	....	37	35	0·19	....	0·19	0·14
November	27·55	28·16	26·99	27·8	....	35·2	42·4	25·3	33·84	56·0	8·0	93	..	79	86	42	....	63	52	0·11	*	0·11	0·06
December	27·47	27·97	26·94	15·1	....	21·7	28·3	11·9	20·12	59·0	18·0	98	..	95	96	46	....	46	49	...	5·6	0·56	0·12
Year	27·61	28·22	26·94	26·8	...	40·4	46·1	24·3	35·25	84·0	46·0	94	..	75	85	52	....	54	53	12·74	38·8	16·62	1·04

MONTH.	NUMBER OF WINDS FROM									Average hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	2	1	4	7	7	9	3	16	13	5·0	24	N.W.	....	14	11	6	9	9	....	18	1	....	....	3
February	2	1	8	4	3	5	9	6	18	4·8	16	N.W.	....	8	7	13	4	4	....	15	..	....	....	5
March	3	3	4	8	9	7	6	15	7	6·6	20	E. N.W.	....	8	11	12	5	5	...	14	1	....	....	....
April	5	2	6	11	3	1	2	20	10	7·3	20	N.W.	....	7	10	15	5	5	....	16	....	....	....	....
May	4	3	7	10	4	4	0	17	13	6·2	16	S.E. N.W.	....	7	8	16	12	6	1	14	....	3	....	1
June	8	3	2	7	2	7	4	14	13	5·7	20	S.E.	..	6	6	18	15	....	....	9	1	2	....	1
July	1	1	1	5	0	6	8	21	19	5·7	20	N.W.	...	8	12	11	14	....	....	14	....	4	....	2
August	3	4	0	7	1	5	4	21	17	5·6	16	S.E. N.W.	....	8	7	16	14	....	....	11	2	1	....	3
September	4	3	6	9	1	4	2	17	18	5·6	20	N.W.	....	5	11	14	6	2	1	13	....	3	....	1
October	1	0	0	9	4	4	1	15	28	4·7	28	N.W.	1	20	4	7	3	....	....	22	....	1	....	8
November	....	....	....	8	4	12	8	10	15	5·2	16	N.W.	....	6	16	8	2	....	....	20	....	....	....	3
December	....	....	....	....	....	12	6	3	19	4·3	16	W.	....	12	10	9	9	9	....	17	....	....	....	5
Year	....	....	....	....	....	....	....	....	....	5·6	28	N.W.	1	109	113	145	98	40	2	183	5	14	0	32

MONTHLY and Annual Summaries for the Year 1907, Father Point, Quebec—Latitude, N. 48° 31′; Longitude, W. 68° 19′. Height above Sea, 20 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in
January	30·13	30·73	29·02	3·2	6·8	5·8	14·2	3·0	5·6	45·0	20·0	78	85	81	81	68	79	61	69	0·06	19·6	2·02	0·40
February	29·96	30·67	29·00	5·3	8·7	7·1	14·9	1·2	6·8	31·0	18·0	87	89	79	85	81	75	55	70	....	17·1	1 71	0·33
March	29·98	30·44	29·34	19·0	25·7	22·2	30·0	11·2	20·6	43·2	10·0	85	87	85	86	66	60	36	54	0 40	17·4	2·14	0·74
April	29·84	30·38	29·33	32·5	36·5	32·8	40·6	25·7	33 1	58·0	8·5	81	77	82	80	67	61	47	58	1·24	12·8	2·52	1·38
May	29·91	30·41	29·41	40·4	44·5	41·5	48·8	35·4	42·1	59·8	25·0	78	74	77	76	68	64	61	68	2·73	3·0	3·03	0·80
June	29·95	30·27	29·36	51·4	51·6	51·6	59·4	44·1	51·7	74·7	31·0	85	82	86	84	69	68	69	69	4·61	....	4·61	1·52
July	29·75	30 02	29·19	54·9	58·5	54·8	63·6	49·2	56·4	73·7	44·0	88	83	90	87	87	77	85	83	5·70	...	5·70	0·82
August	29·85	30·28	29·44	55·5	59·0	55·3	63·2	49·4	56·3	77·7	40·0	87	85	88	87	63	77	62	67	4·10	....	4·10	1·00
September	29·94	30·38	29·29	47·4	52·4	48·8	55·4	41·5	48·5	69·7	32·0	88	82	89	86	70	62	62	65	3·54	....	3·54	1·02
October	29·90	30·44	29·27	37·6	41·4	39·0	45·8	32·8	39·3	57·8	21·0	87	84	87	86	78	73	62	71	5·49	3·0	5·79	1·52
November	30·02	30·61	29·09	29·9	32·3	31·0	37·4	24·6	31·0	52·8	11 0	83	81	83	82	79	75	62	72	1·15	4·8	1·63	0·38
December	29·84	30·42	28·68	22·3	23·5	21·8	28·6	15·1	21·9	47·8	3·0	81	82	84	82	92	77	69	79	0·94	20·1	2 95	0·70
Year	29·92	30·73	28·68	33·3	36·7	34·3	41·8	27·1	34·4	77·7	20·0	84	83	84	84	74	71	61	69	29·96	97·8	39·74	1·52

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	8	1	7	6	8	10	5	17	0	17·6	48	N. N.W.	12	4	8	19	12	12	....	9	....	....	....	....
February	8	3	8	5	6	12	3	11	0	19·8	60	N.W.	15	4	6	18	13	13	....	8	....	....	....	....
March	3	3	15	2	11	8	12	6	2	15·7	48	N. E.	9	10	8	13	11	7	..	14	2	....	....	1
April	17	4	16	1	1	5	8	6	2	15·8	60	E.	10	8	8	14	6	4	....	16	....	....	...	1
May	6	19	3	3	5	8	8	9	1	15·4	44	N.E.	8	3	10	18	11	1	....	8	....	...	1	....
June	3	26	3	0	8	12	4	0	4	17·3	42	N.E.	10	4	9	17	14	...	..	10	4	2	....	2
July	4	10	11	1	9	6	15	0	6	12·2	32	N.E.	3	1	5	25	19	....	....	4	3	2	....	....
August	0	1	2	0	8	10	33	3	5	14·4	36	W.	6	7	4	20	17	....	....	7	2	2	....	....
September	4	2	12	2	3	11	15	5	6	14·3	39	W.	6	6	7	17	11	....	....	11	4	....	....	....
October	5	3	4	0	9	13	15	12	1	17·8	40	N.E.	11	5	6	20	16	3	....	9	....	....	....	....
November	8	0	7	1	4	12	15	11	2	19·7	48	E. S.E.	15	4	7	19	12	5	1	9	..	....	....	....
December	3	4	6	2	6	24	4	11	2	17·6	44	N.W.	13	3	6	22	18	17	1	6	....	....	....	1
Year	69	76	94	23	78	131	137	91	31	16·5	60	N.W. E.	118	59	84	222	160	62	2	111	15	6	1	5

MONTHLY and Annual Summaries for the Year 1907, Fort Churchill, Hudson's Bay—Latitude, N. 58° 51′; Longitude, W. 94° 11′. Height above Sea, 30 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·95	30·73	29·31	22·3	18·0	19·8	15 4	31·1	23·2	15·0	45·0										*		
February	29·91	30·41	29·23	20·7	15·2	15·7	8·0	28·8	18·4	21·0	42·0										*		
March	29·83	30·48	29·20	13·2	4·4	6·7	3·9	19·8	7·9	32·0	35·0												
April	29·52	30·48	29·10	0·1	7·2	4·9	14·9	7·0	3·9	38·0	22·0												
May	29·95	30·32	29·30	19·3	23·6	21·8	27·6	13·2	20·4	42·0	7·0												
June	29·73	30·07	29·38	39·6	46·8	42·2	53·3	33·7	43·5	80·0	27·0									3·45		3·45	0·75
July	29·70	29·90	29·43	45·9	53·3	50·0	57·8	41·0	49·4	71·0	33·0									3·66		3·66	0 75
August	29·70	30·15	29·02				62·2	44·2	53·2	83·0	38·0									4·26		4·26	1·25
September	29·87	30·41	29·31	39·4	45·1	40·5	48·3	35·6	41·9	74·0	23·0									1·09	*	1·09	0·45
October	29·85	30·41	29·37	24·0	28·4	26·2	34·2	18·3	26·2	50·0	1·0									0·65	1·9	0·84	0·45
November	29·87	30·51	29·27	7·4	10·0	8·9	16·3	1·1	8·7	33·0	15·0												
December	29·72	30·29	28·84	6·2	3·8	3·9	4 0	13·1	4·4	26·0	36·0												
Year	29·80	30·73	28·84				24·9	7·3	16·1	83·0	45·0												

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	1	1	1	7	1	12	16	50	4	II	III	N.W.									1			9
February	0	3	1	9	3	8	7	53	0	II	IV	N.W.												6
March	0	2	0	20	1	3	8	57	2	II	IV	N.W.												6
April	1	3	0	10	1	6	0	66	3	II	IV	N.W.												5
May	3	13	1	12	0	0	0	63	1	II	IV	N.W.												0
June	4	22	4	23	3	4	4	24	2	II	III	N.E.					9				1	2		0
July	12	29	10	16	0	2	2	20	2	II	III	S.E.					11				3	0		0
August	4	29	3	11	5	11	5	23	2	II	IV	N.E.					4				1	1		3
September	5	8	3	14	7	6	8	36	3	II	IV	N.W.					7	4			1	0		9
October	5	5	0	17	4	10	2	48	2	II	III	N.W.					4	4			0	0		9
November	3	8	0	14	1	10	5	47	2	I	IV	W.									0	0		3
December	2	0	0	17	5	8	10	50	1	II	III	N.W.									0	0		5
Year	40	123	23	170	31	80	67	537	24	II	IV	N.W.												55

Monthly and Annual Summaries for the Year 1907, Fort Hope, Ontario—Latitude N. 51° 16′; Longitude, W. 88° 0′.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·11	29·64	28·24	18·6	5·9	13·2	2·5	25·1	13·8	19·0	45·0	....	....	....	....	21	33	25	26	0·00	5·0	0·50	0·50
February	29·01	29·56	28·20	12·4	8·0	3·3	6·4	22·1	7·8	26·0	38·0	....	....	....	....	39	57	55	54	0·00	6·0	0·60	0·60
March	28·94	29·60	28·24	6·5	....	19·2	27·0	2·1	12·4	52·0	35·0	....	....	....	....	60	64	64	63	0·00	21·0	2·10	0·80
April	29·03	29·48	28·00	15·2	....	25·8	32·1	3·8	17·9	46·0	18·0	....	....	....	....	40	43	44	42	0·00	5·0	0·50	0·50
May	28·89	29·36	28·48	29·2	37·8	35·6	41·7	18·7	30·2	66·0	7·0	....	....	....	....	56	59	67	61	0·00	6·0	0·60	0·60
June	28·87	29·24	28·50	58·1	68·8	60·8	72·7	41·8	57·2	92·0	28·0	....	....	....	....	51	54	52	52	0·57	....	0·57	0·27
July	28·81	29·10	28·53	62·2	67·0	63·5	70·0	48·6	59·3	82·0	38·0	....	....	....	....	68	72	62	67	2·65	....	2·65	0·50
August	28·83	29·30	28·22	57·4	63·1	59·2	66·3	47·4	56·8	77·0	31·0	....	....	....	....	58	64	62	61	3·50	....	3·50	1·00
September	28·92	29·25	28·20	44·8	52·2	49·2	55·0	37·0	46·0	74·0	16·0	....	....	....	....	69	66	63	66	2·07	S.	2·07	0·60
October	28·99	29·43	28·62	30·4	40·7	36·2	44·1	24·0	34·0	62·0	3·0	....	....	....	....	51	48	45	48	0·00	S.	.....	...
November	28·91	29·34	28·40	17·6	23·4	19·2	27·6	11·1	19·3	48·0	13·0	....	....	....	....	70	70	61	67	0·00	6·0	0·60	0·60
December	28·87	29·40	28·30	2·6	11·5	7·6	16·4	2·1	7·1	40·0	30·0	....	....	....	....	49	47	45	47	0·00	8·0	0·80	0·50
Year	28·93	29·64	28·00	26·0	....	29·9	38·1	19·3	28·7	92·0	45·0	....	....	....	....	53	56	54	55	8·79	57·0	144·9	1·00

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	6	5	4	2	9	2	27	1	37	I	IV	S.	....	20	4	7	1	1	0	24	0	0	0	0
February	29	2	3	3	9	6	13	2	17	II	IV	N.	....	8	8	12	1	1	0	16	0	0	0	0
March	29	2	7	5	15	0	16	3	16	II	IV	N.	....	5	6	20	4	4	0	11	0	0	0	0
April	39	0	8	0	9	7	11	5	11	II	IV	N.	...	11	9	10	1	1	0	20	0	0	0	0
May	33	9	6	1	6	10	7	4	8	II	V	S.	....	6	9	16	1	1	0	12	0	0	0	0
June	17	3	6	3	10	9	17	2	23	II	IV	W.	...	7	13	10	3	0	0	20	0	2	0	0
July	31	11	8	0	7	6	10	4	16	II	IV	E.	....	1	12	18	12	0	0	13	1	0	0	0
August	28	5	8	0	12	15	10	2	13	II	IV	S.W.	....	4	10	17	15	0	0	14	0	0	0	0
September	24	3	5	4	21	4	11	3	15	II	IV	N.	....	5	10	15	9	3	0	19	3	1	0	0
October	39	0	7	1	11	4	11	0	20	II	V	N.	1	11	8	12	0	5	0	31	0	0	0	0
November	24	1	8	2	11	5	18	0	21	II	IV	W.	....	6	9	15	1	11	0	30	0	0	0	0
December	15	0	9	3	9	7	20	0	30	I	IV	S.W.	....	13	9	9	3	5	0	26	0	0	0	0
Year	314	41	79	24	129	75	171	26	227	II	V	N.	1	97	107	161	51	32	0	236	4	3	0	0

MONTHLY and Annual Summaries for the Year 1907, Fredericton, New Brunswick—Latitude, N. 45° 57′; Longitude, W. 66° 36′. Height above Sea, 164 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly		Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·18	30·78	29·29	6·9	....	11·2	20·1	1·5	9·3		47·5	21·2	81	69	71	74	55	55	49	53	0·94	13·5	2·29	0·60
February	30·02	30·76	29·39	5·6	....	10·7	20·0	2·9	8·6		39 0	25·5	83	71	76	77	60	55	41	52	....	28·6	2·86	0·55
March	30·03	30·45	28·80	20·7	33·0	26·8	35·0	11·6	23·3		50·3	17·2	80	54	66	67	55	54	41	50	0·41	14·7	1·88	1·00
April	29·84	30·43	29·13	37·3	....	37·0	46·1	27·8	36·9		68·0	11·0	68	55	74	66	56	61	64	60	2·44	24·5	4·89	1·10
May	29·96	30·45	29·49	47·8	....	47·0	56 4	37·2	19·2		73·3	29·5	64	49	66	59	66	74	61	67	2·02	0·2	2·04	0·67
June	29·95	30·19	29 29	57·4	68·8	59·0	71·1	47·4	59·3		91 0	34·0	78	58	73	70	61	66	56	61	2·94	....	2·94	1·07
July	29·81	30·17	29·30	62·3	72·5	63·7	73·9	55·0	64·4		87·8	46·0	86	69	85	80	74	73	67	72	3·50	....	3·50	0·45
August	29·94	30·29	29·55	60·7	71·6	60·5	72·7	51·5	62·1		84·3	40·5	82	61	81	75	62	62	57	60	3·81	....	3·81	1·52
September	30·02	30·43	29·48	53·3	63·6	55 6	64·4	46·9	55·6		78·0	31·5	85	66	85	78	64	53	56	58	5·12	....	5·12	2·92
October	29·99	30·55	29·46	39·4	49 7	40·9	51·8	31·9	41·9		67·0	17·3	84	65	83	77	60	69	53	60	4·15	2·7	4·42	1·70
November	30·07	30·60	29·37	30·1	30·0	30·1	41·6	25·0	33·3		57·0	11·5	88	69	87	81	64	61	49	58	6·48	1·3	6·61	2·10
December	29·92	30·34	28·90	24 2	30·7	26·7	33·8	16·9	25·3		53·0	2·6	89	77	86	84	79	76	60	71	2·88	12·5	4·13	1·35
Year	.....	.....	.....	37·1	....	39·1	49·9	28·4	36·6		91·0	25·5	81	64	86	74	63	63	54	60	34·69	98·0	44·49	2·92

MONTH.	NUMBER OF WINDS FROM										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January	1	2	3	8	3	4	9	50	13		....	...	.....	0	6	10	15	12	12	0	16	1	0	0	0
February	2	9	4	7	0	4	2	42	14		....	....	.....	0	10	5	13	10	14	0	15	1	0	0	0
March	6	12	6	7	4	8	11	29	10		....	....	.....	0	11	7	13	7	6	0	18	0	0	0	0
April	13	16	0	7	2	14	3	30	5		....	....	.....	0	7	8	15	11	9	0	15	0	0	0	0
May	2	15	6	12	10	8	6	28	6		. .	....	.....	0	4	9	18	10	3	0	13	0	0	0	0
June	1	28	12	9	8	15	3	14	0		....	....	.....	0	6	11	13	7	...	0	17	0	4	0	0
July	1	4	19	14	10	10	11	12	12		7·3	12·7	N.W.	0	3	6	22	12	....	0	9	2	1	0	0
August	2	1	12	14	2	19	23	20	0		8·1	16·0	N.W.	0	6	7	18	15	....	0	13	0	0	0	0
September	1	11	9	13	6	18	9	20	3		6·9	13·7	W.	0	6	10	14	15	0	0	16	1	0	0	0
October	2	8	8	15	4	13	17	25	1		8·6	16·7	N.W.	0	6	8	17	7	3	0	14	1	0	0	0
November	7	17	5	12	9	18	7	13	2		8·4	20·0	N.W.	0	8	6	16	9	4	0	14	1	0	0	0
December	13	14	10	4	3	9	8	28	4		9·5	22·0	N.W.	0	3	6	22	6	8	0	9	0	0	0	0
Year	51	137	94	122	61	140	109	311	70		....	....	.....	0	76	93	196	121	59	0	169	7	5	0	0

MONTHLY and Annual Summaries for the Year 1907, Grand Manan, New Brunswick—Latitude, N. 44° 47′; Longitude, W. 66° 46′. Height above Sea, 49 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·08	30·63	29·33	19·8	23·1	21·5	30·4	12·0	21·2	30·4	7·5	93	88	88	90	68	72	65	68	1·67	28·5	4·52	0·81
February	29·91	30·68	29·23	17·4	21·4	19·1	27·7	10·4	19 2	27·7	9·0	93	91	93	92	73	59	64	65	1·64	32·3	4·87	0·89
March	29·95	30·45	28·52	28·4	33·5	30·6	36·5	23·6	30·6	36·5	8·0	87	85	85	86	57	60	54	57	1·43	7·3	2·15	0·82
April	29·75	30·40	28·88	37·2	39·9	37·2	43·2	31·7	37·2	43·2	20·0	88	87	87	87	58	66	68	63	3·35	15·4	4·89	1·41
May	29·88	30·30	29·38	45·0	48·2	44·4	53·5	38·4	44·4	53·5	31·8	85	79	83	82	68	63	61	64	2·77	....	2·77	0·84
June	29·88	30·20	29·38	53·8	58·5	52·2	63·6	46·2	52·2	63·6	40·0	79	72	82	78	57	52	50	53	2·61	....	2·61	0·82
July	29·77	30·15	29·28	59·4	64·2	59·6	68·5	53·3	59·6	68·5	46·2	81	76	81	79	55	53	65	60	3·55	....	3·55	1·31
August	29·87	30·17	29·49	59·8	65·0	59·3	68·2	53·1	59 3	68 2	48·0	81	73	79	78	58	62	52	58	2·78	....	2·78	1·17
September	29·94	30·30	29·42	55·5	60·0	55·7	63·4	51·0	55·7	63·4	41·8	85	73	83	80	49	49	44	47	5·07	....	5·07	0·87
October	29 91	30·44	29·27	44·6	48·6	45·9	53·0	40·4	45·9	53·0	30·0	78	72	78	76	58	63	53	58	4·56	5·3	5 09	2 06
November	29·98	30·49	29·31	39·2	40·9	39·0	45·9	35·5	39 0	45·9	20·8	76	72	77	75	61	65	55	60	4·71	S.	4·71	1·60
December	29·84	30·31	28·95	33·1	34·8	33·7	40·7	28·9	33·7	40·7	16·3	82	77	77	79	68	69	56	63	5·30	5·0	5·80	1·62
Year	29·89	30·68	28·52	41 1	44·9	41·5	49 5	35·4	41·5	49·5	·9·0	84	79	83	82	71	61	57	59	39·44	93·8	48 82	2 06

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	6	8	4	1	4	8	6	24	1	....	....	.....	1	4	6	21	15	12	1	8	3	....	....	....
February	3	14	1	1	4	8	6	19	0	....	....	.....	5	6	6	16	14	11	....	10	4	....	....	2
March	5	13	1	2	6	11	8	13	3	....	....	. ..	3	9	7	15	10	7	1	13	4	....	....	3
April	2	12	2	3	3	10	12	12	4	...	....	.....	3	8	8	14	12	7	1	14	4	....	....	....
May	5	6	6	1	4	12	15	7	6	....	....	.....	1	5	10	16	8	...	....	13	4	....	....	2
June	3	6	8	6	9	10	8	3	7	....	....	.....	2	9	11	10	14	.....	....	12	9	5	....	....
July	1	3	5	7	14	3	10	6	13	....	...	....		7	8	16	15	....	...	8	7	5	3	....
August	1	1	2	6	10	7	18	7	10	....	....	... .		6	14	11	11	....	...	16	7	3	1	1
September	2	4	3	3	4	16	15	9	4	....	....	.....	4	13	10	7	13	....	....	13	7	1	3	....
October	12	7	0	7	2	12	9	12	1	....	....	...	3	8	9	14	13	12	....	15	3	....	....	1
November	4	8	1	4	3	15	11	11	3	....	....	... ..	1	6	11	13	8	....	....	16	2	...	...	....
December	5	9	1	2	4	14	6	20	1	....	....	....	3	6	10	15	10	2	....	12	2	....	...	....
Year	49	91	34	43	67	126	124	143	53	....	....	.... .	26	77	110	168	143	51	3	150	56	14	7	

MONTHLY and Annual Summaries for the Year 1907, Gravenhurst, Ontario—Latitude, N. 44° 54'; Longitude, W. 79° 20'. Height above Sea, 770 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January				12·2	17·9	13 2	23·0	2·8	12·9	49·0	33·0					73	63	63	66	1·06	18 0	2·86	0·65
February				4·8	14·6	8 1	20·9	5·9	7·5	36·0	42·8					52	50	48	50	0·00	21·0	2·10	0 60
March				20·8	34 4	27·8	38·0	16·2	27 1	61·0	18·0					57	56	41	51	2·20	7·5	2·95	0·79
April				30·2	40·5	33·7	43·9	25·1	34·5	65 0	6·4					48	53	49	50	2·48	8·0	3·28	1·10
May				42·0	53·8	44 2	57·4	33·7	45·6	82·0	24·0					41	46	44	44	1·50	0·5	1·55	0 66
June				59·9	72·5	59·8	74·9	49·8	62·4	87·0	35·0					36	43	32	37	5·58		5·58	2·88
July				63 0	74·5	62·1	76·4	53·6	65·0	85·0	39·0					41	40	17	33	1·19		1·19	0·58
August				58·9	69·9	58·6	73·1	50 5	61·8	89·0	40·0					38	42	15	32	2 10		2·10	1·15
September				53·5	63·8	55·2	65·9	48·7	57·3	81 0	36·0					62	65	49	59	3·03		3·03	0·35
October				36·0	47 5	40·6	50·2	31·6	40·9	67·0	14·8					44	52	40	45	2·40	0·0	2·40	0·88
November				29·9	36·2	21·7	38·5	25 3	31·9	48·0	11·6					72	70	64	69	1·94	14·0	3·34	0 63
December				22·6	27·1	24·6	30·5	15·6	23·1	45·0	7·4												
Year				36·1	46·1	38·3	49·4	28 9	39·2	89·0	42 8					47	48	39	45	23·48	69·0	30·38	2·88

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Haul.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	9	3	22	17	3	8	12	6	13	II	VI	S.W.	5	6	9	16	16	16	0	15	0	0	0	0
February	9	2	4	17	12	0	9	12	19	II	IV	N.W.	6	11	6	11	11	12	0	17	0	0	0	4
March	8	2	5	23	2	3	15	8	27	II	V	W.	6	9	14	8	12	7	0	23	1	2	0	3
April	22	3	12	9	7	2	9	19	7	III	V	E.	4	11	10	9	9	7	0	21	0	1	0	3
May	11	2	1	12	7	11	8	21	20	II	V	N.W.	7	10	16	5	6	4	0	26	0	1	1	0
June	6	1	6	19	6	5	11	13	23	II	IV	N.W.	3	16	6	8	6	0	0	22	0	2	0	0
July	6	1	10	11	7	5	20	17	16	II	VI	W.	2	15	14	2	6	0	0	29	0	1	2	3
August	9	2	9	15	8	4	21	12	13	II	IV	N.W.	7	17	11	3	5	0	0	28	1	3	0	0
Seprember	3	4	20	6	13	8	18	8	10	II	IV	E.	3	6	13	11	15	0	0	19	0	8	0	0
October	21	1	7	2	19	13	6	13	11	II	IV	N.	4	13	11	7	6	2	0	24	0	0	0	2
November	3	1	9	18	15	12	5	19	8	II	V	N.W.	4	2	13	15	15	11	0	15	0	2	0	2
December	13	3	8	23	15	9	5	12	5	II	V	E.	3	2	10	19	14	13	0	12	0	0	0	0
Year												W.	54	118	133	114	121	72	0	251	2	20	3	17

MONTHLY and Annual Summaries for the Year 1907, Haileybury, Ontario—Latitude, N. 47° 29'; Longitude, W. 79° 39'. Height above Sea, 687 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly		Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January				0·5		4·0	14·5	7 3	3·6		48·1	34·3					65		55	60	0·76	6·6	1·42	0·50
February				2·2		5·5	16·1	8 7	3·7		34·2	31·4					58		59	58	0·00	9·5	0·95	0·40
March				18·3		25·5	35·0	11·9	23·4		64·8	18·6					68		54	61	0·76	9·8	1·74	0·75
April				24·6		30 9	38·6	18·8	28·7		56·8	3·0					60		58	59	0·15	9·0	1·05	0·30
May				38·5		40·9	50·0	30·7	40·4		72·3	16·9					71		61	66	3·24	6·7	3·89	1·22
June				60·7		64·5	75·7	51·7	63·7		96·6	37·8					53		57	55	3·13		3·13	0·93
July				63·5		65·7	75·0	55·3	65·1		85·6	40·6					52		53	52	4·63		4·63	1·26
August				59·0		60·3	69·1	50·6	59·8		85·2	35·8					59		64	61	1·85		1·85	0·49
September				52·0		53·5	61·8	46·7	54·3		78·6	27·0					71		62	66	6·16	0·0	6·16	1·63
October				36·5		38 2	46·7	30·5	38·6		65·8	13·0					70		61	65	2·25	3·5	2·60	0·51
November				25·7		27·8	34·0	20 6	27·3		46·9	5·7					87		73	80	0·66	8·3	1·49	0·33
December				15·8		19·2	26·6	8 2	17·4		42 5	12·8					86		74	80	0·71	22·0	2·91	0·59
Year				32·6		36·3	45·3	25·8	35·5		96·6	34·3					67		61	63	24·30	75·2	31·82	1·63

MONTH.	NUMBER OF WINDS FROM.									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	3	0	2	4	10	6	7	13	17	I	VI	W.	1	10	6	15	12	17	0	16	1	0	0	3
February	3	0	2	3	12	3	4	17	12	II	IV	N.W.	3	9	6	13	12	16	0	15	0	0	0	7
March	4	0	4	1	8	13	0	21	11	II	IV	S.W.	5	6	14	11	9	16	0	20	2	1	0	2
April	13	2	5	4	3	1	5	17	10	II	IV	N.W.	1	7	11	12	8	14	0	18	0	0	0	1
May	9	1	3	4	5	8	4	14	14	II	IV	N.W.	1	6	11	14	13	8	0	17	0	2	0	3
June	4	3	1	2	4	13	2	12	19	I	IV	S.W.	0	12	5	13	9	0	0	17	0	6	0	5
July	3	1	1	0	11	10	11	15	10	I	III	S.W.	1	6	19	6	17	0	0	25	0	6	1	1
August	8	0	2	1	18	9	4	12	8	II	IV	N.W.	1	7	10	14	12	0	0	17	1	3	1	2
September	3	2	5	3	12	5	7	9	14	I	IV	S.	0	7	7	16	18	1	0	14	0	3	1	2
October	13	1	0	3	10	9	5	12	9	II	V	S.W.	2	4	14	13	12	7	0	18	0	0	0	5
November	12	3	0	6	14	7	1	10	7	II	V	N.	3	2	9	19	14	19	0	11	1	0	0	0
December	9	4	1	4	15	6	4	10	9	II	VI	N.	4	2	10	19	16	19	0	12	1	0	0	2
Year	84	17	26	35	122	90	54	162	140	II	VI	N.	22	78	122	165	152	117	0	209	6	21	3	33

MONTHLY and Annual Summaries for the Year 1907, Halifax, Nova Scotia—Latitude, N. 44° 39′; Longitude, W. 63° 36′. Height above Sea, 88 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	p.m.	9 p.m.	Mean.	9 a.m.	p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·05	30·56	29·25	20·0	....	20·1	30·9	12·5	21·7	50·3	10·0	92	...	91	91	66	....	49	58	3·68	25·0	6·18	0·96
February	29·87	30·58	29·26	17·3	....	18·6	27·9	10·1	19·0	45·6	7·8	91	....	91	91	69	....	65	67	1·95	25·4	4·49	1·09
March	29·89	30·40	28·65	26·9	....	27·4	36·4	20·1	28·2	55·8	0·3	83	....	87	85	61	....	61	61	2·33	10·3	3·36	0·94
April	29·72	30·39	28·85	37·3	....	35·3	46·0	30·5	38·3	68·0	17·3	82	....	85	84	64	...	64	64	2·71	5·2	3·23	0·94
May	29·85	30·29	29·27	46·1	...	42·7	56·0	37·2	46·6	68·0	28·5	73	....	80	76	80	....	67	73	3·32	0·2	3·34	1·02
June	29·83	30·13	29·38	55·5	..	51·4	66·0	45·1	55·6	84·3	36·6	75	....	85	80	72	...	63	68	3·71	...	3·71	1·46
July	29·75	30·16	29·21	61·4	....	58·8	71·4	54·3	62·8	86·8	49·0	88	....	91	90	77	....	67	72	3·40	....	3·40	0·77
August	29·86	30·20	29·47	60·7	....	58·2	69·6	53·3	61·4	78·3	45·6	88	...	94	91	68	....	57	62	4·86	....	4·86	1·96
September	29·93	30·29	29·49	57·3	....	55·4	66·1	50·2	58·1	76·7	34·6	88	....	92	90	68	....	47	58	4·26	....	4·26	1·00
October	29·87	30·43	29·39	45·0	....	44·2	53·0	38·3	45·6	64·2	24·4	87	....	89	88	66	..	59	63	5·04	3·0	5·34	0·96
November	29·97	30·45	29·39	38·0	...	37·5	46·2	31·7	39·0	57·4	20·5	86	....	89	88	62	....	55	58	5·85	2·0	6·05	2·23
December	29·80	30·36	28·80	31·9	...	32·6	39·6	26·1	32·9	53·1	15·5	87	....	87	87	74	....	74	74	5·38	13·4	6·72	1·53
Year	29·87	30·58	28·65	41·5	....	40·2	50·8	34·1	42·4	86·8	10·0	85	...	89	87	69	....	61	65	46·49	84·5	54·94	2·23

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	13	3	5	3	4	4	16	7	7	11·9	37	S.W.	4	7	12	12	18	15	....	9	1	1	....	....
February	8	4	4	2	5	5	12	11	5	12·4	34	N.W.	8	7	6	15	14	10	....	8	2	....	....	....
March	7	23	5	0	6	7	8	4	2	12·7	53	N.E.	7	5	12	14	14	10	....	11	2	....	....	....
April	6	11	2	6	7	7	10	8	3	10·9	40	S.E.	4	5	11	14	15	7	...	10	4	1	....	....
May	3	16	1	2	14	7	8	9	2	9·3	24	S.W.	....	1	12	18	15	1	..	9	8	....	1	2
June	5	11	2	4	17	2	10	8	1	8·5	26	N.E.	1	7	5	18	13	....	....	10	5	....	....	....
July	6	7	1	5	18	2	10	11	2	7·1	17	N. S.E.	....	4	8	19	16	...	....	10	8	2	1	....
August	10	1	1	2	10	13	7	16	2	7·7	25	S.W.	1	7	7	17	17	....	....	11	6	4	....	....
September	12	10	0	2	6	8	11	11	0	10·4	39	S.W.	2	8	10	12	17	....	....	11	3	2	1	....
October	21	7	1	4	6	6	9	7	1	12·5	34	S.W.	3	5	10	16	16	1	..	9	...	....	....	1
November	14	2	3	5	3	12	13	8	0	11·1	42	S.E.	4	9	8	13	18	3	....	10	4	....	....	....
December	19	3	2	2	1	8	13	14	0	13·0	38	S.W.	7	4	5	22	15	5	....	5	2	...	....	....
Year	124	98	27	37	97	81	127	114	25	10·6	53	N.E.	41	69	106	190	188	52	0	113	45	10	3	3

MONTHLY and ANNUAL SUMMARIES for the Year 1907, Kamloops, British Columbia—Latitude, N. 50° 41′; Longitude, W. 120° 29′. Height above Sea, 1,193 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.			5 a.m.	p.m.	5 p.m.	Mean.	5 a.m.	p.m.	5 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5 a.m.	p.m.	5 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	28·91	29·47	28·16	0·5	....	6·4	11·8	4·4	3·7	40·2	25·5		81	....	77	79	45	....	47	46	....	11·00	1·10	....
February	28·85	29·26	28·26	23·4	....	28·9	32·1	19·6	25·8	45·0	25·0		77	....	77	77	78	....	64	71	....	5·60	0·56	....
March	28·61	29·03	28·04	30·1	....	40·3	44·6	27·1	35·9	59·5	16·0		69	...	64	66	47	....	59	53	0·10	1·40	0·24	....
April	28·73	29·25	28·15	37·5	....	57·6	61·7	35·1	48·4	72·8	26·0		72	....	56	64	29	....	54	41	0·16	.....	0·16	....
May	28·70	29·00	28·31	51·0	....	70·8	73·8	49·1	61·5	85·6	35·0		79	....	49	64	54	....	53	53	0·09	....	0·09	....
June	28·66	29·04	28·27	53·2	....	71·9	76·7	51·7	64·2	93·6	42·3		83	....	70	77	58	..	74	66	1·00	..	1·00	0·31
July	28·73	28·94	28·45	58·1	....	82·7	85·1	56·6	70·8	99·0	48·2		81	...	49	65	24	....	52	38	1·18	.....	1·18	0·18
August	28·73	29·03	28·45	55·2	....	72·1	77·1	52·7	64·9	95·0	38·2		88	....	67	78	52	....	71	62	1·73	.. ....	1·73	0·34
September	28·79	29·13	28·52	51·6	....	67·4	68·8	49·3	59·1	84·0	40·8		86	....	56	71	54	....	47	50	2·01	.....	2·01	1·17
October	28·87	29·16	28·55	43·4	....	57·8	59·4	40·6	50·0	72·8	31·3		88	....	69	78	35	....	35	35	0·13	.....	0·13	0·04
November	28·79	29·28	28·23	38·6	....	43·3	47·7	35·5	41·6	64·4	24·0		83	....	73	78	53	....	66	59	0·47	1·00	0·57	0·17
December	28·58	29·10	27·76	31·2	....	33·1	37·0	26·8	31·9	51·8	11·5		81	...	78	80	75	....	77	76	0·03	1·40	0·17	0·08
Year	28·74	29·47	27·76	39·4	....	52·7	56·1	36·6	46·5	99·0	25·5		81	...	65	73	50	....	58	54	6·90	20·40	8·94	1·17

MONTH.	NUMBER OF WINDS FROM.									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	0	1	0	0	0	0	6	1	54	1·5	16	W.	0	14	9	8	8	8	..	23	....	....	....	....
February	1	1	1	2	0	1	2	0	48	1·6	16	W.	0	2	10	16	2	2	....	26	....	....	....	....
March	0	6	1	3	0	2	5	1	44	4·0	25	W.	1	5	18	8	4	4	...	27	....	....	....	...
April	1	7	2	1	2	3	2	6	36	5·0	20	N.E.	0	13	9	8	3	....	....	27	....	....	...	....
May	0	2	1	5	1	1	2	4	46	3·9	30	S.E.	1	8	13	10	4	....	....	27	....	....	....	....
June	0	7	1	3	0	5	1	2	41	3·3	20	S.E.	0	7	7	16	13	...	....	17	...	....	....	....
July	0	1	0	0	1	5	4	3	48	2·3	20	S.W.	0	15	14	2	11	....	....	20	..	1	....	....
August	1	5	1	1	0	4	3	0	47	2·1	16	S.W.	0	8	9	14	14	....	....	17	....	....	....	....
September	0	3	4	3	0	4	4	0	42	2·6	14	N.E.	0	11	9	10	7	....	...	23	....	....	....	...
October	0	2	0	4	0	0	0	0	56	1·2	10	S.E.	0	17	8	6	6	....	....	25	....	....	....	....
November	0	5	4	4	3	1	1	0	42	3·0	24	S.	0	7	12	11	10	1	....	20	....	....	....	....
December	0	4	6	9	4	3	2	0	34	2·8	18	W.	0	1	15	15	5	4	....	26	...	....	....	....
Year	3	44	21	35	11	25	32	17	538	2·8	30	S.E.	2	108	133	124	87	19	0	278	0	1	0	0

MONTHLY and Annual Summaries for the Year 1907, Kingston, Ontario—Latitude, N. 44° 13′; Longitude, W. 76° 29′. Height above Sea, 285 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	m.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·90	30·35	28·93	14·5	18·8	16 3	23·8	8·9	16·4	42·0	12·6	85	80	83	83	85	73	72	77	1·29	6·7	1·96	0·37
February	29·79	30·47	28·98	9·0	18·5	14·2	22·3	4·4	13·4	38·1	12·6	84	79	81	81	72	60	61	64	0·19	9·6	1·15	0·24
March	29·74	30·19	28·95	28·1	36·4	32·5	37·2	24·0	30·6	51·0	1·8	83	76	83	81	64	74	65	67	0·79	1·5	0·94	0·16
April	29·61	30·14	28·93	34·9	40·0	38·0	43·6	29·9	36·8	63·8	17·3	78	64	74	72	68	61	64	64	1·26	6·1	1 87	0·72
May	29·69	30·03	29·22	45·8	52·5	47 4	54·3	38·2	46·3	69·0	27 6	67	56	65	63	56	69	57	61	1·21	5·0	1·71	0·58
June	29·63	29·92	29·24	60·5	68·0	62 3	69·9	52·9	61·4	82·1	43·4	76	63	73	71	62	65	65	62	1·18	....	1·18	0·68
July	29·57	29·82	29·19	65·6	71·6	67·7	73·2	59·7	66·5	84·0	46·9	78	67	74	73	47	57	58	54	1·82	....	1 82	0·31
August	29·70	30·04	29·36	62·9	72·8	66·2	72·9	56·6	64·7	80·6	45·1	76	61	68	68	39	56	47	47	0 63	....	0 63	0·16
September	29·68	30·05	29·09	58·8	66·7	59·9	67·1	54·3	60·7	75·4	37·0	85	74	82	80	82	69	59	70	3·19	....	3·19	1·42
October	29·75	30·29	29·16	43·1	50·8	45·9	53·3	36·4	44·8	68·0	21·0	80	65	74	73	67	65	49	60	2·56	....	2·56	0·72
November	29·72	30·20	28·83	34·1	39·6	37 3	42·1	30·1	36·1	53·5	12·8	85	76	79	80	77	80	71	76	1·83	3·4	2 17	0·51
December	29·65	30·09	28·69	26·0	30·3	29·2	33·8	21·0	27·4	48·3	1·7	86	81	86	84	85	79	82	82	1·21	14·1	2 65	0·46
Year	29·70	30·47	28·69	40·3	47·1	43·1	49·5	34·7	42·1	84 0	12·6	80	70	77	76	67	67	63	66	17 19	46·4	21·83	1·42

MONTH.	NUMBER OF WINDS FROM										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.												
January	2	32	2	2	2	4	12	6	0		10·5	40	S.W.	4	5	5	21	18	11	...	6	3	....	....	. .
February	6	16	3	6	3	8	6	7	1		11·5	32	S.	3	8	5	13	14	14	....	7	....	....	....	....
March	2	16	4	6	5	15	8	6	0		11·1	30	N.W.	5	5	10	16	12	5	...	12	4	....	....	3
April	15	12	2	4	3	9	7	7	1		10·9	24	N.E.	....	8	5	17	14	7	...	11	....	....	....	..
May	4	13	4	7	2	10	11	7	4		9·5	28	S.W.	1	7	8	16	9	1	...	12	....	....	....	1
June	1	11	2	8	5	20	10	3	0		7·2	24	N.W.	....	3	13	14	5	....	....	15	..	1	....	1
July	3	3	1	2	2	30	8	11	2		8·8	22	N.W.	....	8	14	9	13	....	...	16	....	3	....	3
August	2	5	0	2	8	19	9	10	7		8·8	25	W.	1	12	10	9	10	....	....	17	1	1	....	5
September	2	18	2	3	4	18	6	7	0		8·6	26	S.W.	1	4	6	20	13	...	.	7	3	2	....	1
October	8	8	0	5	1	20	9	11	0		12·5	29	S.W.	4	9	4	18	9	....	....	12	..	....	....	1
November	6	14	1	2	2	12	13	9	1		11·3	32	S.W.	1	2	6	22	10	5	...	6	1	...	....	....
December	5	15	1	4	1	16	9	11	0		11·0	30	S.W.	1	0	7	24	17	15	....	2	....	....	..	1
Year	56	163	22	51	38	181	108	95	16		10·1	40	S.W.	21	71	93	201	144	58	0	123	12	7	0	16

MONTHLY and Annual Summaries for the Year 1907, Lindsay, Ontario—Latitude, N. 44° 20' Longitude, W. 78° 45'. Height above Sea, 872 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly		Max.	Min.												
	in	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January				14·9	20·2	15·2	24·2	8·3	16·3		46·9	16·0					87	78	71	79	1·78	21·4	3·92	0·66
February				6·4	17·2	10·4	22·6	0·2	11·2		36·6	22·5					59	62	53	58	1·06	27·3	2·79	0·48
March				24·3	35·5	29·7	39·3	20·8	30·1		62·1	6·0					76	78	56	70	0·77	3·6	1·13	0·30
April				30·3	43·3	34·5	46·1	28·0	37·1		71·8	9·0					51	72	58	60	1·87	6·6	2·53	1·26
May				41·2	56·8	45·9	60·6	35·6	48·1		82·1	24·0					60	63	37	53	1·96	7·9	1·76	0·70
June				57·6	74·5	61·2	76·9	51·9	64·4		94·5	40·9					49	55	47	50	3·47		3·47	1·29
July				60·8	76·0	64·4	79·0	55·5	67·2		86·6	41·4					63	61	32	52	3·03		3·03	0·59
August				56·2	73·4	59·7	75·8	51·0	63·4		90·7	42·2					54	64	21	46	1·25		1·25	0·77
September				54·5	64·8	57·2	67·8	51·0	59·4		84·6	38·7					82	73	55	70	4·48		4·48	1·18
October				35·6	49·3	40·4	52·3	32·9	42·6		70·6	19·0					41	67	48	52	2·71		2·71	0·75
November				30·3	37·8	32·0	39·8	27·1	33·4		49·6	11·6					80	76	68	75	2·45	18·2	4·27	0·78
December				22·5	28·3	24·0	31·0	17·5	24·3		44·8	5·4					84	82	77	81	1·30	38·8	5·18	0·87
Year				36·2	48·1	39·6	51·3	31·6	41·5		94·5	22·5					65	69	52	62	24·13	123·8	36·51	1·29

MONTH.	NUMBER OF WINDS FROM.									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	2	1	20	6	3	9	14	15	23	II	VIII	S.W.	4	3	8	20	16	15	....	11	....	....	....	1
February	9	3	6	10	11	16	10	16	9	II	IV	S.	3	8	6	14	12	14	...	14	1	....	....	....
March	5	4	8	7	12	6	11	21	19	II	IV	S.	1	3	12	16	10	6	....	15	2	2	....	....
April	5	4	6	6	11	3	4	36	15	II	VII	S.E.	1	6	15	9	12	10	....	21	1	2	....	....
May	6	3	3	11	11	12	14	21	12	II	III	N.W.	1	9	12	10	6	6	....	21	4	2	....	....
June	9	1	1	13	13	5	3	13	32	I	II	N.W.	0	11	11	8	10	....	1	22	....	4	....	....
July	4	0	0	5	11	6	10	23	34	I	IV	N.W.	4	9	15	7	13	....	....	24	....	8	....	....
August	9	0	0	2	12	11	19	13	27	I	IV	W.	2	8	19	4	6	....	....	27	1	....	....	....
September	4	3	3	11	11	10	9	8	31	I	III	W.	1	3	12	15	17	...	....	15	3	7	....	....
October	9	0	1	3	17	9	6	25	23	I	III	N.W.	2	9	14	8	13	..	....	23	....	1	....	....
November	2	2	7	11	9	16	8	17	18	I	V	N.W.	2	2	10	18	16	12	....	12	1	....	....	....
December	4	2	6	5	14	17	5	15	25	I	III	E.	1	2	10	19	17	15	....	12	4	....	....	....
Year	68	23	61	90	135	114	113	223	268	I	VIII	S.W.	22	73	144	148	148	78	1	217	17	26	...	1

MONTHLY and Annual Summaries for the Year 1907, London, Ontario—Latitude, N. 42° 59′; Longitude, W. 81° 13′. Height above Sea, 808 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·21	29·75	28·45	20·6	26·2	22·6	29·7	15·0	22·4	57·0	14·0	89	87	89	88	85	75	81	80	3·65	14·5	5·10	1·17
February	29·13	29·75	28·55	14·6	23·1	18·2	26·7	8·5	17·3	43·0	11·0	90	88	88	89	93	56	50	66	0·42	21·5	2·57	0·45
March	29·12	29·57	28·49	31·7	40·5	35·8	44·5	26·8	35·7	68·0	8·0	....	....	....	....	85	68	58	70	2·03	15·5	3·58	0·60
April	29·02	29·56	28·54	36·1	44·6	37·4	46·7	29·3	38·0	70·5	12·0	....	....	....	....	65	66	60	64	2·49	1·2	2·61	1·11
May	29·10	29·41	28·65	47·4	58·0	50·8	61·4	37·3	49·4	79·0	24·0	....	....	....	....	47	56	55	53	2·53	1·6	2·69	1·11
June	29·57	29·33	28·59	59·3	71·1	64·5	73·5	51·3	62·4	87·0	36·5	....	....	....	....	50	51	43	48	3·05	....	3·05	0·73
July	29·85	29·38	28·81	65·9	76·0	68·1	78·2	56·4	67·3	87·0	35·5	....	....	....	....	43	52	39	44	3·51	....	3·51	0·94
August	29·24	29·51	28·86	60·9	75·5	64·9	76·4	51·8	64·1	86·0	38·5	....	....	....	....	41	45	36	41	0·81	....	0·81	0·39
September	29·10	29·45	28·53	57·2	67·2	59·5	69·4	52·5	60·9	84·0	37·5	....	....	....	....	66	69	47	61	4·28	....	4·28	0·80
October	29·18	29·60	28·54	39·5	52·5	41·3	55·3	34·7	45·1	74·0	22·0	....	....	....	....	42	68	39	50	2·94	....	2·94	0·87
November	29·08	29·48	28·56	33·3	40·3	35·7	42·3	29·5	35·9	54·0	15·0	....	....	....	....	77	80	73	77	2·83	0·3	2·86	1·43
December	28·92	29·46	28·18	25·5	31·5	29·0	34·4	22·3	28·4	49·0	7·5	....	....	....	....	80	74	65	73	2·97	20·1	4·98	1·45
Year	29·21	29·75	28·18	41·0	50·5	44·2	53·2	34·6	43·9	87·0	14·0	....	....	....	....	64	63	54	61	31·51	74·7	38·98	1·45

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Aloft.	Aurora.
January	5	5	14	7	1	18	30	13	0	II	VII	W.	4	4	5	22	15	14	....	9	2	2	....	....
February	3	5	7	12	0	9	35	13	0	I	III	N.W.	2	2	13	13	11	13	....	15	....	....	....	....
March	0	2	5	19	0	17	32	18	0	I	IV	N.W.	0	2	12	17	14	9	....	14	1	3	....	....
April	3	12	9	15	0	12	18	21	0	I	III	N.W.	0	6	11	13	10	9	....	17	....	2	....	....
May	0	6	9	12	0	24	24	18	0	I	V	N.W.	1	8	14	9	11	3	....	22	....	2	....	....
June	3	9	6	12	0	18	27	15	0	I	II	S.E.	0	8	15	7	10	....	....	23	....	1	....	....
July	0	9	6	9	3	18	27	21	0	I	V	N.W.	1	11	13	7	8	....	1	24	....	3	....	....
August	1	0	1	12	5	28	19	27	0	I	II	N.W.	0	11	15	5	3	....	....	26	....	1	....	....
September	0	10	2	6	0	24	29	19	0	I	V	N.W.	2	3	18	9	12	....	....	21	....	3	....	....
October	3	12	4	10	0	16	25	23	0	II	IV	N.W.	4	11	13	7	10	....	1	24	....	3	....	....
November	0	9	3	6	0	16	28	28	0	I	V	N.W.	3	2	11	17	8	8	....	13	2	....	....	....
December	1	12	3	7	0	30	27	13	0	I	V	N.E.	2	3	11	17	15	12	....	14	....	1	....	....
Year	19	91	69	127	9	230	321	229	0	I	VII	W.	19	71	151	143	127	68	2	222	5	21	....	....

MONTHLY and Annual Summaries for the Year 1907, Medicine Hat, Alberta—Latitude, N. 50° 05′ ; Longitude, W. 110° 37′. Height above Sea, 2,161 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		5·45 a.m.	1 p.m.	5·45 p.m.	Mean.	5·45 a.m.	1 p.m.	5·45 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5·45 a.m.	1 p.m.	5·45 p.m.	Max.	Min.	Mthly		Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	27·76	28·26	27·09	11·8	5·5	6·3	1·0	17·2	8·1		36·0	41·0	89	79	80	80	54	48	65	....	0·00	8·1	0·81	0·20
February	27·70	28·20	27·25	13·5	21·9	22·7	28·6	10·6	19·6		48·0	43·0	83	81	82	82	58	55	53	....	0·00	3·5	0·25	0·15
March	27·54	28·02	27·05	19·1	30·3	30·0	36·7	16·1	26·4		64·0	2·4	87	83	84	85	61	53	52	....	0·15	3·6	0·51	0·15
April	27·67	28·08	27·09	28·7	42·5	43·7	49·3	27·5	38·4		64·0	13·7	87	80	83	83	68	70	69	....	0·10	3·0	0·40	0·20
May	27·67	28·06	27·22	38·2	53·5	55·5	60·0	37·1	48·5		75·0	15·5	87	75	78	80	65	64	70	....	0·65	....	0·65	0·40
June	27·51	27·94	27·21	51·8	67·5	68·4	73·5	49·7	61·6		87·0	34·7	88	69	72	74	46	67	60	....	1·69	....	1·69	0·70
July	27·63	27·91	27·39	55·8	74·1	75·5	79·6	54·5	67·1		92·0	44·7	89	68	70	76	40	55	53	....	0·92	....	0·92	0·60
August	27·59	27·94	27·25	50·6	71·7	72·2	78·2	49·6	63·9		89·0	39·7	91	76	79	82	57	66	64	....	0·62	..	0·62	0·28
September	27·68	27·96	27·31	44·3	60·7	62·7	68·7	43·7	56·2		91·0	24·7	92	82	88	87	42	46	44	....	1·01	....	1·01	0·40
October	27·68	28·14	27·29	39·8	60·5	58·7	66·1	37·6	51·8		77·0	23·7	87	74	84	82	22	32	39	....	0·00	....	0·0	0·0
November	27·64	28·16	27·07	30·6	44·6	40·5	48·1	26·6	37·3		64·0	6·6	89	82	88	86	40	49	57	....	0·10	3·0	0·31	0·30
December	27·59	28·02	26·82	21·9	28·7	27·5	36·2	15·0	25·6		64·0	8·6	88	82	87	86	51	60	59	....	0·00	1·5	0·15	0·05
Year	27·63	28·26	26·82	31·9	45·9	45·9	52·2	29·2	40·7		92·0	43·0	87	78	81	82	50	55	....	....	51·5	21·7	7·32	0·70

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone	Aurora.
										mls.	mls.													
January	4	0	6	0	4	2	9	7	30	4·4	30	N.W.	1	11	6	14	8	8	....	15	1	....	....	....
February	0	1	4	1	5	16	5	4	20	4·8	21	N.W.	....	8	8	12	2	2	..	16	1	....	....	....
March	2	1	5	2	11	3	11	8	19	5·2	20	W.	....	9	11	11	6	5	....	19	....	....	....	....
April	5	1	8	0	5	4	9	12	16	7·8	40	S.W.	3	4	4	22	4	3	..	8	....	....	....	....
May	0	2	13	0	2	4	12	10	19	5·4	17	W.	....	2	12	17	4	....	....	12	....	1	....	....
June	1	2	3	2	10	8	17	5	12	5·8	20	N.W.	....	10	10	10	10	....	...	13	5	1	2	....
July	0	1	3	2	4	6	21	3	22	6·0	35	S.W.	1	8	16	7	6	....	...	18	....	2	....	....
August	0	0	3	2	8	5	18	7	19	6·5	35	W.	1	5	9	17	5	....	....	13	....	1	....	....
September	0	5	3	0	9	7	10	8	18	5·3	20	N.W.	....	11	12	7	6	....	...	20	....	....	....	....
October	0	0	4	1	9	5	9	6	28	5·1	21	S.E.	....	17	12	2	0	....	....	29	....	....	....	....
November	0	0	3	1	15	6	3	6	26	5·9	26	S.W.	2	11	9	10	1	....	....	18	....	....	....	....
December	1	0	2	0	16	3	7	4	29	5·1	40	S.W.	2	9	8	14	3	3	..	16	....	....	..	1
Year	13	13	57	11	98	69	131	80	258	5·6	40	S.W.	10	105	117	143	55	21	....	197	7	6	2	1

MONTHLY and Annual Summaries for the Year 1907, Minnedosa, Manitoba—Latitude, N. 50° 15′; Longitude, W. 99° 50′. Height above Sea, 1,699 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	ik.	in.
January	28·25	28·77	27·70	13·9	4·4	9·9	1·3	20·6	10·9	16·6	38·6	99	93	98	97	33	39	42	....	.....	...	.....	....
February	28·20	28·60	27·71	0·3	15·2	7·6	17·6	5·0	6·3	40·5	37·1	96	83	96	92	29	35	43	....	.....	....	.....	....
March	28·09	28·74	27·31	12·0	26·5	20·8	29·2	6·1	17·6	47·4	11·2	97	90	95	94	59	43	46	....	.....	....	.....	....
April	28·24	28·60	27·68	17·9	33·7	30·0	35·9	15·4	25·6	51·2	4·7	97	86	90	91	52	62	52	....	.....	...	.....	....
May	28·20	28·54	27·69	31·6	45·1	42·6	49·8	27·5	38·6	66·0	14·6	89	65	72	75	47	67	58	....	.....	....	.....	....
June	28·05	28·52	27·76	51·6	65·2	62·9	68·5	47·6	58·0	80·0	30·0	88	60	66	71	70	74	60	....	.....	....	.....	....
July	28·09	28·30	27·77	53·9	69·6	67·1	74·4	49·8	62·1	86·5	40·5	93	65	74	77	40	58	51	51	.....	....	.....	....
August	28·06	28·45	27·57	51·1	65·9	64·0	69·9	48·3	59·1	86·0	34·0	95	71	77	81	67	64	47	59	.....	....	.....	....
September	28·17	28·49	27·51	38·6	54·7	50·9	58·5	36·6	47·7	75·5	20·5	97	73	84	85	46	51	46	48	.....	....	...	....
October	28·19	28·66	27·80	31·6	49·6	42·2	52·9	29·2	41·1	75·0	12·0	90	65	76	77	33	47	39	40	.....	....	.....	....
November	28·14	28·70	27·63	20·0	32·0	25·9	34·7	15·1	24·9	51·0	10·7	94	79	85	86	45	63	44	51	.....	....	.....	....
December	28·04	28·48	27·33	8·8	19·6	14·1	23·3	3·5	13·4	41·6	20·6	95	89	93	92	43	63	....	....	.....	....	.....	....
Year	28·14	28·77	27·31	25·3	39·4	34·9	42·8	21·1	31·9	86·5	38·6	94	77	84	85	47	55	....	....	.....	....	.....	....

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	0	2	5	0	0	3	28	23	6·1	33	N.W.	1	16	6	9	11	11	...	17	....	....	....	....
February	2	3	5	2	1	0	2	20	21	7·6	29	N.W.	3	16	5	7	6	6	....	18	....	....	....	10
March	3	2	3	9	1	1	7	19	17	9·1	38	N.W.	4	15	5	11	10	9	....	15	1	....	....	1
April	3	2	2	10	2	1	4	16	20	9·8	37	N.W.	5	10	8	12	8	8	....	14	1	..	....	....
May	12	4	5	11	0	3	2	13	12	11·2	40	N.W.	5	7	9	15	7	5	....	12	....	..	....	1
June	5	4	3	8	6	0	8	9	17	10·4	28	W.	3	4	11	15	14	..	1	8	3	4	....	....
July	6	0	2	1	1	2	9	14	27	7·2	25	W.	1	7	17	7	14	...	....	11	1	8	....	..
August	1	3	4	5	3	1	5	17	23	9·2	33	N.W.	5	7	9	15	16	....	....	7	1	10	1	2
September	3	3	3	2	1	0	2	12	34	6·9	36	N.W.	3	12	10	8	8	....	..	17	3	1	....	1
October	2	2	0	1	1	0	4	12	40	6·6	37	N.W.	2	17	5	9	5	1	...	22	2	....	..	4
November	4	1	0	3	1	2	6	13	30	7·9	66	N.	2	10	9	11	8	7	....	16	...	..	....	6
December	0	4	1	2	1	1	4	15	34	4·3	18	N.W.	0	11	4	16	6	6	....	13	1	..	....	1
Year	42	28	30	59	18	11	56	188	298	8·0	66	N.	34	132	98	135	113	53	....	170	13	23	1	26

MONTHLY and Annual Summaries for the Year 1907, Montreal, Quebec—Latitude, N. 45° 30′; Longitude, W. 73° 35′. Height above Sea, 187 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	7·40 a.m.	3 p.m.	7·40 p.m.	Max.	Min.	Mthly	Max.	Min.	7·40 a.m.	3 p.m.	7·40 p.m.	Mean.	7·40 a.m.	3 p.m.	7·40 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·99	30·52	28·90	8·1	12·5	10·5	18·0	3·3	10·7	43·0	24·0	83	79	83	82	75	60	54	63	1·05	23·0	3·35	0·56
February	29·84	30·52	29·08	6·2	12·1	10·2	17·5	1·4	9·5	35·7	13·6	83	73	79	78	67	61	52	60	0·14	26·6	2·80	0·48
March	29·79	30·35	29·06	24·9	31·3	28·7	34·2	20·7	27·4	49·6	5·8	79	73	81	78	50	59	37	49	2·04	19·8	4·02	1·02
April	29·67	30·22	28·97	34·7	41 6	37·6	44·1	30·3	37·2	64·0	13·0	73	62	72	69	63	53	44	53	2·19	17·8	3·97	1·56
May	29·74	30·13	29·33	46 0	53·9	48·8	56·5	39·9	48·2	74 0	28·1	67	55	64	62	70	75	41	62	1·93	S.	1·93	1·24
June	29·68	29·98	29 26	62·3	73·0	66·6	74 2	57·1	65·6	87·4	44·2	73	57	68	66	61	50	48	53	3·50	.....	3·50	1·01
July	29·60	29·87	29 14	66·9	75·0	68·5	77·6	61 2	69·4	84·8	51·5	86	73	83	81	60	62	49	54	3·30	.....	3·30	0·99
August	29·75	30·12	29·37	62·9	70 2	64·4	72·8	56·7	64·8	87·9	48 8	71	62	71	68	34	65	40	47	1·23	.....	1·23	0·34
September	29·76	30·18	29·15	55·7	62·6	57·5	64·2	51·7	57·9	79·6	35·2	83	70	82	78	73	72	59	68	4·15	.....	4·15	0·76
October	29·80	30·39	29·19	40·3	47·5	43·3	50·0	36·8	43·4	66·7	25·0	79	66	75	73	60	68	50	59	3·52	S.	3·52	1·08
November	29·79	30·32	28·84	31·6	35·5	33·1	38·2	28·5	33·4	51·8	15·8	84	77	83	81	77	79	67	74	2·54	14·2	3·96	0 73
December	29·72	30·17	28·75	23·3	26·2	25·6	30·4	18·8	24·6	49·1	3·5	88	81	86	85	79	81	77	79	1·96	31·2	5·08	1·30
Year	29·76	30·52	28·75	38·6	45 1	41·2	48·1	33·9	41·0	87·9	24·0	79	69	77	75	64	65	51	60	27·55	132·6	40·81	1·56

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	16	2	2	7	6	11	17	0	15·2	54	S.W.	5	7	6	18	19	15	....	7	....	....	....	...
February	3	8	3	4	7	8	16	7	0	16·5	44	W.	8	9	5	14	18	18	...	6	....	....	....	....
March	0	10	2	4	10	17	10	9	0	16·5	41	N.W.	11	13	7	11	17	8	...	11	....	4	.. .	2
April	6	14	2	5	2	8	14	9	0	15·0	40	S.W.	4	11	7	12	10	6	....	16	...	2	....	.. .
May	1	13	2	11	2	13	10	10	0	15·1	36	S.W.	4	9	7	15	9	....	.. .	15	....	1	....	....
June	3	3	12	5	5	21	7	4	0	11·1	26	S.W.	3	11	6	13	13	..	....	13	....	5	....	....
July	1	3	1	3	6	23	17	8	0	12·8	32	S.W.	2	10	7	14	19	..	....	11	....	2	2	....
August	1	5	1	5	6	22	6	15	1	11·6	24	N.W.	....	11	9	11	14	....	1	15	....	3	....	....
September	1	12	4	7	8	11	4	13	0	12·3	28	N.W.	2	6	6	18	17	....	..	8	....	3	....	....
October	4	2	0	7	5	17	11	16	0	13·2	28	N.W.	2	7	8	16	12	....	1	11	....	....	....	1
November	3	8	5	6	5	15	14	4	0	14·5	38	S.W.	5	4	6	20	16	8	....	7	....	....	....	....
December	1	9	4	1	8	4	32	3	0	15·2	29	W.	5	3	7	21	16	13	....	7	....	....	....	....
Year	25	103	38	60	71	165	152	115	1	14·1	54	S.W.	51	101	81	183	180	68	2	127	0	20	2	3

MONTHLY and Annual Summaries for the Year 1907, Moose Factory, Ontario—Latitude, N. 51° 16′; Longitude, W. 80° 56′. Height above Sea, 30 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·23	30·71	29·01	18·8	2·3	12 5	4·9	24·3	9·7	21·0	47·0	....	....	....	....	28	37	25	30	0·00	16·0	1·60	0·50
February	30·19	30·62	29·37	12·6	2·9	5 8	11 0	22·7	5·8	31·0	40 0	....	....	....	....	35	37	30	34	0·00	14·5	1·45	0 60
March	29·94	30 59	29·22	12·3	23·9	15·6	32·3	0·3	16 0	50·0	28·0	....	....	....	....	44	40	47	44	0·30	9·2	1·23	0·30
April	29 98	30·71	29·42	18·9	25·1	21 0	30·5	3·9	17·2	47·0	29·0	....	....	....	....	52	51	44	49	0·16	7·5	0·91	0·30
May	29·97	30·36	29·48	32·6	36·5	33·8	41·5	20·3	30·9	57·0	0 0	....	....	....	....	64	58	50	57	0·58	9·5	1·53	0·41
June	29·85	30·22	29 47	54·8	62·5	57·9	70 2	41·0	55·6	89·0	29·0	....	....	....	....	50	42	35	42	2 41	...	2·41	1·15
July	29·76	30·10	29·50	60·2	65·1	61·1	72·3	47 2	59·7	86·0	32·0	....	....	....	....	61	66	58	61	3·07	....	3 07	1·70
August	29·78	30·27	29·06	55·0	60·5	57·8	68·2	45·7	56·9	80·0	32·0	....	....	....	....	60	53	66	60	4·75	...	4·75	1·48
September	29·88	30·33	29 04	47·6	55·5	50·1	61·1	37·4	49·2	81·0	25·0	....	....	....	....	56	59	61	58	1·56	....	1·56	0·66
October	29·92	30 39	29·55	32·9	40·3	37·7	45·6	26·4	36·0	65·0	10·0	....	....	....	..	57	71	72	66	0·99	....	0·99	0·61
November	29·93	30·48	29·48	20·4	25·7	22 7	30·9	12·1	21·5	52·0	15·0	....	....	....	....	70	65	56	64	0·37	2·5	0·62	0·37
December	29·88	30·47	29·16	7·6	13·8	9·7	18·6	2·1	8·2	42·0	32·0	....	....	....	....	67	52	51	56	0·00	3·0	0·30	0·20
Year	29·94	30·71	29·01	25·9	34 1	29·1	40·6	15·4	27·9	89·0	47·0	....	....	....	....	54	53	49	52	14·19	62 2	20·42	1·70

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	6	10	4	4	15	16	3	14	7	II	VII	N.	2	16	2	6	6	6	....	18	....	....	....	2
February	11	0	5	6	17	16	4	20	5	II	V	S.	1	19	2	7	5	5	....	21	....	....	....	5
March	13	9	6	5	22	6	6	25	1	II	V	N.	1	15	7	9	7	7	....	22	....	1	....	1
April	17	12	0	7	16	1	3	32	2	II	IV	N.W.	0	12	8	10	6	6	....	20	....	....	....	2
May	18	10	2	4	11	4	5	28	0	II	VIII	S.W.	1	5	10	11	6	4	....	15	..	....	....	....
June	26	28	2	3	12	9	2	6	2	II	III	N.	0	14	8	8	7	....	....	22	3	2	....	..
July	17	16	0	2	3	20	11	23	0	II	IV	N.	0	5	11	15	6	....	....	16	....	1	....	2
August	6	7	0	0	15	49	14	18	0	II	VI	S.	1	5	8	13	6	....	....	13	..	1	....	....
September	9	19	4	8	10	17	10	7	0	II	IV	S.	0	5	10	12	3	1	...	15	1	....	....	....
October	1	5	0	1	5	35	13	32	0	II	IV	N.W.	0	6	6	18	2	0	....	12	....	....	....	...
November	3	3	2	1	9	20	16	27	0	I	IV	S.W.	0	5	6	16	4	3	....	11	...	....	....	....
December	20	3	2	0	4	29	12	20	3	I	II	S.W.	0	11	4	15	2	3	....	15	....	....	....	...
Year	147	122	27	41	139	192	99	252	20	II	VIII	S.W.	6	118	82	140	60	35	....	200	4	5	....	12

MONTHLY and Annual Summaries for the Year 1907, Nanaimo, British Columbia—Latitude N. 49° 10′; Longitude, W. 123° 53′. Height above Sea, 30 feet.

MONTH.	PRESSURE AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.														
		Max.	Min.	a.m.	Noon.	p.m.	Max.	Min.	Mthly	Max.	Min.		a.m.	Noon.	p.m.	Mean.	a.m.	Noon.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·88	30·43	29·32	26·9	37·3	28·0	35·0	23·2	29·1	43·5	1·3		96	89	95	96	62	63	55	60	2·92	16·0	4·52	1·70
February	29·96	30·36	29·27	37·2	43·2	37·5	44·4	33·7	39·0	53·5	20·5		95	87	91	93	84	81	72	79	4·22	7·0	4·92	1·87
March	29·79	30·18	29·00	38·2	47·5	37·7	48·2	32·1	40·2	59·5	23·0		86	64	84	85	63	57	39	53	2·87	....	2·87	0·90
April	29·92	30·36	29·24	47·8	55·2	43·1	57·0	36·3	46·7	70·5	28·2		75	60	77	76	44	41	26	37	2·60	...	2·60	0·84
May	29·88	30·13	29·48	58·5	63·7	52·1	66·6	45·3	55·9	78·5	35·0		76	63	80	78	49	40	25	38	1·34	....	1·34	0·47
June	29·85	30·20	29·27	62·0	68·6	54·3	69·6	48·1	58·8	83·2	41·0		71	60	84	77	46	51	38	46	2·12	....	2·12	0·64
July	29·90	30·12	29·67	76·2	75·8	68·0	76·9	53·3	65·1	91·0	43·7		71	53	82	76	19	24	11	18	0·72	..	0·72	0·69
August	29·90	30·15	29·69	63·8	70·5	57·2	71·6	52·6	62·1	89·2	44·4		73	57	83	78	45	45	33	41	0·58	....	0·58	0·29
September	29·89	30·21	29·55	58·7	67·0	54·9	67·6	49·5	58·5	84·3	39·0		84	66	84	83	53	50	41	48	2·95	..	2·95	1·22
October	29·93	30·26	29·62	49·5	56·9	48·1	57·8	42·7	50·2	66·0	33·0		93	79	94	94	61	47	43	50	0·89	...	0·89	0·27
November	29·91	30·25	29·39	43·7	47·2	41·9	48·9	37·9	43·4	55·0	30·0		96	89	96	93	72	72	50	65	6·57	....	6·57	1·28
December	29·76	30·23	29·14	37·9	41·6	37·9	43·0	33·8	38·4	52·8	26·0		94	86	94	94	74	79	67	73	8·18	*	8·18	1·15
Year	29·88	30·43	29·14	50·0	56·2	46·7	57·2	40·7	48·9	91·0	1·3		84	71	87	85	56	54	42	51	35·96	23·0	38·26	1·87

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	1	2	18	0	3	10	16	40	4·2	25	S.E.	1	10	6	15	14	6	....	17	3	....	....	....
February	1	3	0	15	0	4	9	10	40	4·9	40	W. S.W.	3	2	7	19	13	1	....	15	8	....	....	....
March	0	2	9	17	5	4	5	23	28	8·8	50	S.E.	5	8	12	11	17	....	....	14	1	....	....	....
April	2	8	6	15	5	9	13	14	18	6·3	38	S.E.	3	15	9	6	8	....	1	22	....	1	....	....
May	1	10	15	16	0	0	0	24	27	5·3	25	N.W.	1	16	8	7	6	....	....	25	....	1	....	....
June	3	4	13	13	1	2	6	26	22	6·8	35	N.W.	4	12	9	9	11	....	....	19	....	....	....	....
July	4	12	4	3	0	0	2	24	28	7·2	35	N.W.	4	23	6	2	2	....	....	29	....	2	....	....
August	1	10	8	13	0	3	5	32	18	7·9	36	N.W.	3	14	6	11	6	....	....	25	....	....	....	....
September	2	4	4	7	0	3	4	21	45	4·4	35	N.W.	1	13	6	11	10	....	....	20	2	2	....	....
October	3	3	12	8	0	8	3	7	49	2·9	18	S.W.	0	10	4	17	9	....	....	22	7	....	....	....
November	0	0	0	25	2	7	3	6	47	6·0	40	S.W.	4	7	7	16	17	....	....	13	4	....	....	....
December	0	0	1	20	9	7	4	5	47	4·9	35	S.E.	4	2	12	17	23	....	....	8	1	....	....	....
Year	18	57	74	170	22	50	64	208	409	5·8	50	S.E.	33	152	92	141	136	7	1	229	26	6	....	....

MONTHLY and Annual Summaries for the Year 1907, New Westminster, British Columbia—Latitude, N. 49° 13′; Longitude, W. 122° 54. Height above Sea, 330 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		5 a.m.	Noon.	5 p.m.	Mean.	5 a.m.	Noon.	5 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5 a.m.	Noon.	5 p.m.	Max.	Min.	Mthly		Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·62	30·15	28·84	22·8	28·9	28·2	31·7	19·5	25·6		43·3	2·0	97	89	94	93	49	49	46	48	4·67	24·80	7·15	1·88
February	29·72	30·11	29·12	34·0	39·4	40·2	43·6	31·8	37·7		52·3	12·7	97	93	92	94	72	71	69	71	8·22	1·00	8·32	1·98
March	29·55	29·96	28·88	34·4	44·1	44·5	47·6	32·0	39·8		57·1	25·0	94	74	73	80	63	60	57	60	2·58	0·40	2·62	0·55
April	29·69	30·11	29·12	38·4	53·0	53·3	56·3	36·7	46·5		65·0	28·0	92	66	62	73	58	56	49	55	4·04	.....	4·04	1·00
May	29·65	29·90	29·25	46·8	63·4	63·7	67·5	44·9	56·2		80·2	35·5	93	65	62	73	59	49	43	50	0·86	.....	0·86	0·42
June	29·62	29·96	29·08	50·0	64·9	65·4	69·2	48·3	20·8		81·2	40·0	95	69	65	76	52	50	53	51	2·09	.....	2·09	0·69
July	29·66	29·88	29·44	53·7	71·9	73·5	76·2	52·3	64·3		91·4	44·0	95	65	61	74	35	33	33	34	1·21	.....	1·21	0·98
August	29·68	29·92	29·45	52·6	65·5	66·3	70·4	51·3	60·8		89·0	39·9	95	75	70	80	63	57	59	59	2·25	.....	2·25	0·53
September	29·67	29·96	29·32	50·7	62·8	62·6	64·0	47·5	55·7		76·2	38·8	97	76	76	83	53	51	49	51	4·37	.....	4·37	1·81
October	29·70	30·01	29·47	46·0	54·4	54·1	56·9	44·3	50·6		67·8	34·9	99	89	89	92	70	70	69	70	1·70	.....	1·70	0·61
November	29·71	30·07	29·18	42·3	47·1	46·0	49·2	39·9	44·5		57·6	33·2	98	92	94	95	77	75	72	75	12·49	.....	12·49	2·52
December	29·51	29·97	28·73	36·8	40·7	39·8	43·1	34·0	38·5		55·6	21·4	97	89	91	92	79	79	74	78	7·99	2·10	8·20	1·16
Year	29·65	30·15	28·73	42·3	53·0	53·1	56·3	40·1	45·1		91·4	2·0	96	78	77	87	61	58	56	58	52·47	28·30	55·30	2·52

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	0	11	24	0	0	3	1	0	23	3·35	16	S.W.	....	14	7	10	13	10	....	18	2	....	....	....
February	0	3	29	0	0	5	0	2	17	3·42	10	E.	....	7	3	18	16	1	....	12	....	....	....	....
March	1	6	24	3	5	8	1	4	10	5·61	20	W.	....	11	4	16	18	2	2	13	....	....	....	1
April	1	3	17	3	2	15	4	4	11	6·20	20	S. S.W.	....	12	3	15	11	....	....	19	....	....	....	....
May	2	2	20	2	0	22	0	2	12	5·33	12	S.W.	....	13	5	13	8	....	....	23	....	1	1	....
June	1	0	14	0	10	24	1	1	9	5·43	12	S.W.	....	11	8	11	12	....	....	18	....	1	....	....
July	0	0	5	2	5	21	2	2	25	4·75	10	S.W.	....	19	8	4	3	....	....	28	....	1	....	....
August	1	0	16	1	8	14	2	3	17	4·71	14	S.W.	....	7	11	13	11	....	....	20	....	....	1	....
September	1	1	18	2	2	18	1	3	14	3·90	15	S.E.	....	9	8	13	9	....	....	21	6	1	....	....
October	0	0	13	1	3	11	0	0	34	2·04	12	S.W.	....	5	6	20	10	....	....	21	21	....	....	....
November	0	4	23	1	7	6	3	0	16	4·41	20	S.	....	5	4	21	22	....	....	8	11	1	....	....
December	0	5	28	2	1	6	2	1	17	4·63	22	S.E.	.	2	6	23	22	....	....	9	....	....	....	....
Year	7	35	231	17	43	153	17	22	205	4·5	22	S.E.	0	115	73	177	155	13	2	210	40	5	2	1

MONTHLY and Annual Summaries for the Year 1907, Norway House, North-West Territories—Latitude, N. 53° 58′; Longitude, W. 97° 52′. Height above Sea, —— feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	a.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·31	29·85	28·71	16·9	....	12·2	8·6	26·7	17·6	10 0	43·0	...	....	..	....	22	....	21	22	0·00	6 0	0·60	0·40
February	29·27	29·88	28·59	11·5	...	1·5	6·7	15·7	4·5	38·0	40·0	....	..	....	....	43	....	38	41	0·00	23·0	2·30	0·80
March	29·13	29·81	28·49	2·1	...	16·8	22·3	2·7	9·8	44 0	33·0	....	....	....	....	43	....	39	41	0·00	13 0	1·30	0·60
April	29·26	29 66	28·56	11·3	....	25·5	30·1	4·9	17·5	44·0	18·0	....	....	....	....	25	....	30	27	0·00	8·0	0·80	0·80
May	29 21	29 57	28·79	26 0	....	35·4	38·6	20·3	29·5	52·0	2.0	....	....	....	....	53	....	52	53	0·35	5·0	0·85	0·40
June	29 09	29·50	28·72	53·1	...	58·2	65·9	43·8	54·9	81·0	27·0	.	....	....	....	43	....	49	47	2·54	....	2·54	1·41
July	28·98	29·22	28 60	60·3	...	60 6	68·9	50·4	59·6	79·0	37·0	....	....	....	....	44	...	62	53	2·70	.. .	2·70	1.75
August	29 00	29·38	28·49	53·5	.. .	56·1	61·6	47·5	54·5	71·0	38·0	.. .	....	....	....	69	....	66	67	6·32	....	6·32	4·80
September	29·13	29·51	28·45	42·4	....	46 6	51·3	38·1	44·7	69·0	26·0	....	....	....	....	77	...	67	72	3·25	....	3·25	1·35
October	29·13	29·57	28·74	34·1	....	36·9	44·9	28·1	36·5	69·0	10·0	....	....	....	....	63	....	45	54	0·34	....	0·34	0·30
November	29·09	29·74	28·52	15·3	....	19·7	25·9	9·4	17·7	40 0	21·0	....	....	....	....	64	....	45	55	0·00	12 0	1·20	0·40
December	29·01	29·58	28·37	3·7	....	4·7	13·4	4·6	4·4	39 0	35·0	....	....	....	....	55	....	36	45	.....	....	.....	....
Year	29·13	29·88	28·37	25·7	....	30·9	35·1	16·1	25·6	81·0	43·0	....	....	....	....	50	....	46	48	15·50	67·0	22·20	4·80

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	3	3	2	3	10	10	8	1	6	II	IV	N.E.	0	20	8	3	3	3	....	28	....	....	....	....
February	5	1	6	3	10	9	4	6	8	II	V	S.	0	11	11	6	6	6	...	22	....	....	....	....
March	10	3	1	2	5	3	5	3	30	I	IV	S.E.	0	14	9	8	4	4	....	23	...	....	....	....
April	12	4	0	5	8	6	5	5	15	II	V	N.E.	0	19	8	3	1	1	....	27	....	....	....	....
May	23	8	3	1	10	7	2	5	3	II	IV	W.	0	12	3	16	3	3	....	16	....	....	....	....
June	13	3	0	2	26	0	1	5	10	II	VI	N.	0	12	5	13	5	....	....	17	....	....	....	....
July	4	7	3	1	9	11	8	8	10	II	IV	S.	0	8	9	14	3	....	....	17	....	....	....	....
August	13	6	5	1	9	4	7	2	13	III	V	N.	0	5	6	20	3	....	....	11	....	....	....	....
September	10	6	5	0	10	4	3	6	16	II	V	N.W.	0	4	7	19	3	....	....	11	....	....	....	....
October	10	9	0	8	11	3	4	8	9	II	IV	S.	0	8	10	13	2	1	....	18	....	....	....	....
November	14	2	3	1	9	3	3	6	19	I	IV	N.	0	9	8	12	3	6	....	17	....	....	....	....
December	14	4	0	0	15	4	1	0	24	I	IV	S.	0	12	10	9	0	....	....	22	....	....	....	....
Year	131	56	28	27	138	64	51	55	163	II	VI	N.	0	134	94	136	36	24	....	229	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Ottawa, Ontario—Latitude, N. 45° 26′; Longitude, W. 75° 42′. Height above Sea, 294 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	8 a.m.	p.m.	8 p.m	Max.	Min.	Mthly	Max.	Min.	8 a.m.	p.m.	8 p.m.	Mean.	8 a.m.	p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	-	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January ..	29·85	30·35	28·74	7·2	...	10·7	18·3	2 9	10·6	46·0	20 0	98	...	95	97	84	...	51	67	0·44	14·5	1·89	0·45
February...	29·71	30·36	28·88	2·2	...	9·5	17·1	1·3	7·9	38·0	19·0	95	....	95	95	62	....	49	56	0·00	13·7	1·37	0·23
March	29·66	30·18	28·94	22·3	....	29·7	35·2	18·8	27·0	55·0	15·0	99	....	99	99	56	....	57	57	0·93	14·5	2·38	0·54
April	29 55	30·09	28·81	33·2	....	38·5	44·7	28·3	36·5	68 0	14·0	90	....	88	89	59	....	48	53	2·11	7·4	2·85	1·71
May.....	29·65	30·65	29·32	44 1	...	49·3	59·4	38·4	48·9	82 0	21 0	85	...	91	88	51	..	61	56	1 02	4·1	1·43	0 27
June.. . ..	29·64	29·94	29·26	63·1	...	68·1	78·1	56·3	67·2	91·0	45 0	84	....	86	85	53	....	48	50	2·47	...	2·47	1·03
July.....	29·57	29·82	29·17	65·5	....	69·5	79·2	59·3	69 3	87·0	48·0	86	...	89	87	44	....	47	45	3·23	.....	3·23	0·82
August.....	29·70	30·07	29·30	60·7	....	65·4	73·8	55·1	64·4	89·0	47·0	86	....	86	86	51	....	40	45	0·70	.....	0 70	0·16
September..	29·70	30·10	29·07	54·5	..	58·3	65·2	51·1	58·1	81·0	36·0	94	....	94	94	65	....	58	62	3·90	.....	3·90	1·85
October.....	29·75	30·32	29·18	37·9	....	42·5	50·3	35·4	42·8	64·0	23·0	92	....	92	92	62	..	54	58	2·62	4·3	3·05	0·71
November..	29·75	30·27	28·83	30·5	....	33·3	37·7	28 3	33·0	50 0	14·0	95	....	93	94	77	....	63	70	3·56	7 2	4·28	1·58
December...	29·66	30·13	28·77	21·0	....	24·0	28·7	17·7	23·2	44·0	3·0	98	....	94	96	75	...	83	79	0·97	37·7	4·74	0·85
Year....	29·68	30·36	28·74	36·9	....	42·6	48·9	32·5	40·7	94·0	20·0	92	...	92	92	62	..	55	58	21·95	103·4	32·29	1·88

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	3	14	6	2	1	4	21	10	1	1·9	5	N.W.	2	3	13	15	13	11	....	8	....	..	....	....
February.....	6	2	11	4	2	1	16	13	1	1·7	5	N.W.	1	9	7	12	13	13	1	9	....	....	....	....
March	5	7	1	6	3	9	12	7	2	1·8	4	E.	....	10	8	13	13	8	1	12	2	....	....	....
April	5	3	10	6	6	3	13	20	0	2·0	4	E.	....	8	13	9	11	4	1	17	....	....	....	....
May.....	2	7	9	2	5	6	16	13	2	1·5	4	N.W.	..	10	8	13	12	2	1	13	....	....	....	....
June..	1	1	21	2	1	14	12	6	2	1·4	4	E.	....	13	7	10	8	...	1	18	...	4	....	....
July	2	0	6	6	8	12	18	8	2	1·6	4	W.	....	15	9	7	16	....	...	11	...	4	....	....
August.....	1	1	5	14	2	17	14	8	0	1·5	3	W.	....	16	6	9	8	....	....	18	...	....	....	....
September.	3	3	13	4	3	3	20	9	2	1·4	3	N.W.	....	7	10	13	16	....	..	8	....	3	....	....
October	1	5	4	4	7	7	14	19	1	1·5	3	N.W.	...	9	11	11	12	1	1	14	2	....	....	....
November	2	12	13	3	2	6	14	8	0	1·7	3	W.	....	6	7	17	11	5	....	10	..	....	....	....
December....	2	10	7	3	6	9	16	8	1	1·6	3	E.	....	3	6	22	17	14	....	6	1	....	...	....
Year.....	33	65	106	50	46	91	186	129	14	1·6	5	N.W.	3	109	105	151	150	58	6	144	5	11	0	0

MONTHLY and Annual Summaries for the Year 1907, Parry Sound, Ontario—Latitude, N. 45° 19'; Longitude, W. 80° 0'. Height above Sea, 635 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	Noon.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	Noon.	8 p.m.	Mean.	8 a.m.	Noon.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·45	29·93	28·39	12·0	18·1	14·5	22·9	5·3	14·1	52·0	22·0	77	81	74	77	79	71	61	71	1·09	22·5	3·34	0·80
February	29·36	30·03	28·67	3.7	15·8	11·3	21·1	1·6	9·8	40·0	31·0	71	80	72	74	61	57	49	56	0 34	34·5	3·79	0·75
March	29·32	29·76	28·61	22·5	34·4	29·8	38·4	18·6	28·5	56·0	5·0	78	74	77	76	67	64	50	60	2·36	12·4	3·60	0·70
April	29·24	29·85	28·65	30·5	39·9	35·0	44·6	25·5	35·0	60·0	7·0	75	65	76	72	58	67	58	61	2·13	19·0	4·03	1·16
May	29 29	29·63	28·66	43 7	51 4	45·1	56·0	34·4	45·2	83·0	16·0	72	61	70	68	51	58	61	57	1·38	1·0	1·48	0·47
June	29·25	29·48	28 64	61·5	71·6	64·0	76·1	51	63 6	91·0	40·0	77	62	76	72	40	34	45	41	4·04	.....	4·04	1·91
July	29·20	29·44	28·89	65·5	76 8	67·8	81·2	56 2	68·7	92 0	40·0	79	58	74	70	42	37	29	36	1·15	.....	1·15	0·49
August	29·32	29·65	28·93	59·8	72·1	64·0	75·8	52·5	64 1	90·0	42·0	82	61	75	73	49	53	26	43	1 47	.....	1·47	0·40
September	29·27	29·57	28·57	55·0	64·5	57·6	67·5	48·9	58·2	84·0	34·0	89	72	88	83	67	71	63	67	2·74	....	2·74	0·87
October	29·35	29·85	28·76	48·0	47·2	42 3	51·7	32·7	42·2	68·0	17·0	87	74	82	81	63	69	42	58	2 58	S.	2·58	0·61
November	29·29	29·76	28·71	30·8	36·6	33·3	39·6	26·6	33·1	51·0	8·0	84	80	82	82	83	80	71	78	1·94	18·5	3·79	0·69
December	29·22	29 72	28·50	22·5	27·5	25·2	31·4	16·5	23 9	45.0	3·0	82	82	83	82	90	89	83	87	0·81	41·0	4·91	1·00
Year	29·30	30·03	28·39	37·1	46·3	40·8	50·4	30·6	40·5	92·0	31·0	79	71	77	76	63	65	53	60	22·03	148 9	36·92	1·91

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	15	10	4	10	1	7	5	8	2	8.3	27	S. E.	2	5	6	21	13	10	1	6	2	....	....	....
February	6	2	3	10	6	6	5	13	5	8·3	28	S.W.	1	11	2	16	12	11	....	8	..	....	....	....
March	4	9	4	12	2	13	8	8	2	10 1	26	S.W.	2	8	5	18	15	9	....	8	2	3	....	1
April	6	9	4	9	3	9	7	10	3	9·8	34	S.E.	1	11	2	17	12	5	....	10	....	1	....	....
May	5	7	2	8	7	11	10	7	5	9·0	30	S.W.	1	9	8	14	10	2	..	12	....	1	....	....
June	2	6	4	8	5	6	13	6	10	7·0	22	S.	....	13	8	9	8	....	....	18	....	3	....	....
July	1	4	0	4	8	24	17	4	0	6·9	19	N.W.	....	15	13	3	5	..	....	21	....	1	2	....
August	5	5	2	11	2	19	12	5	1	8·1	20	S.E.	....	12	12	7	9	....	....	17	1	3	1	1
September	2	7	5	9	4	17	3	7	6	8·4	20	S.W.	....	4	10	16	17	....	1	9	....	2	....	....
October	5	5	4	10	3	13	4	16	2	8·3	20	S.W.	...	9	7	15	11	....	1	11	...	....	....	1
November	7	5	12	7	4	12	3	9	1	9·0	20	S. S.W.	....	3	5	22	15	8	1	5	....	....	....	1
December	5	9	5	9	4	12	2	16	0	8·4	20	S.W.	....	2	3	26	14	12	....	2	...	...	...	....
Year	63	78	49	107	49	149	89	109	37	8·5	34	S.E.	. .	102	81	184	141	57	4	127	5	14	3	4

MONTHLY and Annual Summaries for the Year 1907, Port Arthur, Ontario—Latitude, N. 48° 27′; Longitude, W. 89° 12′. Height above Sea, 644 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·44	29·99	28·47	0·7	6·1	4·9	11·3	6·6	2·4	36·0	27·0	91	81	82	85	67	56	51	58	0·00	10·3	1·03	0·35
February	29·37	29·88	28·71	1·5	12·8	10·4	19·4	5·0	7·2	40·0	27·0	91	81	85	86	49	57	51	52	0·00	8·0	0·80	0·26
March	29·29	29·94	28·65	16·2	26·5	25·6	32·9	10·8	21·8	48·0	10·0	89	81	82	84	56	56	52	53	0·13	15·0	1·63	0·56
April	29·33	29·88	28·75	23·2	34·7	32·6	37·6	18·6	28·1	53·0	1·0	85	75	78	79	47	49	53	50	0·00	10·1	1·01	0·53
May	29·33	29·66	28·87	35·1	42·5	41·3	46·6	28·5	37·5	60·0	16·0	78	71	71	73	52	61	55	56	0·65	2·3	0·88	0·43
June	29·21	29·47	28·89	54·0	62·6	60·7	67·8	45·9	56·8	86·0	34·0	77	67	69	71	30	31	43	36	0·74	..	0·74	0·39
July	29·17	29·40	28·79	58·9	69·6	67·1	74·8	51·0	62·9	84·0	40·0	86	65	72	74	35	55	35	42	5·94	....	5·94	2·47
August	29·22	29·66	28·79	54·5	63·8	62·2	68·2	49·4	58·8	83·0	38·0	89	72	74	78	62	59	51	58	5·06	...	5·06	1·26
September	29·24	29·56	28·49	47·3	57·1	52 8	59·2	43·4	51·3	71·0	23·0	91	73	83	82	63	68	57	63	3·26	....	3·26	1·07
October	29·33	29·71	28·95	33·6	46·2	41·9	48·6	30·1	39·3	59·0	16·0	88	71	80	79	53	49	39	47	2·33	1·4	2·47	0 72
November	29·28	29·76	28·68	26·1	32·4	30 0	36·4	21·2	28·8	47·0	6·0	89	76	80	82	75	67	66	69	0·94	1·1	1·05	0·44
December	29·24	29·77	28·56	13·9	22·1	19·4	27·2	7·5	17·4	41·0	14·0	90	77	82	83	56	45	46	49	0 00	0·2	0 02	0.02
Year	29 29	29·99	28·47	30·3	39·7	37·4	44·2	24·6	34 4	86·0	27·0	87	74	78	79	54	54	49	52	19·05	48·4	23·89	2·47

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	6	4	1	1	4	21	10	14	3·7	20	E.	....	10	4	17	9	9	...	10	....	....	....	....
February	1	6	2	0	2	4	10	13	18	4·3	22	S. W.	....	11	4	13	7	7	....	14	....	....	....	....
March	2	12	3	1	1	1	14	13	15	5·0	20	N. W.	....	13	3	15	11	8	..	13	1	2	....	....
April	0	5	6	2	3	2	12	20	10	5·6	18	N. W.	....	12	10	8	7	7	...	19	....	....	....	....
May	5	13	4	2	1	2	9	18	8	5·7	18	S. W.	....	9	9	13	9	5	....	16	5	....	....	....
June	4	15	12	0	1	0	6	3	19	3·8	13	N. E.	....	18	4	8	4	..	....	19	3	2	....	....
July	2	8	5	8	6	0	18	10	5	4·1	12	W.	...	13	12	6	15	....	1	13	....	4	....	....
August	0	10	3	6	3	2	11	11	16	4·2	20	W.	....	7	13	12	12	....	....	11	5	7	....	..
September	3	18	3	2	1	3	15	7	8	5·2	20	E.	....	6	8	16	11	....	....	11	3	1	1	....
October	2	7	3	4	6	1	11	20	8	4·4	20	S. W.	....	14	6	11	8	2	....	17	10	...	...	....
November	2	3	0	4	5	5	12	21	8	4·4	12	N. W.	....	7	3	20	8	3	....	9	2	....	....	....
December	3	4	0	0	1	7	24	10	13	3·2	10	W.	....	11	7	12	1	1	....	18	1	....	....	....
Year	25	107	45	30	31	31	165	156	142	4·5	22	S. W.	....	131	83	151	102	42	1	170	30	16	1	0

MONTHLY and ANNUAL SUMMARIES for the YEAR 1907, PORT SIMPSON, BRITISH COLUMBIA—LATITUDE, N. 54° 34′; LONGITUDE, W. 130° 26′. HEIGHT ABOVE SEA, 26 FEET.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	5 a.m.	Noon.	5 p.m.	Max.	Min.	Mthly	Max.	Min.	5 a.m.	Noon.	5 p.m.	Mean.	5 a.m.	Noon.	5 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°					%	%	%	%	in.	in.	in.	in.
January	29·99	30·52	29·33	22·7	25·9	26·7	29·0	19·4	24·2	38·4	4·8	95	95	94	95	28	33	34	32	0·23	8·5	1·08	0·25
February	29·88	30·35	29·32	34·0	35·7	36·5	39·2	31·1	35·2	52·3	8·5	93	92	91	92	86	79	83	80	10·01	11·9	11·20	2·27
March	29·84	30·37	29·08	32·4	37·2	38·6	40·7	31·5	36·1	46·8	24·8	92	81	82	85	68	64	66	66	3·51	21·2	5·63	0·76
April	29·98	30·36	29·23	36·0	46·5	48·5	50·5	35·3	42·9	60·4	30·4	92	77	77	82	64	54	58	59	3·39	....	3·39	0·57
May	30·01	30·43	29·27	45·5	56·0	56·5	59·7	42·9	51·3	68·3	32·6	92	80	78	83	62	50	56	56	1·63	...	1·63	0·45
June	29·97	30·38	29·41	48·6	57·2	58·4	60·9	46·4	53·7	73·3	40·2	92	81	82	85	74	58	54	62	3·49	..	3·49	0·94
July	30·02	30·26	29·55	51·8	60·2	62·1	64·8	50·4	57·6	76·0	46·5	96	87	83	89	77	55	51	66	3·52	....	3·52	1·39
August	29·99	30·38	29·44	51·1	58·3	59·8	62·3	49·3	55·8	71·2	42·5	96	89	86	90	87	76	71	78	6·58	..	6·58	1·39
September	30·01	30·43	29·61	50·1	51·2	57·9	59·4	47·6	53·5	68·9	38·5	93	89	86	90	68	65	59	64	4·32	....	4·32	1·00
October	29·91	30·34	29·41	45·4	48·8	49·6	51·3	42·4	46·8	58·5	32·0	95	93	92	93	87	82	77	82	9·83	....	9·83	1·37
November	29·75	30·37	28·76	40·9	43·4	42·7	45·1	37·6	41·4	54·0	31·5	93	92	94	93	83	82	82	82	12·02	....	12·02	1·72
December	29·61	30·19	28·77	37·6	38·7	38·7	41·8	31·3	38·0	54·2	22·5	92	92	91	92	66	80	80	75	5·94	....	5·94	1·10
Year	29·91	30·52	28·76	41·3	45·8	48·0	50·4	39·0	44·7	76·0	4·8	94	87	86	89	70	65	64	66	64·47	41·6	68·63	2·27

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	18	6	18	0	0	0	3	0	17	4·3	18	N.	....	21	4	6	7	4	....	23	....	....	....	....
February	11	3	13	16	4	1	5	0	3	6·5	19	W.	....	4	0	24	20	5	3	3	....	....	....	....
March	5	2	23	4	7	4	12	1	4	5·4	20	W.	....	6	6	19	19	10	....	7	....	....	....	....
April	2	0	24	10	5	2	9	7	1	4·5	12	W.	....	9	5	16	16	....	....	10	....	....	....	....
May	1	1	17	8	2	1	20	2	10	3·2	10	W.	....	9	8	14	10	....	....	15	7	....	....	....
June	0	2	2	2	11	13	14	3	13	4·7	16	N.W.	....	8	7	15	12	....	....	13	1	....	....	....
July	0	2	0	0	11	8	11	5	25	3·3	16	S.W.	....	8	6	17	11	....	..	13	4	....	....	....
August	3	2	5	2	14	10	8	3	15	4·9	21	S.W.	....	2	7	22	19	....	....	8	3	....	....	....
September	10	3	11	0	15	7	2	6	6	5·3	23	S.	....	6	10	14	16	....	....	14	8	....	....	....
October	7	1	17	4	19	6	5	1	2	6·4	27	S.	1	0	7	24	25	....	....	6	3	....	....	....
November	3	8	13	4	26	4	1	0	1	10·0	34	S.E.	2	3	2	25	23	....	3	7	..	4	....	....
December	9	2	25	5	20	0	0	1	0	7·1	23	S.	....	5	5	21	24	....	1	7	....	....	....	....
Year	69	32	168	55	134	56	90	29	97	5·5	34	S.E.	3	81	69	217	202	19	7	126	26	4	0	

MONTHLY and Annual Summaries for the Year 1907, Port Stanley, Ontario—Latitude, N. 42° 40′; Longitude, W. 81° 13′. Height above Sea, 592 feet.

MONTH.	BAROMETER AT 32°.	TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.												
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·52	29·92	28·75	22·1	27·6	23·7	30·7	16·3	23·5	48·8	7·4	90	81	88	86	85	78	71	78	2·65	17·4	4·39	0·84
February	29·45	30·06	28·72	16·0	23·9	19·8	27·9	9·8	18·9	40·0	6·5	87	75	83	82	67	70	48	62	0·18	7·3	0·91	0·22
March	29·41	29·87	28·85	32·2	38·2	34·9	41·5	27·7	34·6	60·1	12·1	87	72	84	81	69	81	72	74	1·99	7·9	2·78	0·70
April	29·31	29·87	28·76	35·8	41·4	37·1	44·3	29·8	37·1	60·8	13·2	82	64	78	75	72	74	60	69	1·51	0·5	1·56	0·44
May	29·37	29·67	28·91	46·1	53·6	48·4	56·5	38·0	47·2	68·1	26·3	79	65	78	74	49	63	55	56	2·08	1·4	2·22	0·99
June	29·31	29·62	28·86	59·2	67·9	63·0	69·4	51·2	60·3	80·4	38·1	80	71	76	76	43	40	47	45	2·53	.	2·53	0·54
July	29·29	29·51	29·05	64·9	73·3	68·0	76·3	57·7	67·0	84·2	42·8	86	72	81	80	50	56	48	49	3·58	.....	3·58	0·91
August	29·39	29·69	29·06	61·4	72·8	65·7	73·8	53·9	63·9	81·7	43·4	87	68	78	78	40	42	38	40	1·12	....	1·12	0·42
September	29·36	29·66	28·82	58·3	65·7	60·5	67·2	53·1	60·2	76·4	39·9	88	75	84	82	69	54	58	60	4·48	....	4·48	1·03
October	29·46	29·83	28·87	41·9	51·3	46·1	53·9	36·0	44·9	65·3	22·1	77	70	80	76	56	64	53	57	3·43	....	3·43	1·02
November	29·40	29·72	28·79	34·1	41·7	37·4	43·6	29·9	36·8	52·8	17·0	87	71	84	81	66	82	66	71	1·88	0·4	1·92	0·98
December	29·34	29·74	28·45	28·2	32·9	30·3	34·7	23·2	29·0	47·0	5·4	89	82	86	86	74	78	74	75	2·64	12·3	3·87	0·97
Year	29·38	30·06	28·45	41·7	49·2	44·6	51·6	35·5	43·6	84·2	7·4	85	72	82	80	62	65	58	62	23·07	47·2	32·79	1·03

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	7	6	9	1	1	6	13	10	9	12·5	46	S.W.	6	4	4	23	19	13	....	2	6	1	....	...
February	6	3	10	1	3	6	3	20	4	13·2	40	S.W.	5	7	9	12	12	10	...	13	3	....	....	1
March	8	1	18	1	2	3	16	10	3	14·1	37	W.	7	6	4	21	18	7	....	7	7	3	....	....
April	11	1	8	5	2	8	8	16	1	13·8	37	S.E.	7	7	2	21	15	3	....	6	5	2	....	....
May	7	1	10	8	3	5	16	9	1	10·3	42	N.W.	2	10	8	13	12	1	....	14	4	2	....	....
June	5	4	11	10	3	5	13	9	0	10·8	33	S.E.	2	12	9	8	10	....	....	18	1	3	....	....
July	8	2	4	7	2	3	23	8	5	9·0	22	N.W.	....	10	10	11	15	....	....	13	3	5	....	....
August	7	3	9	7	2	5	16	7	6	8·4	28	N.W.	1	14	9	8	8	....	....	20	4	1	....	....
September	3	2	14	2	3	5	19	5	7	10·2	36	W.	4	6	8	16	17	....	....	8	3	6	....	....
October	9	0	4	4	1	10	20	13	1	12·0	36	S.W.	2	10	3	18	11	....	....	12	4	2	....	....
November	5	4	4	5	1	7	25	8	1	14·2	40	S.E. S.W.	8	2	7	21	12	2	....	8	4	...	....	....
December	3	0	9	5	3	14	22	6	0	14·9	40	S.W.	6	5	3	23	18	14	....	6	4	....	...	....
Year	79	27	110	56	26	77	194	121	38	11·9	46	S.W.	50	93	76	195	167	50	0	127	41	25	0	1

MONTHLY and Annual Summaries for the Year 1907, Prince Albert, Saskatchewan—Latitude, N. 53° 10′; Longitude, W. 106° 0′. Height above Sea, 1,432 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	6 a.m.	p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	28·51	28·96	28·00	21·2	....	14·8	5·5	26·6	16·1	20·0	49·5	100	....	100	....	25	....	25	25	0·00	7·1	·71	0·40
February	28·42	28·91	27·81	4·3	....	7·8	16·1	7·6	4·2	49·0	48·5	99	....	94	..	50	....	56	53	0·01	4·5	·46	0·20
March	28·28	28·94	27·63	4·7	....	19·6	25·9	0·1	12·9	46·0	17·0	99	....	95	....	64	....	59	62	1·00	8·2	1·82	0·50
April	28·47	28·87	27·69	17·4	....	31·2	35·9	14·2	25·0	47·0	0·5	98	....	96	....	46	....	57	51	R.	5·5	·55	0·20
May	28·48	28·88	28·11	30·2	....	42·8	49·3	26·5	37·9	67·0	2·5	95	....	82	....	56	....	56	56	0·87	8·2	1·69	1·10
June	28·23	28·71	27·89	51·2	....	65·5	71·8	47·2	59·5	85·0	32·5	89	....	66	....	54	....	63	59	2·53	....	2·53	1·00
July	28·28	28·57	27·94	54·3	....	68·0	73·2	50·4	61·8	80·0	41·0	92	....	73	....	59	....	67	63	2·21	....	2·21	0·50
August	28·25	28·59	27·80	49·3	....	61·6	67·3	46·2	56·8	80·0	35·7	96	....	79	....	58	....	61	59	4·13	....	4·13	2·26
September	28·39	28·80	27·80	39·1	....	50·8	56·3	35·7	46·0	73·4	19·5	95	....	79	..	70	....	72	71	1·08	0·4	1·12	0·49
October	28·36	28·89	27·88	34·0	....	46·3	54·9	29·2	42·1	69·0	16·5	88	....	69	....	59	....	49	54	0·56	....	0·56	0·55
November	28·32	29·04	27·76	20·4	....	27·2	35·7	15·9	25·8	50·5	1·5	98	....	92	....	61	....	47	54	0·04	1·1	0·15	0·10
December	28·23	28·69	27·65	8·0	....	13·1	22·2	1·8	12·0	45·0	29·5	98	....	94	....	53	..	34	43	0·01	6·0	0·61	0·20
Year	28·35	29·04	27·63	23·6	....	34·9	41·9	19·4	30·4	85·0	49·5	96	....	85	....	57	....	54	53	12·44	4·1	16·54	2·26

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	1	1	1	1	3	6	11	6	32	2·7	20	N.W.	....	21	5	5	4	4	....	24	....	....	....	....
February	0	1	2	1	2	4	4	5	37	2·5	14	W.	....	10	6	12	5	4	....	13	....	....	....	1
March	4	1	6	5	1	4	1	7	33	2·6	17	N.W.	....	8	9	14	9	7	....	13	....	....	....	....
April	2	1	7	5	5	5	2	11	22	5·3	18	W.	....	10	10	10	5	5	....	19	....	....	....	2
May	5	9	2	4	1	3	0	13	25	3·9	16	N.	....	9	8	14	7	3	....	15	....	....	....	....
June	3	5	8	4	2	2	1	7	28	4·0	16	N.W.	....	7	12	11	10	....	....	14	1	1	....	....
July	3	0	0	2	3	6	9	6	33	2·9	16	S.W.	....	6	9	16	17	....	....	7	1	4	....	2
August	1	3	6	5	0	4	2	10	31	3·2	12	E.	....	8	8	15	12	....	....	11	....	2	....	1
September	4	2	1	0	5	1	3	5	39	2·3	16	N.W.	....	4	7	19	9	1	....	9	3	1	....	....
October	1	1	0	5	3	4	4	6	38	2·5	24	N.W.	....	8	11	12	2	....	....	17	....	....	....	8
November	2	0	0	3	3	3	3	7	39	2·5	16	S.	....	8	12	10	4	2	....	18	....	....	....	....
December	2	3	0	1	1	0	3	1	51	1·2	16	W.	....	15	10	6	5	4	....	22	....	....	....	....
Year	28	27	33	36	29	42	43	84	408	3·0	24	N.W.	....	114	107	144	89	30	0	182	5	8	....	14

MONTHLY and Annual Summaries for the Year 1907, Qu'Appelle, Saskatchewan—Latitude, N. 50° 30′; Longitude, W. 103° 47′. Height above Sea, 2,115 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	27·77	28·21	27·16	14·3	6·5	11·5	2·4	21·9	12·1	20·0	39·7	94	92	95	94	52	47	46			2·8	0·28	
February	27·74	28·13	27·30	4·9	14·2	9·9	18·7	0·5	9·1	42·0	37·0	96	89	94	93	35	49	53			3·9	0·39	
March	27·62	28·26	26·96	12·0	24·2	21·8	27·4	7·7	17·6	42·5	10·0	95	87	92	91	66	51	56			9·5	0·95	
April	27·76	28·14	27·22	19·6	31·8	29·9	34·8	16·8	25·8	44·8	1·5	94	87	90	91	55	58	62		0·01	10·2	1·03	
May	27·76	28·11	27·22	32·2	46·5	45·6	51·3	28·0	39·7	72·5	8·3	86	60	60	69	64	68	56		0·82	2·4	1·06	
June	27·60	28·09	27·33	50·8	62·1	63·0	68·9	47·8	58·3	81·8	34·5	86	63	62	71	72	67	63		6·11		6·11	
July																							
August																							
September																							
October																							
November																							
December																							
Six months	27·71	28·26	26·96	17·5	28·7	26·4	33·1	12·9	23·0	81·8	39·7	92	79	82	84	57	57			6·94	28·8	9·82	

MONTH.	NUMBER OF WINDS FROM										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January	0	4	1	2	10	6	8	11	20		3·8	16	N.W.	0	11	8	12	9	9		15				1
February	1	1	1	3	3	10	10	9	18		4·3	30	W.	1	10	11	7	3	3		20				8
March	0	6	5	2	11	7	6	10	15		5·3	20	W.	0	10	8	13	10	10		16				1
April	3	3	4	7	3	7	3	16	14		5·8	32	N.	1	7	8	15	11	10		13				
May	7	6	3	6	1	7	4	17	11		5·5	20	N.W.	0	6	10	15	10	6		12		1		
June	1	6	4	12	4	9	4	12	8		5·3	19	S.E.	0	5	7	18	19	0	4	6	1	7		
July																									
August																									
September																									
October																									
November																									
December																									
Six months	12	26	18	32	32	46	35	75	86		5·0	32	N.	2	49	52	80	62	38	4	82	1	8	0	10

MONTHLY and Annual Summaries for the Year 1907, Quebec, Quebec—Latitude, N. 46° 48′; Longitude, W. 71° 13′. Height above Sea, 296 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		8 a.m.	Noon.	8 p.m.	Mean.	8 a.m.	Noon.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	8 a.m.	Noon.	8 p.m.	Max.	Min.	Mthly		Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·85	30·35	28·83	2·9	9·5	7·3	14·0	1·5	6·3		45·0	30·2	69	72	73	71	71	65	42	59	0·34	23·4	2·68	0·48
February	29·70	30·36	29·04	3·6	9·9	7·0	14·0	1·4	6·3		28·0	17·0	72	74	73	73	72	63	56	64	....	28·4	2·84	0·47
March	29·71	30·22	29·00	19·5	29·1	26·0	32·2	15·9	24·0		46·0	12·6	84	78	80	81	64	65	63	64	1·44	19·4	3·38	0·54
April	29·54	30·06	28·88	31·5	39·9	35·5	42·7	26·9	34·8		62·8	11·4	79	69	71	73	64	67	58	63	2·04	11·4	3·18	1·72
May	29·63	30·06	29·26	43·1	50·0	45·3	52·9	37·3	45·1		66·2	24·6	73	59	68	67	67	82	69	72	2·57	3·7	2·94	1·05
June	29·60	29·91	29·11	56·1	65·6	60·8	69·7	50·8	60·2		89·0	40·0	79	67	70	72	73	74	67	71	4·97	.....	4·97	0·99
July	29·47	29·78	28·97	63·0	39·6	66·0	75·2	57·4	66·3		87·5	47·6	85	71	78	78	71	65	66	69	6·56	.....	6·56	0·91
August	29·61	29·99	29·21	58·4	67·2	61·8	69·9	53·1	61·5		84·0	43·2	83	71	80	78	59	85	59	68	3·22	.....	3·22	1·22
September	29·65	30·09	29·06	51·8	58·0	54·0	60·0	47·7	53·8		74·0	28·5	83	73	81	79	72	73	65	70	4·62	.....	4·62	0·89
October	29·65	30·23	28·97	37·5	44·4	40·6	46·8	33·2	40·0		60·0	17·5	86	72	80	79	76	64	64	68	5·09	2·3	5·32	1·52
November	29·67	30·20	28·84	29·3	33·4	30·8	35·7	26·2	30·9		53·0	11·0	84	80	84	83	83	84	76	81	2·82	10·2	3·84	1·57
December	29·60	30·05	28·56	20·7	23·6	22·6	28·0	15·9	21·9		45·8	3·6	86	83	86	85	75	82	80	79	1·92	21·0	4·02	0·80
Year	29·64	30·36	28·56	34·8	39·2	38·1	45·1	30·1	37·6		89·0	30·2	80	72	77	76	71	72	64	69	35·59	119·8	47·57	1·72

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	0	15	3	0	3	14	25	2	0	14·8	47	S.W.	9	6	9	16	19	19	1	7	....	....	....	3
February	2	16	4	0	1	21	12	0	0	18·1	44	S.W.	14	5	6	17	17	17	....	8	1	....	....	1
March	4	15	2	1	1	17	18	4	0	14·8	39	N.E.	10	7	4	20	17	13	....	8	2	3	....	3
April	2	23	2	1	0	14	15	3	0	14·7	49	N.E.	7	8	2	20	9	5	....	9	....	....	....	1
May	1	28	1	1	2	18	6	5	0	13·6	31	W.	7	4	5	22	14	3	....	8	....	1	....	1
June	2	32	5	1	1	9	9	1	0	14·8	37	N.E.	11	7	5	18	12	....	....	12	....	3	....	1
July	0	17	4	2	0	18	18	3	0	12·5	28	N.E.	2	4	13	14	15	....	....	11	....	8	....	....
August	3	7	3	4	1	26	13	4	1	11·1	35	S.E.	2	4	5	22	12	....	1	9	1	5	....	1
September	0	28	3	0	1	14	9	5	0	14·5	28	N.E.	7	4	8	18	14	....	....	7	....	2	....	2
October	2	10	3	3	0	20	12	11	1	11·9	32	N.E.	2	7	5	19	12	2	....	9	2	....	....	3
November	0	19	1	1	1	22	11	5	0	14·0	53	N.E.	4	2	5	23	19	9	....	6	....	....	....	....
December	0	11	6	0	1	26	17	1	0	15·1	39	N.E.	10	3	4	24	20	17	....	3	1	....	....	1
Year	16	221	37	14	12	219	165	44	2	14·2	53	N.E.	85	61	71	233	180	85	2	97	7	22	0	17

MONTHLY and Annual Summaries for the Year 1907, Regina, Saskatchewan—Latitude, N. 50° 27′ ; Longitude, W. 104° 37′. Height above sea, 1,885 feet.

MONTH.	BAROMETER AT 32°.	TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.						Extremes.												
	Monthly Mean.	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	M'thly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°							%	%	%	%	%	%	%	%	in.	in.	in.	in.
January																					7·0	·70	
February																					0·4	·40	
March																				0·02	2·8	·30	
April																					7·5	·75	
May																				0·67	1·8	85	
June																				4·52		4·52	
July	27·88	28·18	27·55	52·4	72·4	70·6	75·3	48·3	61·8	81·7	40·0	89	55	59	67	43	40	41		2·10		2·10	
August	27·88	28·22	27·43	48·1	67·8	66·4	73·4	46·3	59·8	86·6	32·4	92	56	62	70	48	54	46		3·26		3·26	
September	28·00	28·32	27·54	38·1	59·3	55·5	62·8	36·3	49·5	77·4	14·7	93	59	70	74	56	43	46		0·90		0·90	
October	28·01	28·51	27·54	29·5	55·3	47·1	58·3	27·0	42·6	73·4	10·2	83	51	58	64	43	40	29		0·06		0·06	
November	27·95	28·51	27·45	18·6	37·1	30·1	40·1	14·4	27·2	57·4	0·3	93	75	83	84	32	43	34		0·11	0·6	0·17	
December	27·83	28·29	27·09	10·6	23·5	16·9	26·7	5·0	15·8	47·8	20·5	97	83	89	89	56	61	38			1·6	0·16	
Six months	27·92	28·51	27·09	32·9	52·6	47·8	56·1	29·6	42·8	86·6	20·5	91	63	70	75	46	47	39					

MONTH.	NUMBER OF WINDS FROM									WIND VELOCITY.				NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January																								
February																								
March																								
April																								
May																								
June																								
July	6	2	4	4	3	6	7	18	12	4·3	18	W.	0	15	7	8	13	0	0	14	2	5	0	0
August	1	2	3	13	4	1	4	22	12	6·3	25	S.	1	11	10	10	15	0	1	13	1	6	1	0
September	7	5	1	6	4	4	2	14	14	6·3	30	N.W.	2	9	11	10	9	0	0	17	2	0	0	0
October	3	1	3	14	4	1	2	24	10	6·3	25	N.W.	1	15	14	2	2	0	0	27	0	0	0	0
November	6	0	1	9	7	4	5	13	15	6·1	25	N.W.	1	17	4	9	5	4	0	15	2	0	0	3
December	3	4	1	15	5	4	5	12	13	5·1	22	S.W.	0	13	5	13	7	7	0	14	1	0	0	1
Six months	26	14	16	61	27	20	25	103	76	5·6	30	N.W.	5	80	51	52	51	11	1	100	8	11	1	4

MONTHLY and Annual Summaries for the Year 1907, Renfrew, Ontario—Latitude, N. 45° 26′; Longitude, W. 76° 39′. Height above Sea, 416 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly		Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°		°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	.....	..	.....	8·4	13·0	8 4	19·4	0·2	9·6		46·0	26·0	93	87	96	92	56	57	48	54	0 80	11·0	1·90	0·80
February	.....	.....	....	4·7	13 9	9·2	16·2	6·1	5·1		36·0	28 0	93	80	92	88	56	55	48	53	0·00	15·5	1·55	0 40
March	....	.....	.....	25·5	36·3	29·5	36·6	14·1	25·4		60·5	7 0	90	76	89	85	46	52	46	48	0·27	10·0	1·27	0·55
April	...	.....	.....	34·5	42 6	35·7	45·5	26·2	35·8		66·0	10·0	85	74	79	79	51	47	57	52	2·32	13·3	3 65	0·96
May	.....	..	.....	44·6	55·2	47 5	57·8	34·7	23·1		83·5	18·0	73	58	72	68	55	57	58	57	0·40	5·0	0·90	0·50
June	.....	.....	.....	65·7	76·0	66·0	78 1	53·2	65 6		94·5	36·0	76	63	75	71	36	51	45	44	1·30	....	1·30	0·40
July	.....	.....	...	64·8	77·6	71·7	79·8	55·6	67·7		88·0	46·0	81	60	71	71	37	52	46	45	3·78	..	3·78	0·90
August	.....	.....	.....	55·1	75·1	68·0	77·2	47·4	62·3		91·5	39·5	89	51	63	68	50	62	31	48	0·71	....	0·71	0·21
September	..	.....	..	52·7	65·2	58·7	67·5	47·5	57·5		84 0	29·5	92	72	86	83	75	67	68	70	4·41	....	4·41	1·29
October	....	.....	.....	....	.....	.....	52 0	31·2	41·6		69 0	17·4	....	.....	.....	.....	.....	..	...	...	2·41	*	2·41	0 66
November	..	.....	.....	.....	.....	.....	38·4	25·4	31·9		52·0	6·5	....	.....	.....	.....	.....	.....	..	....	3·26	4·8	3·74	1·55
December	..	.....	.....	.....	.....	.....	29·0	12·2	20 6		48·0	13·0	...	.....	...	...	.....	.....	.....	....	0·11	26·4	2·75	0·70
Year	.....	.....	.....	.....	. .	.....	49·8	28·4	37 2		94·5	28·0	.....	.....	.....	.....	.....	.....	.....	.....	19·77	86·0	28·37	1·55

MONTH.	NUMBER OF WINDS FROM.									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	5	12	28	0	2	5	10	11	0	....	.....	.....	2	12	6	13	8	10	0	18	1	2	0	0
February	0	3	10	5	6	7	20	9	0	....	.....	.....	2	10	7	11	11	13	0	17	0	0	0	4
March	1	7	14	11	4	9	44	3	0	....	....	.. ..	0	10	13	8	8	7	0	23	0	1	0	2
April	6	9	15	6	3	4	14	12	0	....	.....	.. ..	0	10	10	10	9	7	0	20	0	1	0	0
May	7	2	4	2	5	4	36	14	0	....	....	.....	2	6	13	12	6	3	0	19	0	0	0	0
June	5	4	18	10	4	3	23	3	0	....	.....	.....	0	10	14	6	7	0	0	24	0	1	0	0
July	15	7	53	5	8	0	5	0	0	II	1V	E.	1	14	12	5	14	0	0	26	0	3	0	0
August	14	6	45	4	22	0	1	1	0	II	111	S.	0	8	16	7	7	0	0	24	0	0	0	0
September	9	0	16	3	21	7	26	4	4	II	III	N.	0	4	11	15	14	0	0	15	0	2	0	0
October	....	.....	.....	.....	.....	.....	.....	.....	.....	..	.....	...	0	....	.....	.....	12	2	0	....	2	0	0	1
November	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	8	0	....	.....	.....	.....	....
December	...	..	.....	.....	.....	.....	.....	.....	.....	..	...	.....	...	.....	.....	.....	15	12	0	....	.....	.....	.....	. .
Year	....	.....	.....	.....	.....	. .	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	. .	.....	.....	.....	....

MONTHLY and Annual Summaries for the Year 1907, Rockliffe, Ontario—Latitude, N. 46° 9′; Longitude, W. 78° 6′. Height above Sea, 557 feet.

MONTH.	BAROMTER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		8 a.m.	Noon.	8 p.m.	Mean.	a.m.	Noon.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	8 a.m.	Noon.	8 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·57	30·06	28·35	2·5	11·2	5·3	15·8	−8·2	3·8	50·0	−38·0		95	88	99	94	78	77	57	71	0·20	10·4	1·24	0·22
February	29·46	30·12	28·59	3·2	12·8	6·3	17·2	−10·3	3·4	35·0	−39·0		98	82	96	92	61	60	48	56	0·00	20·8	2·08	1·06
March	29·40	29·85	28·56	16·5	33·9	27·8	36·3	10·3	23·3	61·0	−28·0		96	77	92	88	74	73	62	70	1·06	8·6	1·92	0·54
April	29·33	29·95	28·76	28·4	42·2	34·8	43·9	22·7	33·3	61·0	−2·0		98	82	93	91	60	57	62	60	0·42	10·1	1·43	0·60
May	29·36	29·72	28·82	39·2	51·3	44·5	55·4	32·0	43·7	76·0	−14·0		84	76	84	81	63	70	63	68	2·51	2·2	2·73	0·58
June	29·31	29·55	28·72	57·8	74·3	64·9	77·2	50·2	63·7	94·0	−35·0		83	59	76	73	47	74	67	57	2·90	....	2·90	0·60
July	29·24	29·50	28·79	60·7	74·6	65·8	77·6	53·8	65·7	88·0	−38·0		89	69	86	81	56	77	56	63	4·74	....	4·74	1·04
August	29·37	29·74	28·94	55·6	71·3	59·5	72·9	48·0	60·5	85·0	−35·0		92	75	91	86	70	76	49	65	1·15	....	1·15	0·52
September	29·36	29·74	28·60	50·9	61·4	54·3	64·5	47·3	55·9	80·0	−30·0		97	78	96	90	91	83	71	82	3·60	....	3·60	0·66
October	29·42	29·97	28·83	34·4	46·0	38·7	48·2	30·1	39·1	68·0	−13·0		97	75	94	89	74	74	55	68	1·42	2·6	1·68	0·68
November	29·38	29·90	28·58	26·4	33·1	29·1	35·4	21·1	28·2	48·0	−1·0		93	79	95	89	90	86	78	85	2·75	7·0	3·45	0·98
December	29·32	29·83	28·55	18·0	23·5	21·4	28·1	11·5	19·8	41·0	−8·0		95	78	89	87	86	90	86	87	0·30	16·6	1·96	0·28
Year	29·38	30·06	28·35	32·3	44·6	37·7	47·7	25·7	36·7	94·0	−39·0		93	76	91	87	71	75	63	69	21·05	78·3	28·88	1·06

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation. 01 in. or over	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	0	0	6	0	0	1	11	0	44	1·2	5	W.	1	4	6	21	14	14	....	10	1	0	0	0
February	5	0	8	0	0	3	3	0	37	1·1	6	S.W.	1	11	2	15	15	15	....	9	1	....	....	....
March	3	1	9	0	0	0	9	3	37	1·5	4	N.W.	....	6	2	23	15	9	1	5	3	....	....	....
April	1	0	7	0	0	2	12	3	35	1·5	4	W.	....	10	5	15	6	5	....	14	1	....	....	....
May	0	1	5	0	0	0	11	0	45	1·3	4	W.	....	8	3	20	14	2	....	8	1	....	....	....
June	1	0	2	0	0	0	4	0	53	0·7	3	W.	....	10	7	13	10	....	....	12	1	....	....	....
July	1	0	0	0	0	2	11	0	48	1·2	8	W.	2	6	11	14	12	....	....	14	....	....	....	....
August	3	0	2	0	0	0	6	1	50	1·1	10	W.	2	6	4	21	7	....	....	9	6	....	....	....
September	1	0	7	1	0	4	1	0	46	0·9	4	S.W.	....	1	4	25	16	....	....	5	7	....	....	....
October	1	0	1	0	1	0	13	0	46	0·9	4	W.	....	6	5	20	7	1	....	8	4	....	....	1
November	1	1	7	0	0	0	7	0	44	1·0	5	W.	1	2	4	24	12	5	....	5	1	....	....	....
December	5	0	9	0	1	0	9	0	38	1·4	4	N.	....	2	2	27	16	12	....	3	....	....	....	....
Year	22	3	63	1	2	12	97	7	523	1·2	10	W.	7	72	55	238	144	63	1	102	26	0	0	1

MONTHLY and Annual Summaries for the Year 1907, Sable Island, Nova Scotia—Latitude, N. 43° 57′; Longitude, W. 60° 6′. Height above Sea, 25 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·09	30·62	29·24	29·0	30·2	29·2	36·9	21·7	29·3	48·0	0·2					91	92	89	91	5·36	16·0	6·96	1·57
February	29·91	30·52	29·13	27·0	28·2	27·9	34·2	21·5	27·8	50·0	3·5					98	95	93	95	3·92	22·0	6·12	1·15
March	29·91	30·50	28·91	30·2	30·6	30·3	35·0	24·1	29·6	47·0	13·0					68	76	67	70	4·79	30·1	7·80	1·72
April	29·79	30·46	29·10	36·2	39·3	35·7	41·1	31·5	36·3	52·5	20·0					63	62	69	65	4·80	5·0	5·30	1·77
May	29·91	30·28	28·94	41·4	44·7	41·3	46·9	37·3	42·1	53·0	32·0					77	67	66	70	5·93		5·93	1·15
June	29·94	30·29	29·43	47·8	51·0	46·6	53·6	42·8	48·1	70·5	35·0					71	66	71	70	2·06		2·06	·70
July	29·87	30·28	29·36	57·1	61·9	56·7	64·2	52·7	58·4	74·0	47·0					83	69	68	73	1·41		1·41	1·04
August	29·97	30·49	29·61	60·0	64·3	59·2	65·9	56·3	61·1	73·0	54·0					66	59	59	62	5·06		5·06	2·68
September	30·01	30·40	29·40	59·3	62·0	58·3	63·5	54·8	59·2	71·0	45·0					68	62	47	59	4·72		4·72	1·58
October	29·94	30·45	29·23	49·9	51·1	49·0	53·6	45·1	49·3	63·0	34·0					78	72	75	75	6·48		6·48	1·38
November	30·06	30·51	29·47	44·9	46·4	45·2	48·8	40·5	44·7	56·0	30·0					81	71	68	73	6·74		6·74	1·19
December	29·88	30·39	28·95	39·0	40·1	39·6	44·1	34·4	39·2	53·0	24·0					79	87	70	79	5·02	2·6	5·28	1·15
Year	29·94	30·62	28·91	43·5	45·8	43·3	48·9	38·9	43·9	74·0	0·2					77	73	70	73	56·29	75·7	63·86	2·68

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	4	5	0	9	3	8	6	27	0	23·6	54	N.W.	23	0	1	30	16	4			3			
February	4	6	0	5	4	13	7	16	1	23·9	55	S.W.	15	0	1	27	17	8		1	9			1
March	5	15	1	7	2	11	4	16	1	22·5	56	N.W.	19	4	8	19	16	6		10	6			
April	1	8	2	8	7	14	8	12	0	20·6	54	N.W.	15	7	7	16	14	3		10	7			
May	0	14	2	6	4	17	10	8	1	18·8	40	N.W.	15	5	6	20	12			9	13			
June	5	13	4	7	3	16	7	2	3	15·7	48	N.E.	9	8	3	19	10			10	15		1	
July	2	5	5	10	10	17	9	4	0	14·1	28	S.W.	6	4	6	21	12			7	17	1	1	
August	3	2	4	6	9	15	14	7	2	13·3	30	N.W.	2	8	6	17	13			12	10	1	1	1
September	4	8	2	2	5	24	1	11	3	17·4	52	N.E.	9	7	9	14	12			12	7			
October	4	11	2	5	8	14	3	15	0	20·4	48	W.	14	5	6	20	19			8	5			
November	2	10	1	11	4	16	9	7	0	19·4	54	N.E.	16	4	6	20	16			8	5			
December	2	3	0	5	5	12	4	29	2	23·7	50	N.W.	20	3	4	24	15	2		6	1			
Year	36	100	23	81	54	177	82	154	13	19·4	56	N.W.	163	55	63	247	172	23	0	93	98	2	3	2

MONTHLY and Annual Summaries for the Year 1907, St. George, Newfoundland—Latitude, N. 48° 40 ; Longitude, W 58° 27'. Height above Sea, 21 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	9 a.m.	p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·04	30·75	28·63	19·0	....	19·7	26·1	12·5	19·3	41·8	9·6	....	....	....	....	84	....	82	83	0·10	37·6	3·86	...
February	29·95	30·55	29·38	12·1	....	13·6	22·7	4·4	13·6	45·2	14 2	....	....	....	....	74	....	76	75	0·26	15·7	1·83	....
March	29 92	30·47	29 05	18·7	....	21·4	27·4	11·3	19·3	40·8	10·4	....	....	....	....	71	....	65	68	0·08	14 7	1·55	....
April	29·78	30·51	29·08	31·5	....	33·8	38·9	24·7	31·8	55·1	3 2	....	....	....	....	79	....	80	79	0·30	26·3	2·93	....
May	29·89	30·50	29·21	41·2	....	41·7	48·9	34·4	41·6	66·4	27·4	....	....	....	....	73	....	69	71	0·50	S.	0·50	....
June	29·98	30·34	29 46	51·0	....	51·7	59 2	41·6	50·4	69·4	28·7	....	....	....	....	59	....	61	60	0·70	....	0·70	....
July	29 88	30·21	29·39	59·9	....	60·7	65·6	52·9	59·2	80·5	40·4	....	....	....	....	79	....	82	80	0·91	....	0·91	....
August	29·91	30·25	29 53	61·3	....	62·0	67·0	54·1	60·5	78·6	45·7	....	....	....	....	65	....	69	67	1·09	....	1·09	....
September	29 89	30·44	29 14	55·3	....	56·2	60·9	47·4	54·1	72·4	36·2	....	....	....	....	75	....	76	76	1·12	....	1·12	....
October	29·89	30·43	29 05	43·9	....	46·7	52·2	37·6	44·9	65 6	29 8	....	....	....	....	74	....	76	75	0·78	3·0	1·08	....
November	30·07	30 68	29·45	35·9	....	37·9	43·4	30·8	37·1	57·4	17 5	....	....	....	....	76	....	75	75	0·78	9·0	1·68	....
December	29·82	30·31	28·86	30·9	....	34·7	38.5	26·5	32·5	57·5	11·6	....	....	....	....	81	....	85	83	0·56	13·2	1 88	....
Year.	29·92	30·75	28·63	38·4	....	40·0	45·9	31·5	38·7	80·5	14·2	....	....	....	....	74	....	75	74	7·18	119·5	19·13	....

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	5	4	4	7	3	11	1	27	0	3·4	8	S.	9	0	6	25	22	22	....	4	1	....	....	....
February	0	10	10	6	2	5	4	19	0	3·1	7	S.W.	4	1	7	20	18	13	...	6	1	....	....	3
March	3	4	19	3	0	7	3	23	0	3·0	7	E.	6	5	9	17	14	12	....	12	1	....	....	....
April	3	4	20	8	1	13	4	7	0	2·9	6	N.	7	2	5	23	14	9	....	7	3	....	....	....
May	2	7	14	12	0	5	5	17	0	3·3	7	W.	9	2	9	20	12	....	....	9	2	....	....	....
June	0	8	17	13	0	13	0	9	0	3·8	10	E.	11	8	10	12	10	...	....	17	5	..	1	....
July	2	5	6	16	7	6	6	14	0	2·8	5	S.E.	2	1	5	25	15	....	....	6	7	1	....	....
August	0	3	9	3	5	21	8	13	0	2·9	7	W.	6	7	5	19	11	....	....	11	5	3	....	..
September	7	10	9	0	3	14	0	17	0	3·2	6	N. S.W.	7	2	6	22	15	....	....	7	2	...	...	2
October	1	9	12	3	2	17	3	15	0	3·3	7	S.W.	7	3	8	20	14	3	....	11	1	....	....	....
November	2	3	6	7	5	19	2	16	0	3·2	6	S.E.	9	4	2	24	15	7	....	5	...	....	....	....
December	3	2	11	5	2	13	4	22	0	3·4	7	S.W.	11	1	5	25	19	13	3	4	1	....	....	....
Year	28	69	137	83	30	144	40	19	9	3·2	10	E.	88	36	77	252	179	79	3	99	29	4	1	5

MONTHLY and Annual Summaries for the Year 1907, St. John, New Brunswick—Latitude, N. 45° 17′; Longitude, W. 66° 4′. Height above Sea, 70 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	1 p.m.	1 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·07	30·63	29·30	15·1	19·6	17·1	25·9	7·2	16·5	48·5	17·0	83	76	83	81	46	59	56	54	1·32	17·8	3·10	0·96
February	29·90	30·65	29·23	12·3	18·8	16·6	25·2	6·2	15·7	43·3	11·3	84	81	84	83	59	53	55	56	1·07	32·5	4·82	1·03
March	29·92	30·44	28·47	24·9	32·4	29·2	36·0	19·6	27·8	52·3	3·2	79	72	83	78	51	57	52	53	0·75	10·5	1·80	0·66
April	29·73	30·39	28·94	35·7	41·1	36·7	43·0	30·9	36·9	52·3	13·5	76	69	84	76	56	71	75	67	3·30	12·7	4·57	1·38
May	29·86	30·30	29·35	44·4	49·9	44·4	52·3	39·7	46·0	63·0	31·8	78	67	81	75	78	73	67	73	2·50	4·6	2·96	0·66
June	29·86	30·15	29·28	53·6	59·2	53·7	62·2	47·7	54·9	75·9	38·5	79	71	82	77	65	64	66	65	1·60	...	1·60	0·38
July	29·75	30·14	29·21	59·6	64·1	60·1	66·9	54·8	60·9	76·5	49·5	87	77	88	84	73	63	74	70	4·33	....	4·33	1·08
August	29·85	30·20	29·46	58·9	64·3	59·2	66·1	54·3	60·2	73·2	50·0	85	74	84	81	61	61	53	58	3·92	....	3·92	1·22
September	29·93	30·32	29·42	54·3	59·4	55·4	61·3	50·5	55·9	69·3	39·5	84	74	84	81	70	63	57	63	4·83	....	4·83	1·26
October	29·88	30·44	29·25	43·8	49·3	45·8	52·1	39·2	45·7	60·3	27·0	81	70	80	77	58	61	52	57	4·19	0·5	4·24	1·42
November	29·96	30·46	29·33	37·3	41·0	37·6	43·9	32·6	38·2	57·0	19·3	85	76	85	82	59	60	65	61	5·33	0·3	5·36	1·85
December	29·81	30·28	28·86	29·3	32·9	31·1	36·8	24·3	30·5	50·8	10·0	84	81	87	84	61	67	72	67	3·72	9·4	4·66	1·28
Year	29·88	30·65	28·47	39·1	44·3	40·6	47·6	33·9	40·8	76·5	17·0	82	74	84	80	61	63	62	62	36·86	88·3	45·69	1·85

MONTH.	NUMBER OF WINDS FROM										Average hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January	34	4	1	3	4	2	5	9	0		13·9	36	N.W.	5	11	7	13	16	13	..	13	3	....	....	....
February	11	13	1	1	1	7	5	17	0		13·8	36	N.W.	7	10	7	11	16	15	....	10	5	....	....	1
March	19	6	3	4	5	6	9	8	2		12·7	60	N.W.	4	14	4	13	9	6	....	15	3	....	....	....
April	13	9	2	3	8	5	6	9	5		13·7	30	N.W.	7	5	8	17	16	7	....	9	4	....	....	....
May	12	9	4	3	21	1	4	7	1		10·5	30	N.W.	3	3	8	20	10	2	....	9	3	....	....	....
June	7	9	4	7	26	0	6	1	0		10·4	34	N.E.	1	4	10	16	13	....	....	10	7	4	....	....
July	5	4	5	5	29	3	5	2	4		8·8	30	N.	2	5	6	20	18	0	....	7	11	6	....	1
August	15	0	2	2	22	3	12	0	6		8·8	21	N.	....	8	9	14	14	....	....	12	10	1	....	....
September	15	3	5	6	14	4	8	0	5		10·5	25	N.	1	7	6	17	15	....	....	9	8	2	....	....
October	19	3	1	7	8	8	5	11	0		14·2	50	S.	7	9	7	15	16	1	....	10	2	....	....	....
November	16	3	4	2	10	2	16	0	7		13·1	38	N.	5	10	5	15	10	3	....	14	2	....	....	....
December	15	4	0	1	6	10	13	11	2		14·1	30	N.	5	7	7	17	12	5	....	12	3	....	....	....
Year	181	67	32	44	154	51	94	75	32		12·0	60	N.W.	47	93	84	188	165	52	0	130	61	13	0	2

MONTHLY and Annual Summaries for the Year 1907, St. John's, Newfoundland—Latitude, N. 47° 34′; Longitude, W. 52° 42′. Height above Sea, 125 feet.

MONTH.	BAROMETER AT 32°.	TEMPERATURE.										RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.			Extremes.																
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·80	30·42	28·86	23·9	24·5	23·7	31·0	15·4	23·2	47·0	0·0	39	36	49	41	75	79	81	78	4·23	12·6	5·49	....
February	29·73	30·40	28·85	21·2	23·5	22·7	29·9	14·4	22·1	48·0	3·0	43	38	45	42	73	69	71	71	2·59	27·4	5·33	....
March	29·64	30·31	28·78	24·8	27·6	25·1	31·5	16·7	24·1	44·0	5·0	59	57	61	59	66	62	63	64	5·89	2·2	6·11	....
April	29·62	29·93	28·57	33·8	36·2	32·8	39·0	27·3	33·1	58·0	15·0	76	67	81	75	59	63	73	65	4·96	9·0	5·86	....
May	29·71	30·35	29·09	42·3	43·0	37·3	48·1	33·3	40·6	66·0	27·0	79	82	91	84	70	58	65	65	3·33	·8	3·33	
June	29·82	30·24	29·46	48·3	50·4	43·7	54·9	39·0	46·9	75·0	30·5	79	81	89	83	70	66	63	66	3·38	....	3·38	....
July	29·76	30·16	29·32	56·0	57·1	53·0	60·4	49·1	54·7	76·5	43·5	86	85	92	88	83	69	78	76	3·97	....	3·97	....
August	29·79	30·11	29·32	59·9	60·0	54·2	64·4	49·6	57·0	80·0	40·0	79	79	87	82	59	52	45	52	4·80	....	4·80	....
September	29·76	30·19	29·01	53·8	54·0	50·7	59·3	45·9	52·6	73·0	34·0	79	81	90	83	66	64	51	60	5·06	....	5·06	....
October	29·72	30·37	28·88	45·2	46·2	44·3	51·6	38·9	45·2	69·0	28·0	83	85	88	85	79	78	71	76	12·01	....	12·01	....
November	29·92	30·46	29·08	38·4	39·8	37·3	43·8	31·8	37·8	58·0	22·0	86	82	88	85	61	72	61	65	6·16	....	6·16	....
December	29·65	30·09	28·77	32·2	33·8	32·4	36·9	27·0	31·9	58·0	9·0	84	86	85	85	83	81	70	78	3·73	26·5	6·38	
Year	29·74	30·46	28·57	39·9	41·3	38·1	45·9	32·4	39·2	80·0	5·0	73	72	79	75	70	68	66	68	60·11	77·7	67·88	....

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	22	4	0	13	11	4	3	5	0	10·6	32	S.E.	1	4	5	22	14	6	....	4	3	....	....	....
February	13	2	4	4	15	2	12	4	0	10·5	30	E.	2	4	8	16	14	7	....	9	5	....	....	....
March	15	3	5	5	17	3	12	2	0	11·0	38	N.E.	3	6	9	16	18	5	..	11	1	1	....	1
April	9	6	3	12	1	19	6	4	0	10·4	40	N.E.	5	7	8	15	11	3	....	13	5	....	....	....
May	5	10	1	12	3	18	1	11	1	9·6	31	N.	1	8	6	17	13	....	....	9	10	1	....	....
June	10	10	3	8	0	19	2	8	0	8·9	26	N.	1	6	5	19	9	....	....	9	12	....	1	....
July	3	11	2	28	1	10	6	1	0	5·5	27	N.E.	1	3	6	22	17	....	....	8	16	....	....	....
August	3	4	1	10	4	29	2	5	4	6·4	14	N.E.	....	9	11	11	11	....	....	17	3	....	2	....
September	2	6	1	3	2	24	6	13	3	6·5	20	N.E.	....	8	7	15	12	....	....	12	1	....	....	....
October	2	4	4	7	5	24	5	10	1	8·2	21	S.W.	..	3	6	22	21	....	....	7	3	....	....	....
November	5	2	1	5	5	32	3	7	0	5·7	21	S.E.	....	6	6	18	16	....	....	9	1	....	....	....
December	3	5	0	6	0	24	7	17	0	9·1	30	S.E.	2	3	3	25	13	8	....	5	1	....	....	....
Year	92	67	25	113	64	208	65	87	9	8·5	40	N.E.	16	67	80	218	169	29	0	113	59	2	3	1

Monthly and Annual Summaries for the Year 1907, Southampton, Ontario—Latitude, N. 44° 33′; Longitude, W. 81° 21′. Height above Sea, 656 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.			Extremes.																
		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·43	29·91	28·46	20·2	23·6	22·0	28·8	14·3	21·5	57·8	16·1	90	88	88	89	96	87	87	90	0·83	28·7	3·70	1·05
February	29·36	30·01	28·64	13·5	20·7	16·9	27·3	5·8	16·6	42·0	13·1	91	87	88	89	81	73	68	74	0·05	16·7	1·72	0·40
March	29·32	29·78	28·68	27·6	36·4	31·0	40·3	22·3	31·3	60·3	1·2	86	78	87	84	72	69	55	65	2·03	6·1	2·64	0·76
April	29·24	29·89	28·57	33·3	38·8	34·3	41·5	27·3	34·4	61·8	12·1	78	71	81	77	57	67	62	62	2·17	4·7	2·64	0·73
May	29·29	29·63	28·76	45·8	50·1	43·6	54·2	35·5	44·8	79·2	24·1	65	63	75	68	59	54	55	56	1·51	3·6	1·87	0·58
June	29·25	29·57	28·67	60·9	67·5	61·0	71·4	49·4	60·4	89·2	35·1	70	65	79	71	44	52	49	48	1·36	....	0·76	1·36
July	29·22	29·46	28·96	64·0	71·6	65·9	73·4	55·4	64·4	85·9	38·6	77	69	79	75	48	49	39	43	0·76	....	0·76	0·76
August	29·32	29·66	28·96	62·0	69·2	62·1	72·8	52·7	62·8	87·9	38·8	74	57	75	69	59	43	35	46	0·49	....	0·49	0·31
September	29·27	29·54	28·66	57·9	64·0	59·1	67·0	52·2	59·6	81·0	40·1	74	69	77	73	76	78	69	74	3·04	....	3·04	0·73
October	29·36	29·81	28·75	42·5	49·0	44·5	52·6	37·4	45·0	72·2	21·1	78	67	75	73	70	66	56	64	1·96	S.	1·96	0·52
November	29·29	29·73	28·74	34·7	38·9	36·2	41·9	30·2	36·1	54·0	18·1	82	74	79	78	88	79	76	81	1·74	8·6	2·60	0·46
December	29·22	29·69	28·52	28·8	31·2	29·8	35·1	24·5	29·8	49·8	14·0	87	86	87	87	96	92	87	92	0·35	31·3	3·48	0·65
Year	29·30	30·01	28·46	40·9	46·8	42·2	50·5	33·9	42·2	89·2	16·1	79	72	81	77	71	67	61	66	16·29	99·7	26·26	1·05

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lighting Alone.	Aurora.
										mls.	mls.													
January	2	1	28	3	3	1	16	2	6	12·4	42	W.	4	1	1	29	22	17	....	1	2	1	....	....
February	1	1	23	9	1	4	7	5	5	12·2	38	N.W.	5	5	4	19	21	21	....	1	....	....	....	1
March	3	0	21	4	5	2	10	7	10	11·4	31	W.	5	6	9	16	17	9	....	9	1	2	....	....
April	8	1	18	3	5	5	13	3	4	13·8	28	S.W.	3	9	4	17	13	5	....	10	....	....	....	....
May	0	0	20	4	16	1	16	0	5	10·7	45	W.	3	11	7	13	11	3	....	14	1	....	....	....
June	3	0	11	10	18	5	5	1	7	9·1	25	W.	1	10	10	10	6	....	....	16	....	5	....	....
July	1	0	0	3	22	1	19	2	11	6·8	35	W.	2	11	13	7	6	....	....	17	....	2	....	....
August	4	0	8	7	10	5	16	1	11	9·2	35	N.W.	3	12	10	9	7	....	....	18	....	1	....	....
September	1	0	11	8	15	5	14	1	5	10·2	36	W.	2	2	8	20	15	....	....	7	....	2	....	....
October	7	4	7	5	14	4	13	5	3	12·0	30	N.	3	9	5	17	12	....	....	13	....	3	....	....
November	12	2	6	5	14	9	9	3	0	12·8	30	N.	4	2	3	25	17	8	2	3	....	....	....	....
December	18	0	6	2	20	7	6	2	1	14·4	32	S.W.	6	0	3	28	21	18	....	2	1	....	....	....
Year	60	9	159	63	143	49	144	32	71	11·1	45	W.	41	78	77	210	168	81	2	113	5	16	0	1

MONTHLY and Annual Summaries for the Year 1907, Stony Mountain, Manitoba—Latitude, N. 50° 4′; Longitude, W. 97° 14′. Height above Sea, 803 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·17	29·78	28·53	15·0	....	6·4	2·4	23·9	13·1	25·0	42·0	..	....	....	....	54	....	59	57	0·00	10 0	1·00	0·40
February	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
March	....	....	....	15·3	....	24·3	27·5	4·2	15·8	49·0	15·0	....	....	....	....	52	..	40	46	0·00	21 0	2 10	1·50
April	....	....	....	25·7	....	34·1	34·5	16 8	25·7	50·0	1·0	....	....	....	....	41	..	48	45	0·00	5·1	0·51	0 20
May	....	....	....	41·1	....	48·6	50·1	26·7	38·4	66 0	11·0	....	....	....	....	44	..	49	47	0·68	5 8	1·26	0 58
June	....	....	....	61·4	....	69·9	72·4	47·3	59·9	87·0	34 0	....	....	....	....	60	..	53	56	1·70	..	1 70	1 16
July	....	....	....	67·5	....	75·8	77·5	52·0	64·8	89·0	44·0	....	....	....	....	37	....	42	39	3·66	..	3·66	1·04
August	....	....	....	....	....	....	69·9	49 1	59·5	85·0	35·0	....	....	....	....	61	..	65	63	4·51	....	4 51	0·94
September	....	....	....	....	....	....	60 9	39·3	50 1	77·0	24·0	....	....	....	....	54	..	52	53	1·05	....	1 05	0·45
October	....	....	....	....	....	....	53·1	26·4	39 7	65·0	11 0	....	....	....	....	39	..	37	38	0 52	*	0·52	0·34
November	....	....	....	....	....	....	34 8	14·8	24·8	50·0	3 0	....	....	....	....	73	....	71	72	R.	5·0	0·50	0·30
December	....	....	....	....	....	....	22 3	2·3	20·0	42 0	20 0	....	....	....	....	55	....	55	55	0·00	3 0	0·30	0·20
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	6	2	7	1	10	5	9	10	1	II	IV	N.W.	0	6	10	10	4	4	0	16	0	0	0	0
February	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
March	2	5	0	7	8	2	5	9	2	III	V	N.W.	2	11	8	8	4	4	0	19	0	1	1	0
April	9	12	0	5	4	4	8	15	3	II	IV	S.	0	14	7	9	3	5	0	21	0	0	0	0
May	4	11	2	5	5	7	2	19	2	II	IV	N.W.	0	13	7	10	6	4	0	20	0	0	0	0
June	13	6	2	12	6	7	3	6	5	II	IV	W.	0	10	8	12	9	0	0	18	0	2	0	0
July	5	0	1	1	2	10	19	10	6	II	III	W	0	13	12	3	11	0	0	25	0	4	0	0
August	3	0	5	4	6	11	11	6	4	II	IV	W.	0	6	6	13	11	0	0	12	1	5	0	0
September	4	7	0	2	1	8	4	9	5	....	....	....	0	11	7	12	5	0	0	18	1	0	0	0
October	2	3	0	1	9	11	4	9	4	....	....	....	0	14	6	5	4	0	0	20	0	0	0	0
November	2	1	2	5	10	9	9	16	6	II	IV	S.	0	4	7	19	2	2	0	11	2	0	0	0
December	4	4	1	6	10	6	5	7	1	II	IV	S.W.	0	9	5	12	2	2	0	14	0	0	0	0
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Swift Current, Saskatchewan—Latitude, N. 50° 20′; Longitude, W. 107° 45′. Height above Sea, 2,439 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in
January	27·46	27·86	26·85	12·6	4·1	8·6	0·4	17·6	8·6	26·0	41·0	72	63	...	...	35	37	35	36	...	10·2	1·02	0·20
February	27·44	27·88	26·95	8·8	19·1	15·2	22·8	4·9	13·9	42·0	41·0	77	68	...	...	28	41	42	37	...	3·6	0·36	0·18
March	27·30	27·87	26·76	13·4	25·4	21·7	28·8	10·5	19·7	45·0	0·0	73	69	...	..	44	43	44	44	0·32	5·4	0·86	0·62
April	27·43	27·83	26·83	24·0	35·9	34·1	39·6	22·4	31·0	54·0	8·0	77	68	...	...	52	48	52	51	0·04	9·4	0·98	0·36
May	27·46	27·81	26·93	34·2	49·2	48·0	53·9	31·3	42·6	75·0	12·0	80	62	...	...	61	56	66	61	1·19	1·6	1·35	0·34
June	27·29	27·78	27·04	51·2	68·2	65·4	67·8	46·5	57·1	84·0	33·0	82	55	...	...	35	49	57	46	1·59	..	1·59	0·50
July	27·40	27·68	27·10	53·7	76·0	71·5	76·9	49·3	63·1	86·0	38·0	81	49	...	...	41	43	46	42	1·37	...	1·37	0·38
August	27·35	27·68	27·00	48·7	71·1	68·6	76·1	47·0	61·5	94·0	36·0	85	51	...	...	48	41	38	42	3·59	...	3·59	1·24
September	27·45	27·76	27·06	9·5	60·1	57·7	64·1	38·0	51·1	80·0	19·0	87	59	...	...	39	39	42	40	0·50	1·8	0·68	0·20
October	27·46	27·96	27·03	35·0	58·2	56·8	61·6	31·0	46·3	75·0	13·0	72	41	52	...	23	29	42	31	0·04	...	0·04	0·04
November	27·40	27·95	26·87	25·5	40·8	32·5	44·1	19·3	31·7	60·0	2·0	81	51	73	68	32	47	46	43	R.	1·6	0·16	0·16
December	27·27	27·82	26·47	18·1	25·6	20·2	29·8	10·3	20·0	54·0	12·0	74	64	71	69	46	61	36	48	...	11·7	1·17	0·50
Year	27·39	27·96	26·47	28·3	43·8	39·8	47·2	24·4	35·8	94·0	41·0	79	59	65	67	40	45	45	43	8·64	45·3	13·17	1·24

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	3	3	1	4	3	5	13	13	17	7·4	28	N.E.	2	16	9	6	12	12	...	18	...	..	...	...
February	1	0	3	6	6	9	11	14	6	10·8	30	S.E.	4	15	8	5	6	6	..	19	...	...	...	3
March	0	4	1	3	8	8	14	8	16	7·7	36	W.	1	14	8	9	6	6	...	20	...	...	...	...
April	5	2	3	7	5	3	2	12	21	7·1	36	N.W.	1	9	12	9	8	8	1	19	...	1	...	...
May	12	5	2	6	2	2	3	6	24	7·8	27	S.E.	2	7	11	13	13	5	...	12	...	3	...	..
June	5	3	3	5	11	0	9	7	17	7·8	24	N.W.	...	11	10	9	13	...	...	10	..	9	...	...
July	5	3	2	0	9	2	20	3	18	6·4	23	N.W.	...	14	11	6	11	..	1	17	...	5	...	1
August	2	1	0	2	10	6	14	11	16	7·6	30	W.	1	12	14	5	11	...	...	17	...	3	...	...
September	8	3	3	2	3	5	4	7	25	7·0	24	W.	...	16	8	6	9	2	...	21	1	3	...	1
October	5	1	2	2	5	11	5	10	21	8·6	29	S.	2	17	13	1	1	...	...	29	...	..	...	2
November	2	0	0	0	5	9	12	6	26	8·4	32	N.W.	1	13	9	8	1	1	...	19	...	...	...	2
December	2	1	0	0	5	10	10	5	29	6·2	36	W.	2	14	9	8	12	12	...	16	...	...	...	...
Year	50	26	20	37	72	70	117	102	236	7·7	36	N.W. W.	16	158	122	85	103	52	2	217	1	24	0	9

MONTHLY and Annual Summaries for the Year 1907, Sydney, Nova Scotia—Latitude, N. 46° 10′; Longitude, W. 60° 10′. Height above Sea, 35 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.														
		Max.	Min.	9 a.m.	1 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.		9 a.m.	1 p.m.	9 p.m.	Mean.	9 a.m.	1 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·07	30·62	29·06	20·1	23·4	21·2	31·6	10·2	20·9	50·5	8·4		86	84	86	85	87	82	67	79	2·24	28·2	5·06	0·90
February	29·94	30·53	29·21	16·0	20·9	18·1	27·1	6·0	16·6	47·5	11·4		89	82	89	87	68	75	61	68	1·42	36·5	5·07	1·00
March	29·93	30·42	28·87	23·1	27·9	24·4	32·0	13·1	22·6	49·0	6·0		83	78	86	82	69	82	68	73	1·00	37·0	4·70	1·60
April	29·80	30·49	29·09	35·9	40·2	33·8	43·2	25·6	34·4	63·0	12·0		75	69	81	75	78	74	47	66	1·62	19·0	3·52	0·82
May	29·93	30·40	29·57	44·5	46·8	41·4	51·7	32·3	42·0	69·0	26·0		72	65	76	71	89	90	66	83	3·42	...	3·42	0·64
June	29·96	30·27	29·50	53·6	57·0	49·4	62·9	40·3	51·6	83·5	27·9		71	65	78	71	73	78	85	79	1·98	....	1·98	0·72
July	29·86	30·22	29·34	60·7	65·1	58·7	69·3	52·5	60·9	82·5	40·9		83	76	86	82	96	96	91	94	4·95	...	4·95	2·22
August	29·93	30·24	29·59	63·3	67·2	60·2	70·7	53·5	62·1	77·5	36·4		77	68	82	76	72	88	54	71	0·99	.....	0·99	0·25
September	29·99	30·39	29·48	58·2	61·1	55·6	64·7	48·6	56·6	76·0	32·0		77	68	83	76	81	87	61	77	2·22	....	2·22	0·62
October	29·92	30·44	29·23	46·8	48·8	45·7	52·9	38·9	45·9	64·5	29·4		79	71	81	77	87	87	76	83	7·14	.....	7·14	1·70
November	30·06	30·56	29·46	38·2	42·2	39·8	46·0	32·9	39·5	61·5	20·5		81	74	80	78	83	87	74	81	5·04	4·0	5·44	1·36
December	29·84	30·35	28·92	33·8	35·3	33·5	39·4	27·9	33·6	57·5	20·0		83	78	76	79	94	92	79	88	4·34	11·0	5·44	1·70
Year	29·94	30·62	28·87	40·9	44·7	40·1	49·3	31·8	40·6	83·5	11·4		79	73	82	78	81	85	69	78	36·36	135·7	49·93	2·22

MONTH.	NUMBER OF WINDS FROM.										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January	5	4	3	1	4	7	8	22	8		6·2	24	N.W.	....	4	2	25	14	11	....	4	...	...	...	....
February	2	6	1	2	1	17	10	11	6		6·0	24	N.E.	....	7	2	19	15	11	..	5	....	....	....	1
March	14	5	3	2	2	13	8	11	4		7·8	40	N.W.	2	7	1	23	16	10	....	6	....	....	....	....
April	6	6	9	0	5	15	5	12	2		7·9	28	N.W.	1	5	7	18	10	5	...	9	....	....	....	....
May	17	7	3	6	3	11	8	3	4		7·8	26	N.W.	1	2	5	24	11	..	....	5	1	...	....	....
June	21	2	9	1	1	20	2	0	4		6·3	20	N	....	4	4	22	5	....	...	8	1	...	....	....
July	7	3	8	8	3	22	5	2	4		4·0	16	N.E.	....	2	0	29	13	....	....	1	6	1	....	....
August	3	1	1	2	2	26	10	6	11		4·4	13	N.W.	....	6	5	20	13	....	....	9	3	...	....	....
September	4	3	8	0	6	15	8	16	0		5·6	20	N.W.	...	2	6	22	13	....	..	6	..	....	....	....
October	6	7	1	6	1	13	9	14	5		7·4	30	N.W.	1	0	5	26	15	..	....	4	2	...	....	....
November	3	5	4	6	4	17	12	5	4		6·7	20	S.E.	....	3	1	26	13	2	....	4	3	..	....	..
December	1	6	3	1	3	18	18	11	1		8·2	24	N.W.	....	1	0	30	13	6	....	0	....	...	...	....
Year	89	55	53	35	35	194	103	113	53		6·5	40	N.W.	5	43	38	284	151	45	0	61	16	1	0	1

MONTHLY and Annual Summaries for the Year 1907, Truro, Nova Scotia—Latitude, N. 45° 22′ ; LONGITUDE, W. 63° 18′. Height above Sea, —— feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	°	%	%	%	in.	in.	in.	in.
January	30·06	30·64	29·25	14·9	22 1	15 1	28·2	6·9	17·5	51·8	18·3	...	...	...	...	70	66	66	67	1 19	23·1	3·80	0·75
February	29·91	29·87	29 91	11·7	21·3	15 0	28·0	3 1	15·6	50·4	22·3	...	...	...	...	65	65	64	64	1·07	19·3	3·00	0·95
March	...	....	.....	20·9	30·4	25 3	34·4	14·4	24·4	46·7	13·2	...	...	...	...	61	62	62	62	1·17	13·5	2·52	0 50
April	.....	...	...	35·0	43·8	35·6	46·5	28·3	37·4	70·6	10·4	...	...	...	...	71	69	63	68	1·07	4·5	1·52	0·35
May	.....	...	...	45·7	54·0	42·6	56·2	35·4	45 8	70 3	23·5	...	...	...	...	72	69	70	70	0·98	1·0	1·08	0·59
June	.....	....	...	55·1	66·2	53·4	68·9	44·7	56·8	84·6	28 8	...	...	...	...	57	62	61	60	2·01	....	2 01	1 04
July	.....	.....	.....	60·8	70 8	61·4	73·6	54·2	63·9	87·9	43·4	...	...	...	...	78	74	66	72	3·49	.	3·49	1·41
August	.....	.....	.....	59 3	68·9	60·1	71·9	50·9	61·4	81·7	38,3	...	...	...	...	77	69	62	69	3 88	....	3·88	1·04
September	.....	....	...	55·3	65 0	54·5	66·4	46·5	56·5	78·6	29 0	...	...	...	...	69	74	62	68	2·50	....	2 50	1·06
October	.....	.....	.....	40·7	50 9	43·5	53·7	34 6	44 1	65·5	17·3	...	...	...	...	61	68	65	65	4·27	3·0	4·57	0·99
November	.....	...	...	32·8	42·7	36·0	45·8	28·3	37 0	60·6	9·9	...	...	...	...	72	76	67	72	3·74	3·8	4·12	1·81
December	.....	...	.....	28·9	33·9	31·4	38·7	22·5	30·6	57 5	6 0	...	...	...	...	82	85	76	81	4·22	5·7	4·79	1 10
Year	.....	...	...	38·5	47·5	39·5	51 0	30·8	40·9	87·9	22 3	...	...	...	...	69	69	65	68	29 89	73·9	37·28	1·81

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	22	7	2	5	6	12	9	24	6	...	...	...	1	4	11	16	14	13	0	15	1	0	0	2
February	7	11	2	5	4	15	9	13	18	...	...	...	2	7	7	14	10	8	0	14	0	0	0	3
March	18	15	2	5	5	16	4	13	15	...	...	...	1	4	14	13	11	9	0	18	5	1	1	2
April	6	12	5	5	5	13	22	13	9	...	...	...	0	5	9	16	11	8	0	14	1	0	0	0
May	13	12	5	8	5	23	13	7	7	...	...	...	0	2	16	13	7	1	0	18	3	0	0	2
June	9	13	4	11	7	15	13	1	17	...	...	...	0	7	9	14	9	0	0	16	0	1	0	0
July	3	6	2	19	5	29	10	8	11	...	...	...	0	2	9	20	13	0	0	11	3	1	1	0
August	0	5	0	7	18	19	11	8	25	...	...	...	0	3	8	19	12	0	0	11	8	3	0	0
September	6	7	6	4	8	25	7	16	11	...	...	...	0	3	13	14	16	0	0	16	4	2	1	1
October	8	7	4	9	13	12	8	18	14	...	...	...	0	6	10	15	15	2	0	16	1	0	0	1
November	6	13	6	10	8	23	6	5	13	...	...	...	2	3	10	17	14	4	0	13	2	0	0	0
December	8	11	2	3	12	29	8	11	9	...	...	...	2	2	6	23	14	11	0	8	0	1	0	0
Year	106	119	40	91	96	231	120	137	155	...	...	...	8	48	122	194	146	56	0	170	28	9	3	11

MONTHLY and Annual Summaries for the Year 1907, Vancouver, British Columbia—Latitude, N. 49° 17′; Longitude, W. 123° 5′. Height above Sea, 195 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.							Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·98	30·54	29·12	24·5	....	30·4	33·8	20·8	27·3	45·7	2·3	89	....	88	88	63	....	54	59	7·32	20·0	9·32	2·38
February	30·08	30·47	29·38	34·9	..	41·0	43·4	31·7	37·6	52·6	14·6	95	....	91	93	74	....	69	72	8·05	2·5	8·30	1·89
March	29·89	30·28	29·34	37·0	....	44·7	46·9	32·0	39·5	53·0	24·7	86	..	70	78	59	...	52	56	2·39	*	2·39	0·41
April	30·03	30·46	29·43	45·8	....	52·8	55·2	36·0	45·6	63·7	27·9	75	....	58	67	63	...	44	48	4·13	...	4·13	0·84
May	29·99	30·25	29·61	55·5	....	63·3	66·7	44·5	55·6	75·5	34·8	75	..	60	68	52	..	33	43	1·44	....	1·44	0·65
June	29·96	30·32	29·38	58·6	....	65·8	69·2	48·5	58·9	80·8	40·2	76	....	59	68	55	...	50	53	1·43	...	1·43	0·40
July	29·99	30·22	29·79	63·6	....	72·6	75·7	51·7	63·7	89·6	44·5	76	....	59	67	34	....	25	30	1·70	....	1·70	1·02
August	30·02	30·27	29·65	58·9	....	66·3	70·4	51·1	60·7	87·0	41·3	82	....	67	75	58	..	45	52	1·36	....	1·36	0·47
September	30·01	30·31	29·65	53·1	....	60·9	64·9	49·3	57·1	81·2	41·5	94	...	78	86	55	..	37	46	4·51	....	4·51	1·76
October	30·04	30·36	29·78	47·8	....	53·0	56·1	44·8	50·4	64·0	35·7	96	...	87	92	69	..	52	61	1·76	....	1·76	0·55
November	30·05	30·35	29·46	43·0	....	46·4	48·8	40·5	44·6	59·6	31·7	92	....	91	91	70	....	63	67	13·23	*	13·23	2·48
December	29·87	30·35	29·10	37·6	....	40·8	43·4	35·3	39·4	56·9	23·8	90	....	88	89	77	....	71	74	7·96	0·6	8·02	1·18
Year	29·99	30·54	29·10	45·7	....	53·2	56·1	40·5	48·4	89·6	2·3	85	....	75	80	60	....	50	55	55·28	23·1	57·59	2·48

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	0	4	18	7	1	4	4	0	24	2·6	10	W.	....	10	4	17	13	9	....	18	6	....	....	....
February	....	1	16	13	1	8	4	2	11	3·7	10	E.	....	6	3	19	14	2	...	14	8	....	....	....
March	....	1	16	19	1	10	4	2	9	5·2	30	S.E.	1	9	8	14	17	..	2	14	1	....	....	2
April	....	....	12	12	3	13	4	6	4	5·1	18	S.W.	....	12	6	12	11	....	....	19	....	2	....	....
May	..	....	10	10	0	10	11	10	8	4·2	15	W.	....	15	5	11	7	..	....	21	1	3	..	1
June	....	....	....	15	4	15	7	11	0	5·2	12	S.W.	...	10	5	15	10	..	....	20	....	1	....	..
July	....	....	....	....	5	13	3	14	7	4·6	12	S.W. N.W.	....	15	13	3	4	....	....	27	....	3	....	....
August	....	....	....	....	....	....	....	6	12	4·2	20	W.	....	8	13	10	10	....	....	21	....	....	....	....
September	....	....	....	....	....	....	....	....	13	2·5	8	E., S.E. S.W.	....	14	7	9	10	....	...	20	6	....	....	....
October	....	....	....	....	....	....	....	....	....	2·5	7	S.	....	7	11	13	14	....	....	17	12	....	....	....
November	....	....	....	....	....	....	....	....	....	4·8	15	S.E. W.	...	5	6	19	23	....	....	7	6	....	....	....
December	....	....	....	....	....	....	....	....	....	....	25	S.W.	1	4	6	21	20	....	..	11	1	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	30	S.E.	2	115	87	163	153	11	2	212	41	9	0	3

MONTHLY and Annual Summaries for the Year 1907, Victoria, British Columbia—Latitude, N. 48° 24′; Longitude, W. 123° 19′. Height above Sea, 85 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.		5 a.m.	Noon.	5 p.m.	Mean.	5 a.m.	Noon.	p.m.	Mean.	Rain	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	5 a.m.	Noon.	5 p.m.	Max.	Min.	Mthly	Max.	Min.												
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·88	30·40	29·03	31 0	34 2	34 6	37 6	28 9	33 3	48 2	14·8	93	83	87	88	62	63	69	65	2 64	4 00	3 04	1 20
February	29·97	30·37	29·27	38 6	43 9	43 5	46 4	37 0	41 7	53 1	25 5	96	88	87	90	84	78	69	77	3 87	0 70	3 94	1 66
March	29·78	30·17	29·00	37 3	46 2	46 9	49 6	35 2	42 4	57 0	28 7	89	68	67	75	51	64	56	57	1 40	S.	1 40	0 49
April	29·95	30·37	29·28	40 7	54 1	53 5	57 2	39 0	48 4	67 2	32 2	88	69	68	75	52	46	38	45	1 39	..	1 39	0 50
May	29·90	30·16	29·49	46 9	61 4	60 9	65 4	46 6	56 0	76 7	38 0	92	66	66	75	45	44	45	45	0 35	..	0 35	0 29
June	29·88	30·23	29·29	50 0	64 9	63 6	68 7	49 6	59 2	78 2	43 4	91	57	60	70	43	41	49	46	0 33	..	0 33	0 14
July	29·91	30·12	29·68	52 6	69 3	69 7	73 6	52 2	62 9	87 1	46 7	96	70	69	78	25	24	28	26	0 39	..	0 39	0 38
August	29·93	30·17	29·73	52 0	66 0	65 0	69 7	51 0	60 4	78 1	43 7	94	67	69	77	48	49	45	47	0 23	..	0 23	0 11
September	29·93	30·21	29·57	50 9	63 0	62 6	66 5	50 2	58 4	84 7	40 2	94	70	67	77	54	58	46	53	1 21	..	1 21	0 33
October	29·97	30 28	29·85	46 8	56 0	54 7	57 7	45 4	51 5	68 0	35 5	97	82	87	89	76	67	59	68	0 73	..	0 73	0 14
November	29·98	30 31	29·43	45 2	50 0	49 0	51 9	42 8	47 4	58 4	36 3	92	85	88	88	76	72	59	69	4 68	..	4 68	0 67
December	29·78	30·25	29 93	41 6	44 5	43 5	46 0	39 1	42 5	56 1	30 4	90	81	85	85	80	92	86	86	4 78	S.	4 78	1 69
Year	29·90	30·40	28·93	44·5	54·5	54 0	57 5	43·1	50·3	87·1	14·8	92	74	75	81	58	58	54	57	22 00	4 70	22 47	1 69

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	26	20	7	3	0	4	0	2	0	10 7	37	S.E.	4	8	6	17	15	8	....	16	4	....	0	..
February	11	13	9	6	4	3	6	1	3	7·6	32	S.W.	1	2	7	19	16	2	....	12	5	..	0	....
March	18	4	6	6	4	12	6	6	0	11·2	42	S.E.	2	10	10	11	14	....	....	17	0	....	0	....
April	12	5	4	7	2	22	4	2	2	9·2	40	S.E.	3	14	8	8	8	....	....	22	0	....	0	....
May	2	3	1	4	6	29	5	4	8	8·7	32	S.W.	1	13	11	7	3	....	....	28	4	....	0	..
June	1	1	2	2	3	31	13	0	7	10·3	34	W.	1	13	6	11	5	....	....	25	1	....	0	..
July	3	0	3	1	6	33	2	5	9	7·9	20	S.W.	0	20	9	2	2	....	....	29	0	....	1	....
August	2	0	2	4	12	26	2	6	8	8·9	33	S.W.	1	11	15	5	7	....	....	24	0	....	1	..
September	4	3	5	10	11	15	2	1	9	6·5	33	S.W.	1	13	6	11	11	....	....	19	0	....	1	....
October	12	1	14	4	9	6	2	3	11	4·8	28	S.W.	0	4	7	20	15	....	....	16	11	....	0	..
November	8	3	13	6	7	17	2	1	3	8·9	35	S.E.	1	4	8	18	20	....	....	10	5	....	0	....
December	18	6	17	3	4	7	7	0	0	10·9	41	S.W.	3	1	4	26	21	....	....	10	0	....	0	....
Year	117	59	83	56	68	205	51	31	60	8·8	42	S.E.	18	113	97	155	137	10	0	228	30	0	3	0

MONTHLY and Annual Summaries for the Year 1907, White River, Ontario—Latitude, N. 48° 35′; Longitude, W. 85° 16′. Height above Sea, 1,252 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	p.m.	8 p.m.	Mean.	8 a.m.	p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	28·70	29·21	27·67	13·1	....	2·5	9·3	17·7	4·2	30·0	57·5	92	....	89	90	59	...	58	59	....	22·6	2·26	0·50
February	28·64	29·17	28·09	12·0	....	3·8	15·1	19·0	2·0	32·0	54·0	95	....	82	89	45	..	56	50	.....	22·8	2·28	0·65
March	28·59	29·13	27·98	9·9	....	22·7	30·8	3·3	17·0	52·0	36·0	94	....	90	92	56	....	53	55	0·23	38·6	4·09	1·00
April	28·63	29·24	27·97	15·1	....	28·7	35·0	7·5	21·2	46·0	30·0	96	....	96	96	55	....	52	54	....	25·3	2·53	0·63
May	28·62	29·02	28·20	31·4	....	40·2	46·1	22·5	34·3	64·5	0·0	90	....	91	91	52	....	56	54	1·55	18·6	3·41	0·81
June	28·57	28·80	28·27	53·6	....	67·8	74·8	42·4	58·6	85·0	30·5	86	....	61	73	33	....	39	36	0·26	.....	0·26	0·10
July	28·51	28·77	28·11	55·9	....	66·4	22·6	46·3	59·5	80·0	31·0	89	....	68	68	53	....	53	53	2·97	.....	2·97	0·79
August	28·59	28·99	28·18	50·5	....	59·6	67·2	43·4	55·3	80·0	30·8	89	....	79	79	55	....	53	54	4·48	.....	4·48	0·93
September	28·59	29·01	27·79	45·0	....	49·1	57·5	39·3	48·4	70·5	18·0	95	....	88	88	79	....	64	72	4·39	S.	4·39	1·41
October	28·67	29·05	28·26	29·6	....	35·3	44·3	23·6	33·9	59·0	0·0	94	...	89	89	58	....	46	52	0·82	2·9	1·11	0·25
November	28·59	29·04	27·93	21·6	....	24·2	31·1	15·1	23·1	45·0	9·0	96	....	95	95	97	....	71	84	2·86	17·5	4·61	2·84
December	28·55	29·03	27·98	9·0	...	12·5	21·0	1·1	11·1	40·0	27·0	91	....	89	90	74	....	62	68	0·05	8·7	0·92	0·23
Year	28·60	29·24	27·67	24·7	...	33·9	42·1	17·3	29·7	85·0	57·5	92	....	85	89	59	...	55	57	17·61	157·0	33·31	2·84

MONTH.	NUMBER OF WINDS FROM									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	1	2	0	3	1	3	3	3	40	1·2	8	N.W.	4	7	10	11	16	16	....	6	5	....	....	....
February	6	2	2	4	0	0	10	7	25	2·0	10	E.	....	7	13	8	16	16	....	8	1	....	....	1
March	5	3	2	5	0	4	13	5	25	2·1	9	N.W.	3	10	9	12	17	16	....	6	....	....	....	1
April	6	16	2	2	0	5	6	6	17	3·2	12	S.W.	6	10	9	11	13	13	...	10	....	....	...	....
May	5	7	2	2	1	6	16	8	15	2·7	12	N.W.	4	12	5	14	15	14	....	14	....	....	....	....
June	3	0	0	6	1	3	13	6	20	2·6	10	N.W.	5	14	6	6	5	....	...	14	....	1	....	....
July	4	2	1	2	0	2	26	3	22	2·6	10	W.	7	7	15	9	11	...	....	8	....	3	....	1
August	1	1	0	0	7	6	16	3	28	2·1	8	N.W.	4	9	8	14	15	....	....	12	....	4	....	....
September	0	2	2	3	1	2	7	7	36	1·3	6	N.W.	4	4	8	18	17	....	....	4	....	2	....	1
October	3	5	0	0	1	10	5	9	29	1·9	8	N.E.	4	12	6	13	9	4	....	14	....	....	....	....
November	9	1	0	2	5	7	11	12	13	3·0	10	S.	8	0	9	21	18	17	....	6	....	....	....	1
December	11	6	1	0	6	7	11	7	13	3·3	10	S.W.	7	4	11	16	12	12	...	5	....	....	....	....
Year	54	47	12	29	23	45	137	76	283	2·3	12	S.W. N.W.	56	96	109	153	164	108	0	107	6	10	0	5

MONTHLY and Annual Summaries for the Year 1907, Winnipeg, Manitoba—Latitude, N. 49° 53′; Longitude, W. 97° 7′. Height above Sea, 760 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.			Extremes.																	
		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.		7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°						%	%	%	%	in.	in.	in.	in.
January	29·35	29·98	28·68	15·2	6·1	9·7	1·1	21·6	11·4	26·0	38·6		93	93	95	94	43	56	39	46	...	21·2	2·12	1·25
February	29·26	29·72	28·70	1·0	9·8	5·5	15·8	6·6	4·6	37·5	38·0		94	94	96	95	39	32	37	36	.....	2·7	0·27	0·50
March	29·11	29·91	28·22	11·1	23·9	19·9	28·2	6·5	17·3	47·0	11·6		93	89	92	91	54	53	51	53	R.	11·2	1·12	0·25
April	29·24	29·67	28·66	23·9	34·3	31·0	36·7	19·8	28·2	53·8	5·2		88	77	86	84	50	55	54	53	.....	9·9	0·99	0·49
May	29·17	29·61	28·03	36·6	47·7	43·4	51·8	27·7	39·7	74·3	10·9		75	58	66	66	53	55	56	55	0·73	2·4	0·97	0·36
June	29·03	29·49	28·74	57·9	70·3	66·5	73·9	49·7	61·8	90·2	32·4		78	54	62	65	65	59	53	59	1·54	....	1·54	0·77
July	29·05	29·27	28·69	62·7	76·5	72·2	78·9	55·5	67·2	87·5	40·0		85	53	61	66	41	54	42	42	3·98	....	3·98	1·61
August	29·04	29·48	28·55	56·6	69·2	64·8	71·9	51·1	61·5	85·2	38·2		88	66	77	79	58	56	43	52	3·90	...	3·90	1·56
September	29·15	29·43	28·41	44·7	58·4	52·0	61·6	39·9	50·8	77·4	21·8		88	63	76	76	56	52	38	48	0·69	S.	0·69	0·27
October	29·19	29·59	28·80	32·9	50·9	42·6	53·0	29·8	41·4	74·0	13·6		87	56	72	72	46	49	36	44	0·40	S.	0·40	0·19
November	29·16	29·74	28·66	21·4	31·9	25·4	34·7	16·3	25·5	51·5	12·0		93	79	90	87	64	63	42	56	0·17	5·5	0·72	0·30
December	29·10	29·60	28·38	11·1	19·0	15·0	23·3	5·2	14·2	40·8	19·5		96	89	95	93	47	56	41	48	....	1·8	0·18	0·10
Year	29·15	29·98	28·03	28·6	40·5	35·7	44·1	22·8	33·4	90·2	38·6		88	73	81	81	51	53	44	49	11·41	54·7	16·88	1·61

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	8	2	3	7	8	12	6	10	6	12·5	32	N.W.	5	12	7	12	12	12	....	13	....	....	....	....
February	8	2	2	3	15	5	4	12	5	15·2	43	N.W.	18	14	8	6	7	7	...	16	....	....	....	2
March	4	3	2	8	16	6	4	16	3	16·8	46	N.W.	14	8	12	11	9	9	...	15	....	1	..	
April	13	9	0	8	6	3	7	5	9	16·2	38	N.W.	13	10	6	14	8	8	....	13	....	....	....	....
May	20	4	6	6	5	2	7	11	1	15·7	42	N.W.	11	8	12	11	10	4	....	14	....	1	....	....
June	13	3	5	14	8	5	6	4	2	15·9	38	S.E.	10	3	16	11	11	....	....	13	....	3	....	....
July	4	2	2	3	10	9	18	14	0	13·0	33	W.	7	14	12	5	15	....	..	10	..	6	...	2
August	2	2	5	10	6	18	14	8	7	15·0	41	W.	11	10	10	11	17	....	1	11	....	6	....	....
September	12	2	1	10	4	3	8	11	9	12·0	41	N.W.	6	11	10	9	9	....	...	17	....	....	..	1
October	9	8	1	7	15	4	2	8	8	13·2	37	N.W.	8	15	7	9	6	....	....	19	....	....	....	....
November	11	1	4	1	12	7	4	14	6	13·8	38	N.W.	8	9	8	13	6	4	....	13	....	....	....	....
December	12	5	0	2	20	5	6	4	8	11·9	30	S.	2	11	9	11	3	3	...	17	....	....	..	....
Year	116	43	31	79	125	79	86	117	64	14·3	46	N.W.	103	125	117	123	113	47	1	171	0	17	0	5

MONTHLY and Annual Summaries for the Year 1907, Woodstock, Ontario—Latitude, N. 43° 8′; Longitude, W. 80° 47′. Height above Sea, 980 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.			Extremes.						7 a.m.	3 p.m.	11 p.m.	Mean.	7 a.m.	3 p.m.	11 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	7 a.m.	3 p.m.	11 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·07	29·50	28·00	19·6	24·6	20·2	28·6	13·0	20·8	56·0	14·0		84	81	87	85	77	81	71	77	2·98	8·1	3·80	1·04
February	28·99	29·67	28·28	13·8	20·9	15·7	25·7	7·0	16·3	41·0	7·0		82	79	85	82	64	81	57	64	0·33	7·0	1·03	0·30
March	28·96	29·39	28·38	29·0	38·9	31·3	42·1	22·7	32·4	65·0	6·0		88	74	87	83	58	78	45	64	2·04	3·2	2·37	0·55
April	28·86	29·42	28·32	32·9	43·1	34·5	45·7	27·5	36·6	69·0	12·0		86	64	83	79	53	84	43	61	1·85	0·5	1·90	0·74
May	28·94	29·24	28·40	40·7	53·2	45·1	58·9	35·8	47·4	80·0	25·0		83	59	79	73	29	80	42	46	1·90	3·0	2·20	0·61
June	28·90	29·18	28·39	56·6	69·9	58·5	72·7	50·6	61·7	88·5	39·5		83	68	84	77	53	64	40	53	2·28	...	2·28	0·71
July	28·88	29·11	28·52	62·3	75·7	62·4	77·7	55·1	66·4	86·5	39·8		86	65	88	78	48	70	25	49	3·96	....	3·96	1·11
August	28·98	29·29	28·86	57·0	74·1	59·4	76·2	49·9	63·1	86·0	39·8		90	60	84	77	51	62	29	44	0·55	....	0·55	0·17
September	28·92	29·30	28·34	55·1	66·0	56·7	68·0	49·9	59·0	82·0	35·0		92	71	90	84	66	78	37	59	4·45	....	4·45	1·22
October	29·01	29·44	28·41	39·3	50·6	42·1	53·6	33·7	43·6	73·0	20·0		88	66	85	79	43	70	16	42	2·92	....	2·92	0·97
November	28·95	29·33	28·33	32·4	38·9	34·1	41·2	28·9	12·3	53·5	16·7		85	75	87	83	53	93	33	58	3·09	....	3·09	1·52
December	28·87	29·36	28·03	26·4	30·8	27·8	33·6	21·7	27·7	49·5	10·0		86	80	84	83	81	85	68	77	2·43	18·1	4·25	0·81
Year	28·94	29·67	28·00	38·8	48·9	40·6	52·0	33·0	40·6	88·5	14·0		86	70	85	80	56	77	42	58	28·78	40·0	32·86	1·52

MONTH.	NUMBER OF WINDS FROM										Average Hourly Velocity.	Maximum Velocity	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January	5	13	29	26	5	27	50	25	0		13·3	43·0	S.W.	3	3	2	26	15	8	0	5	....	....	....	....
February	4	14	14	24	1	35	33	37	6		13·2	27·0	S.W.	3	5	6	17	7	5	0	11	....	....	....	....
March	14	10	13	46	2	35	19	35	12		13·0	28·5	S.W.	1	6	6	19	10	2	0	12	....	....	....	....
April	19	8	19	19	5	34	23	45	8		12·3	22·5	S.W.	0	6	6	18	10	2	0	12	....	....	....	....
May	14	5	33	21	12	38	24	23	16		10·5	25·5	S.W.	1	7	13	11	10	1	0	30	....	...	....	....
June	8	8	22	26	8	32	38	21	17		9·7	19·0	W.	0	8	7	15	8	0	0	15	....	....	....	....
July	7	0	5	9	9	41	38	61	16		8·8	15·5	N.W.	0	9	8	14	9	0	0	17	....	....	....	....
August	13	5	15	11	15	28	37	36	26		8·3	18·0	S.W.	0	11	11	9	5	0	0	22	....	....	....	....
September	1	3	22	17	9	47	46	14	21		9·2	18·5	S.W.	0	7	7	16	14	0	0	14	....	....	....	....
October	5	2	3	13	6	39	63	32	23		8·4	14·5	S.W.	0	10	15	6	9	0	0	25	....	....	....	....
November	10	6	5	14	3	38	47	29	28		8·5	20·0	N.W.	0	6	7	17	9	0	0	13	....	....	....	...
December	7	14	4	15	7	61	45	26	1		11·5	29·5	S.W.	3	1	4	26	11	7	0	5	....	....	....	....
Year	107	88	184	241	82	455	463	384	174		10·5	23·5	S.W.	11	79	92	194	117	25	0	171	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Yarmouth, Nova Scotia—Latitude, N. 43° 50′; Longitude, W. 66° 02′. Height above Sea, 65 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max	Min.	9 a.m.	p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	p.m.	9 p.m.	Mean.	9 a.m.	p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·09	30·62	29·34	23·1	....	24·2	31·9	14·3	23·1	50·0	1·0	82	....	85	84	74	....	84	79	2·69	13·0	3·99	1·07
February	29·91	30·65	29·28	20·1	....	21·9	29·1	13·7	21·4	43·7	1·0	74	....	76	75	84	....	83	83	1·56	27·0	4·26	1·10
March	29·95	30·46	28·71	29·7	....	30·2	36·6	24·3	30·5	53·5	8·0	81	....	88	84	55	....	62	58	1·37	8·5	2·22	0·68
April	29·76	30·38	28·88	37·2	....	35·9	43·1	31·5	37·3	58·5	19·7	82	....	90	86	59	....	53	56	2·14	6·4	2·78	0·64
May	29·89	30·27	29·40	45·1	....	47·3	51·5	37·8	44·7	60·1	31·1	80	....	89	84	62	....	61	63	2·20	....	2·20	0·69
June	29·89	30·20	29·44	54·1	....	50·1	57·9	44·3	51·1	74·3	33·4	84	....	87	85	65	....	63	64	1·51	....	1·51	0·46
July	29·80	30·19	29·35	59·0	....	55·7	65·8	52·2	59·0	72·3	46·8	90	....	93	91	65	....	60	62	2·00	....	2·00	0·67
August	29·91	30·24	29·56	58·5	....	55·2	65·1	50·9	58·2	73·4	44·3	92	....	95	93	52	....	45	49	4·76	....	4·76	2·21
September	29·95	30·35	29·46	56·4	....	53·6	62·2	49·4	55·8	72·0	36·7	89	....	95	92	55	....	56	55	4·54	....	4·54	1·49
October	29·93	30·49	29·35	45·5	....	44·7	52·4	38·9	45·6	61·5	24·8	84	....	88	86	62	....	62	62	4·76	0·2	4·78	0·94
November	29·99	30·50	29·36	40·2	....	38·9	46·1	34·0	40·0	59·0	21·0	83	....	87	85	73	....	66	69	5·12	1·5	5·27	1·78
December	29·88	30·37	29·01	33·7	....	34·7	39·9	28·9	34·4	53·4	21·0	84	....	81	83	77	....	71	74	3·04	14·5	4·49	0·80
Year	29·91	30·65	28·71	41·9	....	41·0	48·5	35·0	41·7	74·3	1·0	84	....	88	86	65	....	64	64	35·69	71·1	42·80	2·21

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lighting Alone.	Aurora.
										mls.	mls.													
January	13	9	6	6	7	3	2	16	0	11·4	34	N.W.	2	3	4	24	20	15	....	5	4	....	....	....
February	10	9	5	4	6	2	5	14	1	12·1	30	N.W.	4	2	2	24	16	12	....	1	5	....	....	....
March	17	8	3	4	6	4	8	6	6	10·0	34	N.	1	10	5	16	15	9	....	7	5	....	....	....
April	8	4	4	6	8	12	3	15	0	11·9	29	E.	2	10	7	13	16	5	....	11	2	....	....	....
May	5	10	3	5	5	15	10	8	1	9·0	22	N.W.	....	8	7	16	13	....	....	13	5	1	....	....
June	2	7	5	7	15	11	7	3	3	7·4	25	E.	1	8	5	17	8	..	....	12	10	1	....	...
July	0	1	2	4	25	11	9	9	1	6·3	14	N.W.	...	8	9	14	13	....	....	12	10	2	....	....
August	5	1	0	4	11	18	15	5	3	6·2	20	N.W.	...	14	5	12	11	....	....	15	7	4	..	....
September	6	4	5	8	4	16	9	4	4	8·8	29	N.E.	2	11	5	14	15	....	....	13	7	1	....	....
October	9	7	3	5	5	11	2	14	6	9·9	30	S.	2	11	3	17	13	1	....	13	3	1	..	....
November	5	6	6	4	8	12	5	9	5	9·0	28	S.	1	6	6	18	15	4	...	9	3	....	....	1
December	2	7	3	4	5	9	5	22	5	12·4	28	S.	1	4	6	21	15	5	..	7	1	...	....	..
Year	82	73	45	61	105	124	80	125	35	9·5	34	N. N.W.	16	95	64	206	170	48	0	118	62	10	0	1

MONTHLY and Annual Summaries for the Year 1907, York Factory, Keewatin—Latitude, N. 57° 0′; Longitude, W. 92° 28′. Height above Sea, 55 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.							Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	30·15	30·71	29·43	27·5	20·2	25·8	15·1	31·6	23·3	5·0	48·0	...	...	...	...	39	42	34	39	...	...	...	...
February	30·12	30·56	29·47	19·8	8·0	15·2	2·2	24·7	13·4	20·0	40·0	...	...	...	...	40	41	36	39	...	3·0	0·30	0·20
March	30·06	30·75	29·32	5·9	5·7	4·4	10·2	14·1	1·9	37·0	30·0	...	...	...	...	41	47	39	42	...	...	...	...
April	30·13	30·59	29·23	7·6	12·8	2·3	19·2	4·4	7·4	40·0	20·0	...	...	...	...	59	54	32	48	R.	*	...	...
May	30·12	30·51	29·48	22·0	27·6	19·9	31·0	14·4	22·7	52·0	12·0	...	...	...	...	84	81	76	81	0·25	2·0	0·45	0·25
June	29·88	30·36	29·52	51·4	55·1	45·6	61·0	37·5	49·3	81·0	30·0	...	...	...	...	61	59	62	61	1·15	...	1·15	0·50
July	29·82	30·12	29·61	52·1	55·0	46·3	60·6	40·9	50·7	74·0	34·0	...	...	...	...	54	60	54	56	0·83	...	0·83	0·35
August	29·81	30·12	29·15	54·6	58·7	47·4	61·0	43·5	52·2	77·0	38·0	...	...	...	...	53	55	47	51	—	...	—	
September	29·86	30·36	29·10	42·0	47·2	38·3	50·1	35·2	42·7	74·0	21·0	...	...	...	...	73	64	62	66	0·70	0·5	0·75	0·38
October	29·87	30·96	29·20	25·2	31·3	25·3	38·8	19·3	29·1	57·0	5·0	...	...	...	...	70	65	40	58	0·30	2·0	0·50	0·20
November	29·88	30·60	29·36	9·5	13·1	10·4	28·8	3·4	16·1	38·0	18·0	...	...	...	...	84	82	67	77	...	9·0	0·90	0·40
December	29·73	...	...	8·6	9·6	8·3	...	...	...	...	...	...	...	...	...	63	62	51	58	—	—	—	—
Year	29·95	...	...	18·3	23·9	16·5	...	...	...	...	...	...	...	...	...	60	59	50	56	...	...	...	...

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	0	0	9	2	4	11	61	3	0	I	III	N.W.	...	14	6	10	...	...	...	20	...	...	...	...
February	...	...	...	...	...	...	...	...	...	I	VIII	N.	...	13	5	6	2	2	0	18	...	...	...	...
March	18	7	6	2	7	14	34	0	0	II	VIII	N.E.	...	11	7	11	...	...	...	18	...	...	...	...
April	21	10	4	0	3	5	37	10	0	II	X	W.	...	10	10	10	...	1	0	20	...	...	...	...
May	26	10	10	2	4	5	26	6	0	I	IV	W.	...	3	4	22	3	4	0	7	...	...	...	...
June	10	26	17	4	5	10	7	10	1	I	IV	N.W.	...	4	11	15	12	0	0	15	...	...	...	...
July	3	24	4	4	5	6	9	11	6	II	X	N.E.	...	3	12	8	6	0	0	15	...	...	...	...
August	7	12	9	0	7	1	9	4	2	II	X	N.E.	...	—	—	—	—	—	—	—	...	...	...	...
September	12	13	9	3	9	10	29	3	2	I	X	N.W.	...	5	18	7	7	2	0	23	...	...	...	...
October	13	4	3	3	9	11	33	11	6	I	VIII	N.	...	7	6	18	3	3	0	13	...	...	...	...
November	5	6	15	0	16	5	18	19	6	I	IV	N.W.	...	2	3	25	3	3	0	5	...	...	...	...
December	0	0	7	6	11	10	18	19	0	II	IV	S.W.	...	—	—	—	—	—	—	—	...	...	...	...
Year	...	...	...	...	...	...	...	...	...	I	X	N.E.	...	...	...	...	...	...	...	...	...	...	...	...

PART III.

Monthly and Annual Summaries from Stations of the Second Class.

MONTHLY and Annual Summaries for the Year 1907, Abitibi, Quebec—Latitude, N. 48° 43′; Longitude, W. 79° 22′. Height above Sea, —— feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	8·2	1·2	5·8	7·7	19·3	27·0	36·0	45·0	5·8	15	1	8	1	21	7	25	15	0
February	8·0	2·4	2·6	9 1	18·3	27·4	27·0	39·0	4·6	9	2	5	1	16	6	22	23	0
March	13·6	23·9	16·3	28·5	1 0	27 5	50·0	31·0	14·7	15	2	8	1	20	8	25	14	0
April	20·3	29·8	23·3	32·4	12·0	20·4	45·0	12·0	22·2	36	2	9	2	3	5	19	13	1
May	34·5	41·3	35·3	44·2	27·5	16·7	60·0	8·0	35·8	9	5	11	1	12	7	24	24	0
June	55·2	66·1	61 1	69·6	50·7	19·0	82·0	38·0	60·2	20	6	3	1	18	6	24	11	1
July	60·0	68·6	64·3	72·0	54·9	17·1	78·0	35·0	63·4	18	3	1	1	6	17	32	15	0
August	55·7	62·3	58·5	66·4	50·7	15·6	83·0	40·0	58·5	4	0	2	0	12	15	41	18	1
September	48·8	56 9	50·6	58·8	43·1	15·7	76·0	26·0	50·9	18	12	8	2	17	8	16	9	0
October	34·5	40·7	35·8	42·3	29·4	12·9	60·0	15·0	35·8	22	6	5	2	16	9	18	15	0
November	21·4	25·6	22·7	29 3	15·6	13·7	47·0	6·0	22·5	28	4	3	7	12	10	17	9	0
December	10·7	16·1	11·1	20·4	0 6	19 8	37·0	26·0	10·5	31	10	3	0	26	5	7	11	0
Year	28·2	36·2	30·9	40·1	20·7	19·4	82·0	45·0	30 4	225	53	66	19	179	103	270	177	3

MONTHLY and Annual Summaries for the Year 1907, Abitibi, Quebec—Latitude, N. 48° 43′; Longitude, W. 79° 22′. Height above Sea, —— feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	II	II	II	50	42	39	44	0·00	0	18·0	5		3		0	
February	III	III	III	52	59	40	50	0·00	0	20·0	5		6		0	
March	III	III	III	54	64	50	56	R.	1	21·0	3		12		2	
April	III	III	III	61	50	49	53	—		—			0		0	
May	III	III	II	66	63	55	61	1·82	6	7·0	2		8		0	
June	II	III	II	51	63	59	58	2·53	7				1		0	
July	III	IV	III	56	72	65	64	2·69	10				8		0	
August	IV	IV	IV	66	73	65	68	3·82	15				0		0	
September	III	IV	III	73	68	52	64	3·82	15				11		0	
October	III	IV	III	82	62	63	69	2·78	8				7		0	
November	III	IV	III	84	75	69	76	0·35	1	5·0	3		10		0	
December	III	III	III	79	74	59	71	0·00	0	17·5	5		8		0	
Year	III	III	III	64	64	55	61						74		2	

Monthly and Annual Summaries for the Year 1907, Agassiz, B.C.—Latitude, N. 49° 14′; Longitude, W. 121° 31′. Height above Sea, 52 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	27·4	18·5	8·9	50·0	4·0	46·0	22·9	1·63	3	37·0	9	....	....	....	....
February	42·6	30·0	12·6	53·0	8·0	45·0	36·3	5·90	10	6·0	1	....	....	....	....
March	47·9	31·3	16·6	58·0	24·0	34·0	39·6	7·26	13	2·0	2	....	....	....	....
April	61·9	35·2	26·7	73·0	31·0	42·0	48·5	7·40	10	....	....	....	....	....	....
May	71·9	42·1	29·8	85·0	34·0	51·0	57·0	2·30	4	....	....	....	....	....	....
June	74·4	42·8	31·6	87·0	38·0	49·6	58·6	4·36	10	....	....	....	....	....	....
July	76·8	52·2	24·6	97·0	43·0	54·0	64·5	1·06	3	....	....	....	....	....	....
August	72·6	45·6	26·9	96·0	40·0	56·0	59·1	6·40	13	....	....	....	....	....	....
September	70·8	42·5	28·3	86·0	37·0	49·0	56·7	3·30	8	....	....	....	....	....	....
October	65·1	40·1	25·1	71·0	34·0	37·0	52·6	1·24	4	....	....	....	....	....	....
November	60·2	36·2	24·0	69·0	31·0	38·0	48·2	8·42	19	2·0	1	....	....	..	....
December	43·9	32·6	11·4	51·0	28·0	23·0	38·2	4·20	12	1·0	1	....	....	....	....
Year	59·6	37·4	22·2	97·0	4·0	93·0	48·5	53·47	109	48·0	14	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Agincourt, Ontario—Latitude, N. 43° 74′; Longitude, W. 79° 16′. Height above Sea, 590 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	25·5	12·3	13·2	52·0	15·0	67·0	18·9	2·14	3	4·5	5	0	2	0	0
February	23·0	4·4	18·6	42·0	11·0	53·0	13·7	0·00	0	6·3	7	0	0	0	0
March	39·5	23·0	16·6	64·0	0·0	64·0	31·3	1·32	2	3·5	4	0	2	0	2
April	43·9	28·5	15·4	69·5	16·0	53·5	36·2	2·08	4	*	1	0	0	0	0
May	57·9	35·4	22·5	79·0	24·0	55·0	46·7	1·82	3	3·0	1	0	3	0	1
June	72·3	51·5	20·7	89·0	40·0	49·0	51·9	2·01	3	—	—	0	0	0	3
July	79·4	54·8	24·6	87·5	45·5	42·0	67·1	1·83	4	—	—	0	0	0	0
August	77·3	50·4	27·0	90·0	44·5	45·5	63·9	0·78	3	—	—	0	0	0	0
September	70·3	50·8	19·5	84·0	33·5	50·5	60·5	3·07	3	—	—	0	2	0	4
October	53·0	31·3	21·7	73·0	19·0	54·0	42·1	1·76	3	—	—	0	0	0	1
November	41·7	27·7	24·0	51·5	14·5	37·0	34·7	1·30	3	1·5	4	0	0	0	0
December	32·4	20·1	12·3	47·0	5·0	42·0	26·2	0·90	3	18·5	6	0	0	0	0
Year	51·3	32·5	19·7	90·0	15·0	105·0	41·9	19·01	34	37·3	28	0	9	0	11

MONTHLY and Annual Summaries for the year 1907, Alameda, Saskatchewan—Latitude, N. 49° 15′; Longitude, W. 102° 17′. Height above Sea, 1,892 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February	12·7	3·9	16·6	36·0	42·0	78·0	4 4	0·08	1	1·5	3	1	0	3	0
March	24·3	4·8	19·5	38·0	13·0	51·0	14·6	0·15	1	23·0	7	0	0	2	0
April												0	0	0	0
May	51·5	28·0	23·5	71·0	15·0	56·0	39·7	0·10	7	0·3	3	8	0	0	0
June	70·8	45·7	25·2	86·0	32·0	54·0	58·3	0·85	11			0	0	0	7
July	74·6	48·1	26·5	84·0	42 0	42·0	61·3	2·49	14			0	1	1	5
August	71·1	46·1	25 0	92·0	34·0	58·0	58·6	1·59	9			2	0	0	4
September	60·2	35·6	24·6	80·0	14·0	66·0	47·9	0 39	6			0	0	3	0
October	56·5	25·8	30·6	74·0	8·0	66·0	41·2	0·22	3			0	1	0	0
November															
December	24·9	6·4	18·5	52 0	21·0	73·0	15·7	0·00	0	14·5	6	4	0	1	3
Year															

MONTHLY and Annual Summaries for the year 1907, Alberni, British Columbia—Latitude, N. 49° 15′; Longitude, W. 124° 49′. Height above Sea, 300 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	36·2	17·1	19·1	51·1	2·8	53·9	26·6	2 90	4	21·5	7			0	0
February	51·6	29·3	22·3	65·1	12·9	52·2	40·4	5·94	11	8·0	1			0	0
March	52·7	30·0	22·7	68·1	21·9	46·2	41·4	3·80	15	9 5	5			1	0
April	62·1	33·3	28·8	78·1	24·9	53·2	47·7	7·11	11	*	1			0	0
May	73·0	44·6	28·3	90·2	28·9	61·3	58·8	3·55	10					0	1
June	76·3	49·5	26·8	92·2	40·0	52·2	62·9	1·51	11					0	1
July	84·6	52·9	31·7	100·3	43·0	57 3	68·8	1·84	6					0	1
August	78·0	47 8	30·3	98·3	35·0	63·3	62·9	1·89	9					0	2
September	77·0	45·6	31·4	101·3	31·9	69·4	61·3	2·37	7					0	0
October	68 6	38·9	29·7	82·2	31·9	50·3	53·7	2·43	9					0	0
November	52·5	—	—	64 1	—	—	—	14·11	20	4·0	2			0	0
December	41·3	31 1	10·2	55·1	22·9	32·2	36·2	9·89	21	8·0	6			0	
Year	64·8			101·3	2·8	104·1		57·34	134	51·0	22			1	

Monthly and Annual Summaries for the Year 1907, Alix, Alberta—Latitude, N. 52° 28′; Longitude, W. 113° 10′. Height above Sea,——feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	1·9	28·9	27·0	35·0	56·0	91·0	15·4	0·00	0	13·3	5	0	0	..	0
February	22·8	5·2	28·0	45·0	58·0	103·0	8·8	0·00	0	2·5	1	0	0	..	0
March	28·3	2·1	26·2	47·0	17·0	64·0	15·2	0·00	0	2·3	4	0	0	....	0
April	40·8	21·8	19·1	61·0	9·0	52·0	31·3	0·00	0	3·0	2	0	0	....	0
May	52·9	31·8	21·1	73·0	15·0	58·0	42·4	1·07	10	.....	....	0	0	....	0
June	66·7	42·5	24·2	83·0	27·0	56·0	54·1	3·38	16	.....	....	0	0	....	3
July	70·7	46·7	24·0	81·0	39·0	42·0	58·7	1·50	16	....	..	0	0	....	1
August	65·4	40·8	24·6	81·0	27·0	54·0	53·1	2·35	14	.....	....	0	0	....	0
September	58·5	35·5	22·9	78·0	26·0	52·0	47·0	1·60	7	7·0	2	0	1	....	1
October	59·3	28·7	30·5	70·0	19·0	51·0	44·0	0·75	3	.....	....	0	0	....	1
November	43·1	20·0	23·1	55·0	6·0	49·0	31·6	—	....	—	....	0	0	....	0
December	28·4	5·1	23·4	56·0	24·0	80·0	16·7	0·00	0	4·7	6	1	3	....	0
Year	44·6	20·1	24·5	83·0	58·0	141·0	32·5	.....	....	..	....	1	4	....	6

Monthly and Annual Summaries for the Year 1907, Almasippi, Manitoba.—Latitude, N. 49° 14′; Longitude, W. 99° 20′. Height above Sea, ——feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°			in.		in.					
January	1·9	19·3	17·4	20·0	35·0	55·0	10·6	—	....	—	....	....	0	1	0
February	11·2	4·0	15·2	41·0	38·0	79·0	3·6	0·00	0	2·3	1	....	0	0	0
March	27·7	8·4	19·3	42·0	8·0	50·0	18·1	—	....	—	....	....	0	0	0
April	35·6	17·8	17·8	54·0	1·0	55·0	17·8	—	....	....	..	....	0	0	0
May	55·4	29·7	25·7	78·0	13·0	65·0	42·1	0·25	2	..	....	....	0	0	1
June	73·1	47·7	25·3	89·0	31·0	58·0	60·4	1·17	9	....	....	....	0	1	6
July	77·8	51·1	26·7	87·0	38·0	49·0	64·5	2·63	13	....	..	....	0	0	8
August	74·7	48·4	26·3	92·0	32·0	60·0	61·0	2·41	10	....	....	...	0	0	10
September	60·7	37·6	23·1	79·0	17·0	62·0	49·1	1·01	9	....	....	....	0	0	0
October	59·0	29·6	29·4	76·0	12·0	64·0	44·3	0·50	6	....	....	....	0	0	0
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	24·8	5·7	19·1	45·0	22·0	67·0	15·2	0·00	0	1·0	1	....	1	3	0
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Alton, Ontario—Latitude, N. 43° 51′; Longitude, W. 80° 5′. Height above Sea, 1,250 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	14·3	22·0	15·9	17·0	24·6	6·5	18·2	49·1	21·5	4	5	22	2	14	12	31	3	0
February	9·0	19·8	9·8	12·1	21·4	0·4	21·0	34·8	19·0	7	3	16	1	7	11	29	10	0
March	25·0	38·3	29·0	30·4	39·1	17·2	21·9	64·2	9·8	11	2	17	5	11	11	35	1	0
April	30·3	43·5	30·8	33·8	43·4	21·9	21·6	69·2	7·7	26	0	17	1	9	7	25	5	0
May	41·5	58·3	42·0	46·0	58·9	30·8	28·1	83·2	17·9	20	1	10	6	25	8	17	6	0
June	58·4	73·7	56·4	61·2	74·1	47·1	27·0	89·2	36·0	8	2	22	4	13	7	32	2	0
July	60·5	78·5	61·1	65·3	79·4	50·2	29·2	88·7	34·5	1	0	0	5	18	5	60	4	0
August	56·2	77·5	58·3	62·8	78·2	44·5	33·7	90·7	35·0	14	0	8	5	9	11	46	0	0
September	52·4	69·1	54·3	57·5	70·6	44·6	25·4	84·0	29·0	8	2	10	0	23	7	39	1	0
October	36·0	51·4	38·7	41·2	51·9	28·5	23·4	72·2	13·8	10	0	4	2	19	11	44	3	0
November	29·7	38·0	30·3	32·1	39·2	22·2	17·0	49·1	9·3	8	0	9	4	13	18	37	0	1
December	23·0	29·3	24·5	25·3	30·4	15·4	14·9	46·0	2·6	4	0	6	8	13	9	53	0	0
Year	36·3	49·9	37·6	40·4	50·9	27·4	23·4	90·7	21·5	121	15	141	43	174	117	448	35	1

Monthly and Annual Summaries for the Year 1907, Alton, Ontario—Latitude, N. 43° 51′; Longitude, W. 80° 5′. Height above Sea, 1,250 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	II	III	II	71	51	56	59	2·08	3	11·0	8	4	3	0	0	0
February	II	III	II	51	29	32	37	0·05	1	9·0	10	3	0	2	0	0
March	II	III	II	54	33	38	42	1·75	8	5·5	5	4	3	0	2	0
April	II	III	II	45	37	45	42	2·05	6	6·0	5	0	1	0	1	0
May	I	III	II	44	23	29	32	1·56	6	3·5	1	1	0	0	0	0
June	II	II	II	26	18	30	25	2·07	10	.....	.....	1	0	0	0	0
July	I	II	II	26	9	17	17	1·87	6	.....	.....	1	0	1	0	0
August	I	II	II	21	17	15	18	1·41	3	.....	.....	1	0	0	0	0
September	II	II	II	50	35	45	45	3·30	7	.....	.....	2	0	0	0	0
October	II	III	II	33	33	29	32	2·28	10	.....	.....	0	0	0	0	0
November	II	II	II	63	50	55	56	1·96	6	4·5	8	5	0	0	0	0
December	II	III	II	77	56	67	67	0·96	3	36·5	10	3	0	0	0	0
Year	II	III	II	47	33	38	40	21·34	69	76·0	47	25	7	3	3	0

MONTHLY and Annual Summaries for the Year 1907, Heath Point, Anticosti, Quebec—Latitude, N. 49° 6′; Longitude, W. 61° 42′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°		°													in.		in.					
January	7·4	9·9	9·5	9·1	35·0	11·0	20	43	2	3	5	6	5	3	6				1·00	2	23·0	3	0	1		
February	8·0	12·1	9·5	9·8	32·0	13·0	7	14	3	9	4	17	6	23	1				0·00	0	24·0	5	0	0		
March	16·1	21·7	19·3	18·9	34·0	8·0	28	8	4	0	3	23	8	15	4				0·40	1	5·0	2	0	0		
April	27·3	31·2	28·7	29·0	37·0	10·0	16	16	11	6	3	15	13	5	5				1·10	2	14·0	4	0	2		
May	36·0	39·4	36·7	37·2	55·0	28·0	12	9	5	0	15	19	16	12	5				—		—		0	3		
June	44·6	48·7	45·2	46·2	57·0	37·0	15	14	13	2	13	22	6	3	2				—		—		0	7		
July	48·4	51·4	18·9	49·4	58·0	43·0	8	16	14	2	26	8	1	0	18				4·50	6			0	23		
August	54·3	57·1	53·8	54·7	66·0	45·0	1	1	2	2	18	21	22	17	9				—				0	12		
September	52·2	53·9	51·9	52·4	60·0	37·0	4	10	10	6	4	25	16	15	0				2·85	5			5	8		
October	40·3	45·9	39·5	41·3	53·0	23·0	9	9	6	4	12	19	9	23	2				1·16	4			0	5		
November	32·6	35·4	33·2	33·6	45·0	18·0	4	4	6	6	9	24	20	17	0				2·40	4	6·5	1	3	4		
December	23·4	27·8	26·2	25·9	41·0	7·0	7	16	8	1	5	12	9	14	0				4·19	5	18·5	5	4	1		
Year	32·6	36·2	33·5	33·9	66·0	13·0	131	160	84	41	117	211	131	147	52								12	66		

MONTHLY and Annual Summaries for the Year 1907, West Point, Anticosti, Quebec—Latitude, N. 49° 52′; Longitude, W. 64° 32′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM.									AMOUNT OF CLOUD.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January	6·0	8·9	8·4	7·9	35·0	12·0	9	6	15	3	9	2	8	41	0				0·02	1	60·5	10	5	0		
February	3·8	9·6	6·6	6·7	29·0	15·0	2	10	15	7	10	1	5	34	0				0·00	0	47·5	12	6	0		
March	14·5	21·9	17·5	17·9	36·0	12·0	4	16	12	4	13	6	10	28	0				0·05	1	16·5	7	3	0		
April	28·2	33·5	29·0	29·9	44·0	13·0	8	21	16	5	15	1	5	19	0				0·92	3	24·0	7	0	1		
May	37·1	41·4	37·7	38·5	62·0	27·0	6	12	12	9	15	2	10	27	0				1·17	6	7·0	3	2	2		
June	48·3	54·8	47·5	49·5	73·0	39·0	3	16	21	7	19	4	7	13	0				3·57	11			0	4		
July	54·3	58·0	53·7	54·9	70·0	48·0	2	11	16	26	21	3	5	9	0				8·61	22			0	8		
August	54·9	59·1	54·1	55·5	70·0	48·0	6	5	5	6	26	5	20	20	0				3·74	14			0	5		
September	0	53·1	48·4	49·3	63·0	36·0	14	5	11	8	17	3	11	21	0				1·78	10			3	3		
October	37	41·4	38·7	39·2	50·0	29·0	9	12	3	10	16	1	12	30	0				4·09	8			1	2		
November	30·9	2·3	31·3	31·4	43·0	17·0	14	4	7	3	16	7	18	21	0				1·44	7	4·0	3	0	0		
December	22·6	25·4	24·2	24·1	38·0	8·0	16	14	18	3	10	3	11	18	0				0·21	1	45·5	10	1	0		
Year	32·1	36·6	33·1	33·7	73·0	15·0	93	132	151	91	187	38	122	281	0				25·60	84	20·50	52	21	25		

MONTHLY and Annual Summaries for the Year 1907, Bala, Ontario—Latitude, N. 45° 0′; Longitude, W. 79° 30′. Height above Sea, 740 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	23·2	7·4	15·9	49·5	24·5	74·0	15·3	0·22	2	22·5	12	0	1	0	0
February	23·0	0·6	23·6	35·0	32·0	67·0	11·2	0·20	1	19·5	10	0	0	0	0
March	38·1	18·0	20·1	55·0	13·0	68·0	28·0	1·62	4	7·0	5	0	0	0	0
April	43·4	26·6	16·9	64·0	10·5	53·5	35·0	1·55	5	8·0	4	2	0	0	0
May	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
June	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
July	77·1	55·3	21·8	84·5	43·0	41·5	66·2	1·46	6	—	—	—	—	—	—
August	72·8	52·9	19·9	87·5	41·5	46·0	62·8	0·66	8	—	—	0	0	1	2
September	67·2	50·6	16·7	80·0	37·0	43·0	58·9	2·50	18	—	—	0	0	0	3
October	51·5	33·5	18·0	67·0	20·0	57·0	42·5	3·07	11	—	—	0	0	0	0
November	40·1	27·7	12·5	51·0	13·0	38·0	33·9	1·63	8	12·0	8	0	0	0	0
December	31·2	16·2	15·0	45·0	5·0	50·0	23·7	0·30	3	20·5	12	0	0	0	0
Year															

MONTHLY and Annual Summaries for the Year 1907, Bancroft, Ontario—Latitude, N. 45° 1′; Longitude, W. 77° 50′. Height above Sea, 90 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in					
January	19·3	1·4	18·0	40·0	30·5	70·5	10·4	—		—		0			
February	17·3	8·7	26·0	35·0	43·0	78·0	4·3	—		—		0			
March	36·9	14·9	22·0	58·0	20·0	78·0	25·9	—		—		2			
April	44·2	24·6	19·6	66·0	9·5	56·5	34·4	1·60	2	7·0	1	0			
May	57·9	31·7	26·2	79·0	19·0	60·0	44·8	0·33	1	6·0	3	0			
June	75·7	48·8	26·9	92·0	33·0	59·0	62·2	2·53	4			0			
July	77·7	49·6	28·2	86·0	38·0	48·0	63·6	2·45	4			0			
August	73·5	45·3	28·3	90·0	36·0	54·0	59·4	1·08	2			0			
September	64·7	45·5	19·2	81·0	27·0	54·0	55·1	5·11	6			0			
October	49·0	27·2	21·8	70·0	10·0	60·0	38·1	2·18	3	*	1	0			
November	36·4	20·5	15·8	47·0	2·0	45·0	28·5	—		—		0			
December	29·2	14·1	15·1	45·0	10·0	55·0	21·7	—		—		0			
Year	48·5	26·2	22·3	92·0	43·0	135·0	37·4					2			

Monthly and Annual Summaries for the Year 1907, Barrie, Ontario—Latitude, N. 44° 25′; Longitude, W. 79° 41′. Height above Sea, 383 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	24·1	8·6	15·4	50·8	21·5	72·3	16·3	2·33	7	4·0	4	0	2	0	1
February	25·8	1·3	20·6	40·5	16·0	56·5	13·6	0·16	1	11·8	9	0	0	1	0
March	38·6	20·4	18·1	61·7	9·0	70·7	29·5	1·61	13	2·3	6	0	3	0	1
April	42·7	26·6	16·1	67·0	10·8	56·2	34·7	1·84	7	3·4	9	0	2	0	1
May	57·6	34·5	23·1	82·7	23·0	59·7	46·1	0·97	8	3·4	3	0	1	0	3
June	73·8	52·2	21·6	91·0	42·0	49·0	63·0	3·29	8			0	0	0	5
July															
August															
September															
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1907, Beatrice, Ontario—Latitude, N. 45° 8′ ; Longitude, W. 79° 20′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January					22·2	2·8	19·4	47·0	28·0	1	0	0	20	10	3	5	17	37
February					20·0	3·5	23·5	35·0	32·0	3	0	6	11	16	0	0	23	25
March	20·4	33·2	28·0	27·4	37·0	16·2	20·7	58·0	9·0	5	1	0	12	12	3	1	23	36
April	27·5	40·1	33·3	33·5	42·8	24·3	18·5	65·5	6·0	10	0	2	8	8	1	2	24	35
May	38·1	53·3	45·3	45·5	56·2	31·7	24·5	81·0	15·0	4	0	0	10	9	6	3	25	36
June	56·6	71·8	61·1	62·6	74·5	49·2	25·3	86·5	35·0	5	0	1	9	11	8	6	10	40
July	58·4	73·6	62·7	64·4	75·5	51·5	24·0	84·0	40·0	6	0	0	1	8	6	5	21	46
August	52·8	67·9	58·7	59·5	71·8	46·9	24·9	86·0	36·0	4	0	0	0	13	8	2	16	50
September	50·0	62·2	54·6	55·4	64·3	46·5	17·8	79·0	32·0	2	1	1	8	11	12	1	8	46
October	32·9	46·7	38·1	39·0	49·3	29·4	19·8	67·0	13·0	9	0	1	2	17	7	2	19	36
November	28·6	35·5	31·2	31·6	37·7	24·4	13·3	48·0	6·0	2	1	0	9	10	10	1	19	38
December	19·8	26·0	22·9	21·4	29·8	13·2	16·7	44·0	6·0	3	3	3	12	11	10	1	18	32
Year					48·4	27·7	20·7	86·5	32·0	54	6	14	102	136	77	29	223	457

MONTHLY and Annual Summaries for the Year 1907, Beatrice, Ontario—Latitude, N. 45° 8′ ; Longitude, W. 79° 20′. Height above Sea, 600 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	1	1	1	75	57	65	65	2·65	3	17·0	9	1	0	0	0	
February	1	2	1	64	57	60	60	0·12	1	30·0	11	1	0	1	0	0
March	1	2	1	59	59	51	56	2·47	6	11·0	6	3	4	0	3	0
April	1	2	1	56	67	58	60	1·80	3	13·5	4	0	2	0	1	0
May	1	2	1	48	55	57	53	1·13	4	6·2	5	1	2	1	1	0
June	1	2	1	38	46	40	41	2·51	7			0	0	0	5	0
July	1	2	0	55	45	21	40	1·78	8			0	0	0	2	0
August	1	2	1	49	45	18	37	1·95	8			1	0	0	2	0
September	1	2	1	74	72	52	66	3·48	19			3	0	0	4	0
October	1	2	1	51	68	51	57	3·13	8	1·3	1	0	0	0	0	0
November	1	1	1	79	82	73	78	3·50	8	19·8	8	0	2	0	0	0
December	1	1	1	76	81	74	77	1·26	2	33·7	11	0	1	0	0	0
Year	1	2	1	60	61	51	58	25·78	77	132·5	55	10	11*	2	18	0

Monthly and Annual Summaries for the Year 1907, Bella Coola, B.C.—Latitude, N. 52° 40′; Longitude W. 126° 54′. Height above Sea, 150 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	19·5	10·3	9·2	37·0	1·0	36·0	14·8	0·48	2	11·0	2	0	0	0	0
February	34·4	23·3	11·1	48·0	1·0	49·0	28·8	3·98	11	2·0	1	0	0	0	0
March	44·6	27·8	16·7	52·0	16·0	36·0	36·2	1·40	1	0·5	4	0	0	1	0
April	54·5	30·4	24·2	64·0	23·0	41·0	42·5	2·15	6	.....	....	0	0	0	0
May	67·2	41·5	25·7	81·0	29·0	52·0	54·3	1·53	6	.....	....	0	1	0	0
June	68·5	46·4	22·1	88·0	37·0	51·0	57·4	1·56	13	.....	....	0	1	0	0
July	76·1	49·9	26·2	95·0	43·0	52·0	63·0	1·01	9	.....	....	0	1	0	2
August	69·1	47·9	21·2	96·0	35·0	61·0	58·5	2·96	16	.....	....	4	1	0	0
September	67·8	44·4	23·4	81·0	29·0	52·0	56·1	3·21	7	.....	....	0	0	0	0
October	56·3	38·4	17·9	63·0	30·0	33·0	47·4	5·37	13	.....	....	0	2	0	0
November	42·8	32·9	9·9	55·0	26·0	29·0	37·8	10·65	18	9·8	4	2	0	0	0
December	34·9	27·8	7·1	45·0	16·0	29·0	31·3	3·37	13	4·5	7	0	0	0	0
Year	53·0	35·1	17·9	96·0	1·0	97·0	44·0	37·67	115	27·8	18	6	6	1	2

Monthly and Annual Summaries for the Year 1907, Bicquet, Quebec—Latitude, N. 48° 25′; Longitude, W. 68° 53′. Height above Sea, —— feet.

Month.	Temperature						Wind, Direction from									Rain.			Snow.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurorae.
	°	°	°	°	°	°													in.		in.					
January	....	.....	.....	...	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
February	.....	..	....	.....	..	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
March	...	....	.....	...	...	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
April	31·1	34·6	31·8	32·3	42·0	16·0	8	42	0	0	0	14	8	18	0	.....	.....	.....	—	..	27·5	4	6	0	.....	.....
May	37·4	42·1	38·2	39·0	51·0	31·0	0	50	0	0	1	15	10	17	0	.....	.....	.....	1·50	3	10·0	3	0	0	.....	.....
June	46·1	51·0	45·5	47·0	62·0	39·0	1	56	0	0	0	19	11	1	2	.....	.....	.....	0·68	9	.....	.....	5	9	.....	.....
July	51·8	54.8	49·9	51·6	66·0	42·0	0	60	0	0	2	19	6	3	3	.....	.....	.....	5·70	14	.....	.....	1	17	.....	.....
August	50·5	55·3	49·8	51·4	72·0	42·0	0	17	0	0	4	30	30	10	2	.....	.....	.....	2·95	9	.....	.....	0	8	.....	.....
September	45·2	49·5	45·6	46·5	57·0	35·0	3	35	0	0	1	9	12	17	13	.....	.....	.....	4·05	10	.....	.....	3	8	.....	.....
October	36·4	39·9	36·6	37·4	50·0	26·0	7	12	0	8	4	8	30	22	2	.....	.....	.....	4·25	9	12·5	5	5	0	.....	.....
November	28·4	31·6	28·7	29·3	52·0	13·0	9	20	0	0	4	6	25	25	1	.....	.....	.....	1·90	9	2·0	2	17	1	.....	.....
December	.....	.....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	..	.....	..	.....	.....	.....	.....
Year	...	...	....	.....	....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	..	.....	.....	.....	.....

MONTHLY and Annual Summaries for the Year 1907, Big Creek, British Columbia—Latitude, N. 52° 1′; Longitude, W. 122° 42′. Height above Sea, 3,100 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	6·6	15·4	22·1	49·0	37·0	86·0	4·4	0·00	0	7·0	6	....	0	0	0
February	33·0	5·8	27·2	52·0	36·0	88·0	19·4	0·09	1	2·8	S.	....	0	2	0
March	35·8	8·3	27·5	47·0	7·0	54·0	22·1	8·25	7	0·0	0	....	0	2	0
April	49·7	21·5	28·1	63·0	8·0	55·0	35·6	0·09	4	1·0	3	....	0	0	0
May	65·3	33·4	31·9	81·0	22·0	59·0	49·3	0·55	8	....	....	....	0	0	0
June	67·7	38·6	29·1	89·0	25·0	64·0	53·2	1·12	14	....	....	....	0	0	4
July	75·5	42·1	33·4	90·0	34·0	56·0	58·8	2·23	12	....	....	....	0	0	10
August	67·3	40·4	26·9	91·0	30·0	61·0	53·8	3·04	16	....	....	....	0	0	2
September	63·6	35·6	28·0	89·0	20·0	60·0	49·6	1·06	8	*	2	....	0	2	0
October	58·2	27·4	30·7	73·0	12·0	61·0	42·8	0·06	1	0·0	0	....	0	2	0
November	40·6	18·7	21·8	58·0	4·0	62·0	29·7	0·30	3	3·0	1	....	0	1	0
December	26·7	6·5	20·2	52·0	23·6	75·0	16·6	0·00	0	6·0	5	....	1	0	0
Year	49·2	21·9	27·2	91·0	37·0	128·0	35·5	16·79	74	19·8	22	....	1	9	16

MONTHLY and Annual Summaries for the Year 1907, Birnam, Ontario—Latitude, N. 43° 2′; Longitude, W. 81° 55′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January	27·9	17·7	10·2	22·8	58·7	13·0	0	2	11	10	4	7	14	10	4	..	..	..	2·96	5	16·8	9	0	6	0	0
February	24·5	9·5	14·9	17·0	46·4	10·0	3	4	7	4	8	5	12	11	2	..	..	..	0·00	0	15·8	8	0	1	0	2
March	41·1	27·0	14·0	34·1	67·5	5·0	9	7	7	5	6	9	3	13	3	..	..	..	1·94	8	8·0	5	0	1	3	2
April	43·9	29·1	14·9	36·5	70·0	13·5	21	2	3	6	5	9	4	8	2	..	..	..	1·99	5	2·2	6	0	1	2	0
May	58·0	38·4	19·6	48·2	79·1	26·0	18	6	8	2	2	13	5	6	2	..	..	..	2·60	6	3·5	2	2	1	4	1
June	72·0	52·0	20·0	62·0	86·3	38·0	13	5	9	2	5	10	1	4	7	..	..	..	4·58	9	....	..	0	2	4	0
July	76·6	57·7	19·0	67·2	86·2	37·6	21	8	2	1	12	7	1	2	8	..	..	..	2·33	8	....	..	0	1	6	0
August	75·0	54·1	20·8	64·6	86·4	39·7	21	3	5	5	4	5	3	10	4	..	..	..	1·23	6	....	..	0	0	4	0
September	68·3	51·8	16·5	60·0	83·4	39·3	11	4	7	4	8	9	7	7	3	..	..	..	3·93	8	....	..	0	0	4	0
October	52·7	37·5	15·1	45·1	72·1	22·0	9	3	1	3	5	17	4	20	0	..	..	..	3·92	11	....	..	0	0	3	1
November	40·6	29·0	11·6	34·8	54·1	9·0	9	2	5	4	8	6	14	10	2	..	..	..	2·53	11	3·8	1	0	0	1	2
December	32·9	23·0	10·0	28·0	45·3	7·5	3	1	3	3	13	11	12	15	1	..	..	..	3·17	8	24·5	11	0	3	0	0
Year	51·1	35·6	15·6	43·4	86·4	13·0	138	51	68	49	80	108	80	116	38	..	..	..	31·18	85	74·6	42	2	16	31	8

Monthly and Annual Summaries for the Year 1907, Birtle, Manitoba—Latitude, N. 50° 25′; Longitude, W. 101° 1′. Height above Sea, 1,703 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	2·0	23·4	25·4	24·0	43·0	67·0	10·7	—	....	—	....	....	....	....	....
February	2·2	16 0	18·2	41·0	42·0	83·0	1·9	--	....	—	....	....	....	....	....
March	23·4	2·8	26·2	44·0	17·0	61·0	10·3	—	....	—	....	....	....	....	....
April	33·2	7·8	25·4	44·0	2·0	42·0	20·5	—	...	—	....	....	....	....	....
May	50·5	25·9	24·6	69·0	11 0	58·0	38·2	0·21	3	—	...	....	....	....	....
June	70·1	46·6	23·5	82·0	33·0	49 0	58·4	2·59	9	....	....	....	....	....	....
July	77·4	47·8	29 6	98·0	37 0	61 0	62·6	3 59	10	....	....	....	....	....	....
August	71 5	46·0	25·6	89·0	30·0	59·0	58·8	0·81	9	....	....	....	....	....	....
September	....	....	....	....	....	....	....	....	....	...	....	....	....	....	....
October	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	..	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Blackfalds, Alberta—Latitude, N. 52° 24′; Longitude, W. 113° 47′. Height above Sea, 2,876 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mthly Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	1·6	27·0	25·5	37·0	49·5	86·5	14·3	0·00	0	1·2	8	....	....	0	0
February	24·3	1·1	25·4	50·3	50·3	100·6	11·6	R	1	0·3	4	....	....	0	0
March	29·1	2·0	27·1	44·5	15·0	59·5	15·5	R	1	3·2	8	....	....	0	0
April	42·2	22·1	20·2	66·0	8·5	57·5	32·1	R	1	1·1	5	....	...	0	0
May	53·6	30·1	23·5	73·5	14·5	59·0	41·9	0·14	4	12·5	6	....	....	1	1
June	64·2	42 6	21;6	80·0	30·0	50 0	53·4	4·61	16	.....	....	....	....	0	4
July	70·0	45·1	24·8	79·3	37·0	42 3	57·6	2·34	18	.....	...	....	....	0	5
August	65·6	41·5	24·1	80 0	27 0	53·0	53·5	4·21	14	.....	....	.. ..	...	0	0
September	50·5	34·6	24·8	79·5	26·0	53·5	47·1	2·18	9	10·0	4	....	....	0	1
October	62·4	28·9	33·5	75·0	17·5	57·5	45·6	0·74	3	0 0	0	....	....	0	0
November	43·0	19·7	23·3	55·5	5·0	50·5	31·4	0·09	5	*	2	....	...	0	0
December	28·5	6 8	21·7	59·0	15·0	74 0	17·7	0·00	0	3·3	6	....	....	0	0
Year	45·1	20·4	24·6	80·0	49·5	129·5	32·8	14·31	72	31·6	43	....	..	1	1

MONTHLY and Annual Summaries for the Year 1907, Bloomfield, Ontario—Latitude, N. 43° 59′; Longitude, W. 77° 21′. Height above Sea, 260 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	27·1	10·9	16·2	57·0	18·0	75·0	19·0	0·00	0	—	....	....	0	....	0
February	25·6	3·3	22·3	48·0	11·0	59·0	14·4	0·00	0	—	....	....	0	....	0
March	40·8	22·7	18·1	61·0	1·0	60·0	31·7	0·43	4	—	....	....	1	....	0
April	46·5	29·8	16·6	68·0	18·0	50·0	38·2	1·08	5	—	....	....	0	....	0
May	56·1	37·0	19·1	75·0	28·0	47·0	28·0	0·60	3	2·0	1	....	0	....	0
June	73·6	53·0	20·6	87·0	41·0	46·0	63·3	1·20	6	....	....	....	0	....	0
July	77·3	56·9	20·4	86·0	46·0	40·0	67·1	1·49	11	....	....	....	0	....	3
August	76·9	54·3	22·7	90·0	45·0	45·0	65·6	0·70	4	....	....	....	0	....	0
September	68·6	52·9	15·7	80·0	39·0	41·0	60·8	4·56	10	....	....	....	2	....	0
October	52·9	34·9	18·0	67·0	22·0	45·0	43·9	3·23	6	....	....	....	0	....	0
November	42·2	28·3	13·9	53·0	13·0	40·0	35·3	3·63	7	*	2	....	0	....	0
December	32·8	19·7	13·1	49·0	1·0	50·0	26·3	2·82	6	18·0	2	....	0	....	0
Year	51·7	33·6	18·1	90·0	18·0	108·0	41·1	19·74	62	....	....	....	3	....	3

MONTHLY and Annual Summaries for the Year 1907, Bon Accord, Ontario—Latitude, W. 45° 5′; Longitude, W 113° 24′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	2·8	22·7	20·0	38·0	41·0	79·0	12·7	0·00	0	8·3	9	....	....	....	0
February	21·9	3·7	18·1	53·0	38·7	91·7	12·8	0·13	2	5·0	9	....	....	....	0
March	27·4	5·6	21·8	49·0	13·5	62·5	16·5	0·00	0	5·0	12	....	....	....	0
April	38·9	20·7	18·2	59·8	5·4	54·4	29·8	0·05	1	3·2	18	....	....	....	0
May	51·9	29·8	22·1	76·2	12·2	64·0	40·9	1·12	14	5·8	6	....	....	....	0
June	67·6	41·1	23·5	82·5	32·3	50·2	55·8	2·77	22	....	....	....	....	....	5
July	70·4	47·0	23·4	78·2	39·5	48·7	58·7	1·78	18	....	....	....	....	....	10
August	64·2	42·2	22·0	80·5	31·5	49·0	53·2	3·56	20	....	....	....	....	....	4
September	58·0	35·3	22·7	76·8	19·8	57·0	46·7	1·44	8	....	....	....	....	....	1
October	57·1	31·2	26·9	70·2	9·8	60·4	44·1	0·19	10	....	....	....	....	....	0
November	39·6	21·3	18·3	54·0	6·0	48·0	30·5	0.15	7	*	3	....	....	....	0
December	26·6	9·1	17·5	51·5	16·5	68·0	17·9	R.	1	6·0	13	....	....	....	0
Year	43·4	22·3	21·2	82·5	41·0	123·5	32·9	11·19	103	33·3	70	....	....	....	20

Monthly and Annual Summaries for the Year 1907, Brandon, Manitoba—Latitude, N. 49° 51′; Longitude, W. 99° 57′. Height above Sea, 1,176 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	a.m.	p.m.	p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W	Calm.
	°	°	°	°	°	°	°	°	°									
January	15·9	3·8	11·6	10·7	3·0	25·5	22·5	17·4	44·9	4	10	15	2	0	9	42	8	3
February	2·6	10·1	5·4	5·9	15·7	9·0	24·7	36·7	46·1	2	9	8	1	1	16	37	10	0
March	12·4	23·8	18·5	18·3	27·9	3·4	24·5	46·7	17·3	2	11	18	2	1	8	47	3	1
April	25·4	34·7	28·8	29·4	37·0	17·2	19·8	55·3	4·2	5	18	17	3	5	5	30	7	0
May	37·5	48·7	41·8	42·4	53·7	25·8	27·8	72·6	9·5	14	20	6	6	2	5	17	15	8
June	55·1	69·3	62·1	62·2	72·0	46·2	25·8	86·0	28·5	5	12	6	22	2	2	8	13	20
July	59·6	75·3	65·8	63·0	77·3	48·7	28·6	85·0	48·0	9	1	1	1	1	10	14	22	34
August	53·1	69·2	61·0	61·1	72·5	45·7	26·8	92·0	29·5	6	9	2	11	1	9	13	27	15
September	39·9	56·9	47·2	47·8	60·5	34·7	25·8	78·0	18·0	10	13	5	1	0	2	15	35	9
October	30·2	53·4	40·1	41·0	55·5	24·2	31·3	78·0	6·0	7	5	3	2	1	10	17	26	22
November	19·9	34·9	25·8	26·6	37·9	10·4	27·5	55·6	14·2	3	8	1	2	2	14	18	29	13
December	6·1	17·7	13·6	12·8	23·0	1·6	24·6	38·9	27·2	2	20	0	5	0	31	8	22	5
Year	27·2	40·9	33·1	33·3	44·2	18·4	25·8	92·0	46·1	69	136	82	58	16	121	266	217	130

Monthly and Annual Summaries for the Year 1907, Brandon, Manitoba—Latitude, N. 49° 51′; Longitude, W. 99° 57′. Height above Sea, 1,176 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January				47	53	33	44	0·00	0	24·5	8		0			
February				32	41	33	35	0·00	0	2·5	3		0			
March				37	44	42	41	0·15	1	14·0	6		0			
April				51	68	46	55	0·00	0	10·5	4		0			
May				52	56	56	55	2·75	6				0			
June	1	2	1	60	59	54	58	2·51	14				0			
July	1	1	0	24	39	36	33	2·45	14				0			
August	1	2	1	47	56	37	47	6·24	11				0			
September	1	1	1	43	51	30	42	0·82	5				0			
October	1	1	1	35	39	27	34	0·20	4				0			
November	1	2	2	58	45	32	45	0·00	0	3·5	2		0			
December	2	2	2	54	66	51	57	0·00	0	2·0	3		1			
Year				45	51	40	46	15·12	55	57·0	26		1			

MONTHLY and Annual Summaries for the Year 1907, Brantford, Ontario—Latitude, N. 43° 10′; Longitude, W. 80° 21′. Height above Sea, 750 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	28·4	12·6	15·5	57·0	12·0	69·0	20·5	2·93	3	5·5	5	0	9	0	0
February	24·8	6·0	18·8	45 0	9 0	54·0	15·4	0·60	0	7·0	3	0	1	1	0
March	43·1	24·6	18 5	66·0	7·0	59·0	33·8	1·77	4	3·5	2	5	3	0	3
April	46·8	28·3	18·5	69·0	15·0	54·0	37·6	1·64	7	. . .	....	0	1	0	2
May	60·7	36·7	24·0	83·0	21·0	59·0	48·2	2·99	5	0·2	1	0	0	0	2
June	74·9	51·4	23·5	88·0	39·0	49·0	63·2	1·88	5	....	....	0	0	0	2
July	81·6	56·1	25·5	89·0	38·0	51 0	68·9	1 72	4	....	....	0	1	1	5
August	79·7	50·4	29·3	90·0	41·0	49·0	65·1	0·75	5	...	....	0	0	0	4
September	69·9	50·3	19·6	85·0	32·0	53·0	60·1	3·30	10	....	...	0	3	0	6
October	53·8	32·5	21·2	71·0	20·0	51·0	43 1	2·90	7	.....	....	0	2	1	3
November	42·6	27·4	15·1	54 0	15·0	39·0	35·0	2·44	4	....	....	0	0	0	0
December	34·1	21·8	12·3	49·0	9·0	40·0	27·9	3·95	4	9·5	6	0	0	0	0
Year	53·4	33·2	20·1	90·0	12·0	102·0	43·2	26·27	58	25·7	17	5	20	3	27

MONTHLY and Annual Summaries for the Year 1907, Broadview, Saskatchewan—Latitude, N. 50° 23′; Longitude, W. 102° 33′. Height above Sea, 1,960 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	43·6	24·2	19 4	63·0	4 0	59·0	33·9								
June	63 8	46·7	17·1	84·0	34·0	50 0	55·2								
July	73·4	47·4	26·0	83·0	37·0	46·0	60·4								
August															
September															
October															
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Brome, Quebec—Latitude, N. 45° 10′; Longitude, W. 72° 36′. Height above Sea, 678 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	7·5	14·3	11·3	20·0	3·3	16·7	49·0	36·0	11·7	2	5	16	3	29	8	26	4	0
February	3·5	11·8	9·5	16·4	1·4	17·8	40·0	26·0	7·5	2	5	7	5	31	5	28	0	0
March	19·3	32·0	27·0	34·3	14·9	19·4	57·0	22·0	24·6	1	2	12	0	27	20	30	1	0
April	34·0	41·7	38·5	43·5	27·4	16·1	67·0	11·0	35·5	15	3	10	1	28	12	19	2	0
May	44·1	52·4	49·1	55·2	35·6	19·6	77·0	22·0	45·4	1	9	10	5	31	7	21	9	0
June	59·4	69·9	66·4	71·7	50·6	21·1	88·0	32·0	61·2	8	6	15	3	27	7	23	1	0
July	63·4	73·3	68·9	74·7	56·3	18·4	84·0	45·0	65·5	2	0	2	4	24	9	48	0	4
August	57·5	69·2	63·7	71·0	50·1	20·9	84·0	30·0	60·5	14	0	1	2	27	10	38	1	
September	53·7	63·0	57·2	64·1	49·2	14·9	79·0	31·0	56·6	4	4	13	6	21	2	32	1	0
October	38·1	46·4	41·2	48·9	33·0	15·9	65·0	15·0	41·0	9	2	0	1	28	1	42	7	0
November	29·5	36·9	32·0	38·3	24·9	13·4	56·0	5·0	31·6	8	5	5	3	20	6	40	3	0
December	23·7	28·1	24·6	30·4	18·5	11·9	50·0	15·0	24·4	4	4	8	2	14	13	45	3	0
Year	36·1	44·9	40·8	47·4	30·2	17·2	88·0	36·0	38·8	70	45	99	35	307	100	432	32	4

Monthly and Annual Summaries for the Year 1907, Brome, Quebec—Latitude, N. 45° 10′; Longitude, W. 72° 36′. Height above Sea, 678 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January								0·75	4	8·5	16				0	
February								0·09	0	13·5	13				0	
March								0·86	8	16·0	11				1	
April								0·99	6	13·1	9				0	
May								1·80	13	*	4				1	
June								3·49	11						6	
July								6·19	14						9	
August								1·55	12						4	
September								5·08	14						6	
October								5·59	16	*	2				1	
November								1·58	5	10·0	11				0	
December								2·37	6	7·0	15				1	
Year								30·25	109	68·1	81				29	

Monthly and Annual Summaries for the Year 1907, Bruce Mines, Ontario—Latitude, N. 46° 18′; Longitude, W. 83° 55′. Height above Sea, 595 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	19·1	3·7	15·4	40·0	25·0	65·0	11·4	0·78	3	21·0	10	0	0	2	0
February	19·9	2·6	22·6	38·0	28·0	66·0	8·6	0·00	0	10·0	6	0	0	1	0
March	35·9	15·6	20·4	54·0	15·0	69·0	25·8	1·78	6	17·0	7	0	0	2	3
April	40·8	22·1	18·8	55·0	7·0	48·0	31·5	0·68	6	11·0	3	0	0	1	0
May	50·0	32·3	17·7	64·0	21·0	43·0	41·2	2·29	9	6·6	2	5	0	0	3
June	72·8	48·7	24·1	90·0	38·0	52·0	60·7	2·78	8	—	—	7	0	0	3
July	76·1	51·4	24·7	84·0	39·0	45·0	63·8	2·63	10	—	—	5	1	2	3
August	70·0	48·4	21·6	79·0	37·0	42·0	59·2	4·56	14	—	—	0	0	0	6
September	63·5	46·0	17·6	80·0	28·0	52·0	54·8	2·72	11	—	—	0	0	2	3
October	50·9	31·6	19·4	70·0	18·0	52·0	41·3	1·75	12	—	—	0	0	0	0
November	39·8	25·4	14·4	50·0	3·0	47·0	32·6	2·47	9	9·0	3	0	0	1	0
December	29·9	13·5	16·4	40·0	6·0	46·0	21·7	1·24	2	8·0	5	0	0	1	0
Year	47·4	28·0	19·4	90·0	28·0	118·0	37·7	23·68	90	82·6	36	17	1	12	21

Monthly and Annual Summaries for the Year 1907, Cannington Manor, Sask.—Latitude, N. 49° 43′; Longitude, W. 102° 2′. Height above Sea 2,064 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	6·4	22·4	16·0	17·0	46·0	63·0	14·4								
February	14·1	6·6	20·6	33·0	44·0	77·0	3·8								
March	21·2	4·9	16·2	38·0	22·0	60·0	13·1								
April	30·2	14·0	16·1	38·0	1·0	39·0	22·1								
May															
June															
July															
August															
September															
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1907, Cape Chatte, Quebec—Latitude, N. 49° 6′; Longitude, W. 66° 45′. Height above Sea, —— feet.

MONTH.	TEMPERATURE						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	5·3	8·6	6·5	6·7	45·0	17·0	6	6	2	0	3	4	47	0	25	..	..	..	0·00	0	12·5	6	0	0	0	0
February..	5·4	8·7	6·7	6·9	24·0	15·0	0	9	10	0	0	2	28	7	28	..	..	..	0·00	0	21·0	6	0	0	0	0
March	18·7	23·5	20·1	20·6	40·0	2·0	4	5	12	0	1	8	23	1	39	..	..	..	0·72	2	13·0	4	3	1	1	0
April.....	30·3	34·3	32·0	32·1	49 0	12·0	5	6	18	1	0	9	13	5	33	..	..	..	0·61	2	13·6	5	4	0	0	2
May.....	39·5	41·8	40·7	40·7	54·0	25·0	9	3	20	0	1	6	35	0	19	..	..	..	2·02	4	..	..	0	2	0	0
June.....	51·7	54·1	52·7	52 8	70·0	38·0	2	1	37	0	0	11	21	0	18	..	..	..	3·81	3	..	..	2	4	0	2
July.....	54·8	57·3	54·9	55·5	67·0	41·0	1	1	32	0	1	4	18	0	36	..	..	..	0·50	6	..	..	0	14	0	0
August . .	57·7	60·4	58·6	58·8	75·0	49·0	3	0	2	0	2	13	51	2	20	..	..	..	4·60	12	..	..	0	4	0	0
September.	50·0	51·5	50·1	50·4	65·0	37·0	6	1	19	0	1	9	35	1	18	..	..	..	2·82	7	..	..	0	5	0	0
October ...	39·6	40·8	39·8	40·0	58·0	27·0	6	3	6	0	0	13	40	4	21	..	..	..	0 25	6	3·5	2	2	0	0	0
November..	31·8	35·3	31 2	31·9	55 0	15·0	3	2	5	3	4	12	35	11	15	..	..	..	0·17	3	4·0	1	1	0	0	0
December .	24 0	25·4	24·0	24·4	55·0	10·0	3	9	8	1	1	18	30	9	14	..	..	..	0·73	3	20·0	7	0	0	0	0
Year....	34 1	37·5	34·8	35·1	75·0	17·0	48	46	171	5	14	109	376	40	286	..	..	..	16·23	48	87·6	31	12	30	1	4

MONTHLY and Annual Summaries for the Year 1907, Cape Magdeleine, Gaspé, Quebec—Latitude, N. 49° 16′; Longitude, W. 65° 20′. Height above Sea, 93 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	5·0	8·1	6 9	6·7	45·0	15·0	0	2	3	6	4	4	3	56	15	..	..	..	0·00	0	24·0	7	14	0	0	0
February..	4·4	9 5	6·5	6 7	30·0	17·0	1	8	3	1	10	8	5	32	16	..	..	..	0·00	0	18·8	12	8	6	0	0
March	15·6	21·9	20 2	19 5	45·0	15·0	0	4	3	3	25	5	8	33	12	..	..	..	0·40	3	4·2	8	0	0	0	1
April.....	30·2	33·9	31·8	31·9	60·0	10·0	0	14	2	3	18	2	2	44	5	..	..	..	0·25	2	3·7	10	0	0	0	0
May.	40·7	42·6	39·5	40·6	57·0	30·0	0	7	4	5	15	3	5	41	13	..	..	..	1·57	9	..	..	4	1	0	0
June	52·8	53·2	49 7	51·4	75·0	35·0	3	3	4	15	14	5	9	20	7	..	..	..	1·55	9	..	..	0	4	0	0
July.. . .	56·3	57·2	55·6	56·2	69 0	49·0	1	3	5	14	17	1	4	29	19	..	..	..	5·16	19	..	..	1	10	0	0
August ...	57·9	58 7	56·0	57·2	68 0	42 0	2	0	1	3	25	1	1	43	17	..	..	..	3·63	14	..	..	0	2	1	0
September.	50·7	52·5	18·7	50·2	66 0	35·0	4	4	2	4	16	5	2	35	18	..	..	..	1·83	12	1 0	1	6	5	0	2
October ...	39·5	41·4	38 7	39·6	56·0	28·0	1	4	3	4	19	0	4	51	7	..	..	..	1·49	6	1·7	5	4	0	0	2
November..	30·8	33·2	31·5	31 8	51 0	15 0	0	6	4	1	20	5	1	44	9	..	..	..	0·75	4	3·9	5	4	0	0	0
December .	22·3	25·6	23 2	23 6	50 0	8·0	1	9	0	5	24	4	3	37	10	..	..	..	0·80	3	4 6	12	2	0	0	1
Year....	33·9	36·5	34 0	34·6	75·0	17·0	13	64	34	64	207	43	47	465	158	..	..	..	17·43	81	61·9	60	43	22	1	6

Monthly and Annual Summaries for the Year 1907, Cape Scott, British Columbia—Latitude, N. 50° 48′; Longitude, W. 128° 27′. Height above Sea, 20 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	36·4	28·1	8·2	46·5	17·7	28·8	32·2	5·00	14						
February	44·4	34·3	10·1	52·3	19·9	32·4	39·3	14·43	18						
March	42·9	33·7	9·2	47·1	28·0	19·1	38·3	10·41	24						
April	49·0	36·4	12·6	57·0	30·0	27·0	42·7	11·27	17						
May	55·2	44·1	12·1	63·6	32·5	31·1	49·6	6·07	8						
June	56·9	46·8	10·2	64·4	39·0	25·4	51·9	2·58	12						
July	60·3	50·0	10·3	64·0	34·3	29·7	55·2	1·22	8						
August	59·0	50·6	8·4	65·5	43·2	22·3	54·8	7·60	18						
September	57·5	47·0	10·5	60·5	47·1	13·4	50·3	6·00	9						
October	53·8	43·6	10·2	61·2	37·5	23·7	50·2	7·89	17						
November	49·1	39·6	9·5	55·0	31·3	23·7	44·3	22·32	24						
December	44·2	35·0	9·2	55·0	25·0	30·0	39·6	18·55	24						
Year	50·7	40·8	10·0	65·5	17·7	47·8	45·7	113·34	193						

Monthly and Annual Summaries for the Year 1907, Carberry, Manitoba—Latitude, N. 49° 52′; Longitude, W. 99° 20′. Height above Sea, 1,258 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	11·2	28·8	40·0	32·0	50·0	82·0	8·8					0	0	0	0
February	9·1	14·6	23·7	35·0	51·0	86·0	2·8					0	0	0	0
March	27·6	2·1	29·7	42·0	22·0	64·0	12·7					0	0	0	0
April	33·9	12·6	21·3	49·0	1·0	48·0	23·2					0	0	0	0
May	46·7	23·1	23·6	65·0	4·0	61·0	34·9					0	0	0	0
June	71·6	44·3	27·3	88·0	31·0	57·0	57·9					0	0	0	0
July												0	0	0	0
August												0	0	0	5
September	52·4	29·8	22·6	65·0	12·0	53·0	41·1					0	0	0	
October	41·8	20·0	21·7	56·0	0·0	56·0	30·9					1	1	0	
November	29·3	8·3	21·1	45·0	10·0	55·0	18·8					0	1	0	
December															
Year															

Monthly and Annual Summaries for the Year 1907, Cardston, Alberta—Latitude, N. 49° 12′; Longitude, W. 113° 18′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	10·9	14·7	25·6	45·0	32·0	77·0	1·9	0·00	0	36·0	11				
February	37·7	14·0	23·6	55·0	40·0	95·0	25·9	0·00	0	2·0	1				
March	36·5	14·0	22·5	57·0	12·0	69·0	25·2	0·00	0	12·0	5				
April	48·8	23·0	25·8	53·0	0·0	63 0	35·9	0·00	0	18·0	6				
May	58·8	34·7	24·1	75·0	18·0	57·0	46·8	2·99	10	4·0	2				
June	66·6	41·3	25·3	81·0	29·0	52·0	54·0	3·76	7						
July	78·7	47·8	30·9	86 0	39·0	47·0	63·3	2·55	9						
August	72·7	48·3	24·4	89 0	38·0	51·0	60·5	2·48	11						
September	59·5	35·3	24·2	80·0	15·0	65·0	47·4	4·49	7						
October	67·6	31·9	35·7	75·0	19·0	56·0	49·7	—							
November	48·4	25·1	23·4	64·0	17·0	47·0	36·8	—		—					
December															
Year															

Monthly and Annual Summaries for the Year 1907, Carman, Man.—Latitude, N. 49° 31′; Longitude, W. 98° 0′. Height above Sea, 872 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	53·0	33·8	19·2	69·0	15·0	54·0	43·4	0·33	2						
June	73·6	47·0	26·6	89 0	36·0	53·0	60·3	1·51	10						
July	78·8	49 8	29·0	87·0	44·0	43 0	64·3	1·38	12						
August	72·3	44·0	28·3	90·0	31·0	59·0	58·2	2·29	14						
September	62·7	33·0	29·6	85·0	18·0	67·0	47 9	1 01	6						
October	56·5	24·0	32·5	71·0	11·0	60·0	40·2	0·42	7						
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1907, Chaplin, Saskatchewau—Latitude, N. 50° 26′ ; Longitude, W. 106° 39′. Height above Sea, 2,202 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								CLOUDED SKY.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°										%	%	%	in.		in.					
January	7·9	25·5	17·6	16·7	24·0	47·0	8	1	1	7	0	2	5	6	1				0·00	0	32·0	12	0	0	0	1
February	15·7	6·1	21·8	4·8	40·0	48·0	2	0	2	9	0	2	6	7	0				0·00	0	11·0	5	0	0	0	10
March	24·4	1·6	22·9	13·0	42·0	16·0	0	3	0	10	0	4	0	14	0				0·20	1	16·0	7	0	0	0	5
April	33·1	15·6	17·5	24·1	48·0	7·0	4	4	0	4	0	8	0	10	0				0·20	1	14·5	8	1	1	0	0
May	50·8	28·5	22·4	39·7	72·0	7·0	4	2	3	1	0	8	4	9	0				1·29	7	6·0	3	0	0	3	4
June	68·9	46·5	22·3	57·7	80·0	33·0	0	2	8	0	0	1	12	6	1				3·36	14			0	0	14	0
July	74·2	48·7	25·5	61·4	81·0	37·0	0	0	5	1	0	5	16	4	0				3·75	12			0	0	6	4
August	70·6	44·2	26·4	57·4	88·0	35·0	0	0	6	2	0	3	10	10	0				5·28	9			2	1	6	3
September	60·6	34·2	26·4	47·4	75·0	13·0	3	2	6	0	0	3	12	4	0				0·55	7	1·0	1	0	0	2	
October	58·8	26·7	31·3	42·3	73·0	12·0	0	1	4	5	0	6	11	4	0				0·01	1	0·0	0	1	0	1	7
November	39·7	13·1	26·7	26·4	58·0	1·0	1	1	3	1	0	5	15	4	0				0·09	3	1·0	2	0	1	5	0
December	26·6	1·7	24·9	14·1	48·0	22·0	3	4	4	2	0	4	8	6	0				0·00	0	12·0	4	0	2	3	0
Year	42·9	19·1	23·8	30·9	88·0	48·0	25	20	42	42	0	51	99	84	2				14·73	55	93·5	42	4	5	40	37

MONTHLY and Annual Summaries for the Year 1907, Chatham, Ontario—Latitude, N. 42° 23′; Longitude, W. 82° 12′. Height above Sea, 595 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	33·3	18·4	14·9	51·0	10·0	61·0	25·8	1·09	3	2·0	1				
February	25·8	8·5	17·3	42·0	6·0	48·0	17·2	0·03	1	6·5	3				
March	46·7	29·2	17·5	74·0	10·0	64·0	37·9	0·57	4	4·0	1				
April	49·9	31·4	18·4	75·0	15·0	60·0	40·7	0·44	5						
May	63·6	39·1	24·5	82·0	27·0	55·0	51·3	0·41	3						
June	75·4	54·8	20·5	89·0	38·0	51·0	65·1	1·89	6						
July	83·3	58·7	24·6	92·0	37·0	55·0	71·0	1·91	3						
August	82·0	57·0	25·0	90·0	45·0	45·0	69·5	1·00	5						
September	73·7	54·3	19·4	88·0	35·0	53·0	64·0	5·65	12						
October	58·0	36·1	21·9	77·0	23·0	54·0	47·0	2·32	5						
November	46·1	30·5	15·6	55·0	19·0	36·0	38·3	2·51	6	0·0	0				
December	36·6	23·6	12·9	52·0	13·0	39·0	30·1	1·45	4	0·0	0				
Year	56·2	36·8	19·4	92·0	10·0	102·0	46·5	19·27	57	12·5	5				

MONTHLY and Annual Summaries for the Year 1907, Chicoutimi, Quebec—Latitude, N. 48° 25′; Longitude, W. 71° 5′. Height above Sea, 150 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	7·9	1·2	3·9	...	...	...	39·4	38·6	4·2	0	22	0	19	0	0	0	49	0
February	6·7	2·8	2·3	...	...	...	30·0	30·4	5·5	0	12	0	25	0	4	0	35	8
March	...	...	...	27·5	4·6	22·9	47·2	23·2	16·0	0	14	0	19	0	9	0	40	11
April	...	...	...	44·0	23·6	20·4	54·5	4·8	33·8	0	3	0	20	0	6	0	55	6
May	...	...	...	53·7	32·6	21·1	67·2	20·2	43·2	0	4	0	26	3	15	0	41	4
June	...	...	...	74·7	48·8	25·8	89·2	36·6	61·8	0	0	0	49	8	26	0	3	4
July	...	...	...	75·7	55·2	20·6	90·2	43·7	65·4	0	0	0	45	2	38	0	6	2
August	...	...	...	70·2	51·0	19·2	80·5	39·3	60·6	0	0	0	51	3	37	0	0	2
September	...	...	...	61·2	42·3	18·9	71·6	25·1	51·8	0	0	0	54	3	27	0	2	4
October	...	...	...	45·1	29·8	15·3	63·5	17·8	37·5	0	3	0	42	4	37	0	3	4
November	...	...	...	37·7	21·7	16·1	53·2	1·2	29·7	0	0	0	27	6	37	0	14	6
December	...	...	...	26·4	5·3	21·2	41·3	16·1	15·9	0	0	0	39	0	28	0	16	10
Year	...	...	...	...	...	...	90·2	38·6	34·0	0	58	0	416	29	264	0	264	61

MONTHLY and Annual Summaries for the Year 1907, Chicoutimi, Quebec—Latitude, N. 48° 25′; Longitude, W. 71° 5′. Height above Sea, 150 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	2	2	2	58	58	59	58	0·00	0	1·5	6	2	6	0	0	...
February	2	2	2	63	65	46	55	0·00	0	2·8	8	0	0	0	0	...
March	2	2	1	66	45	45	52	0·00	0	0·6	4	0	4	3	1	...
April	2	2	2	51	50	46	49	0·20	1	2·1	1	0	5	0	0	...
May	3	3	3	64	54	59	59	0·92	7	4·5	2	0	7	0	2	...
June	2	2	2	65	66	67	66	1·55	9	...	...	2	4	0	1	...
July	2	2	2	65	56	63	61	2·39	11	...	...	0	0	0	1	...
August	2	2	1	63	60	67	63	3·25	15	...	...	1	0	0	4	...
September	2	2	2	72	72	68	71	2·16	11	...	...	0	6	0	0	...
October	2	2	2	79	74	69	74	1·31	10	0·4	1	3	7	2	0	...
November	3	2	2	82	65	67	71	0·33	2	3·1	1	0	9	0	0	...
December	3	3	3	74	63	55	64	R	1	12·9	7	1	15	0	0	...
Year	2	2	2	67	61	60	62	12·11	67	27·9	30	9	63	5	9	...

MONTHLY and Annual Summaries for the Year 1907, Clarke City, Quebec—Latitude, N. 50° 10′; Longitude, W. 66° 25′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	8·1	12·3	20·4	2·1	34·0	33·0	3	4	2	0	0	0	2	20	0				0·00	0	19·0	7				
February	13·9	11·4	25·3	1·3	50·0	39·0	2	4	5	0	0	3	3	11	0				0·00	0	27·0	6				
March	27·5	2·5	25·0	15·0	49·0	29·0	7	5	1	0	1	3	3	11	0				0·03	1	10·5	4				
April	39·2	20·1	19·1	29·7	49·0	0·0	3	2	4	0	4	3	3	11	0				0·47	2	0·5	3				
May	49·1	32·6	16·6	40·9	65·0	18·0	1	5	5	0	2	3	6	9	0				3·47	7	8·0	3				
June	62·9	42·9	20·0	52·9	82·0	32·0	0	6	8	1	4	8	1	2	0				4·29	11						
July	60·8	50·8	10·0	55·8	77·0	41·0	1	7	16	0	0	0	3	4	0				12·88	21						
August	64·9	48·1	16·8	56·5	76·0	38·0	1	5	7	1	1	3	5	8	0				6·24	11						3
September	58·3	39·4	19·0	48·9	73·0	28·0	3	3	3	3	0	3	4	11	0				2·96	7						
October	44·7	29·3	15·4	37·0	62·0	10·0	3	4	5	0	0	3	4	12	0				5·44	6	7·5	3				
November	36·3	18·6	17·7	27·5	46·0	9·0	0	4	5	0	0	6	4	7	4				3·10	5	5·0	2				
December																										
Year																										

MONTHLY and Annual Summaries for the Year 1907, Clayoquot, B.C.—Latitude, N. 49° 11′; Longitude, W. 125° 47′. Height above sea, 40 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	41·5	27·7	13·8	50·5	14·5	36·0	34·6	9·74	5	30·7	3	0	0		
February	49·3	36·8	12·5	55·0	25·0	30·0	43·1	13·11	13	0·0	0	0	2		
March	49·7	33·1	16·7	58·0	27·5	30·5	41·4	8·19	12	3·0	2	0	0		
April	55·6	36·4	19·2	68·0	32·0	36·0	46·0	11·73	12			1	1		
May	62·3	44·3	18·0	74·0	36·0	38·0	53·3	5·80	9			0	2		
June	68·4	44·9	23·5	75·5	40·0	35·5	56·6	0·87	3			0	0		
July	73·3	51·9	21·4	84·0	43·5	40·5	62·6	0·95	4			0	4		
August	70·4	51·3	19·1	76·0	43·0	33·0	60·8	5·09	7			0	0		
September	70·0	48·5	21·5	83·0	39·5	43·5	59·3	4·64	7			0	0		
October	60·3	46·4	14·0	66·0	41·0	25·0	53·4	5·98	8			0	0		
November	52·4	41·4	11·0	61·0	34·0	27·0	46·9	13·62	22			0	0		
December	48·4	36·0	12·4	55·5	28·5	27·0	42·2	14·86	13			0	0		
Year	58·5	41·6	16·9	84·0	25·0	59·0	50·0	94·51	115	33·7	5	1	9		

MONTHLY and Annual Summaries for the Year 1907, Clontarf, Ontario—Latitude, N. 43° 32′; Longitude, W. 81° 37′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	27·2	15·8	11·5	21·5	54·0	12·0	0	1	11	12	2	13	14	7	2				2·62	7	14·3	7	1	3	0	0
February	23·5	6·6	16·9	30·0	41·0	8·0	4	1	2	15	7	4	4	14	5				0·28	2	15·5	12	0	1	0	1
March	38·6	22·6	16·0	30·6	64·0	5·0	5	1	6	14	7	3	6	18	2				2·37	8	9·0	7	0	3	2	1
April	42·0	27·4	14·6	34·7	68·5	12·0	5	4	4	7	7	9	2	20	2				3·12	11	0·5	4	0	0	1	1
May	56·8	36·4	20·4	46·6	80·0	23·0	4	3	8	11	4	11	1	18	2				1·56	7	1·6	2	0	1	1	1
June	71·7	50·9	20·8	61·3	89·0	35·0	0	3	6	12	6	8	6	11	8				3·11	9			0	1	4	0
July	77·1	55·1	22·0	66·1	86·5	34·0	4	0	0	4	9	10	5	28	2				2·44	9			0	0	2	0
August	74·5	50·1	24·4	62·3	88·0	36·5	2	1	4	6	5	9	4	30	1				0·99	6			0	2	0	0
September	69·0	51·0	18·1	60·0	84·0	36·5	1	2	7	11	5	14	6	14	0				3·22	16			0	0	4	0
October	51·5	33·5	18·0	42·5	72·5	20·0	5	1	6	0	13	8	3	24	2				3·01	11			0	1	2	0
November	40·5	27·9	12·7	34·2	53·0	6·0	1	0	5	8	10	8	5	19	4				3·16	15			0	1	0	0
December	32·3	21·0	11·4	26·7	48·0	4·0	1	2	7	4	7	16	8	18	0				1·72	5	24·0	10	0	0	0	0
Year	50·4	33·2	17·2	43·1	89·0	12·0	32	19	66	104	82	113	63	231	30				27·60	106	64·9	42	1	13	16	4

MONTHLY and Annual Summaries for the Year 1907, Clinton, Ontario—Latitude, N. 43° 32′; Longitude, W. 81° 37′. Height above Sea, —— feet

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	22·2	5·9	28·0	46·0	30·0	76·0	8·2	0·89	4	18·0	10	0	0	0	0
February	19·6	8·7	28·3	37·0	32·0	69·0	5·4	R.	1	8·3	7	0	0	0	0
March	39·3	18·6	20·7	60·0	0·4	60·4	29·0	0·77	4	13·0	8	0	0	0	0
April	44·5	24·2	20·3	68·0	12·0	56·0	34·4	0·12	1	15·0	7	0	0	0	0
May	58·8	31·9	26·9	82·0	15·8	66·2	45·3	2·78	3	4·0	3	0	0	0	0
June	80·1	47·9	32·2	95·0	31·7	33·3	64·0	1·42	6	—	—	0	0	0	2
July	80·7	54·4	26·3	90·5	35·2	55·3	67·5	0·00	0	—	—	0	0	0	7
August	76·7	46·3	30·5	90·0	24·0	66·0	61·5	1·04	6	—	—	0	0	0	1
September	68·6	46·4	22·2	83·0	30·7	52·3	57·5	4·26	7	—	—	0	0	0	1
October	52·5	30·5	22·0	69·0	16·0	53·0	41·5	4·04	10	—	—	0	0	0	
November	38·3	22·2	16·2	52·0	9·0	43·0	30·2	5·67	4	5·7	5	0	0	0	
December	28·8	12·3	16·5	46·5	9·0	55·5	20·5	0·00	0	5·2	9	0	0	0	
Year	50·8	26·7	24·2	95·0	32·0	127·0	38·8	20·99	46	69·2	49	0	0	0	

MONTHLY and Annual Summaries for the Year 1907, Cockburn Island, Ontario—Latitude, N. 45°, 57′; Longitude, W. 83°, 18′. Height above sea, 610 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	21·1	7·3	13·8	45·0	16·0	61·0	14·2	0·30	1	6·0	6	0	1	0	0
February	21·3	2·0	23·3	37·0	21·0	58·0	9·6	0·00	0	6·0	4	0	0	1	0
March	35·1	13·8	21·3	57·0	9·0	66·0	24·4	1·31	5	11·0	6	0	4	1	3
April	38·4	21·5	16·8	53·0	10·0	43·0	30·0	0·20	1	11·1	10	0	0	1	0
May	49·2	32·7	16·5	60·0	21 0	39·0	40·9	3·15	9	.. ...	....	0	6	0	3
June	74·6	46·4	28·2	90 0	37·0	53·0	60·5	1·61	6	.. ...	....	0	3	0	1
July	76·8	53·9	23·0	82 0	42·0	40·0	65·4	1·23	7	.....	....	0	1	0	2
August	69·9	49·3	20·6	83·0	39·0	44·0	59·6	4·10	12	.....	....	0	1	0	4
September	64·2	47·9	16·3	79·0	32·0	47·0	56·0	3·75	16	...	...	1	3	0	4
October	49·8	32·9	16·9	69·0	19·0	50·0	41·3	2·88	10	.....	....	0	2	0	0
November	39·2	25·9	13·3	49·0	9·0	40·0	32 5	2·42	5	3·0	2	0	2	0	0
December	31·2	17·0	14·2	43·0	2·0	41·0	24·1	0·85	5	13·0	9	0	4	0	0
Year	47·6	28·9	18·6	90·0	21·0	111·0	38·2	21·80	77	50·1	37	1	27	3	17

MONTHLY and Annual Summaries for the Year 1907, Coldwater, Ontario—Latitude, N. 44° 38′; Longitude, W. 79° 40′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	.....	...	.....	....	.....	.....	.....	—	....	—	....	....	....	....	....
February	21·8	7·0	28·8	42·0	39·0	81·0	7·4	0·00	0	14·0	6	....	....	....	....
March	40·5	16·3	24·1	60·0	19·0	79·0	28·4	0 00	0	4·8	2	....	....	....	...
April	43·7	26·0	17·7	67·0	8·0	59·0	34·9	1·55	2	2 8	2	....	....	....	....
May	59·0	29·3	29·7	85 0	20·0	65·0	44·2	0·00	0	1·5	2	....	....	....	....
June	75·2	43 4	31·8	90·0	34·0	56 0	59·3	0 88	6	... ...	....	....	....	....	....
July	79·0	48·0	31·0	86·0	36·0	50·0	63·5	2·02	3	.....	....	....	....	....	....
August	76·3	41·5	34·8	92·0	34·0	58·0	58·9	0·93	2	....	....	....	....	....	....
September	68 6	43·1	25·5	83·0	25 0	58·0	55·8	2·37	10	.....	....	....	....	....	....
October	51·6	26·9	24·7	70·0	10·0	60·0	39·2	1·91	5	.....	....	....	....	....	....
November	39·8	22·5	17·3	49·0	9·0	40·0	31·2	1·36	2	7·0	4	....	....	....	....
December	32 7	12·7	19 9	45·0	14·0	59·0	22·7	0·13	1	22·2	9	....	....	....	....
Year	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Conrad, Yukon—Latitude, N. 46° 30′; Longitude, W. 80° 59′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February	4·9	10·0	14·9	42·0	42·0	84·0	2·5	0·02	1	34·7	7	0	0	1	
March	20 0	1·6	21·6	38·0	30·0	68·0	9·2	0·00	0	5·3	6	3	0	0	
April	41·2	18·4	22·7	52·0	6·0	58·0	30·0	0·00	0	1·3	1	0	0	0	
May	59 2	35·7	23·5	73·0	26·0	47·0	47·4	0·00	0			0	0	0	
June	65·7	35·5	30·2	76·0	30·0	46·0	50·6	0·03	1			0	0	0	
July	66·7	41·2	25 5	76·0	35·0	41·0	54·0	0·43	6			0	0	0	
August	32·5	38·8	23 8	72·0	31·0	41·0	50·7	1·45	11			0	0	0	
September	53·5	34·7	18·1	63·0	26·0	37·0	44·1	0·54	6	*	*	0	0	0	
October	45·6	29·2	16·4	59 0	8·0	67·0	37·4	0·27	5	5·3	4	0	0	1	
November	31·4	12·1	19 3	50·0	7·0	57·0	21·7	0·00	0	17·1	10	0	0	0	
December	21·6	5·6	16·0	44·0	12 0	56·0	13·6	0·00	0	8 8	6	0	0	0	
Year															

Monthly and Annual Summaries for the Year 1907, Copper Cliff, Ontario—Latitude, N. 46° 30′; Longitude, W. 80° 59′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	17·5	1·5	18·9	43·0	26 0	69 0	8 0	1·14	2	11·5	7			0	0
February	17·9	5·2	23·1	33·0	25·0	58·0	6·4	0·00	0	13·5	7			0	0
March	33·9	13·3	20·6	55·0	13·0	68·0	23·6	1·23	5	11 0	6			0	0
April	40·5	20·6	19·9	56·0	3·0	53 0	30·5	1·18	3	5·2	3			0	0
May	53 0	32·0	21·0	66·0	22 0	44·0	42·5	2·70	10	2·7	2			1	0
June	77·3	52·8	24·5	92 0	41·0	51·0	65·1	1·48	7					0	0
July	78·7	54·4	24·4	86·0	41·0	45·0	66·6	2 35	11					0	0
August	71·2	49 9	21·3	87·0	42·0	45·0	60 5	1·98	6					0	2
September								—							
October	48·1	31·1	17·0	67·0	17 0	50·0	39·6	2·15	7					0	0
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1907, Cottam, Ontario—Latitude, N. 42° 7′; Longitude, W. 82° 45′. Height above Sea, 606 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM											RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	32·9	15·1	17·9	24·0	53·0	15·0	22	3	5	19	1	4	7	1	0				2·71	8	17·8	7	1	7	0	0
February	28·5	10·5	18·1	19·5	43·0	10·0	18	5	9	3	9	11	1	0	0				0·00	0	3·3	4	0	2	0	4
March	46·3	27·6	18·7	37·0	75·0	7·0	27	2	4	6	16	1	6	0	0				2·41	8	3·8	2	0	2	0	0
April	47·9	29·0	18·9	38·5	72·0	20·0	34	1	7	5	7	3	3	0	0				1·85	5	2·5	3	0	0	0	0
May	61·5	35·9	25·6	48·7	84·0	26·0	27	2	12	4	14	0	3	0	0				1·99	9	1·3	1	0	0	0	0
June	72·9	51·1	21·8	62·0	88·0	34·0	14	1	4	16	16	4	5	0	0				3·67	9			0	0	1	0
July	80·9	56·6	24·3	68·8	88·0	36·0	21	0	1	3	15	12	7	3	0				4·05	12			0	0	0	0
August	79·2	54·1	25·1	66·7	88·0	40·0	24	2	5	7	12	3	8	1	0				1·25	5			0	0	0	0
September	71·5	51·3	20·2	61·4	86·0	31·0	15	0	4	13	10	6	12	0	0				5·31	11			0	1	0	0
October	54·5	33·0	21·5	43·7	74·0	20·0	33	1	1	7	5	10	4	1	0				2·33	7	*	1	0	1	3	0
November	43·6	25·9	17·7	34·7	54·0	16·0	34	0	2	2	2	13	5	2	0				2·50	4	2·2	2	0	4	0	0
December	34·9	20·8	14·1	27·8	50·0	9·6	13	2	3	6	10	8	9	11	0				4·10	5	10·6	11	0	1	0	0
Year	54·6	34·2	20·3	44·4	88·0	15·0	282	19	57	91	117	75	70	19	0				32·17	83	41·5	31	1	18	4	4

MONTHLY and Annual Summaries for the Year 1907, Cowichan, British Columbia—Latitude, N. 48° 25′; Longitude, W. 123° 42′. Height above Sea, 170 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°								
January	27·5	22·4	15·1	52·0	1·5	50·5	30·0	2·57	5	14·5	3				0
February	48·6	32·2	16·5	58·9	23·5	35·4	40·4	4·73	10	3·0	1				0
March	49·1	31·5	17·6	55·3	24·7	30·6	40·3	1·31	12						0
April	58·1	35·8	22·3	70·3	26·5	43·8	46·9	2·09	10						0
May	67·2	45·0	22·2	79·0	34·0	45·0	56·1	0·61	4						0
June	70·8	48·3	22·5	83·8	40·0	43·8	59·6	1·24	10						0
July	76·3	52·4	23·9	90·5	48·0	42·5	64·4	0·90	4						1
August	72·0	50·1	21·9	87·7	39·0	48·7	61·1	0·48	4						0
September	68·6	47·7	20·8	86·7	35·4	51·3	58·1	1·01	9						1
October	60·6	42·0	18·6	70·5	30·0	40·5	51·3	1·08	7	0·0	0				0
November	53·8	38·9	14·8	63·0	30·5	32·5	46·3	7·36	20	0·0	0				0
December	45·4	34·6	10·8	58·8	26·0	32·8	40·0	8·54	21	0·0	0				0
Year	59·0	40·1	18·9	90·5	1·5	89·0	49·5	31·92	116	17·5	4				2

Monthly and Annual Summaries for the Year 1907, Crawford Bay, British Columbia—Latitude, N. 49° 45 ; Longitude, W. 116° 45′. Height above Sea, 2,000 feet.

Month.	Temperature.						Wind, Direction from									Clouded Sky.			Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°										%	%	%	in.		in.					
January																										
February																										
March																										
April																										
May																										
June																										
July																										
August	69·1	49·8	19·2	59·4	91·5	40·0	2	10	0	0	5	29	4	10	2				7·52	11			1		1	
September	65·4	44·5	20·8	54·9	76·0	37·0	2	3	0	0	5	26	13	10	1				3·46	12			0		4	
October	60·0	38·8	19·2	49·4	62·0	34·0	0	1	1	0	5	47	5	2	1				1·90	7			0		0	
November	40·8	32·5	8·4	36·6	49·5	22·0	6	6	0	1	0	34	9	2	2				4·25	15	6·0	3	0		0	
December	36·0	26·5	9·5	44·0	12·0	32·0	3	8	20	1	1	15	8	6	0				1·30	6	46·3	9	0		0	
Year																										

Monthly and Annual Summaries for the Year 1907, Cypress River, Manitoba—Latitude, N. 49° 33′ ; Longitude, W. 99° 3′. Height above Sea, 1,232 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	51·6	27·2	24·4	69·0	11·0	58·0	39·4	0·14	3	2·0	2				
June	73·6	48·5	25·1	85·0	32·0	53·0	61·0	1·88	8						
July	77·2	49·8	27·4	87·0	37·0	50·0	63·5	1·95	14						
August	72·4	47·6	24·8	90·0	37·0	53·0	60·0	5·29	14						
September	61·0	38·1	23·0	78·0	22·0	56·0	49·6	0·87	7						
October															
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Dalhousie, New Brunswick—Latitude, N. 48° 4′; Longitude, W. 66° 22′. Height above Sea, 39 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	a.m.	p.m.	p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January				16·1	7·7	8·4	35·0	6·0	11·9	0	0	5	1	0	0	23	0	2
February				15·3	8·4	6·9	31·0	10·0	11·8	0	1	2	3	1	0	16	0	5
March				30·4	24·2	6·2	49·0	2·0	27·3	0	0	8	2	0	0	13	0	8
April				41·4	35·5	5·9	56·0	21·0	38·5	2	1	12	0	0	0	14	0	1
May				52·1	43·7	8·4	64·0	30·0	47·9	0	0	10	0	0	1	13	0	2
June				66·0	58·5	7·5	91·0	42·0	62·3	0	0	15	3	1	0	10	0	1
July				68·2	55·8	12·5	84·0	48·0	62·0	0	3	13	0	0	0	8	0	7
August				67·9	53·9	14·0	79·0	40·0	60·9	0	1	4	3	0	0	17	1	5
September				62·7	46·3	16·4	75·0	35·0	54·5	1	0	14	0	0	1	10	2	2
October				48·8	35·7	13·0	65·0	20·0	45·0	0	0	9	0	0	1	19	2	0
November				41·4	25·7	15·6	51·0	11·0	33·6	0	0	8	2	0	1	15	3	1
December				33·0	16·7	16·3	47·0	4·0	24·9	0	0	8	1	0	0	20	0	1
Year				45·3	34·3	10·9	91·0	10·0	40·1	3	6	108	15	2	4	178	8	35

Monthly and Annual Summaries for the Year 1907, Dalhousie, New Brunswick—Latitude, N. 48° 4′; Longitude, W. 66° 22′. Height above Sea, 39 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms	Lightning Alone.
	a.m.	5·30 p.m.	p.m.	a.m.	5·30 p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January		II			63			0·00	0	9·3	8		2			
February		II			64			0·00	0	22·0	5		0			
March		II			61			0·09	1	12·2	4		0			
April		II			—			2·06	2	10·0	5		0			
May		II						1·14	6	*	1		0			
June		III						1·24	7				0			
July		II						4·50	12				0			
August		II						2·33	8				0			
September		II						1·32	9				0			
October		II						1·59	5	*	3		0			
November		II						1·12	3	3·0	2		0			
December		II						1·27	4	8·0	4		0			
Year		II						16·66	57	64·5	32		2			

MONTHLY and Annual Summaries for the Year 1907, Dauphin, Manitoba—Latitude, N. 51° 15′; Longitude, W. 99° 30′. Height above Sea, 957 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°		in.		in.					
January	3·3	22 0	18 7	18·0	37·0	55·0	12·6	.....	.....	9 0	3	.....	.....	.....	...
February	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...
March	30·1	7·3	22·8	55·0	7 0	62 0	18·7	.....	.....	6·0	1	.....	.....	.....	.....
April	38·4	17·1	21·3	54·0	2·0	52·0	27·8	—	.....	—	.....	.....	.....	.....	.....
May	47·8	24·4	23·4	68·0	10·0	58·0	36·1	0·99	3	—	.....	.....	.....	.....	.....
June	70·2	49·2	21·0	86·0	35·0	51 0	59·7	2·08	10	.....	.....	.....	.....	.....	.....
July	77·3	53·5	23·8	89·0	42·0	47 0	65·4	2·83	11	.....	.....	.....	.....	.....	.....
August	70·1	48·7	21·4	86 0	36·0	50·0	59 4	6·79	11	.....	.....	.....	.....	.....	.....
September	57·7	37·9	19·8	75·0	26·0	49·0	47·8	1·13	5	.....	.....	.....	.....	.....	.....
October	54·9	32·1	22·8	69·0	17·0	52 0	43·5	0·70	3	.....	.....	.....	.....	.....	.....
November	35·3	15·7	19·6	63·0	17·0	80 0	25·5	0·00	0	2·0	2	.....	.....	.....	.....
December	21·8	3·0	18 8	45·0	31·0	76·0	12·4	0·00	0	9·0	3	.....	.....	.....	.....
Year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

MONTHLY and Annual Summaries for the Year 1907, Didsbury, Alberta—Latitude, N. 51° 40′; Longitude, W. 114° 8′. Height above Sea, 3,300 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.		RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°												in.		in.					
January	0·5	18·0	18·4	8·3	44·0	42·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0 00	0	13·0	4	.....	.....	0	.....
February	31·1	8·9	22 3	20·0	58·0	46·0	1	0	6	3	0	11	0	4	3	.....	.....	0 00	0	6·0	1	.....	.....	0	.....
March	31·2	11·2	20·0	21·2	54·0	10·0	0	2	2	5	2	2	3	14	1	.....	.....	0·00	0	10·0	3	.....	.....	0	.....
April	45 6	24·9	20·7	35·3	64·0	16·0	1	1	12	1	1	0	2	11	1	.....	.....	0·00	0	9·0	3	.....	.....	0	.....
May	56·2	33·7	22·5	44·9	72·0	18·0	0	3	7	0	0	0	2	19	0	.....	.....	1 40	5	5·0	2	.....	.....	0	.....
June	68·7	47·1	21·7	57·9	86·0	34·0	1	0	3	0	9	2	6	9	0	.....	.....	5·33	18	.....	.....	.....	.....	1	.....
July	76 3	49·9	26·5	63·1	88·0	40·0	0	0	6	1	2	3	4	13	2	.....	.....	3 93	13	..	..	.....	.....	0	.....
August	67·4	44·7	22·6	56·0	80·0	28·0	1	0	2	0	4	2	2	20	0	.....	.....	4·49	16	.....	.....	.....	.....	0	.....
September	63·4	36·9	26·5	50·1	84·0	20·0	0	4	4	2	0	5	0	15	0	.....	.....	5·38	7	16·5	7	.....	.....	0	.....
October	63·2	33·0	30·3	48·1	76·0	20 0	0	2	2	5	6	9	3	4	0	.....	.....	0 43	2	0·0	0	.....	.....	0	.....
November	47·9	24·6	23·3	36·3	60·0	12·0	0	0	1	2	2	5	2	18	0	.....	.....	0 00	0	*	1	.....	.....	0	.....
December	37·6	15·5	22·1	26·5	64·0	6·0	0	0	1	0	4	2	15	7	2	.....	.....	0 00	0	4·0	3	.....	.....	0	.....
Year	49·1	34·4	23·1	37·6	88·0	46·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20·96	61	63 5	24	.....	.....	1	.....

MONTHLY and Annual Summaries for the Year 1907, Dunvegan, Alberta—Latitude, N. 55° 56′; Longitude, W. 118° 35′.. Height above Sea, 1,505 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	9·7	32·9	23·2	24·0	51·0	75 0	21·3	—		—			0		
February	18·7	6·7	25 4	53·0	53·0	106·0	6·0	0 00	0	14·5	7		0		
March	28·5	3·2	31·8	44·0	26·0	70·0	12·6	0·00	0	4·5	5		0		
April															
May	59·8	32·2	27·6	82·0	11·0	71 0	46·0	49·0	4	2·3	1		0		
June	69·3	41·9	27 5	86·0	30·0	56·0	55·6	2·33	8				0		
July	70·4	47·6	22·8	80·0	37·0	43·0	59·0	1·88	7				0		
August	69·9	41·1	28·9	86 0	32·0	54·0	55·5	1 90	1				3		
September	61·9	35·2	26·7	80·0	24·0	56·0	48·5	0·95	4				0		
October	54·9	25·7	29·2	73·0	5·0	68·0	40·3	0·40	1				0		
November	32·6	10·6	22·0	52·0	3·0	55·0	21·6	0·00	0	1·4	1		0		
December	16·6	0·7	17·3	41·0	20·0	61·0	8·0	0·00	0	1·5	2		0		
Year															

MONTHLY and Annual Summaries for the Year 1907, Emsburg, Alberta—Latitude, N. 52° 15′; Longitude, W 112° 12′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April	42·5	14·5	28·1	62·0	1·0	63·0	28·5	0 00	0	3·5	6	5	3	1	0
May	52·7	25·6	27·1	73·0	9 0	64·0	39·1	0·00	0	6·3	6	0	0	0	2
June	69·0	38·2	30·8	85·0	27·0	58·0	53·6	1·39	14			3	1	0	8
July	71·0	41·9	29·1	86·0	36·0	50·0	56·5	1·78	8			5	3	0	4
August	64·7	38·5	26·2	82 0	26·5	55·5	51·6	4·11	10			0	1	0	4
September	55·8	31·8	24·0	78·0	20·0	58·0	43·8	1·68	10			0	1	2	1
October	54·3	26·6	27·7	68·0	12·0	56·0	40 5	0·49	3			4	1	4	0
November	37·4	17·2	20·3	50·0	8·0	42·0	27·3	0·17	2	0·4	1	0	0	3	0
December	28 8	11·5	17·3	50 0	4 0	54·0	20·1	0·00	0	8·0	5	4	1	1	0
Year															

MONTHLY and Annual Summaries for the Year 1907, Estevan, Saskatchewan—Latitude, N. 49° 12′; Longitude, W. 103° 4′. Height above Sea, 1,858 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	0·4	17·3	17 8	8 5	23·0	39·0	0	1	0	3	0	14	0	11	2	...	...	...	0·00	0	24·5	12	2	0	0	1
February..	12·1	4·8	17·0	3·7	34·0	41 5	1	5	0	2	0	12	0	4	4	...	...	...	0·00	0	4 0	3	0	1	0	0
March.....	25·7	7·6	19·1	17·1	47·0	8·0	0	6	0	0	0	12	3	4	5	...	...	...	0·25	1	15·0	5	2	0	0	2
April.....	33·5	17·6	15·9	25·5	44·0	4·0	0	4	1	1	0	12	1	10	1	...	...	...	R.	1	4·0	2	4	0	0	0
May.....	50·2	30·8	19·4	40·5	69·0	17·0	0	4	0	5	0	6	0	12	4	...	...	...	0·61	7	*	2	3	0	1	1
June.....	71·5	49·0	22·5	60·3	86·0	35·0	1	3	0	2	0	1	1	16	6	...	...	...	0·89	8	...	..	7	0	2	0
July.....	73·8	52·0	21·8	63·0	85·0	45 0	0	0	0	2	0	12	0	9	8	...	...	..	2·31	5	.....	..	3	0	8	1
August....	72·8	48·1	24·7	60·4	92·0	35 0	0	2	0	3	0	4	1	19	2	...	...	...	4·92	8	.....	..	4	1	4	2
September.	61·4	35·4	26·0	48·4	79·0	13·0	1	7	0	1	0	1	2	8	10	...	...	...	0·37	10	.....	..	1	3	0	0
October....	57·5	23·7	33·8	40·6	76·0	11·0	0	0	0	1	0	5	7	7	11	...	...	...	0·10	3	...	...	1	2	0	0
November.	40·6	16·1	24·5	28·4	59·0	0·5	....	....	....	....	....	....	....	....	....	...	...	...	R.	1	*	5	0	1	0	0
December .	26·6	5·0	21·6	15·8	52·0	18·0	0	0	3	0	1	8	5	0	14	...	...	...	R.	2	12·5	11	0	5	0	1
Year....	43·9	21·9	22·0	32·9	92·0	41·0	....	....	....	....	...	....	....	....	....	...	...	...	9·45	46	60·0	40	27	13	15	8

MONTHLY and Annual Summaries for the Year 1907, Fond du Lac, Saskatchewan—Latitude, N. —° —′; Longitude, W. —° —′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	18·3	36·3	18·0	27·3	5·0	52 0	0	8	3	1	0	1	12	6	0	...	...	...	—	...	.....					
February..	3·6	26·8	23·2	15·2	33·0	49·0	1	6	7	2	0	1	9	2	0	...	...	...	—	...	.....					
March.....	9·3	16 6	25·9	3 7	35·0	36·0	0	3	15	2	0	0	9	2	0	...	...	...	—	...	.....					
April.....	22·1	3·7	26·2	9·4	45·0	24·0	4	4	12	0	0	2	5	3	0	...	...	...	—	...	.....					
May.....	37·3	16·3	21·0	26·8	60·0	13·0	8	0	16	0	2	0	5	0	0	...	...	...	0·35	2	.....					
June.....	61·1	37·8	23·3	49·5	79·0	31·0	4	3	14	2	6	0	6	0	1	...	...	...	1·52	9	.....					
July.....	65·4	48·2	17·2	56·8	78·0	35·0	2	0	16	1	2	3	5	1	1	...	...	...	2·44	11	...	..				
August....	63·7	47·5	16·2	55 6	78·0	34·0	0	4	9	1	1	2	6	2	6	...	...	...	2 26	10	.....					
September.	49·7	35·3	14·4	42·5	78·0	16·0	3	2	8	0	1	2	4	2	7	...	...	...	1·58	10	.....					
October....	42·3	28·7	13·7	35·5	59·0	10·0	1	4	9	2	0	1	4	5	5	...	...	...	0·86	6	S.	2				
November.	21·0	5·3	15·7	13·2	36·0	15·0	2	9	5	1	0	2	2	0	9	...	...	...	—	...	S.	5				
December .	3·7	12·6	16·3	4 5	33·0	44·0	4	5	6	0	0	0	3	7	6	...	...	..	—	...	—					
Year....	29 5	10·3	19·2	19·9	79·0	52·0	29	48	120	12	6	14	70	30	35	...	...	...	.....	...	.....	..	...	...	...	...

MONTHLY and Annual Summaries for the Year 1907, Fort Vermilion, Alberta—Latitude, N. 55° 27′; Longitude, W. 116° 3′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	10·9	35·2	24·2	20·2	55·8	76·0	23·1	0·00	0	3·0	3	0	0	12	0
February	10·0	18·9	28·9	49·0	49·5	98·5	4·5	0·00	0	3·0	3	0	0	9	0
March	22·2	5·6	27·9	44·2	30·0	74·2	8·3	0·00	0	17·0	7	0	0	4	0
April	37·5	13·3	24·2	52·5	12·5	65·0	25·4	0·00	0	4·2	3	3	0	9	0
May	53·3	30·7	22·6	77·5	14·0	63·5	42·0	0·00	0	4·5	1	0	0	5	0
June	71·4	46·1	25·3	89·2	35·5	53·7	58·7	2·15	8	...	...	0	0	0	3
July	74·1	47·3	27·1	83·0	37·6	45·4	60·7	3·49	13	.....	....	0	0	0	4
August	71·2	40·5	30·7	81·5	28·7	52·8	55·9	1·09	13	.....	....	0	2	4	3
September	59·4	34·0	25·4	83·5	19·6	63·9	46·7	0·64	3	.....	....	0	0	9	0
October	51·0	25·5	25·5	65·8	5·0	60·8	38·2	0·50	2	...	...	0	4	7	0
November	24·7	7·2	17·5	44·0	18·8	62·8	16·0	0·00	0	14·0	9	0	5	5	0
December	11·5	8·9	20·4	34·0	33·6	67·6	1·3	0·00	0	2·0	2	0	0	8	0
Year	39·6	14·7	24·9	89·2	55·8	145·0	27·1	7·87	39	47·7	28	3	11	72	10

MONTHLY and Annual Summaries for the Year 1907, Foxleigh, Saskatchewan—Latitude, 50° 37′; Longitude, 104° 29′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	4·9	22·8	17·9	20·0	44·0	64·0	13·9	0·00	0	5·0	10	0	0	2	0
February	16·5	3·4	19·9	45·0	44·0	89·0	6·6	0·00	0	0·0	0	0	0	0	0
March	25·3	4·6	20·7	46·0	14·0	60·0	14·9	0·00	0	8·0	5	0	0	0	0
April	33·0	14·0	19·0	46·0	2·0	48·0	23·5	0·00	0	9·0	4	0	0	0	0
May	50·1	26·6	23·5	72·0	4·0	68·0	38·4	1·04	4	0·0	0	0	0	1	2
June	68·1	48·1	20·0	86·0	32·0	54·0	58·1	7·46	13	*	1	0	0	0	5
July	74·5	48·1	26·4	84·0	41·0	43·0	61·3	1·15	5	.....	...	0	0	1	6
August	70·2	41·9	28·3	88·0	30·0	58·0	56·1	3·55	10	.....	....	2	1	4	8
September	59·2	33·6	25·6	78·0	10·0	68·0	46·4	1·23	7	.....	...	0	3	4	0
October	54·2	23·9	30·3	69·0	9·0	60·0	39·1	R.	2	...	...	1	1	2	0
November	36·1	9·8	26·3	59·0	7·0	66·0	22·9	R.	3	*	5	0	0	1	1
December	...	...	...	...	...	...	...	...	...	.....	....	...	...	...	...
Year	.....	.....	.....	...	.....	.....	....	...	....	.....	....	...	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Garry Point, British Columbia—Latitude, N. 49° 21′; Longitude, W. 123° 17′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms
	°	°	°	°	°	°	°	in.		in.					
January	33·3	19·3	14·0	43·0	1·0	42·0	26·3	4·40	7	8·0	3	....	1	....	....
February	42·9	32·1	10·8	50·5	17·0	33·5	37·5	5·38	11	3·0	1	....	7	....	....
March	46·7	32·3	14·4	52·0	26·0	26·0	39·5	1·51	7	..	....	....	0	....	....
April	53·3	36·5	16·8	59·0	28·0	31·0	44·9	2·48	11	....	....	....	0	....	....
May	62·7	44·0	18·7	74·0	35·0	39·0	53·3	0·83	4	..	....	....	0	....	....
June	64·4	45·5	18·8	74·0	40·0	34·0	55·0	0·60	6	..	....	....	0	....	....
July	71·0	51·3	19·8	81·0	43·0	38·0	61·2	0·07	2	....	—	....	0	....	....
August	66·2	48·2	17·9	72·0	38·0	34·0	57·2	0·14	5	..	....	....	0	....	....
September	62·0	46·1	15·9	74·0	36·0	38·0	54·0	0·23	6	....	.	....	0	....	....
October	56·5	43·4	13·1	64·5	32·0	32·5	50·0	0·47	3	0·0	0	....	0	....	....
November	50·9	40·2	10·7	59·5	29·0	30·5	45·5	6·57	18	0·0	0	....	4	....	....
December	44·9	34·3	10·6	51·5	22·0	29·5	39·6	6·52	19	0·0	0	....	0	....	....
Year	54·6	39·4	15·1	81·0	1·0	80·0	47·0	29·20	99	11·0	4	....	12	....	....

MONTHLY and Annual Summaries for the Year 1907, Gatesgarth, Saskatchewan—Latitude, N. 50° 20′; Longitude, W.105 0′. Height above Sea, 1,879 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurorae.
	°	°			°	°													in.		in.					
January	5·8	23·5	17·7	14·7	23·0	47·0	1	0	8	16	1	11	12	13	0	..	..	..	0·00	0	14·0	5	0	..	0	..
February	15·5	3·5	19·0	6·0	38·0	46·0	0	2	7	11	5	4	16	11	0	..	..	..	—	..	—	..	0	..	0	..
March	25·1	3·9	21·2	14·5	40·0	15·0	0	4	3	23	0	9	13	10	0	..	..	..	—	..	—	..	0	..	0	..
April	38·8	16·3	17·5	25·1	50·0	4·0	0	5	10	5	1	9	8	22	0	..	..	..	—	..	—	..	5	..	0	..
May	52·5	28·3	24·2	40·0	73·0	10·0	2	8	6	5	0	6	9	26	0	..	..	..	1·07	6	..	..	0	..	0	..
June	69·8	46·6	23·2	58·2	84·0	33·0	0	8	11	11	1	10	11	8	0	..	..	..	4·32	15	..	..	0	..	5	..
July	74·8	48·3	26·5	61·5	86·0	40·0	0	5	1	11	3	22	6	14	0	..	..	..	1·28	9	..	..	0	..	6	..
August	71·6	45·2	26·4	58·4	87·0	37·0	1	3	6	12	1	17	9	13	0	..	..	..	4·00	14	..	..	3	..	3	..
September	61·9	34·6	27·3	48·2	77·0	13·0	0	5	0	16	2	18	6	13	0	..	..	..	0·80	7	..	..	0	..	0	..
October	59·5	26·4	33·1	43·0	76·0	12·0	2	4	0	17	3	8	6	22	0	..	..	..	0·05	3	..	..	0	..	0	..
November	41·3	13·9	27·4	27·6	62·0	4·0	0	0	2	17	1	12	14	14	0	..	..	..	0·05	1	1·0	2	0	..	0	..
December	28·3	4·4	23·9	16·4	55·0	24·0	1	0	1	15	0	24	9	12	0	..	..	..	0·00	0	3·0	5	0	..	0	..
Year	44·0	20·1	23·9	32·1	87·0	47·0	7	44	55	159	18	150	119	178	0	..	..	..	....	..	....	..	8	..	14	..

MONTHLY and Annual Summaries for the Year 1907, Gleichen, Alberta—Latitude, N. 50° 52′; Longitude, W. 112° 54′. Height above Sea, 2,952 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	3·3	26·1	22·8	39·5	51·5	91·0	14·7	.....	....	....	....	0	....	....	....
February	23·0	2·2	25·2	46·0	52·0	98·0	10·4	.....	....	.....	....	0	....	....	....
March	29·9	2·9	27·0	52·0	19·0	71·0	16·4	.....	....	.....	....	0	....	....	....
April	45·7	22·2	23·5	64·0	12·5	51·5	33·9	.....	....	.....	....	0	....	....	....
May	57·1	27·6	29·5	76·0	11·5	64·5	42·4	.....	....	.....	....	0	....	....	....
June	67·1	42·8	24·3	79·5	30·5	49·0	55·0	.....	....	.....	....	1	....	....	....
July	74·3	44·7	29·6	80·5	38·0	42·5	59·5	.....	....	.....	....	2	....	....	....
August	72·3	40·4	31·9	84·5	28·5	56·0	56·4	.....	....	.....	....	0	....	....	....
September	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	....	....	....
October	65·0	24·6	40·4	75·0	13·0	62·0	44·8	.....	....	.....	....	0	....	....	....
November	48·4	13·5	35·0	65·0	0·0	65·0	31·0	.....	....	.....	....	0	....	....	....
December	31·4	2·2	29·2	59·0	16·5	75·5	16·8	.....	....	.....	....	0	....	....	....
Year	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Golden, British Columbia—Latitude, N. 51° 16′; Longitude, W. 116° 55′. Height above Sea, 2,550 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	3·3	20·0	23·3	34·0	51·0	85·0	8·4	—	....	—	....	0	0	....	0
February	29·6	11·8	17·8	45·0	39·0	84·0	20·7	—	....	—	....	0	0	....	0
March	38·0	15·5	22·6	47·0	4·0	51·0	26·8	—	....	—	....	0	1	....	0
April	48·5	26·7	21·8	60·0	13·0	47·0	37·6	—	....	—	....	0	0	....	1
May	63·2	34·6	28·6	74·0	23·0	51·0	48·9	—	....	—	....	0	0	....	0
June	68·6	41·9	26·7	86·0	30·0	56·0	55·2	—	....	—	....	1	0	....	2
July	74·9	45·6	29·3	86·0	39·0	47·0	60·3	—	....	—	....	0	0	....	2
August	67·1	44·0	23·1	85·0	33·0	52·0	55·6	—	....	—	....	0	0	....	1
September	61·2	38·3	22·9	75·0	25·0	50·0	49·8	—	....	—	....	0	1	....	1
October	55·5	31·7	23·8	64·0	23·0	41·0	43·6	—	....	—	....	0	9	....	0
November	38·0	26·4	11·6	48·0	4·0	52·0	32·2	R	2	12·0	9	0	0	....	0
December	27·9	12·8	15·1	39·0	23·0	62·0	20·4	—	....	—	....	0	1	....	0
Year	47·9	25·8	22·2	86·0	51·0	137·0	36·8	.....	....	.....	....	1	12	....	7

MONTHLY and Annual Summaries for the Year 1907, Gray Hill, Alberta—Latitude, N. 52° 15′; Longitude, W. 113° 53′ Height above Sea, 2,795 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°										%	%	%	in.		in.					
January ..	3·3	16·9	20·2	6·8	41·8	36·8	4	3	2	6	3	12	15	15	2	...	...	...	0·00	0	13·5	14	0	0	0	5
February..	29·5	9·0	20·5	19·2	57·6	33·3	8	3	3	7	6	19	8	2	0	...	...	..	R.	1	3·5	4	3	0	0	7
March	30·7	9·1	21·6	19·9	53·2	9·0	2	6	2	9	10	11	9	13	0	...	...	...	0·00	0	7·4	7	5	1	0	7
April	42·5	23·4	19·2	33·0	65·5	9·4	9	4	6	20	3	8	2	8	0	...	...	...	0·02	1	6·3	11	0	0	0	0
May	53·7	31·2	22·5	42·5	74·8	17·7	9	11	6	12	2	5	3	14	0	...	...	...	0·31	10	11·2	6	2	2	4	2
June.....	66·6	44·9	21·7	55·8	82·8	33·8	2	6	4	12	4	11	6	14	1	...	...	...	3·38	18	.....		0	0	7	1
July	71·9	48·9	23·0	60·4	82,8	39·1	2	1	2	7	6	19	7	18	0	...	...	...	1·64	14	.....		0	1	5	2
August ...	65·8	44·4	21·4	55·1	81·0	32 5	3	4	0	5	8	18	8	16	0	...	...	...	3·67	15	....	...	1	2	3	5
September	60·2	38·3	21·9	49·2	80·6	26·6	3	2	6	4	8	18	7	12	0	...	...	...	2·85	8	.....		0	1	1	3
October...	61·9	36·1	25·8	49·0	74·2	22·6	2	3	0	5	13	21	6	12	0	...	...	...	0·53	6	. . .	...	3	0	2	6
November.	43·9	24 9	18·9	34 4	56·0	11·5	1	1	0	3	7	31	6	11	0	...	...	...	0·14	4	0·6	2	0	0	1	3
December.	32·2	15·1	17·1	23·6	57·7	11·5	2	2	3	1	6	25	11	9	3	...	...	...	0·00	0	7·3	9	0	0	0	4
Year....	46·9	25·7	21·1	36·3	82·8	36·8	47	46	34	91	66	198	88	144	6	...	...	...	12·49	77	49 8	53	14	7	25	45

MONTHLY and Annual Summaries for the Year 1907, Grenfell, Saskatchewan—Latitude, N. 50° 23′; Longitude, W. 102° 53′. Height above Sea, 1,957 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Mthly	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°		°	°										%	%	%	in.		in.					
January ..	3·5	21·6	18·1	12·6	20·0	40·0	3	2	3	7	7	15	4	21	0	...	...	...	0·00	0	5·0	5	0	..	0	0
February.	18·6	1·8	20·4	8·4	41·0	37·0	0	1	1	6	13	18	6	11	0	...	...	...	0·00	0	2·0	2	0	..	0	2
March . . .	27·4	7.7	19·7	17·6	44 0	7·0	2	3	9	6	2	24	6	19	0	...	...	. .	0·00	0	12·0	4	6	..	0	0
April	35·9	17·8	18·1	26·9	48·0	3·0	8	8	2	9	5	8	5	15	0	...	...	...	0·24	1	17·0	5	0	..	0	0
May	51·6	27·1	24·4	39·4	71·0	9 0	4	6	4	9	6	9	3	19	0	...	...	...	0 69	7	1·0	1	0	.	0	0
June.....	69·1	49·1	20·0	59·1	78·0	36·0	1	5	2	21	5	11	8	7	0	...	...	...	5·72	18	.....	..	0	..	2	3
July	71·6	49·2	22·4	60·4	80·0	42·0	0	1	1	4	1	10	10	4	0	...	...	...	1·41	14	.....	..	0	..	1	2
August ...	71·3	49·4	21·9	60·3	88·0	34·0	1	4	1	16	7	13	7	11	0	...	...	...	2·68	10	.....	..	1	..	0	3
September.	59·5	36·2	23·2	47·8	75·0	25 0	3	7	4	12	4	10	6	12	0	...	...	...	1·49	9	.....	..	0	..	0	2
October...	57·1	29·6	27·5	43·3	73·0	13·0	1	1	1	13	7	11	5	21	0	...	...	...	0 07	2	.....	..	0	..	0	2
November.	36·6	16·4	20·3	26·5	56·0	2·0	0	0	0	3	7	20	4	26	0	...	...	...	0·00	0	4·0	3	0	.	0	1
December.	25·5	6·5	18·9	16·0	50·0	18·0	0	7	1	8	3	22	7	14	0	...	...	...	0·00	0	0·0	0	0	..	0	0
Year....	43·4	22·1	21·2	32·8	88·0	40·0	23	45	20	114	67	171	71	180	0	...	...	...	12·30	61	41·0	20	7	..	3	15

MONTHLY and Annual Summaries for the Year 1907, Haddington, Saskatchewan—Latitude, N. 51° 29′; Longitude, W. 107° 47′. Helght above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July															
August															
September															
October	60·8	27·5	33·3	78 0	9·0	69·0	44·2	0·00	0						
November	41·5	12·3	29·3	56 0	7·0	63·0	26·9	0·00	0	0·0	0				
December	24·6	1·8	22·8	58·0	22·0	80·0	18·2	R.	1	4·0	4				
Year															

MONTHLY and Annual Summaries for the Year 1907, Haliburton, Ontario—Latitude, N 47° 1′; Longitude, W. 78° 28′. Height above Sea 1,050 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Maan Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	22·2	2·2	20·0	42·0	31·0	73·0	12·2	0·00	0	11·0	2			0	0
February	22·1	7·1	29·2	35·0	42·0	77·0	7·5	0·00	0	8.0	4			0	0
March	37·5	17·5	19·9	59·0	1·0	58·0	27·5	0·00	0	—				2	3
April	46·9	24·4	22·5	68·0	5·0	63·0	35·6	1·10	2	12 0	2			0	0
May	66·2	37·5	28·8	82·0	23·0	59·0	51·8	1·30	2					0	0
June	76·6	45·7	31·0	91·0	32·0	59·0	61·2	2·55	10					0	7
July	78·7	49·8	28·9	85.0	32·0	53·0	64·3	2·60	5					1	0
August	74·5	44·7	29·7	90·0	33·0	57·0	59·6	1·19	5					1	2
September	65·6	47·1	18·5	80·0	33 0	47·0	56·4	7·17	9					1	3
October	50·4	27·7	22·7	69·0	11·0	58·0	39·1	2·90	4	*	1			0	0
November	38 1	22·0	16·1	55 0	1 0	54·0	30·0	1·00	1					0	0
December	30·2	12 2	18·0	45·0	9·0	54·0	21·2	0·20	2	12·0	1			0	0
Year	50·8	26·9	23 8	91 0	42·0	133·0	38·9	20·01	40	43·0	10			5	15

Monthly and Annual Summaries for the year 1907, Hamilton, Ontario—Latitude, N. 43° 16′; Longitude, W. 79° 54′. Height above Sea, 303 ft.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Storms. Thunder
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	27·7	15·5	12·2	58·0	9·0	67·0	21·6	2·29	7	17·8	7	0	3	0	0
February	27·2	10·8	16·5	45·0	3·3	48·3	19 0	0 16	4	14·3	15	1	0	0	0
March	43·0	27 8	15·2	65·8	11·9	53·9	35·4	1·78	12	2·8	5	2	0	0	2
April	45·9	32·9	13·0	72·8	19·8	53·0	39·4	1 66	15	*	1	0	0	0	1
May	58·3	40·3	18·0	83·0	30·8	52·2	49·3	2·75	13	3·9	3	0	1	0	1
June	72·6	54·9	17·7	92·5	44·0	48·5	63·7	2·68	8	—	—	1	2	0	5
July	81·5	61·3	20·1	89·9	48·3	41·6	71·4	2·22	11	—	—	0	1	2	4
August	78·5	56·4	22·1	91·2	48·0	43·2	67·4	1·11	8	—	—	0	0	0	2
September	73 0	55·8	17·2	87·2	43·0	44·2	64·4	2·71	11	—	—	0	1	0	3
October															
November	43·8	32·3	11·6	53·0	21·0	32·0	38·0	1·29	4	—	—	0	0	0	0
December	35·5	26·5	9·1	49·0	15 0	34·0	31·0	·09	2	—	—	0	0	0	0
Year															

Monthly and Annual Summaries for the year 1907, Hedley, British Columbia—Latitude, N. 49° 35′; Longitude, W. 120° 10′. Height above Sea, —— ft.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Storms. Thunder
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	14·6	1·9	16·5	40·0	21·0	64·0	6·4	0·00	0	4·0	5			0	0
February	33·7	17·4	16·3	54·0	9·0	63·0	25·5	0·00	0	6·8	7			0	0
March	44·9	22·2	22·8	55·0	11·0	44·0	33·6	0·16	5	1·7	5			1	0
April	57·6	27·9	29·8	74 0	20·0	54·0	42·3	0·15	10					0	0
May	69·8	39·1	30·7	87 0	29·0	58·0	54·4	1·41	12					0	0
June															
July	84·1	53·4	30·7	97·0	43·0	54·0	68·8	0·76	10					0	2
August	74 7	50·8	23·9	95·0	40·0	55·0	62·8	1·51	15					0	1
September	69·2	44·3	24·9	86·0	35·0	51·0	56·8	1·82	12					0	0
October	62·3	38·2	24·1	68·0	31·0	37·0	50·2	0·19	1					0	0
November	44 3	28·8	15·5	59·0	19·0	40·0	36·6	0·33	8					0	0
December	35·1	23·5	11·7	49·0	8·0	41·0	29·3	0·05	1	3·8	7			0	0
Year										16 3	24				

MONTHLY and Annual Summaries for the Year 1907, High River, Alberta—Latitude, N. 50° 35′; Longitude, W. 113° 53′. Height above Sea, 3,394 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	1·6	21·6	23·2	43·5	42·0	85·5	9·9	0·0	0	6·5	6	0	2	0	0
February	28·2	4·6	23·6	53·0	43·0	96·0	16·4	0·00	0	0·5	1	0	2	0	0
March	32·5	6·4	26·1	51·0	8·0	59·0	19·5	0·00	0	9·0	7	0	0	0	0
April	44·8	23·2	21·5	65·0	2·0	61·0	34·0	0·11	2	10·5	6	0	0	0	0
May	56·8	31·2	25·6	75·5	17·5	58·0	44·0	0·57	6	*	2	0	0	0	0
June	68·1	41·0	27·1	82·5	32·0	50·5	54·0	4·05	13	.....	.....	0	0	0	8
July	83·5	52·5	31·0	82·0	34·0	48·0	58·3	1·10	17	.....	.....	4	0	0	5
August	67·8	41·1	26·8	83·5	31·0	52·5	54·4	3·39	14	.....	.....	5	0	0	5
September	59·9	33·1	26·9	79·5	11·0	68·5	46·5	0·95	7	15·8	2	0	2	0	0
October	62·6	28·1	34·5	75·5	18·0	57·5	45·4	0·30	1	0·0	0	0	0	0	0
November	47·3	17·8	29·5	62·0	7·0	55·0	32·5	0·00	0	2·0	3	0	0	0	0
December	34·7	9·9	24·7	58·5	14·0	72·5	22·3	0·00	0	11·5	5	0	0	0	0
Year	48·9	22·3	26·7	83·5	43·0	126·5	34·8	10·47	60	55·8	32	9	6	0	18

MONTHLY and Annual Summaries for the Year 1907, Hillsdown, Alberta—Latitude, N. 52° 14′; Longitude, W. 113° 29′. Height above Sea, 2,806 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM												RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January	0·2	23·3	23·5	11·6	37·0	47·0	0	2	0	15	1	4	2	28	10	.....	.....	.....	0·00	0	12·5	7	0	0	0	2
February	26·1	4·6	21·5	15·3	50·0	47·0	0	3	0	12	1	13	0	12	15	.....	.....	.....	0·00	0	4·5	2	0	0	0	5
March	29·8	6·4	23·4	18·1	51·0	12·0	0	3	0	10	11	8	0	19	11	.....	.....	.....	0·00	0	7·5	8	0	0	0	2
April	42·7	24·0	18·7	33·4	65·0	8·0	0	7	0	20	4	7	0	18	4	.....	.....	.....	0·02	1	7·0	5	0	0	0	1
May	54·6	31·7	22·9	43·2	76·2	15·0	0	11	0	14	2	1	1	24	9	.....	.....	.....	1·03	10	3·5	2	0	0	1	2
June	67·8	44·5	23·3	56·2	84·5	32·0	0	5	0	14	2	4	0	29	6	.....	.....	.....	3·30	15	.....	.....	0	0	4	0
July	72·2	47·2	25·0	59·7	83·3	38·6	0	3	0	5	3	4	2	38	7	.....	.....	.....	1·47	15	.....	.....	2	1	2	0
August	66·0	43·1	22·9	54·6	82·0	28·0	0	1	0	6	8	4	0	40	3	.....	.....	.....	3·76	15	.....	.....	0	0	1	3
September	59·8	36·8	23·0	48·3	79·0	29·0	0	6	0	10	4	8	0	25	7	.....	.....	.....	1·76	6	12·0	7	0	0	0	2
October	60·3	32·4	27·9	46·4	72·3	23·0	0	2	0	12	10	12	0	23	3	.....	.....	.....	0·48	5	0·0	0	0	0	1	4
November	42·7	22·6	20·1	32·6	54·0	8·0	0	1	0	5	6	20	1	20	7	.....	.....	.....	0 16	3	1·0	1	0	0	0	4
December	29·9	11·4	18·5	20·7	57·0	14·0	1	2	0	8	4	8	0	15	24	.....	.....	.....	0·00	0	7·3	7	0	0	0	2
Year	46·0	23·5	22·6	34·7	84·5	47·0	1	46	0	131	56	93	6	291	106	.....	.....	.....	11·98	70	55·3	39	2	1	9	27

MONTHLY and Annual Summaries for the Year 1907, Hillview, Manitoba—Latitude, N. 49° 55′; Longitude, W. 100° 33′. Height above Sea, 1,650 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	18·8	8·2	13·4	13·4	5·7	21·4	15·6	17·0	42·0	7	7	4	14	1	4	12	44	0
February	.....	.....	.....	.....	15·3	2·8	18·1	39·0	42·0	3	5	3	5	0	17	11	40	0
March	3·7	25·1	13·7	14·1	25·5	2·5	14·0	44·0	18·0	2	5	10	4	3	18	5	45	1
April	18·5	33·2	25·7	25·8	33·4	18·1	15·3	51·0	7·0	3	11	12	10	2	6	4	42	0
May	28·7	51·5	37 7	38·9	51·5	28·3	23·2	72·0	15·0	2	16	0	11	1	6	2	55	0
June	48·7	70·1	56·3	60·3	.....	.....	.....	.....	.....	4	16	0	24	1	4	14	27	0
July	57·1	73·0	61·0	63·1	73·7	52·3	21·5	85·0	43·0	4	4	2	7	6	9	14	35	0
August	50·8	69·3	58·2	59·1	69·6	48·6	21·0	87·0	36·0	4	9	4	21	0	8	5	42	0
September	40·6	57·4	46·5	47·8	58·0	38·3	19·7	76·0	22·0	15	6	7	1	10	14	6	28	3
October	30·0	53·9	39·7	40·9	54·2	28·4	25·8	72·0	12·0	4	5	10	5	7	15	19	26	2
November	18·0	35·5	25·2	26·0	35·6	15·8	19·7	53·0	7·0	9	6	4	4	13	13	10	31	0
December	4·6	20·6	13·2	12·9	20·7	3·3	17·5	39·0	26·0	0	16	2	2	16	16	16	20	2
Year	.....	.....	.....	.....	.....	.....	.....	.....	.....	57	106	58	108	60	130	118	435	8

MONTHLY and Annual Summaries for the Year 1907, Hillview, Manitoba—Latitude, N. 49° 55′; Longitude, W. 100° 33′. Height above Sea, 1,650 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Aurore.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	.....	.....	.....	39	34	37	37	0·00	0	7·0	2	0	1	0	0	...
February	.....	.....	.....	36	40	24	33	0·00	0	3·0	1	0	5	0	0	....
March	.....	.....	.....	38	41	44	41	0·50	1	16·0	2	0	3	0	0	....
April	.....	.....	.....	53	54	27	45	0·00	0	6·0	3	0	4	0	0	....
May	.....	.....	.....	64	67	41	57	0·06	1	6·0	3	0	3	0	0	...
June	.....	.....	.....	70	75	60	68	3·95	12	.....	.....	0	3	0	0	....
July	.....	.....	.....	39	48	40	42	2·61	7	.....	.....	0	1	0	0	....
August	.....	.....	.....	47	48	35	43	3·72	7	.....	.....	0	3	0	0	....
September	.....	.....	.....	41	32	25	33	0·72	6	.....	.....	0	0	0	1	....
October	.....	.....	.....	15	13	18	15	0·27	3	.....	.....	0	4	1	0	....
November	.....	.....	.....	37	13	13	21	0·00	0	3·0	2	2	0	0	0	...
December	.....	.....	.....	46	37	33	39	0·00	0	3·5	3	4	0	1	0	....
Year	.....	.....	.....	44	42	33	39	11·83	37	44·5	16	6	27	2	1	....

Monthly and Annual Summaries for the Year 1907, Humboldt, Saskatchewan—Latitude, N. 52° 12′; Longitude, W. 105° 9′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July	71·5	47·5	24·0	82·0	38·0	44·0	59·5	1·88	5						1
August	67·8	43·3	24·5	79·0	34·0	45·0	55·6	2·89	7						1
September	55·4	33·7	21·6	73·0	20·0	53·0	44·6	1·58	5	1·0	2		1		
October	56·2	27·6	28·6	70·0	15·0	55·0	41·9	2·01	3	0·0	0			1	
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Huntsville, Ontario—Latitude, N. 45° 19′; Longitude, W. 79° 8′. Height above Sea, 975 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March	34·9	17·2	17·7	67·0	14·0	81·0	26·1	R.	4	*	3	0	0	0	0
April	43·3	24·5	18·8	65·0	7·0	58·0	33·9	R.	3	10·5	8	0	0	0	0
May	55·5	33·9	21·6	79·0	16·0	63·0	44·7	—	—	—	—	0	0	0	0
June	74·7	52·1	22·7	85·0	41·0	44·0	63·4	—	—	—	—	0	0	0	4
July	75·4	55·6	19·8	84·0	46·0	38·0	65·5	—	—	—	—	0	0	0	0
August	71·1	50·3	20·8	85·0	41·0	44·0	60·7	—	—	—	—	—	—	—	—
September	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
October	47·7	30·8	16·9	67·0	16·0	51·0	39·2	—	—	*	2	—	—	—	—
November	35·6	22·4	13·2	48·0	8·0	40·0	29·5	—	—	9·0	4	—	—	—	—
December	29·4	12·5	16·9	45·0	5·0	50·0	20·9	—	—	14·0	2	—	—	—	—
Year															

Monthly and Annual Summaries for the Year 1907, Indian Head, Saskatchewan—Latitude, N. 50° 28′; Longitude, W. 103° 40′. Height above Sea, 1,924 feet.

Month.	Temperature.									Wind, Direction from								
	8 a.m.	2 p.m.	8 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°		°	°	°									
January	17·7	7·1	14·2	3·0	24·9	21·8	20·0	42·0	14·0	2	3	4	1	26	8	10	26	13
February	1·6	17·1	6·4	17·2	3·5	20·7	41·0	42·0	10·4	4	1	4	5	26	10	11	14	9
March	12·3	24·2	17·4	28·2	5·7	22·5	44·0	10 0	16·9	1	0	7	5	30	14	12	20	4
April	26·2	32·9	26·0	34·9	17 4	17·5	46·0	3·0	26·1	2	1	11	7	11	9	5	39	5
May	37·4	47·8	38·3	50·7	26·1	24·5	70·0	6·0	38·4	12	5	4	9	9	4	11	39	0
June	55·8	66·3	57·3	68·6	47·9	20·7	86 0	34·0	58·2	0	7	6	10	15	9	19	19	5
July	60·6	70·7	60·8	73·6	49·8	23·8	84·0	41·0	61·7	1	1	3	3	6	9	19	45	6
August	55·0	67·4	57·8	69·3	46·8	22·4	84·0	33·0	58·1	0	1	9	11	3	17	11	37	4
September	41·4	55·9	46·4	58 3	35·4	23·0	71·0	22·0	46·9	0	14	5	3	7	9	6	36	10
October	32·4	54·3	38·4	55·3	25·7	29·5	71·0	12·0	40·5	0	0	4	3	11	14	8	44	9
November	21·8	35·5	25·0	38·6	14·3	24·3	55·0	1·0	21·4	5	0	0	4	8	18	10	32	13
December	10·7	22·5	14·1	25·4	4·1	21·2	48·0	27·0	14·7	1	4	9	2	12	21	15	22	7
Year	28·1	40·6	31·1	43·1	20·4	22·6	86·0	42·0	31·6	38	37	66	63	164	142	137	373	85

Monthly and Annual Summaries for the Year 1907, Indian Head, Saskatchewan—Latitude, N. 50° 28′; Longitude, W. 103° 40′. Height above Sea, 1,924 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning alone.
	a.m.	p.m.	p.m.	a.m	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January								0·00	0	4·0	4				0	
February								0·00	0	2·0	3				0	
March								0·10	1	8·0	5				0	
April								0·05	1	9·5	4				0	
May								0·95	7	*	1				0	
June								6·07	16						5	
July								1 58	10						1	
August								3·91	14						1	
September								2·14	8						0	
October								0·23	2						0	
November								0·00	0	1·0	4				0	
December								0·00	0	6·5	4				0	
Year								15·03	59	31·0	25				7	

MONTHLY and Annual Summaries for the Year 1907, Kenora, Ontario—Latitude N. 49° 48′; Longitude, W. 94 32°. Height above Sea, 1,102 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	0·7	17·0	16·2	22·0	38·0	60·0	8·9	0·00	0	25·0	6	1	5	1	0
February	13·9	4·2	18·1	42 0	37·0	79·0	4·9	0·00	0	5·5	3	0	0	4	0
March	28·5	10·1	18·5	50·0	10·0	60·0	19·3	R.	1	13·8	8	0	1	0	0
April	33·5	17·8	15·7	48·0	5·0	43·0	25·7	0·00	0	11·0	6	0	0	0	0
May	42·2	28·5	13·7	68·0	10·0	58·0	35·3	—	...	—	....	1	0	0	1
June	71·9	51·7	20 2	89·0	37·0	52·0	61·8	2·78	6	... .	...	4	0	1	1
July	77·8	56·4	21·4	85·0	45 0	40·0	67·1	5·10	7	.....	....	0	0	0	8
August	69·1	49·3	19·8	83·0	41·0	42·0	59 2	6·45	10	.. ..	....	0	0	3	3
September	58·1	40·8	17·2	78·0	28·0	50·0	49·5	3·25	8	.....	....	0	0	6	2
October	45·1	29·0	16 1	61·0	19 0	42·0	37·1	0·60	1	.....	....	0	2	0	0
November	28·8	21·2	7·7	40·0	3·0	37·0	25·0	R.	2	8·5	14	0	2	1	0
December	24·6	10·2	14·4	41·0	4·0	45·0	17·4	0·00	0	2·5	5	0	0	1	0
Year	41·1	24·5	16·6	89 0	38·0	127 0	32·8	.....	....	.....	...	6	10	17	15

MONTHLY and Annual Summaries for the Year 1907, Kitamaat, British Columbia—Latitude, N. 53° 59′; Longitude, W. 128° 42′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	26·5	4·4	22·1	39 0	8·0	47·0	15·4	0·00	0	51·0	6	....	....	....	...
February	44·4	23·8	20·6	55·0	8·0	63·0	34·1	8·98	14	24·0	7	....	....	....	....
March	52·7	25·8	26·9	59·0	20·0	39·0	39·3	0·88	3	36·0	9	..	....	....	....
April	62·5	31·5	31·0	77·0	28·0	49·0	47·0	4·03	9	.....	....	..	....	....	....
May	74·3	40·4	33·9	86·0	32·0	54·0	57·4	1·00	6	.....	...	...	....	....	....
June	77·4	47·3	30·1	95·0	40·0	55·0	62·3	1·05	7	.....	. ..	....	....	....	....
July	85·6	52·3	33·3	106 0	44·0	62·0	69·0	1·55	6	.....	...	....	.....	..	....
August	77·4	49·5	27·9	93·0	40·0	53·0	63·5	3·22	12	....	....	....	....	....	....
September	76·7	—	—	88·0	—	—	—	3·38	6	.....	....	....	....	....	....
October	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....
November	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	..	....
December	.....	.....	.....	.....	.....	.....	.....	..	....	.....	....	....	....	....	....
Year	....	....	....	.....	.....	.....	....	....	....	.....	...	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Kneehill, Alberta—Latitude, N. 51° 55′; Longitude, W. 113° 47′. Height above Sea, 2,800 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	4·2	27·2	23·0	43·0	56·0	99·0	22·6	—	—	—	....	....	0	1	0
February	26·1	1·4	27·5	51·0	51·5	102 5	12·3	—	—	—	....	....	0	0	0
March	28·7	0·5	28·2	53·5	23·5	77·0	14·6	—	—	—	....	...	1	2	0
April	46·1	19·1	27·0	61·0	9·0	52·0	32·6	0 30	2	—	....	....	0	0	0
May	56·8	28·0	28·8	75·0	10·0	65·0	42·4	0·90	6	—	....	....	0	0	0
June	68·8	39 9	29 0	82·0	24·0	58·0	54·4	2·85	11	....	....	....	0	0	5
July	72·6	41·9	30·8	85·0	31·5	53·5	57·2	1·32	11	....	....	....	0	1	3
August	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
September	58·7	32·0	26·7	81·0	26·5	54·5	45·3	1·11	4	....	....	....	0	2	0
October	59·1	23·4	35·8	78·0	12·0	66·0	41·3	0·20	2	—	—	....	0	1	0
November	46·0	14·3	31·7	55 5	1·0	56·5	30·2	—	....	—	....	....	0	0	0
December	28·2	0·1	28·3	54·0	26·0	80·0	14·1	0·00	0	6·0	2	....	0	0	0
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Ladner, British Columbia—Latitude, N. 49° 5′; Longitude, W. 123° 4′. Height above Sea, —— feet.

Month	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	28·5	11·6	16·8	43·0	26·0	69·0	20·0	3·15	5	16·0	4	....	....	0	0
February	39·1	33·7	5·4	47·0	16·0	31·0	36·4	4·12	9	3·0	1	....	....	0	0
March	40·3	32·7	7·7	44 0	25·0	19·0	36·5	1·32	6	2·0	1	....	....	3	0
April	52·2	36·2	16·0	60·0	26·0	34·0	44·2	2·72	7	....	....	....	....	0	0
May	64 7	42·6	22·2	74·0	30·0	44·0	53·6	0·55	2	....	....	....	....	0	0
June	68·1	49·7	18·4	79·0	42·0	37·0	58·9	1·32	4	....	....	...	....	0	0
July	72·7	53·4	19·4	85 0	45·0	40 0	63 1	0·61	2	....	....	....	....	0	2
August	67·2	49·0	18·2	79·0	39·0	40·0	58·1	1·15	5	....	....	....	....	0	0
September	63·7	46·0	17·7	77·0	36·0	41·0	54·8	3·60	8	....	...	....	...	0	1
October	58·7	43·6	15·1	69 0	34·0	35·0	51·2	1·21	7	...	....	....	....	0	0
November	49·9	38·5	11·3	58·0	28·0	30·0	44·2	6·51	12	....	.. .	....	....	0	0
December	43·6	34·8	8·8	57·0	23·0	34·0	39·2	7·10	13	....	....	....	...	0	0
Year	54·1	39·3	14·8	85·0	26·0	111·0	46·7	33·36	80	21·0	6	....	....	3	3

MONTHLY and Annual Summaries for the Year 1907, Lakefield, Ontario—Latitude, 44 25′; Longitude, 78° 15′ W. Height above Sea, 850 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	22·6	8 8	13 8	39·0	20·0	59·0	15 7	1·42	3	9·0	5	2	0	0	0
February	20·1	1·1	21·2	40·0	20·0	60·0	9·5	.....	....	19·0	5	0	0	0	0
March	38·1	19·0	19·1	65·0	3·0	62·0	28·5	0·82	4	4·0	3	0	0	0	1
April	50·1	29·2	20·9	70·0	15·0	55·0	39·6	2·10	1	6·0	3	0	0	0	1
May	66·7	39·7	27 0	78·0	25·0	53·0	53·2	1·32	3	8·5	1	0	0	0	0
June	....	.....	.....	.....	.....	.....	.. .	...	....	...	.....	.....	.....	.....	.....
July	...	.....	.....	.. ...	.. .	.....	...	.....	. .	.....	...	.....	.....	.....	.....
August	.....	.....	.. ...	.....	.....	.....	.....	....	....	.....	.....	.....	.....	.....	.....
September	.....	.. .	.....	...	...	.....	.....	....	....	.....	.....	.....	.....	.....	.....
October	49·5	30 6	18·8	66·0	22·0	44·0	40·0	2·31	5	—	—	0	0	0	0
November	41·7	26·5	15·2	49·0	15·0	34·0	34 1	2·55	6	6·0	2	0	0	0	0
December	31·5	15·6	15·9	49·0	1·0	50·0	23·5	1·00	3	20·0	8	0	0	0	0
Year	...	...	....	.....	.....	. ...	....	.....	....	.....	.....	...	.....	.....	.....

MONTHLY and Annual Summaries for the Year 1907, Lake Talon, Ontario—Latitude, N. 46° 15′; Longitude, W. 78° 48′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	16·3	3·4	19·7	54·3	36·5	90·8	6·5	0·30	1	3·0	5	0	0	0	0
February	17·8	6·5	24·4	36·5	34·0	70·5	5·7	0·00	0	3·5	8	0	0	1	0
March	35·7	13·5	22·2	61 0	22·0	83·0	24·6	0·55	4	2 5	2	0	1	3	0
April	42·4	22·0	20·3	55·2	0·8	54·4	32·2	0·35	1	10·5	4	0	0	0	0
May	55·6	31·2	24·4	78·0	4·5	73·5	43 4	2·67	9	3·0	4	0	2	2	3
June	77·6	48·4	29·3	90·0	35 0	55·0	63·0	2·58	8	....	..	0	2	1	5
July	77·1	51·1	25·9	85·2	32·5	52·7	64·1	4·72	14	.....	....	0	2	2	9
August	73·9	45·2	28·6	86·0	32·0	54·0	59·5	1·78	6	.....	....	0	2	0	2
September	64·0	41·5	19·6	79·2	27·5	51·7	54·3	2·36	13	.....	....	0	2	1	5
October	46·7	28 3	18·5	69·0	11·0	58 0	37·5	2·23	8	...	...	0	3	3	0
November	35·2	22·8	12·3	50·8	1·0	49·8	29·0	1·36	3	13·0	6	0	0	0	0
December	26·2	13·1	13·2	44·8	10·5	55·3	19·7	0·55	1	7·0	3	0	0	1	0
Year	47 4	25 0	21·5	90·0	36·5	126·5	36·6	19·45	68	42·5	32	0	14	14	24

Monthly and Annual Summaries for the Year 1907, Lemberg, Saskatchewan—Latitude, N. 50° 43′; Longitude, W. 103° 12′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	1·7	22·4	20·7	40·0	43·0	83·0	12·1	—							
February	23·6	2·6	26·2	40·0	42·0	82·0	10·5	—							
March	29·5	6 5	25·0	54·0	10·0	64 0	18·0	—							
April	34·8	13·9	20·9	46·0	2·0	44·0	24·4	—							
May	48·4	31·7	16·6	65·0	24·0	41·0	41·0	0·15	2						
June	73·6	45·1	28·4	80·0	37·6	43·0	59·4	4·80	6						
July	80·0	48·1	31·9	86·0	42·0	44 0	64·0	1·52	6						
August	75·5	40·9	34 6	84·0	35 0	49·0	58·2	3·71	8						
September															
October															
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Lethbridge, Alberta—Latitude, N. 49° 42′; Longitude, W. 112° 51′. Height above Sea, 2,982 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	12·0	14·6	26·6	44·9	38·9	83·8	1·3	0·00	0	15·2	9				0
February	38·5	12·9	25·7	63·0	39·2	102·2	25·7	0·00	0	3·0	6				0
March	40 9	15·0	25·9	57·9	4·1	62·0	27·9	0·00	0	3·4	8				0
April	51·7	25·6	26·0	69·9	3·5	69·9	3·5	0·12	1	9·6	9				0
May	61·5	35·8	25·7	79·7	19·3	60·4	48·7	1·14	12	0·5	1				0
June	70·9	45 7	25·2	88·6	35·8	52 8	58·3	3·64	14						1
July	79·0	49·7	29·3	89·0	41·3	47·7	64·3	1·43	13						0
August	74·3	47·3	27·0	90·6	36·8	53·8	60·8	2·30	14						0
September	65·0	40·4	24·6	85·0	24 2	60·8	52·7	1·97	10	12·7	3				0
October	68·3	37·3	31·0	80·4	24·0	56·4	52·8	0·05	2	0·0	0				0
November	49·7	28·1	21·6	61·9	16·3	45·6	38·9	0·00	0	1·4	3				0
December	40·7	18·3	22·4	66·1	0·8	66·9	29·5	0·00	0	3·2	5				0
Year	54·4	28·5	25·9	90·6	39·2	129·8	38·5	10·65	66	49·0	44				1

MONTHLY and Annual Summaries for the Year 1907, Listowel, Ontario—Latitude, N. 43° 44′; Longitude, W. 80° 58′. Height above Sea, 1,262 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	26·7	12·2	14·5	52·0	13·0	65·0	19·5	2·75	3	—	....	....	....	....	....
February	20·6	1·1	19·5	40·0	21·0	61·0	10·8	0·00	—	—	....	....	....	....	....
March	....	....	....	....	....	....	....	1·51	6	....	....	....	....	....	....
April	41·0	27·6	13·4	65·0	17·0	48·0	34·3	2·91	5	....	....	....	....	....	....
May	56·0	35·2	20·8	77·0	23·0	54·0	45·6	1·66	2	....	....	....	....	....	....
June	72·2	49·0	23·2	92·0	37·0	55·0	60·6	4·62	7	....	....	....	....	....	....
July	75·5	53·2	22·3	87·0	37·0	50·0	64·3	1·43	3	....	....	....	....	....	....
August	74·4	48·1	26·3	85·0	38·0	47·0	61·2	R	1	....	....	....	....	....	....
September	....	....	....	....	....	....	....	2·69	6	....	....	....	....	....	....
October	....	....	....	....	....	....	....	2·44	5	....	....	....	....	....	....
November	36·1	25·8	10·4	49·0	9·0	40·0	31·0	1·39	2	1·20	3	....	....	....	....
December	33·5	21·6	11·9	47·0	5·0	52·0	27·6	0·60	1	2·62	3	....	....	....	....
Year	....	....	....	....	....	....	....	22·00	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Lloydminster, Saskatchewan—Latitude, N. 53° 18′; Longitude, W. 110° 0′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.		Gales.	Fogs.	Thunder Storms.	Auroræ.
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°													in.		in.					
January	8·8	29·8	21·1	19·3	28·6	51·4	5	3	1	1	2	2	9	8	0	....	....	....	0·00	0	4·4	8	0	3	0	..
February	14·3	7·7	22·0	3·3	45·0	45·2	1	1	3	4	4	5	8	2	0	....	....	....	0·05	1	0·3	4	0	0	0	..
March	20·1	6·8	26·9	6·6	37·9	23·4	3	2	1	2	4	6	8	5	0	....	....	....	0·00	0	7·5	10	1	1	0	..
April	31·0	12·2	18·8	21·6	45·6	5·4	8	3	5	2	1	3	5	3	0	....	....	....	0·01	1	4·5	3	0	2	0	..
May	47·3	26·8	20·5	37·1	75·5	6·4	....	....	....	....	....	....	....	....	....	....	....	....	0·93	14	*	5	0	1	0	..
June	67·3	44·6	22·7	55·9	80·7	28·8	....	....	....	....	....	....	....	....	....	....	....	....	3·59	20	*	1	0	0	5	..
July	73·6	48·8	24·8	61·2	81·3	37·1	....	....	....	....	....	....	....	....	....	....	....	....	2·26	19	....	..	2	1	6	..
August	65·3	41·4	23·9	53·3	82·0	29·0	....	....	....	....	....	....	....	....	....	....	....	....	6·37	17	....	..	0	4	4	..
September	56·7	33·4	23·3	45·0	78·8	14·0	....	....	....	....	....	....	....	....	....	....	....	....	2·54	14	....	..	0	2	1	..
October	56·7	29·0	27·7	42·8	70·2	10·5	....	....	....	....	....	....	....	....	....	....	....	....	0·29	5	....	..	0	0	0	..
November	38·9	16·1	22·8	27·5	55·0	2·2	....	....	....	....	....	....	....	....	....	....	....	....	0·01	4	*	1	0	0	0	..
December	23·7	2·4	21·4	13·1	46·2	26·4	....	....	....	....	....	....	....	....	....	....	....	....	0·15	1	3·0	6	0	4	0	..
Year	40·5	17·6	22·9	29·0	82·0	51·4	....	....	....	....	....	....	....	....	....	....	....	....	16·20	96	19·7	38	3	18	16	..

Monthly and Annual Summaries for the Year 1907, Lucknow, Ontario—Latitude, N. 43° 56′; Longitude, W. 81° 30′. Height above Sea, 908 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	26·7	14·2	12·5	56·0	14·1	70·1	20·5	2·65	6	21·8	15	0	5	0	0
February	23·7	5·2	18·5	40·9	11·2	52·1	14·4	0·25	3	21 0	17	0	2	1	0
March	39·3	22·0	17·3	64·9	0·0	64·9	30·7	2·18	9	5·8	11	0	5	2	3
April	41·6	26·4	15·3	67·6	10·7	56·9	34·0	2·30	8	3·6	6	0	2	1	1
May	56·6	34·3	22 3	79·5	21·0	58·5	45·5	1·59	7	4·2	3	0	1	2	1
June	72·4	49·4	23 0	86·1	35·4	50·7	60·9	2·50	8	.....	...	0	2	0	5
July	76·7	52·4	24·3	88·9	32·3	56·6	64·5	1·44	7	.....	....	0	4	1	2
August	76·0	48·3	27·7	88·1	34·7	53·4	62·2	0·65	10	.	....	0	4	0	3
September	68·0	49·7	18·3	82 2	30·2	52·0	58·9	3·08	19	....	...	0	2	0	3
October	51·6	32·9	18·7	72·1	19·5	52·6	42·3	3·17	13	....	....	0	2	2	2
November	39·5	27·3	12 1	53·0	13·8	39·2	33·4	2·60	9	21·8	6	0	2	0	0
December	31·3	20·3	11·0	48·3	2·3	50·6	25·8	1·09	6	34·5	16	0	1	0	0
Year	50·3	31·9	18·4	88·9	14·1	103·0	41 1	23·50	105	112·7	74	0	32	9	20

Monthly and Annual Summaries for the Year 1907, Macleod, Alberta—Latitude, N. 49° 44′; Longitude, W. 113° 24′. Height above Sea, 3,128 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	9·7	17·2	26·8	44·0	41·0	85 0	3·8	0·00	0	3·0	3	1	....	0	0
February	34·5	10·1	24·4	55·0	47·0	102·0	22·3	0 00	0	3·0	2	0	....	2	0
March	40·0	12·7	27·4	54·0	9·0	63·0	26·3	0·49	3	7·0	5	0	....	1	0
April	50 9	25·7	25·2	66·0	3·0	63·0	38·3	0·12	1	7·9	5	0	...	0	0
May	56·3	35·5	20·8	75·0	20·0	55·0	45·9	1·21	11	.....	....	0	....	0	0
June	65·8	44·9	21·0	84·0	31·0	53·0	55·4	3·57	15	.....	...	8	...	0	2
July	75·3	50·0	25 3	85·0	43·0	42·0	62·6	0·78	7	.....	...	0	....	0	1
August	70·7	46·5	24·2	86·5	35·0	51·5	58·6	1·59	11	.....	....	0	....	0	1
September	59·3	38·5	20·8	81·0	18·0	63·0	48·9	0·66	7	13·0	3	0	....	0	2
October	63·5	37·2	26·2	81·0	24·0	57·0	50·3	R.	1	0 0	0	0	....	0	0
November	47·4	28·1	19·3	60·0	17·0	43·0	27·7	0·00	0	0·5	1	0	....	0	0
December	37·7	19·1	18·7	59·0	8·0	67·0	28·4	0·00	0	4·5	4	0	....	0	0
Year	50·9	27·6	23·3	86·5	47·0	133·5	39·2	8·42	56	38·9	23	9	....	3	6

MONTHLY and Annual Summaries for the Year 1907, Madoc, Ontario—Latitude, N. 46° 30′; Longitude, W. 77° 29′. Height above Sea, 502 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurore.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	20·7	8·3	12·5	46·0	17·0	63·0	14·5	0·92	2	15·0	9	0	0	1	0
February	17·8	1·0	16·8	36·0	22·0	58·0	9·4	0·25	1	19·0	9	0	0	1	0
March	37·1	20·7	16·4	65·0	6·0	71·0	28·9	1·21	9	5·8	5	1	0	3	4
April	43·5	27·3	16·1	63·0	14·0	49·0	35·4	0·52	2	12·3	7	0	0	2	0
May	57·3	35·3	22·0	79·0	20·0	59·0	46·3	0 98	8	12 0	2	0	0	0	2
June	76·2	52·0	24·2	92·0	39·0	53·0	64·1	1·46	6	.....	....	1	0	0	5
July	79·2	56·4	22·9	90·0	42·0	48·0	67·8	2·77	14	....	....	0	0	1	0
August	76·5	51·2	25·3	92·0	42 0	50·0	63·8	1·75	4	.....	....	0	0	0	0
September	67·2	51·0	16·2	83·0	36·0	47·0	59·1	5·01	12	.. ..	...	0	0	1	0
October	51·8	32·9	19·0	72·0	17·0	55·0	42·4	3·08	10	*	1	0	0	2	1
November	39·2	26 7	12·6	51·0	10·0	41·0	33·0	2 67	8	2·1	2	0	0	0	0
December	30·4	16·1	14·3	46 0	8 0	54·0	23·3	2·25	6	32·5	10	0	0	0	0
Year	49·8	31·6	18 2	92 0	22·0	114·0	40·7	22·87	82	98·7	45	2	0	12	12

MONTHLY and Annual Summaries for the Year 1907, Massett, British Columbia—Latitude, N. 53° 58′; Longitude, W. 132° 9′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurore.
	°	°	°	°	°	°													in.		in.					
January	35·4	19 4	15 9	27·4	40·0	11·0	25	17	1	2	0	0	3	14	0	...	...	...	0·00	0	4·0	1	0	0	0	..
February	41·9	29·7	12·2	35·8	48·0	9·0	2	11	5	29	0	5	0	4	0	..	...	...	2·85	9	2·0	2	6	0	0	..
March	44·9	29·9	15·0	36·9	48·0	21·0	8	4	0	9	2	19	11	9	0	...	...	...	0·85	5	29·0	9	0	0	0	..
April	54·8	36·7	18·1	66·0	31·0	35·0	2	7	4	23	4	0	0	20	0	...	...	...	3·75	8	.....	..	4	0	0	..
May	63·4	42·4	20·9	52·9	72·0	33·0	4	0	0	32	4	0	8	14	0	...	...	...	2·00	10	.....	..	1	0	0	..
June	62·0	46·0	16·0	54·0	73·0	38·0	5	1	0	15	0	2	25	12	0	...	...	...	0·85	9	....	..	0	0	0	..
July	65·1	51·3	13·8	58·2	74 0	47·0	4	6	0	16	0	0	20	16	0	...	...	...	1·70	13	.....	..	1	0	0	..
August	65·0	49·2	15·8	57 1	75·0	40·0	1	6	0	23	2	6	17	7	0	...	...	...	3·98	17	.....	..	0	0	0	..
September	62·7	46·6	16·1	54·7	73·0	38·0	6	2	6	11	3	5	10	10	0	...	...	...	0·39	6	.....	..	0	0	0	..
October	58·3	40·9	17·4	49·6	64·0	34·0	0	1	3	46	0	2	8	2	0	...	...	...	4·08	18	.....	..	0	0	0	..
November	50·2	36·7	13·5	43·5	57·0	31 0	0	2	10	36	1	8	2	1	0	...	...	...	9·02	21	0·0	0	0	3	2	..
December	43·9	33·4	10·5	38 6	53·0	28 0	1	5	8	36	2	2	1	7	0	...	...	...	6·52	14	0·0	0	0	0	0	..
Year	53·9	38·5	15·4	47·9	75·0	9 0	58	69	37	278	18	49	105	116	0	...	...	...	35 99	130	35·0	12	12	3	2	..

MONTHLY and Annual Summaries for the Year 1907, Meaford, Ontario—Latitude, N. 44° 37′; Longitude, W. 80° 37′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January	26·2	10·7	11·5	18·4	57·0	9·0	8	6	9	7	1	17	11	3	0	...	...	...	1·24	5	29·5	15	0	1	0	0
February	22·3	2·4	19·8	12·3	42·0	18·0	12	5	7	4	3	17	2	6	0	...	...	...	0·00	0	14·0	9	0	0	0	0
March	39·3	21·0	18·3	30·1	68·0	6·0	13	1	5	2	4	22	6	9	0	...	...	...	2·28	7	4·5	3	0	0	1	0
April	40·0	27·7	12·3	33·8	60·0	15·0	21	7	5	1	3	13	4	6	0	...	...	...	2·95	9	9·0	4	0	0	1	0
May	54·7	34·8	19·8	44·8	81·0	23·0	17	8	2	1	3	18	9	3	1	...	...	...	1·22	7	2·5	2	0	0	1	0
June	69·8	51·2	18·6	60·5	88·0	35·0	4	12	8	8	6	12	8	2	0	...	...	...	1·60	6	...	...	0	0	4	0
July	74·4	57·1	17·3	65·8	84·0	44·0	3	4	6	4	12	15	12	6	0	...	...	...	1·33	6	...	...	0	0	1	0
August	72·2	52·5	19·8	62·3	84·0	44·0	4	4	5	5	13	15	10	6	0	...	...	...	0·73	4	...	...	0	2	1	0
September	66·6	51·8	14·8	59·2	83·0	38·0	2	1	11	5	4	23	10	4	0	...	...	...	2·71	10	...	...	0	0	2	0
October	50·7	37·1	13·6	43·9	70·0	23·0	12	2	3	5	10	14	12	4	0	...	...	...	1·80	9	...	...	0	0	0	0
November	41·0	27·1	13·9	34·1	53·0	19·6	5	1	5	4	4	22	11	8	0	...	...	...	1·85	12	3·0	2	0	0	0	0
December	33·0	23·4	9·7	28·2	50·0	11·0	5	2	2	7	0	26	15	5	0	...	...	...	0·27	3	30·5	11	0	0	0	0
Year	49·2	33·1	15·8	41·1	88·0	18·0	106	53	68	53	63	214	110	62	1	...	...	...	17·98	78	93·0	46	0	3	11	0

MONTHLY and Annual Summaries for the Year 1907, Meota, Saskatchewan—Latitude, N. 51° 0′; Longitude, W. 108° 20′. Height above Sea, 1,700 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°		°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July															
August	70·5	43·4	27·1	94·0	30·5	63·5	56·9	3·77	15	...	...	2	0	4	2
September	59·8	33·4	26·4	80·3	12·0	68·3	46·6	1·39	2	*	1	2	1	4	2
October	57·3	26·4	30·9	73·8	11·0	62·8	41·8	0·15	3	0·4	1	0	0	1	0
November	39·4	11·6	27·8	61·2	6·0	67·2	25·5	0·07	3	0·5	1	1	0	5	0
December	23·6	0·7	24·2	43·0	29·0	72·0	11·5	0·00	0	2·1	1	0	7	3	0
Year															

MONTHLY and Annual Summaries for the Year 1907, Moncton, New Brunswick—Latitude, N. 46° 9 ; Longitude, W. 64° 45′. Height above Sea, 50 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	25·5	0·8	24·6	53·0	21·0	74·0	13·2	0·85	2	10·0	6	0	1	....	0
February	21 3	0·9	22 1	43·0	18·0	61·0	10·2	0·60	2	6·5	6	0	0	....	0
March	32·7	12·0	20·7	47·0	19·5	66·5	22·3	0 35	3	11·0	3	1	0	....	0
April	45·4	28·2	17·2	67·0	7·0	60·0	36·8	1·55	4	9 0	3	0	0	..	0
May	56·5	35·6	20·9	75·5	26·0	49·5	46·0	2·01	8	3·0	1	0	0	....	0
June	69·0	46·3	22·8	89·5	30·5	59·0	57·7	0·78	3	....	...	0	0	....	1
July	73·4	55·2	18 2	87·0	47·0	40·0	64·3	5·03	12	.....	....	0	1	....	3
August	71·6	52·1	19·6	80 0	42·0	38 0	61·8	5·46	16	.....	....	0	0	....	0
September	64·6	46 7	17 9	74·0	31·0	43·0	55 6	5·78	10	.....	....	0	0	...	0
October	51·2	32·4	18·8	65·0	17·5	47·5	41·8	3·11	8	2·5	2	0	0	..	0
November	42·5	26·0	16·5	59·0	8·5	50·5	34·2	3·88	5	2·0	1	0	0	....	0
December	34·7	16 9	17·8	57·0	0·0	57·0	25·8	1·25	3	5·5	2	0	1	....	0
Year	49·0	29·3	19 8	89·5	21·0	110·5	39·1	30·65	76	49·5	24	1	3	....	4

MONTHLY and Annual Summaries for the Year 1907, Moosejaw, Saskatchewan—Latitude, N. 50° 21′; Longitude, W. 105° 35′. Height above Sea, 1,745 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Man.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January	7·6	25·5	18·0	16·6	24·0	50·0	4	0	1	4	0	1	11	18	23	..	..	..	—	..	—	..	0	0	0	0
February	16·3	3·0	19·3	6·7	40·0	54·0	3	0	6	8	2	2	8	17	10	..	..	..	—	..	—	..	0	0	0	2
March	25·9	4·8	21·1	15·4	43·0	10·0	2	0	2	10	0	2	24	16	6	..	..	..	0 21	2	—	..	1	0	0	0
April	32·9	17 7	15·2	25·3	46·0	1·0	8	5	4	9	0	3	6	18	7	..	..	..	–	..	2·1	2	2	0	0	0
May	49·7	28·0	21·7	38·9	73·0	9 0	20	4	2	3	8	2	5	7	11	..	..	..	0·91	8	.....	..	4	0	1	0
June	69·8	46·3	23·5	58·1	83·0	32·0	2	3	5	14	14	0	2	12	8	..	..	..	2·63	13	.....	..	0	0	5	0
July	75·6	48·3	27·4	61·9	85·0	38·0	2	4	0	4	8	2	4	23	15	..	..	..	1·26	9	....	..	0	0	6	1
August	72·2	43·7	28·6	57·9	94·0	35·0	2	0	0	5	3	7	10	22	13	..	..	..	3·13	12	.....	..	0	1	5	1
September	61·0	32·8	28·2	46·9	83·0	11·0	16	0	0	2	16	4	0	4	18	..	..	..	0·51	2	.....	..	0	0	0	0
October	57·5	26·1	31·4	41·8	72·0	11·0	9	0	0	4	6	2	3	11	27	..	..	..	0 55	1	....	..	1	3	0	2
November	39·2	13·0	26·2	26·1	59·0	4·0	3	0	0	0	10	4	8	18	17	..	..	..	—	..	—	..	1	0	0	0
December	25·5	6·3	19·2	15·9	50·0	21·0	2	0	0	0	10	2	4	15	29	..	..	..	—	..	—	..	0	0	0	1
Year	43·2	19·9	23·3	31·5	94·0	54·0	73	16	20	63	77	31	85	181	184	..	..	..	.....	..	.....	..	9	4	17	7

MONTHLY and Annual Summaries for the Year 1907, Moosomin, Saskatchewan—Latitude, N. 50° 0′; Longitude, W. 101° 37′. Height above Sea, 1,884 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.d.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurorae.
	°	°	°	°	°	°													in.		in.					
January...	6·5	21·5	15·0	14·0	13·0	40·0	0	1	0	4	3	1	9	13	0	...	...	...	—	..	—	..	..	..	..	..
February..	14·4	3·1	17·5	5·7	40·0	37·0	0	0	2	3	4	9	6	4	0	...	...	...	—	..	—	..	..	..	..	..
March. ...	24·0	5·7	18·2	14·9	45·0	14 0	2	1	1	11	4	5	3	4	0	...	...	...	0·00	0	3·0	1	..	..	..	..
April.....	32·2	16·2	16·0	24·2	47·0	2·0	1	1	4	2	4	2	4	10	2	...	...	...	0·00	0	6·0	3	..	..	..	..
May	48·4	27·8	20·7	38·1	69·0	12·0	4	0	2	3	2	8	4	8	0	...	..	...	0 00	0	0·2	1	..	..	..	..
June..	66·8	47·3	19·5	57·1	80·0	35·0	2	0	2	10	0	7	6	3	0	...	...	...	4·18	12	.....	..	..	..	..	..
July.....	72·6	50·2	22·4	61.4	83·0	43·0	1	0	0	0	1	10	4	15	0	...	...	...	2·27	10	.....	..	..	..	..	..
August....	68·4	47·6	20·7	58·0	85·0	34·0	1	0	3	8	4	0	6	9	0	...	...	...	4·05	11	.....	..	..	..	..	..
September.	56·6	36·6	19·9	46·6	75·0	24·0	0	3	1	1	1	8	4	12	0	...	...	...	1·20	8	.....	..	..	..	..	..
October.. .	53·7	27·6	26·0	40·7	73·0	12·0	1	0	1	4	1	17	1	5	0	...	...	...	0·55	4	.....	..	..	..	..	..
November.	34·6	14·0	20·6	24·3	52·0	4·0	1	0	1	0	4	5	9	10	0	...	...	...	—	..	—	..	..	..	..	..
December..	21·9	5·1	16·8	13·5	45·0	23·0	0	0	1	9	2	7	9	3	0	...	...	...	—	..	—	.	.	..	..	..
Year....	40·6	21·1	19·4	30·9	85·0	40·0	13	6	18	55	30	79	65	96	2	...	...	...	.....	..	.. ..	..	..	..	..	..

MONTHLY and Annual Summaries for the Year 1907, Morden, Manitoba—Latitude, N. 49° 11′; Longitude, W. 98° 5′. Height above Sea, 1,690 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January...	0·5	18·1	18·6	24·0	34·0	53·0	8·8	...	..	.....	....	0	0	....	0
February..	19·2	3·2	22·4	41·0	34·0	75·0	8·0	.....	....	.....	....	0	0	....	0
March. ...	31·0	8·8	22·2	44·0	6·0	50·0	19 9	.....	....	.....	...	3	0	....	0
April.....	37·9	17·9	20·0	54·0	1·0	53·0	27·9	.....	....	.....	....	2	0	....	0
May.....	54·2	27·7	26·5	75·0	8·0	67·0	41·0	.....	....	.....	....	1	0	...	0
June.....	73·9	48·8	25·1	89·5	35·0	54·5	61·4	.....	....	.....	....	4	0	....	5
July.....	79·5	54·3	25·1	88·0	43·0	45·0	66·9	.....	....	....	....	0	0	....	0
August.....	75·3	49·6	25·7	94·0	38·0	56·0	62·4	.....	....	.....	....	2	0	....	4
September.	63·5	39·4	24·1	81·0	22·0	59·0	51·5	.....	....	....	....	0	0	...	0
October...	55·9	29·4	26·6	77·5	12·5	65 0	42·7	.....	....	...	....	2	2	..	0
November.	38·3	18·1	20·2	57·0	4·0	61·0	28·2	.....	....	.....	....	0	0	...	0
December..	27·7	8·7	19·0	46·0	18·0	64·0	18·2	.....	....	...	....	0	0	...	0
Year.....	46·4	23·4	22·9	94·0	34·0	128·0	35·0	....	....	....	....	14	2	....	9

MONTHLY and Annual Summaries for the Year 1907, Nanton, Alberta—Latitude, N. 50° 27′; Longitude, W. 113° 50′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM											RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	0·7	16·9	16·2	8·9	50·0	46·0													0·00	0	6·7	11	4	1	0	
February	27·8	5·1	22·7	16·5	50·0	42·0													0·00	0	1·5	3	0	1	0	
March	34·8	10·5	24·3	22·6	52·0	10·0													0·00	0	11·7	9	2	1	0	
April	45·6	26·1	19·5	35·9	68·0	0·0	10	3	3	1	1	4	8	0	0				0·44	8	8·0	3	0	0	0	
May	59·3	33·7	25·6	46·5	76·0	24·0	11	3	4	5	2	1	1	1	3				0·83	10			0	1	0	
June	70·2	40·9	29·3	55·6	82·0	30·0													3·06	13			0	0	2	
July	80·6	43·8	36·8	62·2	92·0	28·0	11	0	0	0	3	3	4	4	6				1·06	6			0	0	0	
August	74·1	39·7	34·3	56·9	88·0	28·0	10	1	0	2	2	0	6	3	7				1·02	10			0	0	0	
September	60·7	31·1	29·6	45·9	80·0	22·0	12	0	0	0	3	0	3	0	12				2·75	10	13·5	3	0	0	0	
October	68·2	26·5	41·7	47·3	74·0	18·0	4	1	0	2	4	4	10	0	5				0·02	1	0·0	0	0	0	0	
November	50·7	16·9	33·8	33·8	70·0	6·0													0·00	0	3·0	3	0	0	0	
December	34·2	8·2	26·0	21·2	50·0	18·0	9	0	0	1	2	0	9	0	10				0·00	0	2·0	3	0	3	0	
Year	50·5	22·1	28·2	36·3	92·0	46·0													9·18	58	46·4	35	6	7	2	

MONTHLY and Annual Summaries for the Year 1907, Nelson, British Columbia—Latitude, N. 49° 29′; Longitude, W. 117° 21′. Hegiht above Sea, 1760 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	23·8	12·0	11·8	43·0	3·0	46·0	17·9	0·48	2	31·7	17	0	1	0	0
February	39·3	23·3	16·0	52·0	2·0	54·0	31·8	0·94	7	14·0	6	0	0	0	0
March	45·2	28·1	17·1	55·0	20·0	35·0	36·6	0·43	9	6·9	9	2	0	1	0
April	54·0	32·7	21·3	70·0	23·0	47·0	43·3	2·22	10	0·2	1	0	0	0	0
May	69·1	38·9	30·2	82·0	31·0	51·0	53·9	2·62	8			0	0	0	2
June															
July	81·3	49·7	31·6	87·0	40·0	47·0	65·5	1·94	9			0	0	0	2
August	72·0	49·9	22·1	85·0	40·0	45·0	60·9	7·51	15			0	0	0	0
September	67·4	45·9	21·5	79·0	36·0	43·0	56·7	1·39	6			0	0	0	2
October	59·9	37·6	22·3	67·0	32·0	35·0	48·7	1·20	6			0	0	0	0
November	43·8	33·3	10·5	53·0	20·0	33·0	38·6	2·51	12	8·5	5	0	0	0	0
December	36·7	28·4	8·3	45·0	17·0	28·0	32·5	1·52	8	19·3	9	0	0	0	0
Year										80·6	37				

Monthly and Annual Summaries for the Year 1907, (Nickel Plate), Hedley, British Columbia—Latitude, N. 49° 35′; Longitude, W. 120° 10′. Height above Sea, 5,400 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	28·0	0·7	27·3	44·0	28·0	72·0	14·3	0·00	0	17·5	9	0			0
February	38·7	17·3	21·4	52·0	19·0	71·0	28·0	0·00	0	14·3	7	0			0
March	34·4	11·2	23·2	44·0	3·0	47·0	22·8	0·00	0	22·5	12	0			0
April	47·6	21·1	26·4	64·0	10·0	54·0	34·4	0·00	0	10·0	8	0			0
May	52·3	31·3	21·0	66·0	22·0	44·0	41·8	2·32	11	10·0	3	0			0
June	57·8	35·6	22·2	75·0	28·0	47·0	46·7	0·98	11	8·0	2	3			1
July	68·1	42·5	25·6	78·0	32·0	56·0	55·3	0·90	6	0·0	0	0			2
August	57·5	36·8	20·7	78·0	22·0	56·0	47·1	1·96	9	4·8	2	0			1
September								1·13	4	8·0	3				
October															
November	39·0	22·7	16·3	47·0	10·0	37·0	30·9	0·00	0	10·0	5	0			0
December	29·4	13·9	15·5	39·0	2·0	41·0	21·7	0·00	0	16·0	10	0			0
Year															

Monthly and Annual Summaries for the Year 1907, Nicola, British Columbia—Latitude, N. 50° 9′; Longitude, W. 120° 39′. Height above Sea, 2,120 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°		°	in.		in.					
January	7·3	6·7	13·8	45·0	36·0	81·0	0·3	0·00	0	9·2	11	0	2	0	0
February	32·3	17·3	15·0	48·0	31·0	79·0	24·8	0·10	1	5·7	5	0	5	0	0
March	39·6	22·0	17·6	47·5	1·0	46·5	30·8	R.	1	13·7	7	0	0	2	0
April	55·7	29·6	26·0	72·0	20·0	52·0	42·6	R.	2			0	0	0	0
May	67·5	39·9	27·6	76·0	25·0	51·0	53·7	0·53	9			7	0	0	2
June	68·4	44·5	23·9	86·0	37·0	49·0	56·4	1·00	10			0	0	0	0
July	76·7	49·5	27·2	87·0	39·0	48·0	63·1	1·07	6			5	0	0	3
August	68·1	45·5	22·6	85·0	37·5	47·5	56·8	2·52	16			6	0	0	4
September	63·6	43·0	20·6	74·0	34·0	40·0	53·3	2·30	9			0	0	0	1
October	58·3	34·0	24·3	71·0	26·5	44·5	46·1	0·06	5			0	0	0	0
November	45·5	31·0	14·5	61·0	15·0	46·0	38·2	0·53	6	3·5	3	5	3	0	0
December	34·1	22·7	11·4	46·0	2·5	43·5	28·4	0·20	2	10·0	13	0	0	0	0
Year	51·4	31·0	20·4	87·0	36·0	123·0	41·2	8·31	67	42·1	39	23	10	2	10

MONTHLY and Annual Summaries for the Year 1907, North Bruce, Ontario—Latitude, N. 44° 23′; Longitude, W. 81° 25′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									CLOUDED SKY.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°										%	%	%	in.		in.					
January	19·9	24·0	20·2	21·1	53·0	17·0	3	9	23	7	15	11	13	12	0	...	...	...	1·31	5	25·7	16	5	3	0	0
February	12·4	21·1	15·3	16·0	38·0	10·0	6	6	12	11	18	8	10	12	1	...	...	...	0·03	1	17·9	19	3	0	0	0
March	27·6	37·2	29·5	31·0	65 0	7·0	4	5	7	12	6	26	18	15	0	...	...	..	2·83	7	8·2	8	6	1	0	2
April	32·4	46·4	33·7	35·1	60·0	15·0	6	2	11	4	13	10	20	24	0	...	...	...	2·18	12	*	2	4	0	0	1
May	43·5	55·4	41·6	45·5	86·0	30·0	6	2	15	1	25	8	22	14	0	...	...	...	1·86	7	*	3	2	3	1	0
June	55·3	73·0	56·8	60·5	89·0	42·0	2	1	21	6	10	23	19	8	0	...	...	...	1·36	3	.....	..	2	1	0	0
July	60·1	75·4	61·3	64·5	87·0	40·0	1	0	1	0	16	43	23	9	0	...	...	...	0·87	6	.....	..	0	2	2	0
August	57·7	77·0	59·9	63·7	89·0	48·0	0	0	3	4	27	16	35	8	0	...	...	...	0·53	3	.....	..	0	0	0	0
September	53·1	69·4	56·6	58·9	83·0	42·0	3	1	11	2	33	14	16	9	1	...	...	...	2·25	13	.....	..	3	0	0	0
October	40·4	51·7	42·4	44·2	73·0	22·0	13	2	4	7	24	12	14	17	0	...	...	...	2·82	13	.....	..	0	0	3	1
November	33·3	40·1	33·9	35·3	53 0	20·0	11	2	9	9	16	13	17	13	0	...	...	...	2·76	12	3 0	2	7	1	0	0
December	27·3	30·2	28·3	28·5	45·0	15·0	9	10	7	1	25	14	24	3	0	...	...	...	0·31	3	26·8	15	10	0	0	0
Year	38·6	49·6	39·9	42·0	89·0	17·0	64	40	124	64	228	198	231	144	2	...	...	...	19·11	85	81·6	65	42	11	6	4

MONTHLY and Annual Summaries for the Year 1906, North Gower, Ontario—Latitude, N. 45° 8′; Longitude, W. 75° 43′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February	20·2	1·3	21·5	37·5	22·0	59·5	9·5	—	—	—	....	....	0	....	0
March	36·9	16·7	20·2	63·0	20·0	83·0	26·8	2·59	6	....	....	...	0	....	0
April	45 7	28·5	17·3	71·0	14·5	56·5	37·1	4·13	10	8·0	6	....	0	....	0
May	58·6	36·8	21·8	82·5	24·0	58·5	47·7	1·95	9	—	....	....	0	....	0
June	77·3	53·7	23·7	92·0	32·0	60·0	65·5	20·8	7	.. ..	....	....	1	....	3
July	80·0	56·4	23·6	89·0	43 0	46 0	68·2	3·63	13	.....	....	....	0	....	0
August	78·0	51·0	27·0	92·0	39·0	53·0	64·5	1 17	9	.....	....	....	1	...	1
September	68·4	48 5	19·9	86·0	28·5	57·5	58·4	3·95	17	.. ..	...	....	3	....	0
October	53·8	36·6	17·3	69·0	21·0	48·0	45·2	2·60	11	.....	....	....	4	....	
November	40·3	25·4	14·9	56·5	1·5	55·0	22·9	4·20	7	—	—	....	3	....	0
December	30·5	14·1	16·3	49 0	6·5	55·5	22·3	2·33	7	—	—	...	0	....	0
Year															

MONTHLY and Annual Summaries for the Year 1907, North Nicomen, British Columbia—Latitude, N. 49° 12′; Longitude, W. 122° 2′. Height above Sea, 59 feet.

MONTH.	TEMPERATURE.						RAIN.		SNOW.		GALES.	FOGS.	AURORE.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.			
	°	°	°	°	°	°	°	in.		in.				
January	30·8	18·6	12·2	48·0	0·0	48·0	24·7	1·11	1	5·6	9	0	0	0
February	42·5	29·6	12·9	50·0	14·0	36·0	36·1	11·51	15	.....	.....	0	2	0
March	49·0	33·4	15·6	58·0	27·0	31·0	41·2	4·21	18	...	...	2	0	0
April	58·5	38·0	20·5	74·0	29·0	45·0	48·2	6·23	13	....	...	1	0	0
May	69·5	45·8	23·7	83·0	36·0	47·0	57·7	1·74	9	.....	...	0	0	2
June	69·6	49·8	19·8	85·0	43·0	42·0	59·7	2·09	15	.....	.....	0	0	3
July	77·8	53·6	24·2	95·0	45·0	50·0	65·7	2·12	5	.....	.....	0	0	1
August	70·2	52·1	18·1	83·0	40·0	43·0	61·2	2·55	10	.....	.....	0	0	0
September	68·6	49·5	19·2	89·0	38·0	51·0	59·1	2·61	9	.....	.....	0	2	2
October	61·5	45·5	16·0	71·0	36·0	35·0	53·5	2·80	5	.....	...	0	3	1
November	50·7	39·9	10·8	64·0	32·0	32·0	45·3	13·29	24	*	1	0	1	0
December	44·4	35·2	9·1	57·0	26·0	31·0	39·8	8·25	2	2·0	2	0	0	0
Year	57·8	40·9	16·9	95·0	0·0	95·0	49·4	58·51	126	7·6	12	3	8	9

MONTHLY and Annual Summaries for the Year 1907, Oakbank, Manitoba—Latitude, N. 49° 57′; Longitude, W. 96° 49′. Height above Sea, 1500 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.		GALES.	FOGS.	THUNDER STORMS.	AURORE.
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°													in.		in.					
January	4·0	21·0	17·0	12·5	25·0	43·0	2	3	2	2	1	7	1	12	1	...	...	...	0·00	0	23·0	11	0	0	0	0
February	10·9	4·4	15·3	3·3	34·7	37·5	...	...	...	...	...	...	...	...	...	...	...	...	R	1	5·0	4	0	0	0	0
March	25·3	5·9	19·4	15·6	44·3	19·0	4	2	0	2	5	8	1	8	1	...	...	...	0·00	0	24·0	9	0	1	0	0
April	34·8	18·3	16·5	26·5	48·5	3·5	8	5	0	2	4	3	1	5	2	...	...	...	0·00	0	14·0	5	0	0	0	0
May	48·8	28·2	20·5	38·5	73·3	9·0	6	5	0	4	1	3	2	9	1	...	...	...	R	3	8·7	5	1	2	0	0
June	70·5	48·8	21·7	59·7	87·3	32·0	5	3	3	5	2	7	3	2	0	...	...	...	1·64	7	.....		0	2	0	0
July	75·5	53·1	22·4	64·3	83·0	42·5	2	2	1	1	2	2	7	4	10	...	...	...	4·49	12	.....	...	0	5	0	0
August	68·2	50·1	18·1	59·2	82·7	33·0	1	3	1	5	2	5	5	9	0	...	...	...	4·07	18	.....	...	0	6	0	0
September	58·0	39·7	18·2	48·9	73·0	23·5	1	5	1	1	4	3	1	13	1	...	...	...	1·12	11	*	2	1	0	0	1
October	51·0	29·9	21·1	40·5	62·5	11·7	7	3	1	3	2	6	0	9	0	...	...	...	0·59	9	*	1	0	0	0	0
November	32·9	17·2	15·7	25·1	51·0	17·0	4	1	2	1	2	8	1	11	0	...	...	...	1·10	4	10·0	6	0	0	0	0
December	20·6	6·2	14·3	13·4	38·5	20·7	3	2	0	1	6	10	2	7	0	...	...	...	R	1	7·0	4	0	0	0	0
Year	41·0	22·7	18·4	31·9	87·3	43·0	...	...	...	...	...	...	...	...	...	...	...	...	13·01	66	91·7	47	2	16	1	

MONTHLY and Annual Summaries for the Year 1907, Okanagan Mission, British Columbia—Latitude, N. 49° 52′; Longitude, W. 119° 29′. Height above Sea, 1,200 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mthly Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	17·4	2·5	14·9	42·0	19·4	61·4	10·0	0·00	0	16·5	10				
February	34·7	20·4	14·3	46·6	18·5	65·1	27·5	0·29	4	6·4	4				
March	42·5	24·0	18·4	51·1	13·0	38·1	33·2	0·21	5	10·0	7				
April	58·2	30·6	27·6	71·0	19·6	51·4	44·4	0·10	5						
May	70·3	43·0	27·4	84·0	26·6	57·4	56·6	1·45	6						
June	73·5	47·8	25·7	88·2	38·2	50·0	60·6	1·37	9						
July	82·3	51·7	30·6	93·2	43·9	49·3	67·0	0·55	6						
August	72·8	50·6	22·3	92·0	40·0	52·0	61·7	1·74	13						
September	66·1	45·7	20·4	75·5	37·0	38·5	55·9	2·23	13						
October	58·6	37·4	21·2	67·1	29·6	37·5	48·0	0·27	4						
November	45·5	33·5	12·0	56·9	19·7	37·2	39·5	0·52	11	1·8	1				
December	38·3	27·1	11·2	47·0	10·0	37·0	32·7	0·52	5	6·0	8				
Year	55·0	34·5	20·5	93·2	19·4	112·6	45·0	9·25	81	10·7	30				

MONTHLY and Annual Summaries for the Year 1907, Onion Lake, Saskatchewan—Latitude N. 53° 52′; Longitude W. 103° 59′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	9·4	29·3	19·9	30·0	48·5	78·5	19·4	—		—					
February	23·9	5·2	29·1	48·0	48·0	96·0	9·4	—		—					
March	23·4	1·7	25·1	38·0	20·0	58·0	10·8	—		—					
April															
May	52·7	27·8	24·8	70·0	3·0	67·0	40·3	0·52	1						
June															
July															
August															
September	51·9	35·0	16·9	72·0	16·0	56·0	43·4	2·04	8						
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1907, Orillia, Ontario—Latitude, N. 44° 34′; Longitude, W. 79° 24′. Height above Sea, 775 feet.

MONTH.	TEMPERATURE						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	23·9	9·1	14·8	16·5	48·0	19·5	4	0	1	3	5	6	3	8	1	...	...	...	0·00	0	25·5	9	1	1	1	0
February..	22·3	0·2	22·4	11·0	38·0	22·0	7	0	2	1	3	2	7	6	0	...	..	...	0·00	0	17·5	6	1	0	0	0
March	38·9	20·2	18·7	29·6	60·0	7·5	2	0	1	2	9	4	2	10	1	...	...	...	0·00	0	6·5	2	4	1	1	0
April.....	44·7	28·1	16·6	36·4	68·0	12·0	2	0	3	1	5	1	1	15	2	...	...	...	1·20	2	3·0	1	2	1	1	0
May.....	59·5	36·4	23·1	47·9	82·5	26·0	0	0	3	1	5	3	6	12	1	...	...	...	0·97	3	.....	..	1	0	0	0
June.....	75·4	53·8	21·6	64·6	92·0	42·0	0	1	1	5	9	2	1	11	0	...	...	...	1·71	4	.....	..	0	0	4	0
July.....	78·2	57·8	20·3	68·0	86·5	48·0	0	0	1	1	8	5	4	12	0	..	...	..	0·81	3	.....	..	1	0	4	0
August ...	72·4	53·2	19·3	62·8	91·0	46·0	1	1	0	0	6	4	4	13	0	...	...	...	0·90	4	.....	..	1	0	0	0
September.	68·0	52·1	15·9	60·1	83·0	38·0	3	1	2	3	2	2	5	10	2	...	...	...	3·67	14	.. ..	..	0	0	1	0
October ...	52·1	33·3	18·8	42·7	70·0	19·0	4	1	0	1	5	2	3	10	5	...	...	...	1·45	3	....	..	0	0	0	0
November..	40·2	27·2	13·0	33·7	49·0	15·0	5	1	3	4	4	4	2	7	0	...	...	...	2·25	4	12·0	4	0	0	0	0
December .	31·3	17·0	14·3	24·2	44·0	2·0	4	1	3	1	9	2	5	4	2	...	...	...	0·75	1	48·0	11	0	0	0	0
Year....	50·6	32·3	18·2	41·5	92·0	22·0	32	6	20	23	70	37	43	118	14	...	...	...	13·71	38	112·5	33	11	3	12	0

MONTHLY and Annual Summaries for the Year 1907, Otonabee, Ontario—Latitude, N. 44° 20′; Longitude, W. 78° 18′. Height above Sea, 671 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	14·0	21·5	16·6	17·2	46·0	16·0	4	18	15	2	0	14	17	23	0	...	...	...	1·54	3	5·5	3	0	0	0	..
February..	8·7	18·2	11·7	12·6	36·0	12·0	3	8	16	1	4	12	10	30	0	...	...	...	0·00	0	9·8	5	0	0	0	..
March	25·5	37·6	30·5	31·1	60·0	0·0	0	3	22	5	3	10	28	22	0	...	...	...	0·69	4	3·5	3	2	1	0	..
April.....	31·1	43·8	36·9	37·2	67·0	16·0	4	8	10	9	3	9	9	38	0	...	...	...	2·11	5	4·5	3	0	1	0	..
May.	39·8	56·9	47·6	48·0	77·0	29·0	1	4	2	18	4	26	7	28	0	...	...	...	1·67	4	7·5	1	3	1	0	..
June	56·7	75·3	63·7	64·8	87·0	44·0	0	0	10	11	3	35	13	18	0	...	...	...	2·10	8	.....	..	0	0	5	..
July.... .	59·9	77·9	67·3	68·1	86·0	48·0	1	1	2	3	6	28	22	29	1	...	...	...	2·21	13	....	..	2	0	7	..
August....	55·8	74·2	63·0	64·0	88·0	48·0	0	0	0	6	4	22	8	50	0	...	...	...	2·16	6	.....	..	2	0	3	..
September.	55·4	67·0	59·6	60·4	82·0	40·0	1	3	15	13	3	25	10	20	0	...	...	...	2·45	8	.....	..	1	1	0	..
October ...	38·2	49·7	41·7	44·3	66·0	24·0	3	0	0	12	0	23	17	38	0	...	...	...	2·37	6	.....	..	0	0	2	..
November..	32·1	39·0	34·8	35·2	50·0	15·0	0	2	16	7	4	9	31	15	3	..	...	...	3·04	6	5·0	4	0	0	0	..
December .	24·6	30·0	26·4	26·8	45·0	0·0	0	0	19	4	0	38	23	9	0	...	...	...	1·99	5	17·0	6	0	0	0	..
Year....	36·8	49·3	41·9	42·5	88·0	16·0	17	47	127	91	34	251	198	320	4	...	...	...	22·33	68	52·8	25	10	4	17	..

MONTHLY and Annual Summaries for the Year 1907, Owen Sound, Ontario—Latitude, N. 44° 34′; Longitude, W. 80° 55′. Height above Sea, 597 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	26·5	14·8	11·7	20·7	53·0	9·0	4	4	11	11	13	20	8	22	0	...	...	. .	0·77	3	32·5	17	0	1	0	..
February..	24·0	3·8	20·2	13·9	43·0	−19·0	14	7	2	8	28	10	4	10	1	...	...	...	0·16	2	16·7	12	0	1	0	..
March.....	40·9	22·1	18·8	31·5	67·0	−6·0	12	5	2	17	17	11	3	26	0	...	...	...	2·80	7	3·5	3	0	0	3	..
April	43·2	27·2	16·0	35·2	63·0	11·0	20	8	3	9	17	7	3	23	0	...	...	...	2·15	7	16·0	6	0	1	1	..
May.....	57·6	35·1	22·5	46·4	83·0	18·0	17	9	2	12	10	14	6	22	1	...	...	...	1·92	5	3·7	4	0	0	1	..
June.....	75·8	49·4	26·4	62 6	92·0	36·0	11	8	4	17	14	9	5	22	0	...	...	...	2·23	8	.....	..	3	3	5	..
July.....	78·8	54·5	24·3	66·6	90 0	40·0	4	1	3	5	18	11	17	34	0	...	...	...	1·56	7	.. ..	..	1	1	1	..
August. . .	77·1	50·5	26·7	63·8	91·0	40·0	8	5	1	13	14	14	12	26	0	...	...	...	0·83	5	....	..	0	2	4	..
September.	68·5	50·4	18·1	59·4	84·0	37 0	4	6	5	18	17	15	5	20	0	...	...	...	4·99	14	.....	..	0	0	0	..
October....	52·5	36·1	16·4	44·3	71·0	19·0	5	0	1	14	22	13	7	31	0	...	...	...	1·91	11	...	..	0	0	1	..
November.	41·5	29·3	12·1	35·4	52·0	18·0	6	2	1	6	36	12	5	22	0	...	...	...	1·64	9	6·4	8	0	0	0	..
December .	32·9	23·4	9·5	28·2	47·0	13·0	9	9	2	9	32	15	4	13	0	..	...	...	0·31	3	52·9	19	0	0	0	..
Year....	51·6	33·1	18·5	42·3	92·0	−19·0	114	64	37	139	238	151	79	271	2	...	...	...	21·27	81	131·7	69	4	9	16	..

MONTHLY and Annual Summaries for the Year 1907, Pakan, Alberta—Latitude, N. 54° 0′; Longitude, W. 112° 31′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM.									AMOUNT OF CLOUD.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	....	.....	.....	.....	.....	.....	....	...	....	.....	....	...	....	....	....	...	...	...	. ....	..	....	..	...	...	...	..
February..	30·9	5·2	25·7	18 1	50 5	29 0	....	...	....	.....	...	...	....	....	...	...	...	...	0·00	0	2·0	3	2	0	0	3
March.....	27·2	−1·2	28·3	13·0	43·6	−20·0	1	2	7	4	7	2	11	14	14	..	...	...	0·00	0	7·1	7	0	0	0	3
April	38·5	18·4	20·1	28·5	57·0	−0·5	4	4	15	4	4	4	8	16	1	...	...	...	0·00	0	2·0	5	1	0	0	3
May	52·0	27·8	24 1	39·9	77·3	8·0	9	2	9	5	5	5	6	11	10	...	...	...	0·76	5	8·5	2	1	1	0	2
June.....	67·8	41·7	26 1	54·8	81·9	28·2	4	1	5	3	5	6	15	14	7	...	...	...	1·78	10	.....	..	0	0	3	0
July	71·3	45·8	25·5	58·5	79·7	39·0	4	2	1	1	6	6	26	11	5	...	...	...	3·14	10	.....	..	2	2	3	1
August....	66·1	42·3	23·8	54·2	81·1	31·0	6	5	3	2	6	10	13	10	7	...	...	...	4·41	12	.....	..	0	3	4	0
September.	59·3	33·6	25·7	46·5	78 0	18·0	5	6	3	10	5	2	12	8	9	...	...	...	2 85	6	3·2	1	1	1	1	1
October.. .	57·3	28·1	29·2	42·7	72·0	6·0	2	0	3	2	4	4	17	10	20	...	...	...	2·00	6	0·0	0	0	5	0	4
November.	40·3	15·8	24·5	28·0	55·8	−3·0	4	3	4	5	4	11	16	4	9	...	...	...	0 07	3	0·3	1	0	0	0	4
December..	24·1	−1·7	25·7	11·2	45·0	−24·5	6	7	5	0	4	10	11	1	18	...	...	...	0·20	1	4·8	5	0	4	0	4
Year....	.....	....	.....	...	....	....	....	....	....	....	....	....	....	....	....	...	...	...	.. ....	..	.....	..	..	..	..	..

MONTHLY and Annual Summaries for the Year 1907, Paris, Ontario—Latitude, N. 43° 12′; Longitude, W. 80° 25′. Height above sea, 840 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	28·7	15·2	13·5	54·0	11·0	43·0	22·0	2·78	5	5·5	4	....	....	....	1
February	26·9	7·5	19·3	45·0	10·0	55·0	17·2	0·13	1	6·8	5	....	....	....	0
March	44·5	25·1	19·4	65·0	7·0	58·0	34·8	2·23	7	7·8	3	....	....	....	2
April	46·1	29·3	16·8	70·0	16·0	54·0	37·7	1·93	8	0·0	0	....	....	....	0
May	61·7	37·1	24·6	84·0	25·0	59·0	49·4	3·20	11	2·5	1	....	....	....	2
June	74·1	51·6	22·4	89·0	40·0	49·0	62·9	2·22	8	—	....	....	....	....	1
July	78·7	55·8	22·9	87·0	42·0	45·0	67·3	2·57	6	....	....	....	....	....	2
August	77·9	52·5	25·5	88·0	42·0	46·0	65·2	0·86	7	....	....	....	....	....	1
September	69·5	52·6	16·9	84·0	39·0	45·0	61·1	4·98	12	....	....	....	....	....	6
October	54·4	35·5	18·8	73·0	22·0	51·0	44·9	3·02	8	....	....	....	....	....	2
November	41·5	30·7	11·4	53·0	16·0	37·0	36·1	2·79	8	2·0	3	....	....	....	0
December	34·1	23·1	11·0	48·0	10·0	38·0	28·6	3·30	8	22·0	5	....	....	....	0
Year	53·2	34·6	18·5	89·0	11·0	100·0	43·9	30·01	89	46·6	21	....	....	....	17

MONTHLY and Annual Summaries for the Year 1907, Parrsboro, Nova Scotia—Latitude, N. 45° 23′; Longitude, W. 64° 19′. Height above Sea, 40 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	27·2	3·6	23·7	54·0	15·0	69·0	15·4	0·40	1	11·0	4	....	....	....	....
February	26·8	2·2	24·6	47·0	14·0	61·0	14·5	—	....	—	....	....	....	....	....
March	31·1	12·7	18·4	48·0	9·0	57·0	21·9	—	....	....	....	....	....	....	....
April	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
May	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
June	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
July	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
August	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
September	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
October	51·4	33·2	18·2	66·0	18·0	48·0	42·3	1·75	5	5·0	1	....	....	....	....
November	44·1	28·5	15·6	58·0	16·0	42·0	36·3	—	....	—	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the year 1907, Paspebiac, Quebec—Latitude, N. — —'; Longitude, W. — —'. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	11·8	0·3	12·3	41·0	18·0	59·0	5·8	0·13	1	22·3	10	0	0	0	
February	16·4	1·8	12·4	31·0	19·5	50·5	4·3	R	1	16·8	9	0	2	0	
March	28·8	9·6	19·1	45·0	21·0	66·0	19·2	0·47	2	8·3	4	0	5	0	
April	37·7	24·7	12·9	52·0	8·0	44·0	31·2	1·21	3	7·3	5	0	3	0	
May	49·5	33·4	16·1	66·0	25·0	41·0	41·5	3·71	8			4	1	0	
June	62·1	43·8	18·3	83·0	32·0	51·0	53·0	3·32	10			0	1	2	
July	66·4	53·0	13·4	81·0	45·0	36·0	59·7	7·96	14			0	1	4	
August	67·7	51·7	16·1	78·0	46·0	32·0	59·7	5·73	14			0	0	1	
September	60·6	44·0	16·6	72·0	32·0	40·0	52·3	6·76	12			0	0	2	
October	47·7	33·0	14·7	60·0	21·0	39·0	40·4	3·60	8			0	0	2	
November															
December	30·3	17·3	13·0	48·0	6·5	41·5	23·8	0·00	0	11·0	3	0	0	0	
Year															

Monthly and Annual Summaries for the year 1907, Pekisko, Alberta—Latitude, N. 50° 26'; Longitude, W. 114° 14'. Height above Sea, 3,394 feet.

Month.	Temperature							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	13·3	19·9	33·2	48·0	37·0	85·0	3·3	0·00	0	12·3	6	0			0
February	36·0	9·0	27·0	55·0	45·0	100·0	22·5	0·00	0	8·5	3	0			0
March	39·4	8·7	30·7	62·0	16·0	78·0	24·0	0·00	0	6·0	3	0			0
April	40·7	17·3	23·4	60·0	7·0	67·0	29·0	0·00	0	18·0	4	0			0
May	54·1	29·9	24·2	69·0	12·0	57·0	42·0	1·12	5			0			2
June	65·0	40·0	25·1	76·5	27·0	49·5	52·5	4·58	13			0			5
July	69·4	41·5	27·9	79·0	32·0	47·0	55·4	1·78	11			1			2
August	64·4	40·7	23·8	77·5	29·5	48·0	52·6	4·51	13			0			2
September	58·9	33·8	25·0	78·0	13·0	65·0	46·4	0·67	1	20·1	4	0			2
October	63·3	29·0	34·3	77·0	10·0	67·0	46·2	0·02	1	*	1	0			0
November	45·8	22·9	22·9	58·0	10·0	48·0	34·4	0·00	0	2·3	3	0			0
December	36·8	12·5	24·3	57·0	9·0	66·0	24·7	0·00	0	4·5	3	0			0
Year	48·9	22·1	26·8	79·0	45·0	124·6	35·5	12·68	44	71·7	27	1			13

MONTHLY and Annual Summaries for the Year 1907, Pelee Island, Ontario—Latitude, N. 41° 50′; Longitude, W. 82° 58′. Height above Sea, 585 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	30·0	18·6	11·4	47·0	2·0	49·0	24·3	14·2	6	2·0	1	....	....	....	....
February	20·2	7·3	12·8	30·0	1·0	29·0	13·8	0·00	0	5·0	2	....	....	....	....
March	40·8	30·5	10·3	67·0	6·0	73·0	35·6	1·20	4	—	..	....	....	....	....
April	44·7	34·9	9·7	52·0	26·5	25·5	39·8	0·92	4	—	....	....	....	....	....
May	53·4	44·4	9·0	66·5	34·0	32·5	48·9	0·79	3	....	....	....	....	....	....
June	67·8	59·1	8·7	80·0	49·0	31·0	63·5	3·42	12	....	....	....	....	....	....
July	76·9	68·7	8·2	83·5	55·0	28·5	72·8	2·12	5	....	....	....	....	....	....
August	73·8	66·0	7·8	80·0	61·0	19·0	69·9	1·49	4	....	....	....	....	....	....
September	69·5	61·1	8·4	77·0	46·5	30·5	65·3	4·60	9	....	....	....	....	....	....
October	53·1	44·1	8·9	71·0	35·0	36·0	48·6	2·64	7	....	....	....	....	....	....
November	41·8	32·9	8·9	48·0	28·0	20·0	37·3	1·71	6	....	....	....	....	....	....
December	39·2	30·4	8·8	49·0	20·0	29·0	34·8	4·07	10	....	....	....	....	....	....
Year	50·9	41·5	9·5	83·5	6·0	89·5	46·2	24·38	70	7·0	3	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Penticton, British Columbia—Latitude, N. 49° 29′; Longitude, W. 119° 35′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April	55·6	28·4	27·2	72·0	19·0	53·0	42·0	0·19	2						
May															
June															
July	84·6	50·9	33·7	93·5	38·0	55·5	67·8	0·37	1						
August	76·3	50·3	26·0	90·0	39·0	51·0	63·3	1·13	3						
September	70·1	47·6	22·5	78·0	36·0	42·0	57·8	0·78	8						
October	65·1	39·3	25·8	77·0	32·5	44·5	52·2	0·30	1						
November	48·8	34·0	14·8	60·0	17·5	42·5	41·4	0·21	6	*	1				
December	40·6	29·7	10·9	48·0	21·0	27·0	35·1	0·64	7	3·0	6				
Year															

MONTHLY and Annual Summaries for the Year 1907, Percé, Quebec—Latitude, N. 48° 31′; Longitude, W. 64° 12′. Height above Sea, 50 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January	17·3	2·2	15·2	9·7	41·8	17·2	7	5	1	1	1	5	2	9	0				2·62	3	30·0	13	1	1	0	0
February																			R.	1	19·0	15	6	0	0	0
March																			0·44	3	24·0	6	0	0	1	0
April							6	7	0	0	4	6	1	6	0				0·49	2	21·0	9	4	1	0	0
May	47·5	35·7	11·8	41·6	61·4	28·0	14	10	4	4	5	11	6	7	1				2·25	10	4·6	5	2	0	0	0
June	59·5	44·1	15·3	51·8	80·6	36·2	7	14	7	5	5	8	7	4	0				5·27	11			1	5	3	1
July	61·6	51·5	10·2	56·5	75·0	44·5	11	14	5	3	5	9	2	2	0				9·55	21			0	12	0	0
August							6	0	0	1	1	19	3	1	0				6·54	15			0	4	1	0
September	58·2	45·4	12·8	51·8	70·9	33·4	8	11	1	3	1	16	5	5	0				4·03	17			0	2	1	0
October	47·8	35·0	12·8	41·4	63·4	24·1	19	4	1	0	3	16	6	10	0				4·32	11	*	4	2	1	0	0
November	37·2	25·9	11·3	31·5	48·5	11·6	4	4	5	3	8	14	9	7	0				3·89	10	1·8	6	0	2	0	0
December	30·3	19·8	10·5	25·1	45·9	6·2	15	11	0	3	3	10	8	10	2				1·71	6	29·3	12	1	3	1	0
Year																			41·11	11	129·7	70	17	31	7	1

MONTHLY and Annual Summaries for the Year 1907, Peterborough, Ontario—Latitude, N. 44° 17′; Longitude, W. 78° 19′. Height above Sea, 722 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	23·8	5·8	18·0	46·0	20·0	66·0	14·8	1·71	4	11·5	5	1	0		0
February	21·6	1·3	22·9	40 0	20·0	60·0	10 2	0·00	0	17·5	6	0	0		0
March	39·7	19·7	20·0	66·0	10·0	76·0	29·7	0·72	5	0·4	2	0	1		2
April	45·6	28·0	17·6	70·0	12·0	58·0	36·8	1·47	5	0·5	3	0	0		2
May	60·5	34·1	26·4	79·0	25·0	54·0	47·3	1·47	5	6·5	3	0	0		1
June	75·8	50·8	25·0	89·0	38·0	51·0	63·3	2·45	10			0	0		6
July	78·8	56·3	22·5	86·0	42·0	44·0	67·6	1·86	10			2	0		6
August	75·5	50·0	25·5	89·0	41·0	48·0	62·7	1·56	6			0	0		0
September	69·2	49·7	19·5	84 0	36·0	48·0	59·5	2·87	11			0	0		0
October	53·3	30·6	22·7	72·0	13·0	59·0	42·0	3·15	7			0	0		0
November	39·7	23·9	15·8	50 0	8·0	42·0	31·8	2·39	6	8·5	4	0	0		0
December	30·6	14·3	16·3	47·0	6·0	53·0	22 5	2·65	6	24·5	8	0	1		0
Year	51·2	30 2	21·0	89·0	20·0	109·0	40·7	22·30	75	69·4	31	3	2		

Monthly and Annual Summaries for the Year 1907, Pipestone, Manitoba—Latitude, N. 49° 34′; Longitude, W. 100° 58′. Height above Sea, 830 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	57·5	28·7	28·8	76·0	11·0	65·0	43·1	0·16	2						
June	74·7	57·1	17·6	85·0	37·0	48·0	65·9	4·02	8						
July								1·81	11						
August	77·4	50·4	27·0	98·0	35·0	63·0	63·9	6·66	10						
September	61·0	36·4	24·6	85·0	20·0	65·0	48·7	0·82	7						
October	57·1	25·9	31·2	77·0	11·0	66·0	41·5	0·58	3						
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Point Clark, Ontario—Latitude, N. 44° 5′; Longitude, W. 81° 44′. Height above Sea, 595 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	a.m.	p.m.	p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W	Calm.
	°	°	°	°	°	°	°	°	°									
January	23·1	26·5	22·5	23·7				42·0	5·0	12	0	16	8	19	8	27	3	0
February	22·0	32·6	17·6	22·4				47·0	5·0	34	2	19	0	16	2	11	0	0
March	26·1	34·6	26·6	28·4				55·0	9·0	35	0	18	0	28	0	12	0	0
April	33·7	44·2	32·7	35·8				67·0	18·0	42	0	8	1	19	7	10	3	0
May	41·0	53·3	42·2	44·7				74·0	28·0	42	0	6	0	30	1	14	0	0
June	55·6	71·2	54·0	58·7				96·0	39·0	18	0	0	12	46	3	8	3	0
July	69·8	83·0	63·1	69·8				98·0	40·0	28	0	0	0	48	3	10	4	0
August	61·9	80·7	61·9	66·6				99·0	46·0	35	0	0	1	32	7	14	4	0
September	57·7	69·6	58·4	61·0				89·0	45·0	15	2	3	2	37	10	19	2	0
October	45·1	55·0	46·8	48·4				72·0	29·0	17	1	3	0	25	1	28	18	0
November	35·6	42·8	37·2	38·2				56·0	24·0	12	1	7	1	29	19	15	6	0
December	30·1	32·4	30·5	30·9				46·0	13·0	13	0	7	7	23	10	24	9	0
Year	41·8	52·2	41·1	44·1				99·0	5·0	303	6	88	32	352	71	192	52	0

Monthly and Annual Summaries for the Year 1907, Point Clark, Ontario— Latitude, N. 44° 5′; Longitude, W. 81° 44′. Height above Sea, 595 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	IV	IV	V	45	45	50	47	1·27	2	18·0	7	0	0	....	0	....
February	IV	IV	IV	40	41	13	41	0·00	0	10·0	5	0	0	....	0	....
March	III	III	III	40	39	41	41	1·57	3	..	....	0	8	....	0	....
April	III	III	IV	31	34	36	34	2·40	4	.....	....	0	6	....	0	....
May	III	III	III	21	22	24	22	1·67	3	....	....	1	6	....	0	....
June	II	II	III	26	27	29	27	0·60	1	....	....	1	7	....	5	....
July	IV	IV	IV	21	23	26	23	0·87	3	....	....	0	11	....	0	....
August	V	V	V	27	20	23	23	1·17	3	....	....	2	11	....	1	....
September	V	V	V	49	55	62	55	1·59	3	.....	.....	0	4	....	1	....
October	V	V	V	34	37	39	37	1·50	3	....	....	0	20	....	1	....
November	V	VI	VI	44	45	46	45	0·41	1	12·0	4	0	14	....	0	....
December	V	V	V	51	53	57	54	0·00	0	19·0	8	1	18	....	0	....
Year	IV	IV	IV	36	37	39	37	13·05	26	59·0	24	5	102	....	8	....

Monthly and Annual Summaries for the Year 1907, Point Lepreaux, New Brunswick—Latitude, N. 45° 1′; Longitude, W. 66° 28′. Height above Sea, 30 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	16·0	20·8	17·9	....	....	....	44·0	15·0	18·2	15	12	3	5	5	7	1	33	0
February	13.1	19·5	16·2	....	....	.....	38·0	7·0	16·3	9	15	8	2	1	7	2	28	0
March	22·2	31·6	27·9	.....	.....	....	48·0	2·0	27·4	12	14	14	2	2	21	2	11	0
April	32·5	39·2	35·1	....	.....	.....	48·0	23·0	35·5	11	10	16	1	2	22	4	12	0
May	40·5	47·7	42·2	....	....	....	58·0	31·0	43·2	7	12	23	0	4	19	6	10	0
June	48·0	56·8	48·8	....	....	..	67·0	40·0	50 6	1	13	15	5	4	13	6	5	13
July	53·4	59·9	54·6	.....	.....	.....	69·0	49·0	55·7	1	0	17	8	10	16	16	13	0
August	53·8	60·2	54·9	.....	.....	.....	67·0	49·0	56·0	3	5	7	4	4	12	19	18	9
September	50·6	57 9	53·0	.....	.....	.....	65·0	40·0	53·6	5	6	12	1	0	25	14	12	0
October	42 4	48 9	44·6	.....	.....	.....	57·0	28·0	45·1	19	5	0	11	1	19	8	18	0
November	36·8	40·8	38·0	.....	.....	.	53·0	20 0	38·4	6	12	7	3	6	8	10	26	0
December	30·9	34 2	32·3	..	...	.....	50·0	12·0	32·4	6	11	0	0	2	17	5	37	0
Year	36·7	43 1	38·8	.....	.....	....	69·0	15·0	39·4	95	115	122	42	41	186	93	223	22

Monthly and Annual Summaries for the Year 1907, Point Lepreaux, New Brunswick—Latitude, N. 45° 4′; Longitude, W. 66° 28′. Height above Sea, 30 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	III	III	IV	57	63	58	59	1·43	2	30·0	9	3	11	....	0	....
February	IV	III	IV	61	47	48	52	0·71	3	49·0	12	3	0	....	0	....
March	II	II	III	48	45	43	45	0·57	2	17·0	4	6	3	....	0	....
April	III	III	III	66	71	69	69	2·78	4	15·0	6	5	0	....	0	....
May	II	III	II	78	65	63	69	1·50	4	4·0	2	5	0	....	0	....
June	II	II	II	67	60	52	60	1·44	3	....	....	8	0	....	1	....
July	II	I	I	75	63	67	68	4·98	8	....	....	16	0	....	5	....
August	I	I	I	51	46	45	47	3·50	4	....	....	14	0	....	1	....
September	II	II	II	66	60	58	61	3·68	4	....	....	14	12	....	1	....
October	III	III	III	57	60	50	56	3·77	7	0·2	1	4	0	....	0	....
November	III	III	III	66	63	66	65	4·25	4	0·0	0	2	4	....	0	....
December	III	III	III	66	58	49	58	3·12	3	14·0	2	2	3	....	0	....
Year	III	II	III	62	59	56	59	31·73	48	129·2	36	82	33	....	8	....

Monthly and Annual Summaries for the Year 1907, Port Burwell, Ontario—Latitude, N. 42° 39′; Longitude, W. 80° 50′. Height above Sea, 592 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	28·9	17·8	11·2	47·0	10·0	57·0	23·4	3·07	3	7·5	6	....	0	....	0
February	25·6	12·3	13·3	38·0	4·0	42·0	19·0	0·20	1	4·3	5	....	0	....	0
March	40·9	29·1	11·8	60·0	11·0	49·0	35·0	2·62	6	6·5	4	....	2	....	3
April	44·8	30·6	14·2	65·5	14·0	51·5	37·7	1·30	6	*	3	....	0	....	1
May	56·7	37·8	18·9	72·0	23·0	49·0	47·2	2·32	8	1·5	2	....	0	....	1
June	69·0	53·3	15·7	81·0	41·0	40·0	61·1	2·30	6	....	....	....	0	....	3
July	74·9	57·7	17·2	82·5	41·0	41·5	66·3	2·96	7	....	....	....	0	....	2
August	73·5	55·6	17·9	81·0	41·0	40·0	64·5	1·53	6	....	....	....	0	....	0
September	67·1	55·1	12·0	77·0	42·0	35·0	61·1	3·66	8	....	....	....	0	....	0
October	53·3	36·0	17·3	68·5	22·0	46·5	44·6	3·36	3	....	....	....	0	....	0
November	43·4	31·5	11·8	55·0	20·0	35·0	37·4	2·36	7	*	1	....	0	....	0
December	34·1	25·7	8·3	45·5	8·0	37·5	29·9	2·95	5	11·3	6	....	0	....	0
Year	51·0	36·9	14·1	82·5	10·0	92·5	43·9	28·63	66	31·1	27	....	2	....	10

MONTHLY and Annual Summaries for the Year 1907, Port Dover, Ontario—Latitude, N. 42° 47′; Longitude, W. 80° 13′. Height above Sea, 635 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									CLOUDED SKY.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°										%	%	%	in.		in.					
January...	28·4	15·5	13·0	21·9	49·5	12·5	..	..	..	..	..	..	..	..	..	..	..	..	3·43	6	11·5	10	0	..	1	..
February..	23·2	8·2	15·1	15·7	38·1	7·5	..	..	..	..	..	..	..	..	..	..	..	..	0·36	2	11·9	18	0	..	0	..
March	40·0	27·0	13·1	33·5	68·2	9·2	5	4	5	2	2	4	4	5	0	..	..	..	2·82	11	5·1	3	0	..	1	..
April.....	43·9	29·5	14·4	36·7	68·5	15·4	2	4	3	2	3	3	3	10	0	..	..	..	1·89	12	0·6	2	3	..	1	..
May	56·4	37·3	19·1	46·9	77·2	24·0	2	2	3	6	5	4	5	4	0	..	..	..	2·88	10	3·5	1	1	..	1	..
June.....	69·4	52·6	16·8	61·0	82·1	40·1	0	2	8	2	4	5	4	5	0	..	..	..	3·14	13	.....		0	..	1	..
July.	76·7	57·5	19·3	67·1	85·2	41·5	1	1	5	0	3	6	7	8	0	..	..	..	2·50	9	.....		0	..	4	..
August....	75·1	54·0	21·1	64·5	88·1	44·2	7	3	2	1	3	6	5	4	0	..	..	..	1·10	9	.....		0	..	2	..
September.	66·5	53·7	12·8	60·1	78·5	41·5	4	2	5	1	2	6	6	4	0	..	..	..	4·25	16	.....	..	0	..	4	..
October ...	51·3	36·3	15·1	43·8	70·5	23·2	0	4	0	1	0	7	4	15	0	..	..	..	3·51	10	.....	..	0	..	0	..
November.	42·2	30·7	11·5	36·4	52·5	19·5	2	3	3	0	2	10	7	3	0	..	..	..	2·60	11	.....	..	0	..	0	..
December .	32·5	24·0	8·5	28·2	48·5	10·1	1	4	2	1	2	7	9	5	0	..	..	..	2·00	10	11·4	4	0	..	0	..
Year....	50·5	35·5	15·0	43·0	88·1	12·5	..	..	..	..	..	..	..	..	..	..	..	..	30·48	119	44·0	38	4	..	15	..

MONTHLY and Annual Summaries for the Year 1907, Port Hastings, Nova Scotia—Latitude, N. 45° 39′; Longitude, W. 61° 22′. Height above Sea, 45 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroræ.
	°	°	°	°	°	°													in.		in.					
January...	26·2	15·9	10·3	21·0	49·0	0·0	17	0	7	0	0	0	7	0	0	..	..	..	2·12	2	38·0	8	..	0	..	..
February..	27·8	14·0	13·9	20·9	52·0	0·0	11	0	9	0	0	0	8	0	0	..	..	..	1·98	2	45·0	5	..	0	..	..
March.....	30·3	20·0	10·3	25·2	49·0	5·0	18	1	9	0	0	1	2	0	0	..	..	..	0·00	0	31·0	4	..	0	..	..
April.....	41·7	30·0	11·7	35·8	67·0	14·0	16	5	7	0	0	0	2	0	0	..	..	..	1·27	1	19·0	3	..	0	..	..
May	52·7	39·3	13·4	46·0	74·0	30·0	16	0	13	0	0	0	1	1	0	..	..	..	2·34	6	.....	..	..	0	..	..
June.....	64·1	45·9	18·2	55·0	87·0	37·0	15	2	11	0	0	0	2	0	0	..	..	..	3·61	4	.....	..	..	4	..	..
July	65·3	54·2	15·0	61·8	88·0	45·0	12	1	16	0	0	0	2	0	0	..	..	..	5·31	10	.....	..	..	0	..	..
August....	69·1	57·0	12·1	63·1	78·0	49·0	16	0	12	0	0	0	3	0	0	..	..	..	1·56	6	. .	..	..	4	..	..
September.	66·9	54·4	12·5	60·7	79·0	40·0	22	0	6	0	0	0	2	0	0	..	..	..	1·83	5	....	..	..	0	..	..
October ...	55·6	44·9	10·7	50·3	69·0	32·0	11	1	11	0	0	1	5	2	0	..	..	..	2·95	5	6·0	1	..	0	..	..
November.	48·7	37·6	11·1	43·1	67·0	24·0	14	0	10	0	0	0	6	0	0	..	..	..	5·42	7	3·0	1	..	0	..	..
December .	37·0	25·3	11·7	31·2	50·0	10·0	3	0	9	0	1	3	10	5	0	..	..	..	2·82	4	0·0	0	..	0	..	..
Year....	49·1	36·5	12·6	42·9	88·0	0·0	170	10	120	0	1	5	50	8	0	..	..	..	31·21	52	142·0	22	..	8	..	..

Monthly and Annual Summaries for the Year 1907, Port Hope, Ontario—Latitude, N. 43° 56′; Longitude, W. 78° 20′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorœ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	25·4	11·8	13·6	46·0	13·0	59·0	18·6	2·19	3	3·0	1	0	0	....	0
February	23·6	3·5	20·1	40·0	11·0	51·0	13·6	00·0	0	6·5	3	0	0	....	0
March	39·3	23·1	16·2	61·0	5·0	66·0	31·2	0·68	3	6·0	1	0	1	....	2
April	44·6	29·7	14·9	66·0	17·0	49·0	37·1	1·24	5	....	....	0	0	....	1
May	56·5	36·7	19·8	73·0	28·0	45·0	46·6	1·14	3	....	....	2	0	....	1
June	70·9	52·6	18·2	87·0	41·0	46·0	61·8	1·68	5	....	....	1	0	....	1
July	76·5	58·0	18·5	85·0	46·0	39·0	67·2	1·42	3	....	....	0	0	....	6
August	75·4	53·8	21·6	87·0	45·0	42·0	64·6	2·41	3	....	....	0	0	....	1
September	67·4	52·4	15·0	82·0	35·0	47·0	59·9	3·76	7	....	....	0	0	....	0
October	52·1	34·4	17·7	68·0	21·0	47·0	43·2	3·26	6	....	....	0	0	....	0
November	41·7	29·0	12·7	52·0	16·0	36·0	35·4	4·40	5	....	....	0	0	....	0
December	32·8	19·6	13·2	46·0	3·0	43·0	26·2	0·91	2	18·0	3	0	0	....	0
Year	50·5	33·7	16·8	87·0	13·0	100·0	42·1	23·09	45	33·5	8	3	1	....	12

Monthly and Annual Summaries for the Year 1907, Portage la Prairie (Home for Incurables), Manitoba—Latitude, N. 49° 57′; Longitude, W. 98° 17′. Height above Sea, 2150 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorœ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	3·3	22·1	18·8	25·0	35·0	60·0	12·7	0·00	0	18·0	9	....	....	....	....
February	13·8	7·6	21·4	38·0	36·0	74·0	3·1	0·00	0	8·0	3	....	....	....	....
March	26·6	7·2	19·4	45·0	9·0	54·0	16·9	0·00	0	9·5	3	....	....	....	....
April	34·0	18·1	15·9	54·0	3·0	51·0	26·1	0·50	1	8·5	4	....	....	....	....
May	49·4	27·9	21·5	70·0	12·0	58·0	38·7	0·03	1	1·8	3	....	....	....	....
June	71·1	49·2	21·9	90·0	37·0	53·0	60·1	2·20	12	....	....	....	....	....	....
July	76·6	55·8	20·8	94·0	45·0	49·0	66·2	2·00	10	....	....	....	....	....	....
August	68·9	50·7	18·2	84·0	40·0	44·0	59·8	1·87	15	....	....	....	....	....	....
September	59·8	40·3	19·5	77·0	24·0	53·0	50·1	1·12	7	....	....	....	....	....	....
October	53·1	29·3	23·8	71·0	16·0	55·0	41·2	0·42	4	....	....	....	....	....	....
November	33·6	15·3	18·3	56·0	8·0	64·0	24·5	0·11	1	7·5	5	....	....	....	....
December	22·9	3·2	19·7	43·0	20·0	63·0	13·0	0·00	0	2·0	2	....	....	....	....
Year	42·2	22·3	19·9	94·0	36·0	130·0	32·3	11·25	51	55·3	29	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Portage la Prairie (2), Manitoba—Latitude, N. 49° 57′; Longitude, W. 98° 17′. Height above Sea, 2150 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	48·5	29·2	19·3	68·0	14·0	54·0	38·8	0·05	1	1·3	3				
June	68·2	50·1	17·9	87·0	38·0	49·0	59·3	1·53	9						
July	69·6	55·8	13·8	86·5	43·0	43·5	62·7	2·02	8						
August	68·0	51·3	16·7	81·5	41·0	40·5	59·7	4·48	12						
September	59·4	40·3	19·1	77·0	27·0	50·0	49·9	1·37	8						
October	52·4	29·7	22·7	65·0	18·0	47·0	41·1	0·44	4						
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Princeton, British Columbia—Latitude, N. 49° 29′; Longitude, W. 120° 29′. Height above Sea, 1,650 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	10·6	11·9	22·5	38·0	45·0	83·0	0·6	0·00	0	23·0	9	0	3	0	0
February	33·9	15·8	18·1	48·0	26·0	74·0	21·8	0·26	2	10·5	3	0	0	0	0
March	41·6	18·3	23·3	54·0	3·0	51·0	2·99	0·24	2	2·5	5	5	0	2	0
April	57·1	25·6	31·5	72·0	15·0	57·0	41·3	0·24	6	0·3	3	3	0	0	0
May	69·0	36·9	32·2	87·0	24·0	63·0	53·0	1·03	10			2	0	0	2
June	71·5	41·7	29·8	90·0	31·0	59·6	56·6	0·88	8			4	0	0	3
July	82·0	44·9	37·1	95·0	36·0	59·0	63·4	0·83	5			3	0	0	7
August	72·1	44·6	27·5	89·0	32·5	56·5	58·4	1·87	11			0	0	0	4
September	68·9	41·0	27·9	86·0	29·0	57·0	55·0	2·02	8			1	1	0	2
October	59·3	35·6	23·7	70·0	28·0	42·0	47·5	0·25	4			0	3	0	0
November	43·4	24·0	19·4	59·0	8·0	51·0	33·7	0·61	5	2·6	3	1	5	0	0
December	30·7	17·2	13·5	43·0	3·0	46·0	24·0	0·22	1	9·0	7	0	1	0	0
Year	53·3	27·8	25·5	95·0	45·0	140·0	40·6	8·48	62	47·9	30	19	13	2	18

MONTHLY and Annual Summaries for the Year 1907, Quesnelle, British Columbia—Latitude, N. 52° 59′; Longitude, W. 122° 30′. Height above Sea, 1,700 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	0·1	19·6	19 7	23·0	47·0	70·0	9·8	0·00	0	21·0	5	....	0	0	0
February	29·2	6·8	22·4	47·0	50·0	97·0	18 0	0·50	4	1·0	1	....	0	0	0
March	40·2	14·2	26·0	49·0	9 0	58·0	27·2	0·00	0	5·5	5	....	0	1	0
April	55·4	26·2	29·2	68·0	15·0	53·0	40·8	0·53	2	0·0	0	....	3	0	1
May	70·8	38·1	32·8	86·0	24·0	62·0	54·4	0·66	5	.. .	....	....	17	0	2
June	71·6	43·9	27·8	94·0	34·0	60·0	57·8	3·46	9	.....	....	....	18	0	2
July	79·7	47 9	31·8	95·0	41·0	54·0	63·8	1·42	9	. ....	....	....	13	0	0
August	71 4	45·4	25·9	96·0	35·0	61·0	58·4	3·13	14	... .	....	....	24	0	3
September	66·3	40·6	25·7	82·0	25·0	57·0	53·4	2·20	8	.....	....	....	22	0	0
October	58·9	33·4	25·5	75·0	22·0	53·0	46·2	0·68	2	.....	....	....	24	0	0
November	41·4	27·6	13·8	55·0	10·0	45 0	34·5	0·37	3	5·0	5	...	0	0	0
December	32·0	18·7	13·3	54·0	7·0	61·0	25·4	0·45	1	6·0	5	....	0	0	0
Year	51·4	26·9	24·5	96·0	50·0	146·0	39·2	13·40	57	38·5	21	....	121	1	8

MONTHLY and Annual Summaries for the Year 1907, Revelstoke, British Columbia—Latitude, N 51° 0′; Longitude, W. 118° 6′. Height above Sea, 1,476 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	10·7	2 3	13·0	40·0	25·0	65·0	4·2	0·00	0	65·5	11	0	....	....	....
February	32·0	19·2	12·8	50·0	12·0	62·0	25·6	1·76	4	45·0	9	0	....	....	....
March	39·7	23·8	15·9	47·0	11·0	36·0	31·8	0·10	1	33·7	15	0	....	....	....
April	50·8	29·0	21·9	62·0	20·0	42·0	39·9	3·25	14	*	1	0	....	....	....
May	66·4	38·7	27·7	76·0	27·0	49·0	52·5	2·67	9	.....	....	0	....	....	....
June	69·0	46·7	22·4	87·0	39·0	48 0	57·9	2·54	16	.....	....	3	....	....	....
July	78·9	48·3	30·6	94·0	42·0	52·0	63·6	0·53	6	.....	....	0	....	....	....
August	67·0	48·7	18·3	92·0	39·0	53·0	57·9	7·02	20	.....	....	0	..	....	....
September	62·8	43·1	19 7	76·0	34·0	42 0	52·9	4·34	10	..	....	0	....	....	....
October	55·6	36 8	18 7	66·0	28·0	38·0	46·2	2 28	11	.....	....	0	....	....	....
November	40 8	33·3	7·5	50·0	27·0	23·0	37·0	4·26	17	18·3	4	0	....	....	....
December	33·0	26·6	6·5	44·0	2·0	42 0	29·8	0·54	3	35·5	12	0	....	....	....
Year	50·6	32·7	17·9	94·0	25·0	119·0	41·6	29·29	111	198·0	52	3	....	....	...

MONTHLY and Annual Summaries for the Year 1907, Rossland, British Columbia—Latitude, W. 49° 5′; Longitude, W 117° 48′. Height above Sea, 3,400 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
				°	°	°	°	in.		in.					
January	18·1	9·4	8·8	38·3	8·5	46·8	13·7	0·00	0	37·8	13	..	0	....	0
February	33·2	23·4	9·8	44·5	2·0	46·5	28·3	0·67	2	10·7	6	....	0	....	0
March	36·9	25·4	11·5	57·6	14·0	43 6	31·1	0·17	2	26·0	11	....	0	.. ..	0
April	48·2	30·4	17·7	62·2	20·0	42·2	39·3	1·97	5	2·0	2	....	0	....	0
May	63·0	40·8	22·3	74·5	33·5	41·0	51·9	3·58	4	.....	....	....	0	....	0
June	66·9	45·3	21·6	81·0	37·5	43·5	56·1	2·87	10	.....	....	....	0	....	3
July	74·3	50·4	24·0	84 0	41·0	43·0	62·3	0·88	7	...	.. .	....	0	....	9
August	64·7	46·7	17·9	81·0	37·4	43·6	55·7	5·89	11	.....	....	....	0	....	7
September	60·2	42·9	17·3	73·2	32·2	41·0	51·6	4·28	8	.....	....	....	0	....	3
October	55·8	39·0	16·8	62·8	35·0	27·8	47·4	0·83	4	.....	....	....	5	....	0
November	37·5	30·8	6·7	48·5	16·0	32·5	34·1	1·54	5	17·0	5	....	9	....	0
December	29·8	23·4	6·4	39·0	10·0	29·0	26 6	0·00	0	34·5	14	....	3	....	0
Year	49·1	34·0	15·1	84·0	8·5	92·5	41·5	22·68	58	128·0	51	.. ..	17	....	22

MONTHLY and Annual Summaries for the Year 1907, Sable Island, East Point—Latitude, N. 43° 58; Longitude, W. 59° 46′. Height above Sea, 25 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									CLOUDED SKY.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurorae.
	°	°	°	°	°	°										%	%	%	in.		in.					
January	29·6	30·7	29·9	30·0	49·0	5·0	27	10	1	6	18	3	6	22	0	...	...	...	5 14	11	5·0	3	2	2	0	0
February	27·2	21·1	28·4	28 3	43·5	5·0	6	3	9	7	14	8	7	29	1	...	...	...	5·12	10	18 0	4	0	0	1	1
March	29·4	31·8	29·9	30·3	44·0	13·0	17	17	9	6	8	8	11	14	3	....	..	..	3·39	7	11·0	3	5	10	0	0
April	35·3	40·3	36·4	37·1	53·0	21·5	7	6	10	10	11	18	15	13	0	...	...	...	3·23	10	5·0	1	2	8	2	0
May	41·9	46·2	41·9	43·0	56·5	34·0	14	13	11	6	8	12	17	8	4	..	...	...	4·94	9	.....	..	0	15	0	0
June	47·3	52·4	46·6	48·2	66·5	39·5	10	16	9	11	5	22	13	2	2	...	...	...	2·07	6	.....	..	0	14	0	0
July	56·9	63·7	56·8	58·6	73·5	51·5	4	10	9	11	13	6	35	1	4	...	...	...	1·84	2	..	...	0	16	1	1
August	59·2	64·7	59 1	60·5	71·5	55·0	12	6	2	9	18	10	21	6	9	...	...	...	3·31	8	.....	..	0	11	2	0
September	58·9	62·7	58·3	59·5	69·0	48·5	17	3	6	8	7	15	15	17	2	....	.	...	5·35	10	.....	..	2	5	3	0
October	49·8	51·2	50·8	50·6	62·5	38·0	21	9	5	9	15	9	12	13	0	...	...	...	7·08	16	.....	.	1	3	0	0
November	44·5	46·4	45·5	45·2	57·0	33·0	6	15	7	11	13	8	20	8	2	..	...	...	6·59	12	0·0	0	0	2	0	0
December	38·8	40·6	39·9	39·5	53·5	27·0	7	3	8	2	9	10	21	33	0	...	...	..	5·32	9	1·0	1	0	3	0	0
Year	43·2	45·9	43·6	44·2	73·5	5·0	148	111	86	96	139	129	193	166	27	...	...	...	53·38	110	40·0	12	..	89	9	2

Monthly and Annual Summaries for the Year 1907, St. Albans, Manitoba— Latitude, N. 49° 42′; Longitude, W. 99° 33′. Height above Sea, 1,180 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	1·6	22·1	20·5	18·0	37·5	55·5	8·9	0·00	0	10·5	15	0	0	5	0
February	16·3	5·6	21·9	43·5	40·0	73·5	5·3	0·00	0	2·6	4	0	0	9	0
March	30·9	5·8	25·1	53·0	13·0	66·0	18·3	0·23	2	8·5	6	5	0	4	0
April	38·4	17·7	20·7	56·5	0·0	56·5	28·0	0·00	0	13·9	11	2	0	3	0
May	55·5	27·7	27·8	79·5	12·0	67·5	41·6	0·19	3	2·6	6	2	0	4	0
June	76·8	48·5	28·3	92·0	32·0	60·0	62·7	1·72	15	.....	...	4	0	1	5
July	81·5	52·4	29·1	96·5	39·5	57·0	66·9	1·98	14	.....	....	0	0	4	4
August	76·2	49·7	26·5	97·5	34·8	62·7	62·9	6·59	15	..	....	6	0	6	4
September	63·3	38·8	24·5	82·0	19·0	63·0	51·1	0·88	7	....	....	1	0	6	0
October	56·0	28·1	27·9	83·5	9·0	74·5	42·0	0·10	3	.....	....	2	0	3	0
November	37·4	14·9	22·5	57·0	8·0	65·0	26·2	0·00	0	5·5	6	1	2	3	0
December	22·2	1·2	21·1	39·5	24·0	63·5	11·7	0·00	0	2·4	11	0	0	2	0
Year	46·1	21·5	24·6	97·5	40·0	137·5	33·9	11·69	59	46·0	59	23	2	50	13

Monthly and Annual Summaries for the Year 1907, St. Anne de Bellevue (Macdonald College), Quebec—Latitude N. 45° 27′; Longitude, W. 73° 58′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January				39·0	28·5	67·5									
February															
March															
April	43·8	28·3	15·4	69·0	11·8	57·2	36·0	1·71	5	14·5	2				
May	57·5	38·6	18·8	77·2	28·5	48·7	48·0	2·45	10						
June	77·1	54·3	22·8	91·5	42·8	48·7	65·7	2·25	11						
July	80·4	59·0	21·4	88·0	51·2	36·8	69·7	2·67	13						
August								1·29	5						
September	68·0	50·6	17·4	82·5	35·8	46·7	59·3	5·77	14						
October	51·4	35·1	16·3	67·2	22·5	44·7	43·3	2·84	11						
November	37·8	26·7	11·2	52·2	7·0	45·2	32·2	2·47	6						
December	29·5	18·1	11·4	47·2	0·5	47·7	32·8	0·96	2						
Year															

MONTHLY and Annual Summaries for the Year 1907, St. Peter's Monastery, Saskatchewan—Latitude, N 52° 0′; Longitude, W. 105° 0′. Height above Sea 1,870 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	10·9	27·0	16·1	20·0	44·5	64·5	19·0	.....	....	.....	....	0	....	0	....
February	10·4	7·8	18·2	37·0	44·0	81·0	1·3	.....	...	.....	....	0	....	2	....
March	25·0	3·6	21·4	49·0	18·0	67·0	14·3	.....	....	.....	....	3	....	1	....
April	30·8	10·9	19·9	39·0	4·0	43·0	20·8	.....	....	.....	....	3	....	2	....
May	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
June	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
July	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
August	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
September	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
October	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, St. Stephen, New Brunswick—Latitude, N. 45° 11′; Longitude, W. 67° 16′. Height above Sea, 35 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	22·8	2·3	20·5	44·0	30·0	74·0	12·5	2·17	4	39·3	9	....	0	0	0
February	22·8	0·8	22·0	43·0	33·0	76·0	11·8	0·43	1	31·0	7	....	0	2	0
March	36·2	13·8	22·4	56·5	21·0	77·5	25·6	0·00	0	23·5	5	..	0	0	1
April	46·6	27·1	19·5	63·5	7·0	56·5	36·8	1·95	2	16·0	2	..	0	0	0
May	57·6	36·4	21·1	76·5	25·0	51·5	47·0	1·57	5	....	....	....	0	0	0
June	70·9	44·3	26·6	87·0	30·0	57·0	57·6	2·06	4	.....	.	....	0	0	0
July	73·9	53·3	20·6	90·0	44·0	46·0	63·6	3·65	8	.....	....	....	0	0	0
August	73·5	49·6	23·9	85·0	41·0	44·0	61·5	2·23	5	.....	...	....	0	0	0
September	66·4	45·6	20·8	79·0	29·0	50·0	56·0	4·56	7	....	....	....	0	0	0
October	52·3	32·3	20·0	65·0	15·0	50·0	42·3	3·82	6	....	....	....	0	0	0
November	43·9	26·1	17·8	58·0	12·0	46·0	35·0	5·34	5	.....	....	....	4	0	0
December	35·6	17·3	18·3	56·0	3·0	59·0	26·4	3·29	3	6·0	2	....	0	0	0
Year	50·2	29·1	21·2	90·0	33·0	123·0	39·6	31·07	50	115·8	25	....	4	2	1

MONTHLY and Annual Summaries for the Year 1907, Salmon Arm, British Columbia—Latitude, 50° 42′; Longitude, 119° 35′. Height above Sea, 1,245 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurore.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	15·1	2·6	12·5	42·0	19 0	61·0	8·8	0·00	0	32·4	10	0	0	0	0
February	32·7	20·4	12·2	47·0	20·0	67·0	17·4	0·45	3	8·3	3	0	0	0	0
March	41·7	24·9	16·8	52·0	15·0	37·0	33·3	0·35	6	9 8	7	1	0	2	0
April	57·3	31·7	25·6	71·0	23·5	47 5	44·5	0·66	10	.....	....	1	0	0	1
May	71·6	43·2	28·4	82·0	29·0	53·0	57·4	1·49	7	. ...	...	0	1	0	4
June	74·5	48·7	25·8	95·0	40·0	55·0	61·6	1·83	14	.....	....	0	0	0	4
July	82·5	51·6	30·9	97·0	43·0	54·0	67·0	1·75	10	.....	....	0	1	1	6
August	70·8	50·8	20 1	92·0	38·0	54·0	60·8	1·90	16	.....	....	0	0	0	5
September	67·3	47·4	19·9	81·0	38·0	43·0	57·4	3·23	9	.....	....	0	8	1	3
October	58·4	39·7	18·6	68·0	31·0	37·0	49 1	0·31	7	.....	....	0	0	0	0
November	44·9	35·2	9·6	57·0	23·0	34·0	40·1	1·08	10	3·0	3	0	0	0	0
December	35·2	27·8	7·5	48·0	10·0	38·0	31·5	0·25	3	31·8	11	0	0	0	0
Year	54·3	35·3	18·9	97·0	20·0	117·0	44·1	13·30	95	85·3	34	2	10	4	23

MONTHLY and Annual Summaries for the Year 1907, Sarnia, Ontario—Latitude, N. 42° 59′; Longitude, W. 82° 24′. Height above Sea, 586 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM											RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurore.
	°	°	°	°	°	°													in.		in.					
January	19·7	27·3	19·6	21·6	52·0	7·0	6	0	11	6	2	12	3	9	44	...	...	...	0·73	2	13·5	6	0	1	0	0
February	13·3	25·0	17·2	18·2	41·0	4 0	6	3	1	11	13	5	10	5	30	...	...	...	0·00	0	0·7	3	0	0	0	0
March	29·7	40·8	32·1	33·7	69·0	8·0	8	0	3	11	8	8	8	6	41	...	...	...	1·88	4	0·5	2	..	0	....	
April	31·1	43·0	33·0	35·0	66·0	16 0	....	...	...	....	....	...	....	....	....	....	....	....	1·54	2	0·1	1	..	0	....	
May	43 1	56·0	43·5	46·5	77·0	25·0	....	....	....	....	....	....	....	....	....	....	....	....	1·31	2	0·4	1	..	0	....	
June	57·9	70·9	58·4	61·4	89·0	43·0	....	....	....	....	....	....	....	....	....	....	....	....	1·64	3	....	..	..	1	....	
July	62·8	78·6	64·0	67·3	86 0	40·0	....	....	....	....	....	....	....	....	....	....	....	....	1·33	4	....	..	..	1	....	
August	57·5	76·3	60·7	63·8	87·0	42·0	....	....	....	....	....	....	....	....	....	....	....	....	0·16	1	....	.	..	1	....	
September	53·1	66·8	56·8	58·4	83 0	32·0	....	....	....	....	....	....	....	....	....	....	....	....	3·50	5	....	.	..	0	....	
October	36·2	52·2	41·2	42·7	80·0	25·0	....	....	....	....	....	....	....	....	....	....	....	....	1·92	3	.....	..	..	0	....	
November	32·7	42·8	34·7	36·2	55 0	21·0	....	....	....	....	....	....	....	....	....	....	....	....	0·79	3	.....	..	..	0	....	
December	25·7	31·8	27·6	28·2	50·0	10·6	..	....	....	....	....	....	....	....	....	....	....	....	0·00	0	2·1	10	..	0	....	
Year	38·6	50·9	40 8	42·8	89·0	7·0	....	....	....	....		....	....	....	....	....	....	....	14·80	29	17·3	23	..	4	....	

MONTHLY and Annual Summaries for the Year 1907, Saskatoon, Saskatchewan—Latitude, N. 52° 15′; Longitude, W. 106° 30′. Height above Sea, 1,571 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurore.	Thunder Storms.
	°	°	°	°	°	°	°								
January	8·3	−28·1	19·8	24·0	−47·8	71·8	18·2	0·00	0	12·0	—	0	0	0	0
February	13·3	−7·7	21·0	38·0	−45·0	83·0	2·8	0·00	0	0·0	0	0	0	0	0
March	22·6	−2·2	24·8	38·0	−16·3	54·3	10·2	0·00	0	8·0	3	1	0	0	0
April	33·2	15·8	17·3	51·0	1·5	49·5	24·5	0·00	0	3·0	2	0	0	0	0
May	48·2	27·2	21·0	74·0	9·0	65·0	37·7	0·55	8	.....	...	0	0	0	1
June	69·9	47·0	22·8	84·1	34·0	50·1	58·5	2·12	13	.....	....	2	0	0	3
July	74·1	50·6	23·5	83·6	43·0	40·6	62·3	1·48	10	.....	....	0	0	0	2
August	69·8	45·0	24·8	85·4	36·5	48·9	57·4	2·58	11	.....	....	0	3	0	0
September	59·5	34·3	25·2	78·5	14·5	64·0	46·9	1·04	7	*	1	0	1	0	0
October	58·1	26·5	31·6	73·1	12·0	61·1	42·3	0·01	1	0·0	0	0	0	0	0
November	37·7	11·6	26·1	56·0	−2·5	58·5	24·7	0·00	0	0·5	1	0	0	0	0
December	22·6	1·2	21·4	50·0	−22·5	72·5	11·9	0·00	0	2·5	5	0	1	1	0
Year	41·7	18·4	23·3	85·4	−47·8	133·2	30·1	7 78	50	26 0	....	3	5	1	6

MONTHLY and Annual Summaries for the Year 1907, Scarboro Junction, Ontario—Latitude, N. 43° 44′; Longitude, W. 79° 13′. Height above Sea, 545 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurore.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	26·6	11·4	15·2	51·0	−15 0	66·0	19·0	2·27	7	5·0	1	....	3	....	0
February	23·8	7·0	16·8	38·0	−9·0	47·0	15·4	0·00	0	4·0	2	....	0	....	0
March	38·6	25 0	13·6	58·0	2·0	56·0	31·8	1·42	7	4·7	5	....	5	....	3
April	43·7	29·8	13·8	69·0	15·0	54·0	36·8	2·34	11	*	4	....	0	....	0
May	54·7	36·5	18·2	75·0	25·0	50·0	45·6	2·11	7	*	3	....	2	....	1
June	70 5	52·2	18·3	86·0	42·0	44·0	61·4	2·49	6	.....	...	....	1	....	3
July	77·7	56·7	21·0	86·0	44·0	42·0	67·2	1·69	11	.....	...	....	0	....	7
August	74·5	53·4	21·1	85·6	46·0	39·0	63·9	0 94	8	...	....	....	0	....	0
September	68·6	53·2	15·3	82·0	39·0	43·0	60·9	3·71	11	...	....	....	2	....	5
October	53·6	35·0	18·6	70·0	23·0	47·0	44·3	2·01	8	...	....	....	3	....	2
November	42·4	29 7	12 7	49·0	14·0	35·0	36·1	1·23	12	1·8	2	....	0	....	0
December	33·8	22·4	11·5	46·0	3·0	43·0	28·1	4·30	11	10·3	10	....	0	....	0
Year	50 7	34·4	16·3	86·0	15·0	101·0	42·5	26·51	99	25·8	27	....	16	....	21

Monthly and Annual Summaries for the Year 1907, Shawenegan Falls, Quebec—Latitude, N. 46° 34′; Longitude, W. 72° 43′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July															
August	73·4	51·0	22·4	84·0	41 0	43·0	62·2	1·10	10				0	2	2
September	66·2	46·1	20·1	76·0	27·0	49·0	56·1	5 25	13				0	1	2
October	51·1	31·0	20·1	65·0	19·0	46·0	41 1	3·28	15	3·0	1		4	3	0
November	38·1	24·3	13·8	52·0	7 0	45·0	31·2	3·13	13	6·5	2		1	0	0
December	29·0	12·9	16·1	40 0	3 0	43·0	21 0	2·70	7	8·9	4		3	1	0
Year															

Monthly and Annual Summaries for the Year 1907, Sherbrooke, Quebec—Latitude, N. 45° 32′; Longitude, W. 72° 5′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	21 8	1·5	23·2	49·1	42·0	91·1	10·2	0·64	3	30·8	19				
February	18 3	2·4	20·6	40·3	19·2	59·5	8·0	0·27	2	15·1	20				
March	35·6	15·5	20·1	55·6	20·3	75·9	25·5	1·08	6	30·7	30				
April	44·7	27·0	17·7	64·2	11·7	52·5	35·9	1·86	7	10·5	5				
May	56·3	37·3	19·0	75·0	26·3	48·7	46·8	1·84	11						
June	73·4	51·5	22·0	90·7	35·5	55 2	62·4	3 38	13						
July	76·0	56·7	19·3	85·7	44·0	41·7	66·3	6·59	18						
August	70·8	51·5	19·3	85·9	39·8	46·1	61·2	2 32	12						
September	65·3	48·3	17·1	80·0	31·0	49·0	56·8	5·11	19						
October	49·2	31·7	17·5	66·0	19·0	47·0	40·4	5·27	13	0·8	2				
November	38·7	25·6	13·1	55·6	6 0	49·6	32·2	1·50	9	13·2	11				
December	31·6	16·6	15·0	50 0	9 5	59·5	24 1	2·24	7	23·7	16				
Year	48·5	29·8	18·7	90·7	42·0	132·7	39 1	32 10	120	12·48	103				

Monthly and Annual Summaries for the Year 1907, Spence's Bridge, British Columbia—Latitude, N. 50° 25′; Longitude, W. 121° 30′. Height above Sea, 760 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	12·0	1·4	10·6	45·0	19·5	64·5	6·7	0·00	0	2·5	5	0	....	0	0
February	36·1	22·1	14·0	54·5	15·0	69·5	29·1	0·00	0	2·5	2	0	..	0	0
March	48·4	28·9	19·6	65·0	18·5	46·5	38·7	0·00	0	2·0	4	2	....	1	0
April	65·7	37·7	28·1	79·5	25·5	54·0	51·7	0·03	3	.....	....	0	....	0	0
May	77·5	45·5	32·1	94·0	34·0	60·0	61·5	0·13	3	.....	....	0	....	0	1
June	81·4	52·6	28·8	100·0	43·0	57·0	67·0	0·30	5	.....	...	0	....	0	0
July	90·1	57·5	32·6	103·5	46·5	57·0	73·8	0·69	7	.....	....	0	...	0	0
August	.....	.....	.....	....	.....	.....	.....	....	....	.....	....	....	..	..	....
September	....	....	.....	.....	...	....	...	..	....	.....	....	....	....	....	....
October	.....	.....	.....	.....	.....	.....	.....	.....	....	... ..	....	....	....	....	....
November	51·6	35·3	16·3	68·5	22·5	46·0	43·5	0·38	5	2·5	2	0	....	0	0
December	38·4	27·5	10·8	54·5	13·5	41·0	32·9	R.	4	3·8	4	0	...	0	0
Year	....	.....	.....	....	.....	.....	.....	....	....	13·3	17	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Stony Creek, Ontario—Latitude, N. 43° 13′; Longitude, W. 79° 45′. Height above Sea, 292 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	.....	...	.....	.....	....	.....	.....	....	.....	...	....	....	....	....	....	....	....	....
February	.....	.....	.....	.....	...	....	.....	....	.....	...	....	....	....	...	....	....	....	....
March	....	.....	....	.....	.....	....	....	.....	.....	...	....	....	....	....	...	....	..	....
April	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	....	....	....	...	....	....	....	.. .
May	43·1	60·3	47·2	49·4	60·6	36·2	24·4	88·0	26·0	11	12	14	12	2	20	14	8	0
June	59·2	74·9	60·7	63·9	74·9	52·2	22·7	92·0	37·0	1	15	16	11	3	13	25	4	2
July	65·9	82·2	67·7	70·9	82·4	59·3	21·1	92·0	43·0	2	3	9	6	5	27	26	15	0
August	61·4	79·8	62·3	66·5	79·8	53·2	26·7	94·0	43·0	1	12	11	0	7	14	18	29	1
September	58·2	71·9	61·0	63·0	71·9	54·3	17·6	89·0	39·0	0	8	9	10	4	35	4	20	0
October	40·6	56·4	45·5	47·0	57·5	36·4	21·0	79·0	22·0	12	10	0	11	3	22	8	27	0
November	33·3	43·2	36·7	37·5	45·3	30·6	14·6	55·0	19·0	2	7	3	3	5	20	33	17	0
December	28·9	35·1	31·4	31·7	37·3	25·0	31·2	58·0	15·0	7	1	7	4	6	25	30	13	0
Year	....	... ..	.....	.....	.....	.....	.....	.....	.....	...	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Stony Creek, Ontario—Latitude, N. 43° 13′; Longitude, W. 79° 45′. Height above Sea, 292 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January																
February																
March																
April																
May	III	IV	II	31	29	35	33	2·90	7	4·0	1	1		0	1	0
June	II	III	III	33	32	35	33	2·10	7			0		0	3	0
July	II	IV	III	35	35	29	33	3·78	5			0		0	0	0
August	II	III	II	27	31	21	26	0·66	4			0		0	0	0
September	II	III	II	35	39	45	40	2·96	6			0		0	1	0
October	II	III	III	28	33	36	32	2·52	6			0		1	1	0
November	II	III	III	44	43	45	44	1·80	8			0		0	0	0
December	III	IV	IV	77	58	73	69	5·76	6	19·5	5	2		0	0	0
Year																

Monthly and Annual Summaries for the year 1907, Stratford, Ontario—Latitude, N. 43° 23′; Longitude, W. 81° 0′. Height above Sea, 1,191 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	26·7	12·5	14·2	55·0	12·0	67·0	19·6	0·83	1	6·4	4				
February	22·4	4·8	17·6	38·0	12·0	50·0	13·6	0·00	0	8·7	5				
March	41·6	23·4	18·2	64·0	4·0	60·0	32·5	3·20	3	8·8	3				
April	44·6	27·9	16·7	67·0	12·0	55·0	36·3	2·25	4	1·3	5				
May	58·9	38·5	20·4	78·0	25·0	53·0	48·7	3·61	7	0·2	1				
June	72·7	52·5	20·2	89·0	39·0	50·0	62·6	3·84	8						
July	77·1	54·9	22·1	86·0	39·0	47·0	66·0	3·78	6						
August	74·8	52·0	22·8	86·0	41·0	45·0	63·4	0·83	2						
September	67·5	50·4	17·1	81·0	34·0	47·0	58·9	4·80	6						
October	50·9	34·3	16·6	73·0	20·0	53·0	42·6	3·02	8						
November	39·8	25·7	14·1	52·0	10·0	42·0	32·8	5·45	4	9·2	4				
December	31·5	20·0	11·5	48·0	8·0	40·0	25·7	1·34	5	26·1	6				
Year	50·7	33·1	18·5	89·0	12·0	101·0	41·9	32·95	54	6·07	28				

Monthly and Annual Summaries for the year 1907, Stuart's Lake (Fort St. James), British Columbia—Latitude, N. 54° 28′; Longitude, W. 124° 12′. Height above Sea, 2,280 ft.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	0·1	29·6	29·5	24·5	49·5	74·0	14·9	0·00	0	14·3	6	0	0	2	0
February	27·4	4·9	22·5	46·5	55·5	102·0	16·1	0·06	2	6·0	4	0	0	3	0
March	32·8	1·7	31·1	47·0	21·5	68·5	17·3	0·00	0	4·8	5	0	0	3	0
April	46·4	19·4	27·0	57·0	1·5	55·5	32·9	0·55	2	4·7	4	3	0	1	0
May	62·0	28·8	33·2	81·5	17·0	64·5	45·4	0·74	5	.....	.....	0	0	0	0
June	66·9	35·8	31·1	90·0	26·0	64·0	51·3	1·69	7	.....	.....	0	0	0	1
July	74·0	39·0	35·0	86·5	31·0	55·5	56·5	0·94	9	.....	.....	0	0	0	0
August	67·1	38·0	29·1	90·0	24·0	66·0	52·6	2·80	14	.....	.....	0	0	0	0
September	61·2	32·1	29·1	75·0	16·0	59·0	46·7	1·69	6	.....	.....	0	0	0	1
October	52·8	25·1	27·7	64·5	16·0	48·5	39·0	0·63	8	.....	.....	1	0	1	0
November	40·7	19·5	21·3	61·0	1·0	62·0	30·1	0·27	4	11·2	8	0	1	3	0
December	28·8	8·8	20·0	48·0	13·0	61·0	18·8	0·00	0	12·6	7	0	0	0	0
Year	46·7	18·6	28·1	90·0	55·5	145·5	32·7	9·37	57	53·6	34	4	1	13	2

Monthly and Annual Summaries for the Year 1907, Summerland, British Columbia—Latitude, N. 49° 57′; Longitude, W. 119° 0′. Height above Sea, 1,100 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
February	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
March	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
April	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
May	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
June	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
July	82·1	56·0	26·2	94·8	43·0	51·8	69·0	1·26	3	.....	.....	.....	0	1	2
August	72·1	52·3	19·8	92·1	41·5	50·6	62·2	1·69	7	.....	.....	.....	0	0	2
September	66·5	47·7	18·8	79·9	37·0	42·9	57·1	1·86	7	.....	.....	.....	0	0	2
October	59·3	39·1	20·2	69·2	33·0	36·2	49·2	0·33	2	.....	.....	.....	0	0	0
November	43·2	31·4	11·8	54·8	17·0	37·8	37·3	0·40	4	0·5	1	.....	1	0	0
December	35·0	24·6	10·4	43·0	12·0	31·0	29·8	0·21	2	7·0	4	.....	0	0	0
Year	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

MONTHLY and Annual Summaries for the Year 1907, Sussex, New Brunswick—Latitude, N. 45° 38'; Longitude, W. 65° 38'. Height above Sea, 69 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	19·4	3·8	15·5	11·6	46·0	24·0	2	4	1	3	1	3	1	10	6	..	..	..	1·61	5	20·0	5	0	0	0	..
February	17·1	2·1	15·1	9·6	42·0	17·0	0	6	2	1	1	3	1	10	4	..	..	..	1·49	3	18·0	6	0	0	0	..
March	31·7	11·5	20·2	21·6	49·0	23·0	4	4	1	0	1	4	2	2	13	..	..	..	0·61	1	12·0	3	4	0	0	..
April	41·4	25·7	15·7	33·6	60·0	6·0	2	9	1	0	0	2	1	7	8	..	..	..	2·43	4	11·0	2	1	0	0	..
May	53·4	34·4	19·0	43·9	74·0	26·0	0	6	0	1	2	3	2	3	10	..	..	..	1·83	4	..	..	0	0	0	..
June	69·8	45·4	24·4	57·6	85·0	29·0	0	6	1	2	0	9	1	3	8	..	..	..	1·41	5	..	..	0	0	1	..
July	74·0	54·5	19·4	64·2	85·5	45·0	0	2	0	0	0	14	0	6	9	..	..	..	2·70	9	..	..	0	0	0	..
August	71·5	50·6	20·9	61·0	80·0	36·0	3	1	1	0	1	7	5	5	8	..	..	..	4·24	10	..	..	0	0	1	..
September	64·9	44·7	20·2	54·8	79·0	29·0	0	2	1	0	1	14	3	5	4	..	..	..	5·21	12	..	..	1	0	0	..
October	48·7	32·4	16·3	40·5	64·0	17·0	1	5	0	3	1	5	2	4	10	..	..	..	4·86	6	..	..	0	0	0	..
November	44·3	26·5	17·8	35·4	62·0	12·0	1	4	0	5	1	5	1	1	12	..	..	..	4·17	4	..	..	1	1	0	..
December	32·6	17·8	14·8	25·2	56·0	6·0	1	4	0	1	3	2	5	5	10	..	..	..	2·99	7	18·0	3	0	0	0	..
Year	47·4	29·1	18·3	38·3	85·5	24·0	14	53	8	16	12	71	24	60	102	..	..	..	33·55	70	79·0	19	7	1	2	..

MONTHLY and Annual Summaries for the Year 1907, Sutton West, Ontario—Latitude, N. 44°, 19'; Longitude, W. 79°, 18'. Height above sea —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	24·8	10·4	14·4	52·7	19·8	72·5	17·6	1·98	8	4·0	18	0	2	0	0
February	20·5	0·3	20·2	41·0	16·0	57·0	10·4	R.	1	10·0	17	0	0	1	0
March	37·7	19·2	18·5	65·0	12·2	77·2	28·4	1·39	9	3·0	15	0	1	1	3
April	42·3	26·6	15·8	70·0	11·8	58·2	34·4	1·62	9	1·0	13	0	0	0	2
May	56·5	37·2	19·4	81·2	24·3	56·9	46·8	2·04	5	1·0	6	0	0	0	3
June	73·6	52·0	21·6	91·0	40·0	51·0	62·8	2·73	10	..	..	0	0	0	7
July	78·0	56·9	20·9	85·5	46·0	39·5	67·3	3·57	14	..	..	0	0	0	7
August	75·9	54·1	21·7	92·0	46·4	45·6	65·0	0·83	12	..	..	0	0	0	3
September	68·5	51·4	17·1	85·0	30·2	54·8	59·9	3·34	20	..	..	0	1	0	8
October	51·7	35·2	16·5	71·2	20·5	50·7	43·4	2·20	15	*	1	0	0	0	2
November	40·7	28·0	12·8	50·0	17·0	33·0	34·4	2·21	9	2·0	10	0	0	1	0
December	31·5	19·7	11·8	47·7	7·8	39·9	25·7	0·63	7	13·0	18	0	1	0	1
Year	50·1	32·6	17·5	92·0	19·8	111·8	41·3	22·54	119	34·0	98	0	5	3	3

MONTHLY and Annual Summaries for the Year 1907, Taber, Alberta—Latitude, N. 51° 0′; Longitude, W. 113° 0′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March	33·4	14·1	19·3	58·0	3·0	61·0	23·7	0·00	0	3·5	4				
April	46·2	25·1	21·1	67·0	12·0	55·0	35·6	0·16	4						
May	57·7	34·7	23·0	78·0	16·0	62·0	46·2	0·01	1						
June	67·0	45·4	21·6	82·0	35·0	47·0	56·2	1·93	7						
July	79·2	49·7	29·5	90·0	41·0	49·0	64·5	1·07	10						
August	72·9	45·8	27·1	89·0	36·0	53·0	59·4	0·97	10						
September	62·8	39·8	23·0	85·0	28·0	57·0	51·3	2·30	13						
October	60·6	35·3	25·2	79·0	22·0	57·0	47·9	0·98	12						
November	43·4	25·8	17·6	60·0	8·0	52·0	34·6	0·00	0	0·8	10				
December	37·0	15·7	21·3	53·0	5·0	58·0	26·3	0·00	0	5·9	6				
Year															

MONTHLY and Annual Summaries for the Year 1907, Thetis Island, British Columbia—Latitude, N. 49° 0′; Longitude, W. 123° 40′.. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°		°	°	°	in.		in.					
January	36·8	25·7	11·1	46·7	14·6	32·1	31·3	3·55	9	12·0	7		3		
February	44·6	33·6	11·0	55·3	24·1	31·2	39·1	4·12	19	6·0	1		8		
March	47·6	32·7	14·9	54·8	24·2	30·6	40·1	1·53	15				0		
April	55·1	35·0	20·1	62·1	29·8	32·3	45·0	1·53	10				0		
May	63·8	44·4	19·4	75·0	37·5	37·5	54·1	0·82	7				0		
June	67·0	47·6	19·4	77·3	43·2	34·1	57·3	1·30	10				0		
July															
August															
September															
October															
November															
December	44·6	35·3	9·3	53·5	26·8	26·7	40·0	8·04	20				0		
Year															

MONTHLY and Annual Summaries for the Year 1907, Threehills Creek, Alberta—Latitude, N. 51° 30′; Longitude, W 113° 11′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	5·5	28·1	22·7	32·5	56·0	88·5	16·8	0·00	0	14·4	15	1	1	3	0
February	21·9	1·4	23·3	49·0	54·0	103·0	10·3	0·00	0	5·5	6	0	2	5	0
March	27·6	0·8	26·8	45·0	15·0	60·0	14·2	0·00	0	6·5	8	1	2	3	0
April	44·0	20·6	23·4	65 0	9·5	55·5	32·3	0·05	2	8·0	5	2	0	0	0
May															
June	68·8	41·1	27·7	82·5	28 0	54·5	55·0	2·08	13			0	0	0	2
July	75·9	43·7	32·1	87·0	34·0	53·0	59·8	2·00	12			0	0	0	0
August	62·0	36·0	26·0	84·0	25·0	59·0	49·0	3·09	8			0	0	0	0
September	64·6	35·3	29·3	82·0	21·0	61·0	50·0	2·41	7	*	1	0	0	0	0
October	61·3	27·5	33·7	76·0	41·0	35·0	44·4	0·30	3			1	0	0	0
November	44·5	19·2	25·3	56·5	5·5	51·0	31 9	0·20	5	0·5	1	0	1	3	0
December	27·2	2·3	25·0	58·0	25·0	83·0	14·8	0·00	0	3·5	6	0	1	3	0
Year															

MONTHLY and Annual Summaries for the Year 1907, Tobacco Plains, British Columbia—Latitude, N. 49° 1′; Longitude, W. 115° 5′. Height above Sea, 2,320 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	17·0	1·7	15·2	49·0	23·4	72·4	9·4	R.	1	24·0	10	0	0		0
February	35·6	21·6	14·0	53·1	11·9	65·0	28·6	1·05	4	6·0	3	0	0		0
March	42·7	27·1	15·6	51·0	12·0	39·0	34·9	0·31	2	14·0	7	0	0		0
April	51·7	31·5	20·2	67·0	17·0	50·0	41·6	0·80	8	5·9	4	1	0		0
May	55·7	40·9	24·8	79·1	33·0	46 1	53·3	1·35	8			0	0		0
June	72·1	47·4	24·7	85·1	36·0	49·1	59·8	3·43	16			2			3
July	78·8	50·7	28·1	87·0	39·0	48·0	64·7	3·21	10			0	0		3
August	70·3	47·2	23·1	93·1	35·0	58·1	58·8	3·93	14			0	1		3
September	64·2	41·6	22·6	76·1	29·0	47·1	52·9	2·98	11			1	2		3
October	58·6	35·3	23·4	70·1	28·0	42·1	47·0	R.	1			0	5		0
November	42·1	29·3	12·8	56·1	17·0	39·1	35·7	0·52	6	3·7	3	0	7		0
December	34·1	22·9	11·2	49·0	0·0	49·0	28·5	0·00	0	17·0	9	2	3		0
Year	52·7	33·1	19·6	93·1	23·4	116·5	42·9	17·58	81	70·6	36	6	18		12

MONTHLY and Annual Summaries for the Year 1907, Treherne, Manitoba—Latitude, N. 49° 36′ ; Longitude, W. 98° 40′. Height above Sea, 1,212 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	3·4	22 0	18·6	29·0	42·0	71·0	12·7	..	....	.....	...	...	0	3	....
February	10·5	6·6	17·1	35·0	41·0	76·0	1·9	....	....	.....	....	....	0	3	....
March	21·5	8·1	13·4	40 0	11·0	51·0	14·8	.....	...	..	....	....	0	3	....
April	30·5	13·0	17·5	50·0	5·0	55·0	21·7	. ...	...	.....	....	....	1	2	....
May	47·3	24·8	22·5	66·0	10·0	56·0	36·1	.... .	...	..	....	....	0	0	....
June	71·9	45·0	26·9	87·0	29·0	58·0	58·4	.....	. .	.....	....	....	0	0	....
July	77·0	49 9	27·2	90·0	34·0	56·0	63 5	.....	....	.....	...	....	0	1	....
August	70·2	48·9	21·3	85·0	30 0	55·0	59·6	. .	....	....	....	...	0	0	....
September	59·5	35·0	24·5	78·0	15·0	63·0	47·3	....	....	.....	....	....	0	2	....
October	52·8	24·8	28·0	73·0	8 0	65·0	38·8	.. .	....	. ...	....	....	0	0	....
November	35 6	14·0	21·6	57·0	10·0	67 0	24·8	....	....	...	....	...	0	0	....
December	21·0	4·6	17·3	45·0	25·5	70 5	13·3	.....	....	.....	...	...	0	1	....
Year	41·3	20·0	21·3	90·0	42 0	132·0	30·5	.....	....	.....	....	....	1	15	....

MONTHLY and Annual Summaries for the Year 1907, Uplands, Ontario—Latitude, N. 45° 48′ ; Longitude, W. 79° 25′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									CLOUDED SKY.			RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Mthly Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurorae.
	°	°	°	°	°	°										%	%	%	in.		in.					
January	21·3	0·5	21·8	10·4	48 0	33·6	9	0	7	3	14	2	21	0	6	...	...	...	0·44	2	22·5	13	..	0	0	..
February	18·9	5·5	24 4	6·7	35·1	31·5	12	0	7	1	9	1	21	0	5	...	...	...	0·00	0	26·0	11	..	0	0	..
March	37·7	12 8	24·9	25·2	55·0	17·6	10	0	5	3	9	1	25	0	9	...	...	..	0·57	5	17·0	5	..	0	1	..
April	43·3	19·7	23·6	31·5	57·0	1·0	9	1	8	0	13	0	19	1	9	...	...	...	1·09	4	17·5	8	..	0	0	..
May	56·0	28·6	28·0	42·0	74·0	4·0	13	0	11	0	6	0	20	1	11	. ...	...	..	0·52	5	10 0	4	..	0	1	..
June	76·1	46·4	29·7	61·2	90·0	35·0	0	2	3	2	0	6	8	9	0	...	...	...	1·35	6	.....	...	..	0	3	.
July	77·5	48·4	29·1	63·0	85·0	28·7	0	0	5	2	0	6	11	7	0	...	...	...	2·75	10	.....	...	..	0	2	..
August	73·8	42·9	30·9	58·3	87·0	31·5	12	0	3	1	8	1	26	0	11	...	...	...	1·12	6	.....	...	..	0	2	..
September	65·5	42 6	22·9	54·1	80·4	26·5	8	0	5	0	13	0	25	0	9	...	...	...	1·63	12	.....	...	..	0	4	..
October	48·0	26·8	21·1	37·4	70·0	10·5	11	0	6	2	13	0	21	0	9	...	...	...	0·72	6	2·0	3	..	0	0	..
November	36·8	18 9	17·9	27·9	47·0	4·0	5	0	1	0	16	0	8	0	0	...	...	...	1·14	7	14·0	5	..	0	0	..
December	32·2	13·2	18·9	22·7	47·0	1·0	11	0	7	0	13	0	21	0	10	...	...	...	0·81	4	16·0	3	..	1	0	..
Year	48·9	24·5	24·4	36·7	90·0	33·6	100	3	68	14	114	17	226	18	79	...	...	...	12·14	67	12·50	52	.	1	13	..

MONTHLY and Annual Summaries for the Year 1907, Ursa, Ontario—Latitude, N. 44° 54′; Longitude, W. 78° 18′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	18·9	1·9	20·8	36·0	35·0	71·0	8·5	—	....	—	....	0	0	0	0
February	22·6	11·5	29·0	35·0	42·0	77·0	5·5	.....	....	28·0	9	0	0	0	0
March	30·7	12·6	18·1	46·0	20·0	66·0	21·6	1·75	8	6·0	3	1	3	2	3
April	.....	.....	.....	.....	.....	.....	.....	.....	...	....	...	....	....	....	....
May	.....	.....	.....	.....	.....	.....	....	....	....	.....	....	....	....	...	...
June	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	....	....	....	....
July	.....	.....	.....	.....	...	....	....	.....	...	.....	....	....	...	....	....
August	.....	....	.....	..	.....	.....	.....	....	..	.....	....	....	....	....	....
September	.. ...	.....	....	.....	.....	.....	.....	.....	....	.....	....	....	....	....	....
October	.....	....	. ..	....	.....	.....	....	.....	....	.....	....	....	....	....	....
November	...	.....	.....	.....	.....	.....	.....	.....	....	.....	....	....	....	....	..
December	..	.....	....	.....	...	.....	.....	.....	....	.....	....	....	....	....	....
Year	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Uxbridge, Ontario—Latitude, N. 44° 5′; Longitude, W. 79° 8′. Height above Sea, 886 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	22·4	10·4	12·0	51·0	22·0	73·0	16·4	1·61	3	9·5	7	...	....	....	....
February	18·8	2·5	16·2	35·0	20·0	55·0	10·6	0·15	1	14·0	7	....	....	....	....
March	37·8	21·6	16·2	64·0	10·0	74 0	29·7	0·86	8	6·0	3	....	....	....	....
April	43·1	27·3	15·9	70·0	13·0	57·0	35·2	2·24	7	0·5	3	....	....	....	....
May	57·5	34·9	22·6	80·0	21·0	59·0	46·2	0·30	1	7·0	2	....	....	....	....
June	75·0	51·6	23·4	90·0	40·0	50·0	63·3	1·48	5	.....	....	....	....	....	...
July	77·9	55·7	22·3	87·0	39·0	48 0	66·8	3·37	11	.....	....	....	...	....	....
August	76·4	49·2	27·2	88·0	40·0	48·0	62·8	1·06	3	.....	....	....	....	....	....
September	67·8	50·8	17·0	82·0	37·0	45·0	59·3	5·30	9	.....	....	....	....	....	....
October	50·6	33·2	17·4	71·0	17·0	54·0	81·9	1·74	7	....	....	....	....	....	....
November	38·5	26·7	11·8	49·0	14·0	35·0	32·6	1 90	7	7·5	5	....	....	....	..
December	30·6	19·9	10·7	44·0	2·0	46·0	25·2	1·16	7	20·0	6	....	....	....	....
Year	49·7	31·9	17·8	90·0	22·0	112·0	44·2	21·17	69	64·5	33	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Vernon (Coldstream Ranch), British Columbia—Latitude, N. 50° 14′; Longitude, W. 119° 15′. Height above Sea, 1,246 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	12·5	2·0	14·5	37·0	24·0	61·0	5·3	0·00	0	22·5	7	...	...	...	...
February	31·1	18·4	12·7	45·0	21·0	66·0	24·8	0·20	1	11·5	3	...	...	...	...
March	39·6	23·0	16·6	48·0	3·0	45·0	31·3	0·00	0	19·0	7	...	...	...	...
April	55·8	31·5	24·3	70·0	18·0	52·0	43·6	0·50	7	...	...	...	...	...	...
May	69·2	42·7	26·5	79·0	30·0	49·0	56·0	1·55	5	...	...	...	...	...	...
June	72·5	47·5	25·0	91·0	38·0	53·0	60·0	1·56	8	...	...	...	...	...	...
July	83·5	51·9	31·6	96·0	42·0	54·0	67·7	0·93	4	...	...	...	...	...	...
August	72·0	50·0	22·0	97·0	36·0	61·0	61·0	3·52	13	...	...	...	...	...	...
September	66·1	45·8	20·3	78·0	36·0	42·0	56·0	2·67	7	...	...	...	...	...	...
October	58·6	38·2	20·4	60·0	32·0	28·0	48·4	0·34	3	...	...	...	...	...	...
November	43·3	32·9	10·4	56·0	23·0	33·0	38·1	0·74	5	5·0	3	...	...	...	...
December	35·4	25·3	10·1	46·0	10·0	36·0	30·3	0·00	0	8·0	7	...	...	...	...
Year	53·3	33·8	19·5	97·0	24·0	121·0	43·5	12·01	53	66·0	27	...	...	...	...

MONTHLY and Annual Summaries for the Year 1907, Virden, Manitoba—Latitude N. 49° 51′; Longitude, W. 100° 55′. Height above Sea, 1,444 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
February	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
March	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
April	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
May	60·1	27·4	32·7	73·0	15·0	56·0	43·7	—	...	...	...	2	...	...	...
June	72·0	48·7	23·3	84·0	37·0	47·0	60·4	2·58	10	...	...	0	...	...	...
July	79·0	50·0	29·0	88·0	43·0	45·0	64·5	0·19	7	...	...	0	...	...	...
August	71·3	43·5	27·8	90·0	29·0	61·0	57·4	3·10	13	...	...	0	...	...	...
September	60·4	35·8	24·6	77·0	21·0	56·0	48·1	—	...	...	...	0	...	...	...
October	56·4	24·5	31·9	70·0	12·0	58·0	40·4	—	...	...	...	0	...	...	...
November	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
December	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Year	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Monthly and Annual Summaries for the Year 1907, Waitefield, Alberta—Latitude, N. 53° 29′; Longitude, W. 113° 38′. Height above Sea, 2,000 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	4·7	27·3	22·6	33·0	55·0	88·0	16·0	0·00	0	10·2	15	0	1	5	0
February	17·6	2·4	20·0	48·5	50·5	99·0	7·6	0·02	1	3·1	7	0	1	9	0
March	24·0	0·9	25·0	42·0	19·5	61·5	11·6	0·00	0	8·3	13	0	0	2	0
April	34·5	15·7	18·8	46·5	2·0	48·5	25·1	0·09	1	5·0	11	0	1	6	0
May	50·8	27·3	23·5	84·2	6·2	78·0	39 0	1·12	8	4 8	8	0	0	11	2
June	67·7	45·3	22·4	82·0	32·0	50·0	56·5	2·21	22	.....	...	6	1	4	5
July	69·8	47·9	21·9	78·8	39·0	39·8	58·8	3·31	13	.....	...	0	1	7	4
August	64·8	43·2	21·7	79·2	30·5	48·7	54·0	4·26	20	....	....	1	3	5	4
September	58·4	35·4	22·9	78·0	16·5	61·5	46·9	1·86	10	0·5	2	0	1	3	4
October	57·4	31 0	26·4	72·2	12·0	60·2	44·2	0·37	8	.....	....	3	1	11	0
November	39·8	19·2	20·6	54 0	6·5	47·5	29·5	0·06	4	*	4	0	0	9	0
December	25·4	5·7	19·7	50·5	18·0	68·5	15·6	0·09	1	5·8	9	0	3	8	0
Year	42·1	20·0	22·1	84·2	55·0	139·3	31·1	13·39	88	37·7	69	10	13	80	19

Monthly and Annual Summaries for the Year 1907, Wallaceburg, Ontario—Latitude, N. 42° 35′; Longitude, W. 82° 24′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurore.	Thunder Storms.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	31·5	17·5	14·0	56·0	7·0	63·0	24·5	0 00	0	6·0	2	....	...	.	....
February	28·7	10·6	18·8	43 0	8 0	51·0	19·4	0·00	0	5·0	2	....	....	....	....
March	46·5	28·4	18·1	72·0	10·0	62·0	37·5	—	....	—	...	....	....	....	....
April	47·9	30·5	17·4	72·0	15 0	57·0	39·2	1·94	9	*	1	....	....	....	....
May	62·1	39·1	23·1	81·0	28·0	53·0	50·6	2·60	8	..	....	....	....	....	...
June	73·5	52·4	21·0	88·0	38·0	50·0	62·9	2·63	8	...	....	....	....	....	....
July	....	.....	....	....	....	....	.....	1·23	3	...	....	....	....	....	....
August	....	....	....	.....	.....	....	.....	—	....	...	....	...	...	....	..
September	71·7	54·0	17·7	85·0	38·0	47·0	62·8	3·50	12	....	...	...	..	...	....
October	56·0	36·7	19·3	75·0	23 0	52·0	46·3	1·85	6	.....	....	....	....	....	...
November	44·3	29·7	14·6	55·0	18·0	37·0	37·0	1·62	10	0·2	1	....	....	....	....
December	36·4	22·9	13·5	52·0	11·0	41·0	29·6	2·37	3	2·0	3	....	....	....	....
Year	....	....	.....	....	.....	.....	...	.....	....	...	...	..	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Waseca, Saskatchewan—Latitude, N. 53° 6′; Longitude, W. 109° 29′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July	69·3	44·0	25·3	82·5	35·0	47·5	56·6	1·51	11					0	
August	64·1	41·8	22·3	78·0	29·5	48·5	52·9	3·98	7					1	
September	54·5	33·9	20·6	77·0	14·0	63·0	44·2	—	—					1	
October	55·4	29·8	25·6	68·0	9·0	59·0	42·6	0·22	1					0	
November	38·1	15·2	22·9	52·0	8·0	60·0	26·6	—	—					0	
December	23·2	3·0	20·2	46·0	25·0	71·0	13·1	0·00	0	4·0	3			0	
Year															

MONTHLY and Annual Summaries for the Year 1907, Welland, Ontario—Latitude, N. 42° 59′; Longitude, W. 79° 17′ Height above Sea, 425 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	31·8	16·2	15·7	58·0	13·0	71·0	24·0	2·25	6	6·0	5				
February	27·3	10·2	17·1	45·0	7·0	52·0	18·8	0·40	2	7·5	4				
March	44·5	26·5	18·0	69·0	3·0	66·0	35·5	1·66	9	7·5	4				
April	47·8	29·9	17·9	75·0	17·0	58·0	38·8	1·39	9	2·0	1				
May	61·7	38·7	23·0	81·0	27·0	54·0	50·2	2·85	9	—	—				
June	73·5	52·8	20·8	90·0	45·0	45·0	63·2	1·92	6	—					
July	80·5	59·3	21·1	88·0	44·0	44·0	69·9	2·35	7						
August	77·6	55·4	22·3	88·0	48·0	40·0	66·5	1·59	5						
September	70·6	54·8	15·8	83·0	43·0	40·0	62·7	5·49	12						
October	55·5	37·3	18·2	76·0	24·0	52·0	46·4	4·53	10						
November	44·8	32·0	12·8	58·0	20·0	38·0	38·4	2·98	7	0·3	2				
December	37·8	25·1	12·7	52·0	13·0	39·0	31·4	3·05	8	8·5	3				
Year	54·5	36·5	17·9	90·0	13·0	103·0	45·5	28·46	92	31·8	19				

MONTHLY and Annual Summaries for the Year 1907, Wetaskiwin, Alberta—Latitude, N. 53° 0′; Longitude, W. 113° 20′. Height above Sea, 2,480 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	0·1	23·5	24·3	32·0	51·0	83·0	24·3	0·00	0	18·3	9	....	....	....	0
February	22·9	1·0	21·8	48·0	49·0	97·0	12·0	0·00	0	9·8	4	....	....	....	0
March	30·6	2·9	27·7	44·0	20·0	64·0	16·7	0·00	0	7·6	6	....	....	....	0
April	42·1	19·9	22·2	60·0	7·0	53·0	31·0	0·00	0	2·1	6	....	....	....	0
May	54·5	30·6	23·8	72·0	14·0	58·0	42·5	0·39	7	4·0	5	....	....	....	0
June	69·8	43·5	26·3	86·0	31·0	55·0	56·6	3·83	16	....	....	....	....	....	1
July	74·4	47·2	27·1	84·0	43·0	41·0	60·8	2·17	15	....	....	....	....	....	2
August	68·3	42·0	26·2	83·0	29·0	54·0	55·1	4·12	15	....	....	....	....	....	0
September	60·2	37·4	22·8	79·0	23·0	56·0	48·8	1·52	7	2·8	1	....	....	....	2
October	60·2	32·1	28·1	73·0	16·0	57·0	46·1	0·49	5	....	....	....	....	....	0
November	42·3	22·5	19·8	56·0	9·0	47·0	32·4	0·10	4	*	1	....	....	....	0
December	29·9	8·7	21·2	57·0	14·0	71·0	19·3	0·00	0	8·7	8	....	....	....	0
Year	46·3	22·0	24·3	86·0	51·0	137·0	37·1	12·62	69	53·3	40	....	....	....	5

MONTHLY and Annual Summaries for the Year 1907, Whitehead, Nova Scotia—Latitude, N. 45° 15′; Longitude, W. 61° 8′. Height above Sea, 20 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	21·6	23·1	21·5	21·9	43·0	3·0	17	6	3	7	8	10	9	33	0	....	....	....	2·19	5	16·8	4	0	1	....	....
February	17·0	20·6	18·3	18·6	36·0	5·0	18	8	5	7	4	15	11	14	2	....	....	....	1·23	3	12·2	4	6	6	....	....
March	21·7	26·6	22·8	23·5	41·0	4·0	16	14	8	9	5	10	9	21	1	....	....	....	1·28	2	23·5	4	4	3	....	....
April	31·5	35·3	31·2	32·3	46·0	17·0	15	3	21	5	7	23	5	11	0	....	....	....	1·90	3	....	....	2	8	....	....
May	38·4	42·7	37·3	38·9	53·0	32·0	13	4	23	7	6	23	9	6	2	....	....	....	2·34	6	....	....	0	0	....	....
June	44·6	49·6	43·5	45·3	60·0	38·0	13	7	26	4	4	29	1	0	6	....	....	....	1·61	4	....	....	0	9	....	....
July	53·9	58·4	53·7	54·9	66·0	48·0	6	1	14	22	6	37	1	5	1	....	....	....	3·46	6	....	....	0	19	....	....
August	56·7	62·1	56·2	57·8	67·0	52·0	8	2	5	8	16	47	1	5	1	....	....	....	1·69	7	....	....	0	12	....	....
September	54·9	59·7	53·9	55·6	67·0	41·0	13	6	7	7	9	35	3	10	0	....	....	....	2·39	8	....	....	0	10	....	....
October	45·6	48·5	46·1	46·6	57·0	32·0	16	6	5	9	13	23	4	16	1	....	....	....	3·96	7	....	....	0	3	....	....
November	39·4	42·6	40·6	40·8	53·0	26·0	7	7	9	6	7	28	12	14	0	....	....	....	2·50	5	0·0	0	0	3	....	....
December	33·3	35·4	34·3	34·3	47·0	20·0	10	6	5	1	13	14	26	18	0	....	....	....	3·91	4	1·8	3	3	4	....	....
Year	38·2	42·1	38·3	39·2	67·0	5·0	152	70	131	92	98	294	81	153	14	....	....	....	28·46	60	54·3	15	15	78	....	....

MONTHLY and Annual Summaries for the Year 1907, White Horse, Yukon—Latitude, N. 60° 45′; Longitude, W. 135° 0′. Height above Sea, 2,075 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	4·1	28·5	24·4	30·0	55·0	85·0	16·3	0·00	0	5·5	7	2	3	0	....
February	5·5	18·3	23·8	45·0	58·0	103·0	6·4	0·00	0	5·2	4	0	0	23	....
March	19·3	10·9	30·2	38·0	36·0	74·0	4·2	0·00	0	14·5	8	0	0	0	....
April	41·8	14·7	27·1	56·0	23·0	79·0	28·2	0·75	2	.....	....	0	0	0	....
May	59·0	32·3	26·8	72·0	19·0	53·0	45·6	0·27	2	.....	....	0	0	0	...
June	63·7	37·5	26·1	77·0	27·0	50·0	50·6	3·03	9	.....	....	0	0	0	....
July	67·3	43·9	23·4	82·0	34·0	48·0	55·6	5·10	9	...	....	0	0	0	....
August	63·5	40·2	23·2	84·0	27·0	57·0	51·8	1·63	12	.....	....	0	0	0	....
September	55·0	32·7	22·3	66·0	22·0	44·0	43·8	0·31	9	....	...	0	0	2	....
October	44·7	27·9	16·8	58·0	19·0	77·0	36·3	0·04	3	2·2	3	0	0	1	...
November	26·5	8·7	17·8	45·0	18·0	63·0	17·6	0·00	0	9·0	4	0	0	0	....
December	19·0	4·3	14·9	34·0	15·0	49·0	11·7	0·00	0	3·0	8	0	0	0	...
Year	38·4	15·4	23·1	84·0	58·0	142·0	27·9	11·13	46	39·4	34	2	3	26	....

MONTHLY and Annual Summaries for the Year 1907, Whitewater (Oakdale Park), Manitoba—Latitude, N. 49° 11′; Longitude, W. 100° 18′. Height above Sea, 740 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	2·9	19·2	16·3	15·0	39·0	54·0	11·0	..	....	.....	....	0	0	0	0
February	19·9	1·1	18·8	37·0	38·0	75·0	10·5	.....	....	.....	....	0	0	0	0
March	31·5	8·7	22·8	50·0	8·0	58·0	20·1	.....	....	.....	..	3	0	1	1
April	39·8	18·4	21·1	53·0	4·0	49·0	29·1	....	....	.....	....	0	0	0	0
May	60·4	28·4	32·1	74·0	10·0	64·0	44·4	....	....	.....	....	0	0	0	0
June	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....
July	79·0	51·3	27·7	85·0	38·0	47·0	65·2	.....	...	....	....	0	0	0	2
August	78·6	49·5	29·1	92·0	34·0	58·0	64·0	.....	....	....	....	0	0	0	2
September	65·4	36·9	28·5	85·0	20·0	65·0	51·1	.....	....	....	....	0	0	0	0
October	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....
November	....	....	....	....	....	....	....	.....	....	.....	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1907, Windsor, Ontario—Latitude, N. 42° 20′; Longitude, W. 83° 4′. Height above Sea, 625 feet.

MONTH	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	33·6	20·1	13·5	56·0	1·0	57·0	26·9	3·03	5	10·5	6	0	0	0	0
February	29·9	12·9	16·9	46 0	3·0	49·0	21·4	0·14	1	4·0	4	0	0	0	0
March	45·9	29·6	16·3	72·0	15·0	57·0	37·7	2·23	5	*	1	0	0	0	0
April	46·4	30·7	15·7	71·0	18·0	53·0	38·5	2·23	8	*	2	0	0	0	0
May	59·1	41·5	17·6	80·0	30·0	50·0	50·3	2·69	8	—	—	0	0	0	0
June	72 3	54 3	18·0	86·0	41·0	45·0	63·3	3·88	13	—		0	0	0	0
July	79·5	61·6	17·9	86·0	45·0	41·0	70 5	3·10	8	—	—	0	0	0	0
August	77·5	58·5	19·0	86·0	48·0	38·0	68·0	0·63	6	—	—	0	0	0	0
September	69·9	55·6	14·3	82·0	37·0	45·0	62·8	4·42	11	—	—	0	0	0	0
October	53·8	38·7	15·2	72 0	28·0	44·0	46·3	2 17	4	—	—	0	0	0	0
November	44·0	31·5	12·5	54·0	22·0	32·0	37·8	1·60	7	2·5	1	0	0	0	0
December	35·4	25·6	9·8	50·0	14·0	36·0	30·5	4·40	8	7·0	8	0	0	0	0
Year	53·9	38·4	15·6	86·0	3·0	89 0	46·2	30·52	84	24·0	22	0	0	0	0

MONTHLY and Annual Summaries for the Year 1907, Windsor, Nova Scotia—Latitude, N. 44° 59′; Longitude, W. 64° 6′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°		°			in.		in.					
January	30·4	10·7	19·7	55·0	10·5	65·5	20·5	2·60	10	18·8	12	0			0
February	26·5	7·6	18·9	50·0	9·0	59·0	17·0	1·35	4	21·0	6	0			0
March	33·7	17·5	16·2	52·0	8·0	60·0	25·6	0·88	4	7·3	4	0			0
April	44·5	29·6	14·9	64·5	12·5	52·0	37·0	1·24	10	6·8	4	0			0
May	56·9	37·4	19·5	73·0	25·0	48·0	47·1	2 34	10	1·5	1	0			0
June	68·5	46·5	22·0	87·0	33·0	54·0	57·5	2·71	9			0			0
July	75·2	54·9	18·3	85 0	48·5	36·5	65·0	3·73	9			0			0
August	71·6	53·2	18·5	80·5	44 0	36·5	62·4	4·98	13			0			3
September	66·9	50·3	16·6	77·0	34·0	43·0	58 6	3·48	14			0			2
October	52·8	37·8	15·0	66·5	20·0	46·5	45·3	3·89	15	3·5	2	2			0
November	45·7	31·0	14·8	62·5	16·0	46·5	38·4	4·43	12	3·2	4	3			0
December	37·4	25·7	11·7	56·0	14·5	41·5	31·5	2·72	8	6·5	2	5			0
Year	50·8	33·5	17 2	87·0	10·5	97·5	42·2	34·35	118	68·6	33	10			5

MONTHLY and Annual Summaries for the Year 1907, Winnipeg (Fort Osborn), Manitoba—Latitude, N. 49° 53′; Longitude, W. 97° 11′. Height above Sea, 1,492 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM									FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Aurora.
	°	°	°	°	°	°													in.		in.					
January	17·4	8·3	13·8	13·3	10·0	40·0																				
February	1·3	14·9	1·0	3·9	55·0	38·0																				
March	11·2	20·5	15·0	15·4	47·0	8·0																				
April	25·2	38·4	25·2	28·5	60·0	10·0																				
May	34·9	47·7	37·6	39·4	67·0	20·0																				
June																										
July	63·2	76·4	61·0	65·4	90·0	53·0																				
August	59·5	65·9	59·8	61·2	85·0	45·0																				
September	47·7	57·7	49·3	51·0	75·0	19·0																				
October	33·0	43·2	32·8	35·5	59·0	23·0																				
November	24·3	33·5	26·2	27·6	45·0	1·0																				
December	5·2	9·7	4·7	6·1	34·0	23·0																				
Year																										

MONTHLY and Annual Summaries for the Year 1907, Winter Harbour, British Columbia—Latitude, N 50° 32′; Longitude, W. 128° 3′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	34·2	26·0	8·3	45·0	16·0	29·0	30·1	4·93	5	18·0	4				
February	43·1	33·5	9·6	49·0	22·0	27·0	38·3	16·74	17	0·0	0				
March	44·1	32·6	11·6	54·0	28·0	26·0	38·3	9·64	14	6·8	6				
April															
May															
June	61·9	48·1	13·8	76·0	41·0	35·0	55·0	1·30	3						
July	66·5	51·5	15·0	79·0	46·0	33·0	59·0	0·74	6						
August	65·4	50·2	15·1	86·0	44·0	42·0	57·8	3·99	12						
September															
October															
November															
December															
Year															

Monthly and Annual Summaries for the Year 1907, Wolfville, Nova Scotia—Latitude, N. 45° 7′; Longitude, W. 64° 2′. Height above Sea, 28 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	32·1	11·4	22·7	56·0	10·0	66·0	21·7	1·44	4	11·0	6	0	....	....	0
February	26·9	6·9	20·0	49·0	8·0	57·0	17·0	1·00	3	29·0	7	0	....	....	0
March	36·3	18·6	17·7	57·0	3·0	60·0	27·4	0·74	3	16·0	3	4	....	....	0
April	47·5	29·9	17·6	75·0	14·0	61·0	38·8	1·42	5	12·0	8	0	....	....	0
May	58·5	37·3	21·2	74·0	27·0	47·0	47·9	1·49	9	9·0	1	0	....	....	0
June	70·5	45·7	24·8	85·0	32·0	53·0	58·1	1·35	8	....	....	0	....	....	1
July	74·6	55·3	19·3	85·0	49·0	36·0	65·0	2·20	7	....	....	0	....	....	2
August	75·0	51·7	23·3	84·0	40·0	44·0	63·3	4·28	9	....	....	1	....	....	2
September	70·3	48·6	21·7	80·0	35·0	45·0	59·4	3·04	11	....	....	0	....	....	0
October	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1907, Woodstock, New Brunswick—Latitude, N. —° —′; Longitude, W. —° —′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
February	20·3	9·6	29·9	40·0	30·0	70·0	5·4	0·00	0	30·0	7	....	....	0	0
March	33·9	1·7	32·3	55·0	34·0	89·0	17·8	0·00	0	15·0	3	....	....	0	0
April	46·8	27·2	19·6	66·0	5·0	61·0	37·0	2·34	4	2·0	1	....	....	0	0
May	53·2	36·4	16·8	72·0	29·0	43·0	44·8	1·89	4	....	....	....	....	0	0
June	74·1	48·7	25·4	94·0	34·0	60·0	61·4	5·98	7	....	....	....	....	1	5
July	73·0	58·5	14·5	90·0	48·0	42·0	65·7	5·62	8	....	....	....	....	1	2
August	71·2	53·3	17·9	81·0	45·0	36·0	62·2	2·45	5	....	....	....	....	0	0
September	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
October	52·2	33·3	18·9	65·0	19·0	46·0	42·7	2·95	3	*	1	....	....	2	0
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

PART IV.

Bi-hourly and Hourly Temperature and Barometric Pressure, during the Year 1907.

Temperature—

At Victoria, B.C. ..... page 166
Regina, Sask ..... " 190
Winnipeg, Man. ..... " 210
Toronto, Ont. ..... " 226
Montreal, Que. ..... " 250
Quebec, Que ..... " 262

Pressure—

At Victoria, B.C. ..... " 274
Toronto, Ont. ..... " 298
Montreal, Que, ... " 322

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon
	°	°	°	°	°	°	°	°	°	°	°	°
1.	29·0	28·8	28 6	28·7	28·9	28·4	28·3	28·2	28·8	29·3	30·0	30·9
2. . .	27·8	27·8	27 8	27·9	27·2	27·1	27·2	27·8	29·0	29·3	30·5	31·0
3.	37·0	37·0	37·2	38·3	40·5	40·3	41·8	42·8	45·3	45·8	45·2	44·9
4. .. .	35·1	36·8	37·0	36·6	36·1	35 9	35·3	35·2	34·3	34·7	36·0	37·5
5.....	28·8	28·3	27·9	27 9	27·8	27 8	26·8	26·1	26·1	26·8	28·3	29·1
6.....	30·0	29·4	29·3	29·8	30·0	30·0	30·0	30·1	31·0	31·8	32·1	32·8
7.....	29·1	29·0	28·9	28·3	28·0	27·0	26·5	26·0	27·0	27·5	31·0	32 8
8.....	29·9	29·7	29·7	30·0	30·1	29·8	29·2	29·2	30·5	31·2	32·6	33·9
9.....	28·0	28·0	28·1	27·4	27·0	26·2	27·1	27·3	29·8	31·0	33·5	34·5
10.....	29·6	29·2	28·5	28·8	28·0	26 6	26·3	27·2	30·0	32·6	34·0	35·3
11.....	32·6	32·9	33·0	33·1	33·2	33·5	33·8	33·7	33·7	34·2	35·5	36·8
12.	28·0	26·8	26·0	25·1	24·1	24·0	24·1	24·2	25·0	25·1	25·8	26·0
13.....	18·2	17·9	17·5	17·4	17·1	17 0	17·0	17·0	17·3	17·8	18·2	18·9
14.....	17·1	17·0	17·1	17·2	17·0	17·0	17·1	17·5	18·2	18·9	20·0	21·0
15.....	18·2	16·0	15·3	15·0	15·0	14·9	14·9	16·2	17·8	23·3	24·8	25·9
16.....	26·2	25·9	25·2	24·8	24·0	22·9	22·3	22·0	25 0	26·3	27·4	28·0
17.....	22·5	22·0	20·5	20·3	21 0	21·6	23·0	23·8	25·5	27·5	29·7	30·4
18.....	33·0	32·1	32·1	31 8	30 0	28·3	26·3	26·1	26·0	28·8	33·0	36·0
19.....	36·2	36·3	36 5	37·3	37·8	37·5	37 5	37·6	38·1	39·8	40 0	40·9
20.	39·3	39·8	40·0	40·4	41·0	40·2	39·9	39·8	39·8	40 3	40·9	41 3
21.....	42·8	42·1	42·0	43 2	44·0	44·2	44 7	44 9	45·3	46·0	46·9	47 0
22.....	43·7	43·8	43 6	43 1	42·3	41·0	41·5	41·7	41·6	41·9	42·7	43 2
23....	37·9	38·1	38 2	38·2	38 0	38·1	38 2	38·3	38·5	39·5	40·6	41·0
24.....	38·3	38·7	38·8	38·4	37 9	37·7	37·3	37 8	38 1	38·9	40·0	40·9
25.	32·8	32·1	32 6	32 9	33·0	32·1	32·0	31·3	33 3	34·3	38·0	39·4
26.... .	28·5	29·0	28·0	27·9	28·0	26·8	26·2	26·2	30·0	33·9	36·0	38·0
27.....	33·3	33·5	33·7	33·6	33·1	33·0	32·8	32·6	32·6	32·9	33·3	34·0
28.. ...	32·0	32·0	32 0	32·0	31·9	31·3	31·0	30·8	31·3	32·6	34·0	34·8
29... ...	33·0	33 9	34·0	33 1	33·2	33 2	33·3	33·9	35·0	35·7	36·1	36·3
30.....	36·9	37·6	38·1	38 1	38·1	37 8	36·6	36·6	37 3	38·9	40 3	41·8
31.	40·5	40·5	40 3	40·2	40·0	40·0	41·3	41·9	41·0	41·0	42·9	42·9
Mean..	31·46	31·35	31·21	31·19	31·07	30·68	30 62	30·77	31·68	32·83	34·16	35·07

each Hour (120th Meridian Time), during the Month of January, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
31·2	31·0	30·0	29·6	29·0	28·8	28·2	28·1	28·3	28·3	28·0	28·0	29·02
31·3	31·6	33·5	34·3	34·4	31·5	31·2	31·4	32·0	34·1	35·8	36·5	30·75
44·7	44·3	42·9	41·9	41·0	40·1	40·0	39·8	39·0	38·8	37·3	36·1	40·92
37·6	37·3	36·0	34·0	32·5	31·8	30·8	30·0	29·8	29·6	29·3	29·2	34·10
29·9	30·1	30·2	30·2	30·0	29·9	30·0	30·5	30·4	30·2	30·3	30·2	28·90
33·1	33·0	32·7	32·2	32·0	30·2	29·0	28·4	28·1	27·9	29·1	29·3	30·47
33·1	32·9	32·8	32·6	32·0	31·8	31·1	30·8	30·3	30·2	30·5	30·3	29·98
34·4	34·6	34·2	33·9	33·2	31·9	30·5	30·1	29·0	28·5	28·8	28·4	30·97
36·0	36·3	36·2	36·0	35·1	34·3	34·0	33·2	32·9	32·6	32·0	30·9	31·56
36·0	36·6	36·3	36·0	35·0	33·0	32·5	32·1	30·0	33·0	34·5	32·5	31·82
37·9	38·2	38·2	38·0	37·3	34·5	33·0	32·3	31·8	31·2	30·8	29·3	34·10
26·0	25·5	25·1	24·9	24·4	23·1	22·0	21·2	20·5	20·0	19·0	18·7	23·94
19·6	20·0	20·1	20·1	20·0	19·0	18·1	18·0	17·8	17·7	17·3	17·2	18·17
22·1	22·5	22·8	22·9	22·5	21·3	20·6	20·6	20·5	19·8	19·1	19·0	19·53
25·8	25·3	25·3	25·8	26·0	25·0	24·9	24·9	25·5	25·9	26·0	26·2	21·83
29·8	30·0	30·0	29·7	28·3	27·2	26·2	26·1	26·1	25·9	25·7	24·8	26·24
30·8	30·8	30·7	30·0	29·8	31·1	32·1	32·3	32·5	32·5	33·5	33·7	27·82
38·8	39·0	38·2	38·0	37·5	36·3	36·1	36·7	37·3	37·6	35·3	35·8	33·75
41·0	40·9	40·7	40·3	40·0	39·2	39·0	38·7	38·4	39·0	39·3	39·3	38·79
42·6	43·6	44·0	44·3	45·0	45·0	45·3	45·8	45·3	45·0	44·8	43·9	42·39
47·2	47·4	47·8	47·3	46·9	45·6	45·0	44·7	44·2	42·8	41·5	42·8	44·85
44·5	41·3	43·1	43·0	42·0	40·7	39·8	39·0	38·3	38·0	37·7	37·5	41·58
41·6	42·0	42·6	42·6	42·1	42·0	41·0	39·8	38·1	37·7	37·1	37·8	39·54
42·0	42·5	42·3	41·2	40·0	37·8	36·3	35·0	35·0	35·0	35·0	34·2	38·28
41·2	41·8	41·2	39·8	39·0	35·3	32·0	30·0	28·8	27·0	27·0	27·8	33·95
40·0	40·1	39·0	38·1	37·3	35·8	35·0	34·0	33·3	32·8	32·6	32·8	32·89
34·3	34·5	34·1	33·8	33·0	32·8	32·3	32·2	32·1	32·1	32·1	32·1	33·06
34·1	34·0	34·1	34·3	34·4	33·2	32·8	32·7	32·1	31·5	31·6	32·1	32·61
38·0	38·3	38·1	37·7	37·2	37·0	36·4	36·2	36·1	36·1	36·1	36·3	35·59
42·1	42·1	42·2	42·8	42·9	42·2	41·1	40·7	40·4	40·6	40·7	40·7	39·86
42·8	40·8	38·0	36·2	34·8	34·0	33·8	33·5	33·7	33·6	33·0	32·2	38·29
35·79	35·85	35·56	35·21	34·66	33·59	32·91	32·54	32·18	32·10	31·98	31·79	32·76

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	32·2	31·1	30·1	29·3	29·9	29·9	28·9	29·3	30 0	32·3	34·1	34 7
2.	28·2	27·8	27·2	27·0	26·9	26·8	26·7	26·9	27·0	27·2	28·4	29·0
3.	26·5	26·2	26·2	26·2	26·0	25·4	25·0	25·1	25·1	25·1	25·3	26·0
4.	28·7	28·7	28·7	28·7	29·0	27·9	27·0	26·6	27·3	28·8	30·3	31·8
5.	31·7	32·0	32·3	32·7	33·1	33·2	33·4	34·0	35·0	43·0	47·2	48·2
6.	13·9	44 0	44·5	45·1	45·2	45·1	44·3	43·9	46·8	48·3	50·0	50·0
7.	42·0	43·9	44·2	44·5	45·0	45·3	45·8	45 8	45·8	46·1	46·5	47·0
8.	41·9	45·2	45·3	45·1	45·2	44·8	43·8	43·5	44·8	45·7	47·2	47·8
9.	44·8	44·8	44·4	44·0	43·8	43·7	43·9	44·2	45·2	46·2	47·0	48·0
10.	39·8	39·0	38·9	38·9	38·3	38·0	38·0	37·3	39·0	41·0	43 5	45·0
11.	36·2	36·7	36 9	36·2	35·0	34·5	35·7	36·2	37·3	38·2	39·0	40·1
12.	37·9	37·6	37·0	37·1	38·3	39·5	39·0	38·7	40·3	42·3	43·0	44·1
13.	33·5	35·0	36·5	38·3	39·0	39·1	39·1	39·9	41·0	42·3	44·8	46·1
14.	34·8	34·3	33·2	32·6	32·1	31·3	31·3	31·9	35 5	40·7	43·8	44·3
15.	38·3	38·6	38·0	37·0	36·5	35·3	34·3	36·3	37·7	38·7	39 4	40·2
16.	36·5	36·3	36·3	35·8	36·0	35·9	34·5	36·0	35·9	37·3	40·5	44·0
17.	39·8	39·1	39·1	38·0	35·0	33·8	33·0	33·5	38·0	43·8	46·1	46·0
18.	41 7	41·8	42·7	43·0	43·2	42·6	42·2	42·3	43·2	44·0	44·5	45·0
19.	44·0	44·0	44·1	44·1	44 3	44·8	45·9	46·5	47·3	48·8	50·8	51·3
20.	47·5	47·4	47·3	47·3	47·0	45·2	44·8	45·5	47·5	48·1	47·8	48·3
21.	40·3	40·0	38·5	37·8	36·2	36·3	36·6	37 3	38·8	40·7	45·0	47·0
22.	41·2	41·2	41·0	41·1	41·8	41·8	42·0	42·6	43·0	43·2	43·8	44·2
23.	41·6	41 3	40·8	40·1	38·1	38·5	38·5	41·0	43·5	44·5	45·8	46·8
24.	45 0	45·7	45·7	45·9	46·0	45·0	46·4	46·5	47 0	48·4	49·0	50·0
25.	43·7	43·6	44·4	44·9	44·0	43·3	42 8	43·5	44·9	45·8	47·0	47·9
26.	42·2	42·5	42·6	42·3	41·8	41·5	41·6	42·2	43·5	44·3	45·0	45·8
27.	40·5	40·6	40·8	41 0	42·0	42·0	42·3	42·8	43·8	45·1	47·0	50·0
28.	43·9	44·2	44·2	44·0	43·6	43·2	42·7	42·9	44·2	44·2	46·5	49·1
Mean.	38 97	39·02	38·96	38·86	38·65	38·38	38·20	38·65	39·94	41·57	43 16	44·20

each Hour (120th Meridian Time), during the Month of February, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid. night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
34·8	34·8	34·3	34·0	32·8	32·6	32·3	32·1	32·0	31·7	30·0	29·2	31·77
29·3	29·3	29·3	29·2	29·0	28·3	28·0	27·8	27·3	27·0	26·8	26·6	27·79
27·0	27·8	28·1	28·3	28·7	28·9	28·8	28·8	28·3	28·2	28·3	28·8	27·00
31·8	31·8	31·9	31·9	31·9	31·9	31·7	31·7	31·8	31·8	31·7	31·5	30·21
48·8	48·5	47·5	45·8	44·8	43·9	43·3	43·2	43·4	43·2	43·8	43·9	40·66
52·6	52·3	51·0	48·8	47·2	45·0	43·8	41·0	40·0	38·3	38·4	40·0	45·40
47·2	47·2	48·2	48·2	47·0	46·8	45·0	44·8	44·3	44·2	44·8	44·8	45·60
48·2	48·8	48·2	47·9	47·1	46·5	46·0	45·9	45·9	45·5	45·0	44·8	45·97
49·0	49·8	49·3	48·3	47·0	45·2	44·0	43·1	42·0	41·0	40·8	40·6	45·00
46·9	47·0	47·0	46·6	45·8	43·6	41·8	39·0	37·3	37·0	36·0	35·9	40·86
40·6	41·0	40·2	39·8	39·7	39·1	39·0	39·0	39·0	38·7	38·0	37·9	38·08
44·5	45·0	45·3	45·0	44·3	43·5	41·0	40·9	39·3	39·1	37·5	35·3	40·65
47·8	48·3	48·5	47·8	46·9	44·0	42·2	41·0	40·0	38·3	37·0	36·0	41·35
44·2	44·5	45·3	44·9	43·8	41·0	38·0	37·3	36·2	38·3	38·6	38·8	38·20
42·0	44·9	43·0	41·3	40·0	38·5	36·2	36·6	36·8	36·5	36·6	36·6	38·30
48·4	47·0	42·0	41·5	40·9	40·2	39·0	38·2	38·3	38·5	39·8	39·1	39·08
46·0	46·0	46·1	45·7	44·3	44·0	44·1	44·0	43·2	43·0	43·0	42·3	41·54
45·9	45·9	45·5	45·2	45·0	44·7	44·6	44·8	44·5	44·6	44·2	44·0	43·96
51·8	52·3	53·2	52·8	52·0	51·0	50·7	50·7	50·7	50·0	49·0	48·0	48·67
50·8	50·0	49·7	48·5	47·0	46·3	45·5	44·8	44·3	44·1	43·0	41·7	46·64
48·2	48·7	49·2	48·0	46·0	44·1	43·0	42·4	42·1	41·8	41·3	41·4	42·11
45·3	46·2	46·0	45·3	45·0	44·4	43·3	43·1	43·5	43·0	42·5	42·5	43·21
47·8	47·9	47·0	46·3	45·2	45·0	44·0	43·5	43·0	43·0	43·0	42·7	43·29
51·8	52·2	52·1	51·8	51·0	49·0	48·0	46·0	45·7	45·8	45·2	44·8	47·71
48·8	48·9	49·0	48·9	47·0	46·2	45·0	42·8	42·8	42·8	42·8	41·9	45·11
47·3	47·7	47·6	47·2	45·3	44·9	44·2	43·9	43·5	42·7	41·1	40·8	43·81
49·7	48·8	48·3	48·2	47·0	45·5	44·1	43·0	42·1	42·9	43·3	43·5	44·35
50·5	51·3	50·2	49·0	47·0	44·1	42·3	42·2	42·4	42·8	42·5	41·9	44·95
45·25	45·50	45·11	44·51	43·53	42·44	41·39	40·77	40·32	40·14	39·79	39·48	41·12

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	41·0	40·0	39·8	39·7	39·0	37·8	36·7	37·4	40·0	41·8	44·5	46·2
2.....	42·0	41·6	41·1	40·6	40·2	40·0	40·5	41·2	43·3	44·5	45·8	46·5
3. ..	37·3	37·1	36·0	34·8	34·0	33·7	33·0	35·0	39·0	41·0	45·0	46·2
4. ...	33·4	33·5	33·0	32·8	33·0	34·0	36·0	38·3	41·0	42·5	44·0	45·0
5.....	37·0	36·6	36·3	36·6	37·1	37·9	39·2	40·0	41·5	42·8	46·0	47·0
6.	32·1	32·5	32·0	32·5	31·1	31·3	30·2	31·1	36·0	41·5	46·5	49·1
7.....	32·8	32·0	31·5	31·2	31·1	30·7	30·2	31·2	37·0	41·0	44·0	47·2
8. . ..	41·2	41·2	40·8	39·7	38·3	38·8	40·0	41·8	44·0	45·5	48·0	50·0
9.	42·0	43·8	44·5	44·8	44·7	44·1	43·5	44·0	47·5	48·7	50·5	52·0
10.....	36·5	40·8	42·9	43·2	43·0	42·1	41·8	42·2	42·3	43·1	45·5	46·6
11.....	37·5	38·3	38·8	38·3	39·0	39·0	39·3	40·0	41·8	42·0	44·0	45·2
12.....	35·5	33·2	32·1	32·0	32·1	31·3	30·3	32·5	36·0	41·0	44·0	45·0
13. . .	36·8	35·5	34·8	37·0	41·3	41·5	41·2	41·2	41·5	42·0	43·2	43·3
14. .	42·7	42·7	42·8	42·2	42·0	42·0	42·4	43·0	43·2	42·8	43·8	44·5
15.	37·1	36·9	36·6	36·8	36·2	36·2	37·0	37·5	38·8	40·5	44·0	46·0
16.....	33·1	33·8	33·3	32·3	30·0	29·9	29·0	29·1	35·0	35·8	41·0	43·0
17. ...	32·2	32·1	32·1	32·3	33·0	34·1	33·8	34·2	37·8	41·0	44·0	45·1
18.....	40·1	39·9	39·8	39·8	39·9	39·3	39·4	40·2	41·8	41·8	43·1	42·8
19. .	36·0	35·8	35·0	34·0	33·8	33·9	34·0	35·3	38·0	40·3	44·0	46·0
20.....	35·0	33·7	32·0	31·0	30·0	28·7	30·0	33·8	40·0	42·9	45·8	47·0
21. ...	36·9	37·1	40·0	40·8	41·2	41·3	42·0	42·1	41·0	39·8	40·0	45·0
22.....	34·8	34·2	32·8	32·3	31·4	32·0	37·5	39·0	40·3	41·7	42·3	42·1
23.	37·0	39·9	40·8	41·2	40·9	40·8	41·5	42·5	45·1	45·8	47·0	48·9
24.....	35·0	34·3	33·8	33·8	34·2	34·1	33·7	36·0	40·0	38·5	45·0	47·0
25.....	35·6	36·5	37·0	37·3	37·8	37·3	37·5	41·0	44·8	45·6	48·0	50·0
26...	38·0	36·4	35·8	35·3	34·2	32·5	31·5	39·0	45·3	46·1	48·0	50·7
27..	42·8	43·2	43·2	43·6	44·1	42·8	41·8	41·4	41·4	42·8	44·0	46·3
28	37·5	37·5	37·1	36·6	36·2	35·6	35·3	36·0	39·0	40·3	41·5	44·5
29.....	38·0	37·9	37·3	37·0	36·3	35·6	35·6	37·2	38·3	39·1	41·0	43·0
30.....	41·1	40·7	40·8	41·8	43·0	43·1	45·2	45·9	47·0	48·8	50·0	52·2
31.....	49·2	49·0	48·1	47·5	47·0	46·1	4·61	45·3	45·0	45·2	45·1	47·5
Mean..	37·65	37·66	37·47	37·38	37·26	37·02	37·26	38·53	41·05	42·46	44·79	46·48

each Hour (120th Meridian Time), during the month of March, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
47·3	49·0	49·7	48·2	46·3	45·2	44·1	43·8	43·2	43·1	42·0	41·9	42·82
47·3	47·2	49·0	49·3	48·0	45·0	42·0	41·2	40·7	39·9	39·2	38·5	43·11
48·2	48·0	46·9	46·9	46·8	44·6	42·0	40 0	38·0	36·0	35·0	33·8	39·93
46·0	46·8	47·4	47 8	47·5	46·0	45 0	44·5	43·0	41·5	40·0	38·3	40·88
48·1	48·8	48·7	48·4	48·0	45·0	42 0	40 0	37·0	35·8	35 0	33·2	41·17
51·5	53·0	53·0	50·5	49·0	47·0	43·0	40·5	38·4	37·0	35 0	33·8	39·90
49·0	50·0	50·3	50 7	50·0	48·5	45·0	43·3	40 0	39·6	40 4	41·0	40·31
51·8	52·7	53·3	53·9	53·8	53·0	50·0	47·5	42·5	40·0	39·1	38·5	45·22
53·6	54·2	54·8	54·6	54·0	51·5	45·0	40·8	27·3	36 8	37 0	36·2	46·08
48·0	48·2	47·2	46 8	47·0	44·5	41·3	40·0	39·5	39 9	38·2	37·8	42 81
46·5	47·4	48·0	48·1	47 9	47·1	44 0	41·8	40·0	37·8	36·9	36·9	41·90
45·1	45·1	45·8	47·2	45·2	45·8	45·0	42·0	38·8	38·0	39·8	37·1	39 16
45·5	44·8	44·0	43·8	43·1	43·0	42·8	42·9	42·7	42·3	42·0	42·5	41·57
43·1	42·8	42·0	41·5	41·2	41·2	41·0	39 7	39·2	39·3	38·0	37·5	41 69
40·0	40·0	38·0	39·5	37·2	36·9	36·9	37·0	36·0	35·5	35·3	35·0	37·95
44·2	45·0	44·8	45·0	44 3	42 8	40·8	39·6	36·0	35·0	34·0	32·3	37 05
45·3	45·5	45·3	45·0	44 0	43·0	42 0	40·9	40·8	40·9	41·0	40·9	39·43
45·9	44·0	44·0	43 8	43·1	42 0	41·2	41·0	40·5	39·9	38·0	37·0	41 16
48·5	49·3	49·8	49·5	49·0	46·0	44·0	42·0	39·8	39·3	39·2	37·0	40 81
47·7	48·0	48·2	48·1	47·5	44·3	40·3	39·0	38·6	39·1	39·3	37 8	39·49
45·8	45·0	43·3	44·9	44 0	41·5	38·3	38·0	37·0	37·0	35·3	35 0	40·51
42 1	41·3	39·8	39·8	40·0	39·5	39·9	40·0	40 8	40·9	40·0	38·8	38·17
51·5	52·2	50·8	49·2	47·5	46·3	44 0	42·8	41·5	39·8	37·5	36·0	43·77
49·5	50·1	49·0	48·5	47·8	45·0	42·0	40·0	37·5	37·3	37·9	37·0	40·29
51·3	53·0	54·1	53·6	53·0	48·0	45·0	42·0	43·3	43·6	42·0	39·3	14 02
52·3	53·8	54·7	52·8	51·0	48·2	46·2	46·1	45·2	43·0	42·3	42·7	43·80
48·5	49·4	50·8	48·9	46·5	45·2	44·0	41·5	40·6	40·7	39·0	38·2	43·78
44·9	44·7	46·2	43·5	42·0	40·9	39·8	38·8	38·2	38·0	38·0	38·0	39·59
45·0	47·5	51·0	50·2	48·2	47·7	45·0	43·5	42·7	42·3	41·5	41·1	41 75
54·3	55·5	56·8	55·2	52·3	51·5	49·0	48·5	48·1	47·8	47·4	48·3	48·10
49·9	50·1	50·7	49·3	48·0	45·5	43·0	41·0	40·0	39·2	38·0	36·9	45 53
47·64	48·14	48·30	47·89	46·88	45·24	43 02	41·57	40·21	39·53	38·87	38 01	41·88

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	36·3	36·2	36·8	36·9	36·3	34 8	34·1	36·5	41·0	43·2	46·0	47·3
2.	41·3	40·2	39·3	38·7	38·2	38·1	40·8	42·8	45·0	47·5	49·2	50·8
3.	39·0	39·2	38·9	39·0	39·2	39·3	40·8	41·7	42·8	44·0	46·0	47·0
4.....	46·0	46·0	45·6	45·8	46·0	45·1	43·8	43·8	45·5	46·8	47·2	51·3
5.....	38·0	39·0	40·3	40·7	41·0	40·1	39·0	40·0	42·0	44·0	45·5	47·8
6.	41·3	41·1	41·2	41·2	41·0	40·3	41·3	41·7	44·0	45·5	47·7	48·0
7..... .	41·8	41·4	41·5	41·1	39·5	39·0	42·0	43·1	46·0	46·3	47·0	48·8
8.....	47·8	48·2	48·4	48·1	48·2	48·5	50·0	49·9	51·0	51·8	53·5	54·0
9.....	48·0	48·0	48·4	48·1	48·2	48·6	49·5	51·8	54·0	54·2	53·8	52·3
10. ...	39·3	38·8	39·5	39·9	40·1	39·0	41·0	44·0	48·5	49·0	51·6	51·8
11.....	38·1	38·9	38·7	39·0	40·8	41·0	45·0	47·3	50·0	51·2	53·0	54·3
12.....	46·2	47·2	47·0	46·1	45·8	42·7	46·5	48·2	52·0	55 0	57·0	59·1
13.....	45·8	45·8	45·5	45·7	46·2	46·2	47·0	48·8	49·1	49·8	49·0	54·0
14.	41·8	41·0	39·3	38·2	35·5	35·0	39·0	45·0	49·0	51·0	51·7	52·0
15.....	39·3	39·1	39·3	40·0	40·2	39·9	40·0	45·5	51·0	53·8	55·3	56·0
16.....	48·2	47·1	45·3	45·0	44·5	43·8	45 2	45·2	45·0	43·1	43·3	45·5
17. . .	42·2	41 8	41·8	41·9	42·0	41·4	44·0	45·2	46·0	49·4	50·5	51·5
18.....	44·7	44·8	44·3	44·4	44·2	44·2	44·8	46·0	47·3	48·5	51·2	52·0
19.....	37·2	36·3	35·5	35·3	37·0	37·8	43·0	46·5	53·0	55·2	56·2	57·3
20.....	39·0	37·1	37·8	38·3	37·2	40·0	46·0	50·8	55·5	56·2	60·0	60·8
21.....	40·4	39·9	38·7	38·5	38·2	38·0	47·0	52·0	58·5	61 3	62·3	64·0
22.....	46·0	44·0	43·8	42·3	42·0	41·3	43·0	51·5	55·8	58·3	59·2	59·3
23.....	45·7	45·6	45·5	45·3	45·0	45·0	46·8	49·0	51·6	53·8	54·8	55·5
24. . .	41·0	39·2	39·1	37·8	37·0	36·3	45·0	51·0	56·0	59·3	60·7	61·0
25.....	44·0	40·0	38·8	39·3	38·0	37·3	42·0	46 5	56·0	58·5	59·4	59·3
26.....	40·9	40·0	39·2	39·5	42·0	46·0	49·5	52·0	56·0	57·9	58·8	60·0
27.....	48·0	48·0	46·8	46·3	46·0	44·6	46·5	50·0	51·5	52·6	53·1	53·2
28.....	34·0	32·3	32·1	32·0	32 1	35·0	41·0	45·5	51·0	53·8	56·0	56·9
29.....	35·2	34·1	33·2	33·1	33·1	33·1	34·0	41·0	50·0	55·0	56·0	56·1
30.....	39·0	38·7	37·0	36·3	36·0	36·2	42·0	47·5	55·0	57·5	58·2	58·2
Mean..	41·85	41·30	40·95	40·79	40·68	40·59	43·32	46·33	49·97	51·78	53·11	54·17

each Hour (120th Meridian Time), during the Month of April, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
47·5	48·0	49·1	49·2	48·2	46·3	45·0	41·8	40·8	40·2	40·0	40·8	41·76
50·6	49·7	45·1	45·1	45·0	45·1	44·3	42·8	41·4	41·3	40·1	39·2	43·40
47·1	46·9	46·2	46·2	46·8	46·0	45·6	45·9	45·8	45·9	45·9	45·9	43·79
52·2	47·8	45·0	45·7	46·0	45·2	44·1	43·1	42·1	41·3	40 0	39·2	45·19
48·0	47·5	45·0	44·0	45·1	44·0	43·0	43·2	43·3	43·4	41·7	41·5	42·80
43·8	46·8	47·7	47·0	46·9	46·3	45·1	43·5	43·1	42·6	42 2	42·1	43·81
48·8	47·7	46·3	45·4	44·8	45·2	45·6	45·7	45·1	44·9	44·3	45·0	44·43
54·3	53·6	54·0	54·2	54·9	54·8	53·7	52·5	51·0	49·3	48·9	48·7	51·22
50·0	46·3	47·1	47·1	47·0	45·0	44·0	42·0	42·5	41·7	40·8	40·3	47·45
52·3	52·3	52·8	52·5	52·0	51·0	48·5	45·5	42·0	40·0	38·3	37·2	45·29
58·0	59·8	61·2	61·8	60·5	58·0	50·5	48·2	46·7	45·8	45·1	45·0	49·08
60·7	61·2	62·8	60·3	56·5	54·2	52·2	50·3	49·2	48·3	47·0	46·2	51·74
56·2	51·8	50·5	49·4	48·0	46·1	45·0	44·2	43·8	43·3	43·0	42·3	47·35
53·2	53·8	53·9	53·2	52 1	50·0	47·8	46·9	45·1	44·0	43·0	40·3	45·91
57·0	57·4	57·0	55·1	55·2	54·3	51·8	50·5	49·8	48·8	48 3	48·2	48·87
49·0	51·0	48·5	48 8	48·7	46·1	45·1	44·1	43·8	43·5	42·8	42·6	45·63
54·0	55·0	54 0	52·4	52·0	50·0	48·0	46·8	46·0	45·5	45·0	44·9	47·14
53·2	54·0	56·5	54·8	53·0	50·7	48·5	46·1	44·0	42·0	39·3	38·7	47·39
59·2	61·5	62·5	62·2	61·8	57·5	55·3	52·0	46·5	44·0	42·0	40·5	48·97
63·0	64·8	63·0	59·1	59·0	56·3	53·2	51·7	49·0	45·8	43·2	42·0	50·37
65·2	65·8	67·0	67·2	65·0	60·0	57 0	53·5	49·3	47·5	46·3	46·8	52·89
61·5	61·0	61·6	61·3	60·0	55·6	53 0	48·3	47·3	46·9	46·1	46·0	51·46
56·9	57·8	58·1	57·3	58·2	56·8	55·0	52·0	49·0	47·1	44·8	43·2	50·83
62·9	64·6	63·0	59·5	58·0	56·0	53·0	49·5	46·0	44·8	46·1	46·2	50·54
58·8	58·8	62·2	61·0	58·2	57·7	55·0	53 1	49·0	46·3	43·3	42·1	50·19
61·5	62·0	62·0	63·0	60·0	57·0	53·0	51·9	51·0	48·9	48·1	47·8	52·00
54·0	55·5	56·5	57·0	56·0	54·8	52·0	50 0	45·0	40·0	37·0	35·5	49·16
58·3	59·3	61·2	61·5	60·0	59·2	54·0	48·0	45·0	42·1	38·8	37·2	46·94
59·0	60·8	59·6	59·2	58·3	57·3	55·0	50·0	47·0	45·8	42·5	41·0	47·06
60 0	61·2	59·5	58·0	55·0	54·7	54·5	52·8	49·0	46·3	44·8	43·2	49·19
55·21	55·49	55·30	54·62	53·74	52·04	49·93	47·86	45 95	44·58	43·29	42·65	47·73

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	41·9	40·9	40·0	38·5	38·0	38·8	45·0	50 0	57·8	60 8	62·0	60·8
2.	45·3	44·7	42·0	41·2	41·0	40·0	41·8	48·5	56·0	57·8	60·0	59·0
3.	48·4	48·2	47·0	45·8	44·0	42 4	43·0	46·0	53·0	57·0	60·0	61·1
4.	45·5	43·3	42·0	41·0	40·8	40·3	44·0	49·5	53·3	53·5	54·2	55·0
5.	43 1	42·7	42·0	41·3	40·9	42·0	47·0	51·0	55·5	58·0	60·0	60·8
6.	47·1	46·8	45·3	45·8	44·1	44·1	49·0	53·8	59·5	60·8	61·7	61 9
7.	48·8	48·3	48·2	48·2	48·2	48·7	50·0	52·1	53·8	55·0	57·5	59·0
8.	48·2	48·3	48·5	49·0	49·2	49·1	49·9	50·5	51·8	52·7	53·8	55·8
9.	47·3	47·2	47·3	47·8	48·0	47·0	48 0	49·1	50·7	51·3	54·3	55·8
10.	50·4	50·0	49·1	48 5	48·0	47·8	48·5	51·0	55·0	57·5	58·0	58·8
11.	46·1	45·8	46·0	46·1	46·1	46 7	48·5	50·3	51·5	55·0	56·0	57·0
12.	43·3	42·8	41·2	41·0	41 8	43·0	45·0	47·0	55·0	57·8	59·8	62·0
13.	48·0	47·9	47·3	46·8	46·0	47·4	50·0	52·0	55·0	56 8	57·8	60·0
14.	46·6	45·8	44·3	43 8	44·9	46·9	51·5	55·0	60·8	61·4	62·0	62 0
15.	52 0	51·0	49·0	48·7	49·0	49·7	52·5	57·0	60·0	64 3	65·8	66·8
16.	51·6	51·7	51·5	51·3	51·3	52·1	54·8	55·3	57·0	59·6	59·0	60·0
17.	48·2	48·1	48·5	49·1	50·1	51·0	52·0	53·5	57·0	61·0	63·8	64·8
18.	53·1	51 8	50·1	50·0	51·0	51·1	52·3	52·9	55·0	56 9	57·9	57·3
19.	49·5	48·8	48·0	47·9	47·3	47·0	49·3	51·0	55 0	58·9	56·2	63·0
20.	50 0	49·9	50·1	50 0	50·0	50 8	52·8	54·0	56·2	57 0	59 0	59 2
21.	46·8	45·5	42·6	41·1	41·0	40·9	45·0	49·5	57·5	59·3	61 0	60 9
22.	46·9	45·8	45·8	45·0	44·5	45·5	49·0	53·5	62·0	65·0	68·5	69·9
23.	50·6	50·0	49·8	49·8	50·0	52·3	54·5	57·8	60·0	61·0	62 0	63·0
24.	52·0	51·3	51·3	51·5	51·1	51·2	55 0	59·5	61·1	61·0	63·3	63·5
25.	49·8	48·8	46·0	45·1	45 0	15·8	50 0	56·0	62·3	63·2	65·0	64 5
26.	48·2	47·8	47·1	46·1	45·6	47·0	50·5	58·5	65·0	67·1	67·0	65·5
27.	52·3	52·2	52·0	51·8	52·0	52·9	58·0	65·5	67·0	68·0	69·0	69·8
28.	52·0	51·8	51·0	50·3	50·8	52·8	57 0	61·0	65 0	67·2	68·0	69·9
29.	51·1	50·3	49·8	48·7	48·0	50·5	53·3	59·5	66·8	61·2	62·0	67·0
30.	49·5	49·0	48·8	18·8	49·2	50·3	54·0	68·5	74·0	76·5	76·0	73·0
31.	58·8	56·3	55·8	55·8	56·1	56·3	57·0	57·0	58·3	59·0	61·0	62 0
Mean.	48·95	48·15	47·34	46·96	46·87	47·46	50·26	54·06	58·13	60·05	61·34	62·23

each Hour (120th Meridian Time), during the Month of May, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°		°	°	°	°	°
64·2	64·0	62·0	63·0	61·0	60·0	55·0	53·2	50·0	50·0	48·8	46·3	52·17
56·3	56·3	57·8	59·8	58·0	55·0	53·5	54·0	53·8	52·0	50·1	49·9	51·41
61·4	62·8	63·0	61·8	62·1	61·0	58·0	55·3	51·5	50·2	49·6	49·0	53·40
57·3	59·0	60·0	61·2	60·0	57·0	54·8	52·3	50·0	48·4	47·0	44·3	50·57
58·8	61·8	61·9	61·3	60·9	58·0	56·7	55·0	53·0	50·1	49·0	48·0	52·45
64·8	65·9	66·8	65·2	62·2	57·3	55·0	52·0	50·2	50·0	49·9	49·3	54·52
60·3	62·8	61·5	60·0	58·5	56·0	53·0	51·0	49·2	48·8	48·3	48·2	53·14
54·2	54·4	55·0	53·8	52·3	52·1	51·0	50·0	49·5	49·8	48·4	48·3	51·07
57·2	56·8	57·8	57·0	55·0	53·0	52·5	52·0	51·8	51·1	50·6	50·8	51·64
61·0	58·3	56·2	56·2	55·8	54·0	52·0	50·2	48·8	47·8	47·0	46·8	52·36
58·0	55·5	58·0	61·7	59·0	54·3	51·2	50·0	48·0	46·5	45·8	44·3	51·12
63·8	62·4	61·0	60·3	59·0	55·5	52·3	49·8	48·8	48·5	48·3	48·2	51·57
61·0	63·0	62·0	58·3	58·0	55·1	53·0	50·8	49·2	48·2	47·8	47·3	52·86
63·0	63·5	65·4	64·3	63·5	63·1	62·0	59·5	56·5	55·1	54·3	52·8	56·17
68·2	66·0	63·0	59·0	55·5	55·0	54·9	54·8	55·0	55·0	53·7	53·5	56·63
60·3	60·2	59·5	60·9	61·1	61·0	59·0	56·9	55·0	52·0	50·3	49·1	56·02
65·2	65·1	64·8	63·3	62·0	60·9	59·0	57·0	55·0	55·0	54·0	53·6	56·75
58·0	61·0	62·8	60·0	58·0	57·3	57·7	57·0	56·1	54·8	53·0	51·2	55·26
66·1	65·2	65·1	68·0	66·2	59·5	53·2	52·0	51·0	50·3	50·9	51·0	55·02
61·3	61·5	61·8	59·5	58·0	57·0	55·1	53·9	52·3	51·1	50·3	48·0	54·53
61·0	63·0	64·3	64·2	63·8	61·7	59·8	56·3	53·0	51·6	49·6	48·9	53·59
66·3	65·8	65·8	63·0	58·3	58·3	59·5	57·5	55·3	53·3	51·0	50·7	56·00
65·3	62·0	61·3	59·4	59·4	58·5	56·0	54·0	53·8	53·2	52·3	51·9	56·16
64·6	63·0	60·2	60·8	62·3	61·2	59·0	56·2	55·0	53·5	52·5	51·0	57·10
65·0	65·0	67·0	64·1	64·2	63·0	59·0	56·3	53·2	52·2	50·3	49·3	56·25
67·5	68·3	68·5	70·3	66·3	62·0	60·0	57·5	54·8	54·0	53·2	53·1	57·95
71·3	72·2	70·0	69·3	69·0	66·5	62·0	58·0	55·0	52·7	52·6	52·8	60·91
70·0	69·9	67·0	63·0	59·3	61·5	60·0	58·2	55·0	53·1	52·8	51·7	59·13
70·0	72·8	71·3	64·3	65·2	65·3	63·8	60·5	56·0	54·8	53·0	50·9	58·75
75·5	76·0	74·8	73·8	74·2	72·5	70·0	58·0	60·0	62·7	62·8	61·5	64·14
64·7	65·0	62·0	61·4	61·0	58·3	55·8	53·5	51·2	50·5	49·9	49·4	57·34
63·26	63·50	63·15	62·20	60·91	59·06	56·89	54·60	52·81	51·75	50·85	50·00	55·03

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1....	49·3	49·2	49·0	48·3	47·1	48·0	52·0	55·5	58·0	60·2	61·2	63·0
2.....	47·0	46·0	44·5	44·1	43·9	43·8	47·0	52·5	60·0	64·3	66·5	67·8
3.....	48·0	47·5	46·9	46·9	49 0	50·5	56·0	62·6	64·7	65·2	65·6	65·8
4.....	55·5	54·8	54·0	53·5	54·4	54·6	58·5	63·5	66·3	69·2	69·2	67·8
5....	52·2	52·1	52·0	51·2	51·3	52·1	55·0	56·8	57·5	61·3	68·6	68·6
6....	49·1	49·1	49·0	49·0	49·1	51·2	52·3	55·5	57·0	62·3	64·2	65·0
7.....	52 3	51·1	50·3	49·6	48·3	47·8	49·0	53·0	60·0	63·0	64·2	65·0
8.....	54·1	54·0	54·0	54·0	55·4	53·8	53·8	54·0	58·0	60·5	64·8	63·0
9.....	50·1	50·0	49·3	49·1	49·0	49·3	52·0	54·8	58·0	58·0	62·5	59·5
10.....	50·9	50·6	50·0	50·0	49·8	49·4	41·5	52·5	54·5	56·3	58·5	61·0
11.....	49·2	49·1	49·0	49·4	50·0	50·0	50·0	50·5	51·2	52·2	54·0	55·0
22.....	49·3	48·7	47·8	47·7	48·0	48·8	50·3	51·8	52·8	55·0	58·0	61·8
13.....	48·9	48·2	47·5	47·3	47·1	49 5	54·0	57·0	62·0	62·9	64·0	63·0
14.....	49·0	49·0	49·2	49·5	50·6	50·8	52·0	54·8	55 8	57·7	58·0	57·9
15.....	50·0	50·0	50·1	50 2	50·0	49·5	51·5	53·2	57·5	60·0	61·2	61·3
16.....	53·7	54·0	53 5	53·3	53·0	53·0	55·5	58·0	61·2	63·3	64·2	67·8
17.....	49·3	49·0	48·0	46·7	46·0	48·8	55·0	60·0	64·5	66·3	68·0	68·3
18.....	51·3	50·7	49·8	49·2	50·0	53·0	61·0	65·0	68·3	70·2	69·1	69·2
19.....	54·0	52·2	51·0	49·2	49·0	52·5	58 0	62·5	67·8	68·0	71·2	71·5
20.....	52·0	52·3	52·5	52·9	53·3	53·8	55·5	59 0	61·8	62·7	63·8	64·1
21.....	50·0	50·0	50·1	50·0	49·2	49·0	52·0	55·5	63·0	65·8	67·8	67·2
22.....	50·0	49·4	48·0	47·3	47·2	49·0	55·0	60·0	63·8	65·8	68·5	70·0
23.....	54·0	54·0	52·0	49·8	48·3	51·3	56·0	61·6	67·0	67·3	70·0	70·2
24.....	56·8	56·0	54·5	53·0	51·2	51·0	53·0	58·0	63·5	66·3	68·5	69·2
25.....	53·5	52·8	51·8	51·2	52·0	56·0	60·0	67·0	71·0	70·5	72·0	72·3
26.....	55·0	54·1	53·1	52·3	54·0	57·0	63·0	67·5	73·0	75·8	75·9	74·5
27.....	55·8	55·0	53·8	52·8	52·3	53·5	54 0	54·5	58·0	60·5	62·8	65·0
28.....	53·0	53·0	52·1	52·1	52 0	51·8	53·5	56·0	63·0	65·0	67·0	69·0
29.....	54·1	53·0	52·3	52·7	53·6	55·0	60·0	63·0	64·5	65·0	65·6	68·0
30.....	53·5	52·5	51·2	51·6	51·8	52·8	55·0	58·0	60·0	61·5	65·0	66·1
Mean..	51·70	51·25	50·54	50·13	50·18	51·22	54·05	57·79	61·46	63·40	65·33	65·93

each Hour (120th Meridian Time), during the Month of June, 1907.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°			°	°		°		°	
63·0	61·2	63·0	62·0	60·1	58·5	56·3	55·5	53·5	52·1	50·0	48·5	55·19
69·7	69·9	70·5	69·3	66·0	60·1	57·0	55·0	52·0	50·3	49·9	49·0	56·17
68·0	70·5	72·5	73·0	70·3	68·8	64·0	61·2	57·2	56·0	55·2	56·6	60·08
65·0	63·5	63·3	61·2	59·7	60·8	59·5	55·8	52·5	51·9	51·7	52·0	59·09
65·2	65·8	63·3	63·8	63·0	60·3	58·0	54·0	51·0	50·2	49·3	49·1	57·15
67·3	67·2	67·8	63·2	62·0	63·8	62·0	59·7	57·5	54·8	53·2	53·0	57·68
67·3	68·2	68·5	67·7	67·0	64·3	61·3	60·0	57·0	56·1	55·4	55·0	58·39
62·8	58·0	61·5	62·3	62·4	60·5	58·0	54·3	52·0	51·3	50·8	50·1	56·79
61·0	61·2	60·0	55·0	54·8	53·5	51·7	51·5	50·0	49·7	50·0	50·7	53·78
60·0	58·2	59·4	58·8	55·1	54·7	53·0	52·3	50·5	50·1	49·8	49·2	53·17
57·3	59·0	60·7	61·4	58·5	57·9	56·3	53·5	51·5	50·1	49·8	49·3	53·13
63·0	64·2	62·0	63·0	61·1	58·5	56·0	54·2	52·3	50·7	50·0	49·2	54·34
62·8	62·9	63·0	63·0	63·0	60·5	57·0	54·2	52·0	51·3	50·2	49·7	55·88
58·2	58·8	59·3	60·0	60·0	57·5	55·0	53·2	52·0	50·9	50·2	50·1	54·15
63·7	64·3	64·5	64·0	62·0	60·0	58·5	56·5	55·5	54·9	54·0	53·8	56·51
63·0	62·5	61·0	61·8	60·0	60·5	56·2	54·0	51·3	50·0	49·8	49·5	57·09
70·0	70·1	70·2	69·6	69·0	66·2	61·0	57·5	55·5	54·8	54·0	52·3	59·17
70·3	72·0	71·0	69·3	64·0	62·8	62·3	61·1	58·1	57·3	57·0	55·0	61·12
73·1	73·1	69·0	67·1	65·0	60·3	56·5	53·7	52·8	52·2	52·1	52·0	59·74
63·9	63·7	63·0	62·1	61·2	58·8	55·0	54·0	52·6	51·6	51·2	50·9	57·15
68·8	68·9	70·0	71·8	67·5	65·8	65·0	64·0	61·0	58·2	53·5	51·8	59·83
71·0	71·3	72·3	71·5	71·0	71·0	70·0	61·5	58·0	57·0	58·0	57·0	60·98
70·3	71·8	72·2	71·2	69·0	65·2	68·0	66·0	64·0	61·5	59·0	58·0	62·40
74·6	73·7	70·3	70·9	69·8	64·5	62·0	61·5	60·2	59·6	58·0	56·0	61·75
73·1	75·0	77·8	75·3	76·0	75·3	70·0	62·5	62·1	61·8	59·0	56·9	64·79
77·0	76·0	75·5	75·0	73·2	75·3	75·0	70·8	66·0	63·0	60·3	57·3	66·65
66·0	71·0	70·0	65·5	60·0	58·0	56·5	55·0	53·0	52·2	52·2	52·0	57·89
67·5	62·5	61·3	62·2	62·1	60·0	59·0	58·1	57·6	56·1	55·1	54·6	58·48
68·2	66·0	65·2	62·0	60·2	61·0	55·5	55·1	55·0	54·4	54·0	54·1	59·06
69·1	67·6	65·0	63·0	64·2	62·5	61·1	55·2	54·7	54·2	54·0	52·7	58·43
66·67	66·60	66·44	65·53	63·91	62·23	59·96	57·36	55·28	54·14	53·22	52·51	58·20

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	52·2	52·9	53·0	53·2	54·0	54·0	54·6	55·2	57·8	56·5	57·0	63·0
2.....	52·4	52·8	53·0	52·5	51·6	51·5	58·5	60·0	65·0	69·2	71·3	72·5
3.....	58·5	57·3	56·7	56·9	56·0	54·0	54·3	61·0	65·5	67·2	67·1	67·0
4.....	53·5	52·5	51·8	51·9	52·0	52·8	55·0	58·3	63·0	63·8	64·3	64·8
5.....	53·0	49·8	48·3	47·4	47·0	46·6	52·0	55·0	61·5	65·5	69·3	70·9
6.....	52·8	52·4	49·0	48·1	48·0	49·3	57·0	60·5	66·0	68·3	72·8	73·8
7.....	53·2	51·8	50·8	50·1	50·0	50·8	55·0	61·0	67·5	69·0	70·7	72·0
8.....	54·2	53·9	54·0	53·0	53·0	56·0	65·0	68·8	75·5	77·3	75·0	73·8
9.....	58·0	57·5	55·5	54·8	54·0	55·0	58·0	65·5	71·0	72·1	73·2	72·7
10.....	54·0	53·8	53·4	52·9	53·0	55·8	62·0	68·0	70·5	70·0	70·0	70·3
11.....	52·3	52·0	51·0	49·6	50·0	52·4	60·0	65·5	68·0	69·0	70·3	68·0
12.....	50·8	50·9	49·2	48·9	49·0	49·0	52·0	60·0	65·3	68·1	69·5	69·8
13.....	55·1	54·8	53·3	52·3	51·8	54·5	57·5	61·8	63·0	64·1	66·2	65·6
14.....	55·4	55·8	55·4	54·8	53·8	54·0	57·5	61·8	64·0	66·6	66·0	70·0
15.....	58·3	57·0	55·0	53·8	52·9	52·8	54·8	57·4	61·0	63·8	65·8	67·0
16.....	55·1	54·8	53·8	53·4	53·0	52·1	54·0	56·0	64·5	65·5	67·0	65·5
17.....	52·0	51·6	51·5	50·8	50·6	52·5	54·0	55·8	58·8	60·5	63·0	68·8
18.....	54·2	54·4	54·4	54·9	55·0	55·3	57·0	60·5	63·2	62·0	64·0	66·8
19.....	52·9	52·3	51·0	50·3	50·9	52·5	60·5	63·8	69·5	73·1	75·5	74·3
20.....	56·2	55·1	54·8	53·6	53·2	53·2	55·0	60·5	66·7	69·5	73·8	74·0
21.....	55·8	55·1	55·0	54·8	55·0	55·2	56·0	57·8	61·5	65·5	67·0	66·8
22.....	55·7	55·0	54·7	54·1	54·1	55·0	56·7	60·3	64·0	65·2	65·1	64·8
23.....	55·2	53·0	51·8	51·3	51·3	51·3	53·5	55·8	57·5	60·0	65·6	66·0
24.....	52·1	51·8	51·8	51·5	51·3	51·1	53·0	54·8	61·5	65·5	69·0	68·3
25.....	52·4	52·0	51·3	50·9	51·0	50·8	54·0	57·0	63·0	67·0	70·5	72·2
26.....	54·8	54·9	55·0	55·0	55·3	55·4	57·0	59·0	64·8	66·8	69·0	71·9
27.....	55·6	55·3	54·8	54·6	54·5	54·6	55·5	57·8	64·0	65·8	67·8	69·0
28.....	54·0	53·4	52·3	50·8	50·0	50·0	54·0	56·5	65·5	68·0	71·0	71·0
29.....	54·1	53·0	52·1	50·8	50·8	50·7	54·0	61·4	68·0	70·8	71·0	71·0
30.....	56·5	56·2	55·9	56·0	56·3	56·6	59·5	61·8	67·0	75·9	81·0	82·9
31.....	64·0	63·3	63·8	63·8	61·0	61·0	66·0	71·3	74·5	78·2	78·0	76·8
Mean..	54·65	54·08	53·40	52·80	52·56	53·19	56·55	60·32	65·12	67·38	69·25	70·04

each Hour (120th Meridian Time), during the Month of July, 1907.

Hour Ending												
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	Mean.
°	°	°			°	°		°		°	°	
66·0	68·0	63·7	66·5	65·0	63·8	58·0	55·8	54·0	53·2	52·1	52·3	57·57
76·0	71·5	71·5	73·6	72·0	70·3	65·0	61·3	59·8	59·3	58·8	58·7	62·96
66·8	64·2	61·5	61·0	61·8	61·0	61·0	59·3	55·0	54·1	53·9	53·7	59·78
65·0	65·9	67·0	67·8	66·0	65·0	63·0	58·5	55·2	54·2	54·7	54·5	59·19
69·0	66·0	67·0	68·2	69·0	67·5	65·0	62·0	58·8	55·8	53·1	52·8	59·19
74·6	74·1	74·0	72·0	70·1	69·8	63·0	60·8	59·8	59·0	57·0	54·5	61·94
74·5	76·8	77·7	76·2	76·0	75·0	70·0	64·0	60·0	58·0	55·5	55·1	63·36
76·0	77·3	77·5	77·3	75·0	71·8	65·0	65·8	66·2	64·0	61·3	58·8	66·48
74·1	71·8	73·1	75·0	72·5	69·0	63·5	58·2	55·0	54·5	54·1	54·1	63·42
73·0	75·0	77·0	75·9	73·0	74·8	69·0	62·5	59·0	55·5	54·0	53·3	63·99
70·3	70·8	70·3	71·8	68·0	64·4	57·0	55·0	54·0	52·9	52·1	51·2	60·25
71·2	72·6	74·8	70·3	69·0	68·7	66·0	63·3	58·8	57·0	55·3	54·7	61·01
67·1	67·5	70·0	67·8	67·0	66·5	59·0	56·3	55·1	54·6	54·9	55·2	60·12
71·3	71·2	69·3	68·6	66·0	66·8	65·8	65·5	64·3	61·5	59·0	58·9	62·61
67·8	67·7	67·0	67·5	70·0	66·0	64·0	61·3	59·0	57·3	56·0	55·8	60·79
67·0	70·2	66·3	66·0	65·6	65·1	63·0	60·5	57·0	55·6	54·2	53·7	59·95
66·4	65·0	64·8	63·6	64·4	64·0	60·0	59·9	58·2	55·1	55·2	55·1	58·10
68·9	71·8	70·8	70·0	69·7	68·3	65·0	58·3	56·0	56·0	55·2	54·0	61·07
77·7	77·6	78·2	77·1	75·0	70·3	65·0	61·0	60·6	60·3	60·0	57·5	64·45
74·0	75·0	73·0	71·7	71·0	74·2	72·0	67·5	64·0	59·8	57·8	56·5	64·25
66·8	65·4	64·7	68·0	69·2	66·5	63·0	60·5	59·7	58·3	57·0	56·0	60·87
64·8	65·0	69·0	70·2	67·2	64·0	59·8	58·8	56·7	55·3	55·4	55·1	60·25
69·5	72·0	74·6	73·5	72·0	66·0	61·5	58·8	55·0	53·8	52·9	52·8	59·78
70·4	68·8	69·8	68·0	66·8	64·0	59·0	56·3	57·0	56·8	55·0	53·2	59·43
72·8	73·0	71·0	67·8	70·5	69·0	63·0	58·5	55·5	55·1	55·1	55·0	60·75
72·9	72·9	72·3	71·3	69·5	66·8	64·0	61·5	59·0	57·0	56·7	55·5	62·43
71·5	73·1	73·0	71·5	70·3	69·4	67·0	61·0	58·0	57·3	56·0	55·0	62·18
71·5	72·0	72·0	71·5	69·0	69·5	65·0	61·8	59·3	58·8	57·0	55·5	61·64
72·7	73·3	75·8	77·0	74·3	75·5	73·0	67·0	62·5	60·0	58·7	58·0	63·98
86·5	85·5	82·5	83·2	81·0	80·0	76·5	72·5	68·3	66·0	65·5	65·3	69·90
75·4	75·5	72·5	74·2	73·0	74·0	71·0	67·0	65·0	63·3	62·8	63·0	69·10
71·34	71·50	71·35	71·08	69·94	68·61	64·58	61·31	58·90	57·40	56·33	55·64	61·97

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	62·3	61·1	60·5	56 0	55·1	54·1	54·1	57·5	61·9	63·6	68·5	68·8
2.....	58·0	57·2	56·1	54·9	55·8	56·9	58 7	62 0	53·1	64·5	67·0	66·0
3.	56·4	55·9	56·0	56·8	57 0	57·8	59·0	60·8	64·7	66·3	68·3	66·1
4.....	55·9	56·0	55·5	55·1	55·8	56·0	58·0	59·3	60 2	63·5	65 8	67·2
5.....	54 8	55·0	55·0	55·0	55·0	55·0	57·0	59·5	63·0	63·6	65·5	65·8
6.....	54·7	54·3	54·1	53·3	53·1	53·5	54·2	54·9	55·5	57·0	59·0	62·3
7.....	53·5	53·2	52·8	52·7	53·6	53·6	55·2	55·9	57·5	58·8	60·0	60·0
8.	52·0	51 0	49·6	49·5	48·7	49·7	55·0	56·8	61·5	63·0	65·0	65·8
9.....	49·3	49 8	47·4	46 4	46·0	45·8	50·0	55 0	63·5	65·9	67·3	67·9
10.....	55·1	55·1	55·1	56·0	56·8	56·0	56·2	56·5	58·3	58·2	56·6	59·5
11.	53·9	53·6	53·0	52·8	53·0	53·0	55·0	56·8	58 0	60·7	64·0	66·0
12.....	47·5	46·0	45·0	44·1	43 9	43·9	44·0	49·0	55·0	59·0	64·0	66·1
13.	52·1	51·1	51·1	51 1	51·0	51·0	53·0	55·5	57·0	57·7	59·0	64·0
14.....	55·8	56·0	55·6	55·2	54·3	54·1	54·5	55·7	60·5	63·3	66·5	67·0
15. ..	56·0	51·2	50·0	49·3	49·1	50·3	53·0	57·0	63·5	67·0	71·0	70·2
16.... .	53·1	52·0	51·0	51·9	52 2	53·7	55·5	58·0	61·0	66·3	68·1	70·0
17... . .	56·0	55·0	54·3	51·5	54·1	54·0	55·0	56 0	59·5	60·6	62·5	63·2
18.	54·0	53·5	53·6	53·2	52·0	50·9	50·5	55·0	61·0	64·8	66·2	67·1
19.....	50·1	49·1	48·6	48·3	48·4	47·7	54·0	59·5	64·0	66·8	69·0	71·1
20.....	51·3	50·7	49·2	48·7	48·9	48·0	50·0	61·0	69·0	71·8	73·8	76·0
21.....	53·0	52 8	52·0	50·9	50·5	50·1	54·0	58·5	67·5	69·5	72·7	72·0
22.	57·3	58·0	57·8	57·3	58·0	57·6	57·7	59·3	63·0	65·2	69·0	72·5
23.	55·2	54·3	53·8	53·8	53·1	52·6	53·5	58·0	64 3	65·2	68·0	72·3
24.	55·0	55·8	55·0	54 3	53·0	53·0	55·0	59·8	64·0	68·8	69·7	73·0
25.	57·6	57·1	56·3	56·2	56·1	56·0	57·2	57 6	57·7	57·1	58·3	60·0
26.....	55·4	55·3	54·5	53·6	53 0	53·0	55·0	56·0	58·8	59·4	59·4	60 8
27.	51·0	49·8	48·2	47·5	47·9	47·9	49·0	51 8	57·5	62·8	63·0	65·5
28.....	49·7	48·3	47·8	47 8	47·1	47·1	50·0	52 8	57·5	66·3	67·0	64·0
29.....	59·0	56·8	56·0	56·0	57·8	57·3	56·0	54·4	57·0	59·0	60·5	60·0
30.....	48·3	47·1	46·8	45·8	45·0	44·5	44·5	45·7	53·0	58·8	61·0	62·0
31.....	46·8	46·8	46·8	46·8	47·0	46·8	47·5	54·5	60·0	67·5	70·0	70·8
Mean..	53·84	53·19	52·53	52·09	52·01	51·96	53·59	56·46	60 26	63·29	65·35	66·55

each Hour (120th Meridian Time), during the Month of August, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
73·5	75·1	74·1	71·2	70·5	68·0	67·5	64·5	63·8	62·5	61·0	59·8	63 96
65·1	65·0	65·0	65·1	63·5	60·0	60·2	60·1	58·0	57·1	56·3	56·8	60·10
66·5	70·3	68·5	68·0	67·5	63·3	60·0	58·0	56·7	66·5	56·0	56·0	61·77
66·0	65·0	62 0	60 0	58·1	57·6	57·0	56·1	55·1	55·0	54·8	54 8	58·74
68·0	69·8	70·5	70·8	68·0	63·0	59·0	56·2	54·8	55·0	55·5	55·3	60·42
64·0	65·7	66·0	62·3	61·2	61·8	61·0	60·7	56·5	56·3	56·2	55·5	58·05
60·0	59·7	59·8	59·5	64·1	62·0	60·0	58·0	55·8	55·0	54·3	52·8	57·00
67·8	68·2	68·2	68·0	65·8	64·3	62·0	59·8	56·5	54 0	52·0	50·3	58·52
69·3	70·8	70·0	68·0	67·0	64·1	60·0	57·3	56·7	56·0	55·8	55·4	58·53
61·0	62·5	62·0	61·1	61·0	59·0	58·0	57·8	56·5	56·0	55·7	54·8	57·70
69·0	65·0	69·4	67·5	65·3	64·8	62·0	59·0	54·0	53·0	51·5	49·0	58·72
69·0	66·2	65·5	67·2	67·7	65·5	60·0	57·0	53·9	53·3	53·1	52·5	55·77
65·1	67·8	66·0	62·0	61·1	62·5	61·0	60·5	60·5	60·3	56·0	55 8	58·01
69·2	70·8	70·1	69·1	67·1	66·3	63·0	58·1	57·5	57·2	56·2	55·8	60·79
71·0	71·7	72·0	67·1	66·0	64·2	62·0	60·0	55·0	54·3	53·3	53·3	59·85
71·5	73·0	74·2	73·5	72·0	65·0	61·5	60·0	59·3	59·5	59·0	59·0	61·68
64·0	65·2	64·5	63·8	62·5	61·8	60·5	59·2	57·0	55·8	55·4	55·0	58 73
68·0	69·0	70·0	70·1	69·0	67·2	64·0	59·5	57·0	55·3	54·0	52·0	59·87
74·0	75·2	75·5	70·5	68·1	67·0	61·0	60·6	57·0	55·0	53·3	52·7	60 40
78 2	76·5	69·4	70·8	71 3	72·0	64 0	61·5	56·3	55·7	54·5	54·3	61·79
71·0	70·8	65·0	66·0	67·7	66·2	64·0	62 1	60·8	58 9	57·3	56·8	61·25
73·5	75·0	73·0	71·8	71·0	67 8	65 0	61·8	58·0	56·9	55·8	55·1	63·22
73·4	73·4	72·5	74·8	73·0	69·8	67·0	63·0	59 0	58·3	57·8	57·2	62·64
73·5	74·8	74·5	72·2	67·0	67·8	60·0	58·0	56·2	56·2	57·0	57·3	62·12
62·4	62·0	62·0	63·8	63·0	65·8	64 0	60·0	59·0	56·0	55·0	55·0	58·97
63·5	63·9	63·9	63·1	61·5	59·3	56·0	55·0	52·5	51·8	51·3	51·2	56·97
68·4	69·0	68·0	66·2	64·0	63·0	60·0	56·0	54·2	53·1	52·0	50·8	56·94
62·5	62·6	66·3	64·5	63·9	63·8	55·5	58·0	61·0	60·7	60·0	59·4	57·65
60·9	61·8	63·8	63·8	61·5	60·5	58·5	57·0	55 3	54·0	51·0	49·3	57·80
65·7	64·0	62·5	57·9	55·5	53·1	51·0	49·5	48·8	48·0	47·3	47·1	52·20
69·0	67·8	67·0	66·8	66·0	65·0	64·0	60·5	59·8	60·5	60·5	59·3	59·06
67·87	68·31	67·78	66·66	65·49	63·92	61·02	58·86	56·85	56·36	55·13	54·50	59·33

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°		°	°	°	°
1.	55·8	54·7	54·7	53·7	53·7	54·5	57·0	58·0	59·0	59·6	60·3	62·0
2.	57·0	57·0	57·0	57·0	57·0	56·8	56·0	55·3	55·4	56·2	56·9	57·0
3.	54·3	54·0	53·6	53·3	54·0	54·5	55·2	56·2	57·3	58·7	61·0	63·0
4.	56·0	54·3	53·0	51·7	50·6	50·0	52·0	54·4	61·0	66·0	71·0	73·0
5.	55·0	54·1	53·6	53·5	55·0	56·5	59·0	61·3	65·0	67·7	68·4	65·8
6.	53·9	53·4	53·0	52·8	52·6	53·1	54·8	56·0	58·5	61·0	63·5	65·0
7.	51·5	50·6	49·8	48·9	48·6	49·3	52·0	53·8	57·0	60·5	65·5	70·0
8.	54·8	53·8	53·0	52·8	52·3	53·5	55·5	58·5	62·6	65·8	70·0	73·5
9.	58·0	56·5	55·8	55·2	56·0	58·3	61·0	63·8	68·0	71·5	76·0	80·3
10.	55·3	54·1	53·3	53·0	53·0	54·8	58·0	63·5	70·0	74·0	74·0	73·8
11.	57·7	57·3	56·9	56·3	55·5	53·1	52·9	53·0	53·0	53·2	53·5	57·0
12.	46·0	46·8	46·3	46·2	46·3	45·0	45·0	52·5	59·0	59·9	62·5	64·1
13.	48·3	48·0	47·8	47·3	43·0	41·0	41·0	45·2	53·7	54·2	57·0	58·9
14.	51·9	51·3	50·9	49·8	50·0	52·2	53·5	54·4	55·2	55·0	53·7	53·8
15.	52·2	52·5	52·0	51·8	51·7	51·2	52·8	53·5	54·7	54·9	55·5	57·0
16.	51·9	52·0	52·1	52·0	52·0	51·8	52·0	54·0	56·3	57·5	57·2	56·2
17.	51·1	51·1	51·0	51·0	51·0	51·3	52·6	53·7	55·2	57·0	59·0	59·8
18.	51·3	51·1	51·0	51·0	51·5	51·9	52·8	54·5	56·0	57·0	59·5	61·8
19.	53·8	53·8	53·6	53·0	52·0	51·9	52·8	53·3	55·0	57·0	60·5	62·3
20.	46·1	46·0	45·3	45·0	45·0	44·0	44·0	50·5	56·0	59·2	63·5	65·0
21.	45·8	45·0	45·2	44·9	44·3	44·0	45·5	50·0	58·0	61·0	64·5	66·2
22.	49·7	47·2	47·0	47·0	46·0	47·0	49·0	56·5	61·0	62·8	66·8	68·8
23.	49·8	48·4	48·0	47·9	48·0	49·5	53·0	60·0	63·2	64·8	67·3	69·0
24.	51·0	49·9	49·8	48·9	48·8	47·3	49·0	53·7	57·0	59·0	63·0	66·0
25.	52·0	52·0	52·0	51·9	52·0	52·1	52·8	53·3	54·4	55·0	56·0	56·8
26.	54·8	54·2	53·8	53·6	53·2	53·2	53·6	54·3	55·5	56·8	57·8	60·0
27.	54·5	54·1	54·2	54·4	54·0	53·2	53·8	56·5	58·8	59·2	61·0	63·8
28.	52·2	51·8	50·0	49·7	51·0	52·0	54·0	56·0	58·5	60·3	62·7	62·0
29.	50·8	50·3	49·8	49·8	49·9	50·0	51·0	52·2	53·5	54·3	54·7	54·3
30.	51·5	50·5	50·0	50·0	50·2	50·0	51·0	52·3	54·0	54·7	54·3	53·0
Mean.	52·47	51·83	51·45	51·11	50·94	51·10	52·45	55·01	58·06	59·79	61·89	63·31

each Hour (120th Meridian Time), during the Month of September, 1907.

Hour Ending.												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
70·1	68·5	67·1	66·3	66·3	65·5	65·0	60·0	58·0	57·0	57·0	57·0	60·03
57·8	58·7	58·3	57·9	57·1	57·0	56·5	56·2	55·9	55·6	55·0	54·7	56·64
66·5	68·2	67·3	66·6	66·0	65·0	63·8	62·8	61·7	60·2	58·7	57·3	59·97
74·0	74·1	72·8	71·8	69·0	67·0	64·5	62·6	60·5	59·6	57·2	56·2	61·74
65·0	64·4	63·8	63·0	62·0	61·0	59·8	58·8	57·3	56·7	55·5	54·8	59·87
67·5	68·4	68·0	67·5	67·0	65·8	64·0	62·3	60·0	57·8	55·5	53·0	59·77
73·3	73·9	73·2	72·8	72·0	70·2	68·3	66·5	64·0	61·5	58·0	56·5	61·15
77·0	77·9	77·0	76·1	75·0	73·7	71·2	68·9	66·3	64·0	62·0	60·0	64·80
82·0	84·5	83·0	77·5	73·0	71·0	69·4	67·0	64·0	61·4	59·0	56·5	67·03
73·0	72·5	71·0	69·1	67·8	65·5	63·1	61·1	58·8	58·9	58·4	57·2	63·05
59·2	59·0	57·0	55·0	55·0	57·5	58·9	56·0	51·8	50·0	47·0	45·5	54·64
65·5	66·1	66·0	63·0	61·8	56·8	56·0	53·2	50·4	50·1	49·8	49·0	54·47
59·9	60·0	65·0	66·0	66·0	64·8	60·0	58·3	56·3	55·0	53·0	52·0	54·23
55·8	56·3	56·4	56·1	56·9	56·0	54·0	53·0	52·9	52·3	52·2	52·0	53·57
59·0	59·3	58·2	57·9	57·0	55·8	55·0	52·8	52·0	51·9	51·3	51·8	54·24
55·8	54·5	56·1	56·2	55·8	53·7	53·0	52·0	51·8	51·2	51·2	51·2	53·65
59·9	60·0	60·0	59·8	59·0	57·3	56·0	54·7	54·7	54·0	53·3	52·0	55·18
61·8	61·7	62·0	61·2	61·8	59·9	55·8	55·3	54·5	54·5	54·0	53·8	56·07
63·0	62·2	61·6	61·7	60·0	56·8	55·0	52·0	50·0	48·9	48·0	47·0	55·22
67·0	67·7	67·0	64·0	61·8	58·0	55·0	52·2	49·2	48·8	48·3	46·8	53·97
69·0	69·3	66·8	65·0	63·0	59·2	56·2	54·0	51·5	51·0	49·3	48·5	54·88
70·7	71·4	69·0	66·2	65·0	62·3	57·0	55·3	52·5	51·5	51·3	50·5	57·15
71·5	72·6	72·3	71·9	69·8	66·0	58·0	56·8	55·7	54·0	52·6	51·8	59·25
68·3	68·0	67·5	65·4	64·0	59·3	56·8	54·3	53·8	53·0	52·9	52·3	56·63
58·8	59·2	58·0	58·0	57·5	57·5	57·0	57·0	55·0	55·0	55·2	55·1	55·15
62·7	62·5	61·0	60·7	60·6	59·0	58·0	56·8	56·3	56·1	55·8	55·0	56·89
64·2	62·0	61·8	60·5	58·0	56·2	55·0	54·2	54·3	54·2	53·5	53·0	56·85
59·4	59·5	59·2	60·0	60·0	57·5	56·0	54·5	53·0	52·2	51·0	51·0	55·56
55·0	55·4	55·3	55·1	55·0	54·0	53·3	53·7	53·7	53·8	53·7	53·0	52·98
55·5	57·0	57·9	56·3	54·0	53·2	53·1	52·8	52·0	50·3	50·5	50·8	52·70
64·94	65·16	64·65	63·62	62·57	60·75	58·82	57·17	55·60	54·66	53·67	52·84	57·24

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	50·5	50·2	50 0	50·1	50·0	50·1	50·7	52·0	53·5	53·8	57·0	56·9
2	49·2	48 0	48·0	46·1	46·4	46·1	47·3	49·8	54·5	55·5	57·5	58·2
3	51·8	51·8	51·8	51·9	52·0	52·1	52 1	52 1	53·0	53·5	56·6	58·5
4	52 0	51·9	52·1	51·3	51·0	50·2	51·0	52·6	57·0	61·0	64·5	65·3
5	52·0	50 1	50·8	51·0	52·0	51·6	53·5	54 5	56·0	63·0	63·8	65·5
6	53·8	53 5	53·4	52·8	52·8	52·1	53·0	56 0	60·0	61·0	61·4	59 4
7	53·0	53·0	54·0	55·0	58·1	58·3	58·3	59·0	60·8	58·0	59·0	61·5
8	50·8	50·9	49·5	47·0	46·0	45·1	44·0	44·0	48·5	52 0	54·0	58·0
9	43·6	43·0	42·3	42·0	42·1	41·5	42 0	47·0	53·5	57·0	60·0	61 7
10	42 0	41 4	41·5	41·5	43·0	43·4	41·3	45·0	55·5	60·0	64·8	65·8
11	43·8	43·4	42·6	42·1	42·0	41·4	41·1	43 3	49·5	58·0	62·1	60 3
12	46 2	47·0	47·3	48·0	48·0	47 0	46·4	46·7	51·8	53·5	59·0	60·1
13	53·3	53·1	53·1	52 8	52 8	53·1	53·0	52 1	52·8	54·0	55 8	56·8
14	42·8	42·2	41·6	41·0	41·0	41·7	41·8	42·2	46·0	49·2	52 5	57·0
15	45 0	45·0	45·0	45·1	45·2	45·1	45·0	46·0	47·5	48 8	50 0	52 8
16	45·8	45·8	45·9	46·0	46 0	45·0	44 2	44·0	47·0	50·5	53·8	55·5
17	38·2	37·5	37·1	37·1	37·1	36·5	35·7	38 5	47·0	49 0	53·5	56·0
18	38·9	37·1	37·1	37·3	37·3	36·2	35·5	38·0	44 0	47·0	48·5	53·8
19	40 8	40·8	38·8	38·6	38·0	37·3	37·0	41·5	45·5	46 0	50 0	53·8
20	50 0	50·0	50·0	49·9	49·7	49 4	49·4	50 4	52·0	53 0	54·0	54·5
21	50·7	50·3	50·1	50 0	50·0	49·3	48·9	48·7	49·1	49·8	50·5	50·8
22	47·5	47·5	47 5	47·6	47·3	47·9	47·8	47·9	48·1	48·3	48·7	49·0
23	49·6	49·6	49·8	50 0	50·0	50 0	49 9	50·0	50·8	51·8	53·0	54·2
24	46·5	44·2	46·2	46·8	47 0	46·1	46·0	47·7	49 0	50·1	51·7	51·5
25	48 0	47·9	47 0	46·9	47·2	47·2	46 6	47·1	49·0	49·7	50·8	52·0
26	44·0	44 2	44·1	44 0	43·9	43·3	44·0	44 8	46·5	47·2	48·4	49·1
27	46·0	46·0	46·0	46·0	46 0	45 5	46 0	46·1	46·2	46·6	47·5	48·8
28	46·9	46·8	46·9	46·4	46·2	46·1	47·0	47·8	49·0	51·0	53·7	53·1
29	50·9	50·5	48 4	48·2	48·0	46·9	46·3	47·0	48·3	50 0	52·5	54·3
30	48 0	48·0	48·0	47·7	46·1	45·9	45·8	46·0	49·0	50 3	50 0	51 1
31	48·3	48·3	48·3	47·6	49 1	49·0	48·2	48·2	49·0	50·5	52·3	54·0
Mean.	47·41	47·07	46·91	46·70	46·83	46·46	46·41	47·61	50 63	52·62	54·74	56·11

each Hour, (120th Meridian Time), during the Month of October, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
56·3	56·0	56·0	55·9	55·5	53·5	51·5	50·9	50·3	50·3	50·0	49·9	52·62
58·6	58·8	58·9	58·1	57·0	55·0	53·8	53·2	52·9	52·8	52·4	52·2	52·93
61·8	61·4	61·1	61·2	60·0	56·5	54·0	52·6	53·0	52·8	52·6	52·5	54·86
67·5	68·0	68·2	68·1	65·0	58·0	55·3	54·2	54·0	54·3	54·4	53·8	57·53
66·3	66·0	64·5	64·0	62·3	60·0	58·5	58·6	57·9	57·5	56·8	55·8	57·97
62·5	63·2	63·0	59·0	57·5	56·6	55·0	54·1	53·8	53·9	53·0	53·1	56·47
62·9	63·0	61·9	61·4	61·6	59·2	56·0	53·3	52·5	51·0	50·4	50·8	57·16
59·3	59·8	59·6	58·3	57·0	52·5	50·1	48·9	47·5	46·2	45·3	44·3	50·77
63·4	63·5	63·6	63·1	62·0	58·0	54·0	49·5	46·5	45·6	44·0	42·3	51·30
67·5	68·0	67·3	67·0	66·0	61·5	53·0	49·0	47·8	47·0	46·0	44·5	52·91
59·1	58·9	60·7	60·2	57·5	55·0	53·3	51·0	50·0	48·8	47·0	46·8	50·74
59·3	59·3	59·0	58·0	55·0	54·8	53·3	53·7	53·7	53·2	53·0	52·9	52·76
57·0	57·3	57·0	55·5	55·0	53·2	51·0	49·0	47·5	45·6	44·6	44·0	52·47
57·3	57·7	56·0	52·5	50·0	48·8	47·3	46·2	45·9	45·6	45·7	45·5	47·40
56·0	57·7	57·0	52·0	50·0	48·8	47·8	47·5	46·8	46·3	46·1	46·0	48·44
56·2	56·3	56·8	56·0	53·1	50·0	47·0	44·3	43·2	41·7	40·0	38·2	48·01
56·7	56·0	55·2	53·5	51·5	49·0	46·2	44·1	43·3	41·3	39·8	38·8	44·99
54·3	53·4	53·3	52·0	51·9	49·7	47·0	45·1	44·0	43·0	43·0	41·2	44·53
55·5	57·1	57·0	54·3	52·0	50·2	48·5	47·9	47·5	48·8	49·4	50·0	46·93
54·6	54·6	54·5	54·6	54·0	52·1	51·0	51·0	51·0	51·0	51·0	50·8	51·77
51·1	51·8	52·1	51·5	50·3	49·9	49·5	49·0	48·9	48·7	48·1	47·9	49·89
50·2	51·5	50·8	50·2	50·0	49·3	49·0	48·8	48·9	48·9	49·3	49·5	48·83
55·0	55·2	55·6	55·3	54·0	52·3	50·0	49·9	49·3	48·6	47·1	47·0	51·17
53·5	55·0	54·2	53·7	53·0	52·5	50·0	48·8	48·0	48·0	48·3	48·3	49·42
53·6	51·0	49·0	48·9	48·6	46·7	46·0	46·0	45·0	44·0	43·0	42·5	47·65
50·0	50·2	49·8	49·3	49·0	47·8	47·1	46·9	46·3	46·4	46·8	46·7	46·66
50·0	49·6	49·0	48·1	47·2	46·6	46·1	46·0	46·2	46·3	46·7	46·8	46·89
53·3	53·0	52·4	52·9	52·9	52·8	52·2	52·1	52·2	52·2	52·0	51·0	50·41
55·3	55·5	55·8	55·0	53·0	50·3	48·8	48·2	48·0	47·7	48·3	48·7	50·24
52·0	53·0	53·8	53·0	51·5	50·0	49·8	49·9	49·0	49·0	49·0	49·2	49·38
55·7	56·8	55·8	54·7	51·8	50·0	49·0	49·1	49·3	50·0	50·2	50·3	50·52
57·06	57·37	52·07	56·04	54·68	52·60	50·68	49·62	49·04	48·60	48·17	47·78	50·76

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	50·2	50·1	50·3	50·3	51·0	50·8	49·9	52·6	55·0	56·5	56·8	56·4
2.....	42·5	43·1	44·9	44·9	45·2	44·9	43 1	44·0	16·1	47·1	47·8	48·3
3.....	48·3	48·0	47·0	46·9	47·0	47·1	46·3	46·3	47·5	48·1	48·5	50·0
4.....	48 1	48·1	48·4	48·7	49·1	49·0	48·4	48·3	48·9	49·0	49·3	50·0
5.....	51·0	50·2	50 0	49·5	49·0	48·9	49 5	51·5	53·2	53·8	54·9	55·0
6.....	52·5	52·5	52·7	52·8	52·0	51·9	51·7	51·1	52·0	52·2	54·2	55·0
7.....	42·0	43·1	44·1	43·0	41·0	39 6	38·3	38·1	40·0	44·0	47·3	49·2
8.....	46·2	46·3	46 2	46·3	46·0	46·0	45·5	45 6	47·0	48·2	49·5	51 0
9.....	44 8	44 2	44·3	43 5	43·0	44 8	45 1	45·8	48·0	51 0	55 5	57·0
10.....	39·4	39·3	39 0	38 8	39 0	38 0	37·5	41 0	46·5	50·0	53·5	56·0
11.....	40·8	44 0	15·1	45 9	15 9	15·1	45·0	44·8	48·0	49·3	51·5	53 5
12.....	38·1	38·2	38·3	39 9	40·0	39·5	40·3	41·0	15·0	47·8	48·6	19·3
13.....	42 6	42·3	42 0	42 0	42 1	42 0	12·2	43·0	44 0	44·3	45·0	45·6
14.....	16·1	46·0	45·9	45·9	15·5	45·0	45·0	45·3	46·0	48·3	50·7	51 9
15.....	42·5	43·8	45·0	46·0	47·0	47·0	46·9	47·0	47·8	48·4	48·9	49 9
16.....	49·2	49·3	49·1	49·0	49·0	48·2	47·3	47·1	48·0	49·3	51·0	52·0
17.....	46·1	45·9	45·6	45·8	45·3	44·8	42·6	41·8	40·7	44·8	47·8	48·8
18.....	37·6	37·8	38·2	38·7	39·2	40·0	42·8	43·8	15·2	45·9	46·0	46·0
19.....	46·4	46·8	46 5	46·2	45·8	46·0	47·0	47·3	47 3	47 0	47·5	49·2
20.....	46·2	46·3	45·8	45·0	44·9	44·3	44·2	44·0	45·5	47·7	49·0	49·7
21.....	44·2	44·9	45·0	45·0	45·1	44·6	44·4	45·1	46·3	47 0	48·3	49·0
22.....	47·7	47·3	47·2	46·0	46·8	46·1	46·1	46 0	43·7	44·5	45·5	43·5
23.....	40·1	39·7	39·7	40·1	41·3	41·3	41·2	42·1	43·0	43·1	44 2	45·0
24.....	46·8	47·2	47·5	46·3	15·2	15·5	45·7	45·3	45·3	46·1	46·0	46·6
25.....	36·5	39·4	41·0	41·9	43·0	43·0	43·0	43·5	45·2	46·8	49·0	50·8
26.....	44·2	43·8	43·1	42·8	42·3	42·2	42·0	42·1	42·8	44·3	45·5	46·2
27.....	39·2	38·8	39·0	40·5	41·5	42·3	43·0	43·7	43·0	42·9	43·6	43·4
28.....	45·8	46·0	46·1	46·1	47·1	47·0	47·3	47·8	48·1	48 8	49·4	50·1
29.....	51·0	50 8	50·7	50·8	51·1	51 1	51·2	51·7	52·4	53·1	56·1	56·0
30.....	47·8	47·5	47·8	47·6	47·0	46·0	46·0	46·8	47·4	47·7	48·5	50·0
Mean..	44·80	45·02	45·18	45·21	45·25	45·07	44·95	45·45	46·63	47 90	49·31	50·15

each Hour (120th Meridian Time), during the Month of November, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
54·0	53·7	52·5	52·0	51·0	49·0	47·0	46·1	45·0	46·0	45·2	43·3	50·61
49·2	49·8	50·0	49·5	48·2	47·1	47·5	47·6	47·1	46·8	46·9	47·1	46·61
51·0	51·0	51·1	51·2	51·0	49·5	49·0	48·8	48·3	48·3	48·2	48·2	48·61
50·2	50·6	51·8	52·0	51·9	51·5	51·4	51·7	51·8	51·8	51·7	51·8	50·15
56·0	57·2	56·3	56·0	54·3	54·1	54·0	54·0	54·0	52·5	51·5	52·3	52·86
56·5	56·8	56·0	54·8	53·0	50·5	48·0	46·6	45·8	44·0	42·8	42·8	51·17
50·3	50·4	50·1	49·9	48·0	45·5	43·0	43·0	44·3	45·2	46·0	46·1	44·65
51·8	52·0	51·8	51·1	50·0	47·5	46·0	45·0	44·0	44·8	44·7	44·8	47·39
58·0	58·2	57·8	56·3	53·0	51·0	48·5	44·8	43·0	42·0	40·6	40·2	48·35
57·8	58·0	57·9	57·1	55·0	52·8	50·0	49·2	47·3	47·0	43·5	41·8	47·31
55·1	55·1	53·0	49·2	48·0	46·0	43·0	41·0	40·4	39·3	38·3	38·2	46·06
49·3	50·3	49·5	48·0	47·0	45·0	43·1	41·0	40·0	40·0	41·1	42·1	43·43
45·8	46·1	46·7	46·9	47·0	46·7	46·6	46·3	46·1	46·2	46·1	46·1	44·74
52·0	51·9	51·8	51·5	50·0	49·2	48·2	47·1	44·8	42·8	42·0	41·1	47·25
50·0	50·2	50·2	50·0	49·2	48·3	47·8	47·6	47·7	48·1	48·4	49·0	47·78
52·3	52·3	51·8	51·1	49·2	47·8	46·8	46·8	46·0	45·7	46·7	46·8	48·83
49·0	49·0	48·7	47·8	46·3	45·0	44·8	43·0	40·0	39·2	38·3	37·0	44·50
47·0	47·8	47·9	47·5	47·0	47·0	46·8	46·4	46·6	46·1	46·3	46·5	44·34
49·9	50·0	50·0	49·7	49·0	48·0	47·1	47·3	47·2	46·5	46·7	46·2	47·52
50·0	50·7	49·8	48·9	48·0	46·6	44·3	43·2	43·0	43·8	43·8	43·7	46·18
48·1	48·4	49·2	49·0	49·0	47·5	47·7	47·6	46·0	45·9	47·0	47·8	46·75
43·9	43·2	41·8	42·0	42·8	42·6	41·8	41·7	42·0	42·9	42·0	40·7	44·07
45·5	45·5	45·5	45·5	45·0	45·5	45·8	45·1	45·1	45·1	45·0	45·3	43·53
47·5	48·1	48·0	46·3	45·1	44·9	44·3	42·8	41·5	39·0	37·2	36·5	44·78
51·3	51·2	50·0	49·3	49·2	49·1	47·0	46·1	46·2	46·1	45·5	44·8	45·79
48·8	47·6	46·8	45·9	44·0	43·5	42·8	43·3	43·2	43·2	43·0	41·5	43·95
44·0	44·6	43·5	43·3	43·0	42·1	42·3	43·1	43·3	43·0	43·0	44·0	42·50
51·0	52·2	54·5	56·3	57·3	57·0	55·0	53·5	52·3	52·1	51·8	51·5	50·59
54·3	54·9	54·3	53·5	52·2	48·5	47·1	46·8	48·3	48·0	47·8	47·5	51·22
51·0	51·1	52·3	50·8	49·2	48·8	47·8	47·3	45·5	45·0	45·3	47·1	47·97
50·69	50·93	50·69	50·08	49·10	47·92	46·82	46·13	45·53	45·21	44·88	44·73	46·98

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	47·6	48·0	48·0	48·0	47·8	47·3	47·0	47·1	48·2	49·3	51·0	51 2
2	46·6	46·6	46·7	46·6	46·7	46·8	47·1	47·6	48·3	49·1	50·3	51·0
3	44·8	45·0	46·5	46·1	45·1	45·0	45·0	48·3	50·5	51·9	54·0	56·0
4	52·5	52·3	52·3	52·1	52 2	52·3	53·5	53·6	53·6	54·2	54·0	55·0
5	44·8	44·3	44·0	44·2	42·8	42·5	42·0	42·2	43·2	43 3	43·8	45·0
6	40·8	40·5	41 8	42·6	43·1	42·5	42·3	42·0	41·3	44·5	46 0	46·0
7	43·8	43·8	43·8	43·7	43·3	43·0	42·0	40·3	40·0	41·5	42 8	43·7
8	32·7	32·3	33 0	34·5	37·0	38·4	39·2	39·2	39·4	40·8	41·7	42·0
9	44·0	44·1	44·0	44·0	45·2	45·0	44·2	44·1	44·8	46·0	48·0	49·3
10	46·7	46·9	46·6	46·5	47·0	46·9	46·8	47·2	47·9	48·8	49·1	49·5
11	48·0	48·0	47·5	47·3	47·1	46·8	46·5	46·1	45·5	46·5	46·9	46·8
12	45·0	46·8	46·0	45·7	44 0	43·9	43·9	44·0	44·8	45·0	45·4	45·6
13	33·8	36·8	39·5	41·5	42·8	43·0	43·8	43 3	42·3	43·5	43·3	45·8
14	34·0	34·0	34·9	35·0	36·7	36·8	36·6	37·1	37·2	38·3	40·5	42·8
15	39·8	38·2	37·3	36·8	35·8	35·3	34·3	33·5	33·8	35·0	39·0	40·5
16	31·0	31·0	32·5	32·3	32 1	31·9	32·5	33·1	32·5	31·0	35·5	36·7
17	34·1	35·2	36 0	36·3	37·2	37·0	36·8	36·3	35·0	35·6	37 0	38·1
18	34·1	34·0	33·4	34·8	35·2	34·9	34·0	34 8	35·1	37·8	39 2	40 3
19	37·8	37 8	38·0	38·0	38·5	39·3	41·3	42 0	41·8	41·2	40·2	40·0
20	41·1	40·5	39·1	39·3	41 1	40·8	40·1	40·0	40·6	41·7	42·3	43·0
21	46·8	46·2	46 1	47·0	47·0	46·8	45·5	45 8	45·0	43·8	44 0	46·9
22	44 0	44·0	43·5	44·5	46·5	48·3	49 3	49·6	49·1	48·2	48 8	49·8
33	46·9	46·4	46·0	46·1	46·1	45·6	45·8	44·8	45·0	45·3	46·2	46·8
24	44·8	44·0	42·0	41·8	43·3	43·7	41·3	41·4	41·6	41·7	42·8	46·0
25	41·0	41·0	41·1	41·1	40·5	40·0	39·8	40·0	41·0	41·8	43·0	45·1
26	41·2	42·3	42·1	42·5	42·4	42·0	41·0	38·9	40·5	41·5	41·3	41·8
27	40·3	42·8	43·8	43·1	41·2	41·0	40·8	40·7	40·1	40·3	41·5	42·8
28	37·0	36·0	35 9	35·5	35·6	35·7	35·2	35·2	35·8	36·3	36·5	37·2
29	36·5	36·1	36 1	36·0	36·0	35·1	35·0	35·8	36·8	37·8	38·1	40 0
30	36·0	36·1	36 0	35·7	36·0	36·0	36·1	36·0	36·1	37·3	39 0	40·8
31	38·5	38·8	38·9	39·0	39·0	38·7	38 0	38·3	38·4	37·7	37·0	36·1
Mean.	41·16	41·28	41·38	41·54	41·75	41·69	41·51	41·56	41·78	42·47	43·49	44·57

each Hour (120th Meridian Time), during the Month of December, 1907.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.	
°	°	°	°	°	°	°	°	°	°	°	°	°
52·3	52·2	51·9	51·0	50·0	48·2	48·1	48·0	48·1	47·9	46·6	46·7	48·81
52·0	53·1	54·1	52·7	50·2	50·9	52·1	53·2	53·0	51·9	49·9	47·2	49·74
56·0	52·7	54·5	54·2	52·3	54·0	53·5	53·3	52·9	52·8	52·7	52·8	50·91
56·1	53·0	52·0	51·0	44·1	44·3	44·8	44·8	44·9	44·2	43·3	43·8	50·16
45·2	44·8	44·0	43·2	43·0	41·8	41·1	40·6	40·0	39·7	39·4	40·9	42·74
46·3	46·8	46·7	46·2	45·8	45·7	45·5	45·1	45·0	44·5	44·1	44·0	44·13
45·0	45·9	44·7	44·1	43·0	41·3	39·0	38·0	36·0	35·1	33·4	32·8	41·25
42·0	42·0	42·8	42·8	42·8	43·1	42·0	41·9	42·0	42·8	43·6	43·9	40·07
50·2	50·0	49·9	48·2	47·5	46·6	46·0	46·1	46·2	46·0	45·8	45·5	46·28
49·3	49·5	49·0	48·0	47·5	46·0	45·0	44·9	45·0	46·1	47·1	47·3	47·27
46·3	46·1	46·1	45·3	45·5	43·5	14·8	45·0	44·5	44·8	44·5	45·2	46·04
45·0	44·1	43·2	33·1	44·1	43·2	42·9	42·5	41·0	39·1	39·8	39·0	43·63
45·5	45·0	45·0	44·3	44·0	43·0	43·0	42·0	41·0	39·0	38·0	35·5	41·86
42·3	42·6	43·1	43·0	43·0	42·1	41·3	41·3	41·0	41·2	41·2	40·8	39·45
40·6	40·5	40·3	40·0	39·0	38·0	35·4	34·0	32·0	31·9	31·2	31·0	36·38
37·8	38·0	38·0	37·5	36·0	35·5	35·1	34·0	31·0	34·2	34·1	34·0	34·18
38·7	39·2	39·7	39·0	38·0	36·7	36·3	36·2	36·0	36·0	36·0	35·7	36·75
41·0	40·9	40·0	38·7	37·3	36·8	37·8	38·5	38·3	37·9	37·3	37·2	37·05
40·8	41·3	42·3	42·7	42·9	42·3	40·3	40·9	41·3	41·2	41·1	41·1	40·59
43·0	43·1	43·3	44·1	45·0	44·0	43·8	45·3	45·9	46·1	46·2	46·8	42·76
47·1	47·8	47·8	47·0	46·0	45·5	45·0	44·9	44·8	44·7	44·0	43·9	45·81
49·0	48·5	48·7	47·5	47·1	46·9	46·5	46·1	46·2	46·5	46·1	46·8	47·14
47·0	48·5	51·2	50·9	50·0	49·1	48·5	48·1	47·0	46·6	46·0	45·0	47·04
46·2	45·2	45·0	44·3	43·8	42·0	40·5	38·7	38·4	38·5	40·0	40·8	42·41
46·0	48·2	47·0	46·3	47·0	46·8	44·2	44·0	44·2	44·2	43·0	41·0	43·22
41·9	42·7	43·2	43·2	43·0	42·9	42·0	41·8	41·0	41·8	41·8	42·0	41·87
42·9	42·1	42·2	42·2	42·0	40·3	40·0	40·0	39·9	39·7	39·5	39·2	41·18
37·8	37·3	36·8	37·3	37·2	37·3	37·5	37·6	37·1	36·9	36·3	36·3	36·55
42·8	42·5	41·0	41·0	40·1	40·2	39·3	38·0	37·2	36·3	35·8	36·0	37·90
41·0	41·1	41·3	42·0	41·8	41·1	41·0	40·2	40·0	39·8	38·5	38·0	38·62
35·3	35·5	35·1	35·1	35·1	35·1	35·3	35·7	35·9	36·1	36·6	36·8	36·92
44·92	44·91	44·84	44·38	43·68	43·04	42·50	42·28	41·93	41·73	41·38	41·19	42·54

Observed Bi-Hourly Temperature at Regina, Sas' atchewan, for the Month of January, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	— 3·0	— 2·5	— 1·0	0·0	0·0	2·5	5·0	5·5	4·0	4·0	3·0	1·0	1·13
2	0·0	— 5·0	— 5·0	0·0	0·0	— 1·5	— 1·0	— 2·0	— 4·0	— 4·5	—18·0	—20·0	— 5·08
3	—23·5	—25·0	—25·0	—26·0	—28·0	—25·0	—19·0	—21·0	—17·5	—10·0	— 9·5	— 5·0	- 19·54
4	— 2·0	— 1·0	— 3·0	— 5·0	—10·0	—10·0	—14·0	—15·0	—19·0	—21·0	—18·5	—18·0	—11·38
5	—16·5	—15·0	—13·0	- 12·0	—12·0	— 8·5	—10·0	—17·0	—18·0	—24·5	—30·0	—30·0	—17·21
6	—30·0	—30·0	—32·0	—33·0	—34·0	—30·0	—26·0	—24·5	—29·0	—32·0	—32·0	- 30·0	—30·17
7	—31·0	—25·0	—18·0	—15·5	—14·5	— 7·0	— 5·0	— 5·0	— 5·5	— 6·0	— 6·0	— 5·5	—12·00
8	— 5·0	— 6·0	— 5·0	— 5·0	— 5·0	— 5·0	— 5·0	—10·0	—14·5	—17·0	—23·0	—20·0	—10·04
9	— 9·0	—10·0	— 9·0	— 6·0	— 6·5	— 0·0	6·0	10·0	7·5	7·0	15·0	17·0	1·83
10	17·0	19·5	14·0	11·0	5·0	3·5	6·0	7·0	6·0	5·0	0·0	3·0	8·08
11	5·0	5·0	7·0	6·0	4·5	2·0	0·0	2·0	2·0	1·5	0·0	— 1·0	2·83
12	— 7·0	—11·0	—17·0	—22·0	—25·0	—25·0	—20·0	—19·0	—24·5	—29·0	—25·0	—24·0	—20·67
13	—21·0	—23·5	—25·0	—25·5	—25·0	—23·5	—20·0	—23·0	—26·0	—32·0	—35·0	—37·0	—26·62
14	—40·0	—41·1	—42·0	—42·5	—44·5	—38·0	—32·0	—30·0	—34·0	—39·0	—41·0	—43·0	—38·92
15	—12·0	—39·0	—39·0	—35·0	—34·0	—29·0	—23·0	—22·0	—24·0	—25·0	—29·0	—31·0	—31·00
16	—35·0	—35·5	—36·0	—36·0	—38·0	—33·0	—29·0	27·0	—29·0	—30·0	—30·0	—31·0	—32·45
17	—31·0	—30·0	—31·0	—31·0	—28·0	—23·0	—19·0	—20·0	—20·0	—17·5	—15·0	—15·0	—23·37
18	—16·0	—20·0	—20·0	—20·0	—15·5	— 9·0	— 4·0	—00·5	0·0	— 1·0	—12·0	—12·5	—10·88
19	—11·0	— 8·0	—11·5	—16·0	—18·5	—16·0	—12·5	—14·0	—20·0	—20·0	—18·0	—21·0	—15·54
20	—29·5	—34·0	—35·0	—35·0	—38·5	—33·5	—25·0	—25·0	—25·0	—22·0	—19·0	—16·0	—28·13
21	—11·5	— 6·0	— 9·0	— 8·0	—14·0	—10·5	—12·5	—16·0	—18·5	—25·0	—21·0	—17·0	—14·08
22	—15·0	—12·0	—12·0	— 7·5	— 5·0	— 2·5	3·0	4·0	4·0	2·5	5·0	7·0	— 2·37
23	7·0	9·0	9·0	8·0	5·0	10·0	17·0	20·0	6·5	2·0	0·0	0·0	7·79
24	— 3·0	— 5·0	— 2·0	— 2·5	— 4·0	— 3·5	— 5·0	— 5·0	— 5·0	— 5·0	— 0·0	—10·0	— 4·17
25	—14·0	—12·0	—21·5	—22·0	—23·5	—17·0	—16·0	—14·0	—10·0	—10·0	—13·0	—13·0	—15·50
26	—14·0	— 5·0	— 5·0	— 7·0	— 6·0	— 6·0	— 1·5	— 2·0	— 7·0	—10·0	—13·0	—16·0	— 7·71
27	—16·0	—20·0	—25·0	—25·0	—25·0	—21·0	—20·0	—20·0	—22·0	—27·0	—28·0	—30·0	—23·25
28	—30·0	—30·0	—35·0	—32·0	—32·5	—30·0	—27·0	—25·0	—24·0	—24·0	—26·0	—26·0	—28·46
29	—21·0	—21·0	—25·0	—26·0	—26·0	—24·5	—21·0	—19·0	—19·0	—19·0	—20·5	—19·0	—21·75
30	—19·0	—16·0	—16·0	—19·0	—15·5	—11·0	— 6·0	— 8·0	— 9·5	—11·0	—13·0	—17·0	—13·42
31	—21·0	—22·0	—20·0	—11·0	— 5·5	0·0	2·0	6·0	7·0	9·0	9·5	6·0	— 3·33
Mean	—15·90	—15·39	—16·39	—16·24	—16·76	—13·71	—10·79	—10·63	—12·52	—13·89	—14·94	—15·29	—14·37

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of February, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	0·0	— 4·5	— 7·0	— 7·5	—10·0	— 9·0	—10·0	— 9·0	—12·5	—14·0	—14·5	—14·5	— 9·33
2	—20·0	—20·0	—25·5	—30·0	—32·0	—32·0	—26·0	—27·5	—28·0	—29·5	—34·0	—36·0	—28·37
3	—38·5	—40·0	—40·0	—41·5	—40·0	—35·5	—30·0	—27·0	—28·5	—30·0	—35·0	—40·0	—35·50
4	—43·0	—44·0	—44·5	—45·5	—45·0	—38·0	—30·0	—25·0	—25·5	—30·0	—33·0	—34·0	—36·46
5	—34·0	—37·5	—38·0	—39·0	—36·0	—30·0	—29·0	—21·0	—20·0	—20·0	—17·5	—17·0	—28·25
6	—11·5	—11·0	— 6·0	—11·0	—17·5	—15·0	— 8·5	— 5·0	— 8·0	— 5·0	— 3·0	— 2·5	— 8·67
7	1·0	— 5·0	— 3·0	— 3·5	— 5·5	4·0	11·0	16·0	18·0	18·5	19·0	21·0	7·62
8	23·5	18·0	19·0	18·5	16·5	20·0	26·0	29·5	28·0	20·0	22·0	21·5	21·87
9	23·0	23·0	22·5	19·0	24·0	27·5	31·0	30·0	25·0	23·5	20·0	19·0	23·96
10	19·0	17·5	16·0	17·5	19·0	22·5	25·0	26·5	27·0	27·0	13·0	12·0	20·21
11	9·0	17·0	20·5	23·0	25·0	28·5	31·5	33·0	30·0	28·5	26·0	10·0	23·54
12	12·0	5·0	4·0	5·5	7·0	15·0	22·5	25·0	22·0	30·0	33·0	30·0	17·58
13	30·0	26·0	23·0	19·0	17·0	20·0	21·0	22·0	25·0	17·0	16·0	16·5	21·04
14	16·0	15·5	16·0	13·0	16·0	28·0	31·0	35·0	34·0	32·0	31·5	28·0	24·67
15	28·0	24·0	18·0	19·5	21·0	28·5	34·5	35·0	33·0	30·0	27·0	25·0	26·92
16	23·0	18·0	12·0	12·0	12·5	20·0	31·5	36·0	33·0	35·0	17·0	13·5	21·96
17	17·0	23·5	28·0	25·0	24·0	27·5	34·0	36·5	32·5	29·0	25·0	23·0	27·08
18	19·0	12·5	6·0	7·0	9·0	18·5	27·0	32·0	30·0	29·5	29·0	25·0	20·37
19	15·5	9·0	8·0	7·5	6·0	10·5	13·0	14·0	11·0	9·5	8·0	2·0	9·50
20	0·0	— 4·0	— 4·5	— 6·0	— 7·5	— 3·5	— 3·5	— 2·0	— 4·0	— 5·5	—11·0	—13·0	— 5·38
21	—16·0	—12·0	—13·0	—13·5	—14·5	— 4·0	— 2·5	0·0	— 2·0	— 4·0	3·0	2·0	— 6·38
22	2·0	4·5	4·0	4·5	4·5	10·0	15·0	19·0	17·0	10·0	13·0	14·0	9·79
23	15·0	14·5	14·0	15·0	20·0	35·0	31·0	25·0	22·0	20·5	17·0	13·5	20·21
24	13·0	11·0	11·5	7·0	10·0	15·5	20·0	15·0	15·0	16·0	15·0	16·0	13·75
25	16·0	16·0	14·0	14·5	19·0	15·0	10·0	10·0	6·0	5·0	— 5·0	— 8·0	9·37
26	—15·0	—15·0	—15·5	—20·0	—17·0	—10·0	— 5·0	— 5·0	— 5·0	— 6·0	— 8·0	— 5·5	—10·58
27	— 8·0	— 9·0	—12·0	—14·5	—12·0	— 7·5	— 4·0	— 3·0	— 4·0	— 6·5	—12·5	—13·0	— 8·83
28	—14·0	—16·0	—16·5	—17·0	—15·0	— 7·5	2·0	4·0	3·5	2·0	— 5·0	— 5·5	— 7·08
Mean	2·93	1·32	0·39	— 0·77	— 0·50	5·50	9·59	11·39	9·50	8·30	5·57	3·68	4·80

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of March, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 a.m.	10.30 a.m.	Mean.
	°	°	°	°	°		°	°	°	°	°	°	
1	5·0	− 6·5	− 8·0	− 8·0	− 3·5	3·5	11·0	13·0	11·0	10·0	5·0	1·0	1·96
2	− 3·0	1·0	− 1·0	3·0	6·5	9·5	11·0	13·0	13·0	6·0	0·0	0·0	4·75
3	4·0	− 4·0	− 2·0	0·0	2·0	8·5	16·0	22·5	14·0	12·5	19·0	11·0	7·96
4	9·0	9·5	6·5	7·0	9·0	14·0	19·0	20·0	17·5	10·0	2·0	0·0	10·30
5	− 3·0	0·0	0·0	2·5	4·5	10·0	20·0	23·5	21·5	20·0	12·5	8·0	9·96
6	20·0	20·0	20·0	22·0	24·0	16·5	20·0	25·0	25·0	20·0	21·0	21·0	21·21
7	19·0	10·5	10·0	6·0	10·0	20·0	28·5	27·0	25·5	20·0	18·0	15·0	17·21
8	8·0	5·0	1·0	0·0	3·5	14·0	19·0	23·5	19·5	11·0	9·0	7·0	10·05
9	5·0	0·0	2·5	− 7·0	− 3·0	8·0	15·0	17·5	14·5	9·5	0·0	2·0	5·33
10	10·0	15·0	15·5	16·0	17·5	20·0	23·0	30·0	30·0	22·5	20·0	19·0	19·88
11	17·0	17·0	17·5	18·0	18·0	21·0	24·0	25·5	20·0	15·5	11·0	10·0	17·88
12	8·0	7·0	6·5	5·0	3·0	9·0	13·0	10·0	13·0	10·0	2·0	− 4·0	6·88
13	− 8·5	− 9·5	−12·0	− 8·5	− 1·0	6·0	12·5	10·0	18·0	15·0	9·0	10·0	3·42
14	9·5	1·5	1·0	7·0	8·0	15·0	18·0	20·0	18·0	14·0	6·0	2·0	10·00
15	13·0	14·0	12·0	17·0	16·0	20·0	30·5	33·5	33·5	32·0	17·0	17·0	21·29
16	14·0	8·0	6·0	2·5	5·0	9·5	16·0	15·0	14·0	11·0	9·0	7·0	9·75
17	5·0	3·0	− 3·0	− 3·0	− 3·0	6·0	15·0	15·0	15·0	7·0	4·0	4·0	5·42
18	10·0	19·0	15·0	19·0	20·0	20·0	22·0	24·0	32·0	25·0	16·0	14·5	19·71
19	14·0	12·0	6·0	1·0	3·0	9·0	17·0	20·0	20·0	16·5	15·5	17·0	12·58
20	11·0	25·0	22·0	25·0	32·0	34·0	36·5	41·0	40·0	32·0	30·0	30·0	29·88
21	30·5	32·0	34·0	35·0	35·0	34·0	34·0	33·0	33·0	33·0	30·0	21·0	32·04
22	19·0	20·0	7·5	10·0	17·5	27·0	34·0	37·5	37·0	36·5	35·0	34·0	26·25
23	15·0	14·0	13·0	15·0	19·5	30·0	35·0	35·5	34·0	33·0	33·5	34·0	25·96
24	34·5	34·0	34·4	33·0	33·0	34·0	32·5	32·0	27·0	25·0	21·0	19·0	29·92
25	18·0	15·0	14·0	12·5	12·0	13·0	15·0	12·5	10·0	12·0	12·2	10·0	13·00
26	4·0	4·0	4·0	7·0	7·0	9·0	10·0	15·0	15·0	10·0	15·0	14·5	9·54
27	14·0	10·0	9·5	8·0	11·0	15·5	20·5	22·0	22·0	17·0	14·0	9·5	14·42
28	7·0	5·0	2·5	3·0	15·0	18·0	30·0	31·5	30·0	29·5	29·0	26·5	18·92
29	10·0	19·0	13·5	7·0	12·0	12·0	15·0	16·5	13·0	7·5	0·0	0·0	10·46
30	− 2·0	− 5·0	−10·5	−10·0	− 4·0	3·0	2·5	11·0	10·5	4·0	− 1·0	− 4·0	− 0·46
31	− 4·0	0·0	5·0	7·5	9·0	16·0	22·0	28·5	30·0	27·0	26·5	26·0	16·15
Mean	9·52	9·47	7·81	8·15	10·92	15·65	20·47	22·71	21·82	17·87	14·23	12·32	14·24

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of April, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.	27·5	28·0	28·0	31·0	30·0	34·0	35·0	36·0	33·5	29·0	26·0	19·5	29·79
2.	19·0	18·5	12·0	20·0	24·0	28·0	28·0	31·0	31·0	29·0	27·5	27·0	24·58
3.	25·0	24·0	23·0	23·0	25·0	24·0	25·5	26·0	25·0	23·0	20·0	19·5	23·58
4.	16·0	15·0	11·5	15·0	17·5	21·0	21·5	22·0	20·0	20·0	18·0	17·0	17·88
5.	15·0	15·0	15·0	25·0	27·0	27·5	29·0	32·0	33·0	33·0	30·5	30·0	26·00
6.	28·0	26·0	26·0	26·5	28·0	31·0	33·0	33·0	32·5	32·0	30·5	30·0	29·71
7.	30·0	30·0	29·9	26·5	27·0	27·5	26·0	25·0	25·0	23·0	26·0	25·0	26·67
8.	19·0	10·0	12·0	15·0	17·5	25·0	29·0	28·0	28·0	26·0	26·0	25·0	21·71
9.	25·0	27·0	29·0	26·0	27·5	30·0	31·0	31·0	31·0	30·0	29·5	29·0	28·83
10.	29·0	28·0	32·0	32·5	34·0	35·0	36·0	36·5	37·0	34·0	30·0	31·5	32·96
11.	25·0	26·0	20·0	20·0	20·0	20·0	21·0	22·5	22·5	22·0	20·0	17·0	21·33
12.	15·5	12·0	16·0	16·0	21·5	24·0	23·5	23·0	23·0	20·0	20·0	23·0	19·79
13.	14·0	10·0	5·0	7·0	15·0	25·0	29·0	30·0	25·0	25·0	24·0	20·0	19·08
14.	18·0	15·0	13·0	20·0	26·0	30·0	32·0	32·0	32·0	31·0	27·0	21·0	24·75
15.	13·0	2·5	2·0	1·0	6·0	9·0	16·5	16·0	16·0	13·0	6·0	4·0	8·75
16.	3·0	0·0	— 3·5	— 1·0	10·0	20·0	26·0	26·0	23·0	18·0	15·0	10·0	12·21
17.	8·0	6·5	10·0	13·5	20·0	25·0	24·0	24·0	28·0	25·5	23·0	23·0	19·21
18.	23·0	27·0	25·0	25·0	28·0	30·5	32·0	35·0	34·5	33·5	27·0	25·0	28·79
19.	22·0	20·0	18·0	17·5	24·0	32·0	35·0	35·0	35·0	33·5	26·0	25·0	27·00
20.	20·0	20·0	18·0	20·0	29·5	34·0	37·0	40·0	40·0	38·0	35·0	35·0	30·54
21.	35·0	32·0	32·0	33·5	40·0	45·0	44·0	44·0	43·0	39·0	36·0	34·0	38·13
22.	30·0	30·0	28·0	32·0	32·0	40·5	40·0	45·5	40·0	38·5	37·5	28·0	35·17
23.	27·5	26·0	24·0	26·0	38·0	32·0	28·0	31·0	33·0	32·0	29·0	29·0	29·63
24.	28·5	25·0	22·0	25·0	25·5	27·5	26·0	26·0	26·0	24·5	20·0	18·5	24·54
25.	18·0	18·0	16·0	20·0	20·0	28·5	30·0	32·5	30·5	28·0	25·0	21·0	24·21
26.	23·0	23·0	23·0	23·0	20·0	30·0	20·0	20·0	18·0	17·5	15·0	14·5	20·58
27.	16·0	12·0	11·0	14·5	17·0	22·5	25·5	28·0	25·0	28·0	27·0	26·0	21·04
28.	26·0	24·0	21·0	25·0	25·0	27·5	30·0	30·0	30·0	29·0	22·0	22·0	25·96
29.	22·0	24·0	20·5	25·0	30·5	40·0	40·0	50·0	45·0	42·5	33·0	29·0	33·46
30.	25·0	25·0	25·0	29·0	37·0	42·5	43·0	46·0	44·0	40·0	36·0	34·0	35·54
Mean	21·53	19·98	18·78	21·08	24·75	28·95	29·88	31·23	30·32	28·58	25·58	23·88	25·38

OBSERVED Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of May, 1907.

DAY.	12·30 a.m.	2·30 a.m.	4·30 a.m.	6·30 a.m.	8·30 a.m.	10·30 a.m.	12·30 p.m.	2·30 p.m.	4·30 p.m.	6·30 p.m.	8·30 p.m.	10·30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·0	27·5	26·0	24·0	30·0	28·0	29·0	30·0	30·0	30·0	28·0	15·5	27·42
1	15·0	14·0	12·0	18·0	23·0	25·0	29·0	31·0	30·5	30·0	24·0	22·0	22·79
3	17·5	19·5	19·0	24·0	30·0	36·0	38·0	40·0	41·0	37·5	30·0	29·5	30·17
4	28·0	27·5	26·0	30·0	33·0	34·0	36·5	36·0	34·0	30·0	27·0	24·0	30·50
5	23·0	20·0	19·0	26·5	40·0	43·0	37·0	31·0	33·0	23·0	23·0	20·0	28·21
6	20·0	16·5	10·0	11·0	17·5	20·5	30·0	30·5	32·0	30·0	30·0	30·0	23·17
7	25·0	25·0	24·0	29·0	32·0	40·0	45·0	50·5	48·0	47·5	40·0	38·0	37·00
8	36·0	29·0	30·0	40·0	50·0	50·5	43·0	37·5	38·0	30·5	25·0	24·0	36·13
9	20·0	20·0	17·0	24·0	30·0	34·0	33·0	34·0	32·5	28·0	30·0	27·0	27·46
10	26·0	21·0	20·0	28·0	29·0	30·0	31·0	33·0	31·0	30·5	32·0	34·0	28·79
11	35·0	34·5	33·0	40·0	43·0	54·0	52·0	51·5	52·0	50·0	39·0	35·0	43·25
12	28·0	29·0	30·0	32·0	40·0	38·0	34·0	39·0	38·0	35·0	35·0	34·0	34·33
13	34·0	32·0	29·0	30·0	35·0	39·0	49·0	49·0	50·0	43·5	42·0	28·0	38·38
14	23·0	23·0	21·0	30·0	42·5	47·0	56·5	59·5	60·5	54·0	45·0	42·0	42·00
15	36·0	36·5	39·5	45·0	64·0	70·0	73·5	73·5	62·0	57·0	52·0	42·0	54·25
16	38·0	33·5	35·0	40·0	51·5	57·0	59·5	60·0	61·5	52·0	45·0	38·0	47·58
17	33·0	27·0	24·5	40·0	50·0	45·0	50·5	50·5	48·0	45·5	36·0	34·0	40·33
18	30·0	30·0	27·0	34·5	42·5	46·0	49·0	49·0	50·5	40·5	38·0	35·5	39·38
19	30·0	32·5	31·0	33·5	35·0	41·0	50·5	51·5	50·0	45·0	40·0	30·0	39·17
20	30·0	29·5	29·5	39·5	50·0	50·0	50·5	52·5	51·5	42·0	40·0	38·0	41·92
21	37·0	37·0	37·0	40·0	48·5	52·5	53·5	59·5	55·0	53·5	45·0	41·5	46·67
22	40·0	36·0	39·5	40·0	40·0	43·0	47·5	48·0	42·5	42·5	42·0	38·0	41·58
23	38·0	33·0	35·0	37·5	39·0	42·5	52·5	52·5	50·0	52·5	45·0	42·0	43·29
24	42·0	40·5	37·0	42·0	51·0	50·0	55·5	52·5	51·5	46·5	47·0	44·5	46·67
25	43·5	42·0	42·0	45·0	52·5	63·0	65·0	68·5	60·0	56·0	40·0	30·5	50·67
26	29·5	27·0	30·5	36·5	45·0	50·0	61·5	62·5	63·0	55·0	41·0	37·0	44·88
27	30·0	32·0	29·5	46·0	59·5	70·0	74·5	74·5	73·0	72·0	56·5	52·5	55·83
28	51·0	45·0	43·0	48·0	54·0	58·5	63·0	70·5	74·5	69·5	67·0	53·0	58·08
29	47·0	45·0	42·0	41·0	42·0	43·5	51·5	53·5	50·0	60·0	45·0	41·0	46·79
30	38·0	35·0	32·0	45·5	57·5	58·5	70·0	70·0	70·0	63·5	53·0	48·5	53·46
31	48·0	47·0	41·5	38·5	40·0	43·0	49·5	53·5	58·5	52·0	47·0	48·5	47·25
Mean	32·34	30·55	29·40	34·81	41·84	45·24	49·05	50·16	49·10	45·31	39·66	35·40	40·24

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of June, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·5	45·5	45 0	42·0	53·5	52·0	62·5	60·0	58·0	49·0	44 0	40 0	49 67
2	40·0	32·5	35·0	42·0	45·0	48 0	53 0	54·5	50·5	50·5	49 0	42·0	45·17
3	38·0	38·0	35·0	46·5	51·0	53·5	60·0	50·5	48·5	40 0	36·0	34 0	44·25
4	34·0	34·0	38·0	41·0	45·0	45·0	58 5	61·5	57·0	61·5	45·5	43 5	47·04
5	39·0	33·5	38 5	45·0	59·0	66·0	66·0	65·5	65 0	58·5	58 0	56·0	54·17
6	57·0	54·0	52·5	50·5	56·0	65·0	72·5	72·0	73·0	78 0	60 0	55·0	62·13
7	51·0	48·0	49·0	52 0	54·0	59·0	68·5	70·0	72·5	68 0	65 0	63·0	60 00
8	63·0	64·0	65·0	56·0	57·0	59 0	61·0	63·0	61·0	59·0	57·0	50·5	59 63
9	55·0	55·0	56·0	53 5	57·0	58·5	69·0	72·5	63·0	68·0	54·0	50·0	59·29
10	50·0	47·0	50·0	54·5	61·0	66·0	78·0	70·0	70·0	70·0	55·0	50·0	60·13
11	45·0	43·5	39·0	54·0	70·0	74·0	83·0	83·0	76·0	78·5	62·0	56·0	63·67
12	56·0	55·0	54 0	60·0	65·0	70·0	75·5	79·5	76·0	70·0	62·0	61·0	65·33
13	58·0	58·0	56·0	59·0	59·0	64·0	70·5	72·0	69 5	63·5	54·0	53 0	61·38
14	52·5	48·0	50·0	53·0	58·0	57·5	71 5	70·0	78·0	58·5	63·5	58·5	59·92
15	50·5	53·0	58·0	64·5	72·0	73·0	74·5	73·0	68·0	73·0	65·0	57·0	65·13
16	53·0	54·0	56·0	57·5	61·0	63·0	67·5	74·0	77·5	58·0	55·0	55·0	60·96
17	54·0	52·0	52·0	57 0	60·0	60 0	61·0	58·5	55·0	58·5	54·0	53·0	56·25
18	52·0	46 0	44·0	46·0	56·5	62·0	73·0	70·0	70·5	75·5	60·0	57·0	59·38
19	56·0	58·0	59·0	60·0	66·0	67·5	68·5	73·5	71·0	70·0	63·0	58·0	64·21
20	53 0	50·0	48·0	60·0	69·0	75·0	76·5	83 5	75·0	70·0	58·0	54·0	64 33
21	55·0	55 0	53·0	52·0	55·0	57·5	68·5	70·0	70·5	64 0	54·0	50·0	58·71
22	50·0	50·0	51·0	53·0	59·0	61·5	59 0	59·0	61·0	60·0	55·0	49·0	55·63
23	51·0	50·0	51·0	49·0	50·5	49·0	50·5	50·0	50·0	48 5	48·0	47·0	49·54
24	47·0	45·5	43·0	45 0	51·5	59·0	67·5	70·0	71·0	65·0	51·5	56·0	56·00
25	48·0	46·0	43·0	53·0	65·0	70·0	75·5	79·5	78·0	71·0	63·0	52·0	62·00
26	50·0	48·0	48·0	60·0	70·5	76·0	77·0	78·0	79·5	73·0	60·0	59·0	64·92
27	56·0	55·0	54·0	61·0	72·0	78·5	83·0	72·0	75·0	80·0	68·0	58·0	67 71
28	54·5	54·0	55·0	57·0	62·5	67 5	70·0	71·5	78·0	70·0	60·5	59·0	63·29
29	56·0	56·0	57·5	57·5	61·0	70·0	63·0	59·5	61 0	59·0	52·0	50·0	58·54
30	48·0	47·0	46·0	48·0	50·0	55 0	60·0	60·0	63·0	62·0	54·0	49·0	53 50
Mean	50·57	49·18	49·38	52·98	59 07	62·73	68·15	68·20	67·40	64·35	56·20	52·52	58·39

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of July, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	48·0	40·0	40·0	50·0	61·5	71·0	71·0	70·0	71·0	68·5	61·0	55·0	58·92
2	52·0	52·0	52·0	60·0	72·0	77·0	81·0	81·0	79·5	79·0	65·0	55·0	67·13
3	52·0	50·0	47·5	56·5	72·0	80·0	73·0	80·5	72·0	73·5	65·0	62·0	65·33
4	59·0	58·0	59·0	62·0	67·5	75·0	80·5	83·5	87·0	63·0	63·0	58·5	68·00
5	49·5	49·5	51·0	53·0	60·0	66·5	71·0	73·0	73·0	70·0	59·5	59·0	61·25
6	53·0	49·0	44·0	54·0	69·0	72·0	74·0	70·5	70·5	73·5	59·0	58·0	62·21
7	55·0	52·0	48·0	52·5	58·0	55·0	61·0	63·0	64·0	62·0	55·0	54·0	56·63
8	44·0	43·0	40·0	51·0	60·0	64·5	65·0	65·0	65·0	65·0	55·0	52·0	55·79
9	45·0	43·0	42·0	53·0	61·0	65·0	70·0	71·0	70·0	71·0	66·0	55·0	59·33
10	50·0	45·0	42·5	54·0	66·0	72·0	77·5	77·0	77·0	77·0	60·0	56·0	62·83
11	53·0	50·0	50·0	59·5	73·0	79·0	87·0	87·0	78·5	70·0	65·0	63·5	67·96
12	60·0	56·0	55·0	64·0	71·0	74·0	75·5	75·0	74·0	69·0	58·0	53·0	65·38
13	51·0	53·0	54·0	55·0	56·0	60·0	60·0	58·0	61·0	60·0	57·0	53·0	56·50
14	49·0	49·0	49·0	52·5	58·0	62·0	65·0	68·0	68·5	63·5	59·0	50·0	57·79
15	49·0	44·5	52·0	51·0	53·0	57·0	55·0	62·5	64·0	60·0	55·0	55·0	54·83
16	49·0	47·0	51·0	52·0	55·0	59·0	60·5	55·5	63·0	62·0	59·0	55·0	55·67
17	48·0	48·0	47·0	52·0	62·0	66·0	65·5	68·0	72·0	72·0	60·0	59·0	59·96
18	58·0	56·0	55·0	57·0	61·0	63·0	72·0	72·0	60·0	65·0	60·0	50·0	60·75
19	51·0	50·0	48·0	52·0	57·5	66·0	68·5	70·0	75·0	72·0	60·0	50·5	60·04
20	55·0	50·5	50·5	56·0	65·0	73·0	77·5	71·0	65·5	76·0	58·0	58·0	63·00
21	55·0	50·0	54·0	57·0	69·0	67·0	70·0	67·0	70·0	64·0	60·0	56·0	61·58
22	53·0	50·0	52·0	57·0	65·5	71·0	68·0	68·0	68·5	68·5	58·0	53·5	61·08
23	54·5	55·0	58·0	58·0	68·0	65·0	68·0	75·0	75·0	67·5	60·0	54·0	63·17
24	51·0	50·0	50·0	58·0	63·5	68·5	65·5	79·5	76·0	65·0	60·0	59·0	62·17
25	54·0	55·0	52·0	56·0	62·5	66·5	65·0	71·0	70·5	67·5	60·0	54·0	61·08
26	49·0	49·0	49·0	52·5	64·5	73·0	77·0	76·0	76·5	69·5	64·0	60·0	63·33
27	55·5	50·0	50·0	53·0	58·5	67·5	69·0	72·0	67·0	62·5	60·0	55·0	60·00
28	54·0	51·0	49·0	55·0	65·0	72·0	76·0	77·0	76·0	71·0	63·0	59·0	64·00
29	58·0	59·0	57·0	64·0	66·0	75·0	73·0	77·5	76·0	73·0	62·0	52·0	66·05
30	52·0	45·0	46·0	51·0	66·5	72·5	71·5	72·0	70·5	70·0	61·0	55·0	61·33
31	54·0	51·0	45·0	53·5	68·0	72·0	73·5	68·0	66·0	60·5	53·0	49·0	59·64
Mean	52·27	52·02	49·66	55·32	63·73	68·61	70·55	71·76	71·05	68·10	60·02	55·39	61·37

OBSERVED Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of August, 1907.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	45·0	40·0	40·0	48·0	56·5	61·5	58·0	60·5	65·0	62·5	52·0	49·0	53·17
2	42·0	40·0	37·0	44·0	57·5	63·5	67·0	63·0	67·0	65·0	56·0	43·5	53·79
3	45·0	43·0	42·0	50·0	56·5	66·5	77·0	80·0	78·5	70·0	68·0	67·0	61·96
4	64·0	65·0	60·0	61·0	62·0	61·0	57·5	57·5	58·0	55·5	55·0	48·0	58·71
5	45·0	45·0	44·0	48·5	54·0	60·5	65·0	70·0	57·0	54·5	55·0	54·0	54·37
6	51·0	46·0	45·0	50·0	56·5	57·0	61·5	69·5	70·0	61·5	58·0	50·0	56·33
7	48·0	48·0	51·0	55·0	65·0	68·0	75·0	82·0	82·5	70·0	65·0	60·0	64·12
8	63·0	50·0	47·5	53·0	67·0	75·0	78·0	84·0	84·0	70·5	67·5	65·0	67·04
9	62·0	64·0	65·0	58·0	65·0	72·5	77·5	76·0	78·0	64·5	61·0	59·0	66·46
10	59·0	60·0	64·0	53·0	50·0	50·5	51·5	51·0	49·0	49·0	54·0	53·0	53·67
11	52·0	50·0	48·0	47·5	49·5	60·0	66·5	64·0	60·5	55·0	57·0	55·0	55·42
12	52·0	49·0	46·5	49·0	50·5	57·0	64·0	61·0	65·0	64·5	55·0	50·0	55·29
13	45·0	44·0	43·0	47·0	58·0	69·0	65·5	73·0	73·0	65·5	63·5	60·0	58·88
14	59·0	57·0	55·0	63·0	57·0	65·0	68·0	79·0	79·0	69·5	73·0	64·0	65·71
15	60·5	53·5	51·0	50·0	50·5	57·5	56·5	56·0	55·0	50·0	50·0	50·0	53·37
16	49·0	47·0	45·5	51·5	53·5	65·0	65·0	69·0	70·0	60·5	58·0	56·0	57·50
17	50·0	49·0	47·0	50·0	61·5	70·0	73·5	76·0	78·0	74·0	65·0	62·0	63·00
18	63·0	62·0	56·0	55·0	56·0	54·0	59·0	60·0	54·0	46·0	43·0	42·0	54·17
19	42·0	41·0	40·0	42·0	47·0	52·5	54·0	53·0	55·0	54·5	41·0	41·0	46·92
20	41·5	41·0	40·0	40·0	44·0	50·0	53·0	56·0	61·0	56·0	41·0	40·0	47·46
21	35·0	34·0	33·0	32·0	42·5	56·0	72·0	75·0	73·0	65·5	60·0	55·0	52·75
22	47·5	40·0	40·0	44·5	63·0	72·5	73·0	73·5	73·0	71·0	65·0	58·5	60·13
23	57·0	55·0	53·5	55·0	62·5	67·5	69·0	79·0	63·0	59·0	50·0	40·0	59·21
24	40·0	38·0	37·0	40·0	59·0	62·5	73·0	74·0	69·5	66·5	57·0	52·5	55·75
25	50·0	48·5	51·0	56·0	56·5	67·0	73·0	69·0	67·5	67·0	62·0	60·0	60·63
26	57·0	54·0	53·0	52·5	55·0	56·0	58·0	64·5	67·5	50·0	52·0	54·0	56·12
27	45·0	44·0	40·0	43·0	52·0	57·5	55·5	62·5	56·5	55·5	48·0	47·0	50·54
28	47·5	48·0	45·0	46·0	51·0	56·0	56·5	55·0	55·0	48·0	46·0	45·0	49·92
29	42·0	48·0	48·0	48·0	52·0	57·5	65·5	70·0	75·0	64·5	58·0	55·0	56·96
30	56·0	57·0	56·0	58·5	61·5	72·5	62·5	62·0	61·0	61·0	60·0	60·5	60·71
31	65·0	61·5	61·0	60·0	57·0	55·0	51·0	52·5	53·0	50·0	49·0	45·0	55·00
Mean	50·97	49·21	47·90	50·03	55·79	61·81	64·58	67·02	66·08	60·53	56·39	52·94	56·94

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of September, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·0	40·0	36·0	36·5	51·0	59·0	60·0	62·0	61·5	58·5	54·0	44·0	50·54
2	44·0	44·0	40·5	44·0	51·5	68·5	68·5	68·5	72·5	64·5	57·0	52·5	56·33
3	50·0	45·0	44·0	46·5	59·5	67·0	65·5	70·0	64·5	58·0	55·0	50·0	56·25
4	48·0	48·0	46·0	46·0	52·0	62·5	60·0	70·0	71·5	67·0	62·0	50·0	56·92
5	48·5	43·5	44·0	42·0	54·5	61·5	68·0	71·0	64·0	59·5	56·0	53·0	56·04
6	50·0	46·0	49·0	51·5	53·0	55·0	64·5	76·0	74·0	68·0	63·0	56·0	58·83
7	54·0	53·0	46·0	46·5	55·0	66·5	63·5	61·0	58·5	48·0	45·0	45·0	53·50
8	45·0	45·0	43·0	44·0	40·0	44·0	49·5	50·5	51·0	50·5	50·0	48·5	46·75
9	49·0	50·0	47·0	40·0	48·5	60·5	65·0	67·0	70·0	55·5	49·0	44·0	53·79
10	44·0	43·0	42·0	41·0	50·0	65·0	62·5	69·5	55·0	48·0	48·0	45·0	51·08
11	44·0	43·0	42·0	39·0	37·0	35·0	37·5	37·5	37·5	35·5	39·0	37·0	38·67
12	30·0	30·0	28·0	30·5	37·5	42·0	44·0	42·5	41·0	37·5	45·0	47·0	37·92
13	42·0	40·0	35·0	35·5	39·0	40·0	44·5	44·0	44·0	35·0	34·0	30·5	38·62
14	32·0	32·0	30·0	28·5	30·5	53·0	53·5	62·0	62·0	56·0	46·0	42·0	43·96
15	42·0	41·0	40·0	45·0	46·0	47·0	52·5	48·0	47·0	44·0	53·0	40·0	45·46
16	41·0	37·0	40·0	39·0	40·5	52·5	53·5	61·5	60·0	56·0	53·0	51·5	48·79
17	50·0	49·0	48·0	47·5	47·0	55·0	59·5	60·0	65·0	54·0	48·0	43·0	52·17
18	40·0	39·0	37·0	37·0	39·0	47·0	45·0	54·0	49·0	44·5	40·5	38·0	42·50
19	34·5	36·0	36·0	37·0	44·0	60·0	58·5	63·5	55·0	45·5	45·0	40·0	46·25
20	37·0	30·0	29·0	31·0	35·5	45·5	34·0	40·0	41·0	39·0	35·0	32·0	35·75
21	30·5	29·5	32·0	35·0	37·5	45·0	50·5	53·0	57·0	46·0	54·0	50·0	43·33
22	47·0	45·0	41·0	39·0	41·0	46·0	46·0	48·0	48·5	54·0	54·0	52·0	46·79
23	51·0	50·0	52·0	53·0	57·5	61·0	61·5	55·0	51·5	50·0	48·0	35·0	52·13
24	32·0	28·0	27·0	30·0	42·5	54·0	55·0	59·0	58·5	58·0	58·0	58·0	46·67
25	57·0	56·0	47·0	40·0	56·5	58·0	60·0	58·5	57·0	46·0	38·0	34·5	50·71
26	33·0	29·0	28·0	28·5	36·0	47·5	50·0	46·0	45·5	37·5	34·0	32·0	37·25
27	28·0	27·0	27·5	34·0	37·5	45·0	55·0	59·5	61·0	53·0	40·0	40·0	42·29
28	38·0	32·5	27·0	23·0	26·5	30·5	35·0	32·0	30·5	29·0	25·0	20·0	29·08
29	18·0	15·0	14·0	15·0	25·0	39·0	46·5	50·5	49·0	36·5	32·5	28·0	30·75
30	23·0	21·0	21·0	25·0	40·0	56·5	67·5	68·0	65·5	53·5	46·0	43·0	44·17
Mean	40·88	38·92	37·30	37·92	43·70	52·30	54·55	56·93	55·60	49·60	46·90	42·72	46·44

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of October, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	37·0	37·0	41·0	41·0	42·0	48·0	51·0	56·5	55·5	43·0	42·5	40·0	44·54
2	43·0	45·0	45·0	43·0	44·5	46·0	46·5	50·0	49·5	46·0	34·0	37·0	43·29
3	26·0	21·0	20·6	19·0	42·5	50·0	60·0	63·5	62·5	52·0	49·0	48·0	42·79
4	48·0	45·0	37·0	37·0	50·0	59·5	65·0	65·5	63·5	56·0	35·0	34·0	49·63
5	35·0	35·0	35·0	36·5	46·5	62·0	68·5	71·5	70·0	61·0	55·0	55·0	52·58
6	54·0	50·0	48·0	45·5	46·0	48·0	52·0	55·5	55·0	46·0	40·0	34·0	47·83
7	30·5	30·0	30·0	25·0	40·0	58·5	62·0	63·5	60·0	58·0	52·0	52·0	46·79
8	51·0	50·0	40·0	42·0	46·0	49·0	50·0	53·0	52·0	50·0	34·0	30·0	45·58
9	30·0	28·0	26·0	30·0	41·5	48·0	60·5	62·0	60·0	54·5	56·0	50·0	45·54
10	45·0	37·5	33·5	37·5	46·0	53·5	56·0	56·5	53·5	50·0	36·0	32·0	44·75
11	25·0	24·0	22·0	20·0	36·0	50·0	55·5	56·5	52·5	47·0	33·0	30·0	37·58
12	29·5	29·0	28·0	27·0	38·5	54·5	66·0	68·0	62·5	57·0	46·5	41·0	45·58
13	37·0	34·0	35·0	31·5	41·0	51·5	58·0	58·0	57·5	54·0	45·0	38·0	45·04
14	36·0	35·0	33·0	25·0	36·0	51·5	57·0	60·0	55·0	49·0	43·0	40·0	43·38
15	36·0	30·0	34·0	30·0	50·0	62·5	67·5	65·5	65·0	58·0	50·0	43·0	49·29
16	38·0	35·0	30·0	32·5	42·0	55·0	62·5	65·0	61·5	54·0	46·0	36·0	46·46
17	30·5	26·5	21·0	16·0	23·5	30·5	36·5	36·0	33·5	28·0	20·0	16·5	26·54
18	10·0	15·0	15·0	15·0	30·0	41·5	44·5	49·0	46·5	40·0	30·0	25·0	30·13
19	20·0	19·0	21·0	21·0	32·0	42·0	49·0	47·5	45·0	30·0	24·0	16·0	30·54
20	14·0	16·0	16·0	15·0	25·5	43·0	50·0	57·0	51·0	35·0	30·0	31·0	31·96
21	27·0	24·0	20·5	21·0	40·0	53·0	60·0	62·0	56·0	40·0	35·0	30·0	39·04
22	25·0	22·0	18·0	16·0	29·0	53·0	62·5	62·0	55·5	40·0	39·0	32·0	37·83
23	33·0	33·0	36·0	35·0	41·0	55·5	61·0	61·5	55·5	41·0	36·0	30·0	43·21
24	32·0	30·0	25·0	25·0	31·0	42·0	46·5	47·0	43·0	35·0	26·0	20·0	33·54
25	17·0	16·0	20·0	20·0	29·5	43·0	53·0	57·5	52·5	52·0	52·0	40·5	37·75
26	40·5	34·0	35·0	35·0	37·5	38·0	39·5	40·5	37·0	25·0	16·0	16·0	32·83
27	12·0	11·0	12·0	11·0	25·0	42·5	52·5	60·0	54·0	48·0	33·0	30·0	32·58
28	27·0	35·0	28·0	22·0	31·5	46·5	52·0	48·5	44·0	35·0	22·0	30·0	35·13
29	25·0	24·0	25·0	27·0	33·0	40·5	44·0	46·0	41·0	35·0	30·0	28·0	33·21
30	25·5	26·0	22·0	31·0	32·5	35·0	41·0	45·0	46·0	37·5	35·0	32·0	33·54
31	30·0	29·0	27·0	32·0	40·5	43·5	45·5	43·0	40·5	35·0	30·0	25·0	35·08
Mean	31·27	29·87	28·35	27·89	37·74	48·29	54·05	55·89	52·60	44·90	37·26	33·29	40·12

Observed Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of November, 1907.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	20·0	18·0	15·0	15·0	24·0	37·5	49·0	48·5	44·0	37·0	24·0	18·0	29·17
2	16·0	15·0	15·0	20·0	28·0	40·5	46·5	52·0	47·0	30·0	33·0	35·0	31·50
3	38·0	25·0	20·0	17·0	25·5	41·0	45·0	46·0	41·0	35·5	28·0	26·0	32·33
4	24·0	19·0	18·0	15·5	25·0	43·0	48·0	51·0	46·5	40·0	35·0	28·0	32·75
5	27·0	24·0	23·0	23·5	32·5	42·5	48·0	51·5	47·5	41·0	37·0	35·0	36·04
6	27·0	25·0	23·0	21·5	33·5	44·0	56·0	58·0	42·0	45·0	43·0	42·0	38·33
7	37·0	34·0	24·0	21·0	22·0	35·5	38·5	40·0	36·5	28·0	25·0	18·0	29·96
8	21·0	34·0	23·0	32·0	35·0	41·5	42·5	37·0	34·0	30·5	25·0	23·0	31·54
9	20·5	20·0	23·0	20·0	22·0	24·0	25·0	22·0	21·0	19·0	20·0	20·0	21·38
10	20·0	20·0	20·0	20·0	20·0	20·0	20·0	21·5	20·0	15·0	10·0	2·0	17·38
11	0·0	0·0	— 1·0	— 1·0	11·0	22·5	30·0	27·0	20·0	13·0	12·0	10·5	12·00
12	9·0	8·0	7·0	10·0	20·0	30·0	31·0	31·0	31·5	28·0	27·0	16·0	20·71
13	8·0	6·0	1·0	1·0	4·0	12·5	13·0	13·0	16·0	7·0	0·0	0·0	6·79
14	0·0	0·0	0·0	6·0	15·0	21·5	20·0	20·0	21·0	17·5	12·0	9·0	11·83
15	2·5	0·0	0·0	5·0	20·0	28·0	30·0	40·0	39·0	32·0	28·0	25·5	20·83
16	22·0	20·0	20·0	19·0	23·0	35·0	43·0	47·0	43·0	37·0	35·0	32·0	31·33
17	31·0	33·0	20·5	18·0	18·0	23·0	27·0	25·5	20·0	13·0	8·0	4·0	20·08
18	4·0	5·0	5·0	10·0	12·5	27·0	43·5	44·0	36·0	32·0	29·0	30·0	23·17
19	30·0	31·0	30·0	30·0	31·0	36·5	45·0	47·0	45·0	37·5	40·0	42·0	37·08
20	29·0	35·0	30·0	30·0	32·0	30·0	31·0	31·0	22·0	20·0	16·0	15·0	27·58
21	16·0	16·0	16·0	16·0	8·0	24·0	34·0	35·0	30·0	20·0	16·0	10·5	20·13
22	9·0	14·0	17·0	15·0	17·0	31·5	45·0	44·0	40·0	35·5	38·0	45·0	29·25
23	46·0	40·0	35·0	30·0	27·0	30·0	39·5	39·5	30·0	16·0	16·0	17·0	30·50
24	23·0	27·0	32·0	28·0	32·5	35·0	37·5	31·0	29·5	25·0	19·0	10·0	27·46
25	6·0	5·0	4·0	5·0	16·5	25·0	32·0	35·0	30·0	20·0	10·0	5·0	16·13
26	5·0	10·0	15·0	25·0	27·0	34·0	42·0	39·5	34·0	30·0	40·0	32·0	27·79
27	35·0	22·5	23·0	20·0	20·0	32·0	37·0	37·0	27·0	21·0	16·0	10·0	25·04
28	10·0	8·0	8·0	5·0	3·0	16·0	21·0	22·0	12·0	9·0	12·0	15·0	11·75
29	19·0	22·0	20·0	22·0	26·5	30·0	31·0	28·0	23·0	18·0	17·0	11·0	22·29
30	10·0	10·0	12·0	8·5	10·5	21·0	33·5	37·5	30·0	27·0	24·5	22·0	20·54
Mean	19·17	18·22	16·62	16·93	21·40	30·47	36·15	36·72	31·95	25·98	23·18	20·28	24·76

OBSERVED Bi-Hourly Temperature at Regina, Saskatchewan, for the Month of December, 1907.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	21·5	21·5	20·5	17·0	16·0	26·0	33·0	37·0	32·0	25·0	26·0	18·0	24·46
2	15·0	12·0	11·0	7·0	9·5	20·0	30·5	31·0	22·0	18·0	15·0	22·0	17·75
3	10·0	8·0	9·0	9·5	10·0	19·0	25·0	31·5	29·0	23·5	13·0	12·5	16·67
4	14·0	12·5	10·0	13·0	15·0	30·0	40·0	42·0	27·5	26·0	25·0	18·0	22·75
5	17·0	17·0	17·0	14·0	20·0	42·5	46·5	47·0	48·0	40·0	35·0	32·0	31·33
6	31·0	25·0	23·0	21·0	22·0	30·5	38·0	40·0	33·0	20·0	20·0	15·0	26·54
7	10·5	15·0	10·0	14·0	19·0	26·0	39·0	37·5	34·0	31·0	29·5	32·0	24·79
8	30·0	28·0	25·0	21·0	19·0	22·0	16·0	18·0	12·5	7·5	4·0	0·0	16·99
9	0·0	— 1·0	— 4·0	— 5·0	9·0	15·5	19·0	20·0	19·0	20·0	17·0	18·0	10·62
10	15·0	9·0	11·0	12·0	12·0	30·0	36·0	38·0	30·0	23·5	19·0	10·0	20·46
11	8·0	8·0	8·0	8·5	11·0	21·5	29·0	29·0	27·0	25·5	24·0	23·0	18·54
12	25·5	28·0	27·0	23·0	24·5	30·0	41·5	40·0	39·5	30·0	30·0	27·0	30·50
13	22·0	18·5	15·0	12·0	14·0	20·0	27·0	30·0	27·5	27·0	30·0	27·0	22·50
14	30·0	24·0	21·0	20·5	24·0	25·5	31·5	30·5	29·0	29·0	25·0	22·0	26·00
15	22·0	21·0	20·5	20·0	20·0	16·5	19·0	17·5	16·0	14·0	10·0	10·0	17·21
16	10·0	8·0	8·0	9·0	10·5	13·0	14·0	15·0	15·0	14·5	10·0	8·0	11·25
17	8·0	6·0	8·0	9·0	10·5	9·0	10·5	8·5	6·0	3·5	— 4·5	—11·0	5·29
18	—12·5	— 9·0	— 7·0	—10·0	— 8·0	8·5	19·0	20·0	21·0	14·0	— 5·0	14·0	3·75
19	13·0	11·0	7·0	— 6·5	— 6·0	—10·0	16·5	16·0	10·5	3·0	— 7·0	— 7·0	3·37
20	— 7·0	—10·0	— 7·0	— 8·0	— 7·5	11·0	20·0	21·0	13·0	5·0	8·0	15·0	4·46
21	11·0	16·0	18·0	26·5	29·0	31·5	37·5	28·0	28·0	28·0	28·5	31·0	26·08
22	36·0	29·5	20·0	16·0	20·5	26·0	29·5	32·0	24·0	23·0	20·5	19·0	24·67
23	18·0	14·0	15·0	21·5	24·0	26·0	28·5	28·0	22·5	13·5	10·0	14·0	19·58
24	15·0	16·5	18·0	18·0	20·5	19·0	18·5	16·0	5·5	5·0	— 5·0	—15·0	11·00
25	—22·0	—17·0	—10·0	— 9·0	— 3·0	4·5	13·0	10·0	5·0	3·0	— 5·0	— 4·0	— 2·87
26	8·0	15·0	20·0	20·0	20·0	20·0	20·0	19·0	5·5	4·5	— 2·0	— 5·0	12·08
27	—14·0	—16·0	—22·0	—20·5	—14·0	—10·5	— 4·0	— 3·0	— 4·0	— 7·0	—10·0	—16·0	—11·75
28	—12·0	— 6·0	— 2·0	— 3·0	— 3·0	— 6·0	—11·0	—13·0	— 8·0	4·5	2·5	9·5	— 3·96
29	12·5	13·0	14·5	11·0	8·5	0·0	4·5	9·0	6·0	6·0	7·0	7·0	8·25
30	10·0	10·0	13·0	14·0	18·0	10·5	14·0	12·0	8·5	4·5	8·0	6·0	10·71
31	4·0	4·0	0·0	0·0	— 4·0	— 4·0	— 0·0	— 4·0	— 8·5	—15·0	—14·5	—17·0	— 4·91
Mean	11·27	10·69	10·24	9·53	11·65	16·89	22·63	22·69	18·58	15·16	11·74	10·81	14·32

TEMPERATURE at Winnipeg Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	— 1·0	— 3·8	— 5·0	1·6	1·4	0 5	— 0 6	— 1·5	— 1·8	0·0	1 5	5·3
2.	15·3	16·0	16·8	16·6	16·8	17·3	17·5	18·2	18·7	19·8	22·0	23·5
3.	18·0	16·6	14·0	12·4	11·8	10·3	2·0	— 2 0	— 4·2	— 4·7	— 5 0	— 5·0
4.											— 4·0	— 3·5
5.	—11·3	—12·0	—12·7	—12·4	—12·0	—12·0	—12·3	—12·0	—11·6	—10·5	—10·0	— 9·7
6.	— 7·0	— 6·3	— 8·0	— 8·5	— 6·6	— 8·0	— 8 5	—10·0	—10·0	— 9·8	— 9 3	— 7·6
7.	—26·4	—26·8	—26·8	—25·0	—26·7	—27·7	—29·3	—28·8	—27 8	—26·4	—20·0	—16·0
8.	— 9·0	—10·7	—12·4	— 9·3	— 8·0	— 9·3	—11·5	—12·0	—12·6	—12·6	—12·3	— 9·0
9.	—21·0	—20·4	—19·5	—16·4	—17·2	—19·5	—20·6	—21·7	—18·6	—16·0	—12 5	—10·0
10.	10·5	11·3	9·0	6 0	3·4	0·5	— 1·5	— 0·7	1·2	3·0	4 6	4·0
11.	— 4·0	— 6·6	— 8·4	— 9·0	— 8·6	— 9·4	—12·0	—15·5	—14·5	— 9 7	— 5·0	— 4·0
12.	— 7·0	— 9·5	—11·5	—11·7	—13·4	—14·0	—14·8	—15·5	—14·5	—15·7	—10·0	— 9·8
13.	—29·0	—27·6	—26·3	—25 0	—23·4	—21·0	—20·0	—18·2	—15·0	—14·3	—12·2	—11·3
14.	—18·0	—18·0	—18·0	—18·0	—20·4	—24·0	—27·5	—28·3	—29·5	—29·6	—29·3	—27·0
15.	—31·4	—31·8	—33·3	—38·6	—38·0	—36·0	—34·2	—30·0	—27·4	—25·0	—22·7	—20·0
16.	—15·7	—15·0	—14·6	—14·0	—13·0	—12·6	—12·2	—11·8	—10·6	—10·0	—10 0	— 7·8
17.	—14·0	—15·6	—16·4	—18 0	—16·3	—15·5	—16·7	—16·4	—15·5	—11·0	— 8·2	— 7·5
18.	—25·5	—23·3	—24·0	—22 0	—19·0	—17·8	—17·6	—17·8	—16·0	—13·0	— 8 7	— 7·0
19.	9·3	9·7	10·0	10·0	9·2	9·7	9 8	8·0	7·6	6·5	6·5	3·7
20.	—12·0	—12·0	—12·5	—12·6	—14·0	—16·5	—18·0	—19·4	—17·6	—15·5	—14·6	—15·7
21.	—28·6	—29 0	—28·6	—28·0	—26·7	—24·6	—23·4	—23 4	—24·0	—24·3	—24·0	—23·5
22.	—30·0	—30 0	—31·5	—31·4	—32·4	—34·0	—35·7	—37·0	—33·0	—30·0	—27·4	—24·6
23.	— 8·7	— 8·7	— 8·4	— 7·0	— 6·0	— 5·0	— 4·0	— 4·0	— 3·0	— 2 0	— 1 0	— 0 6
24.	4·0	3·7	3·0	3·0	2·5	— 2·0	— 7·0	— 8·7	— 9·0	— 9·0	— 8·0	— 6·0
25.	—18·0	—22·0	—20·5	—24·5	—25·6	—26·7	—28 0	—29·0	—30·0	—28·5	—25·7	—21·5
26.	— 14·5	—11·6	—14·0	— 14·0	—14·7	—15 7	—16·6	—17·0	—17·0	—16·0	—13·5	—12·4
27.	—20·0	—19·0	—17·8	—18·0	—20·2	—20·7	—21·0	—22·0	—21·3	—21·0	—20·0	—17 5
28.	—29·0	—30·0	—29·8	—30·0	—31·5	—28·3	—28·0	—29·0	—30·0	—28·6	—25·3	—23·5
29.	—25·0	—25·3	—26·0	—27·7	—28·0	—28·0	—29·5	—29·3	—29·4	—28·7	—26·0	—23·0
30.	—29·5	—32·0	—30·5	—30·0	—28·6	—24·7	—21·5	—21·8	—21·0	—16·0	—13·7	—12·0
31.	—13·5	—17·3	—20·3	—21·2	—24·0	—27 0	—27·3	—27 0	—25·0	—20·0	—15·4	— 8·5
Mean	—13·1	—13·7	—14·1	—14·1	—14·3	—14·7	—15·6	—16·	—15·7	—13·9	—11·6	— 9·6

each Hour (90th Meridian Time), during the Month of January, 1907.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
	°	°	°	°	°	°	°	°	°	°	°
8·4	10·0	11·3	12·0	12·0	12·7	14·6	14 0	14·0	14·4	14·6	15·0
25·0	24·3	24·7	24·6	24·6	23·5	22·8	22·0	21·7	21·0	20·0	19·4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
— 3·6	— 3·3	— 3·2	— 6·0	—10·0	—11·3	—13·0	—16·0	—13·0	—12·0	—12·7	—12·4
— 9·5	— 9·3	— 9·5	—10·0	—10·0	—10·0	— 9·3	— 8 7	— 8·4	— 8·0	— 8·0	— 8·0
— 6·0	— 5·0	— 7·6	— 7·8	— 9·0	—15·0	—19·0	—18·4	—22 3	—21·8	—24·6	—26·3
—13·5	—10·7	—11·0	—10·5	—10·0	— 9·2	— 9·0	— 8 3	— 7·8	— 7·8	— 8 0	— 8·0
— 7·0	— 6·0	— 8·0	— 7·8	—12·5	—11·4	—11·8	—14·0	—20·0	—21·0	—22·0	—22·0
— 7·5	— 5·0	— 4·5	— 2·7	0·7	3·5	4·7	5·0	6·0	6·6	8 4	9·7
4·3	5·0	4 0	2·2	— 1·3	— 4·3	— 5·0	— 6 7	— 9·4	— 7·8	— 4 7	— 5·0
— 2·0	0·0	— 1·0	— 4·0	— 5·7	— 8·0	— 6·6	— 5·5	— 5·2	— 6·0	— 7·7	— 6·0
— 8·0	— 7·7	— 7·0	— 8·0	— 8 4	—11·0	—13·5	—16·0	—24·5	—28·0	—28·0	—28·0
— 7·8	— 6·0	— 7·6	— 9·0	—13·0	—18·0	—16·5	—14·5	—14·0	—13·6	—14·6	—15·0
—25·0	—22·0	—22·8	—22·6	—26·2	—26·4	—27·5	—28·0	—28·4	—28·2	—30·0	—30·2
—18·0	—17·0	—18·6	—19·3	—19 5	—20·6	—21·5	—21·8	—19·0	—18·0	—16·7	—16·0
— 7·0	— 6·1	— 6·5	— 7·8	—10·0	—12·0	—14·2	—14·3	—13·4	—13·0	—13·5	—13·7
— 7·8	— 8·0	— 8·4	—10·7	—12·3	—13·7	—15·5	—17 8	—19·0	—25·3	—26·0	—27·0
1·3	5·0	4·0	2·0	2·0	3·7	5·3	5·7	6·0	7·0	8·0	9·2
0·0	— 3 0	— 6·0	— 8·0	— 8·0	— 8·0	— 9 0	—10·0	—10·7	—11·0	—12·0	—12·0
—17·0	—19 0	—19·4	—19·5	—19·8	—20·6	—22·0	—23·7	—24·7	—25·7	—27·2	—28·0
—20·0	—16·0	—16·0	—16·0	—19·0	—20·2	—24·5	—25·0	—25·3	—27·7	—29·0	—30·0
—19·5	—13·0	—13·0	—12·5	—12·8	—13·0	—13·0	—12·0	—11·7	—10·7	—10·0	— 9·0
1·5	4·0	2 7	3·4	3·5	3·7	3·8	4 0	4·0	4·0	4·0	4·0
— 5·0	— 4·0	— 5·3	— 6·0	— 9·0	—11·8	—12·4	—14 0	—16·0	—16·3	—15·4	—17·0
—17·3	—13·4	—15·0	—15 3	—16·0	—16·7	—16·6	—15·0	—14·3	—14·0	—14·0	—14·0
—11·3	—10·0	— 9·0	— 8·0	— 7·6	— 8·3	—11·5	—13·7	—13·6	—15·0	—17·3	—19·5
—17·3	—15·8	—15·0	—15 3	—16·4	—18·0	—20·0	—21·5	—24·0	—25·3	—26·0	—27·0
—21·6	—19·7	—19·5	—18·8	—20·0	—20·5	—22·6	—23·0	—24·0	—24·2	—24·0	—25·3
—21·7	—20·0	—19·0	—20 0	—21·7	—20·0	—20·5	—22·6	—23·5	—24·0	—25·3	—27·0
—10·0	— 7·0	— 7·8	— 7·8	— 9·3	—10·5	— 9·5	— 8·4	— 8·4	— 8·5	—10·6	—12·0
— 5·0	— 3·0	— 2·0	— 1·8	— 1 0	— 0·0	1·7	3·8	4·7	6·0	8·0	8·0
— 8·3	— 6·7	— 5·6	— 8·0	— 8·8	— 9·8	—10·4	—10·8	—11·5	—11·7	—12·1	—12·4

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°		°	°	°	°
1.	8·0	8·5	9·8	9·8	9·8	9·7	9·6	8·0	5·0	4·5	3·5	2·6
2.	−13·3	−13·0	−13·8	−14·0	−14·6	−14·7	−16·3	−17·0	−18·0	−18·0	−18·0	−18·2
3.	−31·2	−32·0	−33·0	−34·0	−34·2	−34·0	−35·0	−35·0	−34·0	−34·2	−30·0	−25·7
4.	−29·4	−29·7	−29·7	−29·8	−39·0	−30·3	−30·2	−30·3	−30·0	−27·0	−23·7	−20·0
5.	−25·5	−27·0	−26·0	−26·0	−26·0	−26·0	−28·6	−30·0	−27·0	−23·6	−20·6	−18·0
6.	−17·5	−18·0	−19·0	−20·0	−20·5	−22·0	−19·0	−19·5	−18·6	−17·5	−15·6	−13·0
7.	−14·5	−13·0	−11·7	− 9·4	− 8·0	− 8·0	− 8·0	− 8·6	− 7·3	− 6·0	− 4·0	− 1·0
8.	2·4	2·4	2·6	2·4	1·4	0·0	− 0·7	1·5	3·6	5·0	10·4	13·7
9.	12·6	13·7	12·0	13·7	13·7	16·7	18·0	19·5	19·8	23·0	27·0	29·3
10.	20·2	19·0	14·7	13·7	12·0	9·0	12·0	14·0	10·0	9·0	8·6	8·0
11.	− 1·3	− 1·4	− 0·6	0·0	0·5	1·5	1·6	2·0	3·0	4·7	7·0	10·0
12.	10·2	10·4	11·0	11·0	12·4	13·2	14·0	12·5	13·6	17·5	21·0	25·0
13.	25·0	24·0	23·4	25·5	25·6	27·5	28·0	20·3	18·0	14·7	12·5	13·3
14.	4·0	0·6	0·0	0·7	− 1·0	3·7	3·6	2·3	7·2	12·3	16·0	16·5
15.	24·0	25·0	24·0	23·7	22·0	20·6	20·3	18·2	19·0	24·0	28·0	29·5
16.	21·0	20·7	18·0	16·5	14·0	10·0	7·0	6·0	10·0	17·6	23·6	22·2
17.	23·4	22·7	21·5	21·7	22·0	22·0	21·0	23·0	25·0	29·6	32·4	34·6
18.	28·0	29·0	29·4	28·7	24·0	21·0	19·6	15·7	15·7	17·3	20·0	24·0
19.	21·0	19·0	20·2	19·5	13·0	9·0	6·0	4·0	2·5	4·5	6·0	6·0
20.	−30·0	− 4·6	− 6·0	− 6·6	− 8·0	− 9·0	−12·0	−14·0	−12·0	−10·0	− 7·5	− 6·0
21.	−15·7	−15·3	−18·5	−22·0	−22·0	−22·0	−22·6	−22·0	−21·5	−18·0	−14·7	−12·0
22.												
23.												
24.	21·0	18·5	15·7	14·0	13·6	11·6	9·0	7·0	9·2	12·0	12·0	10·0
25.	− 3·0	− 3·7	− 4·3	− 4·6	− 4·0	− 4·0	− 3·8	− 2·6	− 2·0	− 0·5	2·0	6·0
26.	− 5·0	− 6·0	− 5·7	− 4·6	− 5·4	− 7·0	− 9·7	−11·7	−11·8	− 9·7	− 9·0	− 8·0
27.	− 8·0	− 8·0	− 8·2	− 9·0	− 8·0	− 6·0	− 4·5	− 3·0	− 1·7	0·0	1·7	4·0
28.	−12·7	−14·0	−14·7	−15·5	−16·0	−17·0	−17·5	−16·6	−14·5	−11·0	− 5·0	− 1·0
Mean.	0·5	0·3	0·4	0·2	− 0·5	− 0·9	− 1·0	− 2·2	− 1·4	1·2	3·2	5·1

each Hour (90th Meridian Time), during the Month of February, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
1·0	— 0·7	— 7·0	— 8·0	— 8·0	— 9·4	—10·5	— 9·5	— 8·4	— 8·3	— 8·5	—10·6
—18·5	—20·0	—20·0	—20·0	—20·0	—21·0	—22·0	—26·0	—30·0	—29·8	—30·0	—30·5
—23·0	—20·0	—21·5	—22·0	—21·6	—26·0	—26·0	—26·0	—26·0	—27·0	—27·3	—28·0
—16·8	—13·0	—13·0	—12·0	—12·7	—13·5	—18·0	—18·7	—21·0	—23·0	—24·0	—24·0
—13·0	— 9·7	— 9·8	—10·0	—10·6	—12·7	—13·4	—13·5	—13·5	—13·8	—16·0	—17·2
—12·0	—11·7	—11·6	—12·0	—14·6	—18·0	—18·5	—19·0	—19·0	—20·0	—18·2	—16·5
— 0·6	0·0	0·0	0·7	— 0·6	— 1·7	— 0·6	— 0·4	0·0	0·0	0·7	1·7
20·0	24·0	25·0	22·6	20·2	19·0	18·0	18·3	18·0	15·7	14·0	12·0
30·0	30·0	30·0	28·3	28·2	27·0	23·0	21·8	20·4	18·5	18·6	20·0
9·0	8·0	8·0	5·0	2·0	1·0	0·7	0·8	0·0	— 0·6	— 0·5	— 0·2
12·0	14·0	15·0	16·0	15·3	12·6	10·0	10·0	10·2	11·0	10·7	10·0
30·0	30·0	31·7	31·4	28·0	26·0	25·0	24·0	23·8	24·2	24·2	24·0
14·0	14·0	13·0	13·0	10·6	6·4	4·0	0·0	— 2·6	— 3·0	— 3·7	— 1·0
22·0	24·0	26·0	26·2	26·6	26·6	29·0	31·5	30·0	28·7	27·4	25·7
30·0	36·3	29·8	28·0	27·8	25·0	22·7	22·0	21·7	21·7	21·4	21·0
28·0	29·0	29·0	29·5	29·0	28·0	28·0	27·0	26·0	25·4	25·2	24·5
35·0	35·0	35·2	35·3	24·0	32·0	30·0	28·0	27·3	26·0	25·2	24·6
26·5	29·0	29·0	28·5	28·0	27·3	26·0	27·0	26·6	26·0	24·0	23·0
6·2	7·0	8·0	8·0	6·7	4·0	2·4	2·0	2·0	2·0	1·7	2·5
— 5·0	— 4·5	— 4·3	— 4·0	— 5·0	— 8·0	—10·6	—12·0	—13·3	—13·0	—13·0	—14·0
— 9·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	23·0	24·0	24·6	25·3	26·0	27·0	28·0	28·4	30·0	28·0	25·4
5·3	4·0	4·0	4·0	2·7	1·0	— 1·6	— 4·0	— 2·3	— 3·8	— 1·6	— 2·0
8·0	9·0	8·0	7·7	7·0	6·0	5·0	3·7	2·0	2·0	— 0·5	— 2·0
— 7·0	— 6·0	— 4·7	— 4·0	— 4·0	— 6·5	— 8·0	— 9·8	— 8·4	— 9·6	—10·0	— 8·5
5·0	6·0	6·0	5·0	3·0	0·0	— 3·0	— 4·5	— 7·0	— 8·6	—10·0	—12·0
5·0	6·0	6·5	6·2	6·0	4·5	2·0	2·0	0·4	1·3	1·7	3·0
7·0	9·1	9·0	8·8	7·7	6·0	4·5	3·9	3·3	2·6	2·1	1·5

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	4·0	2·6	2·0	2·5	4·0	4·0	4·0	4·0	5·0	6·0	7·3	8·6
2.....	9·0	8·0	7·6	5·7	4·2	4·4	4·2	3·4	4·0	7·0	10 0	12·0
3.....	— 0·4	— 1·6	— 1·2	— 1·6	— 2·0	— 3·8	— 1·4	— 1·3	+ 3·2	9·7	13·8	16·0
4.....	2·0	2·4	3·6	2·6	— 0·6	0·0	3·6	6·4	9·6	13 3	16·5	22 0
5.....	3·4	1·6	— 0·8	— 3·5	— 5·0	— 7·8	— 9 3	—10·0	— 6·8	— 5·3	0·0	3·0
6.....	0·0	— 1·6	— 1 7	2·0	4 0	9·0	12·2	14·6	16·0	17·3	18·0	20·0
7.....	23·0	23·0	24·0	22 6	21·7	21·3	20 7	21·4	22·0	24·0	24·7	22·0
8.....	4·0	2·7	0 0	— 2·0	— 2·5	— 2·6	— 1·5	1·0	10·0	18·0	21·5	24·5
9.....	— 1·3	— 2·5	— 4·0	— 3·6	— 4·6	— 2 0	— 3·7	— 4·2	— 2·3	5·7	9·8	13·6
10.....	4·0	3·0	3·0	2·0	2·0	1·5	2·0	3·3	8 0	11·3	15 0	17·0
11.....	24·6	25·7	26·0	26·3	26·5	26·6	27·5	27·4	27·3	27·2	27·8	28·3
12.....	17·6	16·6	16·0	14·6	12·0	10 0	8·2	6·0	8·0	11·3	13·0	14·3
13.....	3·4	1·0	— 0 7	— 2 6	— 4 0	— 8·3	—10·0	— 5·0	1·0	5·7	9·8	13·5
14.....	12·4	14 0	14·7	13·8	13·4	11·5	10·7	7·7	10·6	12·4	15·4	20 0
15.....	10·0	8·2	7·4	5·6	6·0	1·3	0·4	1·5	7·0	14·0	19·0	22·0
16.....	38·5	25·7	22·0	19·6	20·0	19·6	19·0	17·7	17·5	18·5	19·0	18·6
17.....	0·0	— 4·0	— 4·4	— 3·7	— 3·4	— 0·7	2·6	6·5	11·7	13·6	17 0	18·0
18.....	— 7·0	— 8·0	— 7 7	— 3·7	— 3·3	— 1·0	2·6	9·3	14·0	15 2	17·0	17·2
19.....	31 0	30·3	24·0	21·0	17·6	16·6	14·7	14·0	14·6	15·6	17·0	18·0
20.....	8·0	8·4	14·7	16·0	17·6	18·0	19·4	22·0	24·6	27·0	31·4	35·0
21.....	29·3	28·6	28·5	28·0	26·0	26 0	26·3	29·5	30·0	35·2	36·0	39·7
22.....	32·7	32·3	32·0	32·0	31 6	30·4	29·0	29·3	30·0	31·0	32·0	32·7
23.....	34 0	33·8	34·0	34·6	34·7	34·8	34·6	35·2	38 5	39·0	39·7	40·3
24.....	28·2	29 5	28·7	28·6	30·0	32·0	33·0	33·2	34·2	35·5	38·0	39·0
25.....	27·2	27·0	27·8	28·6	24·6	22·0	19·3	18·0	13·5	12·4	11·8	10·0
26.....	14·0	12·6	11·7	11·0	11·0	10·8	11·3	11·0	12·0	12·4	14·0	15·5
27.....	18·8	18·6	18·0	18·0	18·0	17·4	17·0	17 2	18·0	17·5	19·5	20·5
28.....	9·5	10·0	10·0	5·3	5·0	7·5	8·5	13·0	20·6	25·0	28·6	33 0
29.....	29 7	28·6	28·0	26·8	26·0	24·6	23·7	26·0	27·5	26·0	26·6	27·3
30.....	9·4	7·6	4·0	0·0	— 1·7	— 1·7	— 1·4	0 6	2·5	4·0	5·3	7·7
31.....	0·7	— 1·3	— 2 0	— 2 0	— 2·3	— 2·2	— 1·4	1·5	6·0	8·6	11·2	14·0
Mean.	13·2	12 3	11·8	11·8	10·5	10 3	10·5	11·6	14·1	16·6	18·9	20·8

each Hour (90th Meridian Time), during the Month of March, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
10·2	12·0	14·0	14·0	12·3	12·5	10·6	10·6	10·0	9·8	9·0	10·0
13·7	14·0	14·0	13·0	10·3	9·4	5·0	5·0	4·0	1·7	— 0·3	0·0
18·0	16·3	17·0	16·6	16·8	15·3	12·0	11·0	9·8	5·4	4·0	2·0
23·0	23·5	24·0	24·0	24·0	21·7	17·7	14·5	12·3	9·4	6·0	3·4
4·0	5·0	4·0	5·7	6·8	4·6	2·0	0·0	— 1·6	— 2·6	— 2·0	0·0
20·7	21·5	21·7	22·6	23·0	23·0	22·7	22·6	22·3	22·2	22·4	22·4
23·0	24·0	23·7	23·0	21·6	18·7	17·5	15·0	11·5	10·0	8·5	7·0
24·0	24·0	24·0	26·0	24·0	20·0	14·0	11·4	10·0	7·0	4·0	1·8
15·5	16·0	16·3	16·7	17·7	15·3	11·6	10·0	10·0	8·6	7·0	5·5
20·0	19·0	18·7	18·2	18·4	18·6	18·0	18·0	18·4	19·2	20·0	23·0
29·5	31·0	30·3	30·6	29·0	28·6	28·3	28·0	26·3	21·5	20·0	18·7
15·0	16·4	16·4	16·0	15·8	13·0	16·0	9·3	6·5	6·0	3·2	4·0
18·0	20·4	20·5	21·8	20·8	18·6	16·5	16·4	15·0	14·0	16·3	12·4
20·3	23·0	24·0	23·8	22·0	22·2	23·0	25·3	29·0	30·0	30·2	29·7
22·5	20·0	20·0	20·7	20·0	18·6	16·0	14·8	10·7	9·0	5·5	6·0
20·2	21·0	20·0	20·0	18·5	17·0	10·6	8·0	4·0	1·0	— 2·0	— 4·0
20·0	19·0	20·0	21·0	22·0	21·6	24·0	24·6	25·7	26·0	28·0	29·8
18·0	20·0	19·8	20·0	20·0	19·4	16·5	15·0	13·4	10·5	9·5	13·0
19·3	35·3	35·0	34·8	34·6	33·6	32·4	32·3	32·0	32·0	31·6	30·5
35·0	41·0	42·0	42·2	39·6	37·4	38·0	36·3	36·0	34·7	34·5	33·4
40·0	36·0	37·7	36·6	36·0	34·0	32·6	32·0	31·8	32·0	32·3	34·0
34·0	43·5	44·3	43·3	42·0	40·0	32·0	31·6	31·6	30·4	30·2	28·3
42·0	38·0	36·0	34·3	32·0	31·5	30·3	29·5	28·4	28·0	28·0	27·8
40·0	13·8	12·8	14·0	14·0	14·0	14·3	15·7	15·7	15·0	14·4	14·0
11·7	22·0	23·0	24·2	25·4	22·0	21·6	20·0	20·0	20·0	20·0	19·3
18·6	22·0	22·0	21·6	20·8	19·4	17·5	16·0	13·0	11·7	8·0	7·0
21·0	35·6	35·3	35·5	35·7	35·6	33·0	33·0	34·0	33·0	32·2	30·5
34·0	27·0	26·3	24·7	23·0	20·6	19·4	17·3	16·3	16·5	14·0	12·0
27·6	8·0	8·0	8·5	8·6	8·0	5·8	4·4	4·0	3·6	2·8	3·0
8·0	16·0	17·8	19·4	20·6	20·0	19·5	18·8	17·4	17·0	17·6	18·5
15·3	20·5	21·0	21·8	20·8	18·6	16·5	16·4	15·0	14·0	16·3	12·4
22·0	22·7	22·9	23·1	22·5	21·1	18·9	18·1	17·2	16·0	14·9	14·7

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1. . . .	19·0	20 6	22·6	24·3	25·0	26·0	26·0	28·0	31·5	36·0	37·8	40·0
2.....	26·5	26·0	24·0	24·0	25·5	24·0	22·0	22·0	23·5	24·6	25·3	26·0
3.....	22·4	21·8	21·5	21·5	20·5	21·0	22·3	24·7	26·0	26·5	28·0	31·3
4.... .	25·7	24·2	23·4	22·0	21·8	20·5	20·3	20·6	22·0	23·5	24·0	26·0
5.....	20·5	20·6	19·4	19 0	18·7	18·7	20·0	21·0	28·5	32·0	35·0	36·0
6.	30·0	29·0	28·3	27·6	26·5	25·5	23·0	24·0	24·0	25·0	26 0	28·3
7.	30·0	29·8	29·6	29·8	30·0	30·6	32·0	33·4	34·0	34·5	36·0	36·2
8.	30·0	30·0	30·2	30·4	31 0	31·2	32·0	33·4	34·0	34·0	34 3	32·0
9.....	18·0	17·2	16·0	15·4	14·7	14·0	16·0	17 7	20·5	22·0	24 0	26·0
10.....	20·0	20·0	20·0	21·5	22·0	23 4	24·5	26·0	26·6	29·0	29·8	30·2
11.	32·0	32 0	31·3	31·8	32·0	31·7	39·5	28·6	29·0	30·0	29·0	30·0
12.	26·0	24·6	24·0	22·4	18·8	17·5	17·6	18·0	18·7	19·5	21·0	23·0
13.	11·7	10·8	10·0	8·6	8 0	7·3	8·0	10·0	13·5	16·0	18·3	20·0
14.....	14·7	14·5	14·2	14·6	15·0	15·3	14·6	18·6	22·0	27·3	29·3	32·0
15.....	28·0	28·0	27·4	27·8	27·5	27·0	26·0	26·3	26·0	26·5	26·5	27·0
16. .. .	13·0	14·5	15·5	15·3	15·0	15·0	15·2	17·3	18·2	19·5	20·3	21·7
17.....	16·5	14·6	14·3	14·2	12·8	11 6	14·5	21·7	25·7	28·5	31·7	32·4
18.....	22·5	21·3	20·0	18·6	18·0	21·3	25·0	27·8	30·0	31·3	33·0	34·3
19.	26·0	26·0	26·0	26·0	24·0	24·0	24·6	26·0	27·5	28·6	29·3	30·2
20.	22·0	20·0	20·0	20·0	18·6	18·0	22·0	27·5	31·4	35 5	38 0	40·0
21.	32·0	33·0	33·4	35·0	36·6	37·0	37·6	38·7	41·8	45·2	47·3	49·0
22... ...	32·0	28 4	29·0	30·0	30·6	30·5	32·2	34·7	38·0	40 0	42·0	44·0
23.	24·0	23·2	22·5	22·5	23·3	23·5	25·3	27·5	29·8	31·0	33·0	35·0
24. ...	31·5	30·2	29·0	28·0	28·0	27·2	29·8	30 0	30·3	31·0	32 0	31·0
25.....	17 0	17·4	17 5	17·3	16·8	16·6	19·0	20·7	22·0	24·0	27·0	27·0
26.... ..	14·0	14·0	13·0	12·2	12·0	11·7	13·8	14·6	19·5	21·2	23·0	25·0
27. . ..	26·4	25·5	24·3	24·0	24·2	24 3	26·7	28·3	28·2	29·0	29·3	30·0
28.	25·4	25·2	24·0	24·0	23·5	23·6	25·5	27·0	28·3	31·7	34 2	35·7
29.....	28·2	28·0	28·0	28·0	30·0	30·0	30·0	32·0	31·3	32·4	35·0	36·6
30.	31·3	31·0	30·2	31·0	30·7	20·3	33·0	35 0	40·2	45·0	47·0	48·0
Mean..	23·9	23·4	23·3	22·9	22·5	22·6	23·5	25·3	27·4	29·3	30·8	32·8

each Hour (90th Meridian Time), during the Month of April, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 a.m.	8 a.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
40·0	40·0	40 0	39·5	39 3	37·0	34·0	34·0	32 4	31·0	29·5	28·0
27·0	28 3	29·3	29·5	29·0	26·6	25·0	24 0	24 0	23·0	22·6	22·4
34·0	35 0	34·6	34·0	32 7	32·0	31·0	30 0	28·3	26 0	25·0	25·5
27 3	28·6	30·0	29 6	29·0	28 0	25·5	23·0	22 0	21·0	20·0	18·4
36·0	36·0	36·0	36·0	34·6	33·7	32·6	31·7	30·7	30 0	30·0	30·0
30·0	32·0	32·0	31 5	30·7	30·5	30·0	30·0	30·0	30·0	30·0	30·0
36·5	37·0	38·0	37·0	36 0	34 3	34·0	34·0	34·2	34·0	33·8	31·0
31·2	29·6	29·0	29·3	29 2	29·0	27·8	24·5	22·0	20·7	20·0	19 0
26·5	27·4	29 0	28 6	28·7	28 0	26·0	24·5	24·0	22·2	20·8	21·0
31·0	31·0	28·3	28 0	28·0	28 5	29·0	30·0	30·6	31·0	31·0	51·2
31·0	32·0	34·0	34·0	33 5	32·6	32·0	31·0	30·0	28·4	27·5	26·0
24·5	25·0	26 0	25 5	25·3	24 0	22·0	20·0	18·5	15 5	14·3	12·3
20·8	20·8	21·0	21·6	22·0	22·3	21 0	18·4	17·3	16·5	16·5	15 0
35·0	34·3	34·0	34·0	34·0	33·7	32·3	32·5	32·4	32 0	28·0	27·8
36·8	26·4	26·4	27 0	27·5	24 0	20 0	18 0	16 3	15·5	14·2	13·8
23·0	24·0	25·3	26 0	24·6	24·3	24 5	22·3	20·5	18·0	18·0	17 7
24·0	35·0	35·5	33·0	32·5	32·6	31·4	28·3	26·5	25·5	24·6	23·7
35·2	36 0	36·3	36·2	36·0	35·0	32·0	30·0	28·7	28·0	27·0	26·0
31·0	32·0	32 2	33·6	33·4	32·8	31·6	27·7	26·0	24·6	24·0	22·0
42 0	44·0	44·6	44·0	43 6	42 7	40·4	36·4	34·5	34·0	33·6	33·3
50·0	51·0	51·0	50 0	48·3	46·0	43·0	40·5	38·0	36·6	34·5	32·5
44·0	44·5	42·5	41·7	40 6	38·5	35·7	34 0	30·4	38·0	26·4	25·3
36·0	36·0	36·5	37·4	36·4	35·5	35·0	34·8	34 2	33·8	33 8	32·4
31·4	32·0	31·0	28·4	27 8	26 0	24 0	21 3	20·6	19·7	18·8	18·5
28·0	28 8	29 5	28·4	27·0	27·0	24·8	22 2	20·8	19·0	16·3	15·0
27·3	29·0	30 0	30·3	30·4	31·0	32·0	29·7	28·3	27·0	26 0	26·0
30·2	31·3	30·0	30·4	31·0	30 0	28·5	28·6	26·5	25·5	26·0	25·7
35·0	35·0	35·3	35·3	34·6	33·2	32·0	31·4	39·8	28·8	28·4	28·3
37·5	39·0	39·0	39·5	40·0	38 6	39·0	36·0	33·5	31·8	32·0	31·7
48·2	49·0	48·6	49·4	50·0	49 0	49·0	46·0	43·7	41·8	42·0	33·0
33·0	33·7	33·8	33·9	33 2	31 9	30·8	29·1	27·8	26·3	25·8	24·7

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1. . .	32·0	32·0	30 0	28·7	28 0	28·0	28·3	29·3	30 0	32·0	34·0	33 6
2.	17 7	16·0	14·6	14 0	13·7	18·0	20 0	24·7	24·0	26·0	28·0	28·0
3.....	25·5	24·0	24·0	23 7	21·6	22·0	25·0	27·3	29·4	31·5	34·0	34·7
4.	28·0	27·7	28·2	29·5	28·7	30 0	30·6	33·7	38·0	41·7	44 7	46·0
5.. ...	30 6	30·7	30·6	29·7	28·7	26·5	27·5	29·4	30·5	33·7	34·0	34·3
6.....	27·0	24·0	22·0	22·3	22·0	21·3	21·7	22·0	22·6	23·7	24·0	25 0
7.....	17·7	16·0	14·0	13·0	14·0	14·0	14 0	20·0	23 0	26·0	30·0	32·0
8.... ..	36·0	35 7	32 0	33·0	32·6	32·4	33·0	33·6	34·7	37·5	43·0	47·0
9.	24·0	24·6	24·0	23·5	22·8	23·5	24·3	26 0	27·0	28·6	30·0	32·0
10.	22·2	21 4	20·0	19·4	19·0	20·0	24 3	27·3	30 7	33 0	34·2	36·0
11.....	29·7	30 3	31·0	31·7	32·0	32·4	31·0	35 0	35·3	35·0	36·3	36·0
12. .. .	38·5	36·0	37·0	35 0	35·0	36·0	41·3	42·3	44·5	46·0	48·3	49·0
13.....	34 6	31·3	34·0	32·2	31·0	30·0	30·3	31·0	32·0	36 0	38·3	39·7
14.....	28·5	27·6	26·0	25·3	26 0	26·6	30·0	33·5	36·4	38·5	40 6	42·0
15.....	27·5	26·0	24 0	22·3	22·0	25·0	33·0	42·0	47·0	51·3	52·0	55·0
16..	51·0	47·0	43·5	37·5	36·7	38 6	40 0	42·7	44·0	47·3	51·0	56·0
17..... .	30·0	28 4	30·4	28·7	28·3	31·4	37·6	44·0	48·6	52·0	44·6	39 0
18.	38 0	38·0	36 3	36·6	36·4	37·3	39·0	38·0	39·4	41·0	41·3	40·0
19.....	25·6	28 5	29·7	29·8	29·8	30·0	31·3	31·8	32·2	34·3	38·4	40·5
20.	24·0	22·0	21·5	21·3	21·2	23·4	31·7	38 0	41·0	44 0	46·0	50·0
21.....	33 3	32·7	34·0	36·0	37·2	39·5	41·3	43·0	44·6	48·0	48·0	48·0
22. .. .	39·4	40 0	39·0	36·6	36·0	38 0	41·5	45·0	54·7	54·0	54·0	60·0
23. ..	36·5	36·0	34·0	32·0	33·0	36·0	41·0	45·0	48·0	50·7	52·0	54·0
24	32·0	29·7	28·0	27·0	26·6	30·3	42 0	47·0	54·0	56·0	58·0	60·3
25.....	49 0	41·8	40 0	37·6	36·0	38·3	46 0	52·5	58 7	62·3	64·0	65·0
26..... .	31·7	31·0	29·5	27·5	36·0	32·5	31·3	36·0	36 4	37·3	38·0	40·
27. . .	25·7	25·0	26·0	26·7	26·3	28·0	34·6	43·7	48·0	52·0	54·0	56·2
28.....	44 7	45·0	44·0	43 0	40·0	40 7	44·0	48·6	50·0	54·6	57·5	58·0
29....	38·5	37·0	36·7	37·7	37·7	42·6	47·4	52·0	57·0	62·0	63·0	62·0
30.....	38 5	38·6	39 2	39·0	39 0	39·0	39 0	39·8	40·0	41·3	43·0	44·0
31.....	40·5	40 6	39 0	38·0	38·5	39·3	46·3	52·0	56·2	60·0	64·0	67 0
Mean..	32 8	31 2	30·4	29 6	29·3	30 4	34·0	37·2	40 0	42 5	44·5	45·5

each Hour (90th Meridian Time), during the Month of May, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
31·0	30 0	31·3	30·0	30·0	30·0	27·0	22·0	20·0	18 7	18·6	18·5
27·5	27 5	28·3	29·5	28·7	28·0	28·3	28·6	28·6	29·7	29·0	28·0
34·6	35·0	34·7	35·6	35·6	36·0	34·7	31·6	29·4	28·3	28·6	27·5
48·0	40·6	43 7	43·0	40·0	37·4	36·0	34·5	34·3	34·0	33·6	33·0
37·2	40·0	40·0	40·7	41·8	41 2	39·3	38·0	36·8	37·5	30·0	27 3
28·5	31·0	31·8	30·0	29·0	28·0	26·0	23·7	22·0	21·0	20·0	19·0
36·0	40·0	40·3	39 5	40·0	38·0	37·8	36·7	36·0	35·8	35·0	35·0
49·0	50·0	51·5	50 0	48 0	47·0	34·0	32·2	30·0	26·6	23 7	24 0
33·4	34 0	35·5	35 5	35 0	32·7	31 6	30·0	26 5	25·0	24·3	23·7
37·5	38·0	39·5	40·3	40 0	39·2	37·4	34·6	32·5	30·3	30·0	29·5
36·0	36·0	37·5	38·0	41·5	42·0	40·0	39·0	39·5	38·0	37·0	36·0
48·0	49·0	49 3	45·7	44·0	43·5	43·0	40·4	39·0	38·0	37·5	36·0
39·8	40 0	38·3	38·7	38 0	36·5	35·7	34·3	32 4	31 5	30·0	29·0
44 0	45·0	46·0	46 0	46·3	46·0	46·0	40·0	37 0	33·0	30·2	29 0
60 0	62·0	64 0	64 7	64 0	63·5	60 0	56·7	54·4	52·0	50·2	53·4
58·0	60·2	61·8	61·4	58 0	49 0	45·6	41·0	39·4	36·0	33·7	31·0
34 0	40·0	43 0	44·0	46·0	46 0	45·4	41·6	38·0	38·6	38 0	38·0
40·0	41·0	42·0	40 0	39·5	39·4	37·3	34·0	32·6	32 0	31 5	29·0
40·0	39·0	38 7	39·7	39·3	40 0	39·0	36·7	31 8	27 0	26·0	24·0
51·5	53·4	55·0	55·3	55 3	51·6	49·5	45·5	40·0	42·0	40·0	34·6
48·0	48·0	50·0	51·4	50·6	50·7	49 8	47·5	46·0	42·0	40·3	38·0
61·4	62 0	61 0	62 5	58 0	55·0	50 0	44·0	42 0	40·6	39·6	37·6
55·2	56 0	57 2	57·8	57 0	55·0	52·0	48 0	45·0	42·6	39·0	35·0
62·4	64·0	64·6	67·3	66·7	60·7	58·3	54·5	50 0	45 7	43·6	48·0
63·0	60 0	57 0	55·3	53·0	51·3	48·0	44 0	40·0	38·0	36·3	34 3
42·7	44·0	46·0	47·8	47·5	46·6	44·3	40·5	35·0	32 5	29·5	28·0
56·3	56·7	57 0	56·0	53 4	50 0	48·6	48·0	47·5	48·3	48·0	46 3
59·0	60·0	60 6	60 0	60 0	58·7	56·2	52 5	48·5	43·0	41·0	39·0
60 0	60 0	58 0	57·5	56·0	56·0	54·0	47·5	43·0	42·0	38·0	38·0
46·5	49·0	52·0	54·5	56·0	57·0	56·0	54·0	49·5	45·0	42 0	40·3
68·0	49·8	72·2	73·3	58·3	52·0	48·0	47·5	46·0	44·0	43·7	41·6
47·0	47 1	48·0	48 1	47·0	45 4	43·2	40·3	37·8	36 1	34·4	33 2

TEMPERATURE at Winnipeg, Man, from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	41·0	40·8	40·0	38·6	34·3	38·0	38·6	41·3	43·0	47·3	50·0	48·8
2	54·7	57·0	50·0	44·2	44·0	46·3	43·7	44·6	47·0	49·4	51·0	53·4
3	43·8	42·0	40·5	38·8	39·3	40·0	43·7	49·0	54·7	57·7	60·0	61·5
4	43·3	42·0	40·0	38·6	39·0	40·0	42·8	46·0	50·0	52·0	55·0	55·0
5	34·5	33·4	32·6	33·5	33·0	34·0	45·2	51·0	55·0	60·0	62·0	64·0
6	46·7	47·0	46·0	42·6	44·6	50·0	59·5	65·2	68·6	70·5	72·3	72·5
7	53·4	52·0	52·0	52·0	52·0	53·2	54·5	56·3	60·0	64·0	66·0	70·5
8	50·0	48·6	49·5	48·0	46·7	50·0	57·5	62·6	65·0	67·0	71·5	71·0
9	59·5	59·6	57·3	55·5	55·7	55·7	56·6	57·5	58·0	57·6	55·0	56·4
10	55·6	54·0	53·4	52·7	52·6	51·7	51·6	52·0	52·0	52·0	52·8	53·5
11	52·0	52·0	52·0	51·8	51·8	52·0	52·2	53·7	54·0	54·2	55·0	56·0
12	54·7	55·0	55·0	54·8	55·3	55·5	56·0	56·2	56·6	56·6	60·7	62·0
13	54·0	52·3	52·0	51·7	52·0	54·0	58·0	62·6	66·2	69·5	70·3	72·7
14	58·0	55·0	50·7	51·6	52·0	55·0	61·8	68·0	70·0	73·6	73·8	74·5
15	58·0	55·7	54·0	53·0	52·2	56·0	60·6	63·5	66·5	68·6	68·0	69·3
16	68·0	66·6	66·0	65·8	66·0	67·7	70·2	73·0	76·0	81·7	85·0	85·6
17	60·5	58·4	56·6	56·4	57·2	58·0	64·0	68·0	70·5	73·0	76·0	76·2
18	54·0	53·5	51·0	49·5	49·0	48·0	48·0	48·0	48·0	49·0	50·6	52·0
19	41·0	43·2	42·6	40·0	41·5	44·3	51·7	57·5	62·6	66·6	69·0	71·3
20	60·0	57·5	55·0	53·4	52·6	55·0	62·0	68·0	72·0	75·3	78·0	79·2
21	63·4	62·0	61·0	64·0	64·5	67·0	71·3	74·5	76·0	80·0	82·6	83·5
22	68·6	68·0	64·6	64·0	64·0	65·3	65·7	66·2	69·0	70·0	64·0	64·5
23	58·0	56·5	56·0	56·7	56·6	56·7	58·6	61·7	62·0	62·8	64·0	65·6
24	62·0	62·0	61·0	56·3	56·5	54·0	54·0	54·3	56·0	55·5	56·0	56·0
25	44·0	44·0	44·0	44·3	44·2	44·5	45·7	46·3	47·7	48·0	49·2	50·3
26	47·0	46·0	45·7	44·3	44·4	47·0	53·8	59·0	65·5	70·0	75·0	78·3
27	60·6	60·0	58·0	56·3	56·0	59·4	67·7	72·0	75·6	79·7	82·0	84·3
28	68·0	66·3	65·7	63·5	61·0	60·7	65·3	71·7	73·2	75·6	78·0	79·7
29	53·0	50·7	49·5	47·3	47·3	50·0	56·0	60·0	60·5	61·3	63·5	68·7
30	55·7	56·0	56·0	54·6	54·0	53·0	51·0	55·7	56·2	56·7	58·7	61·0
Mean	54·1	53·2	51·9	50·8	50·6	52·1	55·7	58·8	61·2	63·5	65·2	66·6

each Hour (90th Meridian Time), during the Month of June, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
48·7	49·0	50·6	51·7	50·0	50·0	51·7	51·7	52·0	51·8	51·4	53·7
54·6	56·0	56·3	57·0	58 0	58·0	56·0	54·0	52·0	50 0	45·0	43·7
62·3	62·0	64·6	62·0	64·5	63·6	58·6	56·0	52 0	48·0	45·0	44 0
54·0	56·0	56·0	55·7	54·5	55·6	54·0	50·0	54·0	51·0	38·6	38 0
66·5	67·6	68·3	65·0	69·2	68·0	67·6	63·8	57·0	53·5	50·0	50·2
73·0	72·0	72·0	68·7	70 7	68·8	64·0	62·0	58·0	56·0	55 0	54 0
74·0	76 0	75·4	76·0	75·2	75·0	73·0	68·0	64 0	60·6	54·0	51·6
72·0	72·3	75·0	76·8	76·0	73·6	72·0	69·0	65·0	61·7	60·2	60·0
55·0	56 0	56·2	57·5	59·3	60·0	60·6	60·0	58·3	58·0	57·3	57·0
53·5	53·8	53·8	53 6	53·2	53 0	53 3	52·8	52·6	52·2	52·2	52·4
56·2	56·0	56·3	56·6	56·5	56·2	56·5	56·0	55·6	54·7	54·2	54·3
65·7	69·0	70·0	70·0	71·6	70·0	69·7	66·6	63·4	60·0	58·0	55·0
74·3	75·6	76·2	77·5	78·3	76·5	74·0	70·0	66·2	62 7	61·0	59·3
75·0	79·0	79·5	80·0	80·0	79·4	77·6	72 0	68·0	64·7	62·0	58·0
73·0	76·0	76·0	76·0	74·0	72·6	72·0	71·3	70·0	69 3	68·5	68·4
87·8	86·0	86·5	81·7	82·0	80·5	77·0	72·8	70·0	66·0	63·0	62·6
77·0	78·0	79·0	78·7	76·3	76·6	76·4	75·6	72·3	68·0	60·0	56·0
55·3	60·0	61·5	62·8	63·7	63·5	62·6	58·0	52·5	48·3	45·4	44·0
73·4	75·0	76·0	77·5	77·0	74 0	73·0	70·0	68·0	66·0	64·0	63·5
83·4	86·0	85·7	86 0	81·2	75·0	68·0	67·4	66·3	67·5	67·0	65·4
85 2	86·0	86·0	86·0	82·0	80·0	77·7	72·0	72·0	71·8	71·8	71·5
66·0	68·5	70·3	71 6	68·0	66·2	65·0	64·0	63·4	62·0	60·6	59·6
68·0	71·5	71·5	72·6	72·5	72 0	70·0	67·3	65·0	64·0	63·0	60·2
58 0	56·6	58·3	57·5	58·0	59·7	58·0	56·0	51·5	48·0	46·0	45·3
53·0	55·0	55·0	58·7	58·9	58·7	56·0	54·0	51·5	48·4	48·2	48·0
79·3	81·0	81·3	82·0	82·0	81·4	79·0	76·0	69·5	66 0	64·3	62·0
86·0	88·2	86·5	86·0	85·3	84·4	82·0	77·0	73·5	72·0	71·0	69·5
81·0	82·0	80·7	76·2	66·0	61·5	59·0	59·3	59 0	59·0	59·0	58·0
70·0	72·3	71·6	68·0	67·0	63·5	59·6	58·2	58·0	58·0	58·0	58·0
62·3	63·0	63·5	62·7	64·0	63·5	62·0	59·3	54·7	50·3	48·0	46·3
68·1	69·2	70·2	69·8	69·5	68·0	66·2	64·0	60·5	58·9	56·7	56·3

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	45·0	44·0	43·0	42·0	42·0	45·4	51·5	59 0	66·4	68·2	67·7	70 6
2.....	56·0	56·6	56·0	56·0	56·2	57 5	62·0	67·0	72·2	76 0	80·0	80·5
3.	58·0	58·7	58·8	58·3	57 0	58·0	60·7	63·8	68 0	71·8	76·0	77·3
4.....	65·6	64·0	62·0	60·6	62·6	62 7	63·8	65·0	72 0	76·0	77·5	80·0
5.	69·0	68·0	68·0	65·5	64·0	64 0	64·0	66 0	70·0	70·0	72·6	75·0
6.....	60 0	58 3	57·5	55·3	54·0	54 2	61 0	67·8	72 6	74·4	77·0	80·0
7.	66·0	64·7	60·0	59·0	50·0	59·5	61·0	66·0	68 0	70·3	74·2	77·0
8.....	58·0	55·5	54·4	54 0	51·0	51·0	57·7	62·0	64·6	66·4	68 0	69 3
9.....	55·0	54·0	52·2	52·0	50·6	52·0	58·6	64·5	67·0	70 0	72·0	73·8
10.	56·4	54·2	52·2	51·0	51·0	52 6	60·0	68·0	73·0	74·6	77·0	79·0
11.	56·0	54·2	54·0	54 0	54·0	54 0	61·7	68 0	72 0	72·3	74·6	78·0
12.....	69·5	67·0	65·0	63·0	62·0	62·6	66·4	67·6	71·0	72 5	74 0	78·0
13.....	66·6	65·4	64·0	62·0	61·3	62·2	67·0	69 5	76·0	79·8	83·8	82 2
14	64·5	63·5	62·6	62·6	62·6	62·5	62·5	61·6	64 0	65·0	68 0	71·0
15.....	63·0	61 6	59·7	58·0	56·0	56·0	60·2	68·0	74·0	77 5	80·3	84·6
16.	58·6	58·5	58·7	58·7	58·6	58·0	57·0	57·0	58·7	62 0	65·5	66·0
17 .. .	56·5	56·0	54 7	54·3	54·0	54·7	58·0	62 0	64·0	67·4	68·3	70·0
18.....	56 0	56·0	55·5	54·0	54·0	54 0	58·6	63·6	70·7	74·2	76·0	79·0
19. ...	59·6	59·3	59 3	59·3	57 4	57 0	59·4	63 0	64·6	66 0	72 0	74·0
20.....	60·7	59·2	58·0	57·4	57·2	57·6	63·4	68·2	73 0	76·5	79 0	81·7
21.. ...	67·7	67·0	65 6	65·4	65·0	65·0	65 0	66·0	65·5	65·7	70 8	72·0
22.....	53·5	52·0	50·3	50·0	49·7	50·6	57·3	63·5	68·6	71·4	74·0	75·2
23.....	64·7	64·3	63 6	62·0	61 7	63 3	61·6	62·0	63·5	66 5	68·0	70 0
24.....	57·0	56 0	55·6	56·2	56·2	56·3	58·4	63 8	67·8	70·2	71·7	73·6
25.....	60·0	60 0	57·0	56·3	56·2	56·6	58·4	60·0	63·8	66 6	68·0	70·0
26.....	52·7	54·0	54·6	53·0	52·0	53·2	57·3	63·4	67·5	70·4	73·0	73 5
27.	64 0	63 6	63 0	62·5	62·0	60 7	62·4	65·0	66·0	67·0	75 0	78 0
28.....	61·0	60·0	60·0	59·3	59·0	62·6	63·4	66 3	67·7	67·0	69·5	69 6
29.... .	54·0	52·0	52·0	52·0	52·0	53·8	59·0	66 0	70·2	73 7	74·6	80 0
30.....	62·0	58·0	56·4	56·3	56·5	56 0	61·3	67·3	71·3	74·0	76·0	76·6
31. . .	57·0	58·0	58 0	56·3	56·4	56·0	60·6	63·7	66·6	67·8	69 0	70·5
Mean..	59·8	58 8	57·8	57·0	56 6	57·2	60·6	65·0	68·8	70 7	73·3	75·4

each Hour (90th Meridian Time), during the Month of July, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
70·5	68·5	72·0	70 2	74·0	72·2	72 0	70 0	66 2	63·4	61·8	60 0
78·3	77·0	77·0	80·3	80·5	76·0	66·0	61·6	60·0	60·0	59 2	58·0
78·0	80·0	82·0	82·0	82·4	81·3	80 0	75·5	69 0	65 6	65·0	63·7
82·0	83·4	84·0	84·8	84·0	84·4	82·3	78·4	75·6	74 0	71 0	70·0
78·0	80·0	78·8	78·0	78·0	77·4	75·0	71·3	67·8	65·5	62 3	61·7
82 0	83·5	84·2	84·0	81 6	80·5	78·0	75·6	73·0	70 0	67·6	67·8
76·3	72·0	61 5	69·3	70·0	69·3	68·0	65 2	62·6	61·7	60 0	59·7
70·0	72·0	72 6	72·7	72·0	71·7	70 0	66·6	63 6	61·3	58·6	58·0
76 2	76·3	76·5	76·0	75·4	75·0	72·4	68·7	64·0	62 0	60·7	57 5
78·5	80·0	79·0	69·0	75·6	74·0	72·4	69 0	64·6	61·3	58·4	56·6
78·5	79 0	81·5	80 2	82·3	81·5	80·0	78·0	76·0	75·2	73·6	71·3
84·0	88 0	87·3	86·0	86·6	82·4	79 6	76·2	71·0	68·0	68 0	67·3
81·5	82·0	78 0	76·6	74·0	71·3	68 3	67·0	66·0	65·4	65·4	65·0
75·0	76·0	78·0	78·0	77·3	77 7	75·6	73·0	69·3	68·0	66 0	64 0
84·0	82·0	85·8	82·0	81·0	80 2	78·0	64·4	61·5	60·7	60 2	59·3
68·4	69 6	70 0	70·7	70·6	69·5	68 0	64 6	63·0	59·0	58 2	57·4
72·5	76·0	72·0	74 4	73 8	73·7	71·0	69·3	64 5	60·6	58·0	56·0
78·5	78·0	76·5	73 0	72 0	70·0	68 0	63·7	62·0	62·0	62·0	61 5
75·2	76·0	76 6	76·0	77·0	76·6	76·0	71·7	68 7	66·5	64 4	62·6
83·5	85·0	86 0	84·2	78 0	76·6	73·7	72 0	70 0	69·3	68·0	68 7
72·8	74·0	73·7	71·6	71 0	72 2	70 4	67 7	64 0	62 0	59 4	55·0
76·5	78 0	78·0	78 0	77 5	76·0	70·6	69 7	68 6	68·0	68 0	66 0
72 0	73·0	74·2	73·8	74·5	74 2	71·0	69·0	65·0	60·6	59 6	59·0
74·5	76·0	76·3	77·2	76·3	75·5	72 3	68 0	65·0	62·7	60 0	59 2
70·2	71 0	71·6	69·2	70·7	70·0	67 5	64·0	58 2	55 5	54·0	53·6
73·7	74·2	75·3	76·0	77·2	77·2	75·0	72·0	68·4	67 6	66·0	65·0
78 2	79·0	80·6	79·5	78 6	77 4	73·7	68·0	65·2	63 6	64·0	64 0
69·8	70 0	70·6	70 6	71·6	70 0	69·2	66·0	61·2	58·4	56·6	56·6
70·0	69·3	74·0	76·0	76·3	76·4	74·3	70·7	67·5	64·0	63 0	63·0
76·7	77·2	76·7	76·0	75·5	74·3	71·4	67·3	62·7	60 6	58·0	58·0
74·0	74·0	68·0	66·0	66·0	68·0	66·0	62·0	57 0	56·0	52·0	50·0
76·1	76·6	76·6	76·2	76·2	75·0	72·8	68·9	66·1	63·8	62·2	61·2

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	50·0	48·0	48·0	48·2	48·0	48·0	51·0	52·1	56·0	56·0	58·0	57·0
2.....	54·0	51·6	50·0	48·0	46·7	47·0	52·0	56·7	57·5	58·4	60·5	60·6
3.	44·7	44·6	43·5	42·0	42·0	43·0	44·5	50·7	58·0	64·0	66·2	68 0
4.. ...	56·3	56·4	57·2	57·2	57 0	57·8	60·0	65·0	69·0	68 6	69·7	66·0
5. .. .	60·7	59·7	59·8	59·0	58·8	56 5	56·6	59·2	62·0	65·5	67·6	68·5
6.....	58·3	57·0	56·6	56 0	54·8	54·8	58·6	60·0	62·0	62·4	65·7	65·0
7.	53·5	51 4	50·0	49·3	48·8	49·2	52·3	58·0	64·0	68 6	72·4	74·2
8. .. .	64·3	65·5	65·5	67·5	65·7	65·0	65·3	68·3	71·7	74·3	77·0	80·0
9.	62·5	61·8	61·0	60·2	60·0	59·8	62·0	66·5	70 0	72·0	74·0	76·5
10	70 0	69·3	69·0	68·0	68·0	68·0	63·3	63·2	65·4	68·4	69·4	68·0
11.....	65 3	65 2	61·8	57·7	55·8	54·6	55·0	57 3	59·2	60·3	60·3	60·3
12.....	53·0	51·2	50 2	49·7	48·8	48·6	50 0	54·0	57·8	60 0	61·0	62·0
13.....	46·7	46·5	45·6	44·0	46·4	49·3	50 4	53·0	60 0	62·5	63·0	66·5
14... ..	52·5	50·7	49·3	50 0	51·4	52·0	52 6	54 0	54·0	54·2	55 0	59·7
15.. . .	59·3	58·0	58·0	57·6	57·6	59·0	63·0	64·0	68·0	67·0	70 0	74·0
16... ...	59·0	58·6	58·2	58·5	58 2	58 0	57·4	58·0	58·6	61·0	61·4	58·0
17.	52·3	50·0	49·8	49·2	50 6	51·5	54·2	58·0	63 5	67·7	71 0	72·7
18. ...	67 0	67·0	66·7	66·0	68·0	68 4	69 8	70·0	73·5	76·4	78·0	78·4
19.	55·3	54·6	51·5	49·4	50·0	59 7	50·6	50 2	52·0	52·5	54·0	56·4
20.....	48·0	48·0	48·0	48 0	48·0	46·8	47·5	50·0	53·2	55·0	56·0	59·3
21. ...	43·6	42 7	41·0	41·0	40·7	40 6	40·6	43·7	50·0	58 0	61 7	65·0
22.....	53 0	52·0	50 0	50 0	50·0	49·5	53·7	59 0	65·0	68·0	69·0	71·0
23.....	60·6	59 7	58·5	58 6	60 0	60·5	59·0	60·5	64 0	66·0	69·0	68·0
24.....	58·0	57·6	54·6	52·0	52·1	51·7	54 0	58·3	62·0	64·0	64 5	66·0
25. . .	47·0	46·0	44·6	44·0	43 7	42·6	44·0	53·0	60·0	66 0	68·4	69·0
26.	58·7	59 3	59·3	59 3	59·3	59·5	60·0	58·0	58·0	56·0	56·1	56·6
27.....	58·2	57 0	56 7	55 6	55·3	55·0	54·7	56 2	58·0	58·0	60·0	62·5
24.	58·4	58 0	58·0	58·0	58·0	57·4	57 4	58 0	60·0	62·2	63 5	64·4
29... .	56·7	56·6	56·6	56·6	56 6	56·4	56·4	56·4	58·0	59·7	62·0	63·0
39.....	53·0	52·0	52·0	50·7	50·2	50·4	53·0	60 0	64·0	66·5	70·0	73·0
31.....	63·0	65·0	66·0	67·2	68·0	68 6	70·0	72 0	74·0	72·2	73·7	76·2
Mean .	56·2	55·5	54 7	54·1	54·1	54·2	55·4	58·2	61·6	63·6	65·4	67·0

each Hour (90th Meridian Time), during the Month of August, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
58·0	56·6	60·0	61·4	58·0	61·7	60·0	57·0	55·0	56·0	56·2	55·8
61·0	62·0	61·7	60·4	61·6	61·0	59·5	56·2	52·0	48·7	46·5	44·6
71·0	72 0	72·0	72·3	72·0	71·5	68·5	64·6	62·0	60·0	58·7	57·0
66·0	65·6	65·6	65·8	64·8	63·7	62·2	62·0	62·0	62·0	62·2	62·0
70 0	72·3	72 0	72 0	74·0	73·4	71 3	67·0	65 0	63·0	62 0	59 3
66·5	68·0	69·7	70·0	67·5	66·4	65·4	63·0	60·0	56·6	54·5	54·6
75 0	76·3	78·0	78·0	78 6	77·0	74 0	70·0	67·0	66·0	63 7	64·0
80·0	80 5	80 8	81·0	77·6	74·6	71·5	68·4	65·6	64·3	65 0	64·0
80·0	82·6	85·0	85·6	85·8	85·5	82·0	78 3	75·3	74 2	72·3	71·5
74·0	78·0	80·0	80·8	75·5	71·0	69·3	68·0	65·7	65·3	65·0	65·3
61·0	62·3	63·4	62·3	62·6	62·4	62·2	60·5	59·2	58·2	56·0	54·0
63·4	64·0	64 6	64·6	64·0	64 0	61·0	57·8	54·3	53·0	50·0	48·3
67 0	66·0	65·0	67·0	68·0	68·0	66 0	61·5	58·0	55·7	53·5	52·0
64·5	68·0	68·4	69 8	69·5	68·6	68·0	65·7	63·7	62·2	61·0	59·6
74·0	74·0	73·5	73 2	72·6	73·5	70·2	68·0	66·0	64·0	62·0	60 0
60 0	65·0	68·0	67·0	68 0	64·7	63·5	60 0	57·8	56·0	54·0	54 0
75·0	79·0	78·0	78·6	78·5	77·8	74 0	70 0	68·0	66·6	66·5	67·0
78 0	78·0	78·6	77·8	75·0	72·0	68·5	65 0	63·4	61·0	59·4	56·6
55·5	56·5	56·6	54·0	58·3	56·4	55·0	51·4	48·3	47·8	47·0	47·3
61·0	64·0	63·0	63 4	62·6	59·4	57·6	53·0	49·0	46·5	45·4	44·0
66·0	67·2	68·5	69·5	69·8	69·8	66·5	60 0	56 7	53·0	50·7	52·0
75·0	79·5	78·0	78·0	79·4	74·5	73·0	69·0	67·6	68·0	65·0	63·7
67·0	66·3	64·6	65·7	66·0	65·8	63·0	61·4	60·0	57·5	56·7	58·0
67 3	68·0	68·4	69·0	68·0	67·7	63·0	58·2	54·0	53·5	51·0	49·5
70·3	72·0	71 3	71·0	69·0	66·2	64·5	63·4	62·0	62·0	60·5	59·0
56·2	56·7	57·0	57·7	58·0	58·0	58·0	58·4	58·6	59·0	59·4	59·6
63·0	64·0	64·0	64 0	63·5	62·0	61 0	60·3	60·0	59·8	58·7	58·3
65·3	66·0	65·8	64·0	62·5	61·5	59·8	58·0	57·8	57·0	56·8	56·6
63·0	63·0	63 4	66·0	67·0	66·0	64 0	60·3	57·0	55·5	54·0	53·0
74·3	76·0	74·0	72·2	72·0	69·5	67 7	66·3	66·2	65·8	63 0	63·5
77·3	78·0	78 0	76 5	76·0	74·0	71·7	68·0	66·0	64·0	63·5	63·0
68 0	69·3	69·2	69·6	69·2	68·0	65·9	62·9	60·8	60·4	58·1	57·5

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	61·4	61·3	60 0	59·0	59·0	58·7	58·7	60·0	61·7	63·5	64·2	66·0
2.....	48·6	48 2	47·0	47·7	48·5	48 7	52·0	58·0	63·7	67·5	70·0	70·5
3.....	50·0	48·6	48·5	47·5	47·5	47·6	52·0	56·7	60·2	63·0	65·0	66·4
4.....	48·5	47·3	46·2	45·7	44·6	44·6	46·0	53·0	61·0	66 2	68·7	70·4
5.....	50·2	50·4	50·2	48 0	47·0	47·4	51·7	57·7	63·0	68·2	71·6	73·4
6.....	63·4	62·6	61·0	60·0	58·5	58·5	58·5	58·7	60 6	61·6	62·0	64·4
7	49·0	47·0	45·0	44·0	42·0	41·7	42·0	46·6	51·4	55·8	59 7	60·0
8.	60·7	60·7	60·4	60·2	60·0	60 0	60·0	60·4	60·7	61·4	62·3	63·0
9.	42·0	41·0	40·2	41·6	41·3	42·5	42·7	47·7	54·6	59·7	61·6	62·7
10.....	51 0	49·3	48·7	47·6	47·4	46·5	47·3	50·7	58·0	63·6	69·0	72·0
11.....	56·8	55·3	53·7	53·5	53·2	53·4	53·0	53·0	53·0	54 0	54·4	55·7
12.....	39·7	39·0	39 0	38·7	38·8	39·5	40·7	42·0	42·6	44·0	46·0	47·0
13.....	45·0	45·0	44·6	44·6	44·6	44·8	45·0	45·3	46·0	46·8	48·0	48·0
14	46·8	44·3	43·7	42·4	42·0	39·7	40·0	44·0	50·0	56·7	60·0	61·3
15.. ...	50·4	50·0	49·7	49·9	49·0	50·2	52 0	54·0	59·0	63·5	66·7	70·4
16.....	51·0	50·5	48·0	46·6	46·0	44·5	44·0	48·0	53·0	55·7	57·0	59·6
17.....	52·0	51·0	51·8	53·3	54·0	55·0	56·0	58·2	60·4	62 0	64·8	71·5
18... ...	57·5	57·0	58·7	59·5	59·5	59·5	60·0	60·0	59·5	62·0	60·7	62·3
19.....	44·0	43·0	43·0	42·0	40·0	38·6	39·7	44·6	46·3	47·2	49·3	50·0
20.....	48·6	48·6	50·7	51·3	47·5	45·0	44·0	46·7	47·5	49·3	50·0	52·3
21. ...	40·0	38·4	38·0	37·0	36·5	36·7	36·8	38·2	40·3	42 4	42·4	45·0
22.....	37·3	37·0	36 4	37·0	36·5	37·2	40·0	41·0	42·5	45·0	45·5	45·0
23.	41·7	45·0	43·0	43·4	43·4	44·0	44·6	47·5	52·2	56·2	58·0	60·0
24.....	36·6	36·7	35 0	33·0	33·0	34·6	34·6	35·3	36·5	38·0	40·2	43 0
25. ...	29·5	27·6	29·8	29 4	29·5	28·4	27·0	29·7	38·0	45·0	49·0	52·7
26.	37 0	36·6	38 0	39·0	35·5	34·2	32·5	36·0	41·5	44·0	44·3	46·0
27.....	28·0	27·0	25·4	24·6	24·4	24·6	27·3	31·5	35·0	38·6	45·0	47·7
28.....	42·2	42·2	42·2	41·8	41·4	40·5	40·5	40·2	40 0	40·0	40·0	41·6
29.....	32·0	32·5	33·0	36·0	36·3	37·2	35·0	36·7	38·4	40·0	42·0	43·0
30.....	34·6	34·0	33·0	33 0	32 0	32·0	32·3	33·0	39 5	45·8	50·7	55·7
Mean	45·8	45·2	44·8	44·6	43·9	44·5	44·5	47·1	50·5	53·5	55·6	57·5

each Hour (90th Meridian Time), during the Month of September, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
67·0	68·0	67·6	67·7	67·3	66·0	62·0	57·0	55·0	52·6	51·0	50·0
72·2	74·0	72·0	71·6	68·4	66·0	63·0	60·0	58·3	56·4	53·5	52·0
67·0	68·4	69·0	69·5	68·0	65·7	63·0	60·0	58·0	55·2	52·3	50·0
71·0	72·8	73·0	72·7	72·0	69·5	64·6	60·0	56·3	54·0	51·0	50·0
74·0	76·0	75·2	75·5	74·0	72·0	67·8	64·0	62·0	60·7	61·7	61·9
64·0	63·5	62·2	61·6	59·8	59·0	57·5	57·3	56·0	55·5	53·7	52·7
65·0	69·3	69·2	73·0	71·7	70·4	67·5	65·4	64·0	62·6	62·0	62·0
63·5	64·0	64·3	63·3	63·0	63·0	57·5	51·7	50·0	46·2	44·0	43·5
66·4	67·0	68·0	67·0	67·0	67·0	61·0	57·3	54·6	53·0	52·0	51·8
73·7	74·2	75·0	75·0	75·3	72·0	65·6	62·0	60·0	58·0	59·2	59·0
55·5	55·0	52·4	51·6	50·2	48·8	46·5	45·3	44·0	43·0	42·7	40·7
48·4	49·5	49·8	49·0	49·2	48·8	48·0	47·8	47·5	46·8	4·0	45·4
49·0	50·0	51·0	51·0	50·8	50·0	49·0	48·2	47·8	47·3	47·0	47·0
62·5	64·0	63·3	64·7	64·7	62·7	57·0	52·0	50·3	50·0	49·0	49·3
71·0	72·5	73·0	70·6	67·5	64·6	62·2	61·7	61·0	56·5	54·3	52·0
60·0	60·0	60·0	60·0	60·0	56·0	52·5	51·5	51·6	51·8	52·0	52·0
73·0	75·5	77·3	76·4	74·6	71·5	67·3	65·7	63·7	62·0	60·0	58·3
63·0	63·8	61·0	61·0	59·5	57·0	51·5	48·0	45·0	44·0	43·0	42·7
50·7	52·3	52·4	52·4	52·5	52·0	51·0	50·0	49·7	49·0	48·6	48·6
53·4	54·0	53·5	52·6	52·0	50·7	48·6	47·9	47·0	45·0	44·7	44·0
47·0	49·3	49·3	49·8	49·5	47·7	41·5	39·8	38·5	37·6	37·5	37·5
45·3	46·0	46·3	46·4	46·4	46·3	45·5	42·0	42·0	41·3	40·5	41·0
60·2	59·7	56·2	52·0	48·7	46·0	44·0	42·2	40·0	39·8	39·0	38·0
44·6	46·0	45·5	45·3	45·6	43·7	39·0	37·7	34·6	31·0	32·0	33·7
54·0	53·6	52·2	52·0	52·0	50·5	48·2	46·0	45·0	44·4	42·2	40·2
47·2	48·0	47·4	47·6	47·0	44·4	40·0	35·8	31·8	30·0	29·8	28·3
48·2	49·6	49·8	50·2	49·7	48·0	46·0	45·8	44·0	43·8	43·7	42·2
38·5	36·0	37·0	40·0	40·0	37·3	34·0	32·2	32·0	32·0	32·0	31·8
44·0	47·0	46·3	46·0	46·0	44·0	37·7	35·0	34·0	34·0	35·0	35·0
58·0	59·5	59·8	59·0	58·0	54·6	48·7	46·6	46·0	46·0	45·3	39·7
58·6	59·7	59·3	59·1	58·3	56·5	52·9	50·5	48·9	47·6	46·8	45·9

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	37·4	36·4	36·5	38·0	39·8	41·5	42·0	42·0	42·4	44·0	45·0	46·7
2.	52·0	52·2	52·0	50·7	50 0	49·5	49·2	49·0	49·0	50 0	53·0	54·0
3.....	46·6	46·0	45 8	44·8	44·0	43·5	40·6	40 3	46·7	47·7	50·0	53·0
4.	48·3	48·0	48·0	48·7	47·7	47·5	47·5	47·3	52·0	55·3	60·0	60·6
5.....	50·0	46·6	46·0	44·6	44·0	44·0	44·3	47·0	49·2	51·5	54·3	58 0
6.	40·0	39·6	38·0	38·0	38·3	39·7	41·2	43·5	47·6	52·0	56·6	58·5
7.....	42·6	42·6	42·5	42·5	41·6	41·0	40·0	39·0	41 0	43·6	46·5	49·3
8. .	38·4	38·0	38·0	37·6	37·5	38·0	38·3	42·6	47·5	48·7	48·8	55·0
9.....	46·0	45·0	44·6	42·7	41·0	40·0	39·0	40·4	44·6	47·5	50·0	50 6
10.....	41·7	41·7	41·5	40·5	40·0	40·0	38·0	40·6	47 0	48·0	51·8	52·0
11.....	.. ..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12.....	....	.....	.....	.....	.....	.....	.....	.....	....	.....	... .	.....
13.....	36·0	36·0	35·0	34·6	34·0	34·0	34·0	34·0	38·0	45·0	49·7	55·0
14.....	46·3	41·0	38·0	35·6	35·6	36·0	36·0	39 0	43·5	49 0	50·6	54·0
15.	31·8	31·4	31·0	30 7	30·0	29·0	30 0	33·7	38·0	45·5	52·7	57·0
16.....	50·0	47·6	44·0	43·0	41·0	39·8	41·3	43·0	49·5	54·2	60·0	62·5
17.	41·0	50·0	45·6	42·0	38·7	36·7	34·0	33·4	34 0	34·5	36·0	38·0
18.	24·0	24·2	23·0	22·0	23·5	21·7	21·6	22 0	27·8	34·0	37·0	39·8
19.... .	30·4	30·7	31·6	30·6	30·5	30·7	31·6	31·7	36·0	40·0	44·0	46·8
20.....	21·6	20·0	18·7	18·3	18 6	18·0	18·0	19·0	26·7	32·3	38·0	44·0
21.....	37·2	37·0	36·3	36·0	35·7	34·7	34·6	34·6	36·7	41 0	46·0	50·2
22..	43·3	40·0	38·0	37·8	34 0	35·0	32·0	32·3	37·5	44·2	47·3	50·6
23.	30·0	29·8	30·0	28·0	28·0	29·3	30·0	31·5	36·0	42·6	50·0	56·0
24	45·0	40·3	40·0	38·3	38·3	37·0	37·5	36·0	41·0	47·0	50·0	50·3
25.....	22·6	20·5	20·0	18·0	18·0	18·0	18·0	18·0	21·7	29·8	35·3	36·6
26.....	32·0	28·0	26·7	25·7	25·5	24·0	22·3	24·0	29·7	33·5	37·0	38·3
27.....	35·5	36·0	37·3	37·2	38·3	37·5	35·5	35·5	36·0	39·7	47·5	46·0
28.... ..	34·6	34·2	33·8	32·4	30·0	30·0	30·0	30·0	33·0	35·7	40·0	43·4
29.....	32·0	32·0	32·0	31·7	31·0	30·0	28·5	27·5	30·0	35·0	42·0	45·0
30.	29·7	29·5	28·7	30·0	30·3	33·5	34·2	34 7	36·0	36·7	38·5	41·5
31.....	42·2	43·3	43·6	44·0	44 0	44·2	41·7	42·2	42 0	44·0	46·2	48·8
Mean .	38·0	37·5	36·7	36·0	35·1	35·0	34·5	35 3	39·3	43·2	47·0	49·5

each Hour (90th Meridian Time), during the Month of October, 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
48·5	49·0	49·6	50·0	50·0	50·0	50·6	56·6	50·5	52·0	52·0	52·0
54·2	55·0	55·0	55·0	54·0	52·5	50·5	50·3	49·6	48·4	48·0	47·6
56·4	53·0	57·8	56·7	55·0	52·5	48·0	46·5	41·7	48·0	50·0	48·7
61·0	62·5	63·0	62·2	61·8	59·6	57·0	56·0	54·0	54·0	52·0	51·3
60·0	60·4	59·6	58·3	56·0	53·8	51·5	49·7	47·6	45·0	41·7	40·0
52·0	54·0	52·3	50·2	50·0	48·3	47·3	46·5	45·0	44·2	43·5	43·0
50·3	51·0	51·6	51·8	51·6	47·0	41·5	38·5	37·4	35·0	36·0	37·8
58·5	57·0	53·7	48·5	48·5	48·3	47·0	46·6	46·7	46·5	46·6	46·3
52·0	52·3	53·0	55·0	56·0	51·0	54·0	52·8	51·5	50·0	46·0	45·0
52·3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	48·0	48·0	48·0	45·0	41·5	39·0	37·0	36·0	35·0	36·4	36·0
58·2	61·5	62·5	62·7	62·0	58·6	55·0	54·0	53·5	52·0	50·6	49·0
55·3	57·0	57·5	57·0	51·0	48·2	44·0	36·7	35·5	34·0	33·8	32·0
59·0	63·0	64·0	64·6	64·0	63·5	62·0	60·2	59·0	56·4	54·5	52·2
64·2	65·0	65·7	63·4	59·0	54·6	52·0	48·2	42·3	40·0	40·5	40·0
38·3	38·2	37·8	37·9	36·0	33·0	28·2	26·0	26·0	24·3	24·2	24·0
41·7	43·6	43·5	42·0	40·0	39·0	38·0	36·3	35·7	35·5	34·2	33·8
48·0	47·5	46·0	45·5	42·0	38·0	32·0	38·0	25·0	24·0	22·7	22·6
46·0	48·0	48·0	48·2	46·6	43·0	40·6	40·0	41·8	40·0	39·3	38·4
56·0	59·3	61·7	62·0	60·4	55·0	50·2	45·5	46·0	42·7	40·0	40·3
51·0	52·0	52·3	52·0	48·0	39·8	35·0	33·0	37·0	35·0	33·0	31·0
58·2	59·8	60·0	58·6	56·0	53·7	53·4	52·3	51·0	51·0	51·0	48·3
50·0	49·7	48·3	46·2	43·0	36·6	33·7	30·0	27·0	22·5	22·6	24·0
38·3	42·0	42·0	41·4	38·6	37·0	34·2	33·0	33·0	32·0	32·0	32·0
40·3	42·0	40·0	37·6	36·0	34·5	33·0	35·0	36·0	36·0	36·0	35·8
44·3	42·0	42·3	43·0	42·0	41·5	39·0	38·2	36·4	36·0	35·5	35·0
45·0	44·0	46·0	45·0	41·0	38·4	36·5	33·4	29·4	26·3	32·0	32·0
47·3	48·0	48·0	46·0	42·0	35·7	34·2	32·8	31·7	31·8	31·5	30·0
42·2	43·5	43·5	43·5	43·7	43·7	43·7	43·0	42·3	42·2	42·3	42·2
50·0	51·0	51·0	51·0	51·0	50·8	50·4	50·0	50·0	47·0	44·8	44·0
51·0	51·8	51·8	51·1	49·4	46·6	43·5	42·4	41·3	40·2	39·4	39·1

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1. ...	49·0	38·0	38·0	38·0	36·4	36·0	39·0	40·0	44·3	47·5	50·0	50·3
2.	40·0	38·3	37·0	34·0	34·3	36·0	34·7	34·2	34·3	36·0	36·2	36·5
3.....	31·0	30·8	32·0	32·0	32·3	32 3	32·6	33·3	34 0	34·2	35·8	36·0
4.	27·7	26·0	26·3	28·0	29·4	29 3	28·7	28·6	30·0	34·0	38·4	41·8
5.	36 0	36·0	36·0	34·7	34·2	35·7	36·2	35·3	35·5	38·3	40 0	43·0
6.....	25·0	24·0	23·7	24·0	22·0	22·0	26·0	26·0	25·5	32·0	40·0	46·3
7.... .	42·0	42·0	43·0	45·0	44·0	43·0	41·5	41·7	42·0	41·8	40 5	42·0
8.....	28 0	28·0	28·0	27·5	26·4	27·0	29·5	30·5	31·0	37·0	40·0	45·0
9.....	32·8	32·4	34·0	30·0	27·6	28·2	28·4	28·3	29·6	30·3	31·3	32·6
10....	22·6	23 3	24·0	20·0	17·7	18·2	18·4	18·0	19 5	20·3	21 7	23·0
11.....	22·7	22·2	22·0	21·5	21·3	21·0	20·0	20 0	20·3	21·5	22·7	23 5
12... ...	16·0	16·0	16·0	16·0	17·0	17·7	18·0	18·3	21·2	26·0	28·3	31·0
13.	20·0	18·2	17·0	16·5	15 0	14 0	14·0	12·0	14·0	16·0	17·8	18·7
14.....	11·3	10·0	10·0	8·7	8·7	9·3	10·4	12·0	14 3	16·5	19·8	21·8
15..	10·5	10·0	10·6	10·6	10·0	9·8	10 0	10·0	11·8	17·5	22·5	25·7
16.	24·7	24·0	23·3	25 0	26·5	27·7	27·8	29·0	30 7	32·0	32·0	32·0
17.....	39·0	38·8	39 2	38·0	37·0	35·3	34·0	30·8	31·0	34·5	36·0	38·0
18.....	19·0	17·0	16·5	16·0	15·3	14·0	14·0	13·3	13·0	16 2	19·0	19 8
19.. ...	20 6	20·6	20·5	20·4	20·2	20·0	20 5	22·2	24·0	26·5	29 0	33·7
20.....	37·5	37·0	36·3	36·0	36 0	38·0	38·5	38·8	40·2	40·2	42·2	44·0
21.....	35·3	35·3	36·0	36·0	36·6	36·0	36 0	36·0	35·0	35·3	36·0	36·3
22.	26·0	24·5	26·0	26·0	22 3	22·0	22·2	22·0	23·5	29·4	34 0	38·0
23.	34·3	34·0	34·0	34·0	33·7	33·6	32·0	32·0	33·5	34·6	36·3	38·0
24.....	36·6	36·2	35·4	33·0	32·0	28·4	27·5	26·0	26·3	33·5	37·0	41·5
25.....	31·6	36·5	33·0	31·5	29·7	29·0	23·4	23·0	23 0	27·0	28 5	31·0
26.....	17·7	16·0	14·0	13·5	14·0	12·3	14 0	14·7	18 0	19·5	20·7	21·7
27.....	18·0	16·0	14·0	13·5	14·0	12·0	13·4	15·0	18·0	19·7	20·5	21·7
28... ..	18·0	18·0	18·0	18·7	18·7	19·5	19·3	18·0	16·0	14·0	14·0	14·0
29.	— 5·7	— 4·5	— 5·3	— 6·0	— 6 0	— 4·0	— 0·5	4·0	7·3	9·0	12 0	14·5
30. ...	18·0	19·7	20·3	22 0	18·5	16·0	15 0	14·0	15·7	17·7	19·0	21·5
Mean .	25·6	25 5	25·3	24·8	21·1	23·9	24·1	24·2	25·5	27·9	30·0	31·7

each Hour (90th Meridian Time), during the Month of November 1907.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
51·0	51·6	50·2	46·0	44·0	43·7	44·0	42·8	42·7	42·3	42·0	40·2
37·0	38·0	38·0	37·8	36·5	35·0	33·0	31·8	31·8	31·6	30·7	30·5
38·0	40·0	42·0	42·3	39·0	34·7	33·0	29·5	28·0	28·0	28·0	28·4
43·3	44·5	44·7	43·7	42·3	39·8	39·0	39·0	38·8	40·2	38·3	36·6
45·0	46·0	46·0	45·8	41·0	38·0	34·0	36·0	29·6	28·7	27·0	25·7
50·3	51·0	51·0	48·7	45·7	40·3	39·0	40·3	40·8	49·2	41·7	42·2
42·3	43·0	42·0	41·5	38·0	36·2	34·0	32·3	31·7	30·0	30·0	28·3
46·0	46·3	43·7	42·0	39·5	37·0	36·6	37·2	36·6	33·0	31·8	33·3
32·0	31·0	30·2	29·7	28·0	25·6	25·6	26·2	25·6	25·7	21·3	24·0
23·0	29·0	29·3	28·0	27·2	26·6	26·0	25·7	24·0	24·0	23·7	23·0
24·0	23·8	23·0	22·0	21·8	18·7	18·0	18·0	17·8	17·0	16·5	16·0
36·0	36·0	36·0	36·0	35·4	34·0	32·0	30·2	30·0	28·0	26·0	22·3
20·0	20·0	19·7	18·3	18·5	18·0	15·0	13·7	13·5	12·0	11·8	11·5
23·0	25·0	25·6	24·7	21·5	16·0	13·5	12·0	11·0	14·0	15·0	12·0
28·0	29·0	29·0	28·8	28·0	27·3	26·5	26·5	27·2	26·4	26·6	25·6
32·3	34·0	34·0	34·0	32·0	32·0	32·0	33·5	31·0	36·2	38·0	39·0
36·5	34·0	31·0	34·0	32·0	30·0	27·8	23·0	21·5	21·7	21·8	20·2
21·5	23·7	24·0	24·0	21·8	20·3	20·0	20·0	20·0	20·7	21·0	20·6
36·4	39·0	38·4	39·7	39·5	38·7	38·5	38·0	38·0	37·8	37·0	37·8
45·2	46·0	46·0	46·0	41·7	39·5	36·0	31·7	32·0	32·0	35·0	35·5
37·0	37·5	37·3	37·0	36·0	35·8	35·0	34·0	33·6	32·0	28·0	26·3
41·3	44·0	44·2	45·3	42·0	40·2	39·7	38·3	37·5	36·5	35·0	34·6
43·3	44·0	44·0	43·5	42·3	41·7	40·0	38·6	36·0	36·0	36·0	36·3
44·3	45·7	45·5	45·5	46·6	46·7	44·3	41·4	38·0	38·0	35·0	34·0
32·7	33·6	33·9	32·0	30·4	28·6	27·0	26·0	21·0	21·3	20·0	18·5
24·3	26·0	26·0	26·7	27·3	27·3	27·5	26·4	23·7	21·5	20·0	18·0
23·5	26·0	26·0	26·0	24·0	19·3	18·0	16·0	14·7	14·3	16·0	18·0
16·0	15·0	15·0	13·0	9·0	6·0	4·7	2·0	− 0·3	− 1·8	− 2·0	− 2·2
15·0	15·0	15·0	15·0	15·7	16·0	16·0	16·2	16·2	16·0	16·0	18·0
19·0	19·0	17·0	18·3	18·2	18·0	14·6	13·5	10·0	10·0	13·5	17·0
33·6	34·2	34·3	33·8	32·1	30·4	29·0	28·6	26·9	26·4	26·1	25·7

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	7·0	10·0	10·3	10·3	10·3	10·3	10·3	10·3	10·0	10·0	10·2	12·3
2	18·2	19·7	20·3	22·0	18·5	16·0	15·0	14·0	15·7	17·7	19 3	22·0
3	24·3	24·3	23·3	22·6	23 5	22·2	22·2	22·0	18·0	15·0	6·0	8 0
4	16·0	16·0	17·5	17·6	17·8	18·0	18·5	18·7	19·0	20·3	21 5	24·0
5	25·3	28·7	32·0	32·3	31·0	35·0	37·8	38·5	38·0	38 5	39 0	40·0
6	35·0	31·3	34·0	29·0	26·0	26·0	26·0	23·0	20·0	25·2	28·5	30·4
7	35·0	34·0	32·5	30·0	30·5	30 3	32·0	28·5	28·3	28·7	29·0	30·0
8	25·5	26·0	26·0	24 6	24·0	22·6	22·6	22·5	22 3	22·4	23·0	23·0
9	15·5	12·6	10·0	7·4	5·7	4·0	2·7	0·5	0 0	1·3	5·0	7·7
10	— 3·0	— 4·0	— 3·0	— 1·5	0·0	1·5	2·3	4·0	6·0	7·5	9·5	12·0
11	16·8	16 0	14·5	13·0	13·0	12·6	15·0	10·0	22·0	24·6	27·0	27·0
12	18·0	18·0	18 0	*	*	*	*	*	*	*	*	*
13	*	*	*	*	*	*	*	*	*	*	*	*
14	37·0	37·0	37·0	36·7	36·3	36·5	36·0	36·0	36·0	36·0	36·0	36·3
15	35·0	35 0	35·0	34·0	32·0	31 0	30·0	30 0	30·0	30 0	30 0	30·5
16	20·0	20·0	20·7	20·7	19·3	18·6	18·6	17·5	15·5	15·7	16 0	17·0
17	14·0	14·0	14·0	14·0	14·0	14·0	14·0	14·0	13 8	13·0	13·0	14·3
18	11·5	13·0	14·2	15·7	16·5	17·8	18·0	18·0	18·0	18·2	18 4	18·4
19	21·0	21·0	21·0	20·0	19·0	18·7	18·2	18·0	18·0	19·0	21·2	21·5
20	17·0	17·0	18·0	17·5	17·3	16·2	15·7	16 0	16·0	17·7	20·0	23·0
21	19·4	19·2	19·5	20·0	20·0	20·4	20·5	20·5	21 0	22·3	26·0	30·0
22	37·6	36 0	35 5	34 6	34 3	33·0	33·0	32·8	32·0	32·0	33·4	34·6
23	28·0	25·3	25·3	24 5	24·0	22·0	18·3	16·0	15·0	15 0	17·3	18·7
24	14·0	13·8	13·0	12·2	12·0	11·8	10 0	8·6	8·0	7·5	7·0	6·7
25	— 8·5	— 8·0	— 8·0	— 8·0	— 9·0	—10·0	—10·0	— 9·0	— 9·6	— 2·7	1·8	1·8
26	13·0	12·0	12·0	12·0	12·0	12 0	12·2	13·5	15·0	16·0	18·5	21·7
27	10·0	6 8	2·2	— 1·0	— 6·5	— 7·0	—10 0	—11·4	—12·6	—13·4	—13·0	—13·0
28	— 6·0	— 4·0	— 3·7	— 3·7	— 4·0	— 2 2	— 1·6	— 0·7	0·6	2·2	4·2	6·3
29	— 2·0	2·0	5·7	6·0	6 7	7·3	10·0	11·2	12·7	14 7	16·0	16·5
30	5·0	4·2	6 3	7·5	9 4	9 0	9·8	11·3	15·0	15·2	16·0	16·7
31	14·0	13·0	12·7	12·2	12 2	12·2	12·3	12·3	9·7	9 7	10 0	10·0
Mean	17·1	17·1	16·8	16·6	16·1	15·8	15·8	15·4	15·6	16·6	17·7	18·8

* Out of order.

each Hour (90th Meridian Time), during the Month of December, 1907.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.
°	°	°	°	°	°	°	°	°	°	°	°
14·3	15·0	15·0	15·0	15·4	16·0	16·0	16·0	16·0	16·0	17·3	18·0
26·0	29·7	29·7	29·0	27·5	26·3	29·0	29·0	28·0	27·8	26·6	26·0
15·3	16·0	16·0	16·0	14·5	14·0	13·5	13·4	13·2	12·4	13·6	15·0
26·0	28·3	28·5	28·4	28·0	26·0	26·0	24·0	22·8	22·5	21·5	20·0
40·5	42·0	42·0	42·0	38·5	36·5	35·0	35·3	36·0	36·0	35·3	36·0
33·0	34·2	34·6	34·6	34·0	35·0	36·0	36·0	36·0	37·8	36·0	35·3
32·0	32·0	33·0	31·7	27·8	27·0	27·5	25·0	23·5	24·6	26·0	26·5
23·0	22·0	22·0	22·0	21·0	20·3	20·0	19·8	18·7	18·3	18·0	17·5
10·0	9·7	9·6	9·7	9·5	4·0	2·5	3·0	4·0	2·0	1·7	0·0
15·0	16·4	18·0	18·0	18·5	18·5	18·3	17·0	18·0	18·0	17·8	17·5
28·5	29·6	28·0	23·0	20·0	17·5	16·7	16·3	20·5	20·0	18·5	18·0
*	*	*	*	*	*	*	*	*	*	*	*
*	38·0	38·0	37·8	37·8	37·8	37·3	37·0	36·6	36·0	36·0	37·0
36·5	36·5	36·5	36·0	36·0	36·0	36·0	35·5	35·3	35·3	35·0	35·0
30·3	30·0	29·8	28·0	27·0	26·0	26·0	24·5	22·6	22·6	22·6	21·7
17·5	17·7	17·7	17·7	16·0	16·0	15·0	14·3	13·0	10·0	11·8	12·6
14·0	13·6	13·0	12·6	9·5	5·0	2·7	1·0	3·2	7·5	9·6	10·0
18·6	21·0	28·3	27·6	22·0	21·3	21·4	22·5	22·2	20·5	20·0	18·8
22·0	22·0	22·0	21·0	20·0	18·0	17·0	16·0	16·0	16·0	15·0	17·0
25·0	27·0	26·0	25·4	23·6	23·7	23·6	21·8	21·6	21·6	20·8	19·4
35·2	36·0	36·0	36·0	34·6	35·0	36·0	36·0	36·6	38·6	39·0	38·0
36·0	37·0	36·0	36·0	33·6	32·0	33·5	32·0	30·0	30·0	30·0	28·4
24·0	27·0	28·0	26·8	22·0	21·0	19·5	19·0	17·0	16·0	16·0	15·0
8·0	8·5	6·0	4·0	2·0	− 0·7	− 2·0	− 4·0	− 4·0	− 6·0	− 7·0	− 8·0
7·5	8·0	8·0	10·0	10·0	9·3	9·0	9·0	9·0	10·0	10·7	12·0
25·0	28·0	28·0	28·0	26·0	22·0	20·0	19·0	17·0	16·0	16·0	15·0
−12·0	−10·0	−10·0	− 9·7	−10·0	−11·4	−11·0	−10·2	−10·4	− 9·7	− 8·0	− 8·0
8·5	11·0	11·0	11·0	10·0	9·5	7·8	7·8	4·2	2·2	1·5	0·7
17·8	17·8	17·6	17·7	17·8	17·8	17·9	17·9	16·0	14·3	11·0	10·0
17·0	18·0	17·5	16·0	16·0	15·7	15·8	15·0	15·3	14·3	14·0	14·0
10·0	9·7	9·0	8·0	8·0	6·0	5·7	5·5	5·0	6·0	4·0	2·5
20·8	22·4	22·5	22·0	20·5	19·4	19·1	18·8	18·1	17·8	17·6	17·3

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.	38·1	38·0	37·2	37·0	36·9	36·9	37·0	36·9	37·0	36·1	36·2	36·2	36·1
2	32·1	32·0	31·2	30·6	30·0	29·9	28·8	28·2	27·2	27·9	30·0	31·7	32·0
3.....	32·8	33·8	34·6	34·2	34·8	35·0	35·2	36·0	36·8	37·1	37·2	38·1	38·7
4	40·7	40·0	38·9	38·1	37·4	37·0	37·8	37·1	36·8	35·4	35·0	35·0	34·1
5.....	32·2	32·6	32·9	32·9	33·2	33·3	33·9	34·0	34·2	35·1	37·0	37·9	38·5
6.....	32·1	32·3	32·8	32·0	31·0	31·9	32·1	31·2	31·2	32·8	35·0	39·2	40·3
7.....	38·9	39·0	39·7	39·2	38·9	38·8	38·0	37·7	37·2	36·4	36·3	37·2	37·1
8.....	35·0	35·0	35·8	35·9	35·9	36·0	35·2	34·8	33·0	32·1	32·0	31·8	31·9
9.....	35·8	34·3	32·9	31·0	29·8	28·0	26·6	25·7	22·0	22·2	20·9	17·1	15·9
10.....	19·8	19·2	19·1	19·0	19·0	18·0	17·0	16·2	18·8	23·4	26·2	26·8	27·0
11.....	32·1	30·0	29·9	30·0	29·9	29·0	28·0	27·0	27·2	30·0	30·0	31·0	31·8
12	27·4	28·0	27·8	28·0	28·0	25·0	24·9	25·0	23·3	24·0	23·8	24·0	25·0
13	23·0	24·7	25·0	25·2	25·0	24·6	24·2	23·0	22·0	21·0	20·9	21·8	22·0
14.....	22·0	22·1	23·0	23·1	24·1	24·7	25·9	26·7	27·1	28·0	28·2	29·4	31·0
15..	32·5	31·0	30·0	29·0	26·8	24·9	22·8	21·2	20·0	19·0	17·8	17·0	16·7
16	12·5	12·2	12·9	13·0	13·0	13·1	13·3	13·9	13·8	14·2	14·6	14·8	15·0
17.....	3·6	4·3	1·8	— 0·9	— 1·0	2·0	2·1	3·7	4·8	7·3	6·5	8·4	10·2
18	14·2	14·9	15·1	16·0	16·8	17·2	18·3	19·1	21·0	22·0	22·2	23·1	24·2
19.....	30·9	31·0	31·8	31·1	33·2	34·2	34·9	35·0	35·8	36·1	35·9	37·3	40·0
20.....	50·8	46·7	44·3	45·3	46·0	46·0	41·7	39·6	37·4	35·0	34·2	31·0	30·0
21.....	13·9	12·6	11·9	11·1	12·1	13·0	13·0	12·7	13·3	16·2	17·0	18·4	18·8
22.....	14·0	14·0	13·5	13·1	12·9	12·1	11·9	11·0	10·9	12·0	13·5	14·6	9·8
23.....	— 2·0	— 3·1	— 4·0	— 4·8	— 5·0	— 6·0	— 7·0	— 7·9	— 6·9	— 4·0	— 1·8	— 0·8	0·0
24.....	— 7·0	— 8·0	— 8·9	— 9·2	— 9·8	— 9·7	— 9·8	— 9·1	— 6·2	— 3·9	0·0	2·5	3·1
25	6·9	6·0	5·8	5·8	5·1	5·8	5·3	4·9	4·2	5·6	6·9	9·2	9·0
26.....	9·4	12·2	12·2	9·0	7·0	4·5	3·0	2·8	3·0	6·4	9·1	12·0	13·6
27.....	3·8	7·0	7·0	7·9	7·6	8·0	7·9	8·0	10·2	14·2	17·8	18·3	20·0
28.....	17·9	16·9	17·0	14·0	13·9	14·0	13·6	13·2	13·8	16·2	18·6	20·7	20·0
29.... ...	11·1	12·0	12·9	14·0	14·1	14·0	14·2	14·2	15·0	17·1	18·8	19·0	19·8
30.....	16·8	16·0	15·9	14·0	11·4	9·4	7·8	7·3	9·2	10·8	12·1	14·0	14·2
31.....	11·1	11·9	17·0	17·9	18·2	19·8	20·2	21·4	21·8	22·6	23·5	24·5	25·5
Mean ..	22·01	21·89	21·84	1·37	21·17	20·98	20·57	20·34	20·48	21·56	22·43	23·26	23·59

Ground), for each Hour (75th Meridian Time), during the Month of January, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
35·0	35·1	35·1	34·8	34·9	34·2	34·0	33·7	32·9	32·7	32·2	35·59	38·3	32·2
32·0	31·8	31·5	31·9	31·9	32·7	32·8	32·9	32·8	32·6	32·0	31·10	33·1	27·1
40·0	40·0	39·2	39·1	39·0	39·0	39·3	39·8	40·0	39·2	38·8	37·41	40·1	32·0
34·0	33·9	33·0	32·0	31·2	31·9	32·0	31·8	32·0	32·6	32·1	34·92	40·7	31·1
39·1	39·1	39·0	37·0	35·0	33·8	34·0	34·0	33·3	34·0	33·0	34·96	39·3	32·0
42·0	42·1	44·0	42·9	39·7	39·3	39·0	39·1	39·2	39·0	38·7	36·62	44·0	30·9
36·8	36·9	36·6	36·1	36·9	36·0	35·9	35·2	35·0	34·9	35·7	37·10	39·8	34·9
32·0	33·0	33·1	34·0	35·0	35·1	36·0	36·0	36·1	36·4	36·1	34·47	36·8	31·7
17·6	19·0	18·2	17·1	16·0	16·1	16·0	17·4	18·9	19·6	19·0	22·38	36·1	15·1
28·8	30·2	30·7	31·6	31·0	33·0	33·8	32·8	32·2	33·0	32·8	25·81	34·0	16·0
30·9	31·8	30·9	29·8	28·0	27·0	24·1	23·8	23·0	23·0	23·2	28·39	32·8	22·8
25·0	24·8	24·8	25·0	24·8	25·0	25·1	24·0	21·9	22·9	21·9	24·98	29·2	21·1
25·0	26·1	26·9	26·9	27·1	23·1	23·0	25·1	26·1	26·1	22·6	24·18	27·1	20·2
32·8	34·0	33·1	33·2	33·2	33·8	34·9	35·1	35·0	34·9	33·0	29·51	35·2	21·9
16·0	15·2	15·0	14·2	14·0	13·1	13·2	13·0	12·2	12·9	13·0	19·19	33·0	12·1
15·1	14·1	14·0	12·5	12·8	7·7	6·0	5·2	4·9	3·0	3·0	11·44	15·2	2·9
11·0	12·6	13·8	13·9	13·3	14·0	14·1	13·6	13·0	13·3	14·0	8·31	14·2	— 1·2
26·0	27·0	27·3	27·1	27·1	27·2	27·7	28·0	29·2	29·9	30·0	22·94	30·6	14·0
44·7	46·6	47·9	48·2	47·2	48·0	47·2	46·1	47·9	48·2	48·3	40·31	48·4	30·0
28·0	27·0	24·3	23·6	22·2	21·8	21·2	20·9	20·2	18·2	16·1	32·15	51·7	16·1
19·0	18·2	17·2	15·2	14·0	13·4	13·7	14·0	13·8	14·0	14·0	14·60	20·0	11·0
9·2	10·0	10·8	8·9	7·0	5·1	4·0	3·2	2·2	0·7	— 0·8	9·32	15·0	— 0·8
1·0	0·4	0·2	— 1·0	— 2·1	— 3·9	— 5·1	— 6·0	— 6·5	— 7·0	— 7·0	— 3·76	1·2	— 8·0
5·2	3·0	3·4	2·9	2·0	1·8	2·2	3·0	4·0	5·1	6·1	— 1·55	6·1	—10·0
9·2	10·8	11·2	10·8	9·9	9·9	9·0	9·4	8·9	8·7	8·9	7·80	11·5	4·2
14·9	14·7	15·0	13·9	12·4	11·1	9·0	7·0	5·8	4·5	4·0	9·02	15·0	2·0
19·1	18·8	18·2	17·9	16·2	14·2	14·0	13·9	15·0	16·9	17·1	13·29	20·9	3·4
19·9	20·0	18·0	16·0	14·0	13·0	12·0	11·0	11·0	11·2	11·0	15·29	22·2	10·9
20·0	20·0	20·2	19·0	18·2	18·2	17·8	17·2	17·0	16·9	16·8	16·56	20·3	11·0
15·0	16·0	15·9	15·0	13·8	12·2	11·8	9·0	8·9	10·1	10·3	12·37	16·8	7·0
25·8	25·9	26·0	25·8	25·8	26·0	26·8	27·8	28·7	25·8	26·2	22·75	28·7	10·3
24·19	24·45	24·34	23·72	22·95	22·35	22·08	21·84	21·76	21·72	21·36	22·18	28·30	15·61

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	26·0	26·5	27·1	27·6	26·7	26·1	26·3	28·4	29·7	29·9	29·7	30·0	31·8
2	34·3	34·5	34·5	34·3	34·3	34·7	34·3	35·0	35·4	35·6	35·9	36·9	37·1
3	15·1	13·9	12·1	11·0	10·2	10·0	11·7	11·8	12·8	14·9	17·0	17·5	16·3
4	12·0	11·1	10·5	8·2	5·9	5·0	4·7	4·2	6·9	9·8	12·8	13·3	14·9
5	11·8	11·0	10·2	10·0	9·3	7·9	6·9	6·0	5·9	6·2	6·2	7·0	7·2
6	6·2	5·0	3·0	2·2	2·0	1·9	1·8	1·3	4·0	7·0	10·0	12·0	13·0
7	7·0	6·0	5·2	4·8	4·4	4·2	4·1	3·9	9·0	16·0	18·9	21·3	23·1
8	17·9	18·0	18·0	18·0	17·0	16·0	15·2	14·8	16·0	19·1	23·8	24·1	25·9
9	23·6	24·9	23·2	23·2	24·8	25·0	25·2	25·9	26·7	27·0	28·0	29·2	30·9
10	30·3	31·0	30·2	30·1	30·8	31·2	31·3	32·2	33·0	34·7	36·9	35·2	35·0
11	17·0	15·1	14·7	13·1	11·0	6·8	3·2	0·8	− 0·2	0·2	− 1·0	− 1·0	− 0·8
12	− 5·0	− 5·8	− 5·2	− 5·1	− 5·8	− 6·0	− 6·1	− 6·0	− 4·0	− 1·0	1·0	3·9	6·2
13	13·9	13·7	13·9	17·0	19·1	20·0	21·0	23·0	24·9	27·0	29·2	31·8	33·9
14	38·6	37·9	36·3	38·9	40·0	39·3	38·0	36·3	35·0	34·0	31·0	26·3	23·1
15	14·7	13·1	13·3	13·0	14·8	16·8	18·0	20·0	21·0	23·7	25·1	27·0	27·7
16	36·2	35·9	35·1	35·0	34·3	33·9	33·8	33·0	34·2	35·9	37·1	36·1	36·4
17	28·0	25·8	24·1	22·2	22·1	22·2	22·0	20·9	18·9	17·9	18·0	17·8	17·9
18	8·2	8·2	8·8	8·0	8·3	9·2	11·0	13·3	19·5	20·7	22·0	22·9	23·8
19	31·8	32·0	32·3	33·0	33·2	33·9	34·2	34·9	35·2	35·4	35·8	37·1	34·0
20	26·8	26·0	25·2	25·0	25·0	24·2	23·9	24·1	26·1	30·8	32·2	32·2	32·0
21	14·9	14·0	11·7	9·8	8·2	6·8	5·6	5·2	6·0	7·5	9·2	11·8	13·1
22	4·0	2·7	2·1	1·0	0·8	− 0·2	− 4·0	− 5·1	− 4·6	− 2·8	− 1·7	0·4	1·3
23	5·0	4·0	3·8	5·1	5·8	5·0	2·2	1·0	3·2	6·2	8·0	10·0	12·0
24	15·8	16·8	17·3	18·7	18·9	19·1	19·0	20·2	21·3	23·1	25·3	25·0	24·3
25	31·9	31·8	28·9	26·2	22·0	19·0	17·0	15·8	16·2	16·0	15·0	14·8	14·9
26	8·1	7·0	5·9	4·9	5·2	5·3	6·1	6·2	5·8	7·0	13·8	15·0	16·3
27	7·1	7·7	8·9	9·9	10·7	9·9	7·9	7·0	8·0	9·1	10·0	11·0	11·2
28	15·5	15·3	15·8	15·9	9·2	9·0	9·3	9·0	9·3	9·6	12·0	13·9	16·0
Mean	17·74	17·22	16·68	16·41	16·01	15·57	15·13	15·11	16·29	17·88	19·33	20·09	20·66

Ground), for each Hour (75th Meridian Time), during the Month of February, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
31·0	31·9	33·2	33·9	34·9	35·2	35·8	35·9	35·9	34·3	34·2	30·89	35·9	25·9
37·7	38·0	37·8	35·9	35·2	33·7	25·9	21·2	18·2	17·8	16·8	32·29	38·0	16·8
16·8	16·7	15·8	14·0	12·9	12·0	11·8	11·3	11·9	11·8	12·0	13·39	18·0	9·8
16·0	15·1	15·0	14·1	13·0	11·2	10·2	10·0	10·3	11·1	11·9	10·72	16·0	4·1
7·8	7·9	8·2	8·0	7·3	6·9	6·8	6·1	5·9	6·2	6·3	7·63	12·0	5·8
15·0	15·9	17·0	17·0	15·1	12·8	10·2	9·5	8·8	8·0	7·5	8·59	17·3	1·2
24·8	23·0	22·0	21·1	20·2	19·0	18·9	19·1	19·0	19·0	18·2	14·68	25·0	3·9
27·0	27·9	27·5	27·1	26·2	26·0	25·3	24·5	24·2	23·1	23·9	21·94	28·0	14·8
31·2	32·1	32·8	32·1	31·9	31·1	31·0	30·9	30·8	30·8	30·2	28·44	32·9	23·0
36·0	32·9	31·6	30·2	27·8	25·3	25·0	24·1	23·0	20·9	21·0	29·99	37·3	20·8
0·8	− 0·3	− 2·7	− 4·5	− 5·2	− 6·0	− 5·9	− 5·8	− 5·2	− 5·2	− 4·8	1·42	21·0	− 6·0
8·7	10·1	11·1	12·2	11·0	10·9	10·2	10·2	11·7	12·9	14·0	3·46	14·1	− 6·1
36·0	37·1	37·8	38·0	38·0	37·1	37·2	39·6	40·8	39·9	39·9	29·58	41·0	13·1
21·8	20·2	18·7	17·2	17·6	17·9	17·8	17·0	16·9	16·2	15·3	27·14	40·1	15·3
29·8	30·8	31·4	32·1	31·4	32·0	33·0	34·2	35·2	35·9	36·9	25·45	36·9	12·9
37·2	39·1	39·0	38·7	37·5	36·2	35·9	35·0	33·0	31·1	29·2	35·37	39·6	29·2
17·8	17·8	17·1	16·1	14·1	12·2	11·9	11·0	10·6	9·7	8·5	17·69	29·3	8·5
24·1	25·0	25·8	26·9	27·0	27·2	28·0	28·9	29·1	29·9	30·9	20·28	30·9	7·9
33·0	31·8	30·9	29·8	29·8	30·8	29·9	28·1	27·2	27·7	26·9	32·03	38·3	26·9
32·0	32·0	31·3	30·2	28·7	27·0	22·0	19·9	18·7	16·4	16·2	26·16	32·9	16·0
14·2	14·9	15·0	14·0	13·0	9·8	8·2	6·9	5·8	4·9	5·0	9·81	16·2	3·3
4·0	6·0	8·0	6·8	6·0	5·1	4·2	3·0	3·8	5·0	5·7	2·15	8·2	− 5·2
13·1	14·0	14·0	13·2	12·9	11·2	9·8	5·0	11·2	15·1	15·4	8·76	15·4	0·9
24·9	25·9	26·6	27·0	27·2	27·1	28·2	29·7	30·6	32·1	31·9	24·00	32·3	15·4
15·2	14·2	14·0	13·0	11·9	9·5	8·0	7·2	6·7	7·2	7·8	16·01	32·0	6·6
18·2	17·9	18·0	17·2	15·7	12·0	9·0	8·0	7·9	7·4	6·9	10·20	18·7	4·8
11·9	12·2	13·0	12·9	12·9	11·3	10·8	10·1	10·2	10·1	14·6	10·35	14·6	6·7
17·0	17·8	17·9	17·9	18·0	17·8	16·9	16·7	16·2	16·0	16·4	14·52	18·2	8·8
21·54	21·71	21·71	21·11	20·43	19·37	18·43	17·90	17·80	17·69	17·81	18·32	26·43	10·18

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.....	16·7	16·6	18·5	18·2	18·9	18·2	18·0	18·2	20·0	22·0	23·0	24·7	25·0
2.....	35·0	34·9	34·9	35·1	35·3	37·0	38·9	38·0	37·9	36·9	36·8	36·3	35·9
3.....	27·0	26·9	26·1	25·0	24·0	22·9	22·1	20·6	18·6	19·0	20·0	20·0	20·0
4..... ..	14·4	14·8	14·9	15·2	15·6	15·0	15·2	16·4	17·0	18·7	21·2	22·6	24·2
5.....	23·1	23·0	23·0	22·9	23·1	23·0	23·0	24·0	26·8	29·7	30·1	31·8	32·0
6..... ...	20·0	18·9	18·0	16·9	16·0	13·5	13·3	12·8	12·1	12·8	14·0	15·2	16·7
7	6·2	7·0	7·2	7·1	7·3	8·0	10·0	12·8	17·1	22·5	23·8	25·0	25·7
8.....	23·1	22·9	22·8	23·1	23·1	21·8	21·2	22·2	25·0	27·8	29·5	33·1	33·1
9.....	22·0	21·7	20·9	19·0	18·1	18·0	17·2	18·7	22·2	25·7	27·7	29·8	29·2
10.....	24·2	24·0	23·8	24·1	24·6	25·1	27·9	29·2	30·9	32·9	34·0	33·8	33·6
11	25·1	24·9	24·1	24·8	24·6	24·8	23·8	25·2	31·0	34·7	35·9	37·2	38·9
12.....	32·8	32·8	33·0	33·1	33·7	33·8	33·7	34·9	35·8	35·0	34·0	34·0	34·3
13.....	38·1	39·0	39·0	38·4	38·6	37·7	37·2	37·1	37·2	38·0	38·5	39·6	40·8
14.....	34·8	34·9	33·9	33·1	32·0	31·1	30·8	29·1	28·4	28·5	28·0	29·0	31·6
15.....	30·0	30·0	30·9	30·7	30·2	30·3	30·9	32·2	34·6	37·8	38·0	39·0	40·0
16.....	28·9	28·2	27·9	27·0	27·1	29·2	31·0	32·0	33·2	33·4	35·8	37·3	40·2
17.....	41·3	42·2	42·6	41·6	41·1	43·0	41·9	43·6	41·6	42·0	41·3	41·5	40·6
18	28·8	28·2	27·9	27·1	27·0	26·9	27·0	29·2	31·6	33·0	34·0	35·2	36·1
19.....	32·9	33·2	33·4	33·7	33·4	30·1	30·2	31·2	32·1	33·1	33·0	34·6	34·6
20.....	34·0	33·0	33·9	29·0	27·2	25·2	24·4	25·2	26·2	27·3	29·0	31·0	33·0
21.....	26·7	25·9	25·3	25·0	24·9	24·8	25·2	31·2	34·2	35·0	38·1	37·9	38·8
22.....	37·6	38·0	38·2	38·9	38·8	38·6	38·6	39·1	43·0	46·0	48·5	48·5	50·9
23.....	42·8	43·2	43·0	42·2	42·7	41·9	40·8	42·1	45·9	46·2	46·0	46·2	46·0
24.....	39·0	38·1	39·0	38·1	38·1	38·2	38·9	38·8	40·8	43·2	41·8	41·9	42·1
25.....	35·7	35·0	34·0	33·2	33·0	32·7	32·2	33·3	34·1	35·0	36·2	38·8	38·9
26..	35·0	34·9	35·1	36·9	37·2	37·3	37·9	38·8	41·6	44·3	46·2	45·7	46·8
27.....	39·2	38·3	38·0	37·1	37·0	37·0	37·1	38·0	39·8	43·6	45·9	44·8	48·0
28.....	55·3	54·7	54·3	53·9	52·7	54·2	54·7	54·2	56·0	58·0	56·0	56·8	57·9
29.....	43·2	42·9	42·0	41·0	40·6	42·6	41·1	40·9	41·1	40·9	41·3	44·0	44·8
30.....	44·7	43·0	42·0	39·4	38·9	37·9	38·0	43·2	45·7	45·3	46·1	47·3	47·9
31.....	36·8	34·2	31·2	30·0	29·0	28·1	28·3	29·1	29·0	28·9	29·0	29·9	29·2
Mean ..	31·43	31·14	30·93	30·35	30·12	29·93	30·02	31·01	32·60	34·10	34·93	35·89	36·67

Ground), for each Hour (75th Meridian Time), for the Month of March, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
26·6	27·2	28·6	29·0	29·6	30·6	32·0	34·0	35·1	35·6	35·0	25·05	35·8	16·1
35·7	34·0	33·9	33·0	31·8	29·9	30·1	30·1	29·1	28·2	28·0	34·03	38·9	28·0
19·8	19·9	17·6	16·0	14·0	12·0	11·9	12·7	13·1	13·8	14·2	19·05	28·0	11·4
25·8	25·4	26·2	25·8	24·3	22·9	22·0	21·3	22·0	22·2	23·0	20·25	27·0	14·1
31·8	31·3	30·8	25·9	26·0	25·9	25·3	24·8	24·0	23·2	21·7	26·09	32·2	21·7
18·0	19·8	17·6	16·3	15·1	13·0	11·9	10·7	9·9	9·9	8·0	14·60	21·7	8·0
27·0	27·2	27·0	27·0	27·0	27·0	27·2	27·2	26·9	23·0	23·0	19·55	27·8	5·8
35·9	35·0	35·0	34·1	32·0	29·8	28·0	26·5	25·1	24·0	23·0	27·38	36·2	21·1
29·8	29·9	30·0	30·1	29·1	28·8	28·0	26·2	25·9	25·0	25·0	24·90	30·6	17·2
33·3	33·0	33·0	32·2	31·2	30·2	29·2	28·2	27·9	26·2	25·7	29·09	34·3	23·2
40·0	40·1	39·7	38·0	36·9	34·7	34·0	33·8	33·0	32·2	32·2	32·07	40·2	23·7
35·1	36·8	38·0	38·8	39·5	39·1	40·1	40·0	39·7	39·1	38·6	36·07	40·2	32·2
41·0	41·0	39·2	38·2	37·6	36·3	36·2	35·8	35·1	34·9	35·0	37·90	41·2	34·8
32·1	33·0	34·1	34·1	33·9	32·8	32·1	31·0	30·2	30·0	30·2	31·61	35·0	27·9
42·6	42·0	42·9	41·0	39·0	37·1	35·8	33·8	32·0	31·0	30·0	35·08	43·0	29·8
44·8	49·4	48·7	47·0	47·1	46·2	44·6	43·8	42·2	43·9	43·6	38·02	50·0	26·5
41·1	41·0	39·5	37·7	35·6	33·9	33·0	32·3	31·2	30·2	29·2	38·71	43·7	29·2
37·0	36·9	36·1	35·0	34·1	33·3	33·2	33·1	33·8	33·9	33·0	32·14	37·5	26·7
35·1	36·6	37·1	37·7	37·9	40·9	43·0	42·1	37·0	35·8	34·9	35·15	44·0	30·0
35·2	35·2	36·0	35·0	33·8	31·5	30·1	29·2	28·6	28·0	27·0	30·33	36·2	24·3
39·7	41·0	40·0	37·9	37·2	36·1	35·8	35·9	36·9	36·8	36·9	33·63	41·3	24·2
57·1	58·9	57·0	57·0	57·8	54·0	52·1	52·9	50·0	46·9	44·2	47·19	59·2	36·9
47·1	48·7	46·9	45·9	43·3	42·8	42·1	42·1	41·6	40·7	39·2	43·73	48·8	39·2
42·5	43·0	44·0	43·8	43·0	41·9	40·1	39·6	38·0	37·0	36·2	40·30	44·1	36·2
39·9	41·2	41·3	40·1	38·8	38·0	38·9	35·0	37·8	36·0	34·7	36·58	41·6	32·2
48·6	49·0	46·0	45·2	45·2	42·3	42·2	40·1	38·8	38·8	38·1	41·33	49·1	34·0
45·4	46·3	48·0	49·5	50·6	50·6	50·9	50·9	49·9	51·0	55·4	44·68	55·4	36·9
59·7	61·4	63·8	62·0	60·8	58·0	53·0	47·9	46·0	44·8	44·0	55·00	63·9	44·0
46·0	43·9	42·7	44·0	43·8	41·0	41·0	43·0	52·0	48·0	46·0	43·24	53·2	40·3
48·0	48·0	48·0	47·0	45·7	43·3	41·6	41·0	40·0	38·9	37·7	43·28	48·9	37·5
29·2	29·1	28·7	28·0	26·0	23·9	23·8	23·8	23·0	23·1	23·0	28·10	37·7	23·0
37·77	38·23	37·98	37·17	36·38	35·07	34·49	33·96	33·41	32·65	32·12	33·68	40·86	26·97

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	22·9	22·0	22·0	20·9	20·2	19·7	19·1	21·0	22·2	23·8	23·0	24·8	24·2
2	19·8	19·8	19·2	19·1	19·0	18·2	19·0	24·0	27·0	30·2	31·0	32·2	33·9
3	33·9	34·0	34·0	33·9	33·9	33·9	34·0	35·4	36·0	38·7	41·7	43·9	45·0
4	35·7	35·2	35·9	36·1	36·2	37·1	38·0	39·7	40·0	41·0	42·2	43·9	42·1
5	39 0	39·8	40·0	36·4	35·0	33·0	31·7	30·6	29·2	29·1	29·2	31·8	33·3
6	26·6	25·2	24·3	23·8	23·0	22·0	22·1	24·9	26·5	27·7	28·0	28·9	29·2
7	30·9	30·3	31·0	31·3	32·2	3·22	34·0	35·0	36·0	36·6	37·0	37·6	37·9
8	36·8	37·1	38·0	38·2	38·3	38·1	39·0	39·8	40·5	40·2	40·8	43·0	41·6
9	35·0	34·9	34·5	34·2	35·0	35·0	35·3	36·2	38·0	40·0	42·0	44·0	43·9
10	35·6	35·9	36·0	35·9	36·1	36·1	36·3	37·9	37·1	36·2	35·0	35·1	35·7
11	33·9	33·3	32·9	32·0	31·2	30·8	31·6	32·7	35·0	37·2	39·0	41·1	42·1
12	32·9	32 7	33·0	33·2	33·2	33·0	33·7	34·3	34·6	35·6	35·8	35·8	36·8
13	34·3	85·1	35·2	35·1	35·1	35·6	35·9	35·2	35·0	36·0	37·6	38·0	39·0
14	33·9	33·2	32·9	30·2	28·9	28·2	27·6	28·7	29·0	30·0	31·8	33 0	34·0
15	31·7	31·3	31·6	31·2	30·2	29 2	30·2	34·3	37·3	38·4	39·8	41·0	42·0
16	33·9	33·8	33·0	32·2	32·8	32·8	32·4	32·3	33·0	34·0	36·3	37·2	37·2
17	34·1	35·0	34·8	34·9	34·9	33·8	34·6	36·9	38·9	40·8	43 0	42·7	44·0
18	29·1	28 9	28·3	29·0	27·7	28·0	30·7	35·0	36·9	39·0	37·9	38·2	39·0
19	32·1	31·9	31·8	31 2	31·1	31·3	32·4	34·4	36·1	38·2	38·9	40·1	40·0
20	32·7	31·4	30·7	29·4	29·0	28·2	29·0	31·0	33·7	33·9	35·3	37·0	38·0
21	28·3	28·2	28·0	27·2	27·0	26·9	30·0	36·0	40·8	44 0	46·4	48·7	49·9
22	37 3	36·7	36·2	37·0	36·8	36 9	38·9	43·9	49·0	52·8	54·2	56·4	56·0
23	43·2	41·4	41·9	40·4	38·0	36·2	40·0	46·9	49·0	52·2	53·0	55·0	54·2
24	44·1	42·1	39·7	36·8	35·9	35·9	33·7	42·1	44·9	48·0	49·0	50·3	51·2
25	41·7	40·9	41·1	41·7	40·0	42 7	45·8	52·2	49·0	46·0	46 0	46·7	45·8
26	36·2	35·9	35·1	35·1	35·1	35·0	35·3	37·1	39·0	40·0	41·2	40·9	40·3
27	32·0	30·2	30·0	29·2	29·1	29·9	33·0	40·0	42·0	47·8	48·2	47·4	47·0
28	36·2	36·2	35·7	36·0	38·0	38·7	41·0	44·8	47·2	49·4	49·8	54·5	58·0
29	48·1	47·3	46·1	45·9	45·1	45·9	46·8	49·8	51·9	55·0	57·4	56·0	61·0
30	43·2	43·1	43·3	44 0	44·1	43·6	42·6	41·8	40·7	40 8	40·1	39·8	40·6
Mean	34·50	34·09	33·87	33·38	33·07	32·93	33·96	36·46	37·85	39 42	40·35	41·50	42·10

Ground), for each Hour (75th Meridian Time), during the Month of April, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
26·0	23·0	23·7	23·0	22·9	21·7	20·7	20·2	20·1	19·8	19·9	21·95	26·0	19·0
33·9	34·6	35·2	36·1	34·7	34·2	34·8	34·1	34·0	34·0	33·9	28·83	35·6	18·2
44·1	45·4	44·9	42·0	40·8	39·1	38·9	38·0	38·0	38·0	37·1	38·53	46·0	33·8
41·0	42·1	43·1	44·2	43·9	40·9	40·2	41·0	39·9	39·1	39·0	39·90	45·1	35·1
34·0	34·8	35 1	35·0	34·1	32·3	31·0	30·0	29·0	28 0	27·1	32·85	40·1	27·1
30·0	31·0	31·6	31·9	31·8	31·6	32·0	32·2	32·3	32·0	31·5	28·34	32·6	21 8
35·9	35·2	35·0	35·1	35·1	36·0	36·0	35·9	35·9	36·0	36·8	34·79	37·9	30·3
42·2	42 9	41·0	42·2	40·7	89·1	38·3	37·2	36·8	36·0	35·7	39·31	43·1	35 7
41·2	41·9	38·6	37·2	36·9	36·8	36·8	37·1	37·0	36·3	36·1	37·66	44·8	34·2
36·6	37·0	37·2	37·9	37·7	37·1	35·9	35·8	35·8	35·5	35·0	36·27	38·0	35·0
44·8	43·0	43·0	45·0	41·4	38·0	36·1	35·2	35·0	34·0	33·0	36·72	45·2	30·7
36·2	37·3	37·0	38·0	37·9	36·8	35·9	35·9	35·6	35·0	33·9	35·17	38·0	33·0
38·5	37 4	38·0	37·8	36·1	34 9	33·9	33·9	33·9	31·1	34·3	35·83	39·8	33·8
34·4	34·1	33·8	33·2	32·0	30·8	30·0	30·1	30 1	30·2	31·0	31·30	36·2	27·6
42·1	43·2	42·8	43·0	41·9	40·8	39·9	38·0	35·6	34·1	34·0	36·82	43·8	29·2
38·0	34·2	37·8	38·2	36·2	34·9	33·9	33·8	34·0	31·0	34·1	34·58	38·5	32·2
43·0	42·1	41·0	39·6	38·0	35·2	33·8	32·7	31·9	31·0	30·0	36·95	44·2	30 0
40·9	40·9	40·4	40·2	38·8	38·1	36·1	35·0	34·1	33·8	33·0	34·96	41·6	27 3
40·8	42·0	43·0	43·0	41·9	39·2	37·0	35·1	34 8	33·2	32·8	36·35	43·3	31·0
38·8	38·3	38·9	37·3	36·3	34·4	32·7	31·1	30·0	30 0	29 0	33·17	39·1	28·1
50·2	51·3	51·9	51 0	50·3	48·3	44·0	41·8	40·1	39 0	38·0	10·30	52 2	26·7
55·0	54·3	55·0	54·8	52·6	50·4	47·7	45·9	44 2	44·2	45·0	46·72	57·2	36·6
52·8	52·3	51·6	51·0	50·0	48·8	48·7	48·0	49 8	48·2	46·4	47·46	55·0	35·9
53·0	54·0	54·1	53·6	52·7	50·7	49·0	47·2	46·0	44·0	41·9	46·01	55 0	35·8
44·1	46·0	44·0	40·8	38·0	37·9	38·9	38·9	38·3	38·0	37 0	42 56	53·6	37·0
41·0	40·9	41·2	41·9	40·9	39 9	38 9	37·8	36·9	34·8	33·1	38·06	41·9	33·1
46·7	47·7	48·0	46·8	45·2	43·0	41·9	10·8	39·8	38·0	37·8	40·06	48·8	29·1
59·0	58·2	58·0	56·4	55·0	54·6	54·2	52·9	52·0	50·8	49 1	48·60	59·3	35·5
65·0	67·0	69 0	69·0	68 0	55·0	52·7	49·0	46·0	44·2	44·1	53·55	69·0	44·9
41·0	40·1	40·6	39·1	38·0	37·0	36·4	36 0	35·7	35·1	35·0	40·07	44·3	35 0
42·34	42·41	42·48	42 14	40·99	39·25	38 21	37·35	36·75	36·01	35·49	37·79	44·51	31·42

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	34·8	34·4	33·9	32·6	31·7	31·2	33·7	37·6	38·9	40·8	42·4	43·8	43·0
2	35·9	34·0	32·3	32·1	35·0	35·1	37·0	43·0	46·3	47·0	48·0	48·1	49·0
3	39·0	39·2	37·0	37·0	37·0	37·0	40·0	47·4	51·0	52·0	54·9	57·3	58·0
4	41·2	41·1	40·1	37·0	34·3	32·9	32·9	33·0	33·6	34·0	36·1	37·1	40·7
5	35·6	35·2	35·1	35·0	33·9	34·1	37·2	42·2	46·0	48·2	48·0	49·1	47·1
6	43·8	43·0	42·2	42·0	42·3	42·0	42·6	44·0	44·0	44·1	46·0	48·0	50·2
7	42·9	41·0	40·7	40·0	40·1	40·3	43·0	45·7	48·2	49·8	47·8	47·3	48·0
8	40·4	39·1	37·5	37·0	38·8	40·0	42·2	48·1	49·9	51·2	51·0	50·1	49·1
9	44·2	44·0	44·9	45·9	43·9	42·8	46·0	51·2	56·8	57·9	59·0	57·7	61·6
10	38·7	37·3	35·8	36·3	37·0	37·1	37·6	38·6	39·6	40·2	41·8	42·0	41·4
11	33·9	34·2	34·5	34·1	33·0	34·0	36·0	39·1	41·0	42·8	44·0	43·1	42·0
12	31·8	31·0	29·9	28·7	27·2	30·0	34·0	36·7	39·9	40·2	42·1	44·1	45·2
13	38·8	38·0	37·1	36·1	36·6	37·8	45·2	53·2	58·0	60·2	65·9	70·0	71·0
14	58·2	56·0	54·9	55·0	56·8	59·0	61·0	66·5	66·2	69·9	72·2	73·0	72·2
15	49·0	49·8	53·0	51·2	51·3	51·7	53·3	55·0	61·0	66·2	64·9	64·2	63·8
16	52·9	51·0	50·1	48·0	46·1	45·1	47·2	49·7	53·0	53·6	54·2	53·9	53·0
17	43·1	43·7	43·0	42·8	41·6	41·8	45·2	50·0	52·0	53·8	55·0	56·2	55·8
18	50·9	50·1	49·9	49·6	48·8	48·9	49·6	51·1	53·9	59·8	64·0	66·0	69·0
19	49·6	47·0	45·8	44·1	44·6	46·6	48·8	49·9	48·0	46·9	51·2	55·0	59·0
20	41·6	40·3	39·0	37·2	36·2	38·0	39·8	44·4	45·0	44·4	46·3	49·0	47·6
21	38·0	38·0	37·0	36·2	35·0	38·1	39·8	41·5	44·0	46·0	48·2	49·8	49·8
22	37·0	36·0	35·2	35·6	35·3	36·0	40·0	45·2	47·0	47·6	45·8	47·8	50·9
23	47·4	47·0	46·1	46·0	46·3	47·0	47·4	49·9	53·0	55·8	56·7	56·1	56·9
24	47·6	47·1	45·2	45·0	46·0	47·0	50·0	55·6	58·0	56·1	56·0	55·2	54·1
25	46·0	45·0	45·2	46·0	45·0	46·0	46·9	48·1	48·2	49·7	50·8	52·9	54·2
26	48·0	46·9	47·0	47·1	46·8	46·0	45·1	45·7	46·0	46·9	48·8	50·6	52·6
27	49·8	49·0	49·2	50·3	49·6	48·9	52·7	56·2	57·6	54·7	48·1	47·8	48·0
28	37·2	37·0	36·0	36·0	36·7	37·2	39·9	44·3	46·6	48·4	49·0	49·9	50·8
29	46·2	47·0	46·0	45·9	45·8	44·1	44·1	46·0	48·3	51·8	54·0	55·0	58·0
30	45·9	43·9	42·0	40·6	38·8	42·7	46·0	49·0	51·8	53·2	52·7	53·9	53·2
31	44·8	44·2	42·2	41·3	41·0	43·8	48·2	54·2	54·9	55·7	56·0	57·2	57·1
Mean	43·04	42·27	41·54	41·02	40·73	41·36	43·63	47·13	49·28	50·61	51·64	52·62	53·30

Ground), for each Hour (75th Meridian Time), during the Month of May, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
44·1	44·1	43·6	42·2	41·6	40·5	40·2	39·2	38 0	37·2	37·0	38 69	44·9	31 1
49·0	49·9	49 6	47·1	44·0	42·9	41·8	40·8	40 0	40·1	38·9	41 95	51·0	31·9
57·8	57·0	57·4	56·2	51·8	47·9	44·8	43·2	43·0	42·1	41·4	47 06	59 0	36 0
42·3	43·2	44·1	42·9	41·9	40·1	39·1	38·1	36·1	36·1	35·9	38·08	44·1	32·8
47·0	45·0	44·0	43·9	43·2	41·6	41·2	41·1	41·0	42·0	43 0	41·65	50·0	33·9
51·9	52·0	52·8	51·0	50·0	48·3	48·0	46·4	45·9	44·6	44·1	46·22	52 9	41 9
50·4	52·3	51·6	49·2	47·8	47·0	45·8	46·3	46 0	44·9	42·0	45·75	52 7	39 4
50·2	49·2	50·7	49·1	47·2	46·8	45·2	44·2	43·6	43·2	44 3	45·34	51·6	36·9
61·6	62·2	68·0	68·7	67·6	65·2	59·0	55·9	54 6	47·0	43·6	54·53	69 0	41·1
40·0	37·0	37·6	37·1	38·6	39·0	37·9	36·1	34·3	33·0	32·1	37·73	43 6	32·1
41·0	40·8	42·0	41·0	40·0	39·0	37·0	35·2	34·0	33·0	32·0	37·78	44·7	32 0
45·1	45·8	43·2	41·1	41·0	40·0	39·9	40·2	40·8	40·1	38·9	38·20	46·3	27·2
71·9	71·8	70·3	69·0	70 2	70·8	69·0	64·0	64·8	57·8	57·9	57·73	72·2	36·0
68·0	65·3	66·0	63·2	60·9	58·3	58 0	57 1	55·0	51·9	50·0	61·44	74 0	50·0
62·0	61·2	63·0	63·0	60·0	58·7	57·0	56·9	55·8	57·1	55·0	57·71	66·8	48·7
52 1	54·2	54 0	54·0	51·8	52·2	51 9	48·7	47·7	47·0	44·9	50·68	55·1	44 9
54·9	55·9	58·0	58·6	58 1	58·2	57·8	56·9	53·1	52·8	51 7	51 67	59 0	40·9
68 3	63·7	74·1	72 7	71·0	68·7	65·5	57·2	54·9	52·9	51·5	59·25	74·7	48·5
67 0	66·8	64·0	62·9	61·3	60·2	49·8	45·9	43·9	43·8	42·8	51·87	67·9	42·8
48·0	48·2	48·0	44·0	43·0	42·8	42·0	39·2	38 7	37·1	36·1	42·33	49 8	36·1
52 0	53·0	52·3	51 0	50·0	49·8	46·9	44·8	42·0	39·9	38·3	44 23	54·0	35·0
52 0	53·5	53·6	51 7	50 3	49·7	48·9	49·1	48·6	48·9	48·2	45·58	54·7	35·1
56·0	57·0	57·1	55·2	55·1	54·0	52·8	50·2	49·8	48·3	48·3	51·64	58·0	45·9
55·0	55·0	55 2	55·0	55·1	55·0	53·1	52 0	51·2	50·2	48·0	51·99	58·2	44 8
54·8	53·2	51·3	51·9	52·3	51·1	45·7	44·3	45·3	47·0	47·4	48·68	55·0	41·2
52·0	52·0	50·4	50·9	50·8	52·4	55·0	54·7	49·7	48·7	50·2	49·29	55·2	44·6
48·0	47·4	45·8	44·0	42·2	39·8	38·3	37·9	37·7	37·1	37·0	46·55	57·9	36·9
53·0	53·0	54 3	52·9	51·1	50·0	49·0	48·9	48·2	47·0	46·0	45·93	55·2	35·9
57·8	57·8	57·9	56·0	58·2	57·0	53·1	50·0	48·2	47·9	47·1	50·97	59·0	43 8
53·0	54·9	56 0	55·0	54·0	53·1	52·0	50·9	48·9	48·2	46·9	49·44	56·2	38·6
57 6	57·8	58·8	57·3	57·3	56·4	54·8	52·9	52·8	52·9	52·4	52·15	59·0	40·5
52.68	53·88	54·02	52·83	51·83	50 87	49 05	47 35	46·25	45·19	44·29	47 81	56·51	39 02

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	51·1	52·7	53·1	52·0	50·9	49·6	50·2	52·0	52·0	52·3	52·9	51·0	51·2
2	49·9	48·2	48·0	48·1	48·0	47·8	49·3	52·3	57·0	57·0	58·0	59·6	60·0
3.....	50·9	49·9	48·0	47·0	46·4	52·2	57·0	61·2	65·0	68·0	69·1	67·7	66·0
1	55·3	54·5	52·0	51·0	51·3	52·8	53·0	53·9	54·9	55·6	57·1	55·2	54·9
5.....	52·2	51·2	49·9	50·7	51·9	51·3	52·0	52·7	53·0	56·5	59·5	59·2	56·4
6.....	50·0	49·5	49·3	49·9	50·2	51·0	52·1	54·9	55·1	55·1	56·2	57·0	57·2
7	49·9	49·7	46·7	45·2	45·2	47·9	53·0	58·2	62·2	61·0	64·6	63·8	65·0
8.....	53·5	52·0	52·7	51·9	50·0	51·0	56·0	58·3	61·0	61·7	61·0	61·2	62·2
9.....	55·9	55·0	53·9	54·1	53·1	55·0	58·8	62·1	66·0	66·9	67·9	68·4	63·1
10	51·8	51·4	48·9	49·0	48·2	51·3	56·9	59·8	61·8	63·0	63·2	62·1	62·8
11	51·1	50·8	50·9	49·9	50·8	51·6	52·8	54·1	55·0	56·0	56·0	56·2	55·0
12.....	53·3	52·1	50·2	50·1	50·0	52·0	56·1	57·8	59·8	61·0	61·0	60·6	61·2
13.....	51·0	50·9	50·8	51·0	51·0	51·9	55·6	55·0	57·9	59·2	61·3	62·2	62·1
14.....	50·0	48·0	47·2	46·0	46·9	48·0	50·0	56·7	64·0	65·9	67·5	69·0	69·3
15.....	64·9	63·3	60·4	59·8	57·3	58·8	61·6	64·2	67·7	69·9	70·6	71·9	72·4
16.....	61·8	60·2	59·4	57·0	53·9	54·0	59·0	65·2	71·1	73·6	76·2	76·6	78·0
17.....	60·3	59·9	59·8	59·1	58·0	58·2	61·0	63·9	67·9	71·6	75·7	79·6	80·3
18.....	65·9	66·2	66·0	64·9	64·8	67·2	72·1	72·2	78·0	78·9	79·1	81·4	82·9
19.....	72·0	70·2	69·2	65·8	65·4	67·2	71·0	73·9	77·7	76·9	76·6	80·0	79·6
20.....	62·2	62·1	62·0	61·2	61·0	62·0	65·7	70·0	70·9	72·9	75·4	77·0	72·9
21	61·9	61·0	61·9	61·0	60·0	61·0	63·2	69·9	74·0	74·8	76·1	77·8	78·2
22.....	63·7	62·4	62·0	62·2	62·7	63·2	66·3	71·9	68·9	71·8	75·0	79·0	75·6
23.....	64·0	63·8	63·1	62·4	62·3	64·1	65·7	66·0	66·7	65·9	71·7	76·6	77·0
24.....	68·1	66·0	64·7	63·4	63·6	64·0	67·0	69·6	73·0	76·9	78·2	80·0	82·0
25	68·8	69·1	69·0	68·0	67·6	68·9	72·0	74·7	75·0	76·6	78·0	78·4	80·7
26.....	69·2	68·9	69·2	68·7	66·9	66·2	67·2	68·0	60·3	60·0	67·0	69·5	71·0
27.....	54·2	54·0	54·0	53·0	53·9	55·0	58·2	63·0	65·0	66·0	68·6	70·6	71·8
28	59·0	58·0	56·7	56·2	56·7	58·8	65·0	71·0	74·8	78·0	78·8	75·0	76·0
29.	61·7	61·9	61·8	61·7	62·0	62·8	64·1	68·9	70·0	71·6	74·0	74·3	72·2
30.....	62·0	61·3	61·4	61·0	60·4	60·5	60·8	61·3	62·6	63·0	65·8	69·0	67·0
Mean...	58·19	57·47	56·74	56·04	55·68	56·84	59·76	62·76	64·94	66·35	68·07	69·00	68·80

Ground), for each Hour (75th Meridian Time), during the Month of June, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°		°	°	°	°	°	°	°	°	°	°
51·2	52·0	52·1	51·7	51·2	48·8	48·9	50·0	50·1	49·9	50·2	51·13	54·0	48·1
59·9	59·0	60·0	57·3	56·8	55·8	54·0	53·2	53·0	52·1	52·0	54·01	60·8	47·5
65·9	64·9	66·0	65·0	66·0	64·1	60·8	57·9	57·2	57·2	56·7	59·59	70·0	46·0
56·1	58·0	57·3	56·1	55·8	53·9	52·3	52·8	51·1	51·0	52·1	54·08	58·1	50·7
61·8	61·1	60·0	55·1	55·0	54·2	52·9	50·9	50·7	50·9	50·5	54·15	63·0	49·6
56·0	55·3	56·0	56·0	56·1	55·9	54·9	54·2	53·9	53·0	51·0	53·74	58·0	49·1
66·0	67·6	63·1	62·4	62·3	62·2	59·9	58·8	58·0	56·6	55·0	57·81	67·7	45·1
61·8	62·7	64·0	63·9	63·1	66·0	63·0	60·0	59·7	57·0	56·8	58·77	66·1	49·1
63·0	63·0	64·2	62·6	62·8	61·0	58·9	57·0	55·2	53·8	53·0	59·78	69·0	52·9
62·8	63·2	64·1	61·0	59·8	57·9	55·0	54·0	51·2	50·0	50·9	56·67	64·4	48·1
58·0	56·9	59·2	59·2	57·2	54·1	53·0	54·3	54·9	54·1	53·3	54·35	60·8	49·9
60·1	59·0	60·1	60·0	60·1	59·9	58·3	56·9	54·6	53·7	52·0	56·66	62·2	49·9
62·6	61·1	61·0	58·9	57·9	56·0	54·0	53·0	52·6	52·0	51·1	55·84	63·1	50·6
73·7	74·6	80·0	80·0	78·0	75·7	72·0	71·2	69·0	68·0	66·0	64·03	81·5	46·0
72·9	73·9	74·8	73·0	72·0	68·9	66·2	64·2	63·2	62·7	62·0	66·53	75·0	57·2
78·2	79·0	78·1	76·0	74·8	72·7	70·9	69·0	67·7	66·7	64·6	68·49	79·1	53·6
80·7	82·0	81·9	80·0	78·0	75·2	74·3	71·0	69·8	68·9	66·9	70·17	83·5	57·9
84·9	83·0	83·7	82·1	80·0	80·0	77·1	75·1	74·2	74·0	71·8	75·23	85·0	64·0
78·0	75·7	67·0	66·1	65·7	66·0	65·9	65·7	65·3	63·0	61·9	70·24	81·3	61·0
74·9	74·7	75·3	74·2	73·8	72·3	70·5	68·0	66·0	64·4	63·0	68·85	77·2	60·7
75·8	73·0	73·0	73·8	71·1	71·9	68·6	66·6	65·5	64·9	64·6	68·73	79·0	60·0
75·7	80·1	76·2	71·0	74·2	73·0	72·3	71·9	70·9	69·0	65·1	70·17	81·0	61·9
77·8	76·0	71·0	72·0	73·9	73·1	70·0	69·2	69·0	69·0	69·1	69·14	78·2	62·2
83·4	82·9	83·3	80·8	79·7	77·0	74·2	71·0	71·2	70·2	68·9	73·30	84·0	63·4
80·7	83·0	82·8	79·0	78·0	77·2	74·8	73·0	71·3	70·9	69·8	74·47	84·0	67·6
69·8	69·4	69·0	66·9	65·8	64·1	61·5	59·0	57·0	55·7	55·0	65·22	71·0	55·0
73·0	75·0	76·0	74·9	73·9	72·2	69·8	65·3	63·2	61·0	60·0	64·65	76·2	53·0
77·9	77·9	77·6	76·9	73·2	72·7	69·8	66·4	64·2	63·7	61·9	68·59	80·0	56·1
71·0	65·1	67·7	70·1	68·8	68·0	65·7	64·0	62·8	62·6	62·2	66·46	75·0	61·2
69·8	70·0	71·1	71·0	68·6	68·0	68·1	67·0	65·5	64·8	62·0	65·08	71·9	60·3
69·45	69·30	69·19	67·90	67·12	65·93	63·92	62·35	61·26	60·36	59·31	63·20	72·00	54·59

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	61·0	60·0	59·8	59·1	58·9	60·0	63·0	64·9	68·3	72·0	74·0	77·0	72·0
2	65·8	65·1	64·0	63·0	60·6	59·6	58·9	60·2	59·2	58·7	60·1	62·3	62·3
3	52·2	51·9	52·0	52·0	51·3	53·3	60·0	65·2	64·9	63·0	65·1	66·2	68·9
4	53·0	51·8	50·9	50·0	49·9	51·7	56·8	64·0	65·2	69·1	70·5	71·0	73·2
5	56·6	55·0	54·0	52·8	51·6	54·0	60·7	67·1	67·0	70·7	70·6	71·0	72·3
6	63·9	63·5	61·9	62·2	62·9	63·0	64·6	69·0	71·1	72·8	71·1	75·0	75·0
7	62·0	61·0	62·2	61·5	60·3	61·9	67·2	73·6	76·7	78·2	80·0	81·1	81·9
8	64·4	62·7	61·8	60·8	60·7	63·3	66·9	70·9	73·0	76·5	77·9	76·4	85·2
9	67·9	66·2	65·0	63·0	62·1	63·0	66·0	72·0	75·0	76·3	77·9	78·0	78·0
10	61·0	59·2	58·0	59·2	58·6	60·2	63·0	69·2	72·8	73·8	75·0	74·0	74·8
11	65·2	65·0	64·2	64·0	63·9	63·3	62·7	62·9	62·9	61·0	63·0	63·0	63·1
12	61·2	61·3	61·3	61·6	60·9	60·2	60·6	64·8	68·0	70·8	72·8	74·4	75·7
13	58·8	58·8	58·1	58·0	57·8	60·0	64·0	69·0	73·0	75·2	73·0	74·9	76·0
14	59·0	57·0	56·0	55·0	54·5	56·7	62·0	68·2	72·0	74·7	74·8	74·6	76·0
15	63·9	62·0	61·2	60·9	60·3	61·0	64·7	68·0	71·1	74·2	75·9	76·8	76·9
16	70·0	69·3	68·8	67·9	68·9	69·0	71·2	72·3	73·0	77·1	78·9	79·6	81·1
17	67·8	66·9	66·4	65·9	66·1	67·0	70·0	73·2	76·3	77·7	77·2	77·9	78·0
18	72·0	71·1	70·9	69·7	68·0	67·6	69·3	73·0	76·9	80·0	79·9	79·7	81·0
19	65·0	64·0	63·0	62·0	61·0	61·8	68·0	75·6	76·8	77·6	78·3	79·6	81·1
20	65·6	66·0	68·0	67·8	66·8	67·8	72·6	75·6	76·1	76·9	80·7	79·3	81·2
21	60·9	60·4	60·1	59·8	58·7	59·9	63·0	70·3	76·0	78·2	77·0	77·0	78·0
22	66·6	66·4	67·0	66·2	66·0	65·2	65·2	65·0	66·8	68·1	70·2	74·1	76·0
23	67·2	66·9	66·2	65·0	64·1	64·2	66·3	70·6	72·0	74·3	76·6	78·1	78·0
24	61·2	60·9	60·2	59·0	58·2	60·0	64·9	67·0	68·0	69·0	73·0	76·5	77·0
25	66·0	63·0	61·4	60·0	59·2	60·9	64·2	70·8	74·2	76·6	74·2	74·3	75·5
26	62·8	64·1	65·0	65·1	65·0	65·2	65·0	63·2	63·2	65·1	66·0	69·9	69·9
27	55·7	55·0	54·8	54·1	54·7	56·0	59·0	66·1	70·9	74·0	75·1	76·6	77·6
28	60·1	59·2	59·9	59·9	59·4	60·0	61·4	64·8	67·5	70·5	72·2	74·2	77·0
29	63·9	62·2	62·9	61·7	59·8	59·3	63·2	68·5	70·9	72·4	73·1	76·0	76·0
30	60·0	58·7	57·7	57·0	55·7	56·3	59·9	66·0	66·5	68·9	72·2	73·6	73·1
31	60·0	59·1	59·2	57·0	56·6	56·8	62·0	67·8	69·2	71·1	74·8	76·0	75·0
Mean	62·60	61·73	61·53	60·68	60·08	60·89	64·07	68·35	70·47	72·40	73·58	74·78	75·70

Ground), for each Hour (75th Meridian Time), for the Month of July, 1907.

Hour Ending											Mean	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°		°
72·6	75·9	73·0	74·3	70 6	69·4	68·1	66·9	66·9	67·6	66·3	67·57	77·2	58·8
62·5	63·0	64·4	64·7	63·7	62·0	59·0	56·2	55·7	54·6	53·0	60·75	66·3	53·0
69·0	71·2	70·0	68·8	67 3	66·2	63·2	61·3	60 0	56·3	54·2	61·40	71·7	51·1
74·6	75·2	75·1	72·9	71·8	66·8	65·2	62·0	60·7	59·3	57·2	63·25	76·0	49·8
73·8	76·6	78·0	75 4	73·7	69 2	67·0	65·9	63·0	63·1	63·8	65·54	78 0	51·6
74·5	76·0	74·0	67·8	69·2	68·8	67·0	65·1	64·1	62·9	62·7	67·84	76·1	61·1
82·3	82·8	83·9	81·8	80·0	78·0	73·2	71·0	67·7	65·9	65·2	72·48	84·0	60·1
83·1	85 0	85·0	82·7	80·3	78·0	74·8	71·9	70·0	69·9	69·2	72·93	86·0	60·3
78·7	79·5	79·4	77·9	76·0	73·9	71·0	68·0	66·0	65·1	64·0	71·25	80·2	62·1
77·0	77·1	77·3	75·7	74·3	72·7	71·2	68·8	68·0	66·1	65·2	68·84	78·6	58·0
62·6	63·1	63·2	61·0	60·1	59·6	60·5	61·1	61·0	61·0	61·0	62·43	65·2	59·5
75·0	71·7	73·0	71 9	70·1	68·9	66·9	64·3	62·4	61·3	59·9	66·63	76·0	59 9
76·8	77·1	77·2	74·0	71·8	70·1	67·2	66·0	64·1	62·0	60·7	67·65	78·0	57·2
76·2	75·1	77·0	75·0	73·0	71 1	70·0	68 0	66·0	65·2	65·0	67·59	77·2	54·2
77·2	77·7	78·3	77 3	76·3	75·0	74·9	73·0	71·2	71·0	70·0	70·78	80·0	60·2
83·4	87·2	88·0	86·1	84·2	82·9	79·0	75·2	73·2	72·0	70·0	76·18	88·8	67·5
79·6	81·4	82·3	81·0	79·7	79·2	77·1	75·8	74·8	74·1	73·0	74 52	82·9	65·7
81·0	80·0	81·1	81·0	79 0	77·6	74·0	73·0	69·9	67 8	66·0	74·56	82·0	66·0
81·2	83·2	82·9	80·0	78·0	76·2	74·2	72·8	71·1	69·0	67·0	72·89	84·0	61·0
81·1	78·0	76·6	73·0	72·8	71·1	69·1	66·1	65·4	63·1	61 6	71·76	83·1	61·6
78·1	76·2	75·2	74·6	73·0	70·2	70·1	69·0	68·7	68·9	68·0	69·64	79·6	58·5
77·0	82·3	82·0	79·7	78·9	76·2	73·9	71·9	70·1	69·1	67·9	71·33	83·0	64 8
78·0	79·2	75·0	75·2	75·0	73·6	71·0	69·8	67·0	64·1	62·0	70·81	79·4	61·9
79·0	79·7	81·9	80·0	77·2	78·9	72·0	69·1	69·2	69·9	68·1	69·99	82·0	58·1
77·4	77·9	77·6	75·7	73·2	72 2	71·6	69·1	68·2	67·9	64·0	69·79	78·2	59·2
69·9	71·1	70·9	69 0	68·0	67·0	64·1	62·0	60·1	58·3	57·0	65·29	71·4	57·0
77·6	77·8	78·1	76·0	75·0	73·0	69·8	67·0	64·8	62·5	61·1	67·18	78·2	53·9
77·2	78·0	77·3	78·7	77 0	74·9	73·0	71·7	69·4	67·0	64·9	68·97	79·6	59·2
78·3	72·5	82·7	81 0	78·6	75·5	71·8	68·8	66·2	63·0	61·1	69·95	84·2	59 2
73·9	74·0	74·3	74·0	72·8	71·0	68·2	65·3	62·8	61·4	60·0	65·97	75·2	55·7
80·0	76·3	78·4	75·8	70·5	67·8	66·3	64·9	64·5	65·0	66·0	67·50	80·4	56·0
76·41	77·15	77 20	75·55	73 89	72·16	69·82	67·77	66·20	64·98	63·71	68·81	78·79	58 78

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	64·8	63·7	63·1	60·6	58·7	60·1	59·8	65·0	68·0	68·2	70 0	71 1	71 9
2	61 9	61·7	61·0	60 8	59·8	59·0	60·3	64·0	67·0	68·6	69·7	70·4	71·0
3	58 0	56·6	54·1	52·9	52 4	53·0	55·8	61·2	65·2	66·6	65·7	66·9	67·6
4	51·2	53·0	54·0	52·9	51·8	52·4	55·0	62·3	65·0	65 7	64·9	65·2	66 0
5	55·8	53·2	52 0	52·0	51·0	51 1	55·0	61·8	63·2	65·0	66·0	68·0	68·0
6	62·3	62 0	61·9	62 0	61·2	61·9	63·0	64·9	70·0	71·0	73·0	75·0	75·9
7	61·9	61·1	60·9	59·9	58·9	59·0	62·8	66·9	70·8	76·5	78·8	80·8	82 0
8	65·7	65·1	65·0	64·1	63·1	62 0	63·0	68·0	71·9	72 0	71·9	71·7	71·2
9	62·6	63·0	63·0	62·2	62·2	61·9	64·0	70·6	73·6	75·7	76·2	76·0	75·0
10	62·7	63·0	63·8	63·1	61·0	58·0	60·7	66·8	71·9	75·2	78·8	77·8	79 0
11	62·7	62·7	61·0	60·1	59·9	60·2	63·0	70·0	74·9	77·3	79·3	82·0	82 0
12	70·9	69·8	68 0	67·1	65·0	66·9	70·0	72·7	77·0	79·7	82·1	83·3	83·7
13	61 8	60·6	58·8	57·6	56·1	56·2	60·2	67·5	74·1	76·2	77 0	78·0	78·8
14	57·3	56·9	55·0	54·0	54·0	53·2	56·3	63·0	66·0	66·1	68·9	70·3	72·0
15	58 1	55·9	52·1	51·0	50·6	51·2	54·1	61·7	66·0	67·6	68·9	71·0	70·8
16	60·2	58·9	57·7	57·2	57·1	60 6	63 9	65 2	66·8	68 0	67·0	66 8	65·5
17	64 2	65·0	63 8	65·0	64·0	65·6	68·2	71·9	75·0	77 3	79·1	81·0	82·2
18	60·1	60·7	59·7	58·9	57·4	56·2	57·3	69·7	64·3	67·0	67·6	67·8	68·0
19	54·1	52·9	51·0	51·7	52·8	52·9	58·0	62·4	64·6	66·8	68·0	66·4	69·9
20	58·9	59·0	59 7	60·1	62·5	63·9	66·2	70·9	72·8	71·0	67·7	65 1	66·9
21	58·8	58·1	57 9	56·9	56·0	56·0	57·2	60·0	63·0	66·0	66·1	67·8	68·6
22	54·9	53·6	54·0	53·0	52·7	49·2	53·0	59·6	62·3	65·0	66·0	67 1	68·1
23	53·0	51 8	51·2	51·7	50·8	53 2	57·0	63·1	66·8	68·0	70·1	72·6	74·2
24	63·0	64·6	64 3	64·9	65·0	65·4	66·8	67·5	68·0	75·0	78·1	78·4	77·0
25	58·9	58·8	57·6	58·2	58·2	58·0	60·0	67·0	68·8	70·2	71 2	72·2	72·8
26	56·2	55·0	54 0	53·2	52·9	51·7	54·0	60·2	65·0	67 3	69·0	70 2	72 0
27	56·9	57·0	59·0	57·8	57·1	56·2	57·1	57·7	59·2	60·5	61·6	60·0	60 0
28	54·3	52·9	51·8	50·9	49·3	49·0	51·0	58·0	62·7	65·6	67·8	69·0	68·2
29	56 2	55·9	54·9	54·5	52·0	50·8	52·2	59·6	64·4	65·0	66·3	67·8	69 1
30	57·0	58·7	58·8	59·0	57·1	56 0	57·3	63·0	67·2	68·0	70·6	71·3	71 5
31	56·0	54·7	53·0	54·0	52·0	53·0	54·9	60·4	61·6	63·2	65·0	66·2	67·8
Mean.	59 37	58·90	58·13	57·64	56·86	56·90	59 26	64·31	67·65	69·53	70·72	71·52	72 16

Ground), for each Hour (75th Meridian Time), for the Month of August, 1907.

Hour Ending.											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
73·0	73·8	71·5	69·0	65·9	64·9	66·0	65·0	64·9	63·8	63·7	66·10	74·7	58·4
69·4	69·1	69·1	69·2	68·0	66·8	64·3	62·3	60·8	59·3	58·2	64·65	71·2	58·2
68·5	67·9	64·0	64·0	63·2	61·2	59·4	61·0	58·0	55·7	52·5	60·18	69·7	52·3
67·3	68·1	69·0	67·6	65·4	64·1	62·8	61·1	61·0	60·0	57·2	60·96	69·7	51·0
66·1	67·0	66·9	65·2	64·1	63·8	63·1	62·2	62·7	63·0	62·8	61·21	68·2	50·2
77·1	76·9	76·0	76·8	74·7	73·9	73·0	68·8	66·0	65·0	63·0	68·97	78·0	61·0
79·0	79·9	85·1	84·1	80·1	77·0	73·5	70·0	69·0	67·8	66·7	71·35	86·0	58·4
70·5	71·9	71·9	71·0	70·0	68·3	66·1	64·8	64·1	64·2	63·0	67·52	72·8	61·9
75·0	75·3	76·0	75·6	75·0	73·0	68·0	65·0	63·0	62·0	60·8	68·95	76·3	61·3
80·3	81·2	82·0	80·0	79·5	76·0	71·9	67·9	65·8	64·8	63·0	70·59	82·7	58·0
83·0	84·2	83·7	80·1	79·1	78·0	75·5	73·0	71·9	71·1	71·0	72·74	85·0	59·7
82·9	81·2	81·8	83·2	82·9	78·0	74·0	71·0	68·9	66·1	65·0	74·63	85·7	65·0
77·0	73·4	71·2	70·0	68·8	66·7	64·2	62·0	60·0	58·2	58·0	66·33	79·0	55·5
71·0	71·6	73·9	72·0	71·0	68·7	63·4	60·9	59·0	56·7	56·6	63·24	74·0	53·2
69·7	69·3	68·9	66·9	66·0	64·8	63·5	63·9	63·1	62·3	61·9	62·47	71·3	50·0
66·9	70·8	70·8	71·8	70·0	69·8	68·8	67·0	66·1	66·8	66·1	65·41	72·0	57·0
83·3	81·9	81·1	80·9	80·1	77·0	73·8	69·2	65·8	63·0	61·0	72·48	83·8	61·0
67·6	68·1	68·9	67·0	66·1	64·2	59·7	57·0	56·0	55·0	55·2	62·10	69·2	54·7
70·8	72·6	70·1	68·9	67·9	66·7	65·0	63·9	62·9	60·7	59·8	62·53	73·1	51·0
68·1	68·6	68·8	68·3	67·9	66·0	64·0	62·4	61·0	58·9	58·0	64·86	74·6	58·0
67·8	67·2	66·4	65·0	64·8	65·0	63·0	60·1	57·0	55·0	55·6	61·64	69·0	54·8
69·0	70·0	70·0	68·9	68·0	66·0	64·7	61·0	58·2	57·1	55·0	61·10	70·2	49·1
74·1	73·7	73·0	71·8	70·0	68·0	66·8	65·1	64·0	63·3	63·0	64·01	74·3	50·0
76·7	78·0	77·0	76·0	74·7	70·9	67·9	67·0	64·9	62·8	60·4	69·76	78·4	60·4
72·0	71·3	69·0	66·8	64·9	63·0	61·2	60·1	59·2	58·2	57·0	63·94	73·0	57·0
72·2	73·2	73·0	72·0	70·0	67·1	63·9	61·0	59·1	57·8	57·5	62·81	74·0	51·7
60·2	61·1	60·9	59·6	58·1	58·1	58·0	57·9	57·3	57·8	55·4	58·52	61·8	55·4
69·6	71·1	70·9	69·5	67·9	65·0	62·7	60·2	58·2	57·0	56·3	60·79	71·2	49·0
70·4	71·1	71·5	69·0	67·9	66·0	64·2	62·3	61·0	59·1	57·7	62·04	71·6	50·5
73·3	72·2	71·2	72·2	71·0	70·6	68·0	66·0	63·0	60·3	58·0	65·07	74·1	55·6
68·7	69·2	69·6	68·8	67·1	64·8	61·9	60·0	58·0	57·2	57·0	61·00	70·0	51·9
72·27	72·61	72·36	71·33	70·00	68·17	65·88	63·84	62·25	60·97	59·88	65·11	74·34	55·52

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.....	55·9	56·0	55·4	54·2	55·0	55·8	57·0	57·9	61·0	62·8	62·0	65·1	68·0
2.....	62·2	62·3	62·0	62·0	62·2	63·1	61·0	66·0	69·1	69·9	73·0	74·0	76·0
3	59·8	59·9	58·7	59·0	58·7	58·0	58·0	58·8	61·3	63·0	63·9	63·9	65·0
4.....	61·4	61·0	60·3	59·1	59·3	59·3	60·4	61·0	64·0	68·7	71·2	71·0	69·0
5.....	59·1	60·0	60·0	60·0	59·9	59·8	60·0	60·0	60·2	62·9	62·8	64·0	65·0
6.....	57·1	56·6	55·9	55·7	55·8	57·1	58·9	61·8	66·1	67·0	67·2	68·4	68·0
7	60·1	59·1	58·1	58·0	56·0	55·2	56·1	61·6	64·2	63·5	68·0	67·8	68·1
8	61·1	61·2	61·0	61·0	60·9	61·0	61·1	62·3	63·8	65·9	68·2	68·0	67·3
9.....	63·0	63·1	63·0	63·0	62·9	63·0	63·2	64·2	66·0	67·5	69·0	69·4	71·0
10.....	59·7	59·0	59·4	59·9	59·0	59·1	61·0	62·6	64·2	64·2	63·7	63·6	63·7
11.... ...	66·0	65·9	65·8	65·2	65·1	64·9	65·0	65·1	64·8	64·0	62·7	64·6	67·8
12.....	61·1	60·3	59·1	58·6	58·0	58·0	59·0	62·2	65·0	66·2	68·0	69·2	70·0
13.	57·3	57·3	57·2	57·0	56·1	56·8	58·2	62·3	67·2	69·0	72·0	73·8	75·1
14.....	59·1	58·1	57·9	56·8	55·9	55·2	56·2	59·0	64·0	67·0	69·8	72·8	74·9
15.....	61·3	61·0	61·9	61·3	62·8	62·1	65·0	68·3	72·0	72·2	75·7	77·4	79·2
16	67·1	66·9	65·8	66·2	66·1	65·7	66·3	68·0	71·0	71·9	75·2	77·8	78·0
17.....	72·2	71·1	70·2	65·9	65·0	63·8	63·4	64·8	66·3	68·3	69·0	68·7	68·0
18.....	59·3	58·0	57·6	56·4	56·0	55·9	56·0	57·9	59·1	57·8	60·2	61·5	61·2
19	60·4	60·2	60·1	60·2	60·1	60·1	60·8	61·9	63·0	65·0	65·6	66·3	65·3
20.....	62·4	61·6	61·1	61·0	61·2	61·2	61·2	63·4	66·0	70·1	73·0	75·2	76·9
21.....	65·8	63·6	61·0	59·2	58·0	58·0	58·5	63·0	65·6	68·0	68·9	70·1	72·0
22.....	58·0	57·0	54·7	52·7	50·0	48·0	47·9	52·0	55·2	57·0	57·2	59·8	61·0
23.....	48·0	46·9	46·0	46·9	48·0	48·1	49·0	56·0	58·2	59·9	60·8	63·4	63·9
24.....	60·5	58·9	59·0	58·6	59·2	58·1	58·0	60·2	63·7	65·5	65·1	67·2	68·0
25.....	50·2	49·9	49·0	48·0	47·0	47·1	46·9	49·2	50·6	51·2	50·0	50·0	51·1
26.....	44·9	45·0	44·8	44·8	43·3	42·0	41·9	46·8	50·4	53·7	54·9	56·3	57·3
27.....	52·0	49·0	47·7	47·1	48·0	47·9	48·2	50·7	53·0	55·8	57·2	59·0	59·8
28..... ..	51·5	51·1	51·1	50·3	47·7	45·8	44·3	43·8	43·1	43·2	43·3	44·1	44·8
19.....	44·6	44·9	45·2	45·1	45·1	45·1	45·7	46·8	47·1	48·2	49·0	50·0	50·7
30.....	50·2	50·9	50·7	50·1	50·9	50·5	50·8	52·0	53·9	56·0	55·7	56·9	57·2
Mean...	58·38	57·86	57·32	56·78	56·44	56·19	56·73	58·99	61·30	62·86	64·08	65·31	66·11

Ground), for each Hour (75th Meridian Time), during the Month of September, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
67·0	66·7	67·7	67·1	66·8	64·3	63·3	61·2	61 2	61·9	62·1	61·48	68·8	54·2
75·1	76·0	75·8	73·9	70·6	68·0	66·0	64·1	63·8	61·8	60·0	67·54	76·3	60 0
66·2	66·7	65·0	65·0	64·2	63·7	62·2	61·1	59·9	59·9	61·0	61·79	67·4	58·0
70·2	70·8	70·1	68·9	67·0	65·0	63·8	62·0	60 8	59·2	58 0	64·23	72 0	57·9
65·9	66·1	66·0	64·3	64·0	61 0	59·2	58 6	58·0	57·3	57·7	61·32	66·9	57·2
68·6	69·9	70·7	70·0	68·6	66·8	64·9	64 0	63·0	61·6	60·7	63·52	70·8	55·5
67·4	67·6	66·5	65·7	64·6	63·1	62·2	62·0	61·9	61·7	61·6	62·52	69·2	55·1
68·0	68·0	67·9	66·9	65·2	63·9	62·9	63·0	63·1	62·9	62·8	64·06	69 0	60·9
71·8	71·1	72·0	71·9	71 9	69·0	66 9	65·2	64·0	62·0	60·2	66·43	72·6	60·2
62·9	62·3	63·2	65·4	66·2	67·1	66·9	66·2	66·1	66·0	65·8	63·22	67·2	58·9
69·1	69·9	67·8	66 2	64 9	63·3	60·6	60 0	60·0	60·1	61·0	64·58	69·9	59 8
70·2	71·0	70·8	70·0	68·8	66·0	63·9	61·8	60 0	59·1	58·0	63·93	71·1	57·9
75·0	75·1	74·2	72·1	70·0	68·2	66·9	64·8	62·3	61·1	59·8	65·37	75·8	55·8
75·0	75·8	74·0	74·0	72·8	70·0	68·2	67·2	66·1	65·1	62·9	65·74	75·8	55·1
79·8	78·8	78·0	78·7	77·0	72·7	69·6	68·2	67·8	67·1	67·0	70·20	80·1	60·9
77·2	78·0	76·9	76·0	73·0	73 0	71·2	71 8	72·0	74·8	73·2	71·80	79·0	65·6
68·0	67·3	66·7	65·1	64·7	63·7	62 9	62·2	62·0	62·0	61·0	65·93	73·2	61·0
60·7	61·9	61·6	61·1	61 0	61·2	60·9	61·0	61·0	60·8	60·6	59·53	62·8	55·7
66 0	65·9	66·0	66·0	65·4	64 0	63·8	63·7	63·0	62·9	62 6	63·26	67·2	60 0
78·2	78·9	79·8	75·2	75·9	75·0	72 0	71·1	70 1	68 2	67·0	69·40	81·9	60·9
72·6	72·8	71·0	69·0	67 0	63 9	62·8	61·9	60·7	59·3	60·0	64·70	73·0	57·9
59 6	59·9	59·9	58·9	58·0	56·0	54·1	56·0	55·0	52·9	50·8	55·48	61 0	47·5
64·2	63·6	62·0	62 2	61 9	62 0	62·2	62·3	61·2	61·7	61·0	57·50	64·9	45·8
66 8	67·1	63·5	60·8	59·0	58·0	56·2	55·3	54 0	52·0	51·1	60·24	68·8	51·1
53·3	52·1	51·8	50·9	49 0	48 1	47·2	45 9	45 1	45·2	44·8	48·90	54·0	44 8
57·5	58·0	56·1	56 0	53 0	51·9	51·8	50·4	51·2	52 2	52·8	50·71	58·0	41·3
59·9	59·9	57·8	57·0	55·2	54 8	53·9	53 1	52·8	52 2	51·8	53·49	60·2	47·1
45·9	46·3	47·0	47 3	46·0	45·0	45·0	44·9	44 2	43 9	43·9	45·98	51·8	43·0
51·3	51·9	51·3	51 0	50·9	50·3	50 0	50 0	49·9	49·7	49·3	48·46	51·9	43·8
58·2	57·0	54·9	52·2	50·8	48 9	48·0	47·8	47·4	46·8	46 6	51·85	58·2	46·6
66·39	66·55	65·87	64·96	63·78	62·26	60·98	60·23	59·59	59 05	58 50	61·10	67·96	54 65

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	45·0	43·9	42·9	43·0	41·9	40·9	40·1	45·4	49·2	52·0	52·4	52·0	52·0
2.....	44·2	45·2	45·8	45·2	44·8	44·5	45·8	49·0	52·9	54·0	54·2	55·2	56·2
3.....	49·7	48 0	47·2	47·0	48 0	46·9	47·0	53·0	58·8	65·2	66·1	64·0	68·0
4.....	61·0	61·2	61·6	64·1	65·0	63·7	61·9	60·3	61·0	61·8	61·8	61·0	62 1
5.... ...	51·1	50 0	49·1	48·9	48·0	47 3	47·1	49·9	52·6	52·8	48·9	52·1	54·0
6.....	42 8	41·5	41·1	41·0	39·2	38·3	39·0	43·9	47·8	50·7	54·2	55 8	56·1
7	55·2	55·0	55·9	59·0	53·2	53·8	53 2	56 8	59·0	61·7	63·0	64·1	63·9
8..	47·8	43 8	42·7	41·8	41·3	40·1	39·1	40·9	42·2	44·2	44·9	45·2	45·9
9.....	35·0	34·1	33·6	33·6	33·7	33·2	33·1	36·7	45·3	48·8	52·2	53·8	54·8
10.	50 8	49 0	48 0	46·7	45·9	45·1	45·0	46 1	50·0	53·2	54·0	55·9	54·9
11	45·2	45·1	44 8	44·0	42·8	41·0	40·0	43·0	47·0	50 1	50·0	49·8	50·9
12.....	42·3	41·7	41 9	41·1	41·0	40 9	41·0	42·9	45·5	47·0	49·2	49·1	49·8
13.... ..	41·2	40 9	40·8	40·7	39·2	38·8	39 9	40·6	41·1	42·9	43·8	46·1	47·3
14.....	38·0	36·1	36·0	34·9	35·8	35·8	37·1	39·8	42·8	44·8	46·2	49·0	48·8
15.... ..	38·9	37·9	37·2	37·1	37·9	37·1	38·0	41·0	45·9	49·4	53·0	54·1	54·4
16.....	43·0	41·7	40·0	39 1	39·8	39 I	37·9	40 7	45·2	50·6	52·0	53·0	55·8
17.....	46·8	46·1	44·0	43·0	46·0	48·1	48·9	49·3	53 0	56·2	58·5	60·0	60·8
18.....	53·8	58·0	55·0	51·8	48·8	47·1	47·0	45·8	46·2	46·8	48·0	48·2	48·0
19...	36·3	35·8	35·1	34·2	35·1	35·0	35 8	38·1	40·7	44·9	45·0	45·7	46·0
20	40·6	40·7	40 9	41·0	40·3	40 1	39·9	40·0	40·9	42·1	43·1	45·0	45·1
21	28·8	28·9	28·1	27·9	26·0	27·0	26·9	30·0	35·2	39·2	42·0	44·0	45·2
22.... ..	34·9	37·2	35·6	35·8	36 8	36 2	36·9	39·0	43·7	48·6	49·9	52·0	53·1
23	46·0	44·0	42 9	42·2	41·8	41·2	40·8	42·2	42·9	41·1	42·0	41·6	42·1
24.....	31·8	29 1	28·8	28·0	27·8	27 1	27·0	30·2	34·8	37·7	40·0	41·6	41·8
25.....	42·7	44·1	45·2	46·0	47·3 .	47·1	46·1	46·3	48·0	49·9	50·1	49·9	50·0
26	35·8	33·8	31·5	30 0	29·0	28·0	26·0	28·6	32·0	34 1	35·3	36·2	35·9
27.....	41·4	40·7	40·4	40 8	41·0	41·9	43·0	44·2	45·0	45·9	46·2	46·6	47·8
28.....	43·1	41·8	40·0	39·8	39 1	39·0	39·0	39·0	39·8	40·0	41·0	42·0	42·3
29	37·0	37·2	36·0	33·7	34·0	33·2	34·2	37·1	40·0	42·0	44·1	45·2	44·8
30	32·0	31·3	29·9	28·9	27·9	27·0	26·9	28·0	30·2	32·6	34·2	36·2	37·0
31.....	28·2	28·9	28·0	28·1	28·1	30·0	30·0	33·0	37·0	42·0	44·0	44·6	44·9
Mean ..	42 27	41 70	40·97	40·46	40·21	39·82	39·79	41 96	45·02	47·49	48·69	49·65	50·31

Ground), for each Hour (75th Meridian Time), during the Month of October, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
53·0	53·0	52·0	52·1	49·9	47·0	45·9	45·6	45·0	44·0	43·9	47·17	53·1	40·0
57·0	57·8	56·1	55·0	54·0	53·0	53·0	53·0	51·8	51·6	51·2	51·27	58·0	43·8
68·0	67·9	66·9	65·9	63·0	59·9	59·1	60·3	61·3	60·9	60·8	58·45	69·2	46·5
62·0	62·4	60·2	58·0	56·1	54·9	54·0	53·7	53·1	52·2	51·7	59·37	65·0	51·7
53·8	53·0	53·0	51·7	50·0	48·9	47·1	45·7	44·1	43·5	44·9	49·48	54·4	43·4
54·2	54·0	53·0	52·9	52 1	52·1	53·0	53 1	54·3	54·1	55·0	49·13	56·8	38·0
64·0	63·0	60·8	59·9	58·9	58 1	58·1	58·2	58·3	57·0	51·0	58·46	64·8	51·0
47·0	48 4	48·9	48·0	45·8	43·1	41·8	40·0	38·0	36·8	35·1	43·03	50·8	35·1
54·0	54·0	53·9	53·2	53·7	54·0	53·0	52·2	51·8	50·1	50·0	46·16	55·1	33·0
53·7	53·8	52·8	51·7	51·0	49·2	49·0	49·1	49·0	46·3	46·0	49·84	56·0	44·9
52·1	51·0	51·0	51·0	48·5	47·0	45·2	44·0	44·1	43·2	43·9	46·45	53·0	39·9
49·9	49·8	48·0	47·1	46·2	46·0	45·0	44·2	43·1	43·0	41·2	44·87	50·0	40·8
48·0	48·0	46·8	45·9	44·8	44·8	43·7	41·8	40·6	39·9	39·0	42·78	48·0	38·3
49·0	48·4	48·3	47·9	47·0	45·0	43·0	41·2	41·8	40·6	39·2	42·35	49·2	34·8
55·1	54·8	54·1	52·5	48·0	45·8	44·2	43·0	42·8	42·9	42·2	45·30	55·1	36·9
56·9	57·0	56·1	55·3	53·3	52·9	51·9	51·1	50·0	46·9	46·5	48·16	57·0	37·9
60·2	61·0	60·0	58·5	57·0	56·0	53·9	54·3	54·2	53·9	53·2	53·43	61·6	43·0
48·2	46·0	45 2	43·5	41·0	39·8	39·9	39·0	39·0	38·8	38·0	45·95	58·2	38·0
46·9	47·1	47·2	46·3	45·0	44·1	43·7	43 0	41·4	41·0	40·7	41·42	48·0	34·2
44·8	44·2	43·8	41·0	37·2	35·1	34·0	32·1	30·9	29·7	28·9	39·23	45·2	28·9
47·0	47·9	47·9	46·7	44·0	42·0	40·3	39·1	37·2	36·3	35·6	37·22	48·0	26·0
57·5	58·0	55·9	54·9	53·0	51·0	50·1	50·2	50 0	49 0	47·2	46·52	58·6	34·2
42·9	42·7	41·9	40·9	39·9	39·2	37 9	35·9	35·8	34·7	33·8	40·68	47·2	33·7
42·6	43·3	43·9	42·9	42·0	42·2	41·8	41 0	41·2	42·0	43·0	37·15	44 1	26·2
48·1	44·7	42·8	41·0	40·7	40·2	40·0	39·8	39·2	38·5	37·8	44·40	51·0	37·8
36·4	36·1	35·8	34·1	33·0	33·0	37·0	39 0	40·8	41·0	41·7	34·34	41·7	25·9
48·7	49·0	48·0	46·2	44·9	44·1	44·1	44·0	44 1	44·0	43·6	44·40	49·0	40·0
43·0	42·0	42·0	41·2	40·8	39·3	38·2	38·4	38·0	37·9	38·0	40·20	43·2	37·3
44·7	45·1	43 5	42·0	41·0	40·5	40·0	37·8	36·8	34·9	33·0	39·08	45·6	33·0
38·0	38·0	37·9	37·0	34 9	32·2	31·2	30·8	30·2	29·2	28·7	32·09	38·1	26·9
45·2	44·7	44·1	43·I	43·0	43·0	43·2	43·1	42·6	40·0	38·2	38·21	45·2	28·0
50·71	50·52	49·74	48·62	47·09	45·92	45·24	44·64	44·21	43·35	42·87	45·05	52·26	37·07

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	38·8	37·0	36·8	38·8	38·6	38·6	39·8	41·0	43·0	46·0	46·8	48·0	48·4
2.....	47·0	45·9	45·3	45·9	16·1	46·0	46·1	46·8	47·1	48·0	48·0	48·7	49·0
3	48·2	48·7	48·9	48·3	48·0	47·8	47·0	46·0	45·1	45·0	45·0	44·0	43·9
4..... ..	36·1	36·0	35·2	34·9	34·9	34·8	32·2	33·7	35·2	39·2	42·2	43·2	46·0
5..	41·0	41·9	40·9	39·2	39·2	39·0	38·3	39·0	40·9	43·2	45·8	48·0	47·5
6.....	43·7	42·0	42·9	43·0	42·4	43·0	44·5	45·7	45·1	45·0	45·8	46·2	46·0
7 . . .	38·8	38·4	38·6	37·2	38·8	39·0	39 1	38 9	39 1	38·9	39·1	38·9	39·3
8.....	37·7	37·1	36·6	36·9	37·3	38·0	37·9	37·9	37·9	38·7	39·5	40·8	42·1
9.....	33·9	34 7	33·7	33 0	31·2	30·0	30·1	32·8	37·0	40 0	43·0	46·1	46·0
10.....	38·2	38·1	38·2	38·8	38·1	37·9	37·1	36·8	37·9	41·2	42·8	43·2	44·2
11.....	33·8	32·9	32·1	32·0	31·1	31·2	30·9	31·8	33·5	36·0	38·2	38·2	39·0
12.....	28·6	28·0	27·2	26·2	27·3	28·8	29·0	30·0	32·0	33·9	35·8	37·2	37·2
13.	33·9	34·0	34·0	32·9	32·1	31·8	32·0	32·1	33·0	33·7	34·9	36·0	36·1
14..... .	27·2	25·9	24·7	25·1	25 6	25·0	24·4	24·0	25·6	27·6	28·1	29·9	30·8
15.....	27·9	27·0	27 1	26·9	27·1	28·0	28·1	29·2	31 0	32·7	35·0	36·9	38·0
16.....	27·6	27·4	26·9	26·0	25·9	26·1	26·8	27·0	29·2	33·0	35·4	38·0	38·0
17.....	30·8	30 0	29·8	30·2	29·8	29·8	28·2	29·0	31·4	35·1	37·2	40·2	42·1
18.....	33·9	34·0	34·0	33·9	33·9	34 0	33·3	34·0	37·0	39·0	40·7	43·1	44·9
19	31·9	32·0	32·8	35·0	35·1	37·0	37·4	39 0	39·2	38·1	37 8	88·5	38·0
20	30·2	32·0	32·8	32·8	32·9	35·3	36·0	35·2	37·2	38·3	39·0	39·8	39·6
21.....	40·9	40·9	41·2	42·0	44·7	45·8	46·1	47·0	48·0	50·2	49·8	49·8	50·2
22.....	45·7	46 0	45·9	45·0	43·0	43·8	43·3	43·8	44·4	46·0	46·3	46·8	48·0
23	34·6	33·8	32·9	32·9	33·0	32·9	32·8	32·6	35·0	38·1	39·1	40·0	41·6
24	32·1	31·1	30·9	30·1	29·8	28·9	28·1	28·0	28·2	30·1	32·1	33·9	35·0
25.....	31·0	31·2	31·8	31·6	31·8	32·0	32 1	32·8	33 8	35·2	36·8	37·6	37·8
26	37·8	39·1	39·6	39·2	39·0	39·6	39·2	39·0	38·8	39·1	39·9	40·0	38·8
27.... ...	34·8	35·2	35·1	35·0	34·1	34·0	34·7	34·0	35·0	35·9	36·5	37·0	37·7
28	40·6	40·8	41 9	41·9	41·7	40 9	41·0	40·8	41·0	40·8	42·0	42·5	41·7
29	31·1	30·3	29·8	29·2	29·0	28·0	29·0	29·2	30·0	31·2	30·8	31·2	31·9
30.....	24·8	24·8	23·8	22·2	21·8	21·8	23·9	26·2	28·0	29·0	30·1	31·0	33·2
Mean...	35·42	35·21	35·05	34·87	34·78	34·96	34·95	35·44	36·65	38·27	39 45	40 16	41·05

Ground), for each Hour (75th Meridian Time), for the Month of November, 1907.

Hour Ending											Mean.	Max.	Min.
2 p.m.	3 p.m.	4 p.m	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
49·0	48·8	48·1	47·0	46·0	47·0	47·0	47·6	48·0	47·2	47·6	44·37	49·0	35·8
48·9	48·7	48·8	49·1	49·1	48·9	48·9	48·9	48·3	49·0	49·0	47·81	49·2	45·0
42·9	42·8	42·1	41·1	40·7	39·9	39·8	39·2	39·1	38·0	36·9	43·68	49·0	36·9
44·0	43·0	42·6	42·0	42·1	41·9	42·0	41·9	41·0	41·1	41·8	39·46	46·0	32·1
49·1	48·0	46·4	46·1	45·9	44·9	43·9	44·2	43·0	43·0	44·1	43·44	49·3	38·1
45·3	45·6	45·1	44·2	43·9	42·9	41·9	41·0	40·9	40·9	39·8	43·62	46·2	39·8
39·9	39·8	39·8	39·9	39·2	39·2	39·1	39·6	39·9	39·8	38·3	39·13	40·0	37·1
44·0	45·0	45·0	44·0	42·8	40·9	38·2	37·0	36·7	35·0	35·2	39·27	45·1	34·0
46·2	46·0	46·0	45·7	45·0	44·9	43·1	43·0	41·9	40·1	39·0	39·68	46·8	30·0
44·1	42·9	41·0	39·9	37·0	36·8	36·0	36·2	34·8	34·0	34·1	38·72	44·6	36·8
38·2	38·0	36·3	35·0	33·9	33·0	32·2	31·8	30·1	30·0	29·0	33·68	39·1	29·0
37·0	37·1	36·7	35·2	34·4	33·8	32·0	32·0	32·0	33·0	33·9	32·43	37·3	26·0
37·0	36·2	36·0	35·3	35·0	34·7	33·7	33·3	33·0	32·2	29·8	33·86	37·0	29·8
32·0	32·8	32·0	30·9	29·7	28·7	28·0	28·9	29·3	29·2	28·4	28·06	33·1	24·0
38·0	37·0	37·3	36·5	35·9	35·7	33·9	31·4	31·0	29·9	28·0	32·06	38·1	26·8
39·0	39·7	39·0	37·1	35·2	34·0	33·1	32·2	31·8	31·1	30·9	32·10	40·0	25·3
42·8	43·1	42·1	40·9	39·9	39·2	38·2	37·4	36·1	34·8	33·1	35·05	43·1	28·1
45·0	44·9	44·2	41·8	38·8	37·1	37·1	36·0	34·1	33·8	33·2	37·57	45·2	33·2
37·0	36·2	34·1	32·6	31·2	30·6	30·0	30·0	30·0	29·0	29·0	34·23	40·0	28·7
39·6	40·0	40·2	40·9	41·9	42·0	41·2	41·0	41·0	41·1	41·1	37·96	42·1	39·0
50·2	49·0	48·9	48·8	47·6	47·0	47·0	47·0	46·9	46·2	45·6	46·70	51·1	40·7
49·0	48·2	47·2	45·1	43·9	42·8	40·6	38·8	37·1	36·0	35·0	43·82	49·0	35·0
41·0	41·9	40·9	38·8	37·1	35·9	35·0	34·1	33·9	33·0	32·9	35·97	41·9	32·0
34·9	34·2	34·4	34·4	34·9	34·2	33·9	33·8	33·7	33·7	32·8	32·22	35·2	27·8
37·7	37·1	37·1	36·0	35·0	33·0	33·9	33·8	34·9	34·2	35·1	34·30	38·0	30·9
38·2	38·7	36·9	35·9	35·8	36·0	36·6	37·3	37·0	35·2	35·2	38·00	40·1	35·0
38·0	38·2	37·9	37·0	37·0	37·2	38·0	38·8	38·8	39·2	40·0	36·63	40·0	33·1
39·6	38·5	38·3	37·9	36·0	35·1	34·3	33·9	33·8	33·0	32·9	38·79	42·7	32·9
32·8	32·1	32·0	30·0	29·8	29·2	29·0	28·9	27·0	26·1	24·2	29·66	32·9	24·2
33·0	31·9	30·1	29·2	29·3	28·1	28·1	27·2	27·0	26·6	26·9	27·42	33·3	21·1
41·11	40·85	40·22	39·28	38·49	37·82	37·19	36·87	36·40	35·85	35·43	37·32	42·15	32·27

TEMPERATURE at Toronto Observatory, from Photographic Instruments (Bulbs 8 feet above

DAY.	HOUR ENDING												
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.	1 p.m.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.....	26·4	25·9	25·6	26·2	26·8	27·1	27·6	28·1	29·2	30·9	32·2	33·7	34·0
2.....	23·2	22·8	23·8	24·1	25·0	24·7	24·2	24·0	24·0	24 1	25·0	25·8	25·5
3.....	22·2	20·6	18 9	18·9	19·7	19·0	18·0	18 0	18·9	19·8	19·9	20·7	21·8
4.....	15·0	13·2	9·2	8·2	8·0	7·1	8·3	11·0	12·1	13·0	13·8	14·4	15·0
5.....	17·2	17·2	19·0	20·2	21·1	22·7	21·0	22·0	23·0	24·9	26·9	27·8	28·9
6.....	30·0	30·2	30·7	30·8	30·8	30·9	30·9	31·0	31·2	32·0	33·1	34·6	35·0
7.....	32·6	31·9	31·0	30·9	31·2	32·8	33·8	33·9	34·0	34·9	35·0	35·8	37·0
8.....	31·8	32·9	33·9	35·0	35·6	37·8	38·1	38·1	38·8	39·2	40·9	41·2	43·1
9.....	39·1	37·3	37·1	38·0	38·9	38·9	37·9	39·1	41·0	42·0	43·2	44·8	44·2
10.....	46·8	46·9	46·8	47·0	46·0	45·1	46·2	44·3	44·8	42·0	40·0	38·0	35·9
11.....	26·9	26·1	25·1	24·9	24·0	23·2	22·7	22 2	22·9	23·1	22·7	22·1	22·0
12.....	19·2	21·0	19·8	18·0	18·9	18·3	18·1	17·8	17·9	19·0	20·7	22·0	23·9
13.....	21·2	22·0	20·0	20·9	20·0	21·8	23·5	24·0	24·6	26·2	28·0	29·2	30·0
14.....	32·0	32·8	32·8	32·8	33·0	33·1	33·2	31·0	28·0	25·6	26·3	26·0	25·0
15.....	23·3	24·3	25·0	26·2	28·0	29·8	33·0	33·8	34·8	35·8	34·8	35·0	35·2
16.....	31·8	32·0	31·3	30·7	30·0	29·0	28·0	28·0	28·2	29·8	30·9	32·0	33·0
17.....	28·8	28·8	27 2	27·0	26·2	27·2	29·0	29·0	29·1	30·0	31·0	32·0	31·9
18.....	27·0	27·0	27·1	27·0	26·9	26·8	26·7	26·9	26·8	29·0	29·8	29·9	30·0
19.....	26·9	27·1	27·0	26·5	25·9	23·7	23·0	24·1	26·0	27·0	27·0	28·6	28·9
20.....	25·9	25·9	26·0	26·8	27·8	28·0	28·0	28·0	28·3	29·3	31·0	32·0	32·8
21.....	33·6	34·0	34·0	32·0	32·0	31·3	31·0	31·0	31·2	32·0	33 0	34·1	35·9
22.....	33·8	33·2	33·0	32·2	31·9	31·2	31·7	32·0	32·0	33·0	33·9	34·0	34·2
23.....	33·1	34·0	34·0	34·2	33·8	33·9	33·9	34·2	34·3	34·8	34·9	35·1	35·9
24.....	33·8	34·8	34·0	33·0	32·1	31·7	30·3	29·1	30·4	33·3	35·0	35·8	35·8
25.....	23·9	24·0	25·0	26·0	25·7	28·2	32·0	33·9	34·1	35·0	36·0	36·0	35·2
26.....	33·0	32·0	30·9	28·3	27·1	26·0	24·9	23·8	24·1	27·0	28·9	30·6	30·7
27.....	37·0	37·7	38 3	39·9	40·8	41·2	41·3	41·6	41·0	42·2	43·0	44·0	44·2
28.....	44·0	42·9	43 0	42·9	42·0	39·8	38·0	37·8	37·1	37·8	37·8	37·9	37·0
29.....	23·8	23·9	23·9	23·9	24·1	25·1	25·0	26·2	28 0	30·8	32·9	33·1	34·2
30.....	33·0	34·0	35·0	35·8	35·9	36·6	37 0	37·9	36·9	37·0	37·9	37·7	38·0
31.....	30·2	29·4	28·2	25·0	22·1	21·4	21·5	23·0	25·9	27·0	27·3	30·2	32·2
Mean...	29·24	29·22	28·92	28·82	28·75	28·82	28·96	29·16	29·63	30·56	31·38	32·07	32·46

Ground), for each Hour (75th Meridian Time), for the Month of December, 1907.

Hour Ending											Mean	Max.	Min.
2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Mid-night.			
°	°	°	°	°	°	°	°	°	°	°	°	°	°
34·0	34·8	32·6	32·0	31·0	30·3	29·7	28·9	27·1	25·9	24·2	29·34	34.8	24·2
25·9	25·1	24·7	24·2	24·0	24·0	23·2	21·8	21·1	21·8	22·0	23·92	26·2	21·0
21·8	21·9	23·0	22·0	20·7	20·0	20·8	20·8	20·0	18·7	16·5	20·11	23.1	16·5
16·0	15·1	14·1	14·2	16·7	18·2	19·0	19·9	20·0	20·0	18·8	14·18	20·0	7·0
30·0	30·2	30·8	30·1	30·2	30 1	30·0	30·0	29·9	30·0	30·1	25·97	30·9	17·0
34·8	35·2	35·1	35·2	35·1	35·8	35·1	34·1	33·7	33·7	33·0	33·00	35·8	29·9
37·9	38·0	37·6	35·9	33·8	32·9	32·8	33·0	34·0	33·2	32·0	34·00	38·0	30·8
44·3	44·0	44·0	43·2	42·0	41·7	41·8	42·0	41·0	40·8	40·0	39·63	44·9	31·2
44·2	43·7	43·1	43·5	44·0	44·0	44·0	44·6	45·7	45·7	46·4	42·10	47·0	37·0
34·0	32·1	31·1	30·7	30·2	29·8	29·4	29·0	29·0	27·8	27·2	37·50	47·1	27·0
22·0	21·5	21·2	21·1	22·0	23·1	23·1	23·0	22·5	19·2	19·1	22·74	27·2	19·0
24·0	23·9	23·0	21·0	19·9	18·2	17·0	15·6	15·2	16·8	19·0	19·51	24·1	15·0
30·1	30·0	29·8	28·9	28·3	28·7	29·1	30·9	30·3	31·0	31·7	26·68	31·7	18·8
24·1	23·4	24·1	24·2	24·0	23·0	22 9	23·0	24·1	25·0	24·3	27·24	33 4	22·8
34·6	33·9	33·9	33·9	34·0	35·0	35·1	35·0	34·9	34·2	32·8	32·35	36·0	23·0
33·8	33·9	33·0	31·1	31·0	30·9	30·2	29·9	30·3	30·1	29·2	30·75	34·0	27·9
33·0	32·9	30·3	29·9	29·9	29·5	29·2	28·6	27·9	27·1	27·0	29·27	33·0	26·1
29·4	29·1	28·2	27·6	27·1	27·0	26·8	25·1	25·0	24·1	25·6	27·33	31·0	24·1
28·6	27·4	27·9	27·1	26·7	25·4	25·0	25·2	25·4	25·3	26·0	26·30	29·0	22·9
33·9	34·8	34·9	34·8	35·0	35·0	34.0	33·0	32·7	32·6	33 0	30·98	35·1	25·8
36·0	35·2	34·9	34·1	32·4	32·5	33·0	33·8	33·9	34·0	33·9	33·28	36·0	30·8
33·9	33·1	32·9	32·8	32 2	31·3	31·2	31 0	31·6	32·1	32·9	32·54	34·9	31·0
34·8	33·5	34·4	34·0	33 9	33·8	33·2	33·1	33·2	33·3	33·8	34·05	36·0	33·1
35·3	35·8	35·1	34·1	33·0	33·0	31 2	29·2	28·0	26·9	25·8	32·35	36·0	25·8
35·8	36·0	36·2	36·7	36·9	36·4	37·0	37·0	37·0	36·0	34·0	33·08	37·2	23·1
31·2	32·0	32·2	33·0	33·3	33·6	34·0	34·8	35·9	36·3	37 0	30·86	37·0	23·7
45·0	45·1	44·2	45·0	45·5	45·1	44·0	44 2	45·0	45·3	45·0	42·73	45·9	37·0
35·0	33·2	32·9	30·0	27·9	26·9	25·9	25·1	24·2	24·0	23·9	34·46	45·0	23·8
35·0	34·9	34·7	34·1	34·0	34·9	35·1	35·3	35·8	35·0	35·6	30·80	35·9	23·3
39·0	38·8	38·0	36·8	34·8	33·1	33·0	33·1	32·3	31·2	30·8	35·53	39·1	30·8
33·0	33·1	32·9	32·9	33·0	33·0	33·2	33·2	33·8	34·0	33·0	29·52	34·0	21·1
32·57	32 31	31·96	31·42	31·05	30·84	30·61	30·43	30·34	30·04	29·79	30·39	34·82	24·85

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of January, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	36·4	37·5	37·8	36·8	36·0	35·6	36·4	36·1	35·7	35·2	34·3	33·9	35·9
2	32·7	32·0	31·9	31·6	30·2	29·8	28·2	27·8	25·8	24·0	20·1	16·1	27·5
3	15·6	14·4	13·0	12·3	12·0	13·0	16·1	19·8	22·4	31·1	33·5	33·8	19·7
4	33·2	33·2	33·6	34·0	33·1	33·3	35·0	35·7	34·4	34·1	31·7	31·1	33·5
5	29·6	29·6	29·5	29·4	29·5	32·1	32·6	32·9	32·7	32·3	30·9	29·5	30·8
6	29·4	28·0	24·4	23·3	21·9	22·2	21·8	21·9	20·9	19·9	18·4	17·1	22·4
7	19·6	22·7	27·0	28·0	28·8	29·1	30·8	32·0	32·0	32·0	30·0	24·4	28·0
8	17·0	14·0	11·6	9·0	8·0	9·8	11·3	13·4	13·2	12·4	11·9	12·8	12·0
9	15·0	16·5	19·8	21·2	19·8	16·0	9·5	5·5	4·0	1·8	— 1·8	— 5·2	10·1
10	— 7·0	— 6·2	— 5·4	— 4·9	— 2·8	2·5	9·0	13·0	15·3	18·8	21·5	24·0	6·4
11	24·1	23·2	21·6	18·4	17·7	17·0	16·8	16·8	15·8	11·5	9·3	8·0	16·6
12	7·0	4·8	3·7	2·5	2·5	3·5	4·5	6·2	7·0	8·7	9·5	9·7	5·8
13	11·0	11·6	11·8	11·6	11·5	11·7	11·9	11·9	10·3	9·4	8·0	6·7	10·6
14	7·5	8·0	8·5	9·2	10·8	13·0	14·5	17·0	17·0	16·9	17·6	9·2	13·2
15	20·1	20·0	19·9	19·0	16·4	13·0	9·0	5·0	3·0	0·2	3·5	3·4	11·0
16	— 7·0	— 6·0	8·0	—11·0	—10·0	—10·0	—11·0	—11·0	—12·0	—14·0	—15·0	—19·0	—11·1
17	—17·8	—19·3	—20·5	—22·0	—22·8	—21·8	—19·4	—15·5	—15·0	—13·1	—10·4	— 8·5	—17·1
18	— 8·8	— 7·6	— 6·5	— 3·8	— 2·5	2·0	6·5	7·7	6·0	5·0	2·9	1·6	0·2
19	1·4	1·7	1·4	3·2	5·9	10·4	14·4	32·7	34·3	35·7	36·3	36·8	17·8
20	36·4	36·7	37·7	38·3	38·6	40·2	38·7	35·0	32·0	29·0	26·3	22·0	34·2
21	7·1	3·4	2·8	2·0	3·1	3·1	3·0	2·3	0·6	— 1·4	— 1·9	— 2·4	1·8
22	— 4·3	— 4·6	— 6·4	— 7·1	— 8·0	— 5·2	— 4·6	— 2·3	— 2·1	— 2·1	— 1·6	— 1·5	— 4·1
23	1·9	— 3·9	— 7·7	—10·5	—10·6	— 9·2	— 7·5	— 6·5	— 6·8	— 7·8	— 7·9	— 9·8	— 7·5
24	—12·5	—13·5	—14·6	—15·4	—14·5	—12·0	—10·3	— 9·3	— 9·8	—10·3	— 9·7	— 9·5	—11·7
25	—10·6	— 9·4	— 8·1	— 8·2	— 7·3	— 7·0	5·9	— 5·9	— 6·4	— 6·3	— 5·8	— 6·0	— 7·2
26	— 4·8	— 3·8	— 3·2	— 3·3	— 2·4	— 1·2	0·6	2·4	2·4	0·5	— 1·4	— 1·9	— 1·3
27	— 3·4	— 4·1	— 5·0	— 7·4	— 5·9	— 2·0	— 0·3	2·7	3·2	3·6	3·8	4·0	— 0·9
28	1·6	2·6	3·6	4·7	7·4	10·5	13·3	15·8	13·8	10·6	8·9	8·0	— 8·4
29	8·1	8·1	6·4	6·8	9·1	11·6	13·6	14·6	13·9	13·8	13·8	13·4	11·0
30	11·1	8·0	9·3	5·2	5·2	7·2	7·1	7·1	4·5	2·5	1·5	1·4	5·8
31	0·5	— 2·5	— 3·9	— 3·3	— 4·0	— 2·4	3·6	3·0	3·6	3·9	4·1	2·4	0·4
Mean.	9·2	8·9	8·6	8·1	8·3	9·5	10·6	11·9	11·3	10·9	10·4	9·5	9·76

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of February, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	5·7	6·0	7·0	7·1	9·4	11·4	13·3	14·0	13·9	14·4	16·1	18·0	11·4
2	19·0	20·2	23·0	24·6	26·0	27·0	29·5	33·8	33·8	34·2	34·8	35·7	28·5
3	29·5	22·4	17·9	13·8	7·8	1·0	— 1·5	— 2·3	— 2·0	— 1·7	— 1·1	— 1·4	6·9
4	— 2·7	— 4·6	— 5·8	— 6·9	— 6·8	— 2·5	0·5	1·6	1·5	— 1·4	— 2·3	— 1·8	— 2·6
5	— 3·8	— 3·9	— 3·8	— 3·8	— 3·0	— 0·8	1·5	4·2	3·9	3·8	3·4	3·3	0·1
6	3·3	3·1	2·7	2·7	3·7	5·7	7·7	9·5	8·2	5·8	5·1	5·0	5·2
7	3·6	5·1	5·5	2·3	2·3	6·6	9·8	12·5	12·8	12·3	7·9	7·2	7·3
8	7·8	8·7	9·7	10·6	12·1	16·6	18·1	18·6	17·2	13·6	12·6	12·2	13·1
9	9·8	9·7	7·8	7·5	9·4	13·2	16·2	18·0	18·2	17·8	18·6	18·8	13·8
10	19·6	20·4	20·9	21·4	22·9	23·5	25·4	27·1	28·3	28·7	29·6	29·7	24·8
11	25·0	15·0	10·0	2·0	1·8	2·3	2·0	1·4	— 0·7	— 4·4	— 4·9	— 5·6	3·7
12	— 6·3	— 8·8	—11·3	—12·5	—12·5	—11·7	—10·3	— 7·8	— 5·8	— 5·1	— 5·0	— 5·9	— 8·6
13	— 6·0	— 4·6	— 4·0	— 1·9	0·4	4·3	7·4	10·3	12·7	14·4	15·7	15·8	5·4
14	16·8	19·7	22·6	24·0	21·5	19·4	19·4	21·1	22·2	22·2	20·0	18·2	20·6
15	15·8	14·8	13·9	12·7	10·2	11·8	15·6	20·0	20·6	21·3	21·9	22·3	16·7
16	23·4	23·7	24·1	23·3	24·3	27·5	29·1	28·3	28·0	27·2	27·0	21·5	25·6
17	22·3	18·4	16·4	16·1	13·9	14·6	15·6	17·4	19·0	17·5	12·9	9·7	16·1
18	9·2	7·8	4·2	2·0	2·5	6·8	7·9	9·5	9·4	7·4	6·7	4·7	6·5
19	2·5	3·0	3·5	4·1	7·0	12·6	21·4	25·0	25·8	26·0	27·9	18·5	14·8
20	13·1	12·4	12·8	12·7	18·0	21·4	25·8	29·7	28·3	25·8	21·6	18·0	20·0
21	17·2	16·4	16·3	16·6	20·0	12·6	10·0	8·0	7·0	5·1	2·0	1·4	10·8
22	— 3·0	— 4·3	— 6·6	— 7·7	— 9·1	— 7·5	— 5·0	— 3·4	— 3·7	— 6·2	— 7·3	— 7·4	— 5·9
23	— 8·6	— 8·1	— 8·4	— 9·5	— 9·3	— 5·0	— 2·5	— 0·1	0·5	— 1·5	— 2·0	— 2·4	— 4·7
24	— 1·5	— 1·3	— 4·3	— 4·1	— 1·3	5·2	7·8	17·0	17·1	16·8	16·5	16·5	7·0
25	17·8	19·4	21·0	21·8	23·0	15·0	12·0	8·0	1·0	— 4·2	— 2·9	— 4·2	10·6
26	— 4·7	— 6·3	— 7·2	— 8·7	— 6·6	— 2·9	— 1·5	40·6	1·2	1·1	1·3	1·2	— 2·7
27	1·8	1·6	1·5	— 0·9	— 1·8	0·0	2·1	3·9	4·0	2·6	1·5	0·6	1·4
28	— 2·5	— 2·7	— 3·0	— 2·9	— 2·3	— 0·3	2·1	4·6	4·1	0·3	— 0·7	— 0·8	0·3
Mean	7·2	6·5	6·0	5·3	5·9	7·3	8·9	10·6	10·5	9·4	8·9	7·9	8·76

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of March, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	— 2·9	— 3·7	— 5·2	— 5·4	— 0·1	6·6	9·5	14·3	12·9	11·8	10·0	10·0	4·8
2	11·5	15·5	27·3	22·9	24·3	27·6	31·8	35·3	35·0	34·2	32·5	32·0	27·5
3	30·8	29·0	27·7	26·2	26·0	26·6	26·7	24·8	22·8	21·2	18·7	14·7	24·6
4	13·7	13·2	12·7	11·5	14·1	16·2	18·4	20·0	19·2	17·6	17·3	17·3	15·9
5	16·4	15·1	15·5	15·7	16·9	18·9	20·5	21·3	21·1	17·7	16·0	14·3	17·5
6	14·8	15·7	15·1	14·9	15·4	19·3	23·4	24·2	23·5	21·4	17·8	14·3	18·3
7	12·4	9·8	7·4	6·9	8·7	13·1	16·5	17·7	17·7	13·7	12·3	13·5	12·5
8	13·0	11·5	9·4	9.0	16·0	19·9	22·7	24·1	22·6	20·8	20·6	21·8	17·6
9	20·3	18·2	16·1	15·0	15·9	18·8	19·4	20·4	20·1	17·3	17·0	18·0	18·0
10	17·6	17·2	13·5	12·9	20·3	24·7	26·5	28·0	27·4	23·9	22·5	22·2	21·4
11	21.5	22·0	20·1	21·1	24·2	27·8	30·9	33·4	33·1	31·2	29·9	29·0	27·0
12	24·0	22·0	20·0	23·0	27·3	32·2	34·0	35·0	34·9	34·8	33·5	33·0	29·5
13	32·3	32·3	32·6	32·9	33·4	34·2	35·5	37·0	36·8	36·6	35·6	35·2	34·5
14	32·6	29·4	25·4	23·3	22·4	21·7	21·8	22·0	22·5	22 7	23·8	24·3	24·3
15	24·6	24·5	24·3	25·1	25·0	27·9	32·0	33·2	32·5	32·0	31·0	29·5	28·5
16	27·4	25·9	23 7	21·5	24·3	27·7	30·7	31·8	32·1	33·7	33·7	33·5	28·8
17	34·5	33·9	33·9	36·3	36·8	38·4	39·5	40·1	36·2	32·3	28·4	24·5	34·6
18	21·5	20·1	18·4	17·4	20·2	23·2	24·5	25·1	26·2	25·1	23·6	22·4	22·3
19	21·8	20·7	18·4	18·2	23·7	30·7	31·8	27·9	27·4	28·7	32·0	32·8	26·2
20	34·5	33·2	30·2	28·8	29·6	30·0	30·8	31·7	31·1	28·8	27·0	24·0	30·0
21	23·2	22·4	21·4	23·3	28·2	31·3	33·8	35·8	35·8	34·7	34·4	33·9	29·9
22	31·7	31·7	31·9	32·7	36·8	38·2	39·9	42·7	42·7	44·2	46·6	46·8	38·8
23	44·3	42·9	41·2	41·0	42·3	44·1	45·9	46·7	45·0	40·9	39·5	39·0	42·7
24	38·9	37·7	35·2	33·1	32·5	32·7	33·1	29·7	28·6	27·8	27·4	25·2	31·8
25	21·8	19·7	18·5	18·9	23·0	28·0	29·3	33·7	33·6	32·5	32·2	32·2	27·0
26	32·2	32·2	32·7	33·4	34·9	35·8	37·2	40·2	39·5	36·3	35·0	33·2	35·2
27	32·3	30·9	29·3	29·3	30·2	31·2	31·5	31·4	31·7	32 0	32·9	33·0	31·3
28	38·7	40·1	40·4	40·6	42·0	43·2	45·5	47 0	48·8	46·5	47·5	44·2	43·7
29	42·7	40·2	36·5	36·0	38·6	39·4	38·4	37·6	36·2	34·7	34·7	36·3	37·6
30	35·8	41·7	41·3	39·5	40·4	41·8	43·5	44·0	42·5	39·2	37·4	35·2	40·2
31	33·0	32·6	32.4	32·9	36·0	35·9	35·6	35·2	34·2	31·7	29·2	28·2	33·1
Mean	25·7	25·1	24·4	23·7	26·4	28·6	30·3	51·3	30·7	29·2	20·0	27·5	27·58

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec, (75th Meridian Time), for the Month of April, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	26·6	23·4	22·5	22·1	25·0	26·4	27·4	28·0	28·0	26·0	24·9	25·0	25·4
2	25·4	23·4	22·8	22·6	25·4	29·2	30·4	32·3	32·3	20·3	29·5	28·3	26·8
3	27·1	27·3	28·6	29·4	31·6	35·1	37·9	39·8	39·9	37·8	36·7	37·1	34·0
4	37 0	35·4	34·9	34·1	38·0	38·0	36·8	35·5	34·6	32·5	31·2	31·1	34 9
5	30·5	29·0	28·8	27·1	25·9	27·4	28·4	27·8	27·7	27·5	26·7	22 8	27·5
6	20·0	17·6	15·0	15·3	19·3	22·3	25·9	27·4	27·7	25·2	22·3	21·2	21·6
7	21·5	21·6	21·3	22·2	29·6	32·9	36·0	36·9	35·6	33·7	32·9	35·1	29·9
8	35·2	34·0	33·0	30·4	29·9	30·2	31·4	31·7	32·5	32·1	31·1	30·3	31·8
9	29·8	29·0	28·4	28·9	32·9	37·0	36·6	36·0	33·5	31·9	29·5	28·9	31·9
10	28·1	28·0	28·2	28·9	30·1	31·0	33·5	34·1	33·2	32·2	32·2	32·1	30·9
11	32·0	31·3	31·2	34·7	40·6	43·1	43·3	43·1	43·3	40·5	39·7	35·9	38·2
12	33·8	33·1	32·2	32·8	37·5	39·8	43·1	42·9	41·5	39·4	37·6	37·0	37·5
13	35·8	33·8	33·9	35·1	40·9	44·0	46·3	47·8	47·3	44·0	43·3	39·9	41·0
14	38 9	38·8	38·0	38·0	39·1	42·1	41·4	42 0	42·4	41·2	38·9	36·4	39·1
15	30·6	28·2	27·6	27·9	29·0	31·6	34·7	35·9	36 5	35 4	33 0	32·2	31·9
16	32.1	30·6	29·4	31·2	35·3	37·4	40·4	40·8	41·4	39·5	38·7	38·0	36·2
17	33·6	33·1	32·2	33·8	38·8	44·1	47·1	47·0	44 7	41·2	40·1	40·1	39·6
18	39·4	37·2	35·9	35·3	36·5	41·0	44·1	42 8	41·7	38·3	37·7	34·3	38·7
19	33·7	33·2	32·0	33·7	37·9	41·1	41·7	41·9	40·2	36·9	35·0	33·8	36·7
20	33·8	31·2	30·9	31·1	29·8	30·7	31·1	32·5	31·4	28·8	27·1	26·0	30·4
21	25·1	24·9	24·2	30·0	35·6	40·2	44·0	45·0	45·4	42·2	38 6	37·0	36 0
22	35·9	36·1	36·2	42·3	46.5	52·3	56·6	56·4	55·4	51·3	48·6	45·1	46·9
22	43·5	43·2	41·3	46·4	51·4	56·3	59·7	59·2	56·8	51·9	48·5	46·1	50·4
24	44·9	41·1	39·6	39·1	39·0	46·1	51·5	50·4	48·8	44·0	42·9	41·0	44·0
25	37·5	34·5	34·9	35·8	32·9	33·1	33·6	33·9	34·3	34·7	35·0	35·0	34·6
26	35·6	35 5	34·8	35 9	38·0	40·6	42·8	44·3	42·9	39·1	37·7	37·1	38·7
27	37·3	36 1	34·1	36·1	41·0	45·3	48·8	50·1	50·9	46·0	42·6	42·1	42·5
28	41·3	39·0	36 3	42·0	50·5	58·3	62·7	62·8	62·5	59·4	54·2	52·2	54·7
29	40·1	38·8	38·6	41 4	58·6	60·7	59·2	61·7	62·7	61·9	61·4	58·0	53·6
30	56·1	55·0	49·1	44·1	40·5	38·6	37·9	37·9	36 9	36·8	36·1	35·0	42·0
Mean	32·9	31·7	30·8	31·8	35·0	37·9	39·8	40·2	39·7	37·1	35·9	34·6	36·85

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of May, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	33·9	38·8	33·4	33·9	37·2	42·4	47·0	46·2	46·2	43·5	41·0	39·0	39·8
2	38·0	36·0	35·0	40·0	46·0	50·0	52·0	53·0	53·0	50·0	47·0	44·0	45·3
3	41·0	39·0	38·0	46·0	50·0	50·0	49·0	52·0	52·0	49·0	44·0	45·0	46·2
4	44·9	44·9	42·1	39·0	37·2	39·0	40·6	34·8	35·2	32·8	32·3	31·1	37·8
5	31·1	30·3	30·4	32·4	40·4	45·5	47·8	48·6	48·9	46·6	43·3	42·6	40·6
6	43·5	42·8	42·5	42·4	43·4	45·6	50·5	52·7	54·0	50·5	46·7	44·2	46·6
7	43·8	41·3	41·2	48·6	51·9	54·6	57·1	58·2	56·4	53·4	50·3	49·3	50·5
8	45·5	44·5	41·8	42·3	45·1	47·8	49·6	50·0	50·1	48·2	46·0	45·0	46·3
9	42·9	41·0	40·1	43·6	50·1	57·4	64·7	66·4	66·1	59·8	54·7	53·2	53·3
10	55·9	55·1	44·6	45·1	46·0	46·4	47·1	48·7	47·2	45·4	41·3	39·1	46·8
11	32·9	33·9	34·5	34·8	40·0	41·2	39·5	39·9	39·8	36·0	34·5	33·7	36·7
12	36·0	37·0	38·0	39·0	40·0	42·0	47·0	50·1	48·0	46·0	42·0	39·0	42·0
13	37·5	36·8	37·5	40·5	54·0	60·0	56·5	54·0	53·8	47·0	45·0	43·1	47·1
14	43·0	43·0	42·5	42·0	44·0	50·5	54·6	55·0	54·9	52·8	50·5	49·1	48·5
15	45·5	44·5	43·0	55·0	62·0	68·0	71·6	73·3	71·0	68·0	64·2	63·0	60·7
16	63·5	63·6	61·4	61·0	58·0	55·2	58·6	58·5	55·8	53·3	51·9	50·5	67·6
17	49·0	48·5	46·5	51·8	58·0	61·5	64·8	64·4	63·6	60·0	56·0	55·3	56·6
18	53·8	53·3	52·8	57·8	59·2	58·0	57·8	59·6	60·0	57·1	57·8	55·9	56·9
19	52·9	51·5	49·3	49·0	54·0	56·9	52·8	53·0	53·5	52·0	51·2	48·0	52·0
20	44·2	43·8	44·9	41·6	46·2	46·4	48·0	49·5	48·9	43·9	39·9	38·0	44·6
21	34·6	33·2	34·7	38·7	41·2	46·5	49·7	51·5	49·8	46·4	43·3	42·2	42·6
22	39·0	38·4	38·2	39·9	43·4	47·3	50·4	50·7	50·1	48·9	46·2	44·0	44·7
23	42·2	40·6	38·0	44·0	39·8	53·7	59·7	58·5	59·6	58·5	53·5	53·2	50·1
24	46·2	42·8	40·3	43·7	47·6	51·6	56·1	56·5	55·8	51·4	46·1	42·9	48·4
25	38·0	35·4	34·1	42·0	48·5	53·6	56·3	58·6	59·4	56·3	51·6	51·1	48·7
26	48·1	44·7	41·2	45·4	55·2	54·4	47·9	46·2	47·4	48·0	48·0	47·7	47·8
27	44·2	45·9	47·0	48·9	50·9	55·8	61·8	59·2	57·7	46·0	45·2	43·1	50·5
28	40·1	37·9	37·0	39·1	41·2	42·4	45·7	46·5	45·6	42·4	38·8	36·0	41·0
29	36·0	36·5	37·5	38·0	45·7	54·0	53·9	54·2	52·8	51·5	49·6	48·7	46·5
30	55·2	42·5	42·6	47·2	53·7	54·5	59·0	59·8	60·8	59·1	55·5	52·1	53·5
31	48·9	47·8	47·8	48·9	56·1	62·5	61·0	61·9	60·8	59·2	56·4	55·0	55·5
Mean	43·5	42·2	41·2	43·9	47·9	51·4	53·4	54·2	53·4	50·4	47·5	45·9	47·90

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of June, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	51·4	48 8	46·5	55·0	60·8	67·0	68·9	68·2	67·5	64·1	60·3	58·0	59·7
2	54·7	52·6	51·2	53·4	61·0	65·5	67 9	68·2	66·5	65·5	58·9	56·7	60·2
3	52 8	50·8	50·3	56·2	63·2	68·0	71·4	73·3	69·5	66·8	61·3	60·0	61·9
4	56·9	58·0	56 5	55·6	64·2	69·1	72·0	69·7	68·6	66·6	63·7	61·6	63·5
5	60·7	57·7	51·1	52·2	53·8	57·8	57·4	59·2	57·2	55·2	53·1	52·1	55·6
6	52·1	50·1	49·2	51·8	55·5	55·4	57·1	54·5	55·2	53·5	52·8	52·5	53·3
7	51·5	50 2	50·1	50·4	53·4	57·1	57·0	62·5	58·8	57·2	55·8	54 9	54 9
8	51·2	51·3	50·6	50·9	56·0	60·0	64 8	62·0	62·0	55·9	53·8	51·9	55·9
9	50·6	49·8	48 7	50·4	53·6	57·0	56·8	59·9	59 3	58·1	53·0	50·3	53·9
10	46·9	46·1	46·7	46·8	49·0	52·9	56·7	60·0	58·2	56·5	52 7	51·0	51·9
11	50·0	46·2	44·2	49·7	58·4	63 0	66·5	68·0	68·2	63 2	60·3	58 1	57·9
12	52·5	50·0	49·4	55·3	62·7	70 1	73·1	73·1	74·5	67·3	61·6	60·0	62·5
13	57·1	52·5	51·4	62·0	69·2	74·8	78 8	79·3	77·6	70·3	68·2	68 1	67·4
14	67·6	58·0	56·4	58·8	65·2	71·6	77·2	80·8	68·4	71·1	69·5	68·3	67·7
15	59·1	56·7	56·5	59·8	65·1	69·6	73·6	75·6	74·5	72·4	68·7	69·9	66·7
16	66·4	65·1	64·3	65 9	68·6	73·8	78·8	80·0	80·2	75·3	69·8	68·2	71·4
17	67 0	64·0	62·9	64·6	66·2	70·3	78 9	82·6	81·1	78·2	75·5	73·8	72·1
18	71·7	69·7	68·2	70·0	74 7	81·4	87·1	87·0	85·0	76·4	69·9	69·0	75·8
19	67·5	65·2	65·2	66·8	66·3	68·1	72·2	71·8	72·6	70·5	67·2	64·0	68·1
20	61·6	60·6	61·0	61·1	61·8	67·0	74·6	75·8	75·9	72·3	68·8	66·0	67·2
21	62 3	60·2	61·6	61·7	63·0	70·1	78·1	80 1	79·6	75·5	71·0	69·1	69·4
22	66·0	64·7	64·9	69·9	76·7	82·3	86 0	86·2	82·7	77·8	73·1	72·0	75·2
23	71·2	68·3	66·6	74·1	78·3	78·7	84·6	85·8	78·5	75·3	73·0	72·0	75·5
24	74·1	70·5	71·0	74·9	79·3	80·4	85·4	85·0	82·3	80·1	78·7	74·9	78·0
25	74·4	73·5	73·5	70·6	76·9	70·4	72·3	78·1	78·7	76·9	71·8	70·0	73·9
26	67·8	65·8	63·3	64·6	69·6	77·2	69·1	76·0	71·8	67·6	66·2	63·6	68·5
27	60·2	57·3	58·0	58·5	62·0	68·0	70·0	71·8	71·0	68·4	65·7	63·0	64·5
28	61·4	61·0	59·0	65·6	71·7	75·3	77·8	77·5	76·8	72·9	70·4	66·4	69·5
29	66·8	64·1	61·8	70·8	78·0	79·8	80·5	79·9	79·2	77·2	72·3	70·8	73·4
30	68·2	67·1	66·6	65·6	66·3	60·5	60·6	61·1	60 9	61·7	61·1	60·9	63·4
Mean	60·7	58·5	57·2	60·4	65·0	68 7	71·8	73·1	71·4	68·3	64·9	63·2	65·31

Bi-Hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of July, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	62·0	61·5	61·5	62·4	62·5	70·3	74·5	77·1	78·0	75·0	71·8	68·9	68·8
2	69·0	67·5	67·2	67·0	68 2	70 2	70·8	67·2	67·6	64·0	61·3	59·7	66·6
3	56 8	55·5	53·5	60.3	64·8	69·0	70·6	71·2	69·6	66·4	64·0	62·4	63·4
4	60 5	57·0	56·0	61·3	69·7	73·2	76·3	75·5	73·8	70·7	69·2	67·0	67·5
5	63·2	61·8	60·2	63·0	66·8	72·4	78·2	78·4	71·8	69·8	68·3	67·5	68·4
6	59·3	57·2	55·4	61·3	65·6	70·3	72·2	73·1	71·9	63·3	61·7	61·5	64·4
7	61·0	60·4	60·6	61·7	66·3	72·0	79·4	78·0	77·3	75·6	71·4	67 3	69·2
8	67·0	66·0	65·0	70·0	73·9	78·5	75·5	65·1	66·7	67·2	65·9	64·7	68·8
9	64·3	63·8	62·1	67·5	72·1	74·3	77·5	73·0	71·6	68·4	63·2	60·8	68·2
10	57·9	57·9	57·5	64·3	69·6	71·8	73 3	73·6	71·7	68·2	66·2	65·0	67·2
11	63 1	58·5	57·9	62·7	68 3	72·5	74·1	72·8	72·3	67·3	64·5	63·8	66·5
12	63·0	60·2	59·7	59·2	59·1	58·8	59·3	61·0	59·8	59·1	58·8	58·3	59·7
13	68·4	68·3	67·0	71·6	67·4	71·9	75·0	75·6	73·9	70·5	67·8	67·5	70·4
14	64·0	63·7	59·5	64·6	72·6	77·1	79·8	78·8	77·8	73·2	68·7	67·1	70·5
15	65·0	63·2	61·6	71·7	73·1	79·8	81·9	81 9	80·7	75·1	70·6	68·3	72·7
16	67·4	66·0	64·3	67·9	69·5	72·6	74·3	76·2	74·9	73·7	72·9	73·0	71·0
17	73·1	71·6	71·4	77·5	80·9	82·1	82·0	82·0	80·7	76·9	72·2	71·8	76·8
18	72·6	69·8	68·7	73·5	77·9	82·0	84·7	82·5	79·4	75·0	72·6	72·0	76·9
19	69·5	67·1	68·0	69·7	75·2	79·3	83·3	82·3	79·8	75·3	75·6	74·2	74·9
20	74·2	70·2	68 9	73·0	78·5	80·1	83·8	80·2	72·9	67·0	67·7	67·0	72·8
21	65·0	62 4	61·5	64·8	70 0	73·7	77·6	77·6	77·4	73·3	69·7	70·0	70·2
22	65·5	62·5	62·3	66·5	74·5	76·0	72·0	66·0	64·3	63·0	62·4	63·5	66·7
23	62·6	62·4	62·6	62·5	63 7	69·8	74·0	76 0	74·2	72·1	71·0	68·7	68·3
24	67·5	65·5	62·1	69·0	72·0	76·0	77·0	76·3	72·5	71·5	70 0	64·0	70·3
25	61·8	61·5	60·7	65·2	72·0	76·9	77·2	78·1	76·2	72·1	69·2	67·0	69·8
26	64·6	63·8	62·2	64·8	64·8	64·8	74·0	74·0	67·5	63·0	59·5	59·0	65·2
27	56·0	54·9	54·7	52·5	52·1	53·0	55·5	64·7	70·5	65·3	64·9	65·0	59·1
28	64·9	62·8	64·0	67·0	71·1	73·0	78·0	77·0	76·8	70·9	68·7	67·7	70·1
29	65·2	65·0	64·0	64·6	69·9	76·4	79·7	79·6	74·3	71·9	68·0	66·2	70·4
30	64·0	63·0	62·7	64·2	67·7	68·2	72·5	75·1	72·2	67·9	66·5	65·3	67·4
31	63·0	61·5	61·5	64·1	70·4	72·0	77·0	77·4	75·6	72·7	70·0	68·0	69·4
Mean.	64·6	62·9	62·0	65·6	69·3	72·8	75·5	75·0	73·3	70·1	67·5	66·2	68·77

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of August, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	65·6	64·9	62·5	66·4	73·2	74·8	74·7	72·1	67·7	66·9	66·2	63·0	68·2
2	61·2	61·5	63·7	66·2	75·0	74·0	74·2	74·0	72·0	68·0	63·5	60·5	67·8
3	57·9	55·1	53·9	60·8	66·5	70·0	69·8	70·2	68·7	65·5	63·5	62·0	63·6
4	60·1	60·1	57·6	58·5	61·6	65·2	68·0	59·5	63·6	58·1	59·9	58·5	60·9
5	57·5	55·5	56·4	59·0	66·6	71·0	73·0	72·0	70·1	67·3	64·0	62·5	64·6
6	59·0	58·7	60·0	61·4	63·2	62·0	63·5	66·7	64·7	63·2	61·3	59·2	61·9
7	58·9	57·8	57·9	58·8	66·0	70·3	75·4	75·2	68·2	66·4	64·9	65·5	65·4
8	64·3	61·2	57·0	60·2	65·1	67·6	70·5	70·6	69·6	65·3	64·2	64·9	65·0
9	56·4	56·2	55·7	63·2	70·2	76·2	78·7	76·9	76·2	72·6	67·8	68·2	68·2
10	68·9	66·7	63·1	68·0	74·9	77·2	81·5	82·7	82·1	77·9	75·8	76·0	74·6
11	71·7	70·2	69·5	71·4	76·7	82·5	86·1	83·7	81·2	79·3	77·5	76·1	77·2
12	73·6	72·5	70·5	70·3	71·3	82·1	85·5	86·8	84·2	81·2	77·0	76·9	77·6
13	71·0	63·9	59·8	66·2	71·1	73·8	75·2	73·0	70·0	65·4	60·7	59·0	67·4
14	57·1	57·6	56·5	57·4	63·0	65·9	67·8	67·9	68·1	64·2	61·4	60·6	62·3
15	58·9	57·0	54·8	59·6	62·1	67·8	69·3	69·0	68·8	64·1	61·3	59·0	62·6
16	55·9	55·5	54·9	60·4	69·2	74·7	76·8	77·0	75·2	72·9	65·5	64·0	66·8
17	63·5	63·0	60·8	63·1	65·7	75·4	80·8	80·0	77·5	71·6	69·7	67·3	69·9
18	66·0	64·7	58·5	58·0	61·2	65·2	67·2	67·2	67·5	63·4	61·5	58·0	63·2
19	54·5	52·6	50·5	54·0	61·6	67·7	71·3	71·0	70·9	64·9	63·5	61·6	62·0
20	56·7	58·3	57·3	61·9	73·1	81·9	73·2	68·6	69·7	67·5	67·3	66·9	66·9
21	62·5	58·1	54·6	54·4	58·3	60·9	62·7	63·1	62·2	59·0	56·4	56·3	59·0
22	58·2	58·2	56·0	58·7	66·2	70·9	71·5	70·0	69·4	63·6	61·2	61·0	63·7
23	60·0	58·7	59·0	63·3	68·9	72·9	76·8	74·8	74·3	69·0	65·1	62·3	67·1
24	62·2	61·5	64·4	63·2	64·1	68·0	66·8	63·5	62·5	62·4	59·3	59·0	63·1
25	57·5	58·2	57·0	60·0	64·7	63·9	66·0	66·0	65·7	63·2	62·2	58·2	61·9
26	55·7	54·5	53·5	56·0	59·0	56·1	56·3	60·0	58·3	55·1	54·7	53·0	56·0
27	52·8	52·5	49·8	53·4	57·0	60·5	62·5	62·1	62·0	57·6	55·0	52·0	56·4
28	51·4	50·5	49·3	51·0	57·4	63·2	65·0	66·1	65·4	63·0	59·0	56·2	58·1
29	54·3	53·0	51·3	53·8	57·7	62·4	65·3	65·2	64·3	59·7	56·1	55·0	58·2
30	54·0	49·8	52·6	52·3	56·0	57·4	57·5	55·6	53·8	53·6	54·7	56·0	54·4
31	56·0	54·8	53·9	55·5	59·3	63·5	66·6	65·7	65·8	62·4	62·0	61·0	60·5
Mean	60·1	58·7	57·4	60·2	65·3	69·1	70·9	70·1	68·9	65·6	63·3	61·8	64·35

Bi-hourly Temperature from Self-registering Instruments, at Montreal, Quebec, (75 Meridian Time), for the Month of September, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	59·0	59·0	57·8	58·1	62·7	65·4	67·1	66·3	65·9	62·2	60·9	59·1	61·9
2	58·0	57·3	56·1	57·0	61·4	65·0	61·7	59·0	57·9	57·8	57·8	58·7	58·9
3	58·8	58·9	59·0	60·0	64·0	63·8	65·7	62·2	60·7	60·7	61·2	60·0	61·2
4	58·1	57·4	56·9	56·7	57·2	58·2	58·8	59·7	61·0	60·0	59·0	59·2	58·5
5	58·4	57·7	57·4	57·1	57·5	59·7	61·7	62·1	62 0	61·7	60·6	60·0	59·6
6	59·2	58 0	59·0	61·0	61·0	64·4	63·8	65·4	64·6	62·4	61 8	60·7	61·8
7	59·9	59·0	57·1	59·7	67·2	69·7	70·6	70·9	68·5	63·8	62·7	61·5	64·2
8	59·5	57·6	58·8	59·5	65·5	67·2	66·9	69·1	68·7	63·2	61·1	60·0	63·1
9	58·0	54·0	52·0	53·0	58·7	64·9	69 3	69·7	66·4	62·6	59·6	58·0	60·5
10	60·2	60·8	58·1	59·2	62·9	69·0	72·6	72·3	69·2	66·6	65·8	64·8	65 1
11	64·0	63·4	63·4	64·4	67·2	67·6	69·6	69·9	67·2	65·2	63·8	60·9	65·5
12	58·0	54·6	54·2	57·2	58 8	58·5	67·2	66·7	65·2	60·6	58·7	57·6	59·8
13	55·8	53·5	53·9	54·0	55·7	55·8	56·8	58·3	58·7	54·0	54·7	55·2	55·5
14	65·0	65·7	65·3	65·2	60·1	68·9	74·1	74·9	73·3	67·8	66·7	64·0	67·6
15	61·5	61·2	59·8	64·3	71·0	76·2	78·0	77·7	74·8	71·3	70·4	68·1	69·5
16	64·0	62·0	60·0	61·5	65·4	70·2	75·8	72·5	71·8	69·0	68·6	70·3	67·6
17	71·8	71·8	63·8	63·2	63·4	65·0	67·0	68·2	65·5	59·0	53·4	51·0	63·6
18	50·0	48·0	43·5	42·7	48·7	54·6	56·7	58·9	58·4	53·3	50·6	49·0	51·2
19	45·7	44·6	42·1	42·3	52·1	60·0	66·3	64·5	62·0	56·6	54·0	52·0	53·5
20	50·3	50·4	53·5	56·6	58·2	65·5	68·4	69·6	67·9	65·6	64·3	57·0	60·6
21	68·5	66·6	64·3	63·4	67·0	69·4	69·3	68·6	67·4	63·5	62·0	61·0	65·9
22	59·7	60·5	57·4	55·2	56·9	58·3	58·2	58·2	56·2	50 6	52·6	49·0	56·1
23	47·8	45·8	45·1	45·0	49·4	51·5	52·7	55·3	55·3	54·8	54·8	54·8	51·0
24	54·9	55·1	56·2	57·1	59·7	57·3	62·7	65·1	59·0	56·9	56·0	55·5	57·9
25	54·3	53·6	52·9	51·9	53·2	54·5	54·5	51·9	48·0	46·1	45·2	45·0	50·9
26	41·0	39·2	37·0	38·0	44·5	48·5	50·5	49·4	49·0	45·5	47·5	48·0	44·8
27	48·2	46·4	45·7	45·2	48·8	53·8	54·0	55·0	53·5	51·5	50·0	45·0	49·8
28	40·7	38·6	36·0	39·0	41·7	41·7	43·7	46·0	46·0	45·2	43·6	43·7	42·2
29	42·5	43·1	43·8	43·2	42·2	43·7	43·2	42 7	42·5	42·0	41·8	41·0	42·6
30	41·0	40·9	40·8	40·7	42·5	44·3	46·9	50·8	50·0	43·3	39·2	41·2	43·5
Mean	53·9	53·0	51·9	52·6	55·6	58·4	60·4	60·6	59·2	56·2	55·0	53·9	57·81

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of October, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	41·0	41·5	42·0	44·9	48·4	51·0	52·5	52·9	46·5	47·9	48·3	48·2	46·4
2	43 1	44 8	40·6	41·0	46·1	53·8	55·6	54·1	51·4	47·7	47·1	46·4	47·6
3	44·4	43·2	45·1	45·5	51·0	55·4	60·7	60 7	56·7	54·3	53·0	52·0	51·8
4	51 9	51·5	50·5	50·0	55·0	58·8	61·2	63·3	58·4	54·4	48·0	48·2	54·3
5	46·7	46·5	46·0	45·6	48·0	51·5	48·0	51·5	48·0	47·0	45·1	43·8	47·3
6	41·6	41·4	39·5	39·4	34·8	37·2	49·6	52·0	51·3	49·2	47·5	47·0	44·2
7	46·1	45·8	45·8	46·8	47·6	49·1	51·1	55·4	55·7	59·4	61·3	59·0	51·9
8	60·0	55·0	50·0	45·0	42 6	44·2	45·1	41·5	39·1	36·9	36·0	35·2	44·2
9	33·3	32·3	32·3	33·9	38·4	44·1	46·0	47·2	46·0	43·0	41·3	41·0	39·9
10	40·5	39·8	40·6	42·5	47·6	50·7	48·9	52·5	51·4	50·4	49·6	48·0	46·9
11	47·8	48·0	48·0	47·8	50·0	50 6	52·2	52·4	48·9	48·8	47·9	46·5	49·1
12	47·8	44·6	42·0	42·8	46·5	49·2	50·3	50·7	48·6	44·3	42·7	43·0	46·0
13	41·3	43·0	39·8	40·0	43·0	43·5	46·6	48·9	46·1	45·2	45·5	43·1	43·8
14	39·2	37·5	36·0	37·0	39·0	40·2	44·4	47·4	45·4	43·3	42·0	42·0	41·1
15	42·8	42·8	42·7	42·2	46·1	49·5	50·9	51·9	50·9	45·5	43·7	44·1	46·1
16	44·0	43·0	42·0	44·0	48·0	54·0	59·0	59·0	56·0	54·0	53·0	53·0	50·8
17	52·6	53·5	54·1	55·2	59·2	61·3	65·2	65·7	61·5	58·9	55·4	59·0	58·5
18	58·9	59·2	59·0	48·0	43·6	45·2	42·8	42·6	40·5	35·2	30·8	29·7	44·6
19	27·1	25·0	25·2	26·3	31·7	37·8	38·6	39·1	38·4	37·1	35·9	33·8	33·0
20	35·0	31·3	29·0	27·8	30·8	34·5	36·2	36·2	35·0	32·5	32·5	29·0	32·5
21	27·8	26·2	25·4	26·0	29·2	31·9	33·4	33·8	32·3	33·1	34·4	31·2	30·4
22	31·4	33·9	32·0	32 1	30·7	47·8	50·8	52·6	50·6	50·4	52·0	49·0	42·8
23	49 0	48·2	45·9	43·6	41·4	41·6	43·4	42·9	40·2	38·4	37·5	36·8	42·4
24	35·9	35·5	34·5	31·3	34·8	37·4	38·4	39·1	37·7	36·6	35·0	33·0	35·8
25	32·0	31·8	35·0	35·0	38·8	46·0	46 6	43·3	41·3	36·1	35·4	33·0	37·9
26	32·9	30·4	29 0	28·4	31·0	33·8	34·7	55·5	33 7	30·8	30·5	29·0	31·6
27	30·0	28·4	29·3	31·2	36·6	35·7	39·6	39·0	42·5	42·8	41·5	42·1	36·6
28	42·7	42·0	43·4	40·2	39·9	41·8	42·8	44·2	43·5	42·1	42·5	43·0	42·3
29	41·7	40·0	38·5	37·1	37·0	39·1	39·7	41·0	38·5	37·7	36·8	35·8	38·6
30	34·0	30·0	26·6	25·7	28·5	31·3	35·5	37·7	36·0	35·3	34·4	33·3	32·4
31	31·0	30·0	27·6	27·6	34·6	38·9	41·1	42 2	38·0	35·4	34 9	33·1	34·5
Mean	41·1	40·2	39·3	38·8	41·3	44·7	46·8	49·6	45 3	43·7	42·6	41·6	42·76

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of November, 1907.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	31·5	29·9	28·7	27·0	32·0	38·5	46·5	50·0	47·3	44·0	42·0	41·3	38·2
2	43·0	41·5	42·0	42·3	43·7	47·3	50·2	48·6	47·2	48·1	47·7	47·2	45·7
3	50·9	51·0	50·5	49·0	50·0	50·1	48·5	44 6	41·4	40·5	39·0	40·0	46·3
4	40·0	37·8	33·3	31·4	31·8	34·7	34·9	34·9	33·8	31·4	30·7	31·0	33·8
5	28·8	30·7	30·2	30·5	32·3	36·5	36 6	38·8	37·0	35 8	36·0	34·0	33·9
6	33·8	33·5	33·3	34·2	36·3	38·8	40·4	40·7	42·3	43·5	41·4	40·0	38·2
7	39·2	41·0	44·0	46·0	48·0	46·7	42·1	38·1	37·9	37·8	38·0	38·0	41·4
8	33·6	33·2	33·3	33 1	33·9	36·2	37·5	37·4	38·0	40·4	41·4	38·0	36·3
9	37·5	34·0	33·5	35·5	36·5	40·2	44·5	47·4	44·7	43·0	41·9	43·0	40·1
10	44·5	43·6	41·5	41·3	39·5	39·9	39·5	39·7	37·6	37 0	36·6	35·7	39·7
11	35·5	34·2	34·9	32·6	32·8	33·2	34·0	34·5	31·5	32·0	29·3	27·5	32·7
12	24 7	25·5	23·0	24·4	26·0	28·5	29·6	30·1	29·8	29·3	29·7	29·7	27·5
13	32·0	30·0	28·0	30·0	33·6	36·4	36·1	36·0	35·0	33·9	34·7	33·0	33·2
14	33·3	28·7	23·4	17·3	19·6	22·0	22·0	21·4	20·3	19·5	20·0	20·0	22·3
15	18·8	21·4	22·8	24·3	25·3	31·2	32·7	30·9	30·0	28·6	29·1	27·6	26·9
16	26·5	23·5	23·0	25·2	26·2	30·5	35·2	34·0	30·7	30·5	32·5	32·0	29·2
17	33·1	32 8	32·0	30·5	31·2	32·0	33·3	34·2	31·8	33·5	34·5	33·7	32·7
18	34 0	33·3	32·4	32·0	34·6	38·0	39·8	40·3	37·2	35·8	35·8	34·0	35·6
19	34·0	33·1	31·2	32·8	36·2	33·0	34·5	33·3	33·0	30·5	27·5	24 8	32·0
20	22·7	21·7	21·9	21·3	23·9	27·3	29·2	30·1	28·9	27·0	26·3	28·2	25·7
21	29·0	31·0	33·0	34·0	36·0	39·4	39·9	40·8	41·1	41·8	41·8	42·3	37·5
22	46·0	44·4	44·3	43·7	43·0	45·2	45·4	46·2	44·7	44·5	44·4	41·8	44·5
23	42·7	38·6	35·3	33·7	35·1	40·2	41·0	40·0	35·8	32·4	32·5	30·6	36·5
24	27·7	26·5	25·5	24·4	27·5	32·3	34·4	35·0	33·2	32·4	31·5	30·7	30 1
25	31·7	31·7	29·5	29·6	30·0	29·8	29·4	29·2	28·8	28·8	28·5	28·0	29·6
26	28·2	28·5	28·3	28·3	30·0	31·7	32·6	31·4	30·1	29·8	29 9	29·7	29·9
27	29·0	28·8	29·2	29·9	31·8	34·3	32·3	30·1	29·1	27·6	26·0	24·0	29·3
28	24·0	24·3	23·0	21·4	24·8	25·1	24·6	23·7	22·1	22·0	22·1	21·8	23·2
29	22·2	21·0	21·1	19·6	21·9	23·6	24·3	23·8	21·9	21·8	21·0	18·1	21·7
30	17·7	16·6	17·5	18·7	19·5	19·6	19·6	19·5	18·0	16·9	16·9	15·3	17·9
Mean	31·4	31·0	29·9	29·8	31·4	33·6	34·5	34·3	32·9	32·2	31·8	31·0	33·06

BI-HOURLY Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of December, 1907.

CORRECTED FOR INDEX ERROR.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	13·6	12·6	12·4	14·0	15·0	17·7	18·4	19·5	20·0	20·4	20·2	19·5	16·9
2	18·2	18·0	17·5	18·4	20·6	20·7	22·5	21·7	21·0	21·6	22·1	22·0	20·4
3	20·8	21·0	19·3	18 0	16·5	18·3	19·3	18·3	15·2	13·0	11·4	11·0	16·8
4	10·3	9·2	8·8	7·0	6·0	10·5	11·2	13·0	9·2	11·1	10·8	9·0	9·7
5	6·8	4·5	7·0	4·0	6·0	8 7	13·0	15·9	15·1	16·8	18·9	18·2	11·2
6	20·0	23·7	23·1	25·0	26 4	27·5	30·0	32 0	32·3	32·5	33·5	34 0	28·3
7	34·5	34·1	33·9	34·2	34·5	34·7	35·5	35·8	35·4	35·3	35 8	34·8	34·9
8	34·8	35·8	35·0	33·3	32·7	34·6	35·5	36·0	36·5	37·0	37·0	37·5	35·5
9	37·5	36·4	36·5	36·5	37·0	38·4	42·0	42·0	40·1	39·6	42·2	42·3	39·2
10	43·5	43·0	42·8	45·0	46·0	46·0	47·4	49·0	47·4	47·4	44·5	44·0	45·5
11	38·0	36·3	35·2	33·5	31·8	29·5	27·6	27·9	25·2	23·5	22·0	21·0	29·3
12	20·0	17·8	16·5	15·4	14·0	14·5	15·4	14·0	13·3	12·8	10·3	10 6	14·6
13	7·2	7·0	6·0	6·0	8·2	10·1	15·0	16·4	15·5	14·6	14·5	14·5	11·3
14	14·0	13·0	10·1	8·0	7·1	8·1	9·9	10·2	12·0	14·9	18·1	19·0	12·0
15	19·0	19·1	20·5	22·0	24·0	24·0	26·6	26·6	26·2	26·2	25·3	25·0	23·7
16	24·6	24·1	23·9	23·9	23·8	24·1	24·9	25·2	25·0	25·0	24·8	25·0	24·5
17	23·6	23·6	23 5	24·0	24·0	25·8	26·0	24·0	21·5	19·6	19·0	20·3	22·9
18	20·0	19·0	18·5	17·0	17·0	17·5	18·2	18·9	17·0	16·3	14 5	14·5	17·4
19	13·1	12·9	13·2	14·0	17·2	22·6	24·9	25·0	25·0	23·5	26·5	27·7	20·5
20	26·7	25·2	24·2	24·0	25·0	26·3	26·8	28·0	28·5	29·5	30·7	31·3	27·2
21	33·8	34·1	34·3	29·3	24·9	26·1	26·6	24·6	24·3	23·8	23·6	28·8	27·9
22	33·7	32·7	31·5	30·9	32·0	35·2	35·6	33·9	32·0	29·0	28·7	27·0	31·9
23	27·0	27·0	28·0	31·0	33·0	32·5	32·9	32·8	31·8	32·3	32·4	32·0	31·1
24	33·0	33·0	32·3	30·8	31·5	32·6	31·6	30·0	29·6	31·1	32·9	31·0	31·6
25	31·3	28·0	21·1	21·1	23·0	24·4	24·0	24·0	22·9	34·5	32·0	32·7	25 8
26	34·0	33·3	30·3	27·6	23·7	24·3	23·9	20·4	17·5	15·6	13·9	17·0	23·5
27	16·8	19·3	24·0	32·8	35·0	36·7	36·0	38·0	38·4	39·5	38·5	37·2	32·7
28	36·2	36·0	36·0	36·0	38·5	40·5	39·2	38 4	36·5	32·5	24·5	18·1	34·4
29	17·5	15·0	11·5	9·7	10 8	16·1	23·7	25·3	24·9	23·8	23·5	24·7	18·9
30	28·5	32·0	30·5	30·6	30·4	32·1	34·0	35·3	36·0	34·2	35·0	32·3	32·6
31	30·4	26·8	19·7	13 8	10·2	9·5	10·4	12·0	13·6	16·2	14·2	20·2	16·4
Mean	24·7	24·3	23·4	23·1	23·4	24·7	26·3	26·2	25·7	25·2	25·2	25·2	24·75

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of January, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·0	31·0	30·0	32·0	31·0	32·0	34·0	34·0	34·0	34·0	34·0	34·0	32·6
2	34·0	32·0	31·0	28·0	30·0	31·0	28·0	26·0	24·0	20·0	17·0	17·0	26·5
3	14·0	12·0	9·0	9·0	11·0	13·0	14·0	15·0	15·0	15·0	16·0	17·0	13·3
4	18·0	20·0	22·0	22·0	22·0	24·0	27·0	29·0	30·0	33·0	31·0	29·0	25·6
5	28·0	27·0	26·0	27·0	27·0	28 0	28·0	27·0	27·0	24·0	20·0	19·0	25·7
6	15·0	13·0	11·0	10·0	12·0	14·0	17·0	18·0	18·0	19 0	20·0	21·0	15·7
7	21·0	22·0	22·0	19·0	20·0	22·0	25·0	28·0	26·0	24·0	19·0	16·0	22·0
8	14·0	10·0	9·0	7·0	7·0	9·0	10·0	11·0	12 0	13·0	14·0	14·0	10·8
9	14·0	14·0	14·0	13·0	15·0	13·0	8·0	2·0	— 2·0	— 6·0	— 9·0	—11·0	5·5
10	—13·0	—15·0	—15·0	—15·0	—12·0	— 8·0	— 7·0	— 4·0	0·0	5·0	8·0	10·0	— 5·5
11	12·0	13·0	13·0	13·0	13·0	15·0	15·0	15·0	11·0	8·0	5·0	2·0	11·2
12	0·0	— 3·0	— 6·0	— 4·0	2·0	7·0	7·0	7·0	8·0	8·0	9·0	9·0	3·7
13	9·0	9·0	9·0	8·0	9·0	11·0	11·0	11·0	12·0	10·0	7·0	8 0	9·5
14	10·0	11·0	13·0	12·0	12·0	12·0	13·0	13·0	14·0	14·0	15·0	15·0	12·8
15	15·0	16·0	16·0	13·0	8·0	5·0	4·0	2·0	— 1·0	— 4·0	— 7·0	—10·0	4·7
16	—12·0	—14·0	—18·0	—19·0	—18·0	—17·0	—14·0	—16·0	—18·0	—19·0	—21·0	—23·0	—17·4
17	—25·0	—27·0	—28·0	—29·0	—25·0	—17·0	—16·0	—14·0	—10·0	— 9·0	— 8·0	— 5·0	—17·8
18	— 3·0	— 3·0	— 3·0	0·0	3·0	7·0	9·0	9·0	8·0	6·0	7·0	5·0	3·8
19	3·0	2·0	2·0	5·0	14·0	15·0	18·0	21·0	21·0	25·0	26·0	27 0	15·2
20	30·0	31·0	33·0	33·0	38·0	42·0	40·0	37·0	33·0	30·0	27·0	22·0	33·0
21	16 0	9·0	— 1·0	— 1·0	— 1·0	0·0	2·0	0·0	— 2·0	— 4·0	— 6·0	— 8·0	0·3
22	—10·0	—12·0	—12·0	—12·0	—12·0	— 5·0	— 3·0	— 1·0	0·0	1·0	1·0	1·0	— 5·3
23	— 1·0	— 2·0	— 3·0	— 6·0	— 9·0	— 7·0	— 4·0	— 4·0	— 5·0	— 7·0	—10·0	—12·0	— 5·8
24	—15·0	—18·0	—19·0	—21·0	—18·0	—16·0	—12 0	—11·0	—11·0	—11·0	—12·0	—15·0	—14·9
25	—15·0	—17·0	—18·0	—21·0	—17·0	—11·0	— 7·0	— 6·0	— 7·0	— 9·0	—10·0	— 9·0	—12·3
26	— 8·0	— 9·0	— 7·0	— 5·0	0·0	5·0	7·0	6·0	4·0	0·0	— 3·0	— 7·0	— 1·4
27	— 8·0	— 9·0	—10·0	—11·0	— 6·0	0·0	3·0	4·0	4·0	4·0	5·0	6·0	— 1·5
28	6·0	5·0	6·0	4·0	4·0	6·0	9·0	11·0	9·0	8·0	6·0	4·0	6·5
29	2·0	0·0	— 3·0	— 3·0	1·0	5·0	9·0	9·0	9·0	9·0	8·0	8·0	4·4
30	7·0	5·0	4·0	2·0	3·0	5·0	5·0	4·0	2·0	— 1·0	— 3·0	— 5·0	2·3
31	— 7·0	—11·0	—14·0	—13·0	—12·0	— 1·0	3·0	4·0	4·0	5·0	6·0	7·0	— 2·4
Mean	5·9	4·6	3·6	3·1	4·9	7·7	9·1	9·3	8·8	7·9	6·8	6·0	6·5

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of February, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	8·0	5·0	4·0	1·0	6·0	12·0	15·0	16·0	16·0	16·0	18·0	20·0	11·4
2	20·0	19·0	20·0	22·0	23·0	23·0	23·0	23·0	22·0	22·0	22·0	23·0	21·8
3	25·0	21·0	13·0	17·0	10·0	7·0	1·0	— 1·0	— 4·0	— 4·0	— 5·0	— 6·0	6·2
4	— 7·0	— 8·0	—11·0	—12·0	—10·0	— 7·0	— 3·0	— 3·0	— 5·0	— 6·0	— 8·0	—11·0	— 7·6
5	—13·0	— 9·0	— 6·0	— 1·0	0·0	2·0	3·0	4·0	4·0	4·0	5·0	4·0	— 0·3
6	4·0	4·0	5·0	6·0	7·0	9·0	11·0	8·0	7·0	6·0	5·0	3·0	6·2
7	1·0	0·0	— 1·0	2·0	0·0	7·0	10·0	11·0	9·0	8·0	5·0	4·0	4·7
8	4·0	4·0	5·0	5·0	8·0	13·0	15·0	15·0	12·0	12·0	11·0	9·0	9·4
9	8·0	7·0	6·0	6·0	7·0	14·0	17·0	11·0	14·0	16·0	16·0	17·0	11·6
10	18·0	17·0	16·0	16·0	19·0	21·0	22·0	22·0	23·0	24·0	25·0	25·0	20·7
11	22·0	17·0	13·0	11·0	7·0	5·0	3·0	1·0	— 2·0	— 6·0	— 8·0	—11·0	4·3
12	—10·0	—10·0	—12·0	—13·0	—14·0	—10·0	— 7·0	— 7·0	— 7·0	— 7·0	— 7·0	— 9·0	— 9·4
13	—10·0	—12·0	—14·0	—13·0	— 7·0	— 1·0	2·0	4·0	4·0	6·0	8·0	10·0	— 1·9
14	12·0	14·0	16·0	16·0	19·0	20·0	21·0	20·0	19·0	18·0	16·0	16·0	17·2
15	12·0	9·0	8·0	8·0	10·0	12·0	15·0	16·0	15·0	14·0	14·0	14·0	12·3
16	16·0	17·0	17·0	17·0	19·0	21·0	23·0	25·0	21·0	21·0	21·0	20·0	19·8
17	19·0	17·0	17·0	17·0	16·0	16·0	16·0	16·0	16·0	12·0	10·0	8·0	15·0
18	7·0	5·0	4·0	4·0	5·0	6·0	8·0	8·0	8·0	6·0	4·0	4·0	5·8
19	5·0	5·0	6·0	8·0	9·0	11·0	14·0	16·0	16·0	17·0	18·0	18·0	11·9
20	17·0	16·0	15·0	14·0	15·0	20·0	25·0	24·0	22·0	20·0	20·0	20·0	19·0
21	21·0	23·0	24·0	24·0	24·0	26·0	19·0	13·0	10·0	7·0	— 1·0	— 2·0	15·7
22	— 5·0	— 7·0	—10·0	—10·0	— 8·0	— 7·0	— 4·0	— 4·0	— 6·0	— 7·0	— 9·0	—11·0	— 7·3
23	—13·0	—15·0	—16·0	—16·0	—11·0	— 5·0	— 3·0	— 1·0	— 1·0	— 4·0	— 4·0	— 8·0	— 8·1
24	—10·0	—12·0	—14·0	—12·0	— 3·0	3·0	6·0	5·0	3·0	5·0	10·0	12·0	— 0·6
25	13·0	14·0	14·0	15·0	17·0	19·0	15·0	10·0	3·0	— 1·0	— 3·0	— 4·0	9·3
26	— 7·0	—12·0	—15·0	—16·0	—11·0	— 7·0	— 3·0	— 2·0	— 2·0	— 2·0	— 3·0	— 3·0	— 6·9
27	— 2·0	— 2·0	— 4·0	— 5·0	— 4·0	— 1·0	1·0	1·0	2·0	— 1·0	— 3·0	— 3·0	— 1·8
28	— 5·0	— 6·0	— 8·0	— 9·0	— 5·0	— 1·0	3·0	4·0	2·0	— 1·0	— 3·0	— 4·0	— 2·7
Mean	5·4	4·3	3·3	3·6	5·3	8·1	9·6	9·1	7·9	7·0	6·2	5·5	6·3

Observed Bi-hourly Temperature at the Citadel, Quebec, during the Month of March, 1907.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	— 6·0	— 9·0	—12·0	—11·0	— 3·0	9·0	15·0	16·0	13·0	12·0	13·0	13·0	4·2
2	16·0	17·0	19·0	21·0	22·0	24·0	24·0	22·0	22·0	23·0	23·0	23·0	21·3
3	22·0	21·0	20·0	19·0	17·0	15·0	17·0	16·0	15·0	15·0	14·0	13·0	17·0
4	10·0	11·0	11·0	12·0	13·0	16·0	18·0	18·0	17·0	16·0	15·0	15·0	14·3
5	14·0	12·0	10·0	14·0	17·0	22·0	23·0	20·0	20·0	20·0	17·0	15·0	17·0
6	13·0	10·0	8·0	11·0	14·0	22·0	26·0	21·0	17·0	15·0	15·0	12·0	15·3
7	9·0	4·0	1·0	— 4·0	6·0	14·0	20·0	20·0	17·0	11·0	9·0	7·0	9·5
8	6·0	4·0	3·0	5·0	14·0	21·0	26·0	25·0	22·0	20·0	18·0	17·0	15·1
9	15·0	12·0	10·0	10·0	13·0	17·0	20·0	20·0	18·0	16·0	15·0	13·0	14·9
10	10·0	8·0	5·0	10·0	15·0	21·0	25·0	27·0	25·0	24·0	20·0	15·0	17·1
11	13·0	11·0	9·0	10·0	17·0	25·0	29·0	30·0	30·0	27·0	24·0	19·0	20·3
12	17·0	14·0	12·0	12·0	22·0	30·0	34·0	36·0	34·0	34·0	31·0	29·0	25·4
13	27·0	29·0	32·0	32·0	34·0	34·0	35·0	35·0	34·0	34·0	38·0	30·0	32·8
14	26·0	24·0	22·0	22·0	22·0	20·0	20·0	20·0	20·0	20·0	19·0	18·0	21·1
15	17·0	17·0	18·0	19·0	21·0	24·0	27·0	28·0	28·0	29·0	27·0	26·0	23·4
16	25·0	24·0	22·0	22·0	25·0	28·0	30·0	32·0	28·0	26·0	26·0	26·0	26·2
17	28·0	28·0	30·0	36·0	42·0	43·0	35·0	36·0	38·0	28·0	25·0	20·0	32·4
18	16·0	15·0	12·0	18·0	18·0	22·0	24·0	25·0	23·0	22·0	20·0	17·0	19·3
19	15·0	12·0	10·0	12·0	20·0	24·0	24·0	25·0	23·0	23·0	23·0	21·0	19·4
20	19·0	22·0	24·0	24·0	25·0	29·0	31·0	30·0	26·0	24·0	24·0	23·0	25·1
21	22·0	21·0	20·0	20·0	22·0	25·0	28·0	30·0	30·0	30·0	30·0	30·0	25·7
22	29·0	29·0	27·0	26·0	28·0	35·0	37·0	38·0	38·0	37·0	38·0	36·0	33·2
23	38·0	40·0	42·0	41·0	41·0	44·0	46·0	45·0	42·0	40·0	38·0	37·0	41·2
24	35·0	31·0	28·0	26·0	26·0	26·0	26·0	28·0	26·0	24·0	28·0	26·0	27·5
25	28·0	22·0	15·0	20·0	27·0	32·0	37·0	37·0	35·0	32·0	31·0	30·0	28·8
26	29·0	29·0	30·0	31·0	34·0	34·0	39·0	40·0	41·0	38·0	35·0	33·0	34·4
27	30·0	28·0	28·0	28·0	25·0	24·0	25·0	28·0	29·0	29·0	30·0	31·0	27·9
28	32·0	33·0	33·0	30·0	35·0	37·0	36·0	40·0	40·0	39·0	36·0	36·0	35·6
29	37·0	36·0	34·0	36·0	38·0	35·0	32·0	32·0	32·0	29·0	31·0	35·0	33·9
30	36·0	36·0	34·0	37·0	46·0	48·0	50·0	48·0	43·0	40·0	40·0	39·0	41·4
31	38·0	36·0	36·0	32·0	34·0	36·0	36·0	37·0	33·0	31·0	28·0	28·0	33·8
Mean	21·5	20·2	19·1	20·0	23·5	27·0	28·9	29·2	27·7	26·1	25·2	23·7	24·3

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of April, 1906.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°		°	°	°	°	°	°	°	
1	27·0	26·0	25·0	25·0	25·0	26·0	26·0	26·0	26·0	26·0	26·0	30·0	26·2
2	29·0	27·0	24·0	24·0	28·0	29·0	32·0	31·0	28·0	27·0	25·0	24·0	27·3
3	24·0	24·0	25·0	26·0	30·0	35·0	58·0	39·0	35·0	34·0	32·0	30·0	31·0
4	28·0	28·0	29·0	31·0	32·0	35·0	33·0	33·0	31·0	30·0	28·0	26·0	30·3
5	25·0	24·0	26·0	25·0	26·0	26·0	25·0	25·0	26·0	24·0	24·0	23·0	24·9
6	23·0	20·0	17·0	17·0	23·0	26·0	32·0	34·0	28·0	26·0	25·0	23·0	24·3
7	20·0	17·0	18·0	21·0	23·0	27·0	29·0	29·0	27·0	25·0	23·0	23·0	23·5
8	26·0	29·0	30·0	32·0	38·0	36·0	35·0	35·0	33·0	36·0	34·0	33·0	33·1
9	32·0	30·0	28·0	27·0	31·0	32·0	33·0	34·0	33·0	33·0	33·0	32·0	31·5
10	31·0	29·0	28·0	28·0	30·0	31·0	33·0	31·0	33·0	32·0	31·0	30·0	30·6
11	29·0	27·0	26·0	28·0	35·0	36·0	38·0	38·0	35·0	34·0	33·0	35·0	32·8
12	34·0	32·0	29·0	32·0	36·0	40·0	44·0	45·0	43·0	38·0	35·0	34·0	36·8
13	32·0	31·0	33·0	35·0	36·0	38·0	40·0	40·0	39·0	37·0	36·0	34·0	35·9
14	32·0	32·0	33·0	35·0	40·0	40·0	45·0	49·0	46·0	43·0	40·0	35·0	39·2
15	34·0	32·0	31·0	31·0	30·0	32·0	39·0	36·0	35·0	37·0	38·0	36·0	31·3
16	35·0	34·0	31·0	31·0	35·0	35·0	39·0	41·0	38·0	36·0	34·0	34·0	35·3
17	33·0	33·0	35·0	37·0	41·0	41·0	45·0	45·0	42·0	38·0	37·0	37·0	38·7
18	35·0	33·0	33·0	37·0	42·0	43·0	45·0	44·0	40·0	38·0	36·0	35·0	39·3
19	34·0	34·0	35·0	39·0	41·0	42·0	43·0	41·0	39·0	37·0	35·0	33·0	37·8
20	30·0	27·0	28·0	30·0	32·0	33·0	31·0	32·0	31·0	30·0	27·0	23·0	29·5
21	21·0	19·0	19·0	24·0	28·0	33·0	37·0	40·0	39·0	37·0	35·0	31·0	30·2
22	30·0	31·0	34·0	36·0	43·0	49·0	52·0	51·0	50·0	50·0	48·0	46·0	43·3
23	45·0	43·0	40·0	44·0	44·0	47·0	45·0	43·0	40·0	40·0	38·0	37·0	42·2
24	37·0	35·0	36·0	37·0	38·0	38·0	40·0	43·0	38·0	38·0	37·0	36·0	37·7
25	35·0	35·0	34·0	34·0	37·0	39·0	39·0	39·0	39·0	38·0	37·0	36·0	36·8
26	36·0	36·0	35·0	39·0	44·0	42·0	43·0	41·0	40·0	38·0	38·0	37·0	39·1
27	35·0	36·0	36·0	35·0	43·0	45·0	48·0	53·0	50·0	48·0	47·0	38·0	42·8
28	36·0	36·0	37·0	44·0	55·0	55·0	58·0	56·0	46·0	41·0	42·0	40·0	45·5
29	38·0	38·0	39·0	41·0	48·0	53·0	56·0	54·0	53·0	53·0	54·0	54·0	48·4
30	52·0	51·0	54·0	42·0	38·0	36·0	35·0	34·0	34·0	34·0	34·0	34·0	39·8
Mean	31·9	31·0	30·9	32·2	35·7	37·3	39·3	39·4	37·2	35·9	34·7	33·3	34·9

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of May, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	34·0	33·0	33·0	34·0	35·0	41·0	48·0	46·0	44·0	39·0	38·0	36·0	38·4
2	34·0	34·0	35·0	38·0	48·0	46·0	48·0	45·0	44·0	41·0	39·0	38·0	40·8
3	35·0	34·0	38·0	40·0	44·0	44·0	46·0	46·0	48·0	49·0	50·0	47·0	33·4
4	47·0	45·0	42·0	40·0	37·0	35·0	35·0	37·0	36·0	34·0	34·0	33·0	37·9
5	30·0	26·0	18·0	24·0	33·0	38·0	39·0	41·0	43·0	41·0	38·0	38·0	44·1
6	38·0	37·0	37·0	39·0	46·0	46·0	47·0	50·0	48·0	46·0	43·0	42·0	53·3
7	42·0	40·0	40·0	43·0	49·0	57·0	59·0	59·0	57·0	57·0	55·0	46·0	40·3
8	44·0	43·0	41·0	41·0	38·0	41·0	43·0	48·0	46·0	46·0	44·0	40·0	32·9
9	38·0	38·0	37·0	37·0	40·0	40·0	42·0	41·0	40·0	38·0	38·0	38·0	48·9
10	38·0	41·0	45·0	45·0	45·0	44·0	44·0	47·0	45·0	44·0	38·0	36·0	32·7
11	34·0	32·0	32·0	34·0	40·0	44·0	41·0	40·0	38·0	37·0	35·0	35·0	46·8
12	33·0	34·0	34·0	37·0	42·0	49·0	50·0	50·0	48·0	47·0	45·0	42·0	42·6
13	40·0	38·0	38·0	39·0	38·0	44·0	47·0	47·0	47·0	45·0	47·0	46·0	43·0
14	45·0	45·0	46·0	48·0	49·0	51·0	54·0	52·0	50·0	49·0	47·0	45·0	48·4
15	43·0	44·0	45·0	47·0	50·0	53·0	53·0	54·0	49·0	47·0	47·0	47·0	58·3
16	48·0	48·0	49·0	49·0	51·0	53·0	57·0	58·0	56·0	54·0	53·0	52·0	52·3
17	52·0	51·0	52·0	52·0	56·0	59·0	64·0	66·0	63·0	58·0	57·0	54·0	57·0
18	54·0	53·0	52·0	53·0	59·0	59·0	63·0	64·0	61·0	58·0	52·0	51·0	56·6
19	50·0	51·0	52·0	54·0	57·0	60·0	61·6	56·0	53·0	51·0	50·0	49·0	43·7
20	48·0	47·0	47·0	48·0	48·0	50·0	45·0	47·0	46·0	38·0	36·0	34·0	44·5
21	33·0	35·0	39·0	45·0	45·0	46·0	47·0	47·0	45·0	42·0	41·0	40·0	42·1
22	38·0	36·0	36·0	36·0	43·0	45·0	49·0	50·0	49·0	44·0	43·0	43·0	42·7
23	40·0	35·0	37·0	41·0	47·0	50·0	53·0	56·0	52·0	52·0	51·0	43·0	46·4
24	40·0	38·0	41·0	45·0	48·0	51·0	53·0	52·0	49·0	45·0	42·0	41·0	45·4
25	43·0	40·0	39·0	41·0	51·0	57·0	61·0	59·0	56·0	49·0	46·0	45·0	48·9
26	45·0	44·0	45·0	48·0	54·0	52·0	53·0	52·0	52·0	49·0	48·0	48·0	49·2
27	47·0	45·0	47·0	47·0	48·0	48·0	48·0	47·0	45·0	46·0	47·0	43·0	46·5
28	41·0	40·0	38·0	39·0	40·0	41·0	43·0	44·0	44·0	42·0	41·0	40·0	41·1
29	40·0	40·0	41·0	42·0	47·0	46·0	45·0	45·0	45·0	44·0	43·0	43·0	43·4
30	43·0	44·0	46·0	46·0	50·0	51·0	49·0	50·0	50·0	48·0	46·0	44·0	47·3
31	45·0	46·0	49·0	49·0	49·0	53·0	54·0	59·0	60·0	57·0	52·0	49·0	51·8
Mean	41·4	40·5	41·0	42·6	46·0	48·2	49·7	50·2	48·7	46·4	44·7	42·8	45·2

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of June, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	47·0	45·0	44·0	52·0	61·0	63·0	64·0	63·0	60·0	59·0	57·0	54·0	55·8
2	53·0	52·0	50·0	57·0	63·0	67·0	62·0	60·0	58·0	57·0	55·0	55·0	57·4
3	53·0	52·0	52·0	54·0	61·0	60·0	60·0	61·0	59·0	52·0	50·0	49·0	55·3
4	48·0	49·0	50·0	52·0	56·0	61·0	64·0	61·0	56·0	54·0	52·0	51·0	54·5
5	49·0	48·0	50·0	50·0	51·0	51·0	52·0	53·0	54·0	52·0	50·0	50·0	50·8
6	48·0	47·0	43·0	42·0	48·0	48·0	49·0	49·0	49·0	47·0	46·0	46·0	46·8
7	45·0	44·0	46·0	46·0	47·0	48·0	48·0	47·0	46·0	45·0	44·0	43·0	45·8
8	43·0	43·0	43·0	43·0	45·0	46·0	45·0	45·0	45·0	45·0	45·0	45·0	44·4
9	44·0	44·0	43·0	42·0	45·0	45·0	44·0	44·0	44·0	44·0	44·0	44·0	43·9
10	44·0	44·0	45·0	45·0	48·0	48·0	52·0	54·0	51·0	50·0	48·0	45·0	47·8
11	42·0	41·0	45·0	51·0	56·0	60·0	61·0	60·0	59·0	57·0	53·0	51·0	53·0
12	49·0	49·0	50·0	55·0	65·0	69·0	79·0	79·0	75·0	70·0	65·0	58·0	63·6
13	55·0	52·0	53·0	60·0	76·0	77·0	79·0	80·0	75·0	70·0	63·0	63·0	66·9
14	57·0	53·0	55·0	63·0	69·0	73·0	82·0	80·0	72·0	71·0	63·0	60·0	66·5
15	59·0	57·0	61·0	57·0	57·0	59·0	63·0	65·0	63·0	58·0	56·0	56·0	59·3
16	56·0	57·0	57·0	59·0	71·0	75·0	75·0	70·0	65·0	62·0	60·0	58·0	63·7
17	56·0	54·0	55·0	57·0	70·0	73·0	78·0	78·0	81·0	78·0	70·0	69·0	68·3
18	70·0	69·0	68·0	72·0	78·0	79·0	89·0	78·0	78·0	73·0	73·0	70·0	74·7
19	69·0	66·0	67·0	63·0	63·0	63·0	69·0	64·0	62·0	61·0	60·0	58·0	63·8
20	55·0	54·0	53·0	52·0	55·0	55·0	56·0	56·0	55·0	54·0	54·0	53·0	54·3
21	52·0	51·0	52·0	54·0	56·0	60·0	64·0	66·0	67·0	64·0	63·0	61·0	59·2
22	60·0	59·0	59·0	65·0	70·0	77·0	81·0	84·0	80·0	76·0	72·0	70·0	71·1
23	68·0	68·0	65·0	70·0	77·0	84·0	83·0	85·0	85·0	77·0	67·0	67·0	74·7
24	66·0	67·0	68·0	71·0	74·0	77·0	78·0	81·0	78·0	75·0	73·0	71·0	73·2
25	59·0	54·0	53·0	53·0	53·0	52·0	55·0	54·0	58·0	57·0	54·0	52·0	54·5
26	51·0	48·0	46·0	48·0	52·0	53·0	60·0	55·0	52·0	52·0	51·0	51·0	51·6
27	49·0	49·0	50·0	50·0	51·0	55·0	60·0	66·0	65·0	64·0	60·0	59·0	56·5
28	56·0	57·0	57·0	62·0	69·0	71·0	73·0	76·0	74·0	69·0	63·0	59·0	65·5
29	55·0	55·0	58·0	63·0	75·0	80·0	84·0	82·0	82·0	79·0	75·0	75·0	71·9
30	70·0	76·0	68·0	65·0	63·0	59·0	61·0	60·0	59·0	57·0	53·0	53·0	62·0
Mean	54·3	53·5	53·5	55·8	60·8	62·9	65·7	65·2	63·6	60·9	58·0	56·5	59·2

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of July, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	51·0	56·0	60·0	62·0	63·0	63·0	64·0	66·0	64·0	56·0	58·0	57·0	60·0
2	57·0	55·0	56·0	56·0	57·0	58·0	60·0	61·0	63·0	59·0	56·0	55·0	57·6
3	55·0	56·0	56·0	58·0	65·0	70·0	73·0	73·0	69·0	64·0	58·0	56 0	62·6
4	52·0	52·0	54·0	59·0	65·0	70·0	76·0	75·0	72·0	66·0	58 0	57·0	63·0
5	55·0	56·0	58·0	67·0	68·0	71·0	76·0	77·0	74·0	72·0	63·0	62·0	66·6
6	60·0	55·0	56·0	60·0	63·0	67·0	71·0	71·0	68·0	65·0	64 0	63·0	63·6
7	61·0	59·0	59·0	64·0	68·0	70·0	70·0	71·0	69·0	64·0	64 0	62·0	65·1
8	60·0	58·0	56·0	63·0	68·0	75·0	78·0	75·0	70·0	66·0	66·0	59·0	66·2
9	60·0	60·0	63·0	66·0	65·0	64·0	64·0	63·0	65·0	64·0	60·0	58·0	62·7
10	56·0	54·0	56·0	59·0	64·0	66·0	68·0	70·0	67·0	61·0	59·0	56·0	61·3
11	56·0	54·0	56·0	63·0	67·0	73·0	75·0	75·0	70·0	62·0	60·0	57·0	64·0
12	56·0	54·0	61·0	61·0	61·0	61·0	60·0	59·0	59·0	58·0	58·0	58·0	58·8
13	57·0	56·0	56·0	61·0	66·0	62·0	70·0	72·0	74·0	68·0	66·0	65·0	64·4
14	64·0	59·0	60·0	65·0	69·0	78·0	80·0	87·0	77·0	73·0	68·0	65·0	70·4
15	63·0	60·0	61·0	68·0	75·0	80·0	83·0	84·0	79·0	78·0	70·0	66·0	72·3
16	64·0	61·0	67·0	69·0	75·0	75·0	77·0	75·0	74·0	73·0	69·0	67·0	70·5
17	62·0	63·0	70·0	74·0	79·0	81·0	82·0	85·0	83·0	77·0	73·0	73·0	75·2
18	71·0	69·0	69·0	70·0	76·0	82·0	84·0	78·0	80·0	86·0	73·0	71·0	75·8
19	70·0	65·0	62·0	70·0	77·0	79·0	80·0	82·0	80·0	75·0	71·0	70·0	73·4
20	68·0	65·0	67·0	70·0	78·0	78·0	85·0	77·0	69·0	66·0	68·0	68·0	71·6
21	67·0	64·0	64·0	68·0	71·0	74·0	75·0	77·0	73·0	73 0	64·0	62·0	69·3
22	61·0	60·0	60·0	66·0	71·0	78·0	72·0	68·0	66·0	64·0	62·0	61·0	65·8
23	61·0	60·0	59·0	61·0	64·0	67·0	66·0	68·0	66·0	65·0	64·0	63·0	63·7
24	62·0	61·0	62·0	65·0	68·0	70·0	72·0	67·0	66·0	65·0	63·0	63·0	65·3
25	61·0	62·0	64·0	64·0	69·0	73·0	78·0	78·0	73·0	70·0	66 0	64·0	68·5
26	62·0	62·0	64·0	64·0	66·0	65·0	65·0	67·0	68·0	66·0	61·0	60·0	64·2
27	66·0	61·0	61·0	58·0	64·0	66·0	60·0	57·0	55·0	54·0	54·0	53·0	58·6
28	53·0	52·0	54·0	57·0	65·0	70·0	75 0	73·0	70·0	68·0	65·0	63·0	63·8
29	63·0	62·0	61·0	62·0	66 0	69·0	70·0	67·0	66·0	63·0	62·0	62·0	64·4
30	61·0	60·0	60·0	59·0	59·0	59 0	60·0	60·0	58·0	58·0	56·0	58·0	59·0
31	58·0	58·0	58·0	59·0	65·0	70·0	74·0	73·0	71·0	70·0	58·0	57·0	64·3
Mean	60·2	59·0	60·3	63·5	67·7	70·5	72·4	72·0	69·6	66·7	63·1	61·6	65·6

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of August, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	58·0	58·0	58·0	62·0	68·0	71·0	73·0	67·0	67·0	66·0	64·0	61·0	64·4
2	61·0	58·0	60·0	60·0	62·0	65·0	63·0	62·0	62·0	62·0	59·0	59·0	61·1
3	58·0	57·0	59·0	61·0	65·0	69·0	70·0	70·0	67·0	63·0	61·0	59·0	63·3
4	58·0	55·0	56·0	59·0	63·0	65·0	66·0	66·0	64·0	62·0	58·0	58·0	60·8
5	56·0	54·0	55·0	59·0	65·0	70·0	72·0	68·0	67·0	63·0	62·0	58·0	62·4
6	56·0	55·0	55·0	61·0	68·0	68·0	67·0	64·0	65·0	64·0	61·0	59·0	61·9
7	58·0	57·0	57·0	60·0	63·0	65·0	71·0	69·0	66·0	65·0	64·0	60·0	62 9
8	56·0	54·0	55·0	60·0	64·0	66·0	72·0	72·0	70·0	70·0	65·0	62·0	63·8
9	60·0	58·0	57·0	57·0	68·0	73·0	74·0	74·0	72·0	71·0	68·0	64·0	66·3
10	62·0	60·0	63·0	68·0	71·0	75·0	77·0	79·0	75·0	72·0	69·0	68·0	69·9
11	66·0	62·0	64·0	67·0	72·0	81·0	80·0	78·0	64·0	60·0	60·0	60·0	67·8
12	58·0	56·0	61·0	65·0	70 0	81·0	85·0	85·0	81·0	80·0	78·0	72·0	72·7
13	70·0	68·0	66·0	69·0	72·0	73·0	71·0	69·0	65·0	63·0	60·0	58·0	67·0
14	57·0	56·0	56·0	60·0	62·0	63·0	66·0	68·0	63·0	59·0	57·0	57·0	60·2
15	56·0	58·0	58·0	60·0	65·0	69·0	72·0	71·0	67·0	60·0	59·0	57·0	62·7
16	54·0	54·0	55·0	59·0	69·0	73·0	78·0	77·0	73·0	70·0	66·0	66·0	66·2
17	64·0	62·0	62·0	61·0	61·0	63·0	64·0	67·0	68·0	68·0	65·0	64·0	64·1
18	62·0	60·0	59·0	59·0	60·0	59·0	61·0	62·0	61·0	57·0	55·0	53·0	59·0
19	51·0	46·0	47·0	52·0	60·0	67·0	68·0	64·0	63·0	62·0	60·0	58·0	58·2
20	57·0	58·0	58·0	61·0	70·0	74·0	67·0	68·0	67·0	64·0	61·0	59·0	63·7
21	57 0	57·0	53·0	55·0	60·0	63·0	66·0	66·0	64·0	60·0	58·0	58·0	59·8
22	59·0	59·0	61·0	63 0	64·0	70·0	69·0	70 0	66·0	64·0	64·0	62·0	64·3
23	60·0	59·0	55·0	58·0	65·0	73 0	76·0	75·0	71·0	69·0	67·0	62·0	65·8
24	60·0	60·0	62·0	64·0	67·0	64·0	62·0	69·0	60·0	60·0	61·0	59·0	62·2
25	58·0	58·0	58·0	59·0	63·0	64·0	65·0	65·0	63·0	60·0	57·0	53·0	60·3
26	50·0	50·0	51·0	51·0	55·0	55 0	55·0	54·0	53·0	51·0	51·0	50·0	52·2
27	50·0	49·0	50·0	51·0	58·0	55·0	59 0	59·0	57·0	54·0	51·0	50·0	53·6
28	50·0	49·0	49·0	53·0	59·0	59·0	59·0	56·0	55·0	54·0	54·0	53·0	54·2
29	52·0	51·0	53·0	55·0	57·0	63·0	65·0	66·0	61·0	56·0	55·0	53·0	58·1
30	53·0	57·0	51·0	54·0	56·0	60·0	62·0	58·0	57·0	56·0	55·0	55·0	56·2
31	56·0	57·0	60·0	62·0	62 0	63·0	61·0	60·0	59·0	57·0	56 0	56·0	59·1
Mean	57·5	56·5	56·9	59·8	64·0	67·1	68·3	67·7	64·9	62·6	60·7	58·8	62·1

Observed Bi-hourly Temperature at the Citadel, Quebec, during the Month of September, 1907.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m	Midnight	Mean.
	°	°	°	°	°	°	°		°	°	°	°	°
1	54·0	52·0	53·0	56·0	62·0	58·0	58·0	57·0	55·0	55·0	55·0	54·0	55·8
2	53·0	52·0	52·0	54·0	54·0	57·0	57·0	57·0	57·0	56·0	57·0	57·0	55·2
3	56·0	53·0	54·0	56·0	58·0	58·0	57·0	57·0	57·0	57·0	56·0	56·0	56·3
4	55·0	55·0	55·0	55·0	55·0	56·0	56·0	55·0	55·0	54·0	54·0	54·0	54·9
5	53·0	54·0	55·0	55·0	58·0	58·0	57·0	56·0	56·0	55·0	55·0	55·0	55·6
6	54·0	55·0	54·0	54·0	55·0	56·0	57·0	58·0	57·0	56·0	55·0	54·0	55·4
7	52·0	52·0	54·0	58·0	62·0	65·0	69·0	69·0	64·0	62·0	59·0	57·0	60·2
8	55·0	52·0	52·0	56·0	60·0	69·0	79·0	70·0	67·0	60·0	54·0	54·0	60·7
9	52·0	50·0	51·0	54·0	56·0	59·0	60·0	57·0	54·0	55·0	55·0	54·0	54·8
10	53·0	54·0	54·0	53·0	55·0	56·0	57·0	59·0	58·0	55·0	55·0	55·0	55·3
11	54·0	54·0	53·0	53·0	59·0	60·0	61·0	60·0	60·0	60·0	60·0	59·0	57·7
12	57·0	56·0	58·0	60·0	63·0	64·0	62·0	63·0	61·0	58·0	57·0	60·0	59·9
13	62·0	64·0	60·0	56·0	56·0	60·0	65·0	63·0	57·0	52·0	50·0	50·0	57·9
14	49·0	48·0	49·0	50·0	52·0	55·0	59·0	61·0	59·0	57·0	60·0	61·0	55·0
15	60·0	59·0	60·0	63·0	70·0	75·0	74·0	74·0	70·0	65·0	64·0	59·0	66·1
16	54·0	54·0	54·0	54·0	57·0	62·0	60·0	58·0	57·0	57·0	55·0	55·0	56·4
17	53·0	54·0	55·0	56·0	62·0	63·0	63·0	61·0	57·0	53·0	51·0	49·0	56·4
18	47·0	44·0	46·0	52·0	50·0	52·0	59·0	55·0	53·0	53·0	49·0	46·0	50·5
19	45·0	44·0	44·0	47·0	52·0	59·0	64·0	62·0	58·0	56·0	55·0	53·0	53·3
20	52·0	52·0	50·0	54·0	52·0	61·0	69·0	66·0	65·0	65·0	62·0	59·0	58·9
21	59·0	60·0	62·0	64·0	68·0	71·0	71·0	68·0	64·0	61·0	58·0	60·0	63·8
22	59·0	57·0	57·0	56·0	58·0	60·0	62·0	60·0	55·0	53·0	55·0	54·0	57·2
23	57·0	56·0	56·0	51·0	51·0	54·0	54·0	54·0	53·0	51·0	50·0	52·0	53·3
24	51·0	50·0	51·0	52·0	53·0	53·0	57·0	60·0	57·0	54·0	52·0	54·0	53·7
25	53·0	52·0	52·0	54·0	55·0	55·0	55·0	54·0	50·0	48·0	46·0	43·0	51·4
26	40·0	38·0	37·0	42·0	46·0	46·0	45·0	46·0	45·0	43·0	45·0	43·0	43·0
27	43·0	42·0	46·0	45·0	46·0	50·0	51·0	49·0	46·0	45·0	40·0	36·0	44·9
28	33·0	32·0	34·0	36·0	41·0	45·0	50·0	48·0	46·0	44·0	44·0	43·0	41·3
29	41·0	40·0	40·0	43·0	41·0	41·0	42·0	45·0	46·0	47·0	46·0	45·0	43·1
30	45·0	42·0	42·0	42·0	42·0	44·0	44·0	44·0	41·0	40·0	39·0	40·0	42·1
Mean.	51·7	50·9	51·3	52·7	55·0	57·4	59·1	58·2	56·0	54·2	53·1	52·4	54·3

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of October, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	41·0	40·0	40·0	43·0	46·0	49·0	54·0	51·0	47 0	44·0	42·0	40·0	44·8
2	38·0	38·0	37·0	38·0	45·0	54·0	58·0	60·0	50·0	47·0	45·0	45·0	46·3
3	43·0	40·0	38·0	44·0	50·0	53·0	54·0	55 0	52 0	51·0	50·0	49·0	48·2
4	48·0	47·0	48·0	48·0	48·0	49·0	50·0	50·0	53 0	52·0	46·0	48·0	48·8
5	44·0	42·0	42·0	44·0	55·0	49·0	51·0	51·0	51·0	49·0	48·0	42·0	47·3
6	42·0	41·0	39·0	46·0	47·0	47·0	46 0	45·0	44·0	42·0	41·0	41·0	43·4
7	41·0	42·0	42·0	42·0	48·0	45·0	43·0	42 0	40·0	40·0	39·0	38·0	41·8
8	39·0	42·0	44·0	44·0	45·0	44·0	44·0	41·0	39·0	38·0	35·0	35·0	40·8
9	35·0	33·0	38·0	35·0	40·0	40·0	42·0	42·0	45·0	43·0	43·0	39·0	39·6
10	40·0	41·0	41·0	42 0	50·0	52·0	55·0	54·0	52·0	52·0	52·0	51·0	48·5
11	47·0	44·0	43·0	44·0	45·0	46·0	46·0	46·0	46·0	46·0	46·0	46·0	45·4
12	45·0	44·0	45·0	46·0	49·0	49·0	52·0	50·0	49·0	47·0	43·0	41·0	46·7
13	38·0	36·0	34·0	38·0	45·0	47·0	51·0	48·0	46·0	45·0	42·0	42·0	42·7
14	40·0	37·0	32·0	32·0	39·0	49·0	50·0	48·0	46·0	44·0	43·0	41·0	41·7
15	40·0	40·0	39·0	40·0	42·0	45·0	45·0	45·0	43·0	43·0	40·0	38·0	41·7
16	38·0	35·0	35·0	35·0	36·0	47·0	55·0	55·0	54 0	53·0	52·0	52·0	45·6
17	52·0	51·0	50·0	50·0	54·0	55·0	55·0	56·0	53·0	54·0	54·0	53·0	53·1
18	52·0	50·0	52·0	49·0	45·0	40·0	36·0	37·0	34·0	32·0	29·0	27·0	40·2
19	25·0	24·0	22·0	27·0	36·0	38·0	36·0	36·0	35·0	35·0	34 0	36·0	32·0
20	36·0	38·0	40·0	36·0	33·0	36·0	36·0	35·0	31·0	30·0	28·0	25·0	33·7
21	23·0	22·0	23·0	24·0	30·0	32·0	36·0	32·0	31·0	29·0	28 0	27·0	28·1
22	26·0	27·0	29·0	30·0	34·0	44 0	45·0	45·0	46·0	44·0	44·0	44·0	38·2
23	42·0	44·0	43 0	41·0	43·0	41·0	40·0	41·0	41·0	39·0	39·0	38·0	41·0
24	37·0	34·0	32·0	35·0	37·0	40·0	43·0	40·0	37·0	35·0	34·0	32 0	36·3
25	30·0	30·0	32·0	33·0	32·0	32·0	34·0	34·0	36·0	36·0	34·0	34·0	33·1
26	32·0	30·0	29·0	32·0	33·0	34·0	35·0	33·0	31·0	29·0	29·0	27·0	31·2
27	26·0	26·0	27 0	28·0	31·0	34·0	32·0	32·0	33·0	34·0	35·0	35·0	31·1
28	36·0	38·0	39·0	40·0	40·0	40 0	41·0	41·0	42·0	42·0	41·0	41·0	40·1
29	41·0	41·0	41·0	41·0	41·0	40·0	41·0	40·0	39·0	38·0	35·0	33·0	39·3
30	33·0	35·0	35·0	30·0	30·0	35·0	37·0	35·0	34·0	37·0	32·0	32·0	33·7
31	30·0	29·0	28·0	28·0	32·0	34·0	48·0	45 0	45·0	43·0	42·0	40·0	37·0
Mean	38·1	37·5	37·4	38·2	41 3	43·2	44·9	44·0	42·7	41·7	40·2	39·1	40·7

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of November, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	38·0	35·0	27·0	29·0	37·0	42·0	48·0	45·0	39·0	38·0	36·0	35·0	37·4
2	35·0	35·0	35·0	37·0	42·0	49·0	52·0	45·0	47·0	42·0	43·0	43·0	42·1
3	44·0	46·0	48·0	47·0	48·0	50·0	46·0	44·0	43·0	43·0	42·0	41·0	45·2
4	38·0	36·0	35·0	33·0	32·0	32·0	33·0	32·0	32·0	31·0	29·0	28·0	32·6
5	28·0	27·0	26·0	27·0	30·0	31·0	33·0	33·0	33·0	33·0	33·0	34·0	30·7
6	34·0	34·0	35·0	36·0	32·0	34·0	33·0	34·0	33·0	35·0	36·0	38·0	34·5
7	40·0	41·0	42·0	43·0	41·0	40·0	40·0	41·0	40·0	39·0	40·0	39·0	40·5
8	38·0	38·0	37·0	37·0	38·0	37·0	38·0	38·0	37·0	37·0	36·0	35·0	37·2
9	35·0	34·0	34·0	34·0	36·0	40·0	43·0	40·0	39·0	37·0	37·0	36·0	37·1
10	37·0	38·0	38·0	38·0	39·0	40·0	40·0	38·0	38·0	36·0	35·0	34·0	37·6
11	34·0	33·0	34·0	34·0	33·0	34·0	36·0	33·0	33·0	30·0	32·0	26·0	32·7
12	24·0	22·0	21·0	22·0	26·0	27·0	28·0	27·0	27·0	26·0	26·0	23·0	24·9
13	29·0	28·0	29·0	30·0	35·0	36·0	34·0	34·0	33·0	36·0	33·0	32·0	32·4
14	29·0	26·0	23·0	25·0	21·0	20·0	21·0	22·0	21·0	19·0	19·0	19·0	22·1
15	18·0	19·0	20·0	16·0	19·0	22·0	23·0	22·0	22·0	22·0	21·0	20·0	20·3
16	22·0	21·0	21·0	21·0	21·0	26·0	28·0	28·0	28·0	27·0	27·0	27·0	24·7
17	26·0	27·0	28·0	25·0	27·0	30·0	30·0	27·0	27·0	25·0	26·0	27·0	29·1
18	27·0	28·0	31·0	32·0	34·0	33·0	39·0	36·0	36·0	34·0	33·0	33·0	33·0
19	32·0	33·0	33·0	32·0	30·0	30·0	29·0	28·0	28·0	28·0	27·0	26·0	29·7
20	25·0	24·0	24·0	25·0	29·0	28·0	29·0	28·0	26·0	26·0	27·0	26·0	26·4
21	24·0	25·0	26·0	29·0	32·0	31·0	33·0	34·0	35·0	36·0	38·0	39·0	31·8
22	44·0	43·0	42·0	42·0	42·0	43·0	42·0	42·0	41·0	41·0	40·0	39·0	41·7
23	38·0	38·0	38·0	37·0	39·0	42·0	41·0	37·0	36·0	33·0	32·0	31·0	36·8
24	29·0	22·0	21·0	28·0	30·0	31·0	32·0	30·0	31·0	31·0	31·0	29·0	28·7
25	30·0	31·0	30·0	29·0	29·0	29·0	29·0	28·0	28·0	31·0	31·0	30·0	29·6
26	30·0	30·0	31·0	31·0	30·0	31·0	31·0	30·0	31·0	29·0	29·0	29·0	30·2
27	28·0	28·0	27·0	28·0	30·0	31·0	31·0	29·0	27·0	27·0	23·0	20·0	27·4
28	19·0	21·0	21·0	20·0	21·0	22·0	23·0	20·0	20·0	21·0	19·0	20·0	20·6
29	19·0	20·0	20·0	21·0	22·0	19·0	18·0	22·0	22·0	21·0	20·0	18·0	20·2
30	17·0	15·0	14·0	15·0	18·0	21·0	21·0	20·0	20·0	19·0	17·0	12·0	17·4
Mean	30·4	29·9	29·7	30·1	31·4	32·7	33·5	32·2	31·8	31·1	30·6	29·6	31·1

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of December, 1907.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	11·0	11·0	13·0	15·0	18·0	20·0	20·0	20·0	20·0	18·0	19·0	18·0	16·9
2	20·0	20·0	21·0	21·0	21·0	21·0	22·0	21·0	20·0	18·0	18·0	16·0	19·9
3	14·0	13·0	13·0	14·0	14·0	16·0	18·0	16·0	15·0	13·0	13·0	9·0	14·0
4	8·0	7·0	8·0	7·0	8·0	10·0	12·0	11·0	10·0	8·0	6·0	5·0	8·3
5	4·0	3·0	2·0	1·0	2·0	1·0	10·0	8·0	8·0	8·0	5·0	10·0	5·2
6	10·0	13·0	15·0	11·0	18·0	17·0	23·0	25·0	25·0	26·0	26·0	27·0	19·7
7	30·0	32·0	32·0	32·0	33·0	33·0	34·0	34·0	33·0	33·0	33·0	32·0	32·6
8	31·0	32·0	32·0	33·0	33·0	34·0	34·0	34·0	33·0	33·0	33·0	34·0	33·0
9	33·0	34·0	34·0	34·0	34·0	35·0	36·0	36·0	35·0	34·0	34·0	33·0	34·3
10	36·0	40·0	40·0	42·0	42·0	44·0	44·0	44·0	43·0	41·0	39·0	40·0	41·3
11	38·0	34·0	33·0	32·0	30·0	29·0	29·0	29·0	29·0	29·0	27·0	26·0	30·4
12	25·0	25·0	23·0	21·0	19·0	19·0	18·0	11·0	14·0	12·0	8·0	6·0	16·8
13	5·0	5·0	4·0	3·0	4·0	7·0	9·0	9·0	9·0	8·0	7·0	6·0	6·3
14	5·0	5·0	3·0	3·0	6·0	9·0	14·0	15·0	13·0	18·0	19·0	20·0	10·8
15	20·0	21·0	21·0	23·0	22·0	23·0	24·0	23·0	23·0	24·0	24·0	24·0	22·7
16	23·0	23·0	24·0	24·0	25·0	25·0	24·0	24·0	23·0	23·0	23·0	23·0	23·7
17	23·0	23·0	23·0	21·0	23·0	24·0	25·0	24·0	23·0	24·0	24·0	22·0	23·2
18	22·0	22·0	23·0	21·0	21·0	21·0	22·0	22·0	20·0	18·0	18·0	17·0	20·6
19	16·0	13·0	11·0	9·0	11·0	14·0	16·0	17·0	19·0	24·0	23·0	24·0	16·4
20	26·0	27·0	27·0	27·0	27·0	26·0	26·0	27·0	27·0	27·0	26·0	28·0	26·7
21	27·0	28·0	29·0	22·0	21·0	20·0	20·0	18·0	17·0	17·0	16·0	17·0	21·0
22	17·0	20·0	21·0	30·0	30·0	31·0	32·0	32·0	32·0	29·0	28·0	28·0	27·5
23	28·0	28·0	27·0	29·0	29·0	30·0	30·0	31·0	30·0	30·0	30·0	31·0	29·4
24	30·0	29·0	29·0	30·0	31·0	31·0	31·0	31·0	30·0	30·0	29·0	28·0	29·9
25	23·0	20·0	18·0	15·0	15·0	17·0	12·0	16·0	15·0	16·0	18·0	20·0	17·0
26	20·0	21·0	22·0	25·0	26·0	25·0	25·0	25·0	18·0	15·0	13·0	11·0	20·5
27	12·0	13·0	15·0	19·0	22·0	25·0	27·0	29·0	32·0	34·0	35·0	36·0	24·9
28	36·0	36·0	37·0	37·0	38·0	37·0	37·0	38·0	36·0	34·0	22·0	21·0	34·1
29	19·0	7·0	7·0	4·0	5·0	10·0	13·0	14·0	15·0	10·0	11·0	19·0	11·2
30	20·0	22·0	24·0	23·0	25·0	27·0	27·0	39·0	30·0	30·0	30·0	29·0	27·2
31	28·0	28·0	21·0	14·0	11·0	10·0	9·0	8·0	9·0	10·0	10·0	9·0	13·9
Mean	21·3	21·1	21·0	20·7	21·4	22·3	23·	23·6	22·8	22·4	21·5	21·6	21·9

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for

+27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·70	2·70	2·70	2·70	2·69	2·70	2·70	2·69	2 70	2·72	2·72	2·71
2	2·83	2·84	2·85	2·86	2·87	2·87	2·88	2·88	2·88	2·88	2·88	2·87
3	2·44	2·35	2·23	2·17	2·10	2·06	2·03	2 04	2·07	2·09	2 15	2·17
4	2·47	2·47	2·47	2·46	2·45	2·45	2·46	2·46	2·48	2·50	2·52	2·53
5	2·88	2·91	2·92	2·93	2·94	2·95	2·95	2·96	2·99	2·98	2·96	2·96
6	2·77	2·77	2 77	2 76	2·76	2·77	2·77	2·77	2·78	2·79	2·79	2·77
7	2·80	2·81	2·82	2·82	2·83	2·84	2·86	2·88	2·90	2·93	2·94	2·95
8	3·32	3·34	3·36	3·38	3 38	3·39	3·38	3·38	3·39	3·39	3·40	3·40
9	3·32	3·32	3·32	3·30	3·29	3·28	3·27	3·27	3·27	3·27	3·25	3·23
10	3·03	3·03	3·02	3·00	2·98	2·98	2·98	2·98	2·98	2·97	2·96	2·94
11	2·78	2·78	2·77	2·77	2·76	2·77	2·77	2·77	2·77	2·77	2·76	2·74
12	2·75	2·76	2·77	2·77	2·77	2·78	2·83	2·84	2·86	2·87	2·86	2·85
13	2·96	2·97	2·97	2·97	2·97	3·00	3·01	3·02	3·03	3·03	3·04	3·03
14	3·07	3·07	3·07	3·06	3·06	3·07	3·09	3·10	3·10	3·10	3·10	3·08
15	2·94	2·93	2·91	2·90	2·89	2·88	2·88	2·87	2·87	2·87	2·86	2·84
16	2·86	2·87	2·87	2 87	2·86	2·86	2·87	2·87	2·87	2·87	2·86	2·85
17	2·83	2·83	2·83	2·83	2·81	2·81	2·81	2·81	2·81	2·80	2·78	2·76
18	2·46	2·46	2·48	2·50	2·53	2·54	2·57	2·61	2·64	2·66	2·67	2·68
19	2 96	2·97	2·98	2·98	2·98	2·98	2·98	2·98	2·98	2·99	2·99	2·99
20	2·89	2·89	2·88	2·87	2·86	2·85	2·85	2·85	2·84	2·84	2·83	2·83
21	3·06	3·09	3·11	3·13	3·13	3·13	3·14	3·16	3·17	3·17	3·18	3·18
22	3 25	3·24	3·23	3·23	3·22	3·20	3·19	3·19	3·20	3·20	3·20	3·18
23	3·15	3 16	3·15	3·15	3·14	3·13	3·13	3·14	3·14	3·14	3·13	3·11
24	3·14	3·15	3·16	3·16	3·16	3·16	3·17	3·17	3·17	3·18	3·19	3·19
25	3·13	3·12	3·11	3·11	3·10	3·08	3·06	3·08	3 08	3·08	3·07	3·07
26	3·03	3·03	3·02	3·01	3·00	2·99	3·00	3·01	3·01	3·01	3·00	2·99
27	2·94	2·95	2·95	2·94	2·93	2·93	2·93	2 93	2·93	2·93	2·92	2·89
28	2·74	2·73	2·73	2·72	2·70	2·68	2·68	2·68	2·68	2·68	2·67	2·66
29	2·80	2·80	2·81	2·82	2·82	2·81	2·81	2·80	2·80	2·81	2 81	2·81
30	2·75	2·75	2·75	2·75	2·75	2·75	2·75	2·75	2·75	2·75	2 74	2·73
31	2·37	2·35	2·34	2 33	2·33	2·33	2·35	2·37	2·40	2 43	2·45	2·46
Mean	29·885	29·885	29·882	29·879	29·873	29·872	29·876	29·881	29·888	29·897	29·893	29·885

each Hour (120th Meridian Time), during the Month of January, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·71	2·72	2·73	2·74	2·75	2·76	2·77	2·78	2·78	2·79	2·80	2·81	29·732
2·82	2·79	2·77	2·78	2 74	2·73	2·70	2·68	2·65	2·61	2·56	2·52	29·780
2·19	2·23	2·26	2·27	2·31	2·34	2·38	2·38	2·43	2·44	2·47	2·47	29·252
2·55	2·56	2·59	2·63	2·66	2·67	2·73	2·76	2·80	2·83	2·85	2·86	29·592
2·93	2·92	2·89	2·89	2·87	2·85	2 82	2·81	2·79	2·79	2·78	2·77	29 893
2·75	2·75	2·75	2·76	2·76	2·76	2·77	2·78	2·78	2·78	2·79	2·79	29·770
2·95	2·97	2·98	3·00	3·04	3·07	3·13	3·16	3·20	3·23	3·27	3·29	29·986
3·40	3·38	3·37	3·38	3·35	3·34	3·34	3·34	3·34	3·34	3·34	3·33	30·364
3·20	3·18	3·17	3·16	3·14	3·13	3·12	3·10	3·09	3·07	3·07	3·05	30·207
2·93	2·92	2·91	2·90	2·88	2·86	2·84	2·83	2·80	2·78	2·77	2·77	29·918
2·73	2·72	2·72	2·72	2·72	2·72	2·72	2·72	2·73	2 73	2·73	2·74	29 746
2·85	2·86	2·87	2·87	2·87	2·87	2·88	2·90	2 92	2·93	2·93	2 94	29·850
3·03	3·03	3·03	3·04	3·04	3·05	3·06	3·06	3·06	3 07	3·07	3·07	30·025
3·05	3·04	3·03	3·02	3·00	2·99	2·98	2·98	2·97	2·97	2·96	2·95	30·038
2·83	2·83	2·83	2 83	2·81	2·82	2·83	2·84	2·84	2·84	2·84	2·85	29·860
2·84	2·83	2·83	2·83	2·83	2·83	2·83	2·82	2·82	2·82	2·83	2·83	29·847
2·73	2·73	2·72	2·70	2·69	2·67	2·63	2·59	2·55	2·52	2·49	2·47	29·717
2 69	2·70	2·75	2·79	2·84	2·86	2·88	2·90	2·93	2 94	2·96	2·96	29·708
2 98	2·97	2·96	2·96	2·94	2·93	2·93	2·93	2·93	2 93	2·92	2·90	29·960
2·83	2·84	2 86	2·87	2·89	2·91	2·93	2·96	2·97	2·99	3·01	3·03	29·890
3·20	3·21	3·22	3·23	3·24	3·24	3·24	3·24	3·24	3·25	3·26	3·26	30·187
3·16	3·15	3·15	3·16	3·17	3·17	3·17	3·17	3·17	3·17	3·17	3·16	30·187
3·10	3 09	3·07	3·07	3·08	3·09	3·08	3 08	3·10	3·13	3·14	3·14	30·118
3·17	3·15	3·14	3·13	3·12	3·12	3·12	3·12	3·12	3·12	3·13	3·13	30·149
3·06	3·05	3·04	3·04	3·03	3·01	3·01	3·01	3·02	3·03	3·03	3·03	30·061
2·97	2·96	2·95	2·95	2·94	2·93	2·93	2·93	2·94	2·94	2·94	2 94	29·976
2·87	2·87	2·85	2·84	2·82	2·81	2·81	2·79	2·77	2·77	2·77	2·76	29·871
2·65	2·65	2·67	2·68	2·70	2·72	2·73	2·75	2·76	2·77	2·79	2·80	29·709
2·80	2·78	2·77	2·77	2·77	2·77	2·77	2·77	2·75	2·75	2·75	2·75	29·787
2·70	2·66	2·64	2 63	2·60	2·57	2·54	2·51	2·47	2·44	2·42	2·39	29·647
2·49	2·53	2·57	2·59	2·61	2·62	2 65	2·67	2·70	2 73	2·77	2·78	29·509
29 876	29·873	29·874	29·877	29 878	29 878	29·880	29·882	29·885	29·887	29 890	29 888	29·882

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m	5 a.m.	6 a.m.	7 a m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·83	2·85	2·88	2·91	2·94	2·96	2·98	3·00	3·02	3·03	3·04	3·05
2.....	2·96	2·94	2·94	2·93	2·93	2·94	2·88	2·88	2·87	2·87	2·87	2·87
3.....	2 84	2·84	2·83	2 82	2·81	2·80	2·78	2·78	2·77	2·77	2·77	2·77
4.....	2·81	2·82	2·83	2·82	2·83	2·82	2·82	2·82	2·83	2·82	2·82	2·82
5.....	2·50	2·45	2·43	2·39	2·37	2·33	2·30	2 27	2·27	2 33	2·40	2·47
6.....	2·93	2·95	2·97	2·99	3·03	3·04	3.07	3·10	3·13	3·14	3·15	3·16
7	2·92	2·93	2·89	2·92	2·93	2·94	2·95	2·97	2·98	2·99	3·00	3·00
8.	2·87	2·87	2·90	2·93	2·95	2·97	3·03	3·04	3·07	3·08	3·12	3·13
9.	3·33	3·33	3·34	3·36	3·35	3·34	3·35	3·35	3 37	3·37	3·37	3·37
10.....	3·26	3·25	3·24	3·25	3·24	3·23	3·23	3·23	3·23	3·23	3·23	3·23
11.....	3·15	3·15	3·15	3·15	3·14	3 13	3·13	3·13	3·13	3·13	3·12	3·11
12.....	3·04	3·04	3·04	3·04	3·04	3·05	3·07	3·09	3·13	3·14	3·14	3·15
13.....	3·30	3·30	3·30	3·30	3·30	3·31	3·31	3·31	3 31	3·30	3·30	3·29
14	3·19	3·19	3·19	3·20	3·20	3·21	3·23	3·24	3·26	3·27	3·27	3·27
15.....	3·27	3·28	3·28	3·28	3·27	3·27	3·27	3·26	3·25	3·24	3·23	3·23
16	3·03	3·02	3·00	3·00	2·98	2·97	2 97	2·96	2·95	2·94	2·93	2·93
17.....	2·95	2·96	2·98	3·00	3·03	3·04	3·06	3·08	3·12	3·13	3·16	3·17
18.....	3·26	3·26	3·26	3·26	3·25	3·24	3·24	3·25	3·25	3·26	3·26	3·26
19.....	3·17	3·17	3·17	3·17	3·17	3·17	3·20	3·20	3·21	3·22	3·22	3·23
20.....	3·14	3·13	3·13	3·13	3·13	3·11	3·10	3·10	3·09	3·08	3·08	3·07
21.....	3·87	2·86	2·84	2·83	2·83	2·82	2·79	2·78	2·77	2·76	2·73	2·70
22.....	2·56	2·55	2·55	2·54	2·54	2·54	2·54	2·55	2·55	2·56	2·57	2·57
23.....	2·93	2·96	2·97	2·99	3·00	3·02	3·03	3·04	3·04	3·04	3·04	3·04
24.....	2·71	2·68	2·65	2·60	2·62	2·62	2·64	2·64	2·64	2·64	2·66	2·65
25.	2·57	2·57	2·56	2·57	2·58	2·59	2·61	2·63	2·64	2·65	2·67	2·68
26.	2·91	2·93	2·93	2·94	2·96	2 96	2 96	2·97	2·97	2·98	2·98	2·99
27.....	2·93	2·93	2·94	2·94	2·94	2·94	2·95	2·95	2·97	2·96	2·95	2·94
28.....	2·74	2·70	2·67	2·66	2·66	2·66	2·66	2·66	2·67	2·67	2·67	2·67
Mean.	29·963	29·961	29·959	29·961	29·965	29·964	29·970	29·974	29·982	29·986	29·991	29·994

each Hour (120th Meridian Time), during the Month of February, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·05	3·05	3·04	3·05	3·06	3·05	3·04	3·03	3·04	3 03	3·00	3·00	29·997
2·86	2·86	2·85	2·85	2·86	2·86	2·86	2 86	2·85	2·85	2·84	2·84	29·878
2·74	2·74	2·73	2·75	2·76	2·77	2·77	2·78	2·78	2·79	2·80	2·80	29·783
2·80	2·78	2·77	2.76	2·75	2·73	2·70	2·67	2·65	2·61	2·57	2·54	29·758
2·55	2 60	2·65	2·66	2·67	2·71	2·74	2·77	2 80	2·83	2·87	2·89	29·552
3·15	3·14	3·14	3·14	3·14	3·11	3·09	3·07	3·06	3·03	3·00	2·94	30·070
2·96	2·94	2·91	2·90	2·88	2·85	2·83	2·82	2·81	2·81	2·83	2·84	29·908
3·14	3·15	3·16	3·17	3·20	3·23	3·26	3·28	3·30	3·32	3·33	3·33	30·118
3·34	3·32	3·32	3·31	3·30	3·29	3·28	3·28	3·28	3·27	3·26	3·26	30·322
3·20	3·18	3·17	3·17	3·16	3·15	3·15	3·15	3·15	3·16	3·16	3·15	30·200
3·08	3·07	3·06	3·05	3·04	3·03	3·03	3·03	3·03	3·03	3 04	3·03	30·089
3·16	3·17	3·18	3·19	3·20	3·22	3·23	3·25	3·26	3·27	3·28	3·29	30·153
3·26	3·24	3·23	3·22	3·21	3·18	3·18	3·18	3·18	3·18	3·19	3·19	30·253
3·25	3·25	3·25	3·24	3·25	3·25	3·26	3·27	3·27	3·27	3·27	3·27	30·243
3·20	3·17	3·14	3·13	3·11	3·09	3·07	3·06	3·05	3·05	3·04	3·04	30·178
2·90	2·89	2·87	2·87	2·87	2·87	2·88	2 90	2·91	2·93	2·93	2·94	29·935
3·18	3·19	3·19	3·20	3·21	3·22	3·23	3·24	3·25	3·25	3·26	3·26	30·140
3·23	3·20	3·18	3·17	3·17	3·17	3·17	3·17	3·17	3·17	3·17	3·17	30·216
3·22	3·21	3·21	3·20	3·19	3·18	3·18	3 17	3·19	3·17	3·15	3·15	30·188
3·05	3·04	3·02	2 99	2·97	2·97	2·95	2·94	2 93	2·91	2 90	2·88	30·035
2·67	2·68	2·64	2·64	2·63	2·62	2·60	2·59	2·58	2·57	2·56	2·56	29·705
2·55	2·55	2·57	2 57	2·58	2·64	2·68	2·74	2·80	2·84	2·85	2·87	29·619
3·00	2·98	2·96	2·93	2·91	2·90	2·88	2·86	2·85	2·82	2·77	2·75	29·946
2·65	2·62	2·61	2 59	2·58	2·59	2·58	2·58	2·57	2·57	2·57	2·56	29·618
2·71	2·73	2·75	2·78	2·80	2·83	2·84	2·85	2·87	2·88	2·88	2·90	29·714
2·98	2·97	2·96	2·96	2·94	2·94	2·95	2·96	2·95	2·94	2·94	2·93	29·954
2·94	2·93	2·92	2·91	2·90	2·89	2·88	2·87	2·85	2·82	2·80	2·77	29·909
2·67	2·67	2·68	2·68	2·70	2·70	2·70	2·72	2·73	2·74	2·76	2·77	29·692
29·982	29·976	29·970	29·967	29·966	29·666	29·964	29·967	29·970	29·968	29·964	29·961	29·970

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for

+27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in	in.	n.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1. . ..	2·78	2·79	2·80	2·81	2·82	2·83	2 84	2·85	2·87	2·88	2·89	2·91
2.	3·05	3·06	3·07	3·07	3·09	3·10	3·12	3·14	3·16	3·17	3·17	3·17
3..... .	3·14	3·14	3·13	3·13	3·13	3 13	3·13	3·13	3·14	3·14	3·14	3·14
4	3·16	3·16	3·16	3·15	3·15	3·15	3·14	3·13	3·12	3·10	3·07	3·06
5.. ...	2·80	2·78	2·75	2·75	2·73	2·73	2·72	2·71	2·71	2·69	2·68	2·67
6.....	2·78	2·82	2·83	2·85	2·88	2·92	2·95	2·97	3·00	3·03	3·04	3·05
7.....	3·10	3·10	3·09	3·09	3·08	3·08	3·08	3·07	3·07	3·06	3·05	3·05
8.... ..	2·90	2·90	2 90	2·90	2·89	2·89	2·89	2·90	2·91	2·90	2·90	2·90
9.	2·89	2·89	2·89	2·89	2·89	2·89	2·89	2·89	2·88	2·87	2·86	2·85
10.	2·60	2·60	2·57	2·57	2·56	2·58	2·55	2·55	2·55	2·55	2·54	2·54
11.....	2·65	2·65	2·66	2·67	2·70	2 72	2 74	2·76	2·77	2 78	2·80	2·80
12. .. .	2·95	2·96	2·97	2·98	2·99	3·00	3·02	3·07	3·03	3 04	3·05	3·04
13.....	3·06	3·05	3·04	3·04	3·04	3·04	3·05	3 05	3 04	3·04	3·03	3·02
14.....	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·86	2·84	2·83
15.....	2·83	2·83	2·83	2·84	2·86	2·87	2·88	2·88	2·89	2·89	2·89	2·89
16.....	3·01	3·02	3·02	3·02	3·03	3·03	3·04	3·04	3·04	3·04	3·04	3·03
17..... .	2·84	2·82	2·79	2·77	2·76	2·74	2·72	2·70	2·68	2·66	2·63	2·60
18.	2·40	2·41	2·43	2·44	2·45	2·46	2·48	2·50	2·52	2·53	2·54	2·55
19.....	2 74	2·74	2·73	2·73	2·73	2·73	2·74	2 74	2·73	2·73	2·73	2·72
20.	2·65	2·64	2·64	2·63	2·63	2·63	2·62	2·61	2 61	2·60	2·59	2·56
21..... .	2·37	2·34	2·33	2·31	2 30	2·30	2·30	2 33	2·35	2·36	2·37	2·38
22.....	2·39	2·38	2·37	2·36	2·34	2·33	2·30	2·24	2·20	2·15	2·13	2·10
23.... ..	2 10	2 11	2·13	2·13	2·14	2·17	2 20	2 22	2·25	2·27	2·28	2·29
24... ..	2·42	2·43	2·44	2·45	2·47	2·48	2·49	2 50	2 51	2·52	2·53	2·53
25.....	2·56	2·56	2·56	2·57	2·58	2·59	2·60	2·61	2·61	2·61	2·61	2·60
26.....	2·66	2·67	2·67	2·69	2 70	2·71	2·73	2·74	2·75	2·76	2·76	2·76
27. . ..	2·80	2·80	2·81	2·81	2·83	2·84	2·85	2·85	2·86	2·86	2·86	2·86
28.....	2·89	2·90	2·90	2·90	2·91	2·93	2·95	2·96	2·97	2·98	2·98	2·99
29....	3·06	3·06	3·06	3·05	3 04	3·03	3·02	3·01	3·01	2·98	2·97	2·97
30.....	3·02	3·00	2·99	2·98	2·99	2·99	2·99	2·99	3·00	3·00	2·99	2·98
31.....	2·78	2·77	2·77	2·76	2·78	2·79	2·83	2·83	2·84	2·85	2·85	2·85
Mean..	29 783	29·782	29·781	29·781	29·786	29·791	29·797	29·800	29·804	29·803	29·800	29·796

each Hour (120th Meridian Time), during the Month of March, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·91	2·92	2·93	2·93	2·93	2.94	2·95	2·95	2·97	2·98	3·00	3·03	29·896
3·17	3·16	3·15	3·15	3·15	3 15	3·15	3·15	3·15	3 14	3·14	3·14	30·132
3·13	3·14	3·14	3·13	3·13	3·13	3·13	3·14	3·14	3·15	3·15	3·16	30·137
3·04	3·02	2·99	2·96	2·93	2 90	2·88	2·86	2·85	2·84	2·82	2·81	30·019
2·66	2·65	2·64	2·64	2·64	2·64	2·66	2·66	2·68	2·71	2·73	2·75	29·699
3·05	3·05	3·05	3·05	3·06	3 06	3·06	3·07	3·08	3·09	3·10	3·10	29·997
3·02	2·98	2·97	2·95	2·94	2·93	2·92	2·92	2 92	2 91	2·91	2 91	30·008
2·88	2·87	2·87	2·87	2·86	2·86	2·87	2·87	2·88	2·88	2 88	2·88	29·885
2·83	2·80	2·78	2·75	2·73	2·72	2·69	2·68	2·67	2 66	2·63	2·60	29·797
2·54	2·54	2·54	2·54	2·55	2·56	2·58	2·60	2·61	2·62	2·63	2·63	29·570
2·82	2·82	2·82	2·82	2·83	2·84	2·85	2·86	2·88	2·90	2·92	2·93	29·791
3·03	3·03	3·03	3·03	3·03	3·03	3·04	3·05	3·05	3·06	3·06	3·06	30·023
2·98	2·97	2·96	2·96	2·95	2·94	2·93	2·92	2·91	2·90	2·88	2·87	29·986
2·78	2·77	2 76	2·74	2·73	2·73	2·73	2·73	2·75	2·77	2·79	2·81	29·810
2·90	2·90	2·91	2·91	2·92	2·92	2·93	2·94	2·95	2·97	2·97	3·00	29·900
3·01	2·99	2·98	2·97	2·95	2·94	2·91	2·90	2·89	2·87	2·85	2·85	29·979
2·55	2·51	2·48	2 45	2·42	2·40	2·37	2·37	2·37	2·37	2 38	2·39	29·574
2·56	2·57	2·58	2·60	2·62	2·63	2·65	2 67	2·70	2·71	2·73	2·74	29·561
2·71	2·69	2·68	2·67	2·67	2·66	2·66	2·66	2·66	2·66	2 66	2·66	29·701
2·53	2·51	2·48	2 45	2·44	2·43	2·43	2·43	2·42	2·42	2·40	2·39	29·528
2·39	2·41	2·41	2·41	2·42	2·42	2·42	24·1	24·0	24·0	24·0	24·0	29·373
2·07	2·07	2·05	2·04	2·01	2·00	2·01	2·01	2·04	2·05	2·07	2 08	29·158
2·30	2 30	2·31	2·32	2·33	2·33	2·34	2·36	2·37	2·38	2·40	2·41	29·268
2·53	2·52	2·52	2·52	2·53	2·54	2·54	2·55	2·55	2·56	2·56	2·56	29·511
2·61	2·61	2·61	2·61	2·61	2·62	2·62	2·62	2·63	2·63	2·64	2·65	29·605
2·75	2·74	2·74	2 74	2 74	2·73	2·74	2·76	2·77	2·77	2·78	2·79	29·735
2·84	2·83	2·83	2·83	2·83	2 83	2·83	2·84	2·85	2·85	2·87	2·88	29·839
3·00	3·00	3·02	3·02	3·03	3·03	3·04	3·05	3·06	3·06	3·06	3·06	29·987
2·97	2·97	2 97	2·98	2 98	2·98	2·99	3·00	3·01	3·02	3·02	3·02	30·007
2·97	2·96	2·94	2·92	2·89	2·87	2·85	2·84	2·83	2·83	2·80	2·79	29 931
2·88	2·88	2·88	2·88	2·89	2·90	2 91	2·91	2·92	2·93	2·93	2·93	29 850
29·787	29·780	29·775	29·769	29·766	29·763	29·794	29·767	29·773	29·777	29·780	29·783	29 783

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·91	2·91	2·91	2·90	2·89	2 88	2·88	2·87	2·87	2 86	2·86	2·85
2.	2 79	2·79	2·78	2·77	2·77	2·77	2·78	2 79	2·81	2·82	2·81	2·81
3	2·91	2·92	2·93	2·93	2·93	2·93	2·93	2·92	2 90	2·88	2·87	2·85
4.	2·58	2·55	2·53	2·53	2·53	2·53	2·53	2·51	2·50	2·49	2·49	2·50
5.....	2 55	2·51	2·43	2·37	2·30	2·28	2 28	2 28	2·31	2·31	2·28	2·28
6.	2·51	2·51	2·50	2·50	2·50	2·50	2 48	2·50	2·53	2·53	2·55	2·57
7... ...	2·84	2·86	2·87	2·88	2·91	2·92	2·94	2·95	2·96	2·97	2·98	2·98
8. .	2·86	2·86	2·86	2·87	2·88	2 89	2·92	2·93	2·94	2·96	2·96	2·96
9.....	2·75	2·72	2·70	2·65	2·64	2·61	2 58	2·57	2·57	2·57	2·57	2·57
10.....	3·00	3·03	3·05	3·07	3·08	3·10	3·12	3·13	3·14	3·15	3·16	3·17
11.....	3·10	3·10	3·09	3·09	3·08	3·08	3·08	3·07	3·08	3·08	3·07	3·06
12.....	2·99	2·98	2·98	2·98	2·97	2·98	2·98	2·98	2 98	2·97	2·96	2·95
13.....	2·83	2·83	2·83	2·83	2·83	2·83	2·84	2 84	2·85	2 86	2·86	2·86
14.....	2 98	2·99	2·99	3·00	3·02	3·03	3·03	3·03	3·04	3·05	3·05	3·05
15.	3·03	3·03	3·03	3·03	3·04	3·04	3·04	3 04	3 04	3·04	3·04	3·04
16.....	2·98	2·98	3·00	3·01	3·01	3·00	3·02	3·03	3 04	3·04	3·04	3·05
17.	3·04	3·05	3·05	3 06	3·07	3·09	3 11	3·12	3·13	3·14	3·14	3·14
18.	3·17	3·17	3·16	3·16	3·15	3·15	3·16	3·16	3·17	3·17	3·17	3·17
19.... .	3·27	3·28	3·29	3·31	3·33	3·33	3·35	3·35	3·36	3·37	3·37	3·37
20.....	3·29	3·29	3·28	3·28	3·27	3·27	3·27	3·27	3·26	3·26	3·25	3·23
21.....	3·07	3·07	3·07	3·07	3 07	3·07	3·08	3·07	3·07	3·07	3·06	3·04
22.....	2·97	2·97	2·98	2·99	2·99	3·00	3·00	3·00	3·00	3·00	3·00	3·00
23.	2·93	2·93	2·93	2·94	2·94	2·95	2·97	2·98	3·00	3·03	3·04	3·04
24	3·07	3·08	3·09	3·09	3 10	3·11	3·11	3·11	3·11	3·11	3·10	3·08
25.	2·93	2·92	2·91	2·91	2·90	2·91	2·91	2·90	2·89	2·88	2 87	2·85
26.... ..	2·78	2·78	2·78	2·78	2·80	2·81	2·82	2·83	2·84	2·84	2·84	2·84
27.....	2 87	2·88	2·90	2·91	2·93	2·95	2·98	2·99	3·01	3·03	3·04	3·05
28.... ..	3·12	3·12	3·13	3·13	3·14	3·15	3·16	3 17	3·17	3·17	3·17	3·17
29.....	3·10	3·10	3·11	3·11	3·12	3·12	3·12	3·12	3·11	3·10	3 10	3·09
30.	3·03	3·03	3·03	3·03	3·03	3·04	3·04	3·04	3·03	3·03	3·03	3·03
Mean..	29·942	29·941	29·940	29·939	29·941	29·944	29·950	29·952	29·957	29·959	29·958	29·955

each Hour (120th Meridian Time), during the Month of April, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·85	2·85	2·84	2·84	2·83	2·83	2·82	2·82	2·82	2·81	2·80	2·80	29·854
2·82	2·83	2·83	2·83	2·84	2·84	2·86	2·87	2·88	2·89	2·90	2·90	29·824
2·84	2·83	2·80	2·78	2·76	2·74	2·71	2·69	2·65	2·64	2·64	2·62	29·817
2·54	2·57	2·60	2·61	2·62	2·64	2·66	2·67	2·67	2·66	2·64	2·60	29·573
2·30	2·32	2·34	2·36	2·37	2·41	2·44	2·46	2·47	2·48	2·50	2·50	29·380
2·58	2·59	2·60	2·63	2·64	2·65	2·68	2·72	2·74	2·76	2·80	2·82	29·600
2·97	2·97	2·96	2·95	2·94	2·92	2·90	2·89	2·88	2·88	2·87	2·87	29·919
2·95	2·94	2·92	2·90	2·88	2·87	2·86	2·85	2·84	2·83	2·82	2·79	29·889
2·61	2·64	2·66	2·68	2·74	2·76	2·82	2·84	2·86	2·90	2·93	2·97	29·705
3·17	3·17	3·16	3·15	3·14	3·14	3·13	3·13	3·13	3·13	3·12	3·11	30·120
3·06	3·05	3·03	3·01	2·99	2·99	2·98	2·99	2·99	3·00	3·00	3·00	30·045
2·94	2·92	2·90	2·88	2·87	2·86	2·85	2·85	2·85	2·85	2·84	2·84	29·923
2·87	2·87	2·88	2·90	2·92	2·92	2·93	2·94	2·96	2·97	2·97	2·97	29·883
3·05	3·04	3·04	3·04	3·03	3·03	3·02	3·03	3·02	3·02	3·03	3·03	30·027
3·04	3·03	3·02	3·01	3·01	3·00	3·00	3·00	3·00	2·99	2·97	2·97	30·020
3·04	3·03	3·03	3·02	3·02	3·02	3·02	3·03	3·03	3·02	3·02	3·03	30·021
3·13	3·13	3·14	3·14	3·14	3·15	3·15	3·16	3·17	3·17	3·17	3·17	30·123
3·17	3·17	3·17	3·17	3·17	3·17	3·18	3·20	3·22	3·23	3·25	3·26	30·180
3·36	3·35	3·34	3·33	3·32	3·30	3·29	3·30	3·30	3·30	3·30	3·30	30·324
3·19	3·17	3·15	3·13	3·10	3·10	3·09	3·09	3·08	3·07	3·07	3·07	30·189
3·03	3·02	3·00	2·98	2·97	2·97	2·97	2·98	2·98	2·97	2·97	2·97	30·026
2·98	2·97	2·94	2·93	2·92	2·92	2·92	2·93	2·94	2·94	2·94	2·93	29·965
3·04	3·04	3·04	3·04	3·04	3·04	3·04	3·05	3·06	3·06	3·07	3·07	30·011
3·06	3·04	3·03	3·01	2·99	2·98	2·97	2·97	2·96	2·95	2·94	2·94	30·042
2·84	2·83	2·80	2·79	2·78	2·77	2·77	2·78	2·78	2·78	2·78	2·78	29·844
2·83	2·83	2·83	2·82	2·81	2·81	2·81	2·82	2·83	2·84	2·84	2·85	29·819
3·06	3·06	3·06	3·06	3·06	3·06	3·07	3·07	3·08	3·09	3·10	3·11	30·018
3·15	3·14	3·13	3·11	3·10	3·09	3·10	3·10	3·10	3·10	3·10	3·10	30·130
3·08	3·07	3·06	3·05	3·04	3·03	3·02	3·03	3·03	3·03	3·03	3·03	30·075
3·02	3·00	2·99	2·98	2·98	2·97	2·99	3·01	3·01	3·02	3·03	3·03	30·018
29·952	29·949	29·943	29·938	29·934	29·933	29·935	29·942	29·944	29·946	29·948	29·948	29·945

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	3·03	3·04	3·05	3·06	3·07	3·08	3·09	3·10	3·10	3·10	3·11	3·10
2.....	3·07	3·07	3·07	3·07	3·08	3·09	3·09	3·09	3·08	3 07	3·07	3 07
3.. ...	3·04	3·05	3·07	3·08	3·10	3·12	3·13	3·14	3·15	3·15	3·15	3·15
4.....	3·05	3·05	3·04	3·04	3·04	3·05	3·04	3·04	3·03	3·02	3·00	2·97
5.... .	2·82	2·82	2·82	2·82	2·82	2·83	2·83	2 83	2 81	2·79	2·78	2·78
6.	2·74	2·75	2·75	2·76	2·78	2·79	2·80	2·81	2·81	2 81	2·81	2·81
7.....	2·84	2·85	2·86	2·87	2·88	2·90	2·91	2·92	2·93	2·94	2·94	2 94
8.....	2·94	2·94	2·95	2·95	2·95	2·96	2·97	2·97	2·97	2·97	2 97	2·97
9.... .	2 87	2·86	2·86	2·84	2·84	2·83	2·82	2·79	2·78	2·75	2·74	2·73
10.	2·50	2·52	2·52	2·50	2·49	2·51	2·53	2·54	2·55	2·56	2·57	2·58
11.....	2·57	2·56	2·57	2·57	2·56	2·57	2·57	2·58	2·58	2·58	2·58	2·59
12.....	2·75	2·77	2 78	2·80	2·82	2·83	2·86	2·87	2·89	2·90	2·91	2·91
13.....	3·05	3·06	3·07	3·07	3·10	3·11	3·13	3·14	3·14	3·15	3·15	3·15
14	3·15	3·15	3·15	3·15	3·15	3·16	3·16	3·16	3·15	3·14	3·13	3·13
15.	2·97	2·96	2·95	2·94	2·94	2·93	2·94	2·94	2·93	2·92	2·91	2·90
16.....	2·87	2·87	2·87	2·87	2·87	2·88	2·88	2·88	2·88	2·89	2·89	2·89
17.....	2·86	2·86	2·86	2·86	2·86	2·87	2·87	2·87	2 87	2 87	2·87	2·86
18.....	2 85	2·85	2·84	2·83	2·83	2·83	2·80	2·79	2·78	2·77	2·74	2·72
19.....	2·73	2·73	2·73	2·73	2·73	2·73	2·73	2·73	2·73	2·73	2·73	2·73
20.....	2·83	2·84	2·85	2·85	2·86	2·87	2·90	2·91	2·92	2 93	2·93	2·94
21.....	2·95	2·95	2·95	2·94	2·94	2·94	2·95	2·95	2 94	2·93	2·93	2·92
22.	2·80	2·80	2·80	2·81	2·82	2·83	2·83	2·84	2 84	2·83	2 83	2·83
23.... ..	2·89	2·90	2·92	2·93	2·94	2·95	2·96	2·97	2·97	2 98	2·98	2·98
24.....	3·00	3·00	3·01	3·01	3·02	3·06	3·04	3·04	3·05	3·05	3·05	3·06
25..	3·07	3·08	3·09	3·10	3·10	3·11	3·12	3·12	3·12	3·12	3·12	3·12
26.	3·09	3·08	3·09	3·09	3·10	3·11	3·11	3·11	3·10	3·10	3·08	3·07
27. ...	2·97	2·97	2·97	2·97	2·97	2·98	2·98	2·98	2·98	2·97	2·96	2·96
28.....	2·92	2·93	2·93	2·93	2·94	2·95	2·95	2·96	2·96	2·96	2·97	2·97
29. ...	2 94	2·95	2·96	2·97	2·96	2·97	2·97	2·98	2 98	2·97	2·96	2·95
30.....	2·86	2·86	2·86	2·85	2·85	2·85	2·85	2·85	2·84	2·83	2·82	2·81
31	2·73	2·74	2·75	2·75	2·77	2·79	2·83	2·84	2·85	2·86	2·86	2·87
Mean .	29·895	29·899	29·903	29·904	29·905	29·918	29·924	29·927	29·923	29·924	29·921	29·919

each Hour (120th Meridian Time), during the Month of May, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·10	3·09	3·07	3·07	3·06	3·05	3·05	3·05	3·05	3·05	3·06	3·07	30·073
3·05	3·04	3·02	3·01	3·00	2·99	2·99	3·00	3·00	3·01	3·02	3·03	30·045
3·14	3·13	3·11	3·09	3·08	3·07	3·06	3·06	3·05	3·04	3·04	3·04	30·093
2·96	2·94	2·91	2·89	2·86	2·86	2·85	2·84	2·83	2·83	2·83	2·82	29·946
2·77	2·75	2·73	2·71	2 69	2·69	2·71	2·73	2·72	2·72	2·73	2·73	29·768
2 81	2·81	2·80	2·79	2·79	2·79	2 79	2·80	2·80	2·81	2 82	2·83	29·797
2·94	2·94	2·93	2·92	2·92	2·91	2·90	2·91	2·92	2·93	2·93	2·93	29·911
2·97	2·97	2·96	2·95	2·93	2 93	2·93	2·93	2·92	2·91	2·90	2·89	29 946
2·72	2·70	2·68	2·66	2·65	2·63	2·60	2·58	2·56	2·54	2·53	2·51	29·711
2·57	2·59	2·58	2·58	2·58	2·58	2·58	2·58	2·58	2·58	2·57	2·57	29·555
2·60	2·60	2 60	2·62	2·63	2·63	2·65	2·67	2·68	2·71	2·72	2·73	29·613
2 91	2·92	2·92	2·92	2·93	2·94	2·96	2 98	3·00	3·01	3·02	3·03	29·901
3·15	3·15	3·15	3·14	3·14	3·13	3·13	3·13	3·14	3·14	3·15	3·15	30·126
3·11	3·09	3·07	3·06	3·04	3·03	3·02	3·02	3·01	3·00	2·99	2·97	30·091
2·89	2·88	2·87	2·87	2·85	2·85	2·86	2·87	2·87	2·87	2·87	2·87	29·903
2·88	2·87	2·86	2·86	2·86	2·85	2·85	2·86	2·87	2·87	2·87	2·87	29·871
2·87	2·87	2·85	2·84	2·84	2·83	2·84	2·84	2·85	2·85	2·86	2·86	29·857
2·69	2·68	2·67	2·66	2 66	2·64	2·67	2·68	2·69	2·71	2·72	2·73	29·743
2·73	2·73	2·72	2·73	2·74	2·75	2·77	2·77	2·80	2·81	2·82	2·83	29·746
2·95	2·95	2·95	2·95	2 94	2·94	2·95	2·95	2·96	2·96	2·96	2·95	29·918
2·90	2·88	2·87	2·86	2·84	2·83	2·82	2·82	2·82	2·82	2·81	2·81	29·890
2·82	2·81	2·80	2·81	2·82	2 83	2·83	2·83	2·85	2 86	2·87	2·88	29·828
2·97	2·97	2·97	2·97	2 96	2·96	2·97	2·98	2·98	2·98	2·99	3·00	29·961
3·06	3 06	3·05	3·05	3·04	3·04	3·05	3·05	3 06	3·06	3·07	3·07	30·042
3·10	3·10	3·09	3 08	3·07	3·07	3·07	3·08	3·08	3·03	3·09	3·09	30·094
3·05	3·03	3·02	3·00	2·99	2·98	2·97	2·97	2·97	2·97	2·97	2·97	30·042
2·95	2·94	2·93	2·90	2·88	2·88	2·88	2·89	2·90	2·91	2·92	2·92	29·940
2·96	2 95	2·94	2·93	2·91	2·90	2·91	2·92	2·93	2·93	2·93	2·94	29·938
2·94	2·93	2·92	2·90	2·89	2·88	2 87	2·86	2·86	2·86	2·86	2 86	29·926
2·80	2·78	2·77	2·76	2·74	2·73	2·73	2·72	2·72	2·72	2·72	2·72	29·793
2 87	2·89	2·90	2·91	2·92	2·92	2·93	2·95	2·97	2·98	2·99	3·00	29·870
29·911	29·904	29·894	29·887	29 879	29·875	29·877	29 881	29·885	29·888	29·891	29·893	29·901

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for

+ 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	3·02	3·03	3·04	3·04	3·05	3·06	3·07	3·08	3·08	3·08	3·09	3·09
2.....	3·02	3·02	3·03	3·03	3·03	3·03	3·03	3·03	3·02	3·01	3·01	3·00
3.	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·86	2·86	2·85
4.....	2·73	2·72	2·72	2·72	2 72	2·72	2·73	2·73	2·73	2 73	2·73	2·73
5.....	2·80	2·80	2·81	2·82	2·83	2·84	2·84	2·84	2·84	2 81	2·83	2·83
6.....	2·78	2·78	2·78	2·78	2·79	2·80	2·81	2·81	2·81	2·80	2·80	2·80
7.....	2·83	2·84	2·84	2·85	2·87	2·88	2·89	2·90	2·90	2·91	2·92	2·91
8. . .	2 88	2·89	2·89	2·89	2·89	2·90	2 90	2·91	2·91	2·91	2·89	2·89
9.	2·97	2·97	2·97	2·97	2·97	2·97	2 97	2·97	2·97	2·97	2·96	2·95
10.....	2·65	2·64	2·63	2·63	2·64	2·65	2·65	2·66	2·67	2 67	2 66	2·67
11.....	2·44	2·42	2 37	2·35	2·33	2·31	2·30	2·29	2·29	2·29	2·35	2·40
12.	2·58	2·58	2·59	2·59	2·59	2·60	2·60	2·61	2·62	2·63	2·63	2·64
13.....	2·76	2·77	2 78	2·79	2·80	2·81	2·82	2·83	2·83	2·84	2·85	2·85
14	2·96	2·97	2·98	2·99	3·00	3·01	3·03	3·03	3·04	3·05	3·05	3·06
15.	3·08	3·08	3·07	3·07	3·07	3·07	3·07	3·07	3·06	3·05	3·04	3·04
16.....	3·03	3·03	3·03	3·04	3·05	3·07	3·07	3·08	8·08	3·08	3·08	3 09
17.....	3·12	3·12	3·12	3·13	3·14	3·15	3·16	3·17	3·17	3·17	3·17	3·17
18.	3·17	3·17	3·18	3·18	3·20	3·21	3 22	3·23	3·23	3·23	3·23	3·22
19	3·09	3·08	3·08	3·09	3·10	3·10	3·10	3·10	3·09	3·07	3·06	3·05
20.	2·86	2·85	2·83	2·83	2·83	2·83	2·83	2·83	2·82	2·80	2·79	2·78
21.....	2·73	2·73	2·74	2·75	2·75	2·76	2·76	2 76	2·75	2·75	2·75	2·75
22.....	2·78	2·80	2·82	2·83	2·84	2·85	2·86	2·87	2·87	2·87	2·87	2·87
23.	2·88	2·89	3·90	2·91	2·93	2·94	2·94	2·95	2·94	2·94	2·93	2·93
24. .. .	2·94	2·95	2·96	2·97	2·98	2·99	3·00	3 00	3·00	3·00	3·00	3·00
25.....	2·95	2·96	2·97	2·97	2·98	2·99	2·99	2·99	2·98	2·97	2 97	2·96
26.....	2·88	2·89	2·89	2·90	2·90	2·90	2·91	2·91	2.91	2 90	2·89	2·88
27.... ..	2·79	2·80	2·80	2·80	2·81	2·81	2·82	2·83	2·83	2 83	2 82	2·81
28.	2·77	2·77	2·77	2·78	2·79	2·79	2·80	2·81	2·81	2·81	2·81	2·82
29.	2·86	2·87	2·87	2·88	2·89	2·90	2·90	2·90	2·91	2·91	2·92	2·92
30.....	2·87	2·88	2·88	2·89	2·91	2·92	2·93	2·94	2·94	2·95	2·95	2·95
Mean..	29·870	29·872	29·873	29·878	29·885	29·891	29·896	29·900	29·899	29·897	29·897	29·897

each Hour (120th Meridian Time), during the Month of June, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·08	3·07	3·06	3·05	3·03	3·02	3·01	3·01	3·01	3·02	3·02	3·02	30·047
2·98	2·97	2·95	2·93	2·91	2·90	2·88	2·88	2·88	2·88	2·88	2·88	29·966
2·83	2·82	2·80	2·78	2·77	2·76	2·76	2·76	2·75	2·74	2·74	2·73	29·818
2·73	2·72	2·72	2·71	2·72	2·72	2·73	2·75	2·77	2·78	2·78	2·78	29·734
2·82	2·81	2·80	2·79	2·77	2·77	2·77	2·77	2·78	2·79	2·89	2·78	29·807
2·80	2·79	2·78	2·79	2·78	2·78	2·79	2·81	2·82	2·83	2·83	2·83	29·799
2·90	2·89	2·88	2·88	2·87	2·87	2·88	2·89	2·88	2·88	2·87	2·87	29·879
2·87	2·90	2·90	2·88	2·88	2·89	2·90	2·92	2·93	2·94	2·95	2·96	29·903
2·94	2·93	2·90	2·88	2·85	2·84	2·83	2·78	2·75	2·73	2·70	2·67	29·892
2·67	2·67	2·66	2·65	2·64	2·62	2·60	2·57	2·56	2·54	2·50	2·47	29·624
2·46	2·47	2·51	2·53	2·54	2·55	2·57	2·58	2·58	2·58	2·58	2·58	29·445
2·64	2·65	2·66	2·67	2·68	2·70	2·71	2·72	2·73	2·74	2·75	2·76	29·653
2·85	2·85	2·85	2·85	2·85	2·86	2·87	2·90	2·93	2·94	2·95	2·95	29·849
3·07	3·07	3·08	3·08	3·08	3·09	3·09	3·09	3·09	3·09	3·09	3·09	30·039
3·04	3·03	3·01	3·00	3·00	3·00	3·01	3·01	3·01	3·02	3·02	3·03	30·040
3·10	3·10	3·10	3·10	3·10	3·10	3·10	3·10	3·11	3·12	3·12	3·12	30·083
3·16	3·15	3·15	3·15	3·14	3·13	3·13	3·13	3·14	3·15	3·16	3·16	30·147
3·20	3·18	3·17	3·15	3·13	3·12	3·11	3·11	3·11	3·11	3·10	3·10	30·169
3·03	3·01	2·97	2·94	2·91	2·90	2·89	2·87	2·87	2·86	2·87	2·87	30·000
2·77	2·75	2·74	2·73	2·73	2·73	2·74	2·73	2·73	2·73	2·73	2·73	29·780
2·74	2·74	2·73	2·73	2·73	2·73	2·74	2·75	2·76	2·77	2·78	2·78	29·748
2·87	2·87	2·86	2·86	2·86	2·86	2·86	2·86	2·86	2·87	2·88	2·88	29·855
2·92	2·91	2·90	2·89	2·88	2·87	2·87	2·88	2·90	2·91	2·92	2·92	29·910
2·99	2·98	2·97	2·96	2·95	2·94	2·93	2·93	2·94	2·94	2·94	2·94	29·967
2·95	2·95	2·94	2·91	2·89	2·88	2·87	2·87	2·87	2·87	2·87	2·88	29·935
2·87	2·86	2·84	2·83	2·81	2·80	2·80	2·80	2·79	2·79	2·78	2·78	29·855
2·79	2·78	2·77	2·76	2·76	2·76	2·75	2·76	2·76	2·76	2·77	2·77	29·789
2·83	2·83	2·83	2·83	2·83	2·84	2·84	2·84	2·85	2·85	2·86	2·86	29·817
2·92	2·91	2·89	2·88	2·87	2·87	2·86	2·87	2·87	2·86	2·86	2·86	29·885
2·95	2·95	2·94	2·93	2·93	2·92	2·93	2·93	2·93	2·93	2·93	2·93	29·925
29·892	29·887	29·879	29·871	29·863	29·861	29·861	29·862	29·865	29·867	29·867	29·866	29·879

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for +27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·93	2·93	2·93	2·93	2·94	2·95	2·96	2·96	2·97	2·97	2·98	3·00
2.	2·97	2·97	2·97	2·97	2·97	2·97	2·97	2·97	2·96	2·95	2·94	2·93
3.	2 70	2·70	2·68	2·68	2·68	2·70	2·72	2·73	2·74	2·74	2 75	2·75
4.	2·87	2·88	2·90	2·91	2 93	2·95	2·97	2·99	3·01	3·02	3·03	3·05
5.	3·11	3·11	3·11	3·11	3·12	3·12	3·12	3·12	3·12	3·12	3·12	3·11
6.	3·05	3·05	3·05	3·05	3·06	3·06	3·06	3·07	3·07	3 07	3·06	3·05
7	2·92	2·92	2·92	2·92	2·92	2·92	2·92	2·92	2·91	2·90	2 88	2·87
8.	2·76	2·76	2·76	2·77	2·77	2·78	2·78	2·78	2·78	2·78	2·77	2·76
9.	2·78	2·80	2·87	2·83	2·84	2·85	2·86	2·87	2·87	2·87	2·88	2·88
10.	2·89	2·90	2·90	2·92	2·93	2·94	2·95	2·96	2·96	2·96	2·96	2 96
11.	2·91	2·91	2·92	2·93	2·95	2·96	2·97	2·97	2·98	2·99	2·99	2·99
12.	2·26	2·96	2·96	2·96	2·96	2·96	2·97	2·98	2·98	2·98	2·97	2 97
13.	2 95	2·95	2 95	2·95	2·94	2·94	2·94	2 94	2·93	2·93	2·92	2 90
14	2·71	2·71	2·73	2·73	2·74	2·75	2·76	2·77	2·77	2·77	2·77	2·77
15.	2·77	2·78	2·80	2·81	2·83	2·84	2·85	2·85	2·85	2·86	2·86	2·86
16.	2·84	2·85	2·86	2·87	2·88	2·89	2·91	2·92	2·92	2 93	2·94	2·94
17.	2·98	3·00	3·01	3·02	3·03	3·05	3·07	3·08	3·08	3·08	3·08	3·09
18.	3·02	3·02	3 00	3·00	3·00	3·01	3·01	3·01	3·01	3·01	3·01	3·00
19.	2·95	2·95	2·95	2·96	2·95	2·95	2·95	2·94	2·93	2·91	2·88	2·87
20.	2·73	2·73	2·73	2 73	2·74	2·75	2·75	2·76	2·77	2·77	2·76	2·76
21.	2·77	2·78	2·78	2 80	2·82	2·84	2·86	2·87	2 87	2 87	2·87	2·87
22.	2·92	2·93	2·94	2·95	2·95	2·96	2·97	2·97	2·98	2 98	2·99	2·99
23.	2·88	2·88	2·88	2·88	2·89	2·90	2·90	2·91	2·91	2·91	2·91	2·91
24	2·93	2·94	2·94	2·94	2·95	2·95	2·96	2·96	2 96	2·96	2·96	2·96
25.	2·92	2·92	2·92	2·93	2·93	2·94	2·95	2·95	2·96	2 96	2·96	2·95
26.	2·96	2·96	2·96	2·96	2·97	2·98	2·99	3·00	3·00	3·00	3·00	3·00
27.	2·94	2·95	2·95	2·95	2·96	2·96	2·97	2·97	2·97	2 96	2·96	2·95
28.	2·90	2·90	2·91	2·92	2·93	2·93	2·93	2·93	2·93	2·92	2·91	2·90
29	2·90	2·91	2·91	2·92	2·93	2·94	2·95	2·96	2·96	2·96	2·96	2·96
30.	2·94	2·94	2·95	2·95	2·96	2·96	2·97	2·97	2·97	2·97	2·96	2·95
31.	2·87	2·87	2·87	2·88	2·90	2·90	2·91	2·92	2·91	2·91	2·90	2·89
Mean.	29·895	29·899	29·902	29·907	29·915	29 923	29·931	29·935	29·936	29·936	29·933	29 930

each Hour (120th Meridian Time), during the Month of July, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·99	2·99	2·99	2·99	2·99	2·98	2·98	2·98	2·98	2·98	2·98	2·98	29·969
2·90	2·88	2·85	2·83	2·79	2·76	2·74	2·73	2·72	2·72	2·73	2·72	29·871
2·75	2·75	2·76	2·76	2·76	2·77	2·78	2·80	2·82	2·83	2·83	2·85	29·751
3·06	3·07	3·07	3·07	3·08	3·08	3·08	3·09	3·10	3·12	3·12	3·12	30·024
3·11	3·10	3·09	3·08	3·07	3·07	3·06	3·06	3·06	3·06	3·05	3·05	30·094
3·04	3·03	3·01	3·00	2·98	2·96	2·95	2·94	2·93	2·93	2·93	2·93	30·014
2·86	2·84	2·83	2·82	2·80	2·78	2·77	2·77	2·77	2·76	2·76	2·76	29·852
2·76	2·75	2·75	2·74	2·73	2·73	2·74	2·75	2·76	2·77	2·77	2·77	29·761
2·88	2·87	2·85	2·84	2·83	2·84	2·85	2·86	2·87	2·87	2·88	2·88	29·853
2·96	2·95	2·93	2·92	2·91	2·91	2·90	2·90	2·91	2·91	2·91	2·91	29·927
2·99	2·99	2·98	2·97	2·96	2·95	2·95	2·95	2·95	2·95	2·96	2·96	29·960
2·97	2·98	2·98	2·98	2·96	2·95	2·95	2·95	2·95	2·94	2·94	2·95	29·963
2·86	2·85	2·80	2·78	2·75	2·73	2·73	2·73	2·73	2·72	2·72	2·72	29·848
2·77	2·77	2·76	2·75	2·74	2·73	2·74	2·74	2·76	2·76	2·77	2·77	29·752
2·85	2·84	2·83	2·81	2·80	2·80	2·81	2·82	2·83	2·84	2·84	2·84	29·828
2·93	2·92	2·92	2·91	2·90	2·90	2·92	2·93	2·94	2·95	2·96	2·97	29·912
3·09	3·08	3·07	3·06	3·04	3·03	3·02	3·01	3·01	3·01	3·02	3·02	30·043
3·00	3·00	2·98	2·97	2·96	2·94	2·94	2·94	2·94	2·94	2·95	2·95	29·984
2·85	2·83	2·80	2·79	2·77	2·75	2·74	2·73	2·73	2·73	2·73	2·73	29·849
2·75	2·75	2·73	2·73	2·72	2·71	2·72	2·73	2·74	2·75	2·76	2·76	29·743
2·87	2·86	2·84	2·83	2·83	2·84	2·85	2·86	2·87	2·88	2·90	2·91	29·847
2·98	2·97	2·96	2·95	2·93	2·92	2·91	2·90	2·90	2·89	2·88	2·88	29·942
2·91	2·90	2·89	2·89	2·89	2·89	2·91	2·92	2·93	2·93	2·93	2·93	29·903
2·96	2·96	2·94	2·93	2·92	2·91	2·91	2·90	2·90	2·90	2·91	2·91	29·936
2·94	2·94	2·93	2·92	2·91	2·90	2·91	2·92	2·93	2·94	2·95	2·95	29·935
2·98	2·97	2·97	2·96	2·95	2·94	2·93	2·93	2·94	2·94	2·94	2·94	29·965
2·94	2·93	2·92	2·91	2·89	2·88	2·88	2·88	2·89	2·89	2·90	2·90	29·929
2·89	2·88	2·87	2·86	2·85	2·84	2·85	2·86	2·87	2·87	2·87	2·88	29·892
2·95	2·94	2·93	2·92	2·91	2·90	2·91	2·92	2·92	2·93	2·93	2·93	29·931
2·94	2·93	2·91	2·89	2·87	2·86	2·86	2·86	2·87	2·87	2·87	2·87	29·920
2·87	2·86	2·84	2·83	2·80	2·79	2·78	2·78	2·79	2·79	2·77	2·78	29·850
29·923	29·915	29·902	29·893	29·880	29·872	29·873	29·875	29·881	29·883	29·886	29·888	29·905

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·79	2 81	2·84	2·85	2·86	2·86	2·85	2 84	2·84	2·84	2·83	2·81
2.....	2·75	2·75	2·76	2 77	2·78	2·79	2 80	2 81	2·82	2·82	2·83	2·83
3.....	2 84	2·85	2·86	2·87	2·87	2·88	2 90	2·92	2·92	2·92	2·92	2 92
4.....	2·97	2 97	2·97	2·97	2·98	2 99	3·01	3·01	3·02	3·02	3·00	3·00
5	2·94	2 94	2·93	2·93	2·93	2·93	2·93	2·93	2·93	2·93	2·93	2·92
6.....	2·78	2 77	2 76	2 75	2 75	2·75	2·75	2·74	2·74	2 74	2·74	2·74
7.....	2·77	2·77	2·77	2 77	2·78	2 80	2·82	2 83	2·84	2·85	2·86	2·86
8.....	2·95	2·95	2·95	2·95	2·95	2·96	2 97	2·97	2·96	2·96	2·96	2·96
9.....	2·93	2·93	2·94	2·94	2·95	2·96	2·97	2 97	2·98	2·98	2·98	2·97
10.....	3·03	3·03	3·04	3 04	3·05	3·06	3·07	3·07	3·07	3·07	3 08	3·08
11. ...	3·03	3 03	3·03	3 03	3·04	3·05	3·05	3·05	3·06	3·06	3·06	3·06
12.	3 04	3·04	3·03	3·03	3·04	3 04	3 04	3 05	3·04	3 04	3·03	3·03
13.....	2·93	2 93	2 93	2·93	2 93	2·93	2 93	2 93	2·93	2·94	2·93	2·92
14	2·90	2·92	2·93	2 94	2·97	2·98	3·01	3·02	3·04	3·05	3·07	3·08
15.....	3·14	3·14	3·14	3·14	3·14	3·14	3·15	3·15	3·14	3·14	3·13	3·12
16.....	2·97	2 96	2·95	2·94	2 93	2·92	2·91	2·90	2.89	2·88	2·87	2·85
17 ...	2 80	2 81	2·82	2 82	2 83	2 84	2·86	2·87	2·88	2·88	2·90	2·91
18.....	3·02	3·03	3·05	3 06	3·10	3·11	3·13	3·14	3 15	3 15	3·16	3·16
19.....	3·15	3·15	3·15	3 15	3 16	3·17	3·17	3·17	3·16	3·15	3·14	3·14
20.. ...	3·05	3·05	3·05	3·06	3 06	3·07	3·08	3·08	3 07	3·07	3·06	3·05
21. ..	2·95	2·94	2·95	2 95	2·96	2·97	2·97	2 98	2·98	2·99	2·98	2·97
22.....	2·94	2·94	2·94	2 95	2·95	2·96	2·97	2·98	2·98	2·98	2·98	2·98
23.....	3·00	3·00	2 99	2·99	2 99	2 99	2·99	2·98	2·97	2·97	2·96	2·95
24.....	2·80	2·80	2·80	2·80	2 80	2·81	2·82	2 83	2·83	2·83	3 83	2·82
25..	2·83	2·84	2·84	2·84	2·84	2·84	2·84	2·84	2 85	2·85	2·85	2·85
26.	2·87	2·87	2·88	2·89	2·91	2·92	2·93	2·94	2·96	2 96	2·96	2·96
27.	2·97	2·97	2·97	2·98	2·99	2·99	3·00	3·01	3 01	3 02	3·01	3·01
28.	3·01	3·01	3·02	3 02	3 02	3·03	3·03	3·03	3·03	3·02	3·01	3·00
29.....	2·83	2·80	2·79	2·78	2·77	2·78	2·78	2·78	2·77	2·76	2·76	2·76
30.....	2·84	2·85	2·85	2·85	2·86	2·87	2·89	2·89	2·90	2 90	2·88	2 88
31.....	2·87	2·87	2·88	2·89	2·89	2·80	2·91	2·92	2·92	2·90	2·88	2 86
Mean..	29·925	29·926	29·930	29·932	29·938	29·945	29·953	29·956	29 957	29·957	29·954	29·950

each Hour (120th Meridian Time), during the Month of August, 1907

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·79	2·76	2·74	2·73	2·71	2·70	2·70	2·71	2·72	2·73	2·74	2·74	29·783
2·83	2·82	2·80	2·79	2·78	2·78	2·78	2·80	2·82	2·82	2·83	2·84	29·800
2·93	2·93	2·94	2·94	2·94	2·94	2·95	2·96	2·97	2·97	2·97	2·97	29·920
2·98	2·97	2·97	2·96	2·95	2·94	2·93	2·94	2·95	2·95	2·95	2·95	29·973
2·91	2·90	2·89	2·88	2·86	2·85	2·84	2·84	2·83	2·82	2·81	2·80	29·892
2·73	2·73	2·73	2·73	2·74	2·74	2·75	2·75	2·76	2·76	2·76	2·77	29·748
2·87	2·87	2·87	2·88	2·88	2·89	2·91	2·92	2·93	2·94	2·95	2·95	29·858
2·95	2·94	2·93	2·93	2·92	2·92	2·92	2·93	2·93	2·93	2·94	2·94	29·945
2·96	2·96	2·97	2·97	2·97	2·98	3·00	3·01	3·02	3·02	3·02	3·03	29·975
3·07	3·07	3·05	3·04	3·03	3·03	3·04	3·04	3·04	3·04	3·03	3·03	30·050
3·06	3·06	3·06	3·05	3·05	3·05	3·05	3·06	3·05	3·05	3·04	3·04	30·049
3·01	3·01	2·99	2·98	2·96	2·96	2·95	2·95	2·95	2·95	2·95	2·94	30·002
2·91	2·90	2·88	2·87	2·86	2·85	2·84	2·84	2·84	2·86	2·87	2·88	29·898
3·08	3·09	3·10	3·11	3·11	3·11	3·12	3·13	3·14	3·14	3·14	3·14	30·055
3·11	3·10	3·08	3·07	3·05	3·04	3·03	3·02	3·00	2·98	2·97	2·97	30·087
2·83	2·82	2·81	2·80	2·78	2·77	2·77	2·77	2·77	2·78	2·79	2·80	29·852
2·92	2·92	2·93	2·94	2·94	2·95	2·96	2·97	2·97	2·98	3·00	3·01	29·905
3·16	3·16	3·15	3·15	3·14	3·14	3·14	3·14	3·14	3·14	3·15	3·15	30·126
3·14	3·12	3·10	3·09	3·08	3·07	3·06	3·06	3·06	3·05	3·05	3·05	30·116
3·02	3·01	2·99	2·98	2·97	2·95	2·95	2·95	2·94	2·94	2·94	2·95	30·014
2·97	2·97	2·95	2·93	2·93	2·92	2·92	2·92	2·93	2·94	2·94	2·94	29·952
2·98	2·98	2·97	2·97	2·97	2·96	2·96	2·97	2·98	2·99	3·00	3·00	29·970
2·93	2·91	2·89	2·87	2·85	2·84	2·83	2·82	2·81	2·81	2·80	2·80	29·914
2·80	2·80	2·78	2·77	2·77	2·77	2·78	2·78	2·78	2·80	2·81	2·82	29·801
2·85	2·84	2·84	2·83	2·82	2·83	2·84	2·85	2·85	2·85	2·86	2·86	29·843
2·96	2·96	2·97	2·96	2·96	2·96	2·96	2·96	2·96	2·96	2·97	2·97	29·942
3·00	3·00	3·00	3·00	2·99	2·98	2·98	2·99	3·00	3·00	3·00	3·00	29·994
2·99	2·97	2·95	2·94	2·91	2·89	2·88	2·88	2·86	2·85	2·84	2·84	29·960
2·76	2·74	2·74	2·74	2·75	2·76	2·77	2·78	2·80	2·81	2·83	2·84	29·778
2·88	2·87	2·87	2·86	2·86	2·86	2·86	2·87	2·87	2·87	2·87	2·87	29·870
2·84	2·83	2·81	2·80	2·79	2·79	2·79	2·80	2·80	2·80	2·81	2·81	29·848
29·943	29·936	29·927	29·921	29·914	29·910	29·912	29·916	29·918	29·920	29·924	29·926	29·933

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·81	2·81	2·81	2·81	2·82	2·83	2·85	2·86	2·88	2·90	2·91	2·92
2.	2·99	2·99	2·99	3·00	3·03	3·04	3·06	3·07	3·08	3·09	3·10	3·10
3.	3·13	3·12	3·12	3·13	3·13	3·13	3·14	3·14	3·13	3·13	3·12	3·10
4.	2·96	2·95	2·94	2·93	2·92	2·91	2·91	2·90	2·88	2·87	2·85	2·83
5.	2·73	2·73	2·73	2·73	2·73	2·74	2·75	2·76	2·77	2·79	2·80	2·82
6.	2·97	2·98	2·98	2·99	3·00	3·03	3·04	3·06	3·07	3·08	3·10	3·11
7.	2·16	3·16	3·17	3·18	3·18	3·19	3·21	3·21	3·21	3·21	3·21	3·21
8.	3·16	3·16	3·16	3·16	3·16	3·16	3·16	3·16	3·15	3·14	3·12	3·10
9.	2·97	2·97	2·97	2·97	2·97	2·97	2·97	2·97	2·95	2·94	2·93	2·92
10.	2·83	2·83	2·84	2·84	2·84	2·85	2·87	2·87	2·87	2·88	2·88	2·88
11.	2·87	2·85	2·84	2·83	2·83	2·83	2·83	2·82	2·83	2·84	2·83	2·82
12.	2·92	2·93	2·94	2·94	2·96	2·97	2·98	2·98	2·99	2·99	2·99	2·99
13.	2·99	2·99	2·99	2·99	2·98	2·98	2·99	2·99	2·99	2·99	2·98	2·97
14.	2·78	2·77	2·76	2·76	2·75	2·75	2·75	2·75	2·75	2·75	2·76	2·76
15.	2·67	2·66	2·66	2·65	2·65	2·64	2·63	2·63	2·62	2·60	2·59	2·58
16.	2·57	2·57	2·57	2·57	2·58	2·58	2·59	2·59	2·60	2·62	2·63	2·63
17.	2·84	2·85	2·86	2·87	2·89	2·91	2·93	2·94	2·96	2·97	2·98	3·00
18.	3·05	3·05	3·06	3·06	3·06	3·06	3·07	3·07	3·07	3·07	3·07	3·07
19.	3·03	3·03	3·03	3·03	3·04	3·06	3·07	3·08	3·10	3·11	3·11	3·11
20.	3·12	3·12	3·12	3·12	3·12	3·13	3·13	3·13	3·13	3·13	3·13	3·12
21.	3·09	3·10	3·10	3·10	3·10	3·10	3·10	3·11	3·11	3·12	3·12	3·11
22.	3·08	3·08	3·07	3·07	3·07	3·08	3·09	3·09	3·08	3·07	3·07	3·06
23.	2·97	2·96	2·95	2·95	2·94	2·93	2·93	2·93	2·92	2·90	2·89	2·87
24.	2·78	2·78	2·78	2·78	2·79	2·79	2·80	2·81	2·81	2·81	2·81	2·80
25.	2·84	2·84	2·84	2·84	2·84	2·84	2·84	2·85	2·87	2·87	2·87	2·87
26.	2·98	2·98	2·98	2·98	2·98	2·98	2·98	2·99	3·00	3·00	3·00	3·00
27.	2·84	2·83	2·81	2·81	2·81	2·81	2·83	2·84	2·85	2·86	2·86	2·86
28.	2·90	2·90	2·91	2·91	2·92	2·93	2·95	2·96	2·97	2·97	2·97	2·98
29.	2·98	2·98	2·98	2·98	2·98	2·98	2·98	2·98	2·99	2·98	2·98	2·97
30.	2·82	2·80	2·77	2·74	2·73	2·68	2·64	2·64	2·65	2·67	2·68	2·70
Mean.	29·928	29·926	29·924	29·924	29·927	29·929	29·936	29·939	29·943	29·945	29·945	29·942

each Hour (120th Meridian Time), during the Month of September, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·93	2·93	2·93	2·93	2·93	2·93	2·94	2·95	2·96	2·97	2·97	2·98	29·898
3·11	3·12	3·12	3·12	3·13	3·13	3·14	3·14	3·14	3·14	3·14	3·13	30·088
3·09	3·07	3·05	3·04	3·02	3·00	2·99	2·99	2·98	2·97	2·97	2·96	30·069
2·80	2·77	2·76	2·74	2·73	2·72	2·71	2·71	2·72	2·72	2·72	2·73	29·820
2·83	2·83	2·85	2·86	2·87	2·88	2·89	2·89	2·91	2·61	2·93	2·95	29·820
3·11	3·11	3·11	3·11	3·11	3·11	3·12	3·12	3·13	3·14	3·15	3·15	30·078
3·21	3·20	3·19	3·17	3·16	3·16	3·15	3·16	3·16	3·16	3·16	3·16	30·181
3·08	3·07	3·04	3·02	3·00	2·99	2·98	2·98	2·98	2·98	2·98	2·98	30·078
2·89	2·88	2·87	2·85	2·83	2·83	2·83	2·83	2·83	2·83	2·83	2·83	29·901
2·87	2·87	2·85	2·84	2·83	2·83	2·82	2·82	2·83	2·85	2·87	2·87	29·851
2·83	2·84	2·85	2·87	2·88	2·88	2·87	2·90	2·91	2·91	2·91	2·91	29·858
2·99	2·99	2·98	2·98	2·99	2·99	2·98	2·98	2·98	2·98	2·99	2·99	29·975
2·94	2·91	2·89	2·87	2·86	2·85	2·84	2·84	2·83	2·82	2·80	2·79	29·878
2·76	2·76	2·75	2·74	2·73	2·72	2·71	2·70	2·70	2·69	2·68	2·68	29·738
2·57	2·57	2·57	2·58	2·58	2·58	2·59	2·59	2·60	2·60	2·59	2·58	29·607
2·65	2·66	2·67	2·69	2.72	2·73	2·75	2·77	2·80	2·81	2·82	2·83	29·667
3·00	3·00	3·01	3·01	3·02	3·03	3·04	3·04	3·04	3·04	3·05	3·05	30·014
3·06	3·05	3·04	3·04	3·03	3·03	3·03	3·03	3·03	3·03	3·03	3·03	30·050
3·11	3·12	3·12	3·11	3·11	3·11	3·10	3·10	3·10	3·10	3·11	3·11	30·088
3·11	3·10	3·08	3·07	3·06	3·06	3·06	3·07	3·07	3·07	3·07	3·08	30·100
3·08	3·08	3·07	3·07	3·06	3·05	3·06	3·07	3·07	3·07	3·08	3·08	30·087
3·04	3·03	3·02	3·00	2·99	2·98	2·98	2·98	2·99	2·99	2·98	2·98	30·034
2·84	2·82	2·80	2·79	2·77	2·77	2·77	2·77	2·77	2·77	2·78	2·78	29·857
2·78	2·78	2·77	2·77	2·77	2·77	2·79	2·79	2·81	2·82	2·83	2·84	29·794
2·87	2·87	2·88	2·89	2·90	2·91	2·93	2·93	2·94	2·95	2·97	2·98	29·885
2·98	2·97	2·96	2·94	2.93	2.92	2·91	2·89	2·88	2·87	2·85	2·84	29·950
2·86	2·86	2·86	2·86	2·87	2·87	2·87	2·88	2·89	2·89	2·90	2·90	29·855
2·97	2·97	2·96	2·95	2·96	2·97	2·97	2·97	2·97	2·97	2·97	2·98	29·953
2·97	2·96	2·94	2·93	2·92	2·91	2·90	2·89	2·88	2·86	2·84	2·83	29·941
2·73	2·74	2·76	2·76	2·78	2·79	2·80	2·81	2·81	2·81	2·80	2·79	29·746
29·935	29·931	29·925	29·920	29·918	29·917	29·917	29·920	29·924	29·924	29·926	29·926	29·929

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·77	2·77	2·76	2·76	2·75	2·75	2·75	2·76	2·77	2 78	2·79	2·80
2	3·03	3·04	3·05	3·06	3·07	3·09	3·12	3·13	3·14	3·15	3·16	3·15
3	3 12	3·11	3 11	3·11	3·13	3·14	3·14	3·14	3·15	3·16	3·16	3·16
4	3·13	3·12	3·09	3·08	3·07	3 07	3·05	3·04	3·04	3·02	2·99	2·97
5	2·78	2·77	2·77	2·77	2·76	2·77	2 77	2·78	2·80	2·80	2 81	2·81
6	2·96	2·97	2·97	2·98	3·00	3·01	3·02	3·02	3·02	3·02	3·02	3·01
7	3·00	3·00	3·01	3·02	3·03	3·04	3·05	3·06	3·07	3·08	3·08	3·08
8	3·20	3·21	3·22	3·22	3·23	3·24	3·25	3·26	3·27	3·28	3·28	3·28
9	3·26	3·26	3·26	3·26	3·26	3·26	3·26	3·26	3·26	3·26	3·25	3·23
10	3·10	3·09	3·08	3·07	3·07	3 07	3·07	3·07	3·06	3·05	3·04	3·03
11	2·95	2·95	2·95	2·95	2·95	2·95	2·95	2·95	2·95	2·95	2·94	2·93
12	2·89	2·89	2 90	2·90	2·90	2·91	2·91	2·92	2·93	2 93	2·93	2·94
13	3·01	3·02	3·03	3·04	3·05	3·05	3·07	3·08	3·10	3·10	3·12	3·12
14	3·12	3·13	3·13	3·13	3·13	3·13	3·13	3·13	3·13	3·13	3·11	3·09
15	3·04	3·03	3 03	3·03	3·03	3·04	3·04	3·05	3·05	3·05	3·05	3·04
16	3·03	3·04	3 04	3 04	3·04	3·05	3·06	3·07	3·07	3·07	3·07	3·07
17	3·05	3·05	3·04	3·04	3·05	3 05	3 06	3·06	3·07	3·07	3 05	3·05
18	3·03	3 03	3·03	3·03	3·02	3·02	3·02	3 02	3 01	3·00	2·98	2·96
19	2·93	2·93	2·94	2·94	2·94	2·94	2·95	2 96	2·97	2 97	2·97	2·96
20	2·99	3 00	3·00	3·00	3·01	3·01	3·02	3·03	3 03	3·03	3·03	3·02
21	3 07	3·08	3·07	3·07	3·07	3·06	3 06	3·07	3·06	3·06	3·05	3·04
22	2·95	2·95	2·94	2 93	2·93	2 93	2·93	2 95	2 96	2·96	2·96	2·96
23	2·97	2·97	2·97	2·96	2 97	2·97	2·97	2·97	2·97	2·96	2·95	2·94
24	2·78	2·78	2·78	2·77	2 77	2·78	2·80	2·80	2·82	2·82	2·84	2·84
25	2 89	2·90	2·90	2 91	2 92	2 93	2·93	2 93	2·94	2·94	2·94	2·94
26	2·95	2·96	2·97	2·97	2·97	2 97	2 97	2·97	2·97	2·97	2·97	2·96
27	2·90	2·89	2·87	2 86	2·86	2·85	2 85	2·85	2 84	2·84	2·83	2·81
28	2·79	2·78	2·78	2·78	2·79	2 79	2·79	2·79	2·79	2·77	2·76	2 75
29	2·73	2·73	2·74	2 74	2·74	2·75	2·75	2·76	2·77	2·77	2·76	2·74
30	2·77	2·78	2·78	2 78	2·79	2 80	2·80	2·81	2·81	2·81	2·80	2·80
31	2·67	2·70	2·73	2·74	2·78	2 79	2 82	2·85	2·88	2·89	2·93	2·94
Mean.	29·963	29·965	29 966	29·966	29·970	29·975	29·979	29·985	29·990	29·990	29·988	29·981

each Hour (120th Meridian Time), during the Month of October, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·82	2 83	2 85	2·87	2·88	2·89	2·93	2·95	2·96	2·97	2·98	3·00	29·839
3·14	3·14	3·14	3·13	3·13	3·13	3·13	3·13	3·13	3·14	3·14	3·13	30·117
3·16	3·16	3·15	3·15	3·15	3·15	3·15	3·15	3·15	3·15	3·15	3·13	30·136
2·94	2·92	2·89	2 87	2·86	2·85	2·84	2·83	2·81	2·80	2·80	2·79	29·953
2·81	2·82	2·83	2·84	2·85	2·86	2·87	2·88	2·90	2 91	2·93	2·94	29·826
2·99	2·98	2·97	2·96	2·95	2·96	2·97	2·97	2·97	2·98	2·99	3·00	29·987
3·08	3·09	3·10	3·10	3·10	3·10	3·12	3·13	3·14	3·15	3·17	3·18	30·082
3·27	3·27	3·27	3·27	3·26	3·26	3·25	3·25	3·25	3·26	3·26	3·26	30·253
3·20	3 19	3·17	3·16	3·14	3·14	3·14	3·13	3·13	3·13	3·12	3·11	30·202
3·00	2·97	2·95	2·94	2·93	2·93	2·93	2·94	2·94	2·94	2·95	2·95	30·007
2·92	2·91	2·90	2·88	2·87	2·87	2·86	2·86	2·87	2·87	2·87	2·88	29·914
2·94	2·94	2·94	2·94	2·95	2·95	2·96	2·97	2·97	2·98	2·99	3·00	29·937
3·12	3·12	3·12	3·11	3·11	3·11	3·11	3 11	3·12	3·12	3·13	3·12	30·091
3·08	3·06	3·06	3·05	3·03	3·03	3·04	3·04	3·04	3·04	3·03	3·03	30·084
3·02	2·99	2·99	2·99	2·99	2·99	2·99	2·99	3·00	3·01	3·02	3·03	30·020
3·05	3 04	3·04	3·04	3·04	3·04	3·04	3·04	3·04	3·04	3·04	3·05	30·048
3·04	3·04	3·03	3·02	3·01	3·01	3·01	3·02	3·02	3·03	3·03	3·03	30·039
2·95	2·93	2·92	2·91	2·90	2·90	2·90	2·91	2·91	2 92	2·92	2·93	29·965
2·94	2 93	2·93	2·92	2·92	2·93	2·94	2·95	2·96	2 97	2·98	2·99	29·948
3·02	3·02	3·01	3·01	3·04	3·02	3·03	3·04	3·04	3·05	3 06	3·07	30·023
3·03	3·01	2·99	2·97	2·96	2·95	2·95	2·95	2·95	2·95	2·95	2·95	30·015
2·96	2·96	2·96	2·96	2·96	2·96	2 95	2·95	2·96	2·97	2·97	2·97	29·953
2·90	2·89	2·87	2·85	2·84	2 83	2 83	2·82	2·81	2·80	2·80	2·80	29·900
2·84	2·83	2·83	2·83	2·83	2·83	2·83	2·83	2·84	2·85	2·86	2·87	29·819
2·93	2·92	2·92	2·92	2·92	2·91	2·92	2·92	2·94	2·94	2·95	2·95	29·925
2·95	2·94	2·93	2·93	2·92	2·91	2·91	2·90	2·90	2·90	2·90	2·90	29·941
2·80	2·78	2·78	2·77	2·78	2·78	2·78	2·79	2·79	2·79	2·79	2·79	29·820
2·74	2·73	2·70	2·68	2·66	2·65	2·66	2·66	2·69	2·70	2·71	2·72	29·736
2·74	2·73	2·73	2·74	2·74	2·74	2·74	2·75	2·76	2·76	2·77	2·77	29·748
2·77	2·77	2·76	2·73	2·72	2·69	2·67	2·67	2·66	2·65	2·64	2·65	29·746
2·94	2·94	2·95	2·96	2·97	2·97	2·97	2·97	2·95	2·94	2·92	2·90	29·879
29·971	29·963	29·957	29·952	29·847	29·946	29·949	29 952	29·955	29·958	29·962	29·964	29·966

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1. . . .	2·87	2·85	2·84	2 79	2 77	2·75	2·72	2·70	2·66	2·60	2·53	2 51
2.	2 94	2·95	2·98	3·00	3·03	3·04	3·07	3·09	3·10	3·11	3·12	3·11
3.	3·02	3·03	3 04	3·04	3·04	3·04	3·06	3·07	3·08	3·08	3·10	3·10
4.	3 05	3·05	3·04	3·05	3·05	3 06	3·08	3·09	3·12	3·13	3·14	3·15
5.	3·16	3·15	3·14	3·13	3·12	3·11	3 10	3·10	3·09	3·08	3·07	3·05
6.	2·90	2 89	2·89	2·89	3·89	2·90	2·90	2·91	2·93	2·95	2·95	2·95
7.	3·10	3·10	3·10	3 10	3 12	3·13	3·13	3·13	3·14	3·14	3·14	3·14
8.	3·18	3·19	3·20	3·20	3 20	3·20	3·20	3·21	3·22	3·22	3·21	3·20
9.	3·20	3·20	3·19	3·19	3 18	3 18	3·19	3·19	3 19	3·19	3·18	3·18
10. . . .	3·15	3·15	3·15	3·15	3·15	3·15	3·16	3·17	3·17	3·17	3·17	3·15
11. . . .	3·10	3·10	3·10	3·09	3 09	3·09	3·09	3·10	3·10	3 10	3·10	3·10
12.	3·07	3·07	3 07	3·07	3 07	3·07	3·07	3·07	3·07	3·07	3 07	3·06
13.	3 03	3·03	3·04	3·01	3 04	3·04	3·04	3·05	3·05	3·05	3 06	3·06
14.	3·15	3·17	3·17	3·18	3·19	3·20	3·21	3·22	3·24	3·25	3·26	3·26
15.	3·31	3·30	3·29	3·28	3·27	3·26	3·26	3·26	3·25	3·25	3·23	3·20
16.	2·98	3·00	3·02	3 01	3·05	3·06	3·07	3·09	3·10	3·11	3·12	3·12
17.	3·09	3·09	3·08	3·08	3·09	3·10	3·10	3 11	3·12	3·13	3·13	3·13
18.	3·21	3·22	3·22	3·21	3·21	3·20	3·18	3·17	3·15	3·14	3·10	3·07
19.	2·54	2·49	2·46	2 46	2 45	2·46	2·48	2·50	2·53	2·55	2·58	2·61
20.	2·72	2·69	2·65	2 63	2·60	2 60	2·62	2·63	2·65	2·67	2·68	2 69
21.	2·93	2·94	2·94	2 94	2 93	2 92	2·89	2·87	2·87	2·86	2 84	2·82
22.	2·60	2·59	2·53	2·55	2·56	2·57	2·57	2·59	2·72	2 71	2·74	2·74
23.	2·91	2·92	2·93	2·93	2 91	2 89	2 84	2·76	2·71	2·69	2·62	2·58
24.	2·75	2·76	2·78	2·80	2·80	9·81	2·83	2·85	2·87	2·90	2·92	2·94
25.	3·04	3·02	2·99	2·96	2·92	2·87	2·81	2·79	2·72	2·67	2·60	2·55
26.	2·77	2·81	2·86	2 90	2·93	2·97	3·00	3·03	3·08	3·12	3·13	3·13
27.	2·99	2·99	2·98	2 97	2·94	2 91	2·90	2·87	2 87	2·87	2·85	2·84
28.	2·90	2·88	2·87	2·86	2·85	2·84	2·84	2·84	2·84	2·85	2·85	2·84
29.	3·06	3·06	3·06	3·06	3·06	3·05	3·06	3·07	3·08	3·09	3·09	3·09
30.	3·00	3·00	3·01	3·00	2·98	2·99	3·00	3·00	3·00	3·00	3·02	3·03
Mean. .	29·991	29·990	29·987	29·986	29·983	29·982	29·982	29·984	29 991	29·992	29·987	29·980

each Hour (120th Meridian Time), during the Month of November, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·57	2·57	2·63	2·67	2·69	2·73	2·74	2·77	2·79	2·81	2·86	2·87	29·762
3·09	3·08	3·08	3·07	3·05	3·05	3 03	3·02	3·02	3·03	3·03	3·03	30·047
3·09	3·08	3·08	3·08	3·08	3·07	3·06	3·07	3·07	3·06	3·05	3·05	30·064
3·15	3·15	3·16	3·17	3·17	3·17	3·18	3·18	3·19	3·19	3·17	3·16	30·127
3·03	3·01	2·98	2·97	2·96	2·95	2·94	2·93	2·92	2·91	2·90	2·90	30·029
2·95	2·95	2·96	2·97	2·98	3·00	3·01	3·03	3·04	3·05	3·07	3·08	29·960
3·14	3·14	3·15	3·15	3 16	3·16	3·16	3·15	3·17	3·18	3·18	3·18	30·141
3·18	3·17	3·17	3·17	3·17	3·18	3·18	3·18	3·19	3·20	3·20	3·20	30·193
3·17	3·16	3·15	3·14	3·14	3·14	3·14	3·14	3·14	3·15	3·15	3·16	30·127
3·14	3·13	3·13	3·12	3·12	3·12	3·12	3·12	3·12	3·12	3·12	3·12	30·140
3 08	3·06	3·06	3·06	3·06	3·06	3·07	3·07	3·07	3·07	3·07	3·07	30 082
3·01	3·03	3·03	3·02	3·02	3·02	3·02	3·02	3·02	3·02	3·02	3·02	30·046
3·06	3·06	3·06	3·07	3·08	3·08	3·09	3·10	3·12	3·13	3·14	3·15	30·070
3·26	3·26	3·26	3·26	3·26	3·27	3·27	3·27	3·28	3·29	3·30	3·31	30·241
3·16	3·14	3·12	3·10	3·06	3·04	3·00	2·97	2·96	2·96	2·96	2·98	30·150
3·12	3·13	3·13	3·13	3·13	3·12	3·11	3·10	3·09	3·09	3·09	3·09	30·087
3·12	3·12	3·13	3·14	3·16	3·17	3·18	3·19	3·20	3 20	3·21	3·22	30·137
3·04	2·98	2·95	2·91	2·85	2·80	2·77	2 72	2·68	2·60	2·59	2·57	29·981
2·63	2·66	2·70	2·71	2·74	2·75	2 76	2 76	2·76	2·76	2·75	2·75	29·618
2·70	2·72	2 73	2·76	2·78	2·81	2·83	2 85	2·87	2·90	2·92	2·92	29·734
2·81	2·81	2·80	2·76	2·75	2·74	2·70	2·67	2·64	2·60	2·57	2 60	29·800
2·75	2·78	2·78	2·79	2·82	2·84	2·86	2·87	2·88	2 89	2·91	2·91	29·731
2·57	2·56	2·57	2 58	2·59	2·60	2·63	2·65	2·69	2·71	2·73	2·75	29·722
2·95	2·95	2·96	2·97	2·98	2·99	3·02	3·03	3 04	3·05	3 05	3·05	29·919
2·51	2·16	2·43	2·43	2·43	2·45	2·53	2·57	2·59	2·60	2·68	2·73	29·681
3·11	3·10	3·10	3·10	3·09	3·08	3·07	3·06	3·04	3·02	3·01	3·00	30·021
2·85	2·86	2·89	2·90	2·92	2·93	2·95	2·96	2·96	2·96	2·95	2·93	29·918
2·85	2·87	2·93	2·92	2·91	2·92	2·95	2·98	2·99	3·01	3·04	3·05	29·903
3·09	3·08	3·07	3·06	3·05	3·03	3·02	3·01	3·00	3·01	3·01	3·01	30·053
3·04	3·04	3·06	3·08	3·10	3·11	3·13	3·12	3·12	3·11	3·10	3·10	30·048
29·975	29·970	29·975	29·975	29·977	29·979	29·984	29·985	29·988	29·989	29·994	29·999	29·984

PRESSURE at 32° Fah. at Victoria, B.C., from Self-registering Instruments, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	3·10	3·10	3·10	3·08	3·07	3·07	3·07	3·08	3·09	3·10	3·10	3·09
2.	3·07	3·06	3·05	3·04	3 03	3·02	3·01	3·00	2·99	2·99	2·98	2·96
3.....	2·96	2·96	2·95	2·94	2·90	2·90	2·86	2·85	2·81	2·79	2·75	2·73
4.	2·43	2·40	2·37	2·34	2·30	2·27	2·26	2·25	2·25	2·26	2·25	2·25
5..	2·73	2·74	2·78	2·80	2·81	2·82	2·83	2·84	2·86	2·87	2·87	2·87
6.....	2·76	2·74	2·72	2·70	2 67	2·67	2·65	2·65	2·64	2·63	2·60	2·57
7.....	2·49	2·50	2·51	2·52	2·54	2·55	2·58	2·59	2·64	2·66	2·67	2·70
8.	3 08	3·09	3·10	3·10	3·09	3·09	3·08	3·07	3·05	3·03	2·98	2·95
9.....	2·87	2·87	2·88	2·89	2·90	2·90	2·92	2·93	2·96	2·96	2·96	2·96
10.....	2·75	2·73	2·68	2·65	2·60	2·57	2·55	2·51	2·48	2·46	2·40	2·40
11.....	2·52	2·53	2·57	2·58	2·62	2·64	2·67	2·67	2·67	2·68	2·67	2·66
12.....	2·72	2·73	2·73	2·74	2·74	2·74	2·74	2·73	2·73	2·70	2·70	2·65
13.	2·08	2·14	2·19	2·24	2·30	2·35	2·43	2·48	2·55	2·58	2·63	2·65
14.....	3·05	3·07	3·08	3·09	3·10	3·12	3·13	3·14	3·16	3·16	3·16	3·15
15.....	3·07	3·07	3·07	3·07	3·08	3·08	3·08	3·09	3·10	3·10	3·10	3·10
16.....	3·20	3·22	3·23	3·23	3·24	3·24	3·24	3·25	3·25	3·25	3·25	3·25
17	3·13	3·13	3·14	3·14	3·14	3·15	3·15	3·16	3·17	3·18	3·19	3·19
18..... .	3·23	3·23	3·23	3·22	3·21	3·20	3·19	3·18	3·17	3·15	3·14	3·11
19.....	2·78	2·76	2·73	2·68	2·64	2·60	2·57	2·56	2·57	2·58	2·50	2·55
20.....	2·75	2·79	2·83	2·84	2·87	2·90	2·92	2·94	2·97	2·99	3·00	3·01
21.....	2·80	2·83	2·83	2·85	2·88	2·91	2·95	2·97	2 98	2·99	3·00	3·01
22..... .	2·84	2·84	2·85	2·86	2 87	2·89	2 92	2·93	2·97	3·00	3·04	3·05
23.	3·13	3·13	3·11	3·10	3·07	3·05	2·96	2·90	2·85	2·78	2·70	2·65
24.	2·90	2·92	2·94	2·94	2·93	2·93	2·94	2·94	2·95	2·95	2·95	2·94
25..... .	2·61	2·58	2·57	2·52	2·48	2·46	2·40	2·35	2·27	2·24	2·10	1·95
26.....	2·25	2·27	2·30	2·30	2·32	2·34	2·34	2·35	2·36	2·38	2·41	2·42
27.....	2·67	2·68	2·71	2·72	2·73	2·73	2·73	2·73	2·74	2·74	2·73	2·71
28... ...	2·59	2·58	2·58	2·58	2·58	2·59	2·60	2·62	2·63	2·65	2·65	2·67
29.....	2·91	2·94	2·95	2·95	2·96	2·96	2·97	2·97	2·98	3·00	3·01	3·00
30.....	2·72	2·72	2·70	2·67	2·65	2·61	2·60	2·58	2·57	2·56	2·55	2·53
31.....	2·47	2·46	2·45	2·45	2·44	2·44	2·45	2·45	2·47	2·47	2·48	2·48
Mean..	29·796	29·800	29·804	29·801	29·799	29·800	29·800	29·799	29·803	29·803	29·793	29·781

each Hour, (120th Meridian Time), during the Month of December, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·09	3·08	3·08	3·08	3·08	3·07	3·08	3·09	3·09	3·09	3·08	3·08	30·085
2·94	2·93	2·91	2·87	2·87	2·90	2·94	2·94	2·95	2·90	2·97	2·97	29·973
2·68	2·67	2·66	2·65	2·61	2·59	2·56	2·54	2·51	2·49	2·45	2·44	29·719
2·25	2·24	2·30	2·36	2·43	2·46	2·54	2·56	2·63	2·65	2·67	2·71	29·393
2·87	2·87	2·87	2·87	2·87	2·86	2·86	2·85	2·83	2·82	2·80	2·78	29·832
2·55	2·53	2·51	2·49	2·48	2·47	2·46	2·46	2·46	2·47	2·47	2·48	29·576
2·72	2·75	2·80	2·83	2·86	2·88	2·93	2·95	3·00	3·03	3·05	3·06	29·742
2·90	2·87	2·86	2·86	2·80	2·76	2·73	2·72	2·75	2·78	2·83	2·84	29·934
2·96	2·95	2·94	2·93	2·91	2·90	2·89	2·87	2·84	2·83	2·81	2·79	29·901
2·34	2·33	2·33	2·33	2·33	2·34	2·34	2·36	2·38	2·40	2·43	2·46	29·465
2·60	2·55	2·50	2·53	2·53	2·54	2·60	2·63	2·65	2·66	2·67	2·68	29·609
2·61	2·56	2·50	2·44	2·38	2·31	2·23	2·17	2·10	2·03	1·99	2·00	29·491
2·71	2·74	2·78	2·82	2·84	2·86	2·90	2·93	2·96	2·98	3·02	3·03	29·633
3·14	3·14	3·13	3·13	3·12	3·11	3·10	3·10	3·10	3·09	3·08	3·07	30·113
3·09	3·10	3·10	3·12	3·13	3·14	3·15	3·16	3·17	3·18	3·19	3·20	30·114
3·23	3·21	3·20	3·19	3·18	3·17	3·16	3·15	3·14	3·14	3·14	3·14	30·204
3·19	3·20	3·21	3·21	3·21	3·21	3·22	3·22	3·22	3·23	3·23	3·23	30·185
3·08	3·05	3·03	3·00	2·97	2·95	2·93	2·91	2·88	2·87	2·85	2·81	30·066
2·55	2·55	2·55	2·56	2·56	2·57	2·60	2·61	2·63	2·65	2·67	2·70	29·616
2·98	2·95	2·93	2·89	2·86	2·81	2·78	2·73	2·70	2·69	2·70	2·74	29·857
3·00	3·00	2·99	2·98	2·97	2·96	2·97	2·94	2·93	2·91	2·87	2·85	29·932
3·05	3·05	3·05	3·06	3·06	3·07	3·08	3·09	3·11	3·12	3·13	3·13	30·002
2·60	2·58	2·59	2·66	2·71	2·73	2·76	2·80	2·82	2·84	2·86	2·88	29·844
2·90	2·88	2·85	2·83	2·80	3·77	2·74	2·71	2·69	2·68	2·66	2·66	29·850
1·93	1·97	2·03	2·04	2·08	2·11	2·13	2·14	2·15	2·20	2·21	2·23	29·240
2·43	2·45	2·47	2·49	2·52	2·54	2·55	2·56	2·57	2·60	2·63	2·65	29·437
2·69	2·68	2·67	2·66	2·66	2·65	2·64	2·63	2·62	2·61	2·61	2·60	29·681
2·67	2·69	2·73	2·74	2·76	2·77	2·79	2·82	2·85	2·86	2·89	2·90	29·700
2·98	2·97	2·95	2·93	2·91	2·90	2·86	2·84	2·83	2·81	2·79	2·77	29·922
2·54	2·54	2·53	2·53	2·53	2·53	2·52	2·51	2·50	2·49	2·48	2·47	29·569
2·50	2·51	2·54	2·56	2·58	2·59	2·60	2·61	2·92	2·62	2·63	2·65	29·522
29·767	29·761	29·761	29·763	29·761	29·759	29·763	29·761	29·764	29·767	29·770	29·774	29·781

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.
1.....	2·514	2·544	2·584	2·598	2·616	2·643	2·683	2·718	2·746	2 781	2·797	2·806
2.....	3·030	3 046	3·062	3·046	3·066	3·078	3·108	3·112	3·131	3·142	3·145	3·136
3.....	3·009	2 981	2·977	2·930	2·899	2·861	2 837	2·791	2 767	2·735	2·719	2·651
4.....	2·355	2·337	2·372	2·359	2·317	2·357	2·371	2·385	2·431	2·489	2·525	2·532
5.....	2·604	2·621	2·629	2·625	2·630	2 649	2 681	2·692	2·702	2·729	2 743	2·729
6.....	2·738	2·729	2·723	2·693	2·681	2·681	2·679	2·680	2·683	2·683	2·673	2·649
7.....	2·755	2·763	2 772	2·782	2·778	2·777	2 809	2·807	2·821	2·837	2·836	2·811
8.....	2·827	2·819	2·821	2·779	2·767	2·761	2 727	2·725	2·722	2·709	2·715	2·685
9.....	2·587	2·589	2·589	2·587	2·591	2·605	2·646	2·689	2·740	2·783	2 805	2·790
10.....	2·709	2·687	2 685	2·649	2·607	2·567	2·545	2·515	2·469	2·415	2·369	2·305
11.	2·253	2·293	2·327	2·354	2·372	2·401	2·425	2·469	2·501	2·531	2·557	2·546
12... ...	2·647	2·629	2·591	2·547	2·492	2·435	2·419	2·396	2·401	2·385	2·401	2·407
13.....	2·873	2·907	2·921	2·941	2·943	2·957	2·974	3·013	3·021	3·032	3·023	3·001
14.....	2·791	2·778	2·763	2·732	2 718	2·695	2·677	2·677	2·677	2·672	2·653	2·639
15.....	2·729	2·749	2·760	2·766	2·760	2·780	2·814	2·844	2·879	2·912	2·912	2 928
16.....	3·058	3·071	3·073	3·067	3·061	3·074	3·092	3·104	3·118	3·135	3·140	3;138
17.....	3·064	3·046	3·017	2·987	2·958	2·925	2·911	2·891	2·890	2·868	2·838	2·817
18. .. .	2·791	2·791	2·789	2·777	2·761	2·761	2·779	2·735	2·755	2·772	2·769	2·751
19.....	2·749	2·737	2·691	2·643	2·603	2·551	2·508	2·449	2·411	2·377	2·323	2 265
20.....	1·851	1·831	1·807	1·749	1·755	1·819	1·901	1·946	2 015	2·083	2·119	2·164
21.....	2·713	2 753	2 789	2·828	2·850	2·885	2·929	2·953	2·977	2·995	3·001	3·007
22	2·953	2·927	2·897	2·866	2·831	2·807	2·802	2·819	2·821	2·855	2·875	2·876
23.	3·194	3·205	3·220	3·217	3·214	3 222	3·232	3·237	3·251	3·268	3·266	3·251
24.....	3·221	3·222	3·228	2·224	3·212	3·206	3·209	3·191	3·184	3·168	3·148	3·097
25.... ..	2·701	2·680	2 671	2·641	2·627	2·604	2·592	2·582	2·588	2·576	2·574	2·556
26.....	2·614	2·622	2·658	2·688	2·710	2·738	2·760	2·786	2·814	2·838	2·877	2·878
27.	2·996	2·996	3·006	2·986	2·985	2·984	2·985	2·988	2·987	2·987	3·002	2 991
28.....	2·984	2·988	3·000	3·004	3·008	3·003	3·010	3·022	3·036	3·044	3·056	3·042
29.....	3·014	3·014	3·016	3·004	3·003	3·004	3·002	3·010	3·010	3·007	3·004	2·986
30.....	2·906	2·910	2·927	2·938	2·958	2 974	3·006	3·038	3·066	3·093	3·122	3·124
31.....	3·170	3·151	3·151	3·127	3·106	3·085	3·057	3·046	3·027	3·005	2·979	2·931
Mean .	2·787	2·788	2·791	2·778	2·771	2·771	2·779	2·784	2·794	2·803	2·805	2·790

each Hour (75th Meridian Time), during the Month of January 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·802	2·828	2·850	2·872	2·899	2·937	2·952	2·984	2·998	3·000	3·012	3·012	2·799
3·117	3·101	3·103	3·095	3·109	3·095	3·119	3·101	3·063	3·062	3·045	3·028	3·089
2·597	2·573	2·555	2·553	2·537	2·531	2·513	2·489	2·457	2·441	2·433	2·397	2·676
2·533	2·557	2·576	2·621	2·649	2·675	2·687	2·675	2·641	2·651	2·627	2·626	2·514
2·716	2·718	2·729	2·737	2·741	2·747	2·761	2·757	2·745	2·761	2·759	2·745	2·706
2·641	2·643	2·651	2·667	2·681	2·697	2·729	2·743	2·755	2·763	2·759	2·755	2·699
2·787	2·809	2·787	2·793	2·817	2·747	2·821	2·821	2·839	2·849	2·847	2·841	2·804
2·671	2·669	2·667	2·659	2·669	2·675	2·667	2·649	2·629	2·611	2·611	2·583	2·701
2·793	2·797	2·791	2·797	2·801	2·807	2·813	2·805	2·795	2·785	2·765	2·737	2·729
2·205	2·159	2·135	2·129	2·117	2·128	2·144	2·155	2·171	2·178	2·205	2·229	2·353
2·541	2·567	2·587	2·613	2·635	2·667	2·649	2·713	2·713	2·711	2·693	2·665	2·534
2·415	2·449	2·490	2·541	2·593	2·639	2·683	2·725	2·761	2·789	2·841	2·845	2·563
2·987	2·953	2·921	2·925	2·993	2·891	2·889	2·871	2·863	2·857	2·859	2·821	2·931
2·630	2·617	2·636	2·634	2·669	2·694	2·710	2·706	2·696	2·699	2·684	2·706	2·689
2·930	2·931	2·967	2·976	2·985	3·010	3·034	3·046	2·048	3·054	3·060	3·054	2·913
3·107	3·099	3·118	3·125	3·137	3·148	3·151	3·151	3·153	3·127	3·111	3·086	3·110
2·786	2·783	2·780	2·785	2·777	2·801	2·803	2·817	2·821	2·811	2·799	2·787	2·865
2·738	2·741	2·760	2·755	2·748	2·773	2·791	2·810	2·807	2·801	2·775	2·759	2·770
2·213	2·191	2·159	2·167	2·134	2·115	2·087	2·039	1·981	1·927	1·876	1·843	2·293
2·197	2·219	2·267	2·329	2·401	2·448	2·495	2·530	2·563	2·591	2·645	2·683	2·184
3·002	3·003	3·010	3·027	3·031	3·041	3·043	3·041	3·035	3·025	3·017	2·988	2·956
2·905	2·934	2·972	3·007	3·048	3·097	3·138	3·158	3·180	3·194	3·200	3·197	2·973
3·226	3·212	3·220	3·222	3·232	3·240	3·248	3·246	3·244	3·242	3·241	3·238	3·233
3·037	2·998	2·981	2·964	2·940	2·926	2·902	2·872	2·834	2·814	2·776	2·736	3·045
2·550	2·546	2·564	2·568	2·572	2·606	2·620	2·623	2·626	2·623	2·616	2·622	2·605
2·870	2·876	2·896	2·910	2·924	2·948	2·962	2·967	2·972	2·983	2·983	2·986	2·844
2·964	2·945	2·946	2·943	2·950	2·966	2·984	2·991	2·992	2·998	2·988	2·994	2·982
3·025	3·014	3·022	3·032	3·034	3·034	3·045	3·049	3·046	3·044	3·034	3·026	3·025
2·951	2·937	2·934	2·924	2·926	2·924	2·916	2·906	2·902	2·906	2·902	2·904	2·963
3·117	3·119	3·131	3·152	3·159	3·169	3·181	3·195	3·199	3·191	3·185	3·189	3·085
2·895	2·869	2·842	2·847	2·853	2·853	2·855	2·852	2·849	2·852	2·854	2·841	2·962
2·773	2·770	2·776	2·786	2·796	2·808	2·820	2·823	2·819	2·817	2·813	2·804	2·794

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1. ..	2·839	2·840	2·833	2·831	2·827	2·821	2·818	2·797	2·791	2·778	2·770	2·735
2.....	2·380	2·366	2·352	2·337	2·330	2 320	2·302	2·274	2·268	2·262	2·229	2·175
3.....	2·421	2·454	2·498	2·526	2·564	2·584	2·634	2 687	2·734	2·771	2·805	2·822
4	2·964	2·969	2·966	2·966	2·986	2·986	2·996	2·998	3·017	3·024	3·046	3·030
5.....	2·838	2·827	2·827	2·814	2·800	2·782	2·785	2·795	2 789	2·782	2·775	2·774
6.....	2·824	2·842	2·844	2·856	2·866	2·882	2 907	2·925	2·944	2·956	2·983	2 985
7.....	3·127	3·139	3·140	3·136	3·140	3·145	3·154	3·157	3·159	3·155	3·149	3·128
8	2 928	2·919	2·901	2·901	2·901	2·898	2·893	2 906	2·916	2·907	2 895	2 883
9	2·767	2·755	2·743	2·719	2·711	2·689	2 683	2·682	2·675	2·667	2·652	2·618
10.	2·376	2·352	2·308	2·278	2·230	2·194	2·147	2·110	2·074	2·042	2·017	1·995
11.....	2·387	2·390	2·390	2·384	2·388	2·411	2·438	2·469	2·508	2·539	2·574	2·598
12.....	2·813	2·816	2·818	2·820	2·841	2·865	2 883	2·903	2·927	2·931	2·933	2·933
13.....	2·859	2·851	2·845	2·818	2·789	2·767	2·733	2·711	2·687	2·645	2·601	2·565
14.....	2·055	2·026	2·010	1·994	2·008	2·030	2·070	2·114	2·134	2·176	2·215	2·270
15.....	2·693	2·691	2·699	2·693	2·689	2·688	2·674	2·654	2·657	2·638	2·692	2·540
16.....	2·376	2·370	2·394	2·408	2·422	2·423	2·442	2·471	2·476	2·478	2·466	2·469
17.	2·500	2·512	2·524	2·529	2·548	2·552	2·568	2 604	2·630	2·650	2 670	2·700
18..	2·844	2·847	2·837	2·823	2·817	2·804	2·791	2·781	2·769	2·748	2·719	2·706
19.....	2·238	2·196	2·158	2·120	2·078	2·034	2·002	1·978	1·956	1·927	1·914	1·914
20.....	2·310	2·314	2·316	2·316	2·320	2·330	2·334	2·342	2·334	2·334	2·326	2·322
21.....	2·267	2·304	2·332	2·374	2·408	2·446	2·482	2·529	2·556	2·564	2·585	2·596
22.....	2·771	2·797	2·811	2·839	2·877	2·903	2·948	3·005	3·058	3·092	3·115	3·133
23.....	3·286	3·297	3 309	3·313	3·328	3·346	3·352	3·379	3·399	3·412	3·416	3·413
24.	3·224	3·195	3·124	3·081	3·037	2·985	2·948	2 911	2·866	2·834	2·798	2·752
25.	2·522	2·525	2·567	2·604	2·660	2·721	2 780	2·839	2·862	2·884	2·903	2·928
26.... ..	3·025	3·021	3·000	3·002	3·005	3·012	3 005	3·012	2·993	2·959	2·935	2·904
27.....	2·726	2·746	2·768	2·800	2·838	2·878	2·920	2·980	3·026	3·058	3·071	3·084
28.....	3·080	3·040	3·030	3·026	3·034	3·022	3·009	3·029	3·008	3·016	3·013	3·021
Mean .	2·694	2·693	2·691	2·690	2·694	2 697	2·704	2·716	2·722	2 723	2·720	2·714

each Hour (75th Meridian Time), during the Month of February, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
2·676	2·620	2·588	2·556	2·534	2·514	2·498	2·465	2·446	2·434	2·414	2·388	2·659
2·146	2·124	2·115	2·117	2·100	2·089	2·115	2·188	2·250	2·314	2·356	2·394	2·246
2·826	2·846	2·866	2·884	2·900	2·927	2 948	2·961	2·972	2·974	2·973	2·977	2 773
2·997	2·985	3·964	2·960	2·956	2·938	2·938	2·920	2·910	2·905	2·872	2·846	2 964
2·748	2·739	2·740	2·746	2·748	2·765	2·786	2·796	2·804	2·804	2·808	2·818	2 787
2·990	2·992	3·002	3·014	3·025	3·042	3·069	3·082	3·094	3·098	3·111	3·125	2·978
3·085	3·057	3·044	3·029	3·009	3·003	2·997	2·989	2·979	2·966	2·941	2·938	3·074
2·851	2·819	2 802	2·801	2 801	2·798	2·800	2·803	2·798	2·789	2·779	2·771	2·853
2·567	2·546	2·524	2·520	2·516	2·511	2·509	2·496	2·472	2·463	2·436	2·410	2·597
1 962	2·005	2·060	2·124	2 172	2·229	2·279	2·310	2 336	2·360	2 370	2 384	2·196
2·611	2·629	2·637	2·672	2 691	2·722	2·751	2·772	2·783	2 801	2·805	2·811	2·590
2·929	2·909	2·903	2·906	2·903	2·901	2·911	2 915	2·907	2·897	2·882	2·870	2·888
2·482	2·438	2·384	2·340	2·284	2·256	2·217	2·181	2 161	2·132	2·112	2·082	2 498
2·304	2·346	2·386	2·438	2·498	2·546	2·590	2·606	2·638	2·666	2·684	2·690	2·312
2·480	2·448	2·416	2·397	2·386	2 388	2·388	2·376	2·352	2·350	2 355	2·366	2 525
2·455	2·448	2·432	2·424	2·438	2·452	2·482	2·485	2 482	2·482	2·484	2·488	2·448
2·702	2·712	2·728	2·746	2·773	2·798	2·824	2·832	2·848	2·852	2·854	2 839	2·687
2·669	2·624	2·591	2·550	2·508	2·484	2·462	2·426	2 390	2·364	2·336	2·282	2·632
1·959	2·008	2·074	2·138	2 172	2·204	2·249	2·281	2 309	2 322	2·322	2·316	2·120
2·292	2·266	2·242	2·220	2·204	2·196	2·191	2·186	2 174	2 188	2 196	2·219	2·269
2·598	2 602	2·609	2 621	2 629	2·647	2·677	2 697	2·710	2·723	2·736	2 747	2·560
3·123	3·119	3·121	3 131	3·151	3·171	3·189	3·205	3·222	3·247	3·258	3·274	3 065
3·391	3·384	3·378	3 364	3·352	3·337	3·334	3·322	3 296	3 278	3·260	3·239	3·341
2·706	2 650	2·610	2·581	2·566	2·554	2·551	2·548	2 548	2·543	2·545	2·518	2 778
2·907	2·916	2·921	2·944	2·956	2·976	3·010	3·038	3 020	3·021	3·032	3·016	2 856
2·871	2·821	2·778	2·752	2·740	2·734	2·728	2·724	2·721	2·715	2·710	2·706	2·870
3·070	3·065	3·082	3·091	3·097	3·098	3·104	3·100	3·106	3·118	3·110	3·094	3·001
2·998	2·987	2·993	3·002	3·007	3·012	3·026	3·030	3·046	3·060	3·059	3·056	3·025
2·693	2·682	2·678	2·681	2·683	2·689	2·701	2 705	2·706	2·710	2·707	2·702	2·700

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	3·054	3·048	3·026	3·043	3·050	3·040	3·004	2·987	2·956	2·942	2·929	2·894
2.	2·200	2·146	2·062	2·030	2·006	1·970	2·036	2·078	2·092	2·102	2·118	2·144
3.	2·230	2·230	2·230	2·242	2·254	2·282	2·295	2·328	2·344	2·362	2·380	2·412
4.	2 690	2·705	2·706	2·717	2·743	2·768	2·778	2 797	2·799	2·791	2·790	2·790
5.	2·707	2 695	2 679	2·661	2·653	2·644	2·628	2·626	2·609	2·577	2·539	2 503
6.	2·684	2·743	2·792	2·822	2·864	2·922	2·940	2·992	3·010	3·040	3·054	3·062
7.	3·026	3·020	3·012	2·982	2·954	2·954	2·951	2·938	2·916	2·884	2·842	2·816
8.	2·491	2·484	2·471	2·482	2·487	2·511	2·527	2·573	2·580	2·597	2·611	2·626
9.	2·879	2·889	2·907	2·920	2·943	2·967	2·992	3·009	3·019	3·021	3·019	3·032
10.	2·941	2·937	2·927	2·918	2·897	2·897	2·889	2·891	2·888	2·887	2·881	2·865
11.	2·925	2·931	2·929	3·933	2·945	2·962	2·977	2·984	2·990	2·994	2·989	2·989
12.	2·814	2·779	2·746	2·731	2·718	2·644	2·590	2·570	2·536	2·491	2·459	2·437
13.	2·332	2·328	2·299	2·290	2·288	2·296	2·312	2 338	2·348	2·366	2·360	2·376
14.	2·368	2·346	2·296	2·288	2·286	2·301	2·323	2·357	2·379	2·419	2·450	2·465
15.	2·709	2·729	2·742	2·751	2·769	2·782	2·789	2·793	2·783	2·780	2·779	2·773
16.	3·038	3·061	3·054	3·054	3·040	3·056	3·049	3·038	3·024	3 002	2·960	2·922
17.	2·610	2·599	2·570	2·566	2·568	2·568	2·584	2·611	2·684	2·706	2·750	2·776
18.	2·932	2·947	2·941	2 946	2·962	2·991	3·006	3·004	3·041	3·047	3·056	3·054
19.	2·862	2·840	2·790	2·748	2·709	2·640	2·565	2·490	2·417	2·354	2·291	2·222
20.	2·245	2·281	2·331	2·403	2·482	2·553	2·618	2·647	2·689	2 731	2·737	2·751
21.	2·767	2·756	2·737	3·737	2 738	2·749	2·741	2·729	2·706	2·693	2·665	2·633
22.	2·338	2·296	2·269	2 244	2·227	2·227	2·234	2·235	2·249	2 249	2·253	2·265
23.	2·493	2·505	2·525	2 535	2·564	2·597	2·611	2·651	2·703	2 710	2·681	2·666
24.	2·326	2·298	2·210	2·232	2·234	2·229	2·240	2·255	2·280	2·338	2·384	2 434
25.	2·881	2·904	2·909	2·906	2·906	2·929	2·950	2 954	2·954	2·960	2 941	2 924
26.	2·609	2·613	2·583	2·563	2·561	2·567	2·567	2·525	2·571	2·549	2·567	2·579
27.	2·586	2·551	2·535	2·513	2·487	2·482	2·477	2·480	2·465	2·459	2·445	2·418
28.	2·392	2·387	2·382	2·384	2·366	2·424	2·468	2·486	2 502	2·517	2·530	2·521
29.	2·582	2·582	2·556	2 578	2·546	2·533	2·512	2·500	2·468	2·445	2·420	2·398
30.	2·580	2·622	2·647	2·680	2·702	2·739	2·766	2·792	2·824	2·859	2·876	2·885
31.	2·852	2·882	2·890	2·908	2·936	2·970	2·994	3·006	3·020	3·048	3·036	3·038
Mean.	2·650	2·649	2 637	2 639	2 641	2·651	2·658	2·667	2·672	2·675	2 671	2·667

each Hour (75th Meridian Time), during the Month of March, 1907.

INCHES.

Hour Ending.												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·794	2·788	2·724	2·678	2·640	2·590	2·546	2·496	2·454	2·392	2·332	2·280	2·779
2·152	2·151	2·156	2·176	2·182	2·202	2·220	2·220	2·226	2·232	2·236	2·232	2·140
2·443	2.441	2 468	2·509	2·551	2·595	2·623	2·643	2 658	2·671	2·681	2 681	2·438
2·771	2·757	2·766	2·750	2·755	2·757	2·757	2·761	2 757	2·757	2·747	2·723	2·756
2·448	2·409	2·356	2·318	2·342	2·372	2·400	2·423	2·466	2·517	2·574	2 625	2·532
3·061	3·047	3·041	3·042	3·040	3·041	3·051	3·064	3·066	3·063	3·054	3·044	2·981
2·767	2·731	2·701	2·671	2·649	2·628	2·601	2·579	2·567	2·544	2·527	2·504	2·782
2 621	2·628	2·646	2·661	2·677	2·718	2·754	2·783	2 813	2·832	2 841	2·861	2·636
3·027	3·021	3·003	2·997	2·993	2·989	2·991	2·990	2·995	2·993	2·979	2·952	2·980
2·850	2·834	2·824	2·826	2·833	2·843	2·857	2 867	2·885	2·896	2·909	2·917	2 882
2·960	2 940	2·924	2 910	2·896	2·900	2·894	2·892	2·875	2·858	2·856	2·843	2·929
2·395	2·364	2·346	2·328	2·338	2·348	2·348	2·359	2·359	2·358	2·358	2·336	2·490
2·381	2·400	2·413	2·429	2·439	2·459	2·459	2·471	2·449	2·437	2·405	2·389	2 378
2·497	2·541	2·551	2·590	2·607	2·635	2·662	2 677	2·703	2·720	2·717	2·724	2·496
2·764	2·748	2·752	2·762	2·780	2·812	2·852	2·902	2 936	2·974	2·999	3·024	2·812
2·874	2·811	2·779	2·756	2·736	2·714	2·705	2·691	2·682	2·667	2·656	2·629	2·875
2·793	2 800	2·809	2·829	2·852	2·882	2·890	2·895	2·908	2·922	2·925	2·927	2·751
3·054	3·034	3·015	3·001	3·014	3·010	2·993	2·995	2·984	2·960	2·935	2·900	2·993
2·129	2·081	2·037	2·007	1·982	1·953	1·982	2·001	2·049	2·115	2·151	2·193	2·317
2·741	2·743	2·751	2·766	2·761	2·779	2·785	2·799	2·811	2·798	2·787	2·777	2·657
2 581	2·555	2·536	2·507	2·483	2·474	2·454	2·413	2·441	2·433	2·403	2·374	2·536
2·269	2·265	2·271	2·289	2·309	2·315	2·331	2·390	2·421	2·450	2·459	2·475	2·305
2 662	2·656	2·596	2·598	2·548	2·556	2·536	2·532	2·516	2·450	2·416	2·344	2·569
2·473	2·531	2·574	2·626	2 664	2·722	2·762	2·802	3·836	2·854	2·865	2·866	2·501
2·879	2·844	2·821	2·801	2·761	2·727	2·703	2·693	2 667	2·653	2·631	2·613	2·830
2·586	2·586	2·582	2·573	2·589	2·611	2·581	2·657	2·613	2·615	2·593	2·617	2·586
2·404	2·404	2·388	2·370	2·366	2·386	2·388	2·396	2·403	2·412	2·413	2·403	2·443
2·511	2·508	2·523	2·524	2·525	2·539	2·557	2·588	2·591	2·596	2·602	2·578	2·500
2·390	2·358	2·336	2·323	2·292	2·298	2·308	2·326	2·372	2·435	2·492	2·534	2 441
2·880	2·864	2·872	2·863	2·862	2 866	2·866	2·873	2·865	2·872	2·872	2 858	2 808
3·030	3·009	2·998	3·013	3·016	3·034	3·060	3·077	3·084	3·084	3·086	3·087	3·007
2·650	2·640	2·631	2·629	2·628	2·637	2·642	2·653	2·660	2·663	2·661	2·655	2 651

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.
1. ...	3·080	3·072	3·070	3·079	3·093	3·115	3·136	3·142	3·138	3·138	3·128	3·124
2... ..	3·077	3·081	3·077	3·074	3·075	3·078	3·075	3·079	3·066	3·053	3·041	3·042
3.....	2·837	2·821	2·810	2·803	2·797	2·803	2·813	2·807	2·806	2·803	2·799	2·781
4	2·651	2·631	2·609	2·591	2·583	2 574	2·569	2·555	2·549	2·517	2·511	2·475
5.....	2·331	2·345	2·351	2·385	2·411	2·470	2·504	2·535	2·571	2·611	2·636	2·639
6.....	2·854	2·861	2·873	2·870	2·883	2·900	2·923	2·929	2·935	2·937	2·921	2·905
7.	2·730	2·700	2·668	2·637	2·605	2·593	2·581	2·552	2·528	2·513	2·487	2·459
8.	2·131	2·109	2·083	2·071	2·056	2·053	2·039	2·039	2·035	2·047	2·045	2·039
9.....	2·059	2·034	2·022	2·010	2·026	2·030	2·038	2·039	2·044	2·042	2·027	2·008
10.....	2·024	2·000	1·994	1 994	1·986	1·983	1·992	1·994	2 004	2·019	2·034	2·034
11.....	2·289	2·297	2·311	2·319	2·343	2·353	2·389	2·406	2·415	2·423	2·414	2·411
12	2·391	2 389	2·373	2·367	2·355	2·348	2·345	2·331	2 330	2·331	2·331	2·323
13.	2·298	2 290	2·280	2·276	2·278	2·290	2·291	2 300	2 306	2·322	2·328	2·334
14	2·420	2·416	2 420	2·431	2·445	2·469	2·492	2·506	2·524	2·539	2·547	2·547
15.	2·658	2·657	2·661	2 671	2·674	2·687	2·699	2·705	2·703	2·689	2·683	2·670
16.....	2 495	2·477	2·453	2·435	2·405	2·404	2·391	2·363	2·329	2·310	2·273	2·231
17.....	2·271	2·282	2·305	2·346	2·375	2·407	2 426	2 447	2·470	2 482	2·486	2 493
18... ...	2 619	2·623	2·610	2·612	2·612	2·623	2·631	2 636	2·636	2 632	2·636	2·630
19.....	2·593	2·578	2 557	2·540	2·540	2·545	2·542	2·549	2·546	2·544	2·542	2·534
20.....	2·600	2·598	2·608	2 631	2 656	2 683	2·715	2·734	2·745	2·757	2·767	2·768
21.....	2·826	2·818	2·819	2·819	2·819	2·828	2·840	2·840	2·838	2·826	2·802	2·784
22.....	2·688	2·670	2·656	2 647	2·642	2·644	2·646	2·628	2 622	2·610	2·595	2·570
23.....	2·481	2·475	2·468	2·458	2·455	2·451	2·449	2·435	2·421	2·402	2·368	2·321
24.. ...	2·257	2·277	2·318	2·362	2·391	2·421	2·461	2·492	2·527	2·554	2·581	2·583
25.....	2·464	2·414	2·374	2·362	2·336	2·306	2·323	2·325	2·358	2·408	2·460	2·486
26.....	2·656	2·655	2·654	2·654	2·672	2·687	2·694	2·705	2·708	2·712	2·722	2·731
27..	2·923	2·932	2·951	2·974	2·998	3·016	3·035	3·037	3·030	3·023	3·016	3·002
28.....	2·864	2·830	2·815	2·807	2·805	2·804	2·801	2·812	2·789	2·782	2·754	2 738
29.....	2·558	2 532	2·526	2·506	2·504	2·522	2·528	2·534	2·498	2·503	2·501	2·524
30.....	2·522	2·492	2·472	2·466	2·492	2·494	2·466	2·470	2·438	2·426	2·418	2·454
Mean.	2·555	2·545	2·540	2·540	2·544	2·553	2·561	2·564	2·564	2·565	2·562	2·555

each Hour (75th Meridian Time), during the Month of April, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·107	3·096	3·090	3·088	3·090	3·090	3·094	3·102	3·096	3·092	3·083	3·085	3·101
3·011	2·974	2·943	2·915	2·895	2·889	2·884	2·878	2·872	2·848	2·856	2·843	2·984
2·764	2·749	2·729	2·707	2·707	2·703	2·699	2·701	2·707	2·695	2·676	2·653	2·757
2·461	2·402	2·389	2·380	2·361	2·373	2·376	2·357	2·345	2·335	2·334	2·331	2·469
2·647	2·653	2·663	2·677	2·690	2·719	2·741	2·781	2·805	2·824	2·837	2·855	2·612
2·877	2·860	2·847	2·837	2·824	2·809	2·805	2·803	2·795	2·781	2·761	2·746	2·856
2·419	2·399	2·357	2·324	2·288	2·285	2·255	2·247	2·231	2·203	2·171	2·147	2·432
2·029	2·023	2·028	2·037	2·044	2·049	2·058	2·074	2·078	2·081	2·084	2·069	2·058
2·010	2·004	1·993	2·002	2·014	2·016	2·032	2·044	2·036	2·034	2·038	2·028	2·026
2·042	2·065	2·085	2·105	2·123	2·149	2·176	2·206	2·229	2·251	2·263	2·277	2·085
2·396	2·387	2·373	2·371	2·365	2·381	2·395	2·419	2·421	2·416	2·411	2·398	2·379
2·308	2·304	2·300	2·293	2·290	2·298	2·308	2·317	2·325	2·319	2·314	2·310	2·329
2·348	2·352	2·354	2·358	2·369	2·380	2·401	2·422	2·428	2·424	2·421	2·421	2·345
2·551	2·549	2·549	2·555	2·574	2·591	2·603	2·622	2·632	2·641	2·642	2·648	2·538
2·649	2·631	2·593	2·578	2·577	2·565	2·559	2·557	2·565	2·549	2·527	2·503	2·625
2·176	2·145	2·188	2·196	2·222	2·244	2·262	2·281	2·284	2·280	2·274	2·271	2·308
2·498	2·504	2·512	2·523	2·539	2·556	2·565	2·592	2·606	2·610	2·618	2·621	2·481
2·611	2·604	2·598	2·603	2·605	2·616	2·617	2·628	2·632	2·624	2·607	2·594	2·618
2·537	2·537	2·531	2·531	2·534	2·550	2·562	2·584	2·590	2·591	2·591	2·595	2·556
2·760	2·750	2·743	2·742	2·754	2·773	2·780	2·800	2·813	2·822	2·822	2·820	2·735
2·769	2·745	2·726	2·711	2·701	2·696	2·687	2·690	2·693	2·693	2·691	2·690	2·765
2·535	2·531	2·509	2·500	2·491	2·496	2·487	2·497	2·501	2·491	2·481	2·496	2·568
2·289	2·250	2·217	2·189	2·195	2·197	2·192	2·207	2·210	2·208	2·221	2·236	2·325
2·605	2·600	2·584	2·586	2·584	2·576	2·580	2·586	2·580	2·552	2·534	2·498	2·504
2·503	2·523	2·516	2·514	2·573	2·578	2·580	2·602	2·636	2·642	2·651	2·662	2·483
2·732	2·746	2·760	2·775	2·798	2·814	2·834	2·877	2·910	2·920	2·930	2·927	2·761
2·994	2·982	2·977	2·955	2·949	2·924	2·924	2·916	2·934	2·926	2·910	2·898	2·968
2·706	2·694	2·657	2·634	2·637	2·636	2·630	2·630	2·623	2·614	2·606	2·584	2·719
2·486	2·472	2·454	2·457	2·450	2·448	2·466	2·466	2·486	2·494	2·518	2·529	2·501
2·440	2·476	2·458	2·490	2·529	2·573	2·600	2·646	2·688	2·714	2·734	2·752	2·530
2·542	2·534	2·524	2·521	2·526	2·533	2·538	2·551	2·558	2·556	2·556	2·550	2·547

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 am.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	16 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in,	in.	in.
1.....	2·959	2·774	2·795	2·810	2·830	2·860	2·881	2·894	2·896	2·902	2·908	2·904
2	2 929	2·932	2·936	2 932	2·927	2·933	2·948	2·951	2·949	2·940	2·933	2·918
3. . .	2·779	2·762	2·762	2·754	2·758	2·774	2·794	2·766	2·775	2·766	2·752	2·741
4	2·516	2·496	2 484	2·462	2·447	2·466	2·499	2·527	2·556	2·593	2·623	2·649
5.	2·850	2·841	2·854	2·871	2·879	2·893	2·896	2·887	2·882	2·884	2·881	2·878
6.	2 622	2·616	2·624	2·626	2·633	2·646	2·657	2·672	2·673	2·686	2·690	2·676
7.....	2·604	2·600	2·591	2·589	2·594	2·593	2·611	2 606	2·608	2·612	2·632	2·622
8. . ..	2·652	2·654	2 668	2·672	2·684	2·698	2·712	2·724	2·732	2·734	2·714	2·691
9.....	2·533	2·512	2·495	2·490	2·498	2·516	2·518	2·521	2·518	2·516	2·503	2·487
10.....	2 472	2·514	2·516	2·529	2·562	2·591	2·603	2·608	2·630	2·606	2·602	2·598
11.... ..	2·521	2·518	2·533	2·549	2·571	2·595	2·613	2·623	2·639	2·639	2·647	2·655
12.....	2·752	2·755	2·760	2·776	2·781	2·795	2·791	2·785	2·781	2·774	2·759	2·729
13.	2·436	2·420	2·402	2·389	2·388	2·400	2·398	2 406	2·394	2·385	2·365	2·358
14	2·390	2·391	2·394	2·414	2·437	2·462	2·472	2·474	2·478	2·488	2·496	2·478
15.....	2·456	2·445	2·410	2·397	2·386	2·385	2·391	2·379	2·355	2·341	2·337	2 335
16.....	2·437	2·451	2·482	2·494	2·504	2·535	2·545	2·557	2·575	2·570	2·571	2·567
17	2·603	2·607	2·601	2·613	2·606	2·617	2 629	2·621	2·627	2·617	2·595	2 574
18.....	2·479	2·466	2·463	2·452	2·437	2·447	2·441	2·439	2·437	2·424	2·413	2 401
19	2·507	2·504	2 505	2·500	2·507	2·507	2·504	2·504	2·492	2·479	2·456	2·439
20... . .	2·559	2·563	2·576	2·598	2 611	2·642	2·649	2·658	2·670	2·672	2·687	2·684
21.	2·750	2·754	2·764	2·788	2·806	2·826	2·841	2·858	2·856	2·861	2·858	2·847
22... ...	2 820	2·829	2·819	2·806	2·815	2·810	2·824	2·833	2·832	2·808	2·804	2·789
23... ...	2·716	2·700	2·697	2·701	2·715	2·730	2·738	2·748	2·751	2·750	2·752	2·748
24	2·774	2·775	2·761	2·767	2·773	2·789	2·805	2·819	2·823	2·828	2·826	2·822
25.....	2 810	2·806	2·804	2·810	2·818	2·827	2·842	2·842	2·838	2·824	2·806	2·777
26.	2·434	2·406	2·375	2·355	2·347	2·344	2·331	2 344	2·342	2·348	2·346	2·338
27... .	2·133	2·103	2·114	2·094	2·078	2·074	2·063	2·066	2·064	2·124	2·173	2·204
28.....	2·497	2·500	2·517	2·532	2·544	2·575	2·590	2·608	2·630	2·630	2·641	2·638
29.....	2·646	2·650	2·645	2·643	2·637	2·648	2·658	2·661	2·662	2·655	2·656	2·642
30... ...	2·660	2·674	2 688	2·700	2·710	2·730	2·732	2·739	2·735	2·736	2·732	2·724
31.	2·710	2·713	2·722	2·729	2·727	2·737	2·744	2·752	2·757	2·755	2·749	2·739
Mean..	2·607	2·604	2·605	2 608	2·613	2 627	2·636	2 641	2·644	2 643	2 642	2.634

each Hour (75th Meridian Time), during the Month of May, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	
2·908	2·888	2·887	2·886	2·891	2·890	2·898	2·919	2·922	2·920	2·910	2·914	2·877
2·892	2·872	2·854	2·838	2·835	2·826	2·810	2·813	2·816	2·806	2·794	2·788	2·882
2·713	2·692	2·686	2·660	2·644	2·648	2·648	2·635	2·640	2·609	2·594	2·568	2·705
2·660	2·668	2·708	2·733	2·758	2·768	2·804	2·828	2·836	2·839	2·842	2·847	2·650
2·860	2·833	2·804	2·774	2·756	2·733	2·709	2·728	2·714	2·690	2·660	2·631	2·808
2·650	2·652	2·646	2·640	2·621	2·612	2·608	2·622	2·628	2·638	2·642	2·624	2·642
2·612	2·603	2·592	2·596	2·595	2·594	2·602	2·623	2·644	2·654	2·648	2·646	2·611
2·674	2·676	2·664	2·650	2·635	2·612	2·587	2·596	2·589	2·590	2·578	2·553	2·656
2·458	2·441	2·421	2·400	2·396	2·390	2·388	2·394	2·389	2·372	2·425	2·418	2·460
2·601	2·609	2·597	2·589	2·588	2·563	2·549	2·545	2·553	2·549	2·551	2·530	2·569
2·663	2·671	2·679	2·677	2·686	2·700	2·715	2·729	2·745	2·749	2·752	2·755	2·651
2·788	2·665	2·627	2·598	2·570	2·544	2·526	2·521	2·510	2·498	2·478	2·459	2·668
2·340	2·336	2·316	2·296	2·283	2·306	2·322	2·348	2·377	2·380	2·386	2·394	2·368
2·467	2·465	2·466	2·463	2·465	2·455	2·459	2·474	2·489	2·490	2·493	2·475	2·460
2·329	2·339	2·331	2·311	2·289	2·269	2·265	2·293	2·297	2·335	2·373	2·401	2·352
2·549	2·547	2·545	2·547	2·529	2·529	2·535	2·540	2·558	2·579	2·589	2·599	2·539
2·566	2·551	2·543	2·519	2·518	2·508	2·513	2·516	2·521	2·526	2·516	2·505	2·567
2·388	2·391	2·382	2·378	2·392	2·405	2·414	2·423	2·465	2·483	2·493	2·504	2·434
2·403	2·384	2·399	2·434	2·461	2·476	2·474	2·521	2·532	2·541	2·548	2·559	2·485
2·672	2·664	2·678	2·678	2·704	2·720	2·725	2·725	2·738	2·746	2·746	2·753	2·672
2·834	2·823	2·808	2·808	2·808	2·810	2·814	2·822	2·833	2·842	2·838	2·842	2·820
2·768	2·747	2·731	2·723	2·706	2·710	2·708	2·711	2·725	2·722	2·721	2·729	2·770
2·746	2·744	2·734	2·732	2·735	2·738	2·743	2·744	2·760	2·766	2·774	2·779	2·739
2·816	2·804	2·794	2·791	2·790	2·784	2·786	2·792	2·805	2·799	2·799	2·814	2·797
2·740	2·714	2·680	2·651	2·627	2·598	2·586	2·584	2·572	2·536	2·503	2·470	2·711
2·306	2·308	2·285	2·268	2·228	2·220	2·192	2·150	2·174	2·195	2·170	2·154	2·290
2·229	2·254	2·284	2·325	2·361	2·386	2·411	2·439	2·466	2·477	2·476	2·486	2·245
2·626	2·622	2·628	2·638	2·642	2·651	2·642	2·641	2·653	2·659	2·662	2·652	2·609
2·633	2·629	2·614	2·608	2·605	2·604	2·614	2·618	2·640	2·645	2·640	2·646	2·637
2·709	2·722	2·713	2·701	2·697	2·693	2·707	2·713	2·727	2·729	2·717	2·717	2·713
2·729	2·720	2·712	2·695	2·687	2·688	2·674	2·676	2·677	2·661	2·651	2·637	2·710
2·624	2·614	2·607	2·600	2·597	2·595	2·594	2·603	2·613	2·612	2·612	2·609	2·616

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in,	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·625	2·607	2·594	2·585	2·577	2·563	2·561	2·564	2·548	2·533	2·523	2·517
2.....	2 438	2·422	2·415	2·419	2·417	2·412	2·405	2·414	2·414	2·417	2·415	2·396
3.....	2 377	2·355	2·352	2 357	2 358	2·378	2·394	2·407	2·399	2·409	2·399	2·405
4	2·458	2·458	2·466	2·482	2·484	2 487	2·479	2·474	2·464	2·444	2·446	2·435
5.	2·050	2·029	2·024	2·025	2·056	2·086	2·099	2·107	2·108	2·112	2·114	2·122
6.....	2·263	2·264	2·272	2 289	2·312	2·337	2·353	2·363	2·374	2·394	2·402	2·414
7..	2 549	2 553	2·562	2·585	2 582	2·594	2·593	2·598	2·597	2·590	2·583	2 584
8.	2·586	2·589	2·594	2·600	2·626	2·636	2·660	2·676	2·676	2·669	2·666	2·658
9.	2·652	2·661	2·652	2·656	2·676	2·678	2·694	2·694	2·692	2·688	2·697	2·689
10.....	2·722	2·730	2·732	2·728	2·737	2·731	2·731	2·737	2·729	2·736	2·729	2·722
11.....	2·585	2·569	2·556	2·547	2·540	2·546	2 552	2·555	2·551	2·556	2 559	2·565
12 .	2·605	2·609	2·612	2·621	2·634	2·645	2·655	2·676	2·680	2·687	7·695	2·690
13.....	2 664	2·655	2·650	2·649	2·634	2·647	2·635	2·639	2·637	2·630	2·621	2·615
14.....	2 580	2·588	2·571	2·575	2·575	2·581	2·584	2·597	2·589	2 572	2·558	2·547
15.....	2 505	2·513	2·515	2·528	2.549	2·561	2·581	2·594	2 597	2·613	2·614	2·622
16.....	2 689	2·694	2·708	2·714	2·740	2·754	2.774	2·783	2·794	2 794	2·788	2·784
17.	2·766	2 766	2·764	2·768	2·784	2·793	2·805	2·814	2·802	2·794	2·796	2·784
18.....	2 743	2 744	2·742	2 754	2·758	2·755	2·756	2·758	2·742	2 730	2·723	2 711
19.....	2·582	2·597	2·602	2·606	2·620	2·618	2·620	2·614	2·614	2·602	2·596	2·582
20.....	2·536	2 528	2·527	2·534	2·538	2 554	2·571	2·576	2·582	2·578	2·580	2·580
21.....	2·640	2·646	2·663	2·686	2·690	2·696	2·716	2 733	2·724	2·727	2 734	2·729
22.....	2·743	2·736	2·738	2·735	2·750	2 760	2·774	2·776	2·776	2 784	2·784	2 766
23.....	2·736	2·725	2·722	2·717	2·725	2·726	2 731	2·746	2·737	2·746	2·738	2·733
24.....	2 623	2·610	2·594	2·609	2·609	2 613	2 627	2·627	2·628	2·627	2·627	2·622
25.....	2·530	2 534	2·506	2 517	2·519	2·523	2·528	2·542	2·542	2·547	2·545	2·542
26.	2 388	2·382	2·368	2 345	2·347	2 352	2·359	2·368	2·384	2·376	2·383	2·384
27... ..	2·458	2 455	2·468	2·476	2·486	2·504	2·526	2·536	2·546	2·554	2·539	2 532
28.....	2·544	2·544	2·540	2·550	2·564	2·585	2·590	2·584	2·586	2·579	2 577	2·572
29.	2·530	2·526	2·517	2·514	2·510	2 516	2·514	2·514	2·518	2·516	2·516	2·512
30.	2·488	2·490	2·478	2·472	2·472	2·484	2·486	2·486	2·486	2·484	2·484	2·489
Mean..	2·555	2·553	2·550	2 555	2·562	2·571	2·578	2·585	2 584	2·583	2·581	2·577

each Hour (75th Meridian Time), during the Month of June, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·508	2·497	2·486	2·483	2·471	2·470	2·484	2·480	2·469	2·452	2·439	2·438	2·520
2·389	2·385	2·378	2·378	2·373	2·369	2·373	2·377	2·384	2·389	2·383	2·385	2·398
2·396	2·392	2·400	2·403	2·414	2·423	2·436	2·448	2·464	2·472	2·466	2·466	2·407
2·418	2·385	2·342	2·300	2·286	2·256	2·230	2·194	2·158	2·122	2·100	2·082	2·352
2·110	2·111	2·120	2·137	2·160	2·172	2·189	2·213	2·237	2·245	2·252	2·263	2·131
2·423	2·438	2·450	2·467	2·474	2·488	2·508	2·524	2·547	2·555	2·547	2·548	2·417
2·576	2·570	2·560	2·552	2·538	2·540	2·546	2·558	2·577	2·587	2·591	2·597	2·573
2·641	2·638	2·630	2·627	2·627	2·623	2·626	2·636	2·650	2·655	2·654	2·658	2·638
2·688	2·691	2·695	2·695	2·696	2·689	2·683	2·689	2·701	2·716	2·712	2·723	2·688
2·705	2·696	2·675	2·655	2·639	2·617	2·614	2·611	2·602	2·609	2·614	2·605	2·684
2·566	2·558	2·566	2·563	2·559	2·555	2·570	2·575	2·587	2·595	2·601	2·603	2·566
2·695	2·695	2·691	2·684	2·673	2·670	2·669	2·677	2·681	2·683	2·679	2·671	2·666
2·594	2·590	2·591	2·591	2·589	2·585	2·581	2·573	2·589	2·593	2·593	2·580	2·614
2·527	2·505	2·494	2·485	2·471	2·471	2·464	2·467	2·479	2·481	2·487	2·504	2·531
2·610	2·610	2·612	2·624	2·620	2·622	2·638	2·650	2·658	2·666	2·674	2·682	2·602
2·770	2·764	2·750	2·737	2·724	2·726	2·724	2·729	2·742	2·760	2·772	2·764	2·749
2·768	2·758	2·748	2·741	2·734	2·727	2·730	2·734	2·744	2·742	2·746	2·748	2·765
2·693	2·679	2·657	2·653	2·621	2·610	2·616	2·622	2·640	2·640	2·657	2·640	2·694
2·546	2·536	2·545	2·626	2·580	2·568	2·508	2·522	2·544	2·540	2·548	2·551	2·578
2·588	2·580	2·582	2·582	2·582	2·583	2·585	2·594	2·616	2·628	2·635	2·635	2·578
2·706	2·696	2·697	2·714	2·694	2·720	2·706	2·706	2·727	2·740	2·742	2·738	2·707
2·760	2·733	2·722	2·716	2·730	2·708	2·702	2·708	2·727	2·729	2·736	2·746	2·743
2·722	2·676	2·640	2·658	2·654	2·642	2·636	2·642	2·648	2·653	2·636	2·632	2·693
2·604	2·579	2·558	2·540	2·532	2·618	2·522	2·514	2·526	2·532	2·526	2·520	2·583
2·519	2·506	2·484	2·472	2·466	2·450	2·436	2·438	2·444	2·436	2·428	2·404	2·494
2·384	2·400	2·410	2·412	2·418	2·423	2·430	2·434	2·454	2·460	2·462	2·462	2·399
2·523	2·518	2·511	2·512	2·501	2·502	2·507	2·506	2·524	2·527	2·532	2·534	2·512
2·564	2·556	2·550	2·542	2·534	2·530	2·526	2·522	2·528	2·532	2·536	2·536	2·553
2·496	2·500	2·500	2·488	2·482	2·482	2·495	2·490	2·513	2·508	2·488	2·492	2·506
2·484	2·476	2·472	2·458	2·437	2·432	2·425	2·432	2·444	2·448	2·446	2·448	2·467
2·566	2·557	2·551	2·550	2·543	2·542	2·539	2·542	2·553	2·557	2·556	2·555	2·560

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·448	2 443	2·440	2·442	2·447	2·450	2·453	2·450	2·432	2·435	2·422	2·398
2	2·398	2 394	2·395	2·412	2·427	2·446	2·458	2·470	2·490	2·516	2·529	2·543
3	2·673	2·682	2·680	2·686	2·706	2·716	2·725	2·738	2·746	2·760	2·762	2·756
4	2·716	2·724	2·725	2·726	2·734	2·740	2 750	2·756	2·748	2·747	2·733	2·726
5	2·650	2·644	2·624	2·640	2·654	2·658	2·646	2·642	2·646	2·634	2·624	2·608
6	2·529	2·509	2·501	2·493	2·493	2·497	2·496	2·491	2·474	2·479	2·461	2·447
7	2·425	2·421	2·421	2·421	2·413	2·431	2 447	2·459	2·483	2·485	2 477	2·483
8	2·515	2·519	2·500	2·490	2·506	2·496	2·490	2·482	2·474	2·468	2·457	2·427
9	2·410	2·415	2·422	2·426	2·452	2·462	2 475	2·476	2·482	2·498	2·489	2·483
10	2·502	2·510	2·511	2·522	2·527	2·532	2·536	2·540	2·540	2·541	2·546	2·547
11	2·525	2·516	2·498	2·498	2·496	2·502	2·502	2·498	2·496	2·510	2·494	2·494
12	2·387	2·381	2·383	2·389	2·405	2·426	2·443	2·459	2·471	2·476	2·482	2·481
13	2·643	2·637	2·641	2·658	2·669	2·671	2·681	2·687	2·685	2·681	2·680	2·677
14	2·628	2 634	2·644	2·646	2·655	2·654	2·656	2·666	2 666	2·664	2·656	2·642
15	2·608	2·610	2·601	2·608	2·616	2·626	2·626	2 619	2·620	2·612	2·601	2·588
16	2·504	2·502	2·505	2 505	2·512	2·518	2·523	2·527	2·539	2·534	2 540	2·538
17	2·584	2·588	2 578	2·587	2 586	2·591	2·605	2 610	2·604	2·610	2·617	2·615
18	2·638	2 645	2·651	2·670	2·683	2·704	2·722	2·730	2·734	2·735	2·734	2·734
19	2·710	2·704	2·706	2·700	2·706	2·709	2·715	2·698	2 700	2·694	2·686	2 668
20	2 482	2·469	2·448	2·448	2·450	2·453	2·460	2·458	2·455	2·461	2·450	2·422
21	2 611	2·614	2·627	2·635	2·642	2·652	2·666	2·655	2·658	2·650	2·646	2·641
22	2·510	2·498	2·468	2·446	2·428	2·404	2·396	2·374	2·358	2·362	2 352	2·340
23	2·458	2·456	2·456	2·472	2·490	2·504	2·532	2·532	2·540	2·542	2·548	2·540
24	2·525	2·509	2·498	2·482	2·478	2·479	2·465	2·458	2·443	2·424	2 410	2·390
25	2·398	2·405	2·420	2·435	2 448	2·460	2·480	2·485	2·492	2·482	2 473	2·466
26	2·242	2·216	2·158	2·156	2·166	2·182	2·217	2·244	2·271	2·291	2·301	2·314
27	2·482	2·504	2·508	2·526	2·527	2 531	2 533	2·536	2·535	2·538	2·538	2·534
28	2·530	2·534	2·534	2·526	2·527	2·531	2·530	2·528	2·521	2·504	2·500	2·480
29	2·425	2·416	2·408	2·406	2·400	2·403	2·406	2·398	2 380	2·370	2·368	2·349
30	2·426	2·426	2·430	2·427	2·436	2·448	2·468	2·475	2·479	2·474	2·466	2·459
31	2·489	2·473	2·457	2·446	2·443	2·450	2·448	2·438	2·436	2·431	2·424	2·400
Mean.	2·519	2·516	2·511	2·514	2·520	2·527	2·534	2·535	2·535	2 536	2·531	2·522

each Hour (75th Meridian Time), during the Month of July, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·400	2·382	2·366	2·376	2·371	2·366	2·364	2·385	2·386	2·386	2·401	2·399	2·410
2·556	2·575	2·580	2·578	2·579	2·584	2·590	2·594	2·618	2·637	2·652	2·663	2·529
2·750	2·742	2·730	2·716	2·714	2·706	2·708	2·720	2·722	2·732	2·709	2·718	2·721
2·722	2·724	2·694	2·686	2·686	2·674	2·672	2·668	2·678	2·686	3·678	2·654	2·210
2·587	2·569	2·575	2·557	2·535	2·533	2·531	2·534	2·535	2·535	2·537	2·542	2·593
2·445	2·434	2 409	2·416	2·406	2·392	2·387	2·393	2·399	2·413	2·422	2·421	2·450
2·476	2·474	2·466	2·469	2·478	2·480	2·494	2·500	2·520	2·525	2·522	2·524	2·471
2·404	2·398	2·396	2·396	2·412	2·418	2·416	2 420	2·434	2·441	2·436	2·426	2·451
2·470	2·473	2·461	2·461	2·458	2·468	2·480	2·489	2·506	2·510	2·518	2·515	2·471
2·538	2·530	2·526	2·504	2 494	2·486	2·504	2·508	2·529	2 524	2·532	2·538	2·534
2·477	2·471	2·444	2·429	2·425	2·418	2·393	2·401	2·413	2 413	2·393	2·388	2·462
2 479	2·485	2·504	2·520	2·524	2·539	2·559	2·576	2·602	2 621	2 631	2·639	2·494
2 666	2·650	2·642	2 628	2 626	2·626	2·630	2 628	2 631	2·630	2·628	2 632	2·651
2·638	2·637	2·634	2·632	2 622	2·628	2·612	2·619	2 621	2·614	2·619	2 600	2·637
2·571	2·560	2·541	2·529	2·500	2·500	2·488	2·486	2·506	2·502	2·498	2·500	2·563
2·538	2·535	2·534	2·528	2·524	2·527	2 536	2·544	2·572	2·577	2·585	2·590	2·535
2 608	2·594	2·576	2·576	2·569	2·574	2·580	2·585	2 600	2·608	2 627	2 632	2·596
2·729	2·714	2·708	2·689	2·683	2·680	2·686	2 696	2·710	2 707	2·706	2·706	2·700
2·649	2·629	2·597	2·565	2·543	2·534	2·514	2·492	2·508	2·506	2 488	2 489	2·621
2·402	2·408	2·424	2·439	2·482	2·505	2·524	2·539	2·566	2 579	2 600	2 605	2·480
2·622	2·612	2·604	2·586	2·572	2·566	2 564	2·566	2·556	2·560	2·548	2·530	2 608
2·328	2·324	2·326	2·342	2·344	2·348	2·378	2·396	2 414	2·432	2·446	2·452	2 394
2·527	2·520	2·515	2·516	2·506	2·500	2·498	2·508	2·519	2·516	2·518	2·529	2·510
2 370	2·352	2·330	2·319	2·292	2·291	2·323	2·345	2·377	2·385	2 389	2·390	2·405
2·458	2·442	2·412	2·394	2·394	2·388	2·379	2·357	2·336	2·312	2·290	2·308	2·413
2·336	2·353	2·354	2·371	2·383	2·398	2·423	2·436	2·451	2·472	2·483	2·485	2·321
2·514	2·505	2·504	2·490	2·490	2·498	2·506	2·517	2·526	2·532	2·534	2·530	2·519
2·464	2·444	2·436	2·428	2·424	2·421	2·412	2·412	2·428	2·430	2·427	2·424	2·475
2 330	2·322	2·314	2·318	2·332	2·346	2·371	2·385	2·409	2·415	2·420	2·421	2·379
2·467	2·470	2·469	2·461	2·462	2·473	2·478	2·490	2·504	2·506	2·504	2·496	2·466
2·377	2·369	2·367	2·355	2·355	2·369	2·370	2·389	2·405	2·412	2·412	2·412	2·414
2 513	2·506	2·498	2·492	2·490	2·491	2·456	2·503	2·516	2·520	2·521	2·521	2·515

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·404	2·401	2·392	2·392	2·399	2·403	2·418	2·431	2·431	2·428	2·419	2·394
2.	2·259	2·251	2·257	2·258	2·257	2·278	2·300	2·319	2·337	2·341	2·346	2·355
3.	2·528	2·530	2 550	2·561	2·575	2·586	2·598	2·620	2·621	2·623	2·628	2·623
4.	2·672	2·668	2 660	2·657	2·683	2·706	2·722	2·733	2·734	2 732	2·730	2·720
5.	2·717	2·712	2·707	2·695	2·695	2·697	2·696	2·692	2·686	2·680	2·650	2·642
6.	2·544	2·544	2·540	2·557	2·571	2·590	2·604	2·612	2·612	2·622	2·626	2 632
7.	2·630	2·630	2·608	2·604	2·604	2·597	2 609	2·596	2·593	2·578	2·558	2 549
8.	2·656	2 654	2·667	2 680	2·703	2·728	2·730	2·752	2·760	2·773	2·776	2·776
9.	2·748	2·748	2·747	2·754	2·744	2·760	2·772	2 772	2·772	2 768	2·772	2·766
10.	2·713	2·706	2·697	2·694	2 698	2·710	2 725	2·734	2·724	2·724	2·724	2·712
11.	2·598	2·578	2·566	2·564	2·578	2 588	2·578	2·580	2·568	2 539	2·558	2 530
12.	2·447	2·442	2·430	2·432	3·431	2 426	2·433	2·430	2·415	2·413	2 413	2·404
13.	2·550	2·558	2·572	2·579	2·588	2·595	2·604	2·603	2·606	2 603	2 604	2 596
14.	2·796	2·820	2·830	2·849	2·874	2·892	2·904	2·920	2·927	2·930	2 930	2·918
15.	2·928	2·929	2·946	2·950	2·945	2 947	2·966	2 960	2·958	2·958	2·950	2 928
16.	2 742	2·708	2·694	2·679	2·684	2·671	2 647	2·631	2·588	2·572	2·556	2·550
17.	2·539	2·536	2·535	2·544	2·556	2·570	2·582	2·602	2·600	2 600	2·604	2·600
18.	2·762	2·778	2·805	2·834	2·866	2·901	2·930	2·940	2·946	2 947	2 946	2·944
19.	2·908	2·898	2·896	2·901	2·888	2·886	2 891	2·894	2·899	2·882	2·872	2·846
20.	2·650	2·638	2·627	2 632	2·628	2 638	2·635	2·637	2·638	2·664	2·689	2·689
21.	2·713	2·722	2·728	2 730	2·738	2·742	2·749	2·754	2·763	2·774	2·774	2·760
22.	2·780	2·787	2·800	2·811	2·832	2·850	2·855	2·875	2·876	2 876	2·874	2·860
23.	2·805	2·798	2·794	2·784	2·790	2·787	2·787	2·782	2·754	2 728	2·696	2·672
24.	2·442	2·411	2·401	2·381	2·358	2·336	2·329	2·314	2·301	2·287	2 289	2·300
25.	2 368	2·364	2·373	2·366	2·366	2·376	2 380	2·377	2·373	2·377	2·386	2·385
26.	2·464	2·465	2·473	2·491	2·502	2·531	2·551	2·560	2·554	2·552	2·551	2·545
27.	2·551	2·544	2·534	2·528	2·530	2·533	2·539	2·540	2·540	2·535	2·537	2·534
28.	2·538	2·538	2·546	2·550	2·568	2·570	2·583	2·592	2·603	2 596	2·592	2·592
29.	2·649	2·651	2·658	2·658	2·656	2 668	2·685	2·700	2·698	2·690	2 682	2·675
30.	2·596	2·596	2·584	2·576	2·570	2 588	2·588	2·598	2·602	2·602	2·589	2·590
31.	2·748	2·746	2·747	2·751	2·768	2·790	2·805	2·806	2·816	2·824	2·822	2·804
Mean.	2·627	2·624	2·625	2·627	2 634	2·643	2·651	2·657	2·655	2·652	2·650	2·642

each Hour (75th Meridian Time), during the Month of August, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·379	2·360	2·331	2·317	2·315	2·308	2·301	2·287	2·287	2·280	2·277	2·259	2·359
2·375	2·386	2·400	2·416	2·427	2·433	2·439	2·459	2·478	2·489	2·496	2·515	2·370
2·620	2·620	2·606	2·616	2·624	2·625	2·627	2·633	2·642	2·648	2·658	2·672	2·610
2·710	2·690	2·690	2·686	2·684	2·683	2·686	2·700	2·716	2·718	2·718	2·722	2·701
2·622	2·606	2·590	2·575	2·572	2·570	2·556	2·552	2·552	2·544	2·541	2·546	2·629
2·646	2·634	2·617	2·618	2·614	2·616	2·622	2·635	2·641	2·638	2·640	2·642	2·609
2·539	2·528	2·510	2·506	2·520	2·540	2·568	2·598	2·624	2·628	2·641	2·652	2·583
2·774	2·766	2·750	2·738	2·740	2·742	2·749	2·738	2·740	2·744	2·750	2·753	2·734
2·746	2·750	2·736	2·717	2·708	2·706	2·706	2·722	2·714	2·718	2·716	2·714	2·741
2·702	2·690	2·678	2·662	2·652	2·636	2·630	2·639	2·620	2·619	2·612	2·610	2·680
2·516	2·488	2·465	2·446	2·431	2·412	2·409	2·409	2·409	2·418	2·440	2·444	2·505
2·414	2·422	2·428	2·425	2·410	2·422	2·440	2·463	2·488	2·506	2·527	2·545	2·442
2·588	2·598	2·629	2·656	2·670	2·684	2·704	2·736	2·766	2·775	2·786	2·788	2·643
2·899	2·891	2·884	2·882	2·882	2·882	2·894	2·905	2·920	2·922	2·925	2·927	2·892
2·914	2·897	2·874	2·854	2·844	2·823	2·804	2·808	2·802	2·794	2·786	2·762	2·889
2·537	2·520	2·502	2·486	2·490	2·490	2·494	2·500	2·510	2·520	2·532	2·538	2·577
2·598	2·593	2·594	2·596	2·597	2·604	2·636	2·654	2·692	2·711	2·730	2·752	2·609
2·926	2·920	2·914	2·907	2·910	2·923	2·922	2·916	2·912	2·925	2·916	2·907	2·900
2·822	2·800	2·782	2·764	2·744	2·731	2·714	2·715	2·716	2·711	2·698	2·680	2·814
2·684	2·684	2·676	2·674	2·683	2·688	2·688	2·706	2·724	2·722	2·716	2·716	2·672
2·746	2·735	2·723	2·723	2·710	2·721	2·732	2·741	2·756	2·762	2·771	2·780	2·744
2·846	2·824	2·809	2·799	2·790	2·782	2·786	2·794	2·804	2·808	2·816	2·812	2·823
2·654	2·628	2·604	2·574	2·556	2·544	2·530	2·520	2·516	2·514	2·496	2·497	2·658
2·296	2·295	2·284	2·278	2·278	2·285	2·316	2·335	2·354	2·370	2·371	2·371	2·333
2·390	2·391	2·393	2·411	2·428	2·439	2·439	2·458	2·461	2·462	2·471	2·474	2·405
2·533	2·530	2·512	2·505	2·500	2·510	2·526	2·536	2·540	2·536	2·536	2·535	2·522
2·516	2·517	2·502	2·505	2·507	2·505	2·506	2·516	2·534	2·532	2·535	2·533	2·527
2·584	2·570	2·568	2·575	2·584	2·592	2·600	2·618	2·624	2·629	2·630	2·644	2·587
2·666	2·652	2·624	2·611	2·602	2·596	2·590	2·598	2·602	2·600	2·608	2·598	2·642
2·566	2·550	2·542	2·558	2·568	2·590	2·601	2·641	2·666	2·696	2·728	2·740	2·605
2·786	2·770	2·763	2·755	2·744	2·749	2·764	2·772	2·762	2·772	2·754	2·753	2·774
2·632	2·623	2·612	2·608	2·606	2·607	2·612	2·623	2·632	2·636	2·639	2·641	2·632

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for +27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·747	2·752	2·749	2·749	2·746	2·752	2·744	2·738	2·732	2·707	2·716	2·684
2	2·350	2·330	2·329	2·316	2·302	2·295	2·294	2·290	2·273	2·276	2·280	2·278
3	2·358	2·354	2 366	2·374	2·374	2·387	2·395	2·416	2·424	2·436	2·447	2·454
4	2·466	2·454	2·454	2·459	2·463	2·479	2·500	2·511	2·525	2·525	2·524	2·513
5	2·565	2·578	2·558	2·559	2·557	2·538	2·529	2·576	2·544	2·539	2·530	2·528
6	2·494	2·488	2·483	2·474	2·483	2·492	2·501	2·502	2·509	2·511	2·517	2·516
7	2·566	2 557	2·562	2·561	2·556	2·566	2·568	2·561	2·562	2·563	2·554	2·549
8	2·504	2·498	2·499	2·495	2·499	2·500	2·506	2·512	2·517	2·522	2·514	2·527
9	2·552	2·553	2·552	2·553	2·556	2·571	2·590	2·589	2·600	2·594	2·599	2 605
10	2·731	2·735	2·728	2·730	2·732	2·732	2·733	2·731	2 742	2·744	2·728	2·706
11	2·498	2·493	2·478	2 448	2·452	2·464	2 472	2·463	2 472	2·484	2·504	2·514
12	2·422	2·414	2·416	2·432	2·458	2·494	2·538	2·575	2·608	2·629	2·643	2·659
13	2·834	2·846	2·852	2·861	2·877	2·891	2·899	2·897	2 909	2·910	2·899	2·888
14	2·855	2·850	2·850	2 851	2·860	2·866	2·876	2·884	2·880	2·864	2·856	2·844
15	2·827	2·828	2·829	2·832	2·846	2·872	2·876	2·881	2·886	2·886	2·885	2·872
16	2 851	2·852	2·836	3·824	2 826	2 816	2·812	2·812	2·813	2·808	2·784	2·765
17	2 638	2 636	2·654	2·686	2·718	2·748	2·774	2·795	2 806	2·810	2·821	2·818
18	2·852	2·858	2·837	2 826	2·836	2·836	2 834	2·845	2·852	2 852	2·841	2·826
19	2·773	2·749	2·748	2·738	2 740	2·746	2·750	2·753	2·764	2·750	2·744	2·734
20	2·583	2·550	2·541	2·534	2·528	2·526	2·534	2·536	2·526	2·496	2·470	2·438
21	2·484	2 495	2·500	2·516	2·524	2·534	2·543	2·549	2·554	2·543	2·532	2·518
22	2·508	2·533	2·539	2·570	2·587	2·610	2·628	2·654	2·664	2 656	2 647	2 637
23	2·506	2·484	2·457	2·432	2·406	2·392	2·364	2·347	2·325	2·296	2 283	2·243
24	2·043	2 003	1·995	1·961	1·973	1 987	1·991	2·007	2·021	2·029	2 024	2·035
25	2·337	2·351	2·376	2·393	2·417	2·445	2·479	2·503	2·527	2·557	2·576	2·601
26	2·795	2·807	2·810	2·817	2·823	2 831	2·836	2·833	2·828	2·821	2·795	2·785
27	2·691	2·689	2·667	2·685	2·695	2 695	2·696	2·705	2·699	2·698	2·701	2·680
28	2·655	2 654	2·645	2·643	2·642	2 659	2 677	2·665	2·661	2·667	2·657	2·641
29	2·451	2·437	2 420	2 407	2·419	2·422	2 429	2·433	2·449	2·457	2·458	2·462
30	2·645	2·651	2·642	2·642	2·654	2·666	2·672	2·690	2·710	2·707	2·731	2·724
Mean	2·586	2·583	2·579	2·579	2·585	2·594	2·691	2·608	2·613	2·611	2·609	2·601

each Hour (75th Meridian Time), during the Month of September, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·628	2·606	2·568	2·546	2·520	2·490	2·477	2·487	2·442	2·416	2·394	2·372	2·615
2·286	2·292	2·274	2·274	2·294	2·320	2·324	2·338	2·337	2·340	2·348	2·359	2·308
2·448	2·452	2·448	2·454	2·456	2·454	2·470	2·480	2·485	2·482	2·483	2·474	2·432
2·526	2·516	2·511	2·512	2·522	2·525	2·534	2·558	2·558	2·570	2·572	2·566	2·514
2·500	2·492	2·481	2·479	2·475	2·468	2·496	2·479	2·492	2·482	2·488	2·492	2·518
2·520	2·524	2·508	2·512	2·523	2·528	2·539	2·560	2·572	2·572	2·572	2·571	2·520
2·534	2·524	2·520	2·507	2·497	2·498	2·507	2·509	2·517	2·522	2·522	2·517	2·537
2·536	2·522	2·526	2·518	2·526	2·535	2·535	2·545	2·556	2·574	2·561	2·555	2·524
2·608	2·598	2·603	2·617	2·630	2·642	2·672	2·694	2·706	2·746	2·725	2·720	2·619
2·691	2·672	2·627	2·594	2·587	2·565	2·552	2·523	2·514	2·510	2·493	2·499	2·650
2·492	2·477	2·466	2·473	2·471	2·464	2·474	2·484	2·484	2·476	2·456	2·440	2·475
2·686	2·696	2·714	2·735	2·749	2·772	2·787	2·808	2·807	2·818	2·826	2·834	2·647
2·886	2·866	2·854	2·852	2·848	2·841	2·848	2·860	2·858	2·864	2·866	2·854	2·869
2·824	2·797	2·788	2·786	2·780	2·778	2·787	2·802	2·818	2·830	2·832	2·830	2·833
2·866	2·842	2·836	2·832	2·834	2·838	2·848	2·862	2·866	2·864	2·856	2·856	2·855
2·745	2·708	2·681	2·657	2·640	2·636	2·638	2·629	2·631	2·618	2·624	2·616	2·734
2·820	2·816	2·806	2·798	2·816	2·828	2·821	2·826	2·839	2·850	2·834	2·856	2·784
2·816	2·812	2·797	2·782	2·784	2·796	2·797	2·795	2·792	2·798	2·796	2·785	2·819
2·688	2·681	2·646	2·654	2·654	2·652	2·646	2·643	2·642	2·636	2·616	2·594	2·698
2·392	2·376	2·374	2·368	2·384	2·394	2·407	2·429	2·440	2·451	2·464	2·472	2·467
2·489	2·473	2·462	2·460	2·458	2·454	2·457	2·472	2·476	2·467	2·462	2·468	2·495
2·622	2·609	2·596	2·583	2·571	2·565	2·558	2·565	2·564	2·552	2·534	2·516	2·586
2·183	2·159	2·129	2·195	2·089	2·078	2·068	2·059	2·053	2·052	2·049	2·049	2·237
2·043	2·051	2·043	2·087	2·125	2·165	2·189	2·227	2·251	2·276	2·302	2·321	2·090
2·609	2·612	2·633	2·655	3·679	2·713	2·741	2·759	2·780	2·778	2·785	2·783	2·587
2·757	2·721	2·715	2·701	2·697	2·707	2·705	2·703	2·704	2·703	2·698	2·695	2·762
2·665	2·649	2·630	2·629	2·629	2·631	2·645	2·667	2·661	2·675	2·685	2·661	2·672
2·629	2·607	2·583	2·579	2·559	2·529	2·561	2·549	2·545	2·519	2·483	2·457	2·603
2·470	2·466	2·472	2·506	2·534	2·544	2·585	2·604	2·616	2·634	2·632	2·629	2·497
2·714	2·712	2·737	2·760	2·786	2·797	2·812	2·849	2·864	2·884	2·886	2·876	2·742
2·589	2·578	2·568	2·570	2·571	2·573	2·583	2·592	2·596	2·598	2·594	2·591	2·590

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·877	2·887	2·904	2·908	2·912	2·928	2·935	2·953	2·954	2·948	2·943	2·937
2.	2·769	2 786	2·778	2·776	2·776	2·772	2·772	2 770	2·758	2·749	2·743	2·736
3.	2·603	2·603	2·596	2·608	2 622	2·625	2·632	2·632	2·641	2·643	2·610	2·598
4	2·217	2·199	2·181	2·168	2·183	2·207	2·249	2·279	2·295	2·315	2·332	2·329
5.	2·335	2·330	2·317	2·324	2·325	2·328	2 333	2·340	2·342	2·343	2·362	2·373
6.	2·562	2·574	2·578	2·588	2 591	2 591	2·593	2·591	2·591	2·579	2·555	2·530
7.	2·333	2·331	2·318	2·317	2 319	2·313	2 301	2·291	2·281	2·269	2·234	2·203
8.	2·140	2·193	2·226	2·286	2·339	2 416	2·484	2·592	2·568	2 601	2 625	2·654
9.	2·830	2·832	2·816	2·814	2·822	2·822	2·814	2 816	2·798	2·782	2.757	2·730
10.	2·430	2 400	2·404	2·408	2 424	2·422	2 432	2·441	2·440	2·436	2 433	2·430
11.	2 304	2·310	2·301	2·304	2·314	2·322	2·332	2·342	2 342	2·346	2·348	2 348
12.	2 437	2·442	2·443	2·454	2·464	2 472	2 484	2·498	2·509	2·528	2·536	2·545
13.	2·714	2 722	2·732	2·738	2 748	2·766	2·783	2·796	2·816	2·818	2·817	2·812
14.	2·875	2·873	2 872	2 876	2·892	2·906	2·922	2·934	2·942	2·941	2·935	2·916
15.	2·884	2·877	2 873	2 870	2 870	2·880	2 878	2·889	2·896	2 899	2·903	2·905
16.	2·940	2·943	2·945	2 948	2·960	2 976	2·979	2·996	2·992	2·982	2·976	2·956
17.	2·887	2 888	2·883	2·874	2 876	2·867	2·862	2·858	2·850	2·837	2·821	2·798
18.	2·528	2·530	2·543	2·578	2·606	2·636	2·678	2·731	2·756	2·774	2·786	2·784
19.	2·845	2·854	2·844	2·849	2·851	2·848	2·847	2·862	2·864	2·855	2·851	2 839
20.	2·773	2·773	2·769	2·771	2·755	2·760	2 751	2·755	2 757	2·757	2·749	2·748
21.	2·925	2·935	2·948	2·959	2·961	2·981	2·993	3·007	3 003	2·999	2·991	2·963
22.	2·770	2·754	2·734	2·725	2·698	2·680	2·662	2·648	2·632	2 592	2·550	2·512
23.	2 420	2·428	2·432	2 442	2 446	2·475	2·516	2·542	2·584	2 606	2·635	2·648
24.	2·834	2·844	2·838	2·856	2 862	2·868	2 880	2·895	2·902	2·891	2·887	2·863
25.	2·526	2·512	2 491	2·490	2·492	2 498	2 512	2·544	2·553	2·568	2·589	2·598
26.	2·904	2·926	2·934	2·948	2 965	2·970	2·982	3·008	3·012	3·009	2·996	2·975
27.	2·600	2·578	2·540	2·517	2·490	2 456	2·430	2·424	2·387	2·370	2·361	2·346
28.	2·440	2·454	2·458	2·486	2 500	2·522	2·542	2·563	2·566	2·588	2·598	2·590
29	2·650	2·655	2·654	2·652	2·665	2·670	2·668	2·694	2·701	2·714	2·714	2·718
30.	2·904	2·935	2 943	2·957	2·969	2·988	3·007	3·034	3·047	3·060	3·064	3·060
31.	3·143	3·154	3·148	3·147	3·144	3·146	3·159	3·166	3 169	3·168	3·167	3·143
Mean.	2 658	2 662	2·659	2·666	2·672	2·681	2.691	2·706	2·708	2·709	2·705	2·696

each Hour (75th Meridian Time), during the Month of October, 1907.

INCHES.

Hour Ending.												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·914	2·894	2·873	2·852	2·841	2·838	2·834	2·828	2·816	2·817	2·811	2·783	2·883
2·696	2·675	2·660	2·652	2·651	2·642	2·644	2·627	2·624	2·615	2·602	2·598	2·703
2·571	2·550	2·515	2·493	2·486	2·475	2·477	2·437	2·393	2·360	2·307	2·257	2·531
2·311	2·299	2·307	2·321	2·315	2·335	2·343	2·350	2·347	2·349	2·346	2·338	2·280
2·371	2·386	2·410	2·435	2·455	2·480	2·513	2·533	2·543	2·551	2·549	2·557	2·410
2·527	2·499	2·461	2·459	2·449	2·425	2·399	2·378	2·375	2·369	2·359	2·339	2·498
2·176	2·148	2·132	2·117	2·116	2·110	2·092	2·082	2·072	2·074	2·078	2·118	2·201
2·683	2·689	2·706	2·728	2·742	2·770	2·788	2·796	2·807	2·812	2·822	2·824	2·596
2·675	2·632	2·604	2·580	2·561	2·556	2·552	2·522	2·496	2·468	2·448	2·422	2·673
2·423	2·417	2·408	2·401	2·401	2·402	2·410	2·385	2·356	2·330	2·342	2·302	2·403
2·350	2·336	2·354	2·372	2·386	2·406	2·420	2·422	2·428	2·438	2·441	2·436	2·363
2·552	2·562	2·577	2·602	2·625	2·644	2·664	2·676	2·682	2·686	2·687	2·698	2·561
2·802	2·795	2·797	2·804	2·809	2·827	2·840	2·856	2·862	2·866	2·866	2·869	2·802
2·900	2·883	2·882	2·875	2·870	2·870	2·870	2·878	2·887	2·886	2·885	2·884	2·894
2·891	2·884	2·879	2·880	2·887	2·887	2·894	2·916	2·922	2·926	2·928	2·937	2·894
2·934	2·924	2·914	2·910	2·906	2·905	2·913	2·908	2·908	2·904	2·901	2·894	2·938
2·768	2·737	2·712	2·692	2·672	2·675	2·677	2·657	2·638	2·614	2·582	2·541	2·761
2·775	2·766	2·782	2·796	2·814	2·838	2·850	2·854	2·858	2·864	2·858	2·850	2·743
2·805	2·779	2·757	2·757	2·757	2·769	2·787	2·785	2·781	2·789	2·779	2·773	2·814
2·747	2·731	2·733	2·739	2·767	2·805	2·830	2·853	2·869	2·901	2·911	2·919	2·788
2·928	2·900	2·881	2·866	2·852	2·850	2·849	2·842	2·830	2·818	2·800	2·785	2·911
2·474	2·442	2·418	2·400	2·402	2·416	2·426	2·414	2·420	2·414	2·420	2·415	2·542
2·642	2·663	2·684	2·706	2·732	2·772	2·781	2·792	2·810	2·831	2·833	2·834	2·636
2·827	2·810	2·789	2·747	2·720	2·720	2·698	2·682	2·651	2·628	2·588	2·571	2·368
2·595	2·618	2·658	2·700	2·738	2·777	2·804	2·820	2·838	2·857	2·870	2·890	2·647
2·952	2·932	2·907	2·886	2·877	2·867	2·842	2·786	2·760	2·727	2·673	2·635	2·895
2·330	2·325	2·328	2·348	2·366	2·388	2·404	2·400	2·415	2·427	2·433	2·433	2·421
2·587	2·587	2·600	2·607	2·625	2·643	2·644	2·646	2·640	2·641	2·632	2·644	2·575
2·719	2·726	2·734	2·761	2·784	2·810	2·830	2·841	2·857	2·871	2·874	2·885	2·744
3·060	3·049	3·049	3·064	3·068	3·078	3·094	3·100	3·104	3·112	3·122	3·136	3·042
3·116	3·100	3·092	3·088	3·083	3·077	3·075	3·056	3·045	3·032	3·025	3·008	3·110
2·681	2·669	2·661	2·666	2·670	2·679	2·685	2·681	2·679	2·677	2·670	2·664	2·679

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	3·006	3·006	2·995	2·992	2·992	2·980	2·979	2·966	2·956	2·945	2·924	2·982
2	2·495	2·458	2·420	2·382	2·344	2·322	2·290	2·272	2·248	2·224	2·208	2·175
3	1·942	1 954	1 962	1·984	2·008	2·018	2·038	2·064	2·091	2·118	2·114	2·162
4	2·472	2·490	2·500	2·506	2·530	2·552	2·570	2·600	2·608	2·616	2·602	2·584
5	2 405	2·393	2·383	2·382	2·384	2·381	2·388	2·405	2·406	2·401	2·406	2 394
6	2 379	2·366	2·848	2·339	2·319	2·325	2·325	2·336	2·332	2·318	2·312	2·295
7	2·105	2·083	2·071	2·054	2·064	2·058	2·055	2·069	2·078	2·100	2·122	2·130
8	2 440	2·452	2·468	2·469	2·475	2·478	2·481	2·477	2·473	2·475	2·467	2 447
9	2·493	2·494	2·490	2·482	2·473	2·461	2·450	2·444	2 428	2·410	2·383	2·357
10	2·387	2·386	2·382	2·388	2·405	2·408	2·420	2·440	2·448	2·456	2·476	2·464
11	2·660	2·664	2·672	2·669	2·681	2·692	2·709	2 729	2·730	2·741	2·760	2·763
12	2·958	2·967	2·972	2·964	2·976	2·969	2·978	2·977	2·983	2·982	2·975	2·952
13	2·748	2·718	2·702	2·678	2·661	2·640	2 631	2·621	2 605	2·593	2·579	2·551
14	2 597	2·632	3·648	2·667	2·696	2·719	2·756	2 779	2·797	2·821	2·841	2·840
15	2·837	2·833	2·835	2·835	2·836	2·833	2·838	2·852	2 859	2·867	2·867	2·861
16	2·940	2·939	2 940	2 938	2·941	2·940	2·943	2·943	2·941	2·946	2·940	2·910
17	2·871	2·881	2·887	2·884	2·889	2·898	2·909	2·919	2·925	2·920	2·913	2·879
18	2·797	2·790	2·787	2·777	2 773	2·761	2·793	2·785	2·786	2·785	2·774	2·759
19	2·800	2·799	2·809	2·812	2·838	2 857	2·877	2·888	2 913	2·927	2·954	2·953
20	3·029	3 031	3 029	3·023	3·003	3·012	3·006	2·997	2 978	2·986	2·987	2·948
21	2·496	2·476	2 466	2·430	2·396	2·376	2·384	2·400	2·412	2·438	2·450	2·452
22	2·688	2·708	2·724	2·722	2·737	2·737	2·748	2·746	2 771	2·774	2·776	2·772
23	2·915	2·930	2·948	2·953	2·972	2·975	2·989	3·007	3·015	3·024	3·029	3·008
24	3·014	3 007	3·023	3 034	3·040	3·030	3·038	3·053	3·049	3·041	3·036	3 014
25	2·887	2·880	2·873	2·849	2 834	2·827	2·824	2·818	2·810	2 788	2·780	2·742
26	2·374	2·342	2·314	2·284	2·260	2 248	2·254	2·247	2·252	2·252	2·256	2·256
27	2 624	2·657	2·669	2 670	2·679	2·683	2·683	2·685	2·678	2·679	2·669	2·633
28	2·223	2·241	2·252	2·256	2·276	2 291	2·298	2·303	2·317	2·321	2·307	2·308
29	2·642	2·672	2·696	2·706	2·720	2·735	2·754	2·767	2·768	2·781	2·790	2·794
30	2·806	2·824	2·828	2·832	2·824	2·826	2·830	2·836	2·840	2·843	2·842	2·818
Mean.	2·634	2 636	2·636	2·632	2·634	2 634	2 641	2·647	2 650	2·652	2 652	2 637

each Hour (75th Meridian Time), during the Month of November, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·864	2·826	2·804	2·772	2·745	2·726	2·690	2·651	2·620	2·590	2·550	2·525	2·833
2·142	2·113	2·098	2·080	2·060	2·058	2·036	1·992	1·964	1·936	1·923	1·925	2·174
2·182	2·207	2·235	2·262	2·297	2·328	2·359	2·386	2·414	2·430	2·443	2·465	2·187
2·547	2·534	2·517	2·537	2·517	2·505	2·487	2·477	2·467	2·461	2·435	2·420	2·522
2·388	2·388	2·384	2·398	2·408	2·424	2·423	2·421	2·417	2·403	2·393	2·384	2·398
2·274	2·266	2·246	2·245	2·243	2·262	2·250	2·228	2·202	2·184	2·148	2·130	2·278
2·143	2·158	2·190	2·226	2·260	2·304	2·326	2·340	2·366	2·382	2·399	2·425	2·188
2·420	2·416	2·423	2·424	2·431	2·472	2·486	2·488	2·493	2·502	2·492	2·502	2·465
2·338	2·325	2·318	2·321	2·326	2·346	2·359	2·368	2·364	2·370	2·374	2·382	2·398
2·471	2·482	2·504	2·540	2·568	2·600	2·612	2·626	2·636	2·650	2·640	2·655	2·502
2·770	2·795	2·816	2·840	2·857	2·888	2·900	2·901	2·936	2·950	2·962	2·960	2·793
2·923	2·899	2·885	2·879	2·873	2·875	2·867	2·864	2·853	2·827	2·800	2·780	2·916
2·530	2·517	2·511	2·509	2·500	2·517	2·523	2·515	2·509	2·528	2·545	2·575	2·584
2·884	2·810	2·803	2·814	2·824	2·844	2·851	2·851	2·855	2·861	2·857	2·851	2·787
2·851	2·850	2·855	2·869	2·881	2·901	2·913	2·921	2·925	2·935	2·933	2·941	2·872
2·878	2·857	2·835	2·831	2·828	2·843	2·849	2·849	2·854	2·857	2·862	2·873	2·895
2·876	2·859	2·829	2·833	2·819	2·838	2·841	2·837	2·833	2·826	2·810	2·810	2·866
2·735	2·729	2·730	2·743	2·753	2·767	2·769	2·780	2·787	2·797	2·811	2·807	2·774
2·952	2·955	2·951	2·963	2·973	2·996	3·013	3·013	3·013	3·010	3·010	3·014	2·929
2·906	2·857	2·836	2·798	2·742	2·732	2·690	2·642	2·612	2·568	2·524	2·502	2·851
2·462	2·482	2·498	2·524	2·551	2·585	2·608	2·628	2·639	2·650	2·663	2·680	2·506
2·756	2·758	2·762	2·780	2·800	2·838	2·847	2·860	2·874	2·882	2·892	2·907	2·786
2·996	2·992	2·982	2·991	2·994	3·002	3·006	3·012	2·989	2·990	2·999	3·014	2·989
3·006	3·002	2·996	2·992	2·993	2·986	2·976	2·973	2·960	2·950	2·942	2·908	3·003
2·709	2·686	2·662	2·642	2·618	2·610	2·586	2·577	2·528	2·487	2·454	2·416	2·703
2·267	2·289	2·333	2·390	2·437	2·477	2·509	2·539	2·563	2·583	2·603	2·619	2·373
2·593	2·567	2·542	2·497	2·477	2·438	2·433	2·389	2·349	2·295	2·257	2·225	2·545
2·323	2·352	2·390	2·420	2·448	2·505	2·529	2·552	2·568	2·586	2·598	2·622	2·387
2·790	2·784	2·778	2·790	2·788	2·800	2·794	2·804	2·804	2·809	2·805	2·812	2·766
2·800	2·777	2·758	2·756	2·753	2·747	2·738	2·734	2·727	2·710	2·696	2·690	2·787
2·626	2·618	2·616	2·622	2·625	2·641	2·642	2·641	2·637	2·634	2·627	2·627	2·635

PRESSURE at 32° Fah. at Toronto Observatory, from Kew Barographs, for + 27 ENGLISH

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·677	2·664	2·656	2·644	2·738	2·638	2·639	2·641	2·648	2·641	2·636	2·608
2.	2·558	2·554	2·540	2·522	2·514	2·520	2·548	2·574	2·595	2·627	2·637	2·636
3.	2·726	2·724	2·728	2·720	2·716	2·726	2·734	2·743	2·761	2·780	2·792	2·792
4	2·972	2·988	3·004	2·997	3·003	3·015	3·026	3·038	3·050	3·054	3·058	3·038
5.	2·948	2·935	2·943	2·945	2·940	2·940	2·946	2·934	2·925	2·924	2·890	2·852
6.	2·726	2·732	2·733	2·732	2·732	2·732	2·740	2·756	2·759	2·766	2·760	2·747
7.	2·724	2·734	2·746	2·750	2·760	2·768	2·778	2·786	2·782	2·796	2·796	2·779
8.	2·720	2·714	2·722	2·712	2·706	2·717	2·716	2·725	2·730	2·722	2·716	2·690
9.	2·650	2·641	2·643	2·609	2·596	2·567	2·558	2·533	2·507	2·485	2·445	2·403
10.	2·061	2·045	2·021	2·016	2·013	1·992	2·021	2·044	2·063	2·062	2·066	2·098
11.	2·209	2·219	2·233	2·240	2·249	2·269	2·288	2·295	2·297	2·313	2·319	2·311
12.	2·495	2·501	2·537	2·547	2·563	2·577	2·607	2·627	2·656	2·683	2·695	2·698
13	2·902	2·888	2·874	2·886	2·880	2·896	2·916	2·913	2·900	2·916	2·894	2·909
14.	2·775	2·749	2·710	2·689	2·666	2·650	2·618	2·620	2·594	2·582	2·580	2·456
15.	2·228	2·223	2·208	2·198	2·180	2·179	2·168	2·159	2·162	2·162	2·156	2·142
16.	2·220	2·248	2·271	2·284	2·297	2·312	2·338	2·346	2·344	2·370	2·378	2·362
17.	2·521	2·543	2·565	2·568	2·585	2·603	2·623	2·637	2·651	2·681	2·687	2·677
18.	2·683	2·679	2·677	2·668	2·659	2·659	2·665	2·668	2·663	2·671	2·664	2·643
19.	2·636	2·644	2·656	2·664	2·686	2·710	2·740	2·756	2·774	2·787	2·804	2·784
20.	2·734	2·742	2·747	2·735	2·718	2·714	2·716	2·722	2·722	2·737	2·730	2·710
21.	2·780	2·808	2·840	2·852	2·885	2·914	2·952	2·976	3·002	3·034	3·042	3·020
22.	2·936	2·938	2·928	2·907	2·890	2·880	2·879	2·862	2·852	2·846	2·836	2·789
23	2·472	2·432	2·389	2·336	2·278	2·205	2·138	2·096	2·045	2·014	1·948	1·882
24.	1·850	1·900	1·941	1·968	1·996	2·028	2·068	2·108	2·140	2·176	2·180	2·167
25.	2·457	2·475	2·475	2·475	2·449	2·442	2·426	2·405	2·391	2·377	2·353	2·325
26.	2·697	2·734	2·789	2·821	2·823	2·856	2·872	2·887	2·917	2·923	2·921	2·911
27.	2·538	2·516	2·498	2·480	2·470	2·448	2·450	2·438	2·431	2·431	2·406	2·373
28.	2·340	2·344	2·346	2·328	2·338	2·358	2·376	2·400	2·422	2·458	2·503	2·514
29.	2·806	2·819	2·828	2·828	2·829	2·844	2·848	2·842	2·846	2·848	2·839	2·814
30.	2·320	2·272	2·233	2·172	2·092	2·047	1·996	1·980	1·925	1·917	1·934	1·915
31.	2·413	2·465	2·517	2·574	2·605	2·632	2·655	2·653	2·650	2·661	2·637	2·595
Mean	2·573	2·576	2·581	2·576	2·573	2·575	2·582	2·586	2·587	2·595	2·590	2·569

each Hour (75th Meridian Time), during the Month of December, 1907.

INCHES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·592	2·576	2·566	2·582	2·582	2·594	2·595	2·589	2·583	2·584	2·576	2·578	2·614
2·644	2·648	2·660	2·677	2·696	2·704	2·712	2·714	2·720	2·730	2·738	2·740	2·634
2·786	2·792	2·810	2·830	2·846	2·876	2·896	2·916	2·923	2·943	2·958	2·962	2·812
3·022	3·007	3·012	3 012	3·014	3 018	3·018	3·006	3·003	3·003	2·982	2·966	3·013
2·808	2·770	2·754	2·743	2 738	2·752	2·742	2·738	2·742	2·746	2·734	2·724	2·838
2·726	2·714	2·714	2·727	2·737	2·737	2·733	2·730	2·728	2·727	2·736	2·728	2·735
2·760	2·740	2·742	2.731	2·737	2·747	2·750	2 746	2·736	2·724	2·724	2·724	2·753
2·665	2·660	2·667	2·665	2 661	2·673	2·689	2·689	2·673	2·674	2·677	2·661	2·694
2·663	2·332	2·321	2·301	2·286	2 279	2 266	2 227	2·193	2·161	2·133	2·120	2·413
2·081	2·095	2·115	2·125	2·143	2·169	2·175	2·177	2 190	2·200	2·202	2·215	2·100
2·309	2·309	2·323	2·345	2·365	2·381	2 397	2·418	2·438	2·456	2·472	2·483	2·331
2·706	2·718	2·734	2·760	2 780	2·798	2·814	2 824	2·841	2·868	2·882	2·883	2·700
2·878	2·878	2·900	2·848	2·740	2·868	2 858	2·824	2·828	2·820	2·818	2·782	2·871
2·402	2·366	2·352	2·354	2·362	2·362	2 338	2 310	2·299	2·288	2·262	2·244	2·485
2·142	3·138	2·146	2 154	2·166	2·173	2·168	2·168	2·166	2·174	2·182	2·204	2·173
2·362	2·363	2·381	2·406	2·429	2·449	2·469	2 479	2·483	2·493	2·505	2·512	2·379
2 672	2·665	2·668	2·668	2·682	2 697	2·701	2·706	2·705	2·697	2·699	2·695	2·650
2·636	2·623	2 620	2·620	2·632	2·640	2·638	2 646	2·644	2·648	2·652	2 644	2·652
2 764	2·764	2·759	2·764	2·768	2·772	2·778	2 770	2·772	2·764	2·746	2·736	2·742
2·684	2·676	2·674	2·694	2 700	2·713	2·714	2·726	2·733	2·745	2·754	2·768	2·721
3·008	2·990	2·977	2·966	2·960	2·962	2·966	2 966	2 949	2·946	2·947	2 936	2·945
2·774	2·712	2 682	2·669	2·638	2·629	2·593	2 578	2·548	2·526	2·510	2·486	2·744
1·782	1·788	1·746	1·720	1·714	1·721	1 719	1·724	1·738	1·744	1·775	1·802	1·967
2·173	2·179	2·195	2·233	2·271	2·319	2·349	2·370	2 397	2·413	2·427	2·441	2·179
2·303	2·296	2·314	2·333	2·357	2 390	2 425	2·456	2·503	2·547	2·602	2·657	2·422
2·879	2·846	2·832	2·820	2·796	2·784	2·750	2·718	2·668	2 622	2·588	2·570	2·793
2·338	2·342	2·333	2·332	2·337	2·346	2·346	2 346	2·350	2·354	2·349	2·341	2·399
2·527	2·546	2·582	2·631	2·672	2·708	2·738	2·758	2·774	2·790	2·792	2·806	2·544
2·775	2·774	2·764	2·754	2·740	2·718	2·673	2·631	2·598	2·554	2·485	2·408	2·744
1·883	1·904	1·932	1·961	2·001	2·053	2 101	2·152	2·207	2·275	2·329	2·377	2·082
2·571	2·561	2·567	2·576	2·583	2·593	2 603	2 611	2·623	2·629	2·626	2·620	2·593
2·557	2·541	2·543	2·548	2·556	2·569	2·571	2·571	2 573	2·576	2·576	2·575	2·572

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of January, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	29·82	29·83	29·85	29·89	29·96	30·50	30·01	30·03	30·10	30·15	30·21	30·28	30·01
2.....	30·28	30·36	30·38	30·44	30·47	30·58	30·58	30·59	30·62	30·64	30·63	30·62	30·51
3.....	30·63	30·62	30·61	30·58	30·51	30·42	30·31	30·21	30·14	30·03	29·94	29·88	30·32
4.....	29·77	29·71	29·61	29·59	29·55	29·59	29·58	29·62	29·72	29·80	29·84	29·85	29·68
5.....	29·87	29·90	29·91	29·95	29·97	29·99	29·97	30·03	30·08	30·13	30·17	30·19	30·01
6	30·21	30·22	30·24	30·26	30·26	30·23	30·25	30·12	30·09	30·09	30·08	30·09	30·18
7.....	30·14	30·16	30·14	30·16	30·17	30·17	30·17	30·18	30·20	30·23	30·26	30·30	30·19
8.....	30·34	30·38	30·35	30·33	30·32	30·23	30·14	30·06	30·02	30·00	29·97	29·92	30·17
9.....	29·80	29·72	29·62	29·71	29·72	29·78	29·89	29·98	30·00	30·07	30·11	30·14	30·88
10.....	30·13	30·13	30·09	30·07	30·03	29·97	29·83	29·73	29·61	29·56	29·46	29·42	29·83
11.....	29·40	29·45	29·53	29·67	29·80	29·86	29·88	29·96	30·01	30·10	30·18	30·25	29·84
12	30·33	30·31	30·29	30·29	30·21	30·16	30·07	30·00	29·99	30·02	30·06	30·16	30·16
13.....	30·24	30·31	30·34	30·41	30·51	30·52	30·51	30·54	30·54	30·53	30·51	30·47	30·45
14.....	30·43	30·37	30·30	30·27	30·21	30·10	30·03	29·97	29·95	29·95	29·94	29·93	30·12
15.....	29·93	29·96	29·96	29·99	30·08	30·12	39·14	30·19	30·23	30·30	30·33	30·38	30·13
16.....	30·39	30·42	30·42	30·44	30·57	30·61	30·62	30·67	30·69	30·71	30·75	30·75	30·59
17.....	30·76	30·74	30·70	30·67	30·65	30·58	30·50	30·46	30·43	30·40	30·35	30·30	30·54
18.....	30·25	30·27	30·26	30·25	30·26	30·22	30·19	30·18	30·19	30·23	30·30	30·32	30·24
19.....	30·30	30·31	30·29	30·26	30·21	30·13	29·97	29·74	29·69	29·64	29·57	29·48	29·96
20.....	29·37	29·28	29·21	29·18	29·11	29·18	29·22	29·32	29·37	29·46	29·56	29·62	29·32
21.....	29·75	29·92	30·05	30·14	30·21	30·27	30·30	30·37	30·41	30·44	30·47	30·49	30·23
22.	30·49	30·47	30·44	30·43	30·43	30·42	30·34	30·31	30·32	30·38	30·42	30·45	30·41
23.....	30·47	30·49	30·52	30·54	30·58	30·60	30·59	30·57	30·58	30·59	30·60	30·59	30·56
24.....	30·57	30·58	30·59	30·60	30·60	30·57	30·48	30·47	30·42	30·40	30·40	30·37	30·50
25.....	30·34	30·30	30·26	30·23	30·16	30·12	30·04	30·04	30·08	30·10	30·12	30·15	30·16
26	30·14	30·14	30·14	30·14	30·17	30·21	30·24	30·29	30·33	30·39	30·41	30·46	30·35
27.....	30·47	30·48	30·49	30·49	30·50	30·48	30·41	30·40	30·40	30·40	30·38	30·38	30·44
28	30·34	30·34	30·33	30·34	30·34	30·33	30·30	30·30	30·30	30·33	30·34	30·34	30·33
29	30·34	30·34	30·35	30·36	30·36	30·34	30·30	30·29	30·29	30·29	30·28	30·28	30·32
30.....	30·30	30·30	30·31	30·34	30·42	30·45	30·46	30·49	30·53	30·58	30·61	30·65	30·45
31	30·66	30·67	30·67	30·67	30·65	30·60	30·50	30·47	30·41	30·39	30·37	30·38	30·54
Mean..	30·202	30·209	30·202	30·209	30·233	30·220	30·188	30·180	30·185	30·203	30·214	30·222	30·205

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of February, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	30·38	30·38	30·38	30·38	30·39	30·35	30·28	30·22	30·17	30·12	30·06	29·99	30·26
2.	29·93	29·88	29·82	29·79	29·75	29·72	29·64	29·56	29 53	29·46	29·38	29·33	29·65
3... ...	29·33	30·42	29·47	29·54	29·67	29·70	29·92	30·01	30·07	30·17	30·24	30·27	29·83
4.....	30·31	30·33	30·36	30·40	30·44	30·48	30·46	30·48	30·47	30 48	30·46	30·45	30·43
5.....	30·40	30·39	30·35	30 32	30·26	30·23	30·20	30·17	30 17	30·17	30·14	30·13	30·24
6.....	30·12	30·12	30·10	30·12	30·16	30·20	30·20	30·22	30·24	30·29	30·35	30·39	30·21
7..	30·41	30·44	30 45	30·18	30·50	30·51	30·46	30·42	30·41	30 42	30·40	30·38	30·44
8	30·36	30·33	30·32	30·31	30·31	30·28	30 23	30·22	30·21	30·25	30·25	30·24	30·28
9.....	30·22	30·21	30·19	30·19	30·20	30·17	30·11	30 05	30·01	30·00	29 99	29·92	30·10
10.....	29·89	29·83	29·78	29·73	29 66	29·60	29·50	29·37	29·36	29·32	29·27	29·29	29·55
11.....	29·35	29·46	29·50	29·59	29·68	29·69	29·72	29 75	29·80	29·84	29 88	29·90	29·68
12.....	29·91	29·93	29·97	30·03	30·08	30·10	30·10	30·12	30·14	30·20	30·22	30·24	30·09
13.....	30·26	30·28	30 25	30·23	30·23	30·17	30 08	29·97	29·88	29·78	29·69	29·62	30·03
14.....	29·57	29·52	29·49	29·45	29·43	29·44	29·45	29·50	29·61	29·70	29 76	29·82	29 56
15.....	29·89	29 91	29·95	29·98	30 02	30·02	29·98	29·91	29·86	29·84	29·82	29·78	29·91
16.....	29·77	29·75	29·71	29·76	29·80	29·83	29·83	29·81	29·81	29·83	29·85	29·83	29·80
17	29·82	29·81	29·80	29·81	29·86	29·88	29·89	29·89	29·95	30·02	30·10	30·13	29·91
18.....	30·16	30·19	30 20	30·23	30·22	30·16	30·13	30·10	30·10	30·09	30·04	30·01	30·14
19.....	29 96	29·92	29·84	29·77	29·72	29·63	29·54	29 39	29·40	29·37	29·37	29 55	29 62
20.....	29·63	29·67	29·71	29·74	29·77	29·78	29·77	29·73	29·71	29·70	29·68	29·62	29·71
21.... ...	29·57	29·50	29·43	29 42	29·44	29·50	29·54	29·61	29·72	29·84	29·94	30·02	29·63
22.....	30·07	30·09	30·14	30·19	30·30	30·33	30 33	30·35	30·38	30·45	30·51	30·54	30·31
23.....	30·57	30·59	30·61	30 66	30·72	30·72	30·70	30·69	30·69	30·74	30·76	30·78	30·69
24.... ...	30·78	30·75	30·74	30·71	30·64	30·56	30·46	30·31	30·18	30·12	29·97	29·88	30·42
25	29·82	29 76	29·72	29·69	29 78	29·89	29·97	30·06	30·15	30·23	30·31	30·34	29·98
26.....	30·38	30·40	30·40	30·43	30·43	30·43	30 37	30·30	30·27	30·25	30·22	30 19	30·34
27.....	30·16	30 16	30·20	30·28	30·38	30·41	30·42	30·43	30·46	30·50	30 53	30·54	30·37
28	30·58	30·58	30·59	30·59	30·60	30·57	30 51	30·49	30·49	30 51	30·53	30·55	30·55
Mean...	30·057	30·056	30·054	30·065	30·087	30·087	30·064	30·040	30·044	30·060	30·061	30·062	30·062

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of March, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·56	30·56	30·57	30·56	30·56	30·53	30·46	30·36	30·29	30·25	30·14	30·03	30·41
2	30·02	29·82	29·71	29·61	29·47	29·39	29·32	29·26	29·24	29·27	29·29	29·33	29·48
3	29·35	29·38	29·41	29·43	29·53	29·59	29·62	29·70	29·78	29·85	29·91	29·97	29·63
4	30·00	30·02	30·04	30·06	30·11	30·10	30·11	30·10	30·10	30·08	30·07	30·08	30·07
5	30·05	30·03	30·02	30·01	29·97	29·96	29·92	29·91	29·90	29·91	29·92	29·93	29·96
6	29·96	29·99	30·06	30·10	30·17	30·19	30·21	30·22	30·23	30·28	30·34	30·38	30·18
7	30·38	30·38	30·38	30·39	30·36	30·33	30·27	30·20	30·15	30·14	30·09	30·06	30·26
8	30·02	29·95	29·94	29·95	29·92	29·90	29·87	29·88	29·90	29·96	29·99	30·03	29·94
9	30·05	30·10	30·17	30·22	30·31	30·33	30·33	30·33	30·33	30·35	30·37	30·38	30·27
10	30·35	30·34	30·37	30·38	30·37	30·36	30·30	30·26	30·24	30·23	30·24	30·25	30·31
11	30·26	30·26	30·27	30·29	30·29	30·29	30·27	30·24	30·24	30·24	30·26	30·29	30·27
12	30·26	30·25	30·24	30·24	30·18	30·15	30·05	29·97	29·89	29·84	29·81	29·78	30·05
13	29·75	29·72	29·71	29·69	29·68	29·68	29·65	29·67	29·72	29·75	29·82	29·85	29·72
14	29·89	29·88	29·88	29·86	29·82	29·77	29·73	29·77	29·84	29·95	30·00	30·02	29·87
15	30·03	30·01	30·03	30·07	30·11	30·10	30·06	30·01	29·98	29·98	30·05	30·12	30·05
16	30·17	30·23	30·29	30·36	30·45	30·45	30·41	30·35	30·30	30·20	30·14	30·06	30·28
17	29·99	29·96	29·88	29·84	29·79	29·77	29·76	29·94	30·00	30·12	30·22	30·31	29·97
18	30·31	30·32	30·33	30·38	30·39	30·39	30·36	30·35	30·35	30·36	30·36	30·36	30·36
19	30·34	30·32	30·30	30·26	30·15	30·04	29·88	29·73	29·53	29·36	29·12	29·05	29·84
20	29·04	29·10	29·20	29·36	29·56	29·68	29·78	29·85	29·89	30·00	30·05	30·08	29·63
21	30·08	30·09	30·12	30·13	30·12	30·09	30·01	29·94	29·90	29·87	29·92	29·90	30·01
22	29·89	29·86	29·81	29·78	29·69	29·65	29·59	29·54	29·51	29·50	29·50	29·54	29·65
23	29·60	29·65	29·69	29·78	29·89	29·96	29·99	30·02	30·03	30·07	30·10	30·07	29·90
24	30·08	30·06	30·00	30·00	30·01	30·00	30·02	30·07	30·14	30·17	30·25	30·31	30·09
25	30·32	30·34	30·38	30·40	30·41	30·40	30·35	30·31	30·26	30·22	30·16	30·08	30·30
26	30·05	30·03	30·00	30·00	30·01	30·03	30·02	30·04	30·07	30·08	30·13	30·15	30·05
27	30·13	30·13	30·11	30·08	30·04	29·99	29·95	30·89	30·86	30·86	30·86	30·84	29·98
28	29·79	29·78	29·76	29·77	29·75	29·73	29·74	29·74	29·76	29·79	29·83	29·87	29·78
29	29·94	29·97	29·99	30·04	30·05	30·01	29·95	29·85	29·81	29·76	29·72	29·71	29·90
30	29·69	29·75	29·85	29·96	30·03	30·05	30·04	30·04	30·05	30·08	30·14	30·16	29·99
31	30·17	30·16	30·18	30·21	30·23	30·24	30·24	30·23	30·25	30·27	30·29	30·30	30·23
Mean	30·017	30·014	30·022	30·039	30·046	30·037	30·008	29·993	29·985	29·993	30·003	30·009	30·014

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of April, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.
1.....	30·31	30·34	30·35	30·28	30 40	30·38	30·36	30·34	30·33	30·34	30·35	30·34	30·35
2.....	30·33	30·32	30·31	30·35	30·36	30·35	30·29	30·25	30·21	30·20	30·17	30 16	30·27
3..	30·15	30·14	30·12	30·12	30·12	30·11	30·08	30·06	30·04	30·03	30·04	30·04	30·09
4.....	30·02	30 02	30·04	30 06	30·07	30·06	30·01	29·96	29·91	29·88	29·86	29·79	29·97
5.....	29·75	29·73	29·72	29·73	29·78	29·82	29·85	29·89	29·93	29·99	30·06	30·10	29·86
6.....	30·13	30·18	30·21	30·21	30 34	30·35	30·35	30 30	30·30	30·30	30·32	30·32	30·27
7.....	30·32	30·29	39·27	30·27	30 26	30·23	30·16	30·06	30·03	29·99	29·95	29·91	30·14
8	29·88	29·85	29·83	29·80	29·78	29·76	29 65	29·72	29·69	29·67	29·68	29·67	29·74
9...	29·65	29·61	29 55	29·56	29·53	29·49	29·46	29·41	29·39	29·35	29·30	29·23	29·46
10.....	29·20	29·18	29·17	29·18	29·19	29·23	29·25	29·30	29·36	29·40	29·46	29·50	29·28
11.....	29·48	29·49	29·52	29·45	29·59	29·58	29·58	29 57	29 58	29·59	29·64	29·65	29·56
12.....	29·66	29·67	29·68	29·63	29·74	29·73	29·70	29·69	29·68	29·70	29 70	29·68	29·69
13.....	29·67	29·66	29·65	29·65	29·63	29·60	29·58	29 53	29·52	29·52	29 51	29·52	29·59
14.....	29·52	29·53	29·56	29·59	29·61	29·62	29·63	29·61	29 62	29·65	29·69	29·73	29·61
15.....	29·79	29·81	29·85	29·88	29·88	29·87	29·85	29 82	29·81	29·82	29 84	29·84	29·84
16.....	29·87	29·86	29·85	29·86	29·78	29·74	29·69	29·66	29·60	29·58	29·57	29·54	29·72
17.....	29·53	29·53	29·53	29 57	29 59	29·61	29·60	29·61	29·63	29·67	29·72	29·73	29·61
18.....	29·75	29 77	29 77	29·80	29·81	29·82	29·79	29·78	29·79	29·79	29·82	29·85	29·79
19.... ...	29·84	29·82	29·83	29·84	29·83	29·81	29·79	29·77	29·75	29·79	29·80	29·78	29·80
20.....	29·97	29·97	29·74	29·75	29·80	29·83	29·85	29·87	29·89	29 92	30 00	30·03	29·88
21..	30·02	30·02	30·01	30·03	30·03	30·02	29·97	29·93	29·94	29 95	29·97	29·97	29·99
22.....	29·97	29·96	29·94	29·95	29·93	29·89	29·81	29·78	29·77	29·77	29 80	29·79	29 86
23	29·77	29·76	29·77	29·78	29·80	29·76	29·70	29·64	29 59	29·58	29·58	29·57	29·69
24.....	29·55	29·54	29·56	29·59	29·63	29·65	29·67	29·70	29·74	29·78	29·87	29·89	29·68
25.....	29·91	29·90	29·91	29·90	29·86	29·83	29 82	29·83	29·86	29·89	29 94	29·95	29·88
26.....	29·98	30 00	30·04	30·10	30 13	30·12	30·11	30·09	30·11	30·13	30·15	30·21	30·09
27	30·24	30·27	30·23	30·44	30·45	30·44	30·39	30·36	30·32	30·31	30·34	30·31	30·35
28.....	30·28	30·27	30·26	30·26	30·26	30·23	30·18	30·13	30·09	30·06	30·06	30·05	30·18
29.....	30·04	30·03	30·01	30·00	29·92	29·88	29·88	29·83	29·82	29·80	29·80	29·82	29·90
30.... ...	29·82	29·83	29·86	29·89	29 89	29·91	29·88	29 81	29·81	29·81	29 85	29·91	29·85
Mean...	29·880	29·878	29·876	29·886	29·900	29·891	29·864	29·843	29·837	29·842	29·861	29 863	29 868

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of May, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·97	29·99	30·05	30·09	30 14	30·17	30·17	30·18	30·20	30·20	30·26	30·26	30·14
2	30·27	30·30	30·32	30·34	30·34	30·32	30·29	39·23	30·21	30·19	30·19	30·18	30·26
3	30 15	30·13	30 14	30·15	30·14	30·13	30·11	30 05	30·04	30·02	30 02	30·01	30·09
4	30·02	30·01	29·97	29·89	29·79	29·82	29·76	29·91	29·84	29·95	30·03	30·11	29·92
5	30·14	30·16	30·19	30·24	30·24	30·23	30 21	39 18	30·17	30·16	30·17	30·14	30·18
6	30·10	30 07	30·04	30·03	30·01	30·00	29·98	29·96	29·96	29·95	29 94	29 93	29·99
7	29·94	29·94	29·95	29·95	29·95	29·91	29·87	29·85	29·85	29·88	29·89	29·90	29·90
8	29·92	29·95	29·98	30·03	30·08	30·10	30·08	30·06	30·06	30·06	30·07	30·03	30·03
9	30 02	29·98	29·96	29·94	29·92	29·86	29·78	29·71	29·70	29 70	29·69	29·64	29·82
10	29·59	29·59	29·66	29·72	29·76	29·78	29·78	29 77	29·79	29 78	29·82	29·82	29·74
11	29·84	29·83	29·86	29·86	29 86	29·84	29·83	29·85	29·88	29·91	29 97	29·99	29·87
12	29·99	29·97	30·06	30·09	30·10	30·09	30·04	29 98	29·97	29 96	30·00	29·95	30·01
13	29·92	29 86	29·84	29·79	29 71	29·69	29·69	29·C5	29·65	29·71	29·76	29·78	29·75
14	29·81	29·84	29·87	29·95	30 00	30·01	30·02	30·02	30·02	30·02	30 03	30·01	29·96
15	29·99	29·98	29·99	29·98	29·95	29·91	29·88	29·81	29·78	29·77	29 77	29·77	29·88
16	29 76	29·75	29·77	29·82	29·85	29 87	29 87	29·86	29·85	29·87	29·92	29·90	29·84
17	29·91	29·91	29·93	29·95	29·95	29·93	29·90	29·87	29·86	29·87	29·90	29·89	29·90
18	29·88	29·87	29·86	29·84	29·81	29·81	29·80	29·75	29·71	29·67	29·70	29·73	29·78
19	29·75	29·77	29·81	29·83	29·84	29·82	29·81	29·79	29 77	29·75	29·71	29·62	29·77
20	29·73	29·71	29·72	29·74	29·74	29·76	29·79	29 80	29·81	29·83	29·87	29·89	29·78
21	29·91	29·90	29·92	29·96	29·98	29·97	29·94	29·93	29 93	29·96	29·99	30·03	29·95
22	30·04	30·05	30·06	30·07	30·07	30·06	30·03	29·99	29·97	29·99	29·99	30·02	30·03
23	30·02	30·02	30·04	30·07	30·08	30 05	30·02	30·01	30·00	30·02	30·04	30·05	30·03
24	30·05	30·13	30·17	30·19	39·19	30·16	30·13	30·08	30·11	30·14	30·18	30·23	30·15
25	30·25	30·27	30·28	30·30	30·29	30·24	30·19	30·13	39·11	30·10	30·09	30·08	30·19
26	30·08	30·04	30·03	30·00	29·97	29·96	29·96	29·90	29·88	29·86	29·82	29·79	29·94
27	29·74	29 68	29·64	29·63	29·62	29·58	29 57	29·54	29·55	29·61	29·67	29·70	29·63
28	29·72	29·72	29·73	29 74	29 74	29·76	29·75	29·74	29·75	29·77	29 79	29·79	29·75
29	29·78	29·79	29 81	29·83	29·83	29 80	29·80	29·81	29·83	29·87	29·89	29·91	29·83
30	29·93	29·94	29·97	30·00	30·02	30·03	30·02	30·02	30·02	30·03	30·07	30·08	30·01
31	30·07	30·09	30·11	30·12	30·13	30·11	30·09	30 08	30·07	30·06	30·06	30·07	30·09
Mean	29·945	29·943	29·959	29·972	29·971	29·960	29·941	29·920	29·914	29·925	29·945	29·945	29·945

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of June, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·08	30·07	30·06	30·07	30·04	30·00	29·95	29·91	29·89	29·88	29·87	29·84	29·97
2	29·84	29·84	29·83	29·82	29·79	29·78	29·75	29·70	29·68	29·69	29·69	29·69	29·76
3	29·70	29·71	29·73	29·72	29·72	29·71	29·71	29·70	29·71	29·74	29·79	29·80	29·73
4	29·81	29·82	29·85	29·89	29·90	29·88	29·85	29·82	29·80	29·78	29·77	29·76	29·83
5	29·74	29·72	29·73	29·72	29·70	29·65	29·63	29·61	29·61	29·60	29·59	29·59	29·65
6	29·57	29·55	29·57	29·57	29·57	29·58	29·59	29·63	29·63	29·68	29·70	29·71	29·61
7	29·72	29·74	29·77	29·80	29·82	29·82	29·83	29·83	29·83	29·84	29·87	29·89	29·81
8	29·89	29·88	29·89	29·91	29·93	29·93	29·92	29·92	29·92	29·94	29·95	29·95	29·92
9	29·96	29·97	29·98	30·01	30·02	30·01	30·02	30·01	30·02	30·03	30·09	30·13	30·02
10	30·10	30·12	30·15	30·18	30·20	30·18	30·14	30·13	30·10	30·10	30·09	30·09	30·13
11	30·10	30·08	30·08	30·08	30·07	30·05	30·02	30·02	30·00	29·99	30·01	30·02	30·04
12	30·03	30·04	30·07	30·10	30·12	30·11	30·09	30·07	30·05	30·04	30·06	30·06	30·07
13	30·06	30·07	30·07	30·07	30·04	30·00	29·97	29·93	29·90	29·87	29·85	29·83	29·97
14	29·83	29·82	29·80	29·79	29·78	79·75	29·73	29·69	29·68	29·65	29·69	29·71	29·74
15	29·72	29·75	29·78	29·84	29·86	29·87	29·87	29·86	29·85	29·86	29·84	29·88	29·83
16	29·91	29·93	29·96	29·99	30·01	30·00	29·97	29·93	29·93	29·95	29·96	29·96	29·96
17	29·98	29·99	30·00	30·02	30·07	30·02	29·99	29·97	29·95	29·94	29·94	29·95	29·98
18	29·95	29·95	29·98	29·98	29·98	29·98	29·95	29·91	29·87	29·90	29·94	29·94	29·94
19	29·96	29·97	29·98	30·01	30·03	30·04	30·01	29·99	29·99	30·00	29·95	29·92	29·99
20	29·89	29·87	29·89	29·92	29·91	29·88	29·86	29·85	29·85	29·86	29·89	29·92	29·88
21	29·95	29·99	30·03	30·05	30·08	30·08	30·07	30·04	30·03	30·07	30·08	30·08	30·04
22	30·13	30·13	30·15	30·16	30·16	30·17	30·15	30·12	30·10	30·09	30·09	30·10	30·13
23	30·10	30·09	30·10	30·10	30·09	30·09	30·05	29·98	29·96	29·96	29·95	29·94	30·03
24	29·94	29·95	29·96	29·96	29·93	29·92	29·91	29·87	29·83	29·84	29·85	29·85	29·90
25	29·84	29·85	29·85	29·86	29·84	29·85	29·83	29·79	29·78	29·76	29·75	29·74	29·81
26	29·73	29·69	29·70	29·69	29·66	29·61	29·58	29·52	29·52	29·51	29·51	29·52	29·60
27	29·50	29·47	29·47	29·46	29·51	29·53	29·26	29·58	29·59	29·63	29·66	29·70	29·55
28	29·73	29·80	29·82	29·83	29·85	29·86	29·85	29·83	29·84	29·85	29·87	29·89	29·83
29	29·88	29·88	29·91	29·92	29·93	29·92	29·89	29·87	29·86	29·85	29·86	29·86	29·88
30	29·83	29·83	29·82	29·81	29·75	29·74	29·69	29·65	29·65	29·65	29·65	29·64	29·72
Mean	29·882	29·886	29·899	29·911	29·912	29·900	29·881	29·858	29·847	29·852	29·860	29·865	29·879

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of July, 1907

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·65	29·68	29·70	29·72	29·75	29·74	29·72	29·67	29·65	29·66	29·67	29·66	29·69
2	29·66	29·66	29·66	29·66	29·67	29·68	29·70	29·74	29·78	29·83	29·86	29·92	29·73
3	29·93	29·95	29·98	30·01	30·03	30·04	30·02	30·00	29·99	30·00	30·01	30·02	29·99
4	30·03	30·03	30·04	30·05	30·07	30·06	30·03	30·00	29·98	29·98	29·97	29·98	30·02
5	29·96	29·94	29·93	29·93	29·95	29·94	29·86	29·84	29·83	29·83	29·84	29·88	29·89
6	29·89	29·88	29·88	29·89	29·89	29·86	29·83	29·81	29·80	29·81	29·80	29·79	29·84
7	29·78	29·77	29·78	29·77	29·78	29·78	29·76	29·75	29·73	29·73	29·77	29·79	29·76
8	29·80	29·81	29·82	29·83	29·82	29·79	29·78	29·78	29·70	29·66	29·62	29·62	29·75
9	29·59	29·58	29·59	29·60	29·60	29·62	29·61	29·62	29·63	29·66	29·73	29·77	29·63
10	29·78	29·78	29·80	29·80	29·79	29·79	29·80	29·80	29·80	29·82	29·84	29·86	29·80
11	29·89	29·90	29·91	29·92	29·94	29·91	29·88	29·86	29·84	29·82	29·83	29·82	29·87
12	29·79	29·76	29·73	29·70	29·65	29·65	29·66	29·69	29·71	29·76	29·79	29·80	29·72
13	29·81	29·83	29·87	29·91	29·92	29·91	29·92	29·91	29·92	29·93	29·95	29·96	29·90
14	29·98	29·99	30·02	30·04	30·05	30·05	30·04	30·02	30·01	30·02	30·02	30·02	30·02
15	30·04	30·05	30·06	30·08	30·07	30·05	30·02	29·98	29·97	29·95	29·95	29·96	30·01
16	29·96	29·95	29·94	29·94	29·92	29·90	29·90	29·87	29·85	29·84	29·84	29·86	29·89
17	29·85	29·86	29·88	29·89	29·91	29·90	29·89	29·87	29·87	29·86	29·87	29·88	29·88
18	29·89	29·89	29·92	29·93	29·94	29·92	29·92	29·91	29·91	29·92	29·93	29·94	29·92
19	29·94	29·95	29·95	29·96	29·95	29·93	29·91	29·88	29·86	29·86	29·85	29·83	29·90
20	29·81	29·79	29·77	29·75	29·73	29·70	29·66	29·61	29·62	29·67	29·70	29·70	29·71
21	29·74	29·76	29·80	29·83	29·86	29·85	29·84	29·82	29·80	29·81	29·82	29·81	29·81
22	29·82	29·82	29·83	29·83	29·80	29·79	29·78	29·78	29·76	29·75	29·74	29·74	29·78
23	29·72	29·72	29·73	29·75	29·78	29·80	29·80	29·81	29·81	29·81	29·83	29·83	29·78
24	29·84	29·85	29·85	29·85	29·83	29·80	29·74	29·70	29·68	29·66	29·64	29·65	29·75
25	29·66	29·65	29·69	29·71	29·74	29·74	29·74	29·74	29·73	29·73	29·72	29·70	29·71
26	29·65	29·60	29·53	29·48	29·43	29·36	29·28	29·32	29·36	29·38	29·40	29·44	29·43
27	29·43	29·43	29·44	29·46	29·50	29·53	29·57	29·57	29·58	29·60	29·64	29·66	29·53
28	29·68	29·69	29·73	29·75	29·76	29·74	29·70	29·68	29·67	29·68	29·71	29·71	29·71
29	29·72	29·72	29·72	29·74	29·74	29·74	29·72	29·67	29·66	29·66	29·66	29·69	29·70
30	29·67	29·69	29·69	29·70	29·71	29·72	29·71	29·69	29·69	29·70	29·72	29·72	29·70
31	29·71	29·72	29·75	29·77	29·77	29·76	29·74	29·71	29·69	29·69	29·70	29·71	29·72
Mean	29·796	29·797	29·806	29·814	29·817	29·808	29·791	29·777	29·770	29·776	29·783	29·797	29·794

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of August, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·71	29·71	29·72	29·74	29·75	29·76	29·74	29·73	29·71	29·72	29·72	29·72	29·73
2	29·70	29·69	29·69	29·69	29·68	29·66	29·65	29·64	29·66	29·71	29·76	29·79	29·69
3	29·79	29·80	29·84	29·89	29·89	29·89	29·89	29·90	29·91	29·93	29·94	29·95	29·88
4	29·91	29·92	29·94	29·99	30·00	29·97	29·94	29·93	29·95	29·99	30·00	30·02	29·96
5	30·04	30·05	30·08	30·09	30·10	30·09	30·07	30·03	30·04	30·02	30·01	30·00	30·05
6	29·96	29·96	29·97	29·96	29·95	29·92	29·92	29·92	29·95	29·96	29·97	29·98	29·95
7	29·97	29·97	29·97	29·97	29·91	29·91	29·86	29·82	29·80	29·85	29·89	29·90	29·90
8	29·92	29·97	29·92	30·07	30·09	30·08	30·08	30·07	30·09	30·07	30·09	30·11	30·04
9	30·11	30·12	30·14	30·15	30·13	30·11	30·10	30·05	30·00	30·01	30·03	30·02	30·08
10	30·03	30·02	30·04	30·07	30·08	30·07	30·00	29·97	29·94	29·93	29·92	29·92	30·00
11	29·91	29·89	29·88	29·89	29·87	29·82	29·80	29·75	29·75	29·75	29·76	29·74	29·82
12	29·74	29·73	29·74	29·77	29·76	29·74	29·69	29·66	29·65	29·64	29·63	29·63	29·70
13	29·68	29·73	29·76	29·78	29·77	29·75	29·75	29·76	29·78	29·85	29·91	29·94	29·79
14	29·94	29·95	29·98	30·01	30·04	30·05	30·07	30·09	30·11	30·12	30·19	30·20	30·06
15	30·22	30·25	30·27	30·31	30·31	30·30	30·28	30·24	30·22	30·21	30·22	30·22	30·25
16	30·20	30·19	30·20	30·17	30·13	30·07	30·03	29·99	29·94	29·95	29·94	29·93	30·06
17	29·89	29·87	29·89	29·89	29·88	29·84	29·83	29·81	29·80	29·81	29·83	29·85	29·86
18	29·91	29·98	30·08	30·12	30·18	30·20	30·20	30·19	30·20	30·24	30·27	30·27	30·15
19	30·27	30·30	30·31	30·32	30·31	30·30	30·25	30·20	30·17	30·14	30·10	30·08	30·23
20	30·03	29·99	29·98	29·98	29·94	29·91	29·91	29·92	29·93	29·94	29·96	29·98	29·95
21	30·01	30·04	30·08	30·09	30·10	30·09	30·06	30·04	30·03	30·04	30·05	30·04	30·05
22	30·06	30·08	30·11	30·15	30·17	30·15	30·12	30·11	30·10	30·11	30·12	30·14	30·12
23	30·16	30·16	30·17	30·19	30·17	30·14	30·10	30·05	30·01	29·91	29·95	29·93	30·07
24	29·90	29·87	29·84	29·83	29·77	29·66	29·57	29·59	29·57	29·57	29·58	29·58	29·69
25	29·58	29·57	29·59	29·58	29·58	29·59	29·57	29·56	29·56	29·56	29·60	29·61	29·58
26	29·63	29·64	29·66	29·68	29·70	29·76	29·80	29·78	29·80	29·81	29·81	29·80	29·74
27	29·79	29·81	29·85	29·87	29·85	29·85	29·83	29·81	29·81	29·81	29·84	29·85	29·83
28	29·85	29·86	29·88	29·90	29·89	29·85	29·84	29·81	29·81	29·82	29·87	29·87	29·85
29	29·89	29·89	29·89	29·89	29·90	29·91	29·91	29·89	29·90	29·92	29·94	29·93	29·90
30	29·92	29·91	29·93	29·94	29·93	29·93	29·91	29·90	29·92	29·93	29·95	29·95	29·93
31	29·95	29·96	29·97	29·99	30·01	29·97	29·97	29·95	29·96	29·99	30·00	30·00	29·98
Mean	29·925	29·931	29·947	29·967	29·964	29·946	29·927	29·908	29·905	29·915	29·931	29·934	29·933

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of September, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·99	29·98	30·01	30 02	29·99	29·98	29·94	29·91	29·89	29 89	29·88	29·87	29·86
2	29·82	29·80	29·79	29·80	29·76	29·75	29·74	29 69	29·67	29·69	29·70	29·69	29·74
3	29·70	29 72	29·73	29·78	29·82	29·85	29·85	29·87	29·87	29·87	29·91	29·91	29·82
4	29·91	29·90	29·89	29·90	29 91	29·88	29·91	29·92	29·92	29·93	29·96	29·97	29·92
5	29·95	29·95	29·95	29 97	29·97	29·94	29·91	29·87	29·85	29·82	20·82	29·81	29·90
6	29·78	29·76	29·77	29·78	29·77	29·77	29·75	29·71	29·72	29 75	29·78	29·78	29·76
7	29·80	29·79	29·82	29·83	29·84	29·84	29·83	29·80	29·80	29·82	29·85	29·86	29·82
8	26·85	29·84	29·87	29·90	29·91	29·90	29·90	29·89	29 91	29·94	29·99	30·00	29·91
9	30·02	30 03	30·07	30·11	30·14	30·15	30·12	30·10	30·09	30·10	30·14	30·12	30·10
10	30·10	30·10	30·12	30·15	30·18	30·17	30·14	30·12	30·11	30·10	30·09	30·08	30·12
11	30·03	30·00	29·96	29 94	29·91	29·90	29·84	29·76	29·77	29·80	29·82	29·84	29·88
12	29·82	29·82	29 81	29·81	29·81	29·81	29·82	29·85	29·92	29·97	30 02	30·08	29·88
13	30·11	30·14	30 16	30·23	30·26	30·25	30·26	30·26	30·27	30·27	30·27	30·28	30·23
14	30·29	30·29	30·30	30·30	30·28	30·25	30·21	30·17	30·14	35 15	30·17	30·17	30·22
15	30·16	30·17	30·18	30·19	30·18	30·16	30·13	30 13	30·16	30·18	30·18	30·19	30·17
16	30·21	30·19	30·20	30·18	30·17	30·12	30·04	30 03	29·97	29·91	29·83	29·83	30·06
17	29·73	29·73	29·89	30·03	30·08	30·10	30·10	30·12	30·18	30·27	30 30	30·31	30·07
18	30·32	30·36	30 38	30·39	30·40	30·38	30·33	30·30	30·28	30·28	30·28	30·28	30·33
19	30·27	30·24	30·23	30·23	30·22	30·18	30·13	30·10	30·07	30·07	30·06	30·06	30·15
20	30·01	29·98	29·98	29·98	29·93	29·85	29·79	29·73	29·68	29·68	29·67	29·67	29·83
21	29·70	29 71	29·74	29·78	29·80	27 80	29·79	29·76	29·72	29·72	29·71	29·71	29·74
22	29·67	29·67	29·72	29·80	29·87	29·88	29·88	29·88	29·89	29·90	29·91	29·93	29·84
23	29·94	29·92	29·90	29·87	29·83	29·76	29·70	29·66	29·62	29·59	29·54	29·51	29·74
24	28·48	29·45	29·40	29·36	29·33	29·35	29·32	29·35	29·36	29·40	29·42	29·43	29·38
25	29·45	29·49	29·51	29·55	29·61	29·65	20·68	29·73	29·77	29·78	29·83	29·88	29·66
26	29·98	30·00	30·05	30·08	30·07	30·03	30·00	29·96	29·95	29 96	29·95	29·92	29·99
27	29 95	29·97	30·00	30·04	30·05	30·04	30·00	29·98	29·97	29·98	30·04	30·09	30·01
28	30·14	30·18	30·20	30·23	30·23	30·32	30·20	30·17	30·17	30·15	30·13	30·10	30·19
29	30·10	30·10	30·01	29·98	29·97	29·96	29·94	59·92	29·93	29·96	29 97	29·97	29·98
30	29·96	29·95	29·97	29·96	29·96	29·92	29·84	29·82	29·87	29·93	29·95	29 95	29·92
Mean	29·941	29·941	29·954	29·972	29·975	29·965	29·936	29·919	29 917	29·929	29·906	29·943	29·941

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of October, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	29·95	30·00	30·08	30·12	30·17	30·18	30·17	30·13	30·13	30·16	30·16	30·16	30·12
2.....	30·17	30·17	30·20	30·20	30·18	30·17	30·12	30·10	30·09	30·09	30·09	30·08	30·14
3.....	30·07	30·04	30·03	30·02	30·01	29·96	29·91	29·90	29·88	29·89	29·87	29·84	29·95
4.....	29·74	29·63	29·57	29·45	29·36	29·35	29·35	29·39	29·47	29·54	29·57	29·58	29·50
5.....	29·57	29·55	29·56	29·58	29·60	29·60	29·59	29·61	29·65	29·69	29·73	29·75	29·62
6.....	29·77	29·79	29·82	29·87	29·90	29·88	29·84	29·82	29·83	29·85	29·86	29·85	29·84
7.....	29·80	29·79	29·78	29·77	29·76	29·72	29·64	29·55	29·51	29·46	29·44	29·40	29·64
8.....	29·33	29·27	29·27	29·38	29·52	29·60	29·65	29·77	29·93	30·02	30·03	30·08	29·65
9.....	30·12	30·14	30·19	30·22	30·24	30·22	30·29	30·14	30·12	30·11	30·05	30·03	30·16
10.....	30·00	29·96	29·94	29·93	29·89	29·87	29·83	29·82	29·81	29·84	29·83	29·82	29·88
11.....	29·81	29·78	29·78	29·77	29·76	29·77	29·75	29·76	29·77	29·78	29·78	29·79	29·78
12.....	29·80	29·82	29·83	29·87	29·88	29·88	29·89	29·91	29·95	29·97	29·98	29·99	29·90
13.....	29·99	30·01	30·03	30·07	30·08	30·07	30·05	30·06	30·09	30·10	30·08	30·11	30·06
14.....	30·11	30·13	30·15	30·20	30·21	30·21	30·18	30·17	30·17	30·18	30·19	30·17	30·17
15.....	30·18	30·17	30·19	30·20	30·20	30·18	30·15	30·15	30·17	30·20	30·25	30·26	30·19
16.....	30·25	30·26	30·28	30·30	30·31	30·29	30·24	30·21	30·19	30·20	30·20	30·22	30·25
17.....	30·21	30·19	30·20	30·21	30·19	30·16	30·09	30·03	30·00	29·96	29·91	29·87	30·09
18.....	29·75	29·66	29·59	29·71	29·65	29·92	29·95	29·98	30·02	30·09	30·12	30·15	29·88
19.....	30·17	30·17	30·18	30·19	30·19	30·15	30·10	30·09	30·09	30·10	30·11	30·12	30·14
20.....	30·12	30·13	30·14	30·11	30·17	30·15	30·10	30·06	30·06	30·10	30·12	30·13	30·12
21.....	30·17	30·20	30·23	30·26	30·27	30·27	30·23	30·19	30·18	30·17	30·15	30·14	30·21
22.....	30·11	30·09	30·05	30·00	29·93	29·85	29·75	29·73	29·68	29·68	29·65	29·64	29·85
23.....	29·62	29·62	29·63	29·69	29·71	29·76	29·77	29·84	29·89	29·96	30·01	30·03	29·79
24.....	30·06	30·08	30·12	30·15	30·16	30·13	30·11	30·08	30·06	30·03	30·02	29·99	30·08
25.....	29·94	29·87	29·82	29·77	29·74	29·73	29·74	29·78	29·85	29·94	29·99	30·06	29·85
26.....	30·08	30·13	30·10	30·25	30·31	30·32	30·30	30·31	30·32	30·31	30·30	30·29	30·25
27.....	30·31	30·22	30·18	30·12	30·09	30·01	29·95	29·91	29·91	29·90	29·88	29·86	30·03
28.....	29·81	29·77	29·76	29·77	29·78	29·77	29·77	29·78	29·78	29·79	29·81	29·82	29·78
29.....	29·84	29·85	29·86	29·87	29·88	29·86	29·84	29·85	29·88	29·91	29·95	29·98	29·88
30.....	30·08	30·12	30·17	30·26	30·28	30·29	30·29	30·30	30·36	30·40	30·44	30·48	30·29
31.....	30·50	30·53	30·56	30·60	30·62	30·60	30·58	30·57	30·56	30·57	30·57	30·55	30·57
Mean...	29·981	29·972	29·977	29·997	30·001	29·997	29·975	29·967	29·981	30·000	30·004	30·008	29·962

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of November, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·53	30·52	30·50	30·51	30·50	30·42	30·37	30·31	30·28	30·23	30·18	30·13	30·37
2	30·11	30·05	30·01	29·98	29·94	29·91	29·85	29·82	30·74	30·70	30·58	30·47	29·85
3	29·27	29·17	29·16	29·13	29·07	29·08	29·07	29·10	29·19	29·25	29·32	29·42	29·19
4	29·49	29·58	29·69	29·77	29·80	29·84	29·86	29·85	29·88	29·92	29·93	29·93	29·79
5	29·94	29·92	29·91	29·89	29·88	29·85	29·83	29·84	29·86	29·87	29·92	29·95	29·89
6	29·95	29·96	29·95	29·97	29·94	29·89	29·85	29·78	29·73	29·64	29·53	29·41	29·80
7	29·15	29·03	29·03	29·05	29·07	29·04	29·09	29·17	29·22	29·27	29·32	29·34	29·15
8	29·46	29·56	29·63	29·68	29·71	29·71	29·73	29·74	29·73	29·71	29·73	29·77	29·68
9	29·80	29·81	29·82	29·85	29·85	29·83	29·79	29·74	29·72	29·71	29·70	29·72	29·78
10	29·71	29·72	29·72	29·73	29·75	29·76	29·78	29·84	29·89	29·93	29·95	29·97	29·81
11	29·98	30·00	30·00	30·03	30·05	30·05	30·04	30·08	30·13	30·15	30·20	30·21	30·08
12	30·25	30·27	30·29	30·32	30·33	30·31	30·29	30·25	30·22	30·20	30·14	30·11	30·25
13	30·11	30·05	30·01	29·97	29·91	29·83	29·79	29·76	29·75	29·74	29·71	29·69	29·86
14	29·56	29·64	29·74	29·89	29·96	30·02	30·03	30·06	30·09	30·14	30·16	30·21	29·96
15	30·25	30·24	30·25	30·26	30·26	30·26	30·24	30·24	30·25	30·31	30·32	30·33	30·27
16	30·35	30·36	30·37	30·36	30·35	30·31	30·25	30·31	30·26	30·13	30·12	30·13	30·28
17	30·13	30·16	30·18	30·23	30·29	30·29	30·26	30·26	30·26	30·25	30·24	30·22	30·23
18	30·20	30·20	30·19	30·18	30·19	30·15	30·13	30·13	30·14	30·15	30·16	30·18	30·17
19	30·18	30·17	30·18	30·23	30·23	30·27	30·28	30·31	30·36	30·41	30·42	30·43	30·29
20	30·47	30·49	30·50	30·54	30·54	30·50	30·51	30·49	30·46	30·40	30·36	30·29	30·46
21	30·23	30·15	30·13	30·11	30·05	29·99	29·94	29·95	29·95	29·95	29·97	29·97	30·03
22	29·98	30·02	30·05	30·08	30·10	30·09	30·09	30·09	30·10	30·10	30·09	30·10	30·07
23	30·11	30·15	30·18	30·24	30·28	30·29	30·29	30·33	30·37	30·42	30·45	30·45	30·29
24	30·46	30·47	30·47	30·49	30·54	30·49	30·46	30·45	30·44	30·42	30·39	30·37	30·45
25	30·30	30·38	30·31	30·27	30·21	30·16	30·06	30·01	29·94	29·91	29·86	29·83	30·11
26	29·81	29·80	29·78	29·77	29·74	29·72	29·69	29·70	29·71	29·73	29·75	29·78	29·75
27	29·82	29·84	29·87	29·89	29·89	29·87	29·83	29·85	29·86	29·87	29·84	29·84	29·86
28	29·81	29·79	29·78	29·79	29·80	29·77	29·76	29·74	29·74	29·73	29·78	29·83	29·78
29	29·91	29·97	30·02	30·09	30·14	30·15	30·16	30·21	30·24	30·24	30·24	30·25	30·14
30	30·25	30·27	30·28	30·31	30·34	30·32	30·29	30·29	30·29	30·28	30·26	30·24	30·29
Mean	29·989	29·991	30·000	30·020	30·024	30·002	29·987	29·990	29·993	29·992	29·987	29·986	29·997

Bi-hourly Pressure, from Self-registering Instruments, at Montreal, Quebec, for the Month of December, 1907.

REDUCED TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	30·13	30·20	30·19	30·18	30·16	30·13	30·07	30·06	30·05	30·04	30·02	30·00	30·11
2.....	29·95	29·92	29·90	29·90	29·91	29·88	29·87	29·89	29·91	29·95	29·98	30·02	29·92
3.....	30·04	30·07	30·12	30·15	30·20	30·22	30·23	30·25	30·29	30·31	30·33	30·35	30·21
4.....	30·37	30·37	30·39	30·42	30·43	30·41	30·37	30·36	30·34	30·33	30·32	30·31	30·37
5.....	30·25	30·26	30·27	30·25	30·21	30·15	30·08	30·05	30·05	30·02	30·00	30·01	30·13
6.....	30·00	30·01	30·02	30·02	30·05	30·06	30·06	30·07	30·06	30·06	30·05	30·04	30·04
7.....	30·02	30·04	30·02	30·07	30·12	30·11	30·08	30·09	30·11	30·12	30·12	30·12	30·09
8.....	30·13	30·13	30·13	30·14	30·13	30·08	30·07	30·06	30·07	30·08	30·08	30·08	30·10
9.....	30·08	30·08	30·07	30·07	30·07	30·03	29·95	29·88	29·86	29·77	29·73	29·69	29·94
10.....	29·63	29·59	29·50	29·49	29·44	29·43	29·41	29·42	29·42	29·42	29·39	29·38	29·46
11.....	29·35	29·37	29·40	29·44	29·48	29·50	29·51	29·54	29·56	29·58	29·60	29·62	29·50
12.....	29·62	29·65	29·70	29·76	29·82	29·84	29·85	29·89	29·95	30·01	30·03	30·06	29·85
13.....	30·10	30·16	30·18	30·16	30·24	30·22	30·24	30·26	30·26	30·30	30·26	30·34	30·23
14.....	30·33	30·35	30·35	30·37	30·35	30·29	30·18	30·15	30·08	30·02	29·98	29·96	30·20
15.....	29·93	29·90	29·87	29·84	29·81	29·74	29·71	29·69	29·68	29·66	29·64	29·63	29·76
16.....	29·62	29·61	29·62	29·64	29·69	29·72	29·68	29·69	29·71	29·73	29·76	29·78	29·69
17.....	29·78	29·80	29·81	29·85	29·89	29·91	29·93	29·96	29·99	30·00	30·00	29·99	29·91
18.....	30·01	30·01	30·01	30·01	30·02	30·01	29·99	29·97	29·96	29·97	29·97	29·98	29·99
19.....	29·99	29·99	30·01	30·03	30·06	30·02	30·02	30·03	30·04	30·02	30·02	30·03	30·02
20.....	30·04	30·06	30·05	30·05	30·05	30·02	29·98	29·99	30·01	30·01	30·01	30·01	30·02
21.....	29·98	30·00	30·07	30·17	30·30	30·34	30·33	30·33	30·33	30·28	30·20	30·19	30·21
22.....	30·16	30·15	30·14	30·15	30·14	30·10	30·05	30·03	30·01	29·96	29·93	29·90	30·06
23.....	29·87	29·84	29·78	29·74	29·72	29·65	29·43	29·32	29·20	29·07	28·92	28·90	29·45
24.....	28·84	28·88	28·94	29·08	29·23	29·31	29·38	29·47	29·53	29·57	29·60	29·67	29·29
25.....	29·70	29·80	29·90	29·96	29·99	29·98	29·92	29·88	29·88	29·82	29·80	29·80	29·87
26.....	29·81	29·90	30·03	30·13	30·23	30·27	30·29	30·31	30·32	30·33	30·27	30·23	30·18
27.....	30·22	30·14	30·05	29·98	29·94	29·86	29·81	29·79	29·77	29·73	29·72	29·70	29·89
28.....	29·68	29·69	29·66	29·65	29·64	29·62	29·62	29·70	29·79	29·91	30·01	30·09	29·76
29.....	30·09	30·15	30·21	30·25	30·28	30·26	30·21	30·19	30·20	30·17	30·14	30·09	30·19
30.....	30·07	30·00	29·88	29·74	29·59	29·42	29·23	29·14	29·08	29·11	29·15	29·27	29·47
31.....	29·31	29·46	29·61	29·80	29·88	29·92	29·92	29·86	29·84	29·86	29·87	29·88	29·77
Mean...	29·910	29·922	29·932	29·951	29·970	29·952	29·918	29·914	29·914	29·910	29·900	29·907	29·925

PART V

For each Month and the Year 1907—

Mean Temperature ..... page 337
Mean Maximum Temperature ..... " 343
Mean Minimum Temperature ..... " 349
Maximum Temperature ..... " 355
Minimum Temperature ..... " 362
Mean Daily Range of Temperature ..... " 369
Rainfall in Inches ..... " 375
Snowfall in Inches ..... " 383

MEAN TEMPERATURE at all Stations in each Month for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
YUKON.	°	°	°	°	°	°	°	°	°	°	°	°
Carcross	...	— 2·5	9·2	29·8	47·4	50·6	51·0	50·7	44·1	37·4	21·7	13·6
Dawson	—23·1	—26·2	— 2·8	30·6	51·5	57·2	58·9	54·2	42·4	25·9	0·2	— 5·3
Whitehorse	—16·3	— 6·4	4·2	28·2	45·6	50·6	55·6	51·8	43·8	36·3	17·6	11·7
TERRITORIES.												
Fort Churchill	—23·2	—18·4	— 7·9	3·9	20·4	43·5	49·4	53·2	41·9	26·2	8·7	— 4·4
Fort Hope	—11·3	— 7·8	12·4	17·9	30·2	30·9	53·4	19·1	...	...	...	...
Norway House	—17·6	— 4·5	9·8	17·5	29·5	54·9	59·6	54·5	44·7	36·5	17·7	4·4
York factory	—23·3	—13·4	— 1·9	7·4	22·7	49·3	50·7	62·2	42·7	29·1	16·1	...
BRITISH COLUMBIA.												
Alberni	26·6	40·4	41·4	47·7	58·8	62·9	68·7	62·9	61·3	53·7	...	36·2
Agassiz	22·9	36·3	39·6	48·5	57·0	58·6	64·5	59·1	56·7	52·6	48·2	38·2
Atlin	— 9·0	— 1·2	10·1	31·3	46·2	50·1	54·8	51·7	44·9	37·9	27·7	18·9
Barkerville	...	...	...	31·2	44·5	...	57·8	48·9	45·1	42·0	28·7	20·4
Bella Coola	14·8	28·8	36·2	42·5	54·3	57·4	63·0	58·5	56·1	47·4	37·8	31·3
Big Creek	— 4·4	19·4	22·1	35·6	49·3	53·2	58·8	53·8	49·6	42·8	29·7	16·5
Clayoquot	34·6	43·1	41·4	46·0	53·3	56·6	62·6	60·8	59·3	53·4	46·9	42·2
Cowichan	29·9	40·4	40·3	46·9	56·1	59·6	64·4	61·1	58·1	51·3	46·3	40·0
Crawford Bay	...	...	...	...	...	...	66·7	59·4	54·9	49·4	36·6	31·2
Garry Point	26·3	37·5	39·5	44·9	53·3	55·0	61·1	57·2	54·0	49·9	45·4	39·5
Golden	— 8·4	20·7	26·8	37·6	48·9	55·2	60·3	55·6	49·8	43·7	32·2	20·4
Hedley	6·4	25·5	33·6	42·3	54·4	...	68·8	62·8	56·7	50·2	36·6	29·3
Hedley (Nickel Plate)	14·3	28·0	22·8	34·4	41·8	46·7	55·3	47·1	...	...	30·9	21·7
Kamloops	3·7	25·8	35·9	48·4	61·5	64·2	70·8	64·9	59·1	50·0	41·6	31·9
Kitamaat	15·4	34·1	39·3	47·0	57·4	62·3	68·9	63·5	...	...	...	...
Ladner	20·0	36·4	36·5	44·2	53·6	58·9	63·1	58·1	54·8	51·2	44·2	39·2
Nanaimo	29·1	39·0	40·2	46·7	55·9	58·8	65·1	62·1	58·5	50·2	43·4	38·4
Nelson	17·9	31·8	36·6	43·3	53·9	...	65·5	60·9	56·7	48·7	38·6	32·5
New Westminster	25·6	37·7	39·8	46·5	56·2	20·8	64·3	60·8	55·7	50·6	44·5	38·5
Nicola Lake	0·3	24·8	30·8	42·6	53·7	56·4	63·1	56·8	53·3	46·1	38·2	28·4
N. Nicomen	21·9	36·1	41·2	48·2	57·7	59·7	65·7	61·2	59·1	53·5	45·3	39·8
Okanagan Mission	10·0	27·5	33·2	44·4	56·6	60·6	67·0	61·7	55·9	48·0	39·5	32·7
Penticton	...	...	...	42·0	...	...	67·8	63·3	57·8	52·2	41·4	35·1
Port Simpson	21·2	35·2	36·1	42·9	51·3	53·7	57·6	55·8	53·5	46·8	41·4	38·0
Princeton	— 0·6	24·8	29·9	41·3	52·9	56·6	63·4	58·4	55·0	47·5	33·7	24·0
Quesnelle	— 9·8	18·0	27·2	40·8	54·4	57·8	63·8	58·4	53·4	46·2	34·5	25·4
Rossland	13·7	28·3	31·1	39·3	51·9	56·1	62·3	55·7	51·6	47·4	34·1	26·6
Salmon Arm	8·8	17·4	33·3	44·5	57·4	61·6	67·0	60·8	57·4	49·1	40·1	31·5
Summerland	...	...	...	...	...	...	69·0	72·1	57·1	49·2	37·3	29·8
Stuart's Lake	—14·9	16·1	17·3	32·9	45·4	51·3	56·5	52·6	46·7	38·9	30·1	18·8

MEAN TEMPERATURE at all Stations in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
BRITISH COLUMBIA – *Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Spence's Bridge	6·7	20·1	28·7	51·7	61·3	67·0	73·8	.....	.....	.....	43·5	32·9
Thetis Island	31·3	39·1	40·1	45·0	54·1	57·3	.....	.....	.....	.....	.....	39·9
Tobacco Plains	9·4	28·6	34·9	41·6	53·3	59·8	64·7	58·8	52·9	47·0	35·7	28·5
Vancouver	27·3	37·6	39·5	45·6	55·6	58·9	63·7	60·7	57·1	50·4	44·6	39·4
Vernon	5·3	24·8	31·3	43·6	56·0	60·0	67·7	61·0	56·0	48·4	38·1	30·3
Victoria	33·3	41·7	42·4	48·4	56·0	59·2	62·9	60·4	58·4	51·5	47·4	42·5
ALBERTA.												
Alix	–15·4	8·8	15·2	31·3	42·4	54·1	58·7	53·1	47·0	44·0	31·6	16·7
Banff	— 4·3	21·4	22·3	33·0	42·8	51·1	56·6	51·9	46·9	44·6	31·0	20·0
Blackfalds	–14·3	11·6	15·5	32·1	41·9	53·4	57·6	53·5	47·1	45·6	31·4	17·7
Bon Accord	–12·7	12·8	16·5	29·8	40·9	55·9	58·7	53·2	46·7	44·1	18·3	17·9
Cardston	— 1·9	25·9	25·2	35·9	46·8	53·9	63·3	60·5	47·4	49·7	36·8	.....
Didsbury	— 8·3	20·0	21·2	35·3	44·9	57·9	63·1	56·0	50·1	48·1	36·3	26·5
Dunvegan	–21·3	6·0	12·6	.....	46·0	55·6	59·0	55·5	48·5	40·3	21·6	8·0
Edmonton	–12·3	14·4	19·6	32·9	43·6	57·0	60·6	55·9	49·9	47·4	33·8	20·1
Gleichen	–14·7	10·4	16·4	33·9	42·4	55·0	59·5	56·4	.....	44·8	30·9	16·8
Gray Hill	— 6·8	19·2	19·9	33·0	42·5	55·8	60·4	55·1	49·2	49·0	34·4	26·6
High River	–10·0	16·4	19·5	34·0	44·0	54·0	58·3	54·4	46·5	45·1	32·5	22·3
Hillsdown	–11·6	15·3	18·1	33·4	43·2	56·2	59·7	54·6	48·3	46·4	32·6	20·7
Knee Hill	–11·5	12·3	14·6	32·6	42·4	54·4	57·2	.....	.....	41·3	30·2	14·1
Laurence	— 8·9	16·5	22·6	35·9	46·5	55·6	62·2	56·9	45·9	47·3	33·8	21·2
Lethbridge	— 1·3	25·7	27·9	38·6	48·7	58·3	64·3	60·8	52·7	52·8	38·9	29·5
Macleod	— 3·8	22·3	26·3	38·3	45·9	55·4	62·6	58·6	48·9	50·3	37·7	28·4
Pakan	.....	18·1	13·0	28·5	39·9	54·8	58·5	54·2	46·5	42·7	28·0	11·2
Pekisko	— 3·3	22·5	24·0	28·9	42·0	52·5	55·4	52·6	46·4	46·2	31·4	24·7
Red Willow	.....	.....	.....	28·5	39·1	53·6	56·5	51·6	43·8	40·5	27·3	20·1
Taber	.....	.....	23·7	35·6	46·2	56·2	64·5	59·4	51·3	47·9	34·4	26·3
Threehills Creek	–14·8	10·3	14·2	32·3	.....	55·0	59·8	49·0	49·9	44·4	31·9	14·8
Waitefield	–16·0	7·6	11·6	25·1	39·0	56·5	58·8	54·0	46·9	44·2	29·5	15·6
Wetaskiwin	–12·1	11·9	16·7	31·6	42·5	56·6	60·8	55·1	48·8	46·1	32·4	19·3
SASKATCHEWAN.												
Alameda	.....	4·4	14·6	.....	39·7	58·3	61·3	58·6	47·9	41·2	.....	15·7
Battleford	–17·7	4·8	13·9	27·2	40·6	60·7	63·8	59·0	50.0	42·6	28·3	12·7
Broadview	.....	.....	.....	.....	33·9	55·2	60·4	.....	.....	.....	.....	.....
Cannington Manor	–14·4	3·8	13·1	22·1	.....	.....	.....	.....	.....	.....	.....	.....
Estevan	— 8·5	3·7	17·1	25·5	40·5	60·3	63·0	60·4	48·4	40·6	28·4	15·8
Foxleigh	–13·9	6·6	14·9	23·5	38·4	58·1	61·3	56·1	46·4	39·1	22·9	.....
Fond du Lac	27·3	15·2	— 3·7	9·4	26·8	49·5	56·8	55·6	42·5	35·5	13·2	— 4·5

MEAN TEMPERATURE at all Stations in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Gatesgarth	−14·7	6·0	14·5	25·1	40·4	58·4	61·5	58·1	48·2	42·9	27·6	16·4
Grenfell	−12·6	18·6	27·4	35·9	39·4	59·1	60·4	60·3	47·8	43·3	26·5	16·0
Haddington										44·2	26·9	18·2
Humboldt							59·5	55·6	44·6	41·9		
Indian Head	−13·9	10·4	16·9	26·1	38·4	58·2	61·7	58·1	46·9	40·5	21·4	14·7
Lemberg	−12·1	10·5	18·0	24·4	40·1	59·4	64·0	58·2				
Lloydminster	−19·3	3·3	6·6	21·6	37·1	55·9	61·2	53·3	45·0	42·8	27·5	13·1
Meota								56·9	46·6	41·8	25·5	11·5
Moosomin	−14·0	5·7	14·9	24·2	38·1	57·1	61·4	58·0	46·6	40·7	24·3	13·5
Moose Jaw	−16·6	6·7	15·4	25·3	38·9	58·1	61·9	57·9	46·9	41·8	26·1	15·9
Onion Lake	−19·4	9·4	10·8		40·3				43·4			
Prince Albert	−16·1	4·2	12·9	25·0	37·9	59·5	61·8	56·8	46·0	42·1	25·8	12·0
Qu'Appelle	−12·1	9·1	17·6	25·8	39·7	58·3						
Regina							61·8	59·8	49·5	42·6	27·2	15·8
Saskatoon	−18·2	2·8	10·2	24·5	37·7	58·5	62·3	57·4	46·9	42·3	24·7	11·9
St. Peter's Monastery	−19·0	1·3	14·3	20·8								
Swift Current	−8·6	13·9	19·7	31·0	42·6	57·1	63·1	61·5	51·1	46·3	31·7	20·0
Waseca							56·6	52·9	44·2	42·6	26·6	13·1
MANITOBA.												
Almasippi	−10·6		18·1	26·7	42·1	60·4	64·5	61·0	49·1	44·3		15·2
Birtle	−10·7	−1·9	10·3	20·5	38·2	58·4	62·6	58·8				
Brandon	−14·3	3·3	15·7	27·1	39·8	59·1	63·0	59·1	47·6	39·8	24·2	10·7
Carberry	−8·8	−2·8	12·7	23·2	24·9	57·9			41·1	30·9	18·8	
Carman					43·4	60·3	64·3	58·2	47·9	40·2		
Cypress River					39·4	61·0	63·5	60·0	49·6			
Dauphin	−12·6		18·7	27·8	36·1	59·7	65·4	59·4	47·8	43·5	25·5	12·4
Hillview	−13·6	6·3	14·0	25·7	39·9		63·0	59·1	48·2	41·8	25·7	12·0
Home (Portage la Prairie)	−12·7	3·1	16·9	26·1	38·7	60·1	66·2	59·8	50·1	41·2	24·5	13·0
Minnedosa	−10·9	6·3	17·6	25·6	38·6	58·0	62·1	59·1	47·7	41·1	24·9	13·4
Morden	−8·8	8·0	19·9	27·9	41·0	61·4	66·9	62·4	51·5	42·7	28·2	18·2
Oakbank	−12·5	3·3	15·6	26·5	38·5	59·7	64·3	59·2	48·9	40·5	25·1	13·4
Oakdale Park	−11·0	10·5	20·1	29·1	44·4	65·2	64·0	51·1				
Pipestone					43·1	65·9		63·9	48·7	41·5		
Portage la Prairie					38·8	59·3	62·7	59·7	49·9	41·1		
St. Albans	−11·8	5·3	18·3	28·0	41·6	62·7	66·9	62·9	51·1	42·0	26·2	11·7
Stoney Mountain	−13·1		15·8	25·7	38·4	59·9	64·8	59·5	50·1	39·7	24·8	20·0
Treherne	−12·7	19·2	14·8	21·7	36·1	58·4	63·5	59·6	47·3	38·8	24·8	13·3
Virden					43·7	60·4	64·5	57·4	48·1	40·4		
Winnipeg	−11·4	4·6	17·3	28·2	39·7	61·8	67·2	61·5	50·8	41·4	25·5	14·2

MEAN TEMPERATURE at all Stations in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO.	°	°	°	°	°	°	°	°	°	°	°	°
Agincourt	18·9	13·7	31·3	36·2	46·7	61·9	67·2	63·9	60·5	42·1	34·7	26·2
Alton	15·5	10·9	28·1	32·6	44·9	60·6	64·8	61·3	57·3	40·2	30·7	22·9
Bancroft	10·4	4·3	25·9	34·4	44·8	62·2	63·6	59·4	55·1	38·1	28·5	21·7
Barrie	16·3	13·6	29·5	34·7	46·0	63·0	.....	.....	.....	.....	.....	.....
Beatrice	12·5	8·3	26·6	33·5	44·0	61·8	63·5	59·4	55·4	39·4	31·0	21·5
Birnam	22·8	24·5	41·1	36·5	53·0	62·0	67·2	64·6	60·0	45·1	34·8	28·0
Bloomfield	19·0	14·4	31·7	38·2	46·1	63·3	67·1	65·6	60·8	43·9	35·3	26·3
Brantford	20·5	15·4	33·8	37·6	48·2	63·2	68·9	65·1	60·1	43·1	35·0	27·9
Bruce Mines	11·4	8·6	25·8	31·5	41·2	60·7	63·8	59·2	54·8	41·3	32·6	21·7
Chatham	25·8	17·2	37·9	40·6	51·3	65·1	71·0	69·5	64·0	47·0	38·3	30·1
Clinton	21·5	30·0	30·6	34·7	46·6	61·3	66·1	62·3	60·0	42·5	34·2	26·7
Clontarf	8·2	5·4	29·0	34·4	45·3	64·0	67·5	61·5	57·5	41·5	30·2	20·5
Coldwater	.....	7·4	28·4	34·9	44·2	59·3	63·5	58·9	55·8	39·2	31·2	22·7
Copper Cliff	8·0	6·4	23·6	30·5	42·5	65·1	66·6	60·5	.....	39·6	.....	.....
Cottam	24·0	19·5	36·9	38·5	48·7	62·0	68·8	66·7	61·4	43·7	34·7	27·8
Cockburn	14·2	9·6	24·4	29·9	40·9	60·5	65·4	59·6	56·0	41·3	32·5	24·1
Gravenhurst	12·9	7·5	27·1	34·5	45·6	62·4	65·0	61·8	57·3	40·9	31·9	23·1
Haileybury	3·6	3·7	23·4	28·7	40·4	63·7	65·1	59·8	54·3	38·6	27·3	17·4
Haliburton	12·2	7·5	27·5	35·6	51·8	61·2	64·3	59·6	56·4	39·1	30·0	21·2
Hamilton	21·6	27·2	35·4	39·4	49·3	63·7	71·4	67·4	64·4	.....	38·0	40·0
Huntsville	.....	.....	26·1	33·9	44·7	63·4	65·5	60·7	.....	39·2	29·5	20·9
Kenora	— 8·9	4·9	19·3	22·7	35·3	61·8	67·1	59·2	49·5	37·1	25·0	17·4
Kingston	16·4	13·4	30·6	36·8	46·3	61·4	66·5	61·7	60·7	44·8	36·1	27·1
Lakefield	15·7	9·8	28·5	39·6	53·2	.....	.....	.....	.....	40·0	34·1	23·5
Lakeside Home	22·3	18·6	32·6	36·7	52·2	56·6	62·4	62·5	59·9	44·8	37·8	30·7
Lake Talon	6·5	5·7	24·6	32·2	43·4	63·0	64·1	59·5	54·3	37·5	29·0	19·7
Lindsay	16·3	11·2	30·1	37·1	48·1	64·4	67·2	63·4	59·4	42·6	33·4	24·3
Listowel	19·5	10·8	.....	34·3	45·6	60·6	64·3	61·2	.....	.....	30·9	27·6
London	22·4	17·6	35·7	38·0	49·4	62·4	67·3	64·1	6·09	45·1	35·9	28·4
Lucknow	20·5	14·4	30·7	24·0	45·5	60·9	64·5	62·2	58·9	42·3	33·4	25·8
Meaford	18·4	12·3	30·1	33·8	44·8	60·5	65·8	62·3	59·2	43·9	34·1	28·2
Madoc	14·5	9·4	28·9	35·4	46·3	64·1	67·8	63·8	59·1	42·4	33·0	23·3
Moose Factory	— 9·7	— 5·9	16·0	17·2	30·9	55·6	59·7	56·9	49·2	36·0	21·5	8·2
North Gower	.....	9·5	26·8	37·1	47·7	65·5	68·2	64·5	58·4	45·2	32·9	22·3
Owen Sound	20·7	13·9	31·5	35·2	46·4	62·6	66·6	63·8	59·4	44·3	35·4	28·2
Orillia	16·5	11·0	29·6	36·4	47·9	64·6	68·0	62·8	60·1	42·7	33·7	24·2
Ottawa	10·6	7·9	27·0	36·5	48·9	67·2	69·3	64·4	58·1	42·8	33·0	23·2
Port Arthur	2·4	7·2	21·8	28·1	37·5	56·8	62·9	58·8	51·3	39·3	28·8	17·4
Port Burwell	23·4	19·0	35·0	37·7	47·2	61·1	66·3	64·5	61·1	44·6	37·4	29·9
Parry Sound	14·1	9·8	28·5	35·0	45·2	63·6	68·7	64·1	58·2	42·2	33·1	23·9

MEAN TEMPERATURE at all Stations in e ch Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
ONTARIO—*Concluded.*												
Port Hope	18·6	13·6	31·2	37·1	46·6	61·8	67·2	64·6	59·8	43·2	35·4	26·2
Port Dover	21·9	15·7	33·5	36·7	46·9	61·0	67·1	64·5	60·1	43·8	36·4	28·2
Port Stanley	23·5	18·9	34·6	37·1	47·2	60·3	67·0	63·9	60·2	44·9	36·8	39·0
Pelee Island	24·3	13·8	35·6	39·8	48·9	63·5	72·8	69·9	65·3	48·6	37·3	34·8
Paris	22·0	17·2	34·8	37·7	49·4	62·9	67·3	65·2	61·1	44·9	36·1	28·6
Peterboro	14·8	10·2	29·7	36·8	47·3	63·3	67·6	62·7	59·5	42·0	31·8	22·5
Renfrew	9·6	5·1	25·4	35·8	23·1	65·6	67·7	62·3	57·5	41·6	31·9	20·6
Rockcliffe	3·8	3·4	23·3	33·3	43·7	63·7	65·7	60·5	55·9	39·1	28·2	19·8
Scarboro	19·0	15·4	31·8	36·8	45·6	61·4	67·2	63·9	60·9	44·3	36·1	28·1
Southampton	21·5	16·6	31·3	34·4	44·8	60·4	64·4	62·8	59·6	45·0	36·1	29·8
Stratford	19·6	13·6	32·5	36·3	48·7	62·6	66·0	63·4	58·9	42·6	32·8	25·7
Stoney Creek	.....	.....	.....	.....	48·4	63·6	70·8	66·5	63·1	46·9	37·9	31·2
Sutton West	17·6	10·4	28·4	34·4	46·8	62·8	67·3	65·0	59·9	43·4	34·4	25·7
Toronto	32·1	18·5	33·8	38·4	48·3	63·8	69·3	65·3	61·7	45·0	36·9	29·5
Uplands	10·4	6·7	25·2	31·5	42·0	61·2	62·9	58·3	54·1	37·4	27·9	22·7
Uxbridge	16·4	10·6	29·7	35·2	46·2	63·3	66·8	62·8	59·3	41·9	32·6	25·2
Wallaceburg	24·5	19·4	37·5	39·2	50·6	62·9	.....	.....	62·8	46·3	37·0	29·6
Welland	24·0	18·8	35·5	38·8	50·2	63·2	69·9	66·5	62·7	46·4	38·4	31·4
Windsor	26·9	21·4	37·7	38·5	50·3	63·3	70·5	68·0	62·8	46·3	37·8	30·5
White River	− 4·2	− 2·0	17·0	21·2	34·3	58·6	59·5	55·3	48·4	33·9	23·1	11·1
Whiteside (Bala)	15·3	11·2	28·0	35·0	.....	.....	66·2	62·8	58·1	42·5	33·9	23·7
Woodstock	20·8	16·3	32·4	36·6	47·4	61·7	66·4	63·1	59·0	43·6	12·3	27·7
QUEBEC.												
Abitibi	− 5·8	− 7·1	14·7	22·2	35·8	60·2	63·4	58·5	50·9	35·8	22·5	10·5
Anticosti, S.W. Pt	6·7	6·0	16·4	28·3	36·8	48·0	55·7	54·0	48·7	38·7	31·8	24·1
Bird Rocks	15·4	9·8	17·9	28·1	38·0	44·3	51·0	56·4	53·4	43·8	37·4	29·8
Brome	11·7	7·5	24·6	35·5	45·4	61·2	65·5	60·5	56·6	41·0	31·6	24·4
Chicoutimi	.....	.....	16·0	33·8	43·2	61·8	65·4	60·6	51·8	37·5	29·7	15·9
Clarke City	− 2·1	1·3	15·0	30·0	40·9	52·9	55·8	56·5	48·9	37·0	27·5	.....
Father Foint	5·6	6·8	20·6	33·1	42·1	51·7	56·4	56·3	48·5	39·3	31·0	21·9
Montreal	10·7	9·5	27·4	37·2	48·2	65·6	69·4	64·8	57·9	43·4	33·4	24·6
Percé	9·7	.....	.....	.....	41·6	51·8	56·5	.....	51·8	41·1	31·5	25·1
Paspebiac	5·8	4·3	19·2	31·2	41·5	53·0	59·7	59·7	52·3	40·4	.....	23·8
Quebec	6·3	6·3	24·0	34·8	45·1	60·2	66·3	61·5	53·8	40·0	30·9	21·9
Ste. Anne de Bellevue	.....	.....	.....	36·0	48·0	65·7	69·7	.....	59·3	43·3	32·2	23·8
Sherbrooke	10·2	8·0	25·5	35·9	46·8	62·4	66·3	61·2	56·8	40·4	32·2	24·1
Shawenegan Falls	.....	.....	.....	.....	.....	.....	.....	62·2	56·1	41·1	31·2	21·0
NEW BRUNSWICK.												
Chatham	9·2	8·4	22·7	35·7	46·5	59·0	65·2	63·8	56·1	43·8	34·6	25·8
Dalhousie	11·9	11·8	27·3	38·5	47·9	62·3	62·0	60·9	54·5	42·3	33·6	24·9

MEAN TEMPERATURE at all Stations in each Month for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
NEW BRUNSWICK—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Fredericton	9 3	8·6	23·3	36 9	19 2	59·3	64·4	62 1	55 6	41·9	33 3	25·3
Grand Manan	21 2	19 1	30 6	37 2	44·4	52 2	59·6	59 3	55 7	45·9	39 0	33·7
Moncton	13·2	10 2	22·3	36·8	46·0	57·7	64·3	61 8	55 6	41·8	34 2	25·8
St. John	16 5	15 7	27·8	36·9	46 0	54 9	60·9	60 2	55·9	45·7	38·2	30·5
St. Stephen	12 5	11 8	25·0	36 8	47 0	57·6	63·6	61·5	56 0	42·3	35·0	26·4
Sussex	11 6	9·6	21·6	33 6	43·9	57 6	64·2	61·0	54·8	40·5	35·4	25·2
Woodstock	.....	5·4	17·8	37·0	44 8	61 4	65·7	62·2	.....	42·7	.....	.....
NOVA SCOTIA.												
Halifax	21 7	19 0	28·2	38·3	46 6	55·6	62·8	61·4	58·1	45·6	39·0	32·9
Parrsboro'	15·4	14·3	21·9	.....	.....	.....	.....	.....	.....	42·3	36·3	.....
Port Hastings	21 0	20 9	25·2	35·8	46·0	55·0	61·8	63·1	60·7	50·3	43·1	31·2
Sable Island, M. S.	29·3	27·8	29·6	36·3	42·1	48·1	58 4	61·1	59·2	49·3	44·7	39·2
Sydney	20·9	16·6	22·6	34·4	42 0	51 6	60·9	62·1	56·6	45 9	39·5	33·6
Truro	17·5	15·6	24·4	37·4	45·8	56·8	63·9	61 4	56·5	44·1	37 0	30·6
Windsor	20·5	17·0	25·6	37·0	47·1	57·5	65·0	62·4	58·6	45·3	38·4	31·5
Wolfville	21·7	16 9	27 4	38·8	47·9	58·1	64·9	63·3	59·4	.....	.....	.....
Yarmouth	23·1	21·4	30·5	37·3	44·7	51·1	59 0	58·2	55·8	45·6	40 0	34·4
PRINCE EDWARD ISLAND.												
Chrrlottetown	15·4	12·8	22·2	34 7	44·3	55 6	63·2	63·0	56·8	45·5	37·4	39·1
Hamilton	14·4	12·7	18 5	33·0	44·3	55·3	62·5	62·3	56·8	45·1	37·2	29 0
Summerside	14·2	22·9	20·9	33·8	43·4	55·3	61·8	61 0	56·3	43·9	36 6	28·6
NEWFOUNDDAND.												
Belle Isle	5·1	3·9	13·6	25·3	33·7	37·8	50·5	50·8	45·1	36·6	.....	.....
Channel	19 9	15·4	22·0	30·5	39 0	46·5	53·8	56·5	50·5	42·6	36·2	31 6
St. John's	23·2	22·1	24·1	33·2	40·7	47·0	54 8	57·0	52 6	45·3	37 8	32 0
St. George	19·3	13·6	19·3	31·8	41·6	50·4	59·2	60·5	54·1	44·9	37·1	32 5
BERMUDA.												
Prospect	64·5	62·4	62·6	64·5	69·7	72·8	78·8	79·4	77·1	73·0	68·8	65·7

Mean Maximum Temperature in each Month for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Yukon.	°	°	°	°	°	°	°	°	°	°	°	°
Carcross	.....	4·9	20·0	41·2	59·2	65·7	66·7	62·6	53·5	45·6	31·4	24·6
Dawson	−15·2	−18·2	9·8	43·3	64·0	71·9	72·3	67·4	51·6	32·0	7·6	1·0
White Horse	— 4·1	5·3	19·3	41·8	59·0	62·7	82·0	63·5	55·0	44·7	26·5	19·0
Territories.												
Fort Churchill	−15·4	— 8·0	3·9	14·9	27·6	53·3	57·8	62·2	48·3	34·2	16·3	4·8
Fort Hope	— 2·5	6·4	27·0	32·1	41·7	22·7	70·0	66·3	.....	.....	.....	.....
Norway House	— 8·6	6·7	22·3	30·1	38·6	65·9	68·9	61·6	51·3	44·9	25·9	13·4
York Factory	−15·6	— 2·2	10·2	19·2	31·0	61·0	60·6	61·0	50·1	38·8	28·8	.....
British Columbia.												
Alberni	36·2	51·6	52·7	62·1	73·0	76·3	84·6	78·0	77·0	68·6	52·5	41·3
Atlin	— 0·4	6·9	20·5	41·1	57·4	62·1	66·3	60·3	53·3	42·9	32·5	23·7
Barkerville	.....	.....	.....	41·1	55·3	.....	72·7	58·6	54·1	52·4	35·2	27·3
Bella Coola	19·4	34·4	44·6	54·5	67·2	68·5	76·1	69·1	67·8	56·3	42·8	34·9
Big Creek	6·6	33·0	35·8	49·7	65·3	67·7	75·5	67·3	63·6	58·2	40·6	26·7
Clayoquot	41·5	49·3	49·7	55·6	62·3	68·4	73·3	70·4	70·0	60·3	52·4	48·4
Cowichan	37·5	48·6	49·1	58·1	67·2	70·8	76·3	72·0	68·6	60·6	53·8	45·4
Crawford Bay	.....	.....	.....	.....	.....	.....	.....	69·1	65·4	59·9	40·8	36·0
Garry Point	32·3	42·9	46·7	53·3	62·7	64·4	71·0	66·2	62·0	56·5	50·9	44·9
Golden	3·3	29·9	38·0	48·5	63·2	68·6	74·9	67·1	61·2	55·5	38·0	27·9
Hedley	14·6	33·7	44·9	57·6	69·8	.....	84·1	74·7	69·2	62·3	44·3	35·1
Hedley (Nickel Plate)	28·0	38·7	34·4	47·6	52·3	57·8	68·1	57·5	.....	.....	39·0	29·4
Kamloops	11·8	32·1	44·6	61·7	73·8	76·7	85·1	77·1	68·8	59·4	47·7	37·0
Kitamaat	26·5	44·4	52·7	62·5	74·3	77·4	85·6	77·4	76·7	.....	.....	.....
Ladner	28·5	39·1	40·3	52·2	64·7	68·1	72·7	67·2	63·7	58·7	49·9	43·6
Nanaimo	35·0	44·4	48·2	57·0	66·6	69·6	76·9	71·6	67·6	57·8	48·9	43·0
Nelson	23·8	39·3	45·2	54·0	69·1	.....	81·3	72·0	67·4	59·9	43·8	36·7
New Westminster	31·7	43·6	47·6	56·3	67·5	69·2	76·2	70·4	64·0	56·9	49·2	43·1
Nicola Lake	7·3	32·3	39·6	55·7	67·5	68·4	76·7	68·1	63·6	58·3	45·5	34·1
N. Nicomen	30·8	42·5	49·0	58·5	69·5	69·6	77·8	70·2	68·6	61·5	50·7	44·4
Okanagan Mission	17·4	34·7	42·5	58·2	70·3	73·5	82·3	61·7	66·1	58·6	45·5	38·3
Penticton	.....	.....	.....	55·6	.....	.....	84·6	76·3	70·1	65·1	48·8	40·6
Port Simpson	29·0	39·2	40·7	50·5	59·7	60·9	64·8	62·3	59·4	51·3	45·1	41·8
Princeton	10·6	33·9	41·6	87·1	69·0	71·5	82·0	72·1	68·9	59·3	43·4	50·9
Quesnelle	0·1	29·2	40·2	55·4	70·8	71·6	79·7	71·4	66·3	58·9	41·4	32·1
Rossland	18·1	33·2	36·9	48·2	63·0	66·9	74·3	64·7	60·2	55·8	36·5	29·8
Salmon Arm	15·1	32·7	41·7	57·3	71·6	74·5	82·5	70·8	67·3	58·4	44·9	35·2
Summerland	.....	.....	.....	.....	.....	.....	82·1	72·1	66·5	59·3	43·2	35·0
Stuart's Lake	— 0·1	27·3	32·9	46·4	62·0	66·9	74·0	67·1	61·2	53·0	40·7	78·8
Spence's Bridge	12·0	36·1	48·4	65·7	77·5	81·4	90·1	.....	.....	.....	51·6	38·4

MEAN MAXIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
BRITISH COLUMBIA—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Thetis Island	36·8	44·6	47·6	52·1	63·8	67·0	.....	.....	.....	.....	.....	44·6
Tobacco Plains	17·0	38·6	42·7	51·7	65·7	72·0	78·8	70·3	64·2	57·6	42·1	34·1
Vancouver	33·8	43·4	46·9	55·2	66·7	69·2	75·7	70·4	64·9	56·1	48·8	43·4
Vernon	12·5	31·1	39·6	55·8	69·2	32·5	83·5	72·0	66·1	58·6	43·3	35·4
Victoria	37·6	46·4	49·6	57·2	65·4	68·7	73·6	69·7	66·5	57·7	51·9	46·0
ALBERTA.												
Alix	— 1·9	22·8	28·3	40·8	52·9	66·7	70·7	65·4	58·5	59·3	43·1	28·4
Banff	7·4	31·5	33·7	43·0	54·3	63·4	71·2	62·7	58·0	56·7	37·4	26·8
Blackfalds	— 1·6	24·3	29·1	42·2	52·6	64·2	69·9	65·6	59·5	62·4	43·0	28·5
Bon Accord	— 2·8	21·9	27·4	38·9	51·9	67·6	70·4	64·2	58·0	57·1	39·6	26·6
Cardston	10·9	37·7	36·5	48·8	58·8	66·6	78·7	72·7	59·5	67·6	48·4	.....
Didsbury	0·5	31·1	31·2	45·6	56·2	68·7	76·3	67·4	63·4	63·2	47·9	37·6
Dunvegan	— 9·7	18·7	28·5	.....	59·8	69·3	70·4	69·9	61·9	54·9	32·6	16·6
Edmonton	— 1·3	24·7	30·9	43·2	55·0	68·7	22·3	67·3	61·9	60·3	42·4	28·3
Gleichen	— 3·3	23·0	29·4	45·7	57·1	67·1	74·3	72·3	.....	65·0	48·4	31·1
Gray Hill	3·3	29·5	30·7	42·5	53·7	66·6	71·9	65·8	60·2	61·9	43·9	32·2
High River	1·6	28·2	32·5	44·8	56·8	68·1	72·3	67·8	59·9	62·6	47·3	34·7
Hillsdown	0·2	26·1	29·8	42·7	54·6	67·8	72·2	66·0	59·8	60·3	42·7	29·9
Knee Hill	4·2	26·1	28·7	46·1	56·8	68·8	22·6	.....	58·7	59·1	46·0	28·2
Laurence	— 0·7	27·8	34·8	45·6	59·3	70·2	80·6	74·1	60·7	68·2	50·7	34·2
Lacombe	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28·2
Lethbridge	14·0	38·5	40·9	51·5	61·5	70·9	79·0	74·3	65·0	68·3	49·6	40·7
Macleod	9·7	34·5	40·0	50·9	56·3	65·8	75·3	70·7	59·3	63·5	47·4	37·7
Pakan	.....	30·9	27·2	38·5	52·0	67·8	71·3	66·1	59·3	57·3	40·3	24·1
Pekisko	13·3	36·0	39·4	40·7	54·1	65·0	69·4	64·4	58·9	63·3	45·8	36·8
Red Willow	.....	.....	.....	42·5	52·7	69·0	71·0	61·7	55·8	54·3	37·4	28·8
Taber	.....	.....	33·4	46·2	57·7	66·9	79·2	22·9	62·8	60·6	43·4	37·0
Threehills Creek	— 5·5	21·9	27·6	44·0	.....	68·8	75·9	62·0	64·6	61·3	44·5	27·2
Waitefield	— 4·7	17·6	24·0	34·5	50·8	67·7	69·8	64·8	58·4	57·4	39·8	25·4
Wetaskwin	— 0·1	22·9	30·6	42·1	54·5	69·8	74·4	68·3	60·2	60·2	42·3	29·9
SASKATCHEWAN.												
Alameda	.....	12·7	24·3	.....	15·5	70·8	74·6	71·1	60·2	56·5	.....	24·4
Battleford	— 8·3	15·8	24·9	24·9	36·3	73·0	76·7	71·7	62·3	59·6	38·9	20·0
Broadview	.....	.....	.....	.....	43·6	63·8	73·4	.....	.....	.....	.....	.....
Cannington Manor	— 6·4	11·6	21·2	30·2	.....	.....	.....	.....	.....	.....	.....	.....
Esteran	0·4	21·1	26·7	35·5	50·2	71·5	73·8	42·8	61·4	57·5	40·6	26·6
Foxliegh	— 4·9	16·5	25·3	33·0	50·1	68·1	74·5	70·2	59·2	54·2	36·1	.....
Fond du Lac	—18·3	3·6	6·8	12·4	37·3	61·1	65·4	63·7	49·7	42·3	21·0	3·6
Gatesgarth	— 5·8	43·4	25·1	33·8	52·5	69·8	74·8	71·6	61·9	59·5	41·3	28·3
Grenfell	— 3·5	18·6	27·4	35·9	51·6	69·1	71·6	71·3	59·5	57·5	36·6	25·5

MEAN MAXIMUM TEMPERATURE at all Stations in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Haddington										60·8	41·5	24·6
Humboldt							71·5	67·8	55·4	56·2		
Indian Head	— 3·0	17·2	28·2	34·9	50·7	68·6	73·6	69·3	58·3	55·3	38·6	25·4
Lemberg	— 1·7	23·6	29·5	24·8	48·4	73·6	80·0	75·5				
Lloydminster	— 8·8	14·3	20·1	31·0	47·3	67·3	73·6	65·3	56·7	56·7	38·9	23·7
Meota								70·5	59·8	57·3	39·4	23·6
Moosomin	— 6·5	14·4	28·0	32·2	48·4	66·8	72·6	68·4	56·6	53·7	34·6	21·9
Moose Jaw	— 7·6	16·3	25·9	32·9	49·7	69·8	75·6	72·2	61·0	57·5	39·2	25·5
Onion Lake	— 9·4	23·9	23·4		52·7							
Prince Albert	— 5·5	6·1	25·9	35·9	49·3	71·8	73·2	67·3	56·3	54·9	35·7	22·2
Qu'Appelle	— 2·4	18·7	27·4	34·8	51·3	68·9						
Regina							75·3	73·4	62·8	58·3	40·1	26·7
Saskatoon	— 8·3	13·3	22·6	33·2	48·2	69·9	74·1	69·8	59·5	58·1	37·7	22·6
St. Peter's Monastery	—10·9	10·4	25·0	30·8								
Swift Current	0·4	22·8	28·8	39·6	53·9	67·8	76·9	76·1	64·1	61·6	44·1	29·8
Waseca							69·3	61·1	54·5	55·4	38·1	23·2
MANITOBA.												
Almasippi	— 1·9	11·2	27·7	35·6	55·4	73·1	77·8	74·7	60·7	59·0		24·8
Birtle	2·0	2·2	73·4	23·2	50·5	70·1	77·4	71·5				
Brandon	— 3·0	15·7	27·9	37·0	53·7	72·0	77·3	72·5	60·5	55·5	37·9	23·0
Carberry	11·2	9·1	27·6	33·9	46·7	71·6			52·4	41·8	29·3	
Carman					52·9	73·6	78·8	72·3	62·7	56·5		
Cypress River					51·6	73·6	77·2	72·4	61·0			
Dauphin	— 3·3		30·1	38·4	47·5	70·2	77·3	70·1	57·7	54·9	35·3	21·8
Hillview	— 5·7	15·3	25·5	33·4	51·5		73·7	69·6	58·0	54·2	35·6	20·7
Home	— 3·3	13·8	26·6	34·0	49·4	71·1	76·6	68·9	59·8	53·1	33·6	22·9
Minnedosa	— 1·3	17·6	29·2	35·9	49·8	68·5	74·4	69·9	58·9	52·9	34·7	23·3
Morden	0·5	19·2	31·0	37·9	54·2	73·9	79·5	75·3	63·5	55·9	38·3	27·7
Oakbank	— 4·0	10·9	25·3	34·8	48·8	70·5	75·5	68·2	57·9	51·0	32·9	20·6
Oakdale Park	— 2·9	19·9	31·5	39·8	60·4		79·0	78·6	65·4			
Pipestone					57·5	74·7		77·4	61·0	57·1		
Portage La Prairie					48·5	68·2	69·6	68·0	59·4	52·4		
St. Albans	— 1·6	16·3	30·9	38·4	55·5	76·8	81·5	76·2	63·3	55·9	37·4	22·2
Stoney Mountain	— 2·4		27·5	34·5	50·1	72·4	77·5	70·0	60·9	53·1	34·8	22·3
Treherne	— 3·4	10·5	21·5	30·5	47·3	71·9	77·0	70·2	59·5	52·8	35·6	21·9
Virden					60·1	72·0	78·9	71·3	60·4	56·4		
Winnipeg	— 1·1	15·9	28·2	36·7	51·8	73·9	78·9	71·9	61·6	52·9	34·7	23·3
ONTARIO.												
Agincourt	25·5	23·0	39·5	43·9	27·9	72·3	79·4	77·3	70·3	53·0	41·7	32·4
Alton	24·6	21·4	39·1	43·4	58·9	74·1	79·4	78·2	70·0	51·9	39·2	30·4

MEAN MAXIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°
Bancroft	19·3	17·3	36·9	44·2	57·9	75·7	77·7	53·5	64·7	49·0	36·4	29·2
Barrie	24·1	25·8	38·6	42·7	57·6	73·8	.....	.....	.....	.....	.....	.....
Beatrice	22·2	20·0	37·0	42·8	56·2	74·5	75·5	71·8	64·3	49·3	37·7	29·8
Birnan	27·9	24·5	41·1	43·9	58·0	72·0	76·6	75·0	68·3	52·7	40·6	32·9
Bloomfield	27·1	25·6	40·8	46·5	56·1	73·6	77·3	76·9	68·6	52·9	42·2	32·8
Brantford	28·4	24·8	43·1	46·8	60·6	74·9	81·6	79·7	69·9	53·8	42·6	34·1
Bruce Mines	19·1	19·9	35·9	40·8	50·0	72·8	76·1	70·0	63·5	50·9	39·8	29·9
Chatham	33·3	25·8	46·7	49·9	63·6	75·4	83·3	82·0	73·7	58·0	46·1	36·6
Clinton	27·2	23·5	38·6	42·0	56·8	71·7	77·1	74·5	69·0	51·5	40·5	32·3
Clontarf	22·2	19·6	39·3	44·5	58·8	80·1	80·7	76·7	68·6	52·5	38·3	28·8
Coldwater	.....	21·8	40·5	43·7	59·0	75·2	79·0	76·3	68·6	51·6	39·8	32·7
Copper Cliff	17·5	17·9	33·9	40·5	53·0	77·3	78·7	71·2	.....	48·1	.....	.....
Cottam	32·9	28·5	46·3	47·9	61·5	72·9	80·9	79·2	71·5	54·5	43·6	34·9
Cockburn	21·1	21·3	35·1	38·4	49·2	74·6	76·8	69·9	64·2	49·8	39·2	31·2
Gravenhurst	23·0	20·9	38·0	43·9	57·4	74·9	76·4	73·1	65·9	50·2	38·5	30·5
Guelph	27·9	23·7	40·1	45·1	60·7	73·8	78·7	77·1	63·9	55·9	48·1	35·9
Haileybury	14·5	16·1	35·0	38·6	50·0	75·7	75·0	69·1	61·8	46·7	34·0	26·6
Haliburton	22·2	22·1	37·5	46·9	66·2	76·6	78·7	74·5	65·6	50·4	38·1	30·2
Hamilton	27·7	27·2	43·0	45·9	58·3	72·6	81·5	78·5	73·0	.....	43·8	35·5
Huntsville	.....	.....	34·9	43·3	55·5	74·7	75·4	71·1	.....	47·7	35·6	29·4
Kenora	— 0·7	13·9	28·5	33·5	42·2	71·9	77·8	69·1	58·1	45·1	2·88	24·6
Kingston	23·8	22·3	37·3	43·6	54·3	69·9	73·2	72·9	67·1	53·3	42·1	33·8
Lakefield	22·6	20·1	38·1	50·1	66·7	.....	.....	.....	.....	49·5	41·7	31·5
Lakeside Home	28·6	26·1	39·1	42·3	52·2	63·5	70·8	70·7	65·8	51·4	42·9	35·5
Lake Talon	16·3	17·8	35·7	42·4	35·6	77·6	77·1	73·8	64·0	46·7	35·2	26·2
Lindsay	24·2	22·6	39·3	46·1	60·6	76·9	79·0	75·8	67·8	52·3	39·8	31·0
Listowel	26·7	20·6	.....	41·0	56·0	72·2	75·5	74·4	.....	.....	36·1	33·5
London	29·7	26·7	44·5	46·7	61·4	73·5	78·2	76·4	69·4	55·3	42·3	34·4
Lucknow	26·7	23·7	39·3	41·6	56·6	72·4	76·7	76·0	68·0	51·6	39·5	31·3
Meadford	26·2	22·3	39·3	40·0	54·7	69·8	74·4	72·2	66·6	50·7	41·0	33·0
Madoc	20·7	17·8	37·1	43·5	57·3	76·2	79·2	76·5	67·2	51·8	39·2	30·4
Moose Factory	4·9	11·0	32·3	30·5	41·5	70·2	72·3	68·2	61·1	45·6	30·9	18·6
North Gower	.....	20·2	36·9	45·7	58·6	77·3	80·0	78·0	68·4	53·8	40·3	30·5
Owen Sound	26·5	23·9	40·9	43·2	57·6	75·8	78·8	77·1	68·5	52·5	41·5	32·9
Orillia	23·9	22·3	38·9	44·7	59·5	75·4	78·2	72·4	68·0	52·1	40·2	31·3
Otonabee	21·5	18·2	37·6	43·8	56·9	75·3	77·9	74·2	67·0	49·7	39·0	30·0
Ottawa	18·3	17·1	35·2	44·7	59·4	78·1	79·2	73·8	65·2	50·3	37·7	28·7
Port Arthur	11·3	19·4	32·9	37·6	46·6	67·8	74·8	68·2	59·2	48·6	36·4	27·2
Port Burwell	28·9	25·6	40·9	44·8	56·7	68·9	74·9	73·5	67·1	53·3	43·4	34·1
Parry Sound	22·9	21·1	38·5	44·6	56·0	76·1	81·2	75·8	67·5	51·7	39·6	31·4

MEAN MAXIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June	July.	August.	September.	October.	November.	December.
ONTARIO—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Port Hope	25·4	23·6	39·3	44·6	56·5	70·9	76·5	75·4	67·4	52·1	41·7	32·8
Port Dover	28·4	23·2	40·0	43·9	56·4	69·4	76·7	75·1	66·5	51·3	42·2	32·5
Port Stanley	30·7	27·9	41·5	44·3	56·5	69·4	76·3	73·8	67·2	53·9	43·6	34·7
Pelee Island	30·0	20·2	40·8	44·7	53·4	63·5	76·9	73·8	69·5	53·1	41·8	39·2
Paris	28·7	26·9	44·5	46·1	61·7	74·1	78·7	77·9	69·5	54·4	41·5	34·1
Peterboro'	23·8	21·6	39·7	45·6	60·5	75·8	78·8	75·5	69·2	53·3	39·7	30·6
Renfrew	19·4	16·2	36·6	45·5	57·8	78·1	79·8	77·2	67·5	52·0	38·4	29·0
Rockcliffe	15·8	17·2	36·4	43·9	55·4	77·2	77·6	72·9	64·5	48·2	35·4	28·1
Scarborough	26·6	23·8	38·6	43·7	54·7	70·5	77·7	74·5	68·6	53·6	42·4	33·8
Southampton	28·8	27·3	40·4	41·5	54·2	71·4	73·4	72·8	67·0	52·6	41·9	35·1
Stratford	26·7	22·4	41·6	44·6	58·9	72·7	77·1	74·8	67·5	50·9	39·8	3·15
Stoney Creek	.....	.....	.....	.....	60·6	74·9	82·4	79·8	71·9	57·5	45·3	37·3
Sutton West	24·8	20·5	37·7	42·3	56·5	73·6	77·8	75·9	68·5	51·7	40·7	31·5
Toronto	28·6	26·8	41·4	45·9	58·5	73·8	80·7	76·2	69·4	53·6	42·7	34·9
Uplands	21·3	18·9	37·7	43·3	55·9	76·1	77·5	73·8	65·5	47·0	36·8	32·2
Uxbridge	22·4	18·8	37·8	43·1	57·5	75·0	77·9	76·4	67·8	50·6	38·5	30·6
Wallaceburg	31·5	28·7	46·5	47·9	62·1	73·5	.....	.....	71·7	56·0	44·3	36·4
Welland	31·8	27·3	44·5	47·8	61·7	73·5	80·5	77·6	70·6	55·5	44·8	37·8
Windsor	33·6	29·9	45·9	46·4	59·1	72·3	79·5	77·5	69·9	53·8	44·0	35·4
White River	9·4	15·1	30·8	35·0	46·1	74·8	72·6	67·2	57·5	44·3	31·2	21·0
Whiteside (Bala)	23·2	23·0	38·1	43·4	.....	.....	77·1	72·8	67·2	51·5	40·1	31·2
Woodstock	28·6	25·7	42·1	45·7	58·9	72·7	77·7	76·2	68·0	53·6	41·2	33·6
QUEBEC.												
Abitibi	7·7	9·1	28·5	32·4	44·2	69·6	72·0	66·4	58·8	42·3	29·3	20·4
Anticosti, S.W. Pt.	17·0	15·2	24·3	33·3	41·7	54·4	62·6	58·1	53·2	43·2	36·7	29·7
Bird Rocks	23·4	18·8	24·6	33·3	45·4	50·8	56·2	62·1	60·6	48·9	44·1	35·4
Brome	20·0	16·4	34·3	43·5	55·2	71·7	74·7	71·0	64·1	48·9	38·3	30·4
Chicoutimi	.....	.....	27·5	44·0	53·7	74·7	75·7	70·2	61·2	45·1	37·7	26·4
Clarke City	8·1	13·9	27·5	39·2	49·1	62·9	60·8	64·9	58·3	44·7	36·3	.....
Father Point	14·3	14·9	30·0	40·6	48·8	59·4	63·6	63·2	55·5	45·8	37·4	28·7
Montreal	18·0	17·5	31·2	44·1	56·5	74·2	77·6	72·8	64·2	50·0	38·2	30·4
Percé	17·3	.....	.....	.....	47·5	59·5	61·6	.....	58·2	47·8	37·2	30·3
Paspebiac	11·8	10·4	28·2	37·7	49·5	62·1	66·4	67·7	60·6	47·7	.....	30·3
Quebec	14·0	14·0	32·2	42·7	52·9	69·7	75·2	69·9	59·9	46·9	35·7	38·0
Ste. Anne de Bellevue	.....	.....	.....	43·8	57·5	77·1	80·4	.....	68·0	51·4	37·8	29·5
Sherbrooke	21·8	18·3	35·6	44·7	56·3	73·4	76·0	70·8	65·3	49·2	38·7	31·6
Shawenegan Falls	.....	.....	.....	.....	.....	.....	.....	73·4	66·2	51·1	38·1	29·0
NEW BRUNSWICK.												
Chatham	20·6	21·2	36·1	45·8	56·5	71·6	74·1	73·9	65·4	53·2	42·4	33·8
Dalhousie	16·1	15·3	30·4	41·4	52·1	66·0	68·2	67·9	62·7	48·8	41·4	33·0

MEAN MAXIMUM TEMPERATURE in each Month for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
NEW BRUNSWICK—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Fredericton	20·1	20·0	35·0	46·1	56·4	71·1	73·9	72·7	64·4	51·8	41·6	33·8
Grand Manan	30·4	27·7	36·5	43·3	53·5	63·6	68·5	68·2	63·4	53·0	45·9	40·7
Moncton	26·5	21·3	32·7	45·4	56·5	69·0	73·4	71·6	64·6	51·2	42·5	34·7
St. John	25·9	25·2	36·0	43·0	52·3	62·2	66·9	66·1	61·3	52·1	43·9	36·8
St. Stephen	22·8	22·8	36·2	46·6	57·6	70·9	73·9	73·5	66·4	52·3	43·9	35·6
Sussex	19·4	17·1	31·7	41·4	53·4	69·8	74·0	71·5	64·9	48·7	44·3	32·6
Woodstock	.....	20·3	33·9	46·8	63·2	74·1	72·9	71·2	.....	52·2	.....	.....
NOVA SCOTIA.												
Halifax	30·9	27·9	36·4	46·0	56·0	66·0	71·4	69·6	66·1	53·0	46·2	39·6
Parrsboro'	27·2	26·8	31·1	.....	.....	.....	.....	.....	.....	51·4	44·1	.....
Port Hastings	26·2	27·8	30·3	41·7	52·7	64·1	69·3	69·1	66·9	55·6	48·7	37·0
Sable Island (Main Station)	36·9	34·2	35·0	41·1	46·9	53·6	64·2	65·9	63·5	53·6	48·8	44·1
Sydney	31·6	27·1	32·0	43·2	51·7	62·8	69·3	70·7	64·7	52·9	46·0	39·4
Truro	28·2	28·0	34·4	46·5	56·2	68·9	73·6	71·9	66·4	53·7	47·8	38·7
Windsor	30·4	28·5	33·7	48·5	56·9	68·5	75·2	71·6	66·9	52·8	45·7	37·4
Wolfville	32·1	26·9	36·3	47·5	58·5	70·5	74·6	75·0	70·3	.....	.....	.....
Yarmouth	31·9	29·1	36·6	43·1	51·5	57·9	65·8	65·4	62·2	52·4	46·1	39·9
PRINCE EDWARD ISLAND.												
Charlottetown	23·8	22·1	30·0	41·9	52·0	64·5	69·7	70·0	63·3	51·3	42·8	35·9
Hamilton	23·1	18·5	26·2	39·9	51·8	63·8	69·2	69·3	62·8	51·9	43·1	35·6
Summerside	25·0	22·9	30·0	40·9	51·7	64·3	67·9	68·0	63·5	51·6	42·4	34·8
NEWFOUNDLAND.												
Belle Isle	11·2	9·6	20·3	32·3	58·5	43·7	58·5	58·1	50·7	42·4	35·3	22·8
Channel	27·6	23·6	28·2	35·2	44·4	53·4	57·8	61·9	56·4	47·6	40·7	36·0
St. John's	31·0	29·9	31·5	39·1	48·1	54·9	60·5	64·4	59·3	51·6	43·9	36·9
St. George's	26·1	22·7	27·4	38·9	48·9	59·2	65·6	67·0	60·9	52·2	43·4	38·5
BERMUDA.												
Prospect	69·1	67·2	67·8	69·1	73·2	77·2	83·1	84·4	82·9	78·0	74·1	70·9

Mean Minimum Temperature in each Month for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
Yukon												
Carcross	.....	— 9·9	— 7·6	18·4	35·7	35·5	41·2	38·7	31·7	29·2	12·1	5·6
Dawson	—30·9	—34·1	—15·4	17·8	39·0	42·5	45·6	40·9	33·2	19·6	— 7·3	—11·7
Whitehorse	—28·5	—18·3	—10·9	14·7	32·3	37·5	43·9	40·2	32·7	27·9	8·7	4·3
Territories.												
Fort Churchill	—31·1	—28·8	—19·8	— 7·0	13·2	33·7	41·0	44·2	35·6	18·3	1·1	—13·1
Fort Hope	—25·1	—22·1	— 2·1	3·8	18·7	14·8	48·6	47·4	.....	.....	.....	.....
Norway House	—26·7	—15·7	— 2·7	4·9	20·3	43·8	50·4	47·5	38·1	28·1	9·4	— 4·6
York Factory	—36·1	—24·7	—14·1	— 4·4	14·4	37·5	40·9	43·5	35·2	19·3	3·4	.....
British Columbia.												
Alberni	17·1	29·3	30·0	33·3	44·6	49·5	52·9	47·8	45·6	38·9	.....	31·1
Atlin	—17·6	— 9·4	— 0·3	21·4	35·0	35·0	43·2	43·2	36·6	32·9	22·9	14·1
Barkerville	.....	.....	.....	21·3	33·7	.....	42·9	39·3	36·2	31·6	22·2	13·6
Bella Coola	19·4	34·4	44·6	54·5	67·2	68·5	75·5	67·3	63·6	58·2	40·6	26·7
Big Creek	6·6	33·0	35·8	49·7	65·3	67·7	51·9	51·3	48·5	46·4	41·1	36·0
Clayoquot	27·7	36·8	33·1	36·4	44·3	44·9	52·4	50·1	47·7	42·0	38·9	34·6
Cowichan	22·4	32·2	31·5	35·0	45·0	48·3	.....	49·8	44·5	38·8	32·5	26·5
Crawford Bay	.....	.....	.....	.....	.....	.....	.....	19·8	44·5	28·8	32·5	26·5
Garry Point	19·3	32·1	32·3	36·5	44·0	45·5	51·3	48·2	46·1	43·4	40·2	34·3
Golden	—20·0	11·8	15·5	26·7	34·6	41·9	45·6	44·0	38·3	31·7	26·4	12·8
Hedley	— 1·9	17·1	22·2	27·9	39·1	.....	53·4	50·8	44·3	38·2	28·8	23·5
Hedley (Nickel Plate)	0·7	17·3	11·2	21·1	31·3	35·6	42·5	36·8	.....	.....	22·7	13·9
Kamloops	4·4	19·6	27·1	35·1	49·1	51·7	56·6	52·7	49·3	40·6	35·5	26·8
Kitamaat	4·4	23·8	25·9	31·5	40·4	47·3	52·3	49·5	.....	.....	.....	.....
Ladner	11·6	33·7	32·7	36·2	42·6	49·7	53·4	49·0	46·0	43·6	58·5	34·8
Nanaimo	23·2	33·7	32·1	36·3	45·3	48·1	53·3	52·6	49·5	42·7	37·9	33·8
Nelson	12·0	23·3	28·1	32·7	38·9	.....	49·7	49·9	45·9	37·6	33·3	28·4
New Westminister	19·5	31·8	32·0	36·7	44·9	48·3	52·3	51·3	47·5	44·3	39·9	34·0
Nicola Lake	— 6·7	17·3	22·0	29·6	39·9	44·5	49·5	45·5	43·0	34·0	31·0	22·7
North Nicomen	18·6	29·6	33·4	38·0	45·8	49·8	53·6	52·1	49·5	45·5	39·9	35·2
Okanagan Mission	2·5	20·4	24·0	30·6	43·0	47·8	51·7	50·6	45·7	37·4	33·5	27·1
Penticton	.....	.....	.....	28·4	.....	.....	50·9	50·3	47·6	39·3	34·1	29·7
Port Simpson	19·4	31·1	31·5	35·3	42·9	46·4	50·4	49·3	47·6	42·4	37·6	34·3
Princeton	—11·9	15·8	18·3	25·6	36·9	41·7	44·9	44·6	41·0	35·6	24·0	17·2
Quesnelle	—19·6	6·8	14·2	26·2	38·1	43·9	47·9	45·5	40·6	33·4	27·6	18·7
Rossland	9·4	23·4	25·4	30·4	40·8	45·3	50·4	46·7	42·0	39·0	30·8	23·4
Salmon Arm	2·6	2·0	24·9	31·7	43·2	48·7	51·6	50·8	47·4	39·7	35·2	27·8
Summerland	.....	.....	.....	.....	.....	.....	56·0	52·3	47·7	39·1	31·4	24·6
Stuart's Lake	—29·6	4·9	1·7	19·4	28·8	35·8	39·0	38·0	32·1	25·1	19·5	8·8
Spence's Bridge	1·4	22·1	28·9	37·7	45·5	52·6	57·5	.....	.....	.....	35·3	27·5

MEAN MINIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
BRITISH COLUMBIA—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Thetis Island	25·7	33·6	32·7	35·0	44·4	47·6	.....	.....	.....	.....	.....	35·3
Tobacco Plains	1·8	21·6	27·1	31·5	40·9	47·4	50·7	47·2	41·6	35·3	29·3	22·9
Vancouver	20·8	31·7	32·0	36·0	54·3	48·5	51·7	51·1	49·3	44·8	40·5	35·3
Vernon	— 1·9	18·4	23·0	31·5	42·7	47·5	51·9	50·0	45·8	38·2	32·0	25·3
Victoria	28·9	37·0	35·2	39·6	46·6	49·6	52·2	51·0	50·2	45·4	42·8	39·1
ALBERTA.												
Alix	—28·9	— 5·2	2·1	21·8	31·8	42·5	46·7	40·8	35·5	28·7	20·0	5·1
Banff	—15·9	11·3	10·8	23·1	31·2	38·8	42·0	41·0	35·9	32·5	24·5	13·1
Blackfalds	—27·0	— 1·1	2·0	22·1	30·1	42·6	45·1	41·5	34·6	28·9	19·7	6·8
Bon Accord	—22·7	3·7	5·6	20·7	29·8	44·1	47·0	42·2	35·3	31·2	21·3	9·1
Cardston	—14·7	14·0	14·0	23·0	34·7	41·3	47·8	48·3	35·3	31·9	25·1	.....
Didsbury	—18·0	8·9	11·2	24·9	33·7	47·1	49·9	44·7	36·9	33·0	24·7	15·5
Dunvegan	—32·9	— 6·7	— 3·2	.....	32·2	41·9	47·6	41·1	35·2	25·7	10·6	— 0·7
Edmonton	—23·3	4·2	8·4	22·6	31·5	45·3	48·8	44·5	38·0	34·6	25·3	11·9
Gleichen	—26·1	— 2·2	2·9	22·2	27·6	42·8	44·7	40·4	.....	24·6	13·5	2·2
Gray Hill	—16·9	9·0	9·1	23·4	31·2	41·9	48·9	44·4	38·3	36·1	24·9	15·1
High River	—21·6	4·6	6·5	23·2	31·2	41·0	44·3	41·1	33·1	28·1	17·8	9·9
Hillsdown	—23·3	4·6	6·4	24·0	31·7	44·5	47·2	43·1	36·8	32·4	22·6	11·4
Kneehill	—27·2	— 1·4	0·5	19·1	28·0	39·9	41·9	.....	32·0	23·4	14·3	— 0·1
Laurence	—16·9	5·1	10·5	26·1	33·7	40·9	43·8	39·7	31·1	26·5	16·9	8·2
Lacombe	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6·0
Lethbridge	—14·6	12·9	15·0	25·6	35·8	45·7	49·7	47·3	40·4	37·3	28·1	18·3
Macleod	—17·2	10·1	12·7	25·7	35·5	44·9	50·0	46·5	38·5	37·2	28·1	19·1
Pakan	.....	5·2	— 1·2	18·4	27·8	41·7	45·8	42·3	33·6	28·1	15·8	— 1·7
Pekisko	—19·9	9·0	8·7	17·3	29·9	39·9	41·5	40·7	33·8	29·0	22·9	12·5
Red Willow	.....	.....	.....	.....	14·5	25·6	38·2	41·9	38·5	31·8	26·6	17·2	11·5
Taber	.....	.....	.....	14·1	25·1	34·7	45·4	49·7	45·8	39·8	35·3	25·8	15·7
Threehills Creek	—28·1	— 1·4	0·8	20·6	.....	41·1	43·7	35·9	35·3	27·5	19·2	2·3
Waitefield	—27·3	— 2·4	— 0·9	15·7	27·3	45·3	47·9	43·2	35·4	31·0	19·2	5·7
Wetaskiwin	—23·5	1·0	2·9	19·9	30·6	43·5	47·2	42·0	37·4	32·1	22·5	8·7
SASKATCHEWAN.												
Alameda	.....	— 3·9	4·8	.....	28·0	45·7	48·1	46·1	35·6	25·8	.....	6·4
Battleford	—27·1	— 6·1	3·0	18·1	28·5	48·4	50·8	46·4	37·7	25·6	17·7	3·4
Broadview	.....	.....	.....	.....	24·2	46·7	47·4	.....	.....	.....	.....	.....
Cannington Manor	—22·4	7·6	4·9	14·0	.....	.....	.....	.....	.....	.....	.....	.....
Estevan	—17·3	— 4·8	7·6	17·6	30·8	49·0	32·1	48·1	35·4	23·7	16·1	5·0
Foxleigh	—22·8	— 3·1	4·6	14·0	26·6	48·1	48·1	41·9	33·6	23·9	9·8	.....
Fond du Lac	—36·3	—26·8	—16·6	— 3·7	16·3	37·8	48·2	47·5	35·3	28·7	5·3	—12·6
Gatesgarth	—23·5	— 9·8	3·9	16·3	28·3	46·6	48·3	45·2	34·6	26·4	13·9	4·4
Grenfell	—21·6	— 1·8	7·7	17·8	27·1	49·1	49·2	49·4	36·2	29·6	16·4	6·5

MEAN MINIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Haddington	.....	.....	.....	.....	.....	.....	.....	.....	.....	27·5	12·3	1·8
Humboldt	.....	.....	.....	.....	.....	.....	47·5	43·3	33·7	27·6	.....	.....
Indian Head	−24·9	− 3·5	5·7	17·4	47·9	47·9	49·8	46·8	35·4	25·7	14·3	4·1
Lemberg	−22·4	− 2·6	− 6·5	13·9	31·7	45·1	48·1	40·9	.....	.....	.....	.....
Lloydminister	−29·8	− 7·7	− 6·8	12·2	26·8	41·6	48·8	41·4	33·4	29·0	16·1	2·4
Meota	.....	.....	.....	.....	.....	.....	.....	43·4	33·4	26·4	11·6	− 0·7
Moosomin	−21·5	− 3·1	5·7	16·3	27·8	47·3	50·2	47·6	36·6	27·6	14·0	5·1
Moose Jaw	−25·5	− 3·0	4·8	17·7	28·0	46·3	48·3	43·7	32·8	26·1	13·0	6·3
Onion Lake	−29·3	− 5·2	− 1·7	.....	27·9	.....	.....	.....	.....	.....	.....	.....
Prince Albert	−26·6	− 7·6	− 0·1	14·2	26·5	47·2	50·4	46·2	35·7	29·2	15·9	1·8
Qu'Appelle	−21·9	0·5	7·7	16·8	28·0	47·8	.....	.....	.....	.....	.....	.....
Regina	.....	.....	.....	.....	.....	.....	48·3	46·3	36·3	27·0	14·4	5·0
Saskatoon	−28·1	− 7·7	− 2·2	15·8	27·2	47·0	50·6	45·0	34·3	26·5	11·6	1·2
St. Peter's Monastery	−27·0	− 7·8	3·6	10·9	.....	.....	.....	.....	.....	.....	.....	.....
Swift Current	−17·6	4·9	10·5	22·4	31·3	46·5	49·3	47·0	38·0	31·0	19·3	10·3
Waseca	.....	.....	.....	.....	.....	.....	44·0	41·8	33·9	29·8	15·2	3·0
MANITOBA.												
Almasippi	−19·3	− 4·9	8·4	17·8	29·7	47·7	51·1	48·4	37·6	29·6	.....	5·7
Birtle	−23·4	−16·0	− 2·8	7·8	25·9	46·6	47·8	46·0	40·9	31·3	.....	.....
Brandon	−25·5	− 9·0	3·4	17·2	25·8	46·2	48·7	15·7	34·7	24·2	10·4	− 1·6
Carberry	−28·8	−14·6	− 2·1	12·6	23·1	44·3	.....	.....	29·8	20·0	8·3	.....
Carman	.....	.....	.....	.....	33·8	46·9	49·8	44·0	33·0	24·0	.....	.....
Cypress River	.....	.....	.....	.....	27·2	48·5	49·8	47·6	38·1	.....	.....	.....
Dauphin	−22·0	− 4·8	7·3	17·1	24·4	49·2	53·5	48·7	37·9	32·1	15·7	3·0
Hillview	−21·4	− 2·8	2·5	18·1	28·3	.....	52·3	48·6	38·3	28·4	15·8	3·3
Home	−22·1	− 7·6	7·2	18·1	27·9	49·2	55·8	50·7	40·3	29·3	15·3	3·2
Minnedosa	−20·6	− 5·0	6·1	15·4	27·5	47·6	49·8	48·3	36·6	29·2	15·1	3·5
Morden	−18·1	− 3·2	8·8	17·9	27·7	48·8	54·3	49·6	39·4	29·4	18·1	8·7
Oakbank	−21·0	− 4·4	5·9	18·3	28·2	48·8	53·1	50·1	39·7	29·9	17·2	6·2
Oakdale Park	−19·2	1·1	8·7	18·4	28·4	.....	51·3	49·5	36·9	.....	.....	.....
Pipestone	.....	.....	.....	.....	28·7	57·1	.....	50·4	36·4	25·9	.....	.....
Portage la Prairie	.....	.....	.....	.....	29·2	50·4	55·8	51·3	40·3	29·7	.....	.....
St. Alban's	−22·1	− 5·6	5·8	17·7	27·7	48·5	57·4	49·7	38·8	28·1	14·9	1·2
Stony Mountain	−23·9	.....	4·2	16·8	26·7	47·3	52·0	49·1	39·3	26·4	14·8	24·8
Treherne	−21·9	− 6·6	8·1	13·0	24·8	45·0	49·9	48·9	35·0	24·8	14·0	4·6
Virden	.....	.....	.....	.....	27·4	48·7	50·0	43·5	35·8	24·5	.....	.....
Winnipeg	−21·6	− 6·6	6·5	19·8	27·7	49·7	55·5	51·1	39·9	29·8	16·3	5·2
ONTARIO.												
Agincourt	12·3	4·4	22·9	28·5	35·4	51·5	54·8	50·4	50·8	31·3	27·7	20·1
Alton	6·5	0·4	17·2	21·9	30·8	47·1	40·2	44·5	44·6	28·5	22·2	15·4

MEAN MINIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°
Bancroft	1·4	— 8·7	14·9	24·6	31·7	48·8	49·6	45·3	45·5	27·2	20·5	14·1
Barrie	8·6	1·3	20·4	26·6	34·5	52·2						
Beatrice	2·8	— 3·5	16·2	24·3	31·7	49·2	51·5	46·9	46·5	29·4	24·4	13·9
Birnam	17·7	9·5	27·0	29·1	38·4	52·0	56·7	54·1	51·8	37·5	28·9	23·0
Bloomfield	10·9	3·3	22·7	29·8	37·0	53·0	56·9	54·3	52·9	31·9	28·3	19·7
Brantford	12·6	6·0	24·6	28·3	36·7	51·4	56·1	50·4	50·3	32·5	27·4	21·8
Bruce Mines	3·7	2·7	15·6	22·1	32·3	48·7	51·4	48·4	46·0	31·6	25·4	13·5
Chatham	18·4	8·5	29·2	31·4	39·1	54·8	58·7	57·0	54·3	36·1	30·5	23·6
Clinton	15·8	6·6	22·6	27·4	36·4	50·9	55·1	50·1	50·9	33·5	27·9	21·0
Clontarf	— 5·9	— 8·7	18·6	24·2	31·9	47·9	54·4	46·3	46·4	30·5	22·2	12·3
Coldwater		— 6·9	16·3	26·0	29·3	43·4	48·0	41·5	43·1	26·9	22·5	12·7
Copper Cliff	— 1·5	— 5·2	13·3	20·6	32·0	52·8	54·4	49·9		31·1		
Cottam	15·1	10·5	27·6	29·0	35·9	51·1	56·6	54·1	51·3	33·0	25·9	20·8
Cockburn	7·3	— 2·0	13·8	21·5	32·7	46·4	53·9	49·3	47·9	32·9	25·9	17·0
Gravenhurst	2·8	— 5·9	16·2	25·1	33·7	49·8	53·6	50·5	48·7	31·6	25·3	15·6
Guelph	13·9	7·1	24·7	28·6	36·5	52·0	56·3	53·6	49·9	36·1	31·5	23·1
Haileybury	— 7·3	— 8·7	11·9	18·8	30·7	51·7	55·3	50·6	46·7	30·5	20·6	8·2
Haliburton	21·9	— 7·1	17·5	24·4	37·5	45·7	49·8	44·7	47·1	27·7	22·0	12·2
Hamilton	15·5	10·8	27·8	32·9	40·3	54·9	61·3	56·4	55·8		32·2	26·5
Huntsville			17·2	24·5	33·9	52·1	55·6	50·3		30·8	22·4	12·5
Kenora	—16·9	— 4·2	10·1	17·8	28·5	51·7	56·4	49·3	40·8	29·0	21·2	10·2
Kingston	8·9	4·4	24·1	29·9	38·3	52·9	59·8	56·6	54·3	36·4	30·1	21·0
Lakefield	8·8	— 1·1	18·9	29·2	39·7					30·6	26·5	15·6
Lakeside Home	16·1	11·2	26·0	31·1	36·8	49·6	54·1	54·4	54·1	38·2	32·6	26·0
Lake Talon	— 3·4	— 6·5	13·5	22·0	31·2	48·4	51·1	45·2	44·5	28·3	22·8	13·1
Lindsay	8·3	— 0·2	20·8	28·0	35·6	51·9	55·5	51·0	50·9	32·9	27·1	17·5
Listowel	12·2	1·1		27·6	35·0	49·0	53·2	48·1			25·8	21·6
Loudon	15·0	8·5	26·8	39·3	37·3	51·3	56·4	51·8	52·5	34·7	29·5	22·3
Lucknow	14·2	5·2	22·0	26·4	34·3	49·4	52·4	48·3	49·7	32·9	27·3	20·3
Meaford	10·7	2·4	21·0	27·7	34·9	51·2	57·1	52·5	51·8	37·1	27·1	23·4
Madoc	8·3	1·0	70·7	27·3	35·3	51·9	56·4	51·2	51·0	32·9	26·7	16·1
Moose Factory	—24·3	—22·7	0·3	3·9	20·3	41·0	47·2	45·7	37·4	26·4	12·1	— 2·1
North Gower		— 1·3	16·7	26·5	36·8	53·7	56·4	51·0	18·5	36·6	25·4	14·1
Otonabee	14·0	8·7	25·5	31·1	39·8	56·7	59·9	55·8	55·4	38·2	32·1	24·6
Owen Sound	14·8	3·8	22·1	27·2	35·1	49·4	54·5	50·5	50·4	36·1	29·3	23·4
Orillia	9·1	— 0·2	20·2	28·1	36·4	53·8	57·8	53·2	52·1	33·3	27·2	17·0
Ottawa	2·9	— 1·3	18·8	28·3	38·4	56·3	59·3	55·1	51·1	35·4	28·3	17·7
Port Arthur	— 6·6	— 5·0	10·8	18·6	28·5	45·9	51·0	49·4	43·4	30·1	21·2	7·5
Port Burwell	17·8	12·3	29·1	30·6	37·8	53·3	57·7	55·6	55·1	36·0	31·5	25·7
Parry Sound	5·3	— 1·6	18·6	25·5	34·5	51·1	56·2	52·5	48·9	32·7	25·6	16·5

MEAN MINIMUM TEMPERATURE in each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	°	°	°	°	°	°	°	°	°	°	°	°
ONTARIO—*Concluded.*												
Port Dover	11·8	3·5	23·1	29·7	36·7	52·6	58·0	53·8	52·4	34·4	29·0	19·6
Port Hope	15·5	8·2	27·0	29·5	37·3	52·6	57·5	54·0	53·7	36·3	30·7	23·9
Port Stanley	16·3	9·8	27·7	29·8	38·0	51·2	57·7	53·9	53·1	36·0	29·9	23·2
Pelee Island	18·6	7·4	30·5	34·9	44·4	59·1	68·7	66·0	61·1	44·1	32·9	30·4
Paris	15·2	7·5	25·1	29·3	37·1	51·6	55·8	52·5	52·6	35·5	30·7	23·1
Peterboro'	5·8	— 1·3	19·7	28·0	34·1	50·8	56·3	50·0	49·7	30·6	23·9	14·3
Renfrew	— 0·2	— 6·1	14·1	26·2	34·7	53·2	55·6	47·4	47·5	31·2	25·4	12·2
Rockcliffe	— 8·2	—10·3	10·3	22·7	32·0	50·2	53·8	48·0	47·3	30·1	21·1	11·5
Scarboro'	11·4	7·0	25·0	29·8	36·5	52·2	56·7	53·4	53·2	35·0	29·7	22·4
Southampton	14·3	5·8	22·3	27·3	35·5	49·4	55·4	52·8	52·2	37·4	30·2	24·5
Seaforth	12·5	4·8	23·4	27·9	38·5	52·5	54·9	52·0	50·4	34·3	25·7	20·0
Stoney Creek					36·2	52·2	59·3	53·2	54·3	36·4	30·6	25·0
Sutton West	10·4	0·3	19·2	26·6	37·2	52·0	56·9	54·1	51·4	34·2	28·0	19·7
Toronto	15·7	10·2	26·3	30·8	38·0	53·7	57·9	54·4	54·0	36·4	31·2	24·1
Uplands	— 0·5	— 5·5	12·8	19·7	28·0	46·4	48·4	42·9	42·6	26·8	18·9	13·2
Uxbridge	10·4	2·5	21·6	27·3	34·9	51·6	55·6	49·2	50·8	33·2	26·7	19·9
Wallaceburg	17·5	9·9	28·4	30·5	39·1	52·4			54·0	36·7	29·7	22·9
Welland	16·2	10·2	26·5	29·9	38·7	52·8	59·3	55·4	54·8	37·3	32·0	25·1
Windsor	20·1	12·9	29·6	30·7	41·5	54·3	61·6	58·5	55·6	38·7	31·5	25·6
White River	—17·7	—19·0	3·3	7·5	22·5	42·4	46·3	43·4	39·3	23·6	15·1	1·1
Whiteside (Bala)	7·4	— 0·6	18·0	26·6			55·3	52·9	50·6	33·5	27·7	16·2
Woodstock	13·0	7·0	22·7	27·5	35·8	50·6	55·1	49·9	49·9	33·7	28·9	21·7
QUEBEC.												
Abitibi	—19·3	—18·3	1·0	12·0	27·5	50·7	54·9	50·7	43·1	29·4	15·6	0·6
Anticosti (S.W. Point)	— 3·7	— 3·1	8·4	23·4	32·0	41·5	48·9	50·0	44·3	34·2	26·9	18·5
Bird Rocks	7·5	0·8	11·2	22·9	30·6	37·8	45·8	50·7	46·2	38·5	30·7	24·3
Brome	3·3	— 1·4	14·9	27·4	35·6	50·6	56·3	50·1	49·2	33·0	24·9	18·5
Chicoutimi			4·6	23·6	32·6	48·8	55·2	51·0	42·3	29·8	21·7	5·3
Clarke City	—12·3	—11·4	2·5	20·1	32·6	42·9	50·8	48·1	39·4	29·3	18·6	
Father Point	— 3·2	— 1·2	11·2	25·7	35·4	44·1	49·2	49·4	41·6	32·8	24·9	15·1
Montreal	3·3	1·4	20·7	30·4	39·9	57·1	61·2	56·7	51·7	36·9	28·5	18·8
Percé	2·2				35·7	44·1	51·5		45·4	34·9	25·8	19·8
Paspebiac	— 0·3	— 1·8	9·6	24·7	33·4	43·8	53·0	51·7	44·0	33·0		17·3
Quebec	— 1·5	— 1·4	15·9	27·0	37·3	50·8	57·4	53·1	47·7	33·2	26·2	15·9
Ste. Anne de Bellevue				28·3	38·6	54·3	58·9		50·6	35·1	26·7	18·1
Sherbrooke	— 1·5	— 2·4	15·5	27·0	37·3	51·5	57·0	51·5	48·3	31·7	25·6	10·6
Shawenegan Falls								51·0	46·1	31·0	24·3	12·9
NEW BRUNSWICK.												
Chatham	— 2·2	— 4·4	9·3	25·7	36·5	46·4	56·3	53·6	46·9	34·3	26·8	17·8
Dalhousie	7·7	8·4	24·2	35·5	43·7	58·5	55·8	53·9	46·3	35·7	25·7	16·7

MEAN MINIMUM TEMPERATURE in each Month for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
NEW BRUNSWICK—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Fredericton	− 1·5	− 2·9	11·6	27·8	37·2	47·4	55·0	51·5	46·8	31·9	25·0	16·9
Grand Manan	12·0	10·4	23·6	31·7	38·4	46·2	53·4	53·1	51·0	40·4	35·5	28·9
Moncton	0·8	− 6·9	12·0	28·2	35·6	46·3	55·2	52·1	46·7	32·4	26·0	16·9
St. John	7·2	6·2	19·6	30·9	39·7	47·7	54·8	54·3	50·5	39·2	32·6	24·3
St. Stephen	2·3	0·8	13·8	27·1	36·4	44·3	53·3	49·6	45·6	32·3	26·1	17·3
Sussex	3·8	2·1	11·5	25·7	34·4	45·4	54·5	50·6	44·7	32·4	26·5	17·8
Woodstock	.....	− 9·6	1·7	27·2	36·4	48·7	58·5	53·3	.....	33·3	.....	.....
NOVA SCOTIA.												
Halifax	12·5	10·1	20·1	30·5	37·2	45·1	54·3	53·3	50·2	38·3	31·7	26·1
Parrsboro'	3·6	2·2	12·7	.....	.....	.....	.....	.....	.....	33·2	28·5	.....
Port Hastings	15·9	14·0	20·0	30·0	39·3	45·9	54·2	57·0	54·4	44·9	37·6	25·3
Sable Island (Main Station)	21·7	21·5	24·1	31·5	37·3	42·8	52·7	56·3	54·8	45·1	40·6	34·4
Sydney	10·2	6·0	13·2	25·6	32·4	40·3	52·5	53·5	48·6	38·9	32·9	27·9
Truro	6·9	3·1	14·4	28·3	35·4	44·7	54·2	50·9	46·5	34·6	28·3	22·5
Windsor	10·7	7·6	17·5	29·6	37·4	46·5	54·9	53·2	50·3	37·8	31·0	25·7
Wolfville	11·4	7·0	18·6	29·9	37·3	45·7	55·3	51·7	48·6	.....	.....	.....
Yarmouth	14·3	13·7	24·3	31·5	37·8	44·3	52·2	50·9	49·4	38·9	34·0	28·9
PRINCE EDWARD ISLAND.												
Charlottetown	7·1	3·5	14·5	27·6	36·6	46·8	56·6	55·9	50·2	39·7	32·1	24·4
Hamilton	5·7	6·9	10·7	26·1	36·8	46·8	55·8	55·4	50·8	38·3	31·2	22·4
Summerside	3·3	1·8	11·8	26·8	35·1	46·3	55·6	55·0	49·2	36·3	30·9	22·4
NEWFOUNDLAND.												
Belle Isle	0·9	1·7	6·9	18·4	28·9	31·9	42·5	43·6	39·5	30·9	25·0	13·6
Channel	12·3	7·2	15·8	25·7	33·6	39·6	49·7	51·1	44·6	37·6	31·7	27·2
St. John's	15·4	14·4	16·7	27·3	33·3	39·0	49·1	49·7	45·9	38·9	31·8	27·0
St. George's	12·5	4·4	11·3	24·7	34·4	41·6	52·9	54·1	47·4	37·6	30·8	26·5
BERMUDA.												
Prospect	60·0	57·6	57·4	60·0	64·2	68·5	74·4	74·4	71·4	68·0	63·6	60·6

Maximum Temperature for each Month and for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
YUKON.													
Carcross		42·0	38·0	52·0	73·0	76·0	76·0	72·0	63·0	59·0	50·0	44·0	76·0
Dawson	20·0	45·0	33·0	61·0	80·0	87·0	88·5	79·0	64·0	49·0	26·0	20·0	88·5
White Horse	30·0	45·0	38·0	56·0	72·0	77·0	82·0	84·0	66·0	58·0	45·0	34·0	84·0
TERRITORIES.													
Fort Churchill	15·0	21·0	32·0	38·0	42·0	80·0	71·0	83·0	74·0	50·0	33·0	26·0	83·0
Fort Hope	19·0	26·0	52·0	46·0	66·0	92·0	82·0	77·0					
Norway House	10·0	38·0	44·0	44·0	52·0	81·0	79·0	71·0	69·0	69·0	40·0	39·0	84·0
BRITISH COLUMBIA.													
Alberni	51·1	65·1	68·0	78·0	86·0	92·0	100·0	98·0	101·0	82·0	64·0	55·0	101·0
Agassiz	50·0	53·0	58·0	73·0	85·0	87·0	97·0	96·0	86·0	71·0	69·0	51·0	97·0
Atlin	35·0	40·0	35·0	53·0	69·0	75·0	80·5	71·0	66·5	54·5	48·0	36·5	80·5
Barkerville				52·0	66·0		82·0	76·0	66·0	62·0	45·0	58·0	
Bella Coola	37·0	48·0	52·0	64·0	81·0	88·0	95·0	96·0	81·0	63·0	55·0	45·0	96·0
Big Creek	49·0	52·0	47·0	63·0	81·0	89·0	90·0	91·0	80·0	73·0	58·0	52·0	91·0
Clayoquot	50·5	55·0	58·0	68·0	74·0	75·5	84·0	76·0	83·0	66·0	61·0	55·5	84·0
Cowichan	52·0	58·9	55·3	70·3	79·0	83·8	90·5	87·7	86·7	70·5	63·0	58·8	90·5
Crawford Bay									92·0	76·0	62·0	50·0	44·0
Garry Point	45·0	50·5	52·0	59·0	74·0	74·0	81·0	72·0	74·0	64·5	59·5	51·5	81·0
Golden	34·0	45·0	47·0	60·0	74·0	86·0	86·0	85·0	75·0	64·0	48·0	39·0	86·0
Hedley (Nickel Plate)	44·0	52·0	44·0	64·0	66·0	75·0	78·0	78·0			47·0	39·0	78·0
Hedley	40·0	54·0	55·0	74·0	87·0	91·0	97·0	95·0	86·0	68·0	59·0	49·0	97·0
Kamloops	40·2	45·0	59·5	72·8	85·6	93·6	99·0	95·0	84·0	72·8	64·4	53·8	99·0
Kitamaat	39·0	55·0	59·0	77·0	86·0	95·0	106·0	93·0	87·0				
Ladner	43·0	47·0	44·0	65·0	74·0	79·0	85·0	79·0	77·0	68·0	58·0	57·0	85·0
Massett	40·0	48·0	48·0	66·0	72·0	73·0	74·0	75·0	73·0	64·0	57·0	53·0	
Nanaimo	43·3	53·5	59·5	70·5	78·5	83·2	91·0	89·2	84·3	66·0	55·0	52·8	91·0
Nelson	43·0	52·0	55·0	70·0	82·0		87·0	85·0	79·0	67·0	53·0	45·0	87·0
New Westminster	43·3	52·3	57·1	65·0	80·2	81·2	91·4	89·0	76·2	67·8	57·6	55·6	91·4
Nicola Lake	45·0	48·0	47·5	72·0	76·0	86·0	87·0	85·0	74·0	71·0	61·0	46·0	87·0
N. Nicomen	48·0	50·0	58·0	74·0	83·0	85·0	95·0	83·0	89·0	74·0	64·0	57·0	95·0
Okanagan Mission	42·0	46·6	50·9	70·8	83·8	88·0	93·2	92·0	75·5	67·1	56·9	47·0	93·2
Penticton				72·0			93·5	90·0	78·0	77·0	60·0	48·0	
Port Simpson	38·4	52·3	46·8	60·4	68·3	73·3	76·0	71·2	68·9	58·5	54·0	54·2	76·0
Princeton	38·0	48·0	54·0	72·0	87·0	90·0	95·0	89·0	86·0	70·0	59·0	43·0	95·0
Quesnel	23·0	47·0	49·0	68·0	86·0	94·0	95·0	96·0	82·0	75·0	59·0	54·0	96·0
Revelstoke	40·0	50·0	47·0	62·0	76·0	87·0	94·0	92·0	76·0	66·0	50·0	44·0	
Rossland	38·3	41·5	57·6	62·2	74·5	81·0	84·0	81·0	73·4	62·8	48·5	39·0	84·0
Salmon Arm	42·0	47·0	52·0	71·0	82·0	95·0	97·0	92·0	81·0	68·0	57·0	48·0	97·0
Summerland							94·8	92·1	79·9	69·2	54·8	43·0	

MAXIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA—*Concluded.*	°	°	°		°	°	°	°	°	°	°	°	°
Stuart's Lake	24·5	46·5	47·0	57·0	81·5	90·0	86·5	90·0	75·0	64·5	61·0	48·0	90·0
Spence's Bridge	45·0	54·5	65·0	79·5	94·0	100·0	103·5				68·5	54·5	
Thetis Island	46·7	55·3	54·8	62·1	71·6	77·3						53·5	
Tobacco Plains	49·0	53·1	51·0	67·1	79·1	85·0	87·0	93·0	76·1	70·1	56·0	49·0	93·0
Vancouver	45·7	52·6	53·0	63·7	75·5	80·8	89·6	87·0	81·2	64·0	59·6	56·9	89·6
Vernon	37·0	45·0	48·0	70·0	79·0	91·0	96·0	97·0	78·0	67·0	56·0	46·0	97·0
Victoria	48·2	53·1	57·0	67·2	76·7	78·2	87·1	78·1	84·7	68·0	58·4	56·1	87·1
Winter Harbour	45·0	49·0	54·0			76·0	79·0	86·0					
ALBERTA.													
Alix	35·0	45·0	47·0	61·0	73·0	83·0	81·0	81·0	78·0	70·0	55·0	56·0	83·0
Banff	43·2	46·3	48·2	56·3	71·4	81·9	81·0	79·5	74·3	67·8	47·7	45·2	81·9
Blackfalds	37·0	50·3	44·5	66·0	73·5	80·0	79·3	80·0	74·0	75·0	55·5	59·0	80·0
Bon Accord	38·0	53·0	49·0	59·8	76·2	82·5	78·2	80·5	76·8	70·2	54·0	51·5	82·5
Calgary	38·0	57·0	58·0	66·0	74·0	80·0	84·0	82·0	80·0	72·0	61·0	57·0	84·0
Cardston	45·0	55·0	67·0	63·0	75·0	81·0	86·0	89·0	80·0	75·0	64·0		89·0
Didsbury	44·0	58·0	54·0	64·0	72·0	86·0	88·0	80·0	84·0	76·0	60·0	64·0	88·0
Dunvegan	24·0	53·0	44·0	64·0	82·0	86·0	80·0	86·0	80·0	73·0	52·0	41·0	86·0
Edmonton	39·0	52·0	51·0	64·0	76·0	84·0	81·0	84·0	78·0	76·0	56·0	49·0	84·0
Gleichen	39·5	46·0	52·0	64·0	76·0	79·5	85·0	84·5		75·0	65·0	59·0	85·0
Gray Hill	41·8	57·6	53·2	65·5	74·8	82·8	82·8	79·2	80·6	74·2	56·0	57·7	82·8
High River	43·5	53·0	51·0	63·0	75·5	82·5	82·0	83·5	79·5	75·5	62·0	58·5	83·5
Hillsdown	37·0	50·0	51·0	65·0	76·2	84·5	83·3	82·0	79·0	72·3	54·0	57·0	84·5
Knee Hill	43·0	51·0	53·5	61·0	75·0	82·0	85·0			78·0	55·5	54·0	85·0
Lacombe												57·8	
Lethbridge	44·9	63·0	57·9	69·9	79·7	88·6	89·0	90·6	85·2	80·4	61·9	66·1	90·6
Macleod	44·0	55·0	54·0	66·0	75·0	84·0	85·0	86·5	72·5	81·0	60·0	59·0	86·5
Medicine Hat	36·0	48·0	64·0	64·0	75·0	87·0	92·0	89·0	91·0	77·0	64·0	64·0	92·0
Nanton	50·0	50·0	52·0	68·0	76·0	82·0	92·0	88·0	80·0	74·0	70·0	50·0	92·0
Pakan		50·5	43·6	57·0	77·3	81·9	79·7	81·0	78·0	72·0	55·8	45·0	81·9
Pekisko	48·0	55·0	62·0	63·0	69·0	76·5	79·0	77·5	78·0	77·0	58·0	57·0	79·0
Red Willow				62·0	73·0	85·0	86·0	82·0	78·0	68·0	50·0	50·0	86·0
Taber			58·0	67·0	78·0	82·0	90·0	89·0	85·0	79·0	60·0	53·0	90·0
Threehills Creek	32·5	49·0	45·0	65·0		82·5	87·0	84·0	82·0	76·0	56·5	58·0	87·0
Waitefield	33·0	48·5	42·0	46·5	84·2	82·0	78·8	79·2	78·0	72·2	54·0	50·5	84·2
Wetaskwin	32·0	48·0	44·0	60·0	72·0	86·0	84·0	83·0	79·0	73·0	56·0	57·0	86·0
SASKATCHEWAN.													
Alameda	16·0	36·0	38·0		71·0	86·0	84·0	92·0	80·0	74·0		52·0	92·0
Battleford	28·0	45·0	40·0	51·0	76·0	88·0	81·0	84·0	89·0	78·0	58·0	51·0	89·0
Broadview						63·0	84·0	83·0					

MAXIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Canington Manor	17·0	33·0	38·0	38·0									
East End											55·0	47·0	
Estevan	23·0	34·0	47·0	44·0	69·0	86·0	85·0	92·0	79·0	76·0	59·0	52·0	92·0
Foxleigh	20·0	45·0	46·0	46·0	72·0	86·0	84·0	88·0	78·0	69·0	59·0		88·0
Fond du Lac	5·0	33·0	35·0	45·0	60·0	79·0	78·0	78·0	78·0	59·0	36·0	33·0	79·0
Gatesgarth	23·0	38·0	40·0	50·0	73·0	84·0	86·0	87·0	77·0	76·0	62·0	55·0	87·0
Grenfell	20·0	41·0	44·0	48·0	71·0	78·0	80·0	88·0	75·0	73·0	56·0	50·0	88·0
Haddington										78·0	56·0	58·0	
Humboldt							82·0	77·0	73·0			70·0	
Indian Head	20·0	41·0	44·0	46·0	70·0	68·0	84·0	84·0	71·0	71·0	55·0	48·0	84·0
Lemberg	40·0	40·0	54·0	46·0	65·0	80·0	86·0	84·0					
Lloydminster	28·6	44·0	37·9	45·6	75·5	80·7	81·3	82·0	78·8	70·2	55·0	46·2	82·0
Moota								94·0	80·3	73·8	61·2	43·0	
Moosomin	13·0	40·0	45·0	47·0	69·0	80·0	83·0	85·0	75·0	73·0	52·0	23·0	85·0
Moose Jaw	24·0	40·0	43·0	46·0	73·0	83·0	85·0	94·0	83·0	72·0	59·0	50·0	94·0
Onion Lake	30·0	48·0	38·0		70·0				72·0				
Prince Albert	20·0	49·0	46·0	47·0	67·0	85·0	80·0	80·0	73·4	69·0	50·5	45·0	85·0
Qu'Appelle	20·0	42·0	42·5	44·8	72·5	81·8							
Regina							81·7	86·6	77·4	73·4	57·4	47·8	
Saskatoon	24·0	38·0	38·0	51·0	74·0	84·1	83·6	85·4	78·5	73·1	56·0	50·0	85·4
St. Peter's Monastery	20·0	37·0	49·0	39·0									
Swift Current	26·0	42·0	45·0	54·0	75·0	84·0	86·0	94·0	80·0	75·0	60·0	54·0	94·0
Waseca							82·5	78·0	77·0	68·0	52·0	46·0	
MANITOBA.													
Almasippi				54·0	78·0	89·0	87·0		79·0			45·0	
Birtle	24·0	41·0	44·0	44·0	69·0	82·0	98·0	89·0					
Brandon	17·4	36·7	46·7	55·3	72·6	86·0	85·0	92·0	78·0	78·0	55·6	38·9	86·0
Carberry	32·0	35·0	42·0	49·0	65·0	88·0			65·0	56·0	45·0	42·0	
Carman					69·0	89·0	87·0	90·0	85·0	71·0			
Cypress River					69·0	85·0	87·0	90·0	78·0				
Dauphin	18·0		55·0	54·0	68·0	86·0	84·0	86·0	75·0	69·0	63·0	45·0	
Hillview	17·0	39·0	44·0	51·0	72·0	83·0	85·0	87·0	76·0	72·0	53·0	39·0	87·0
Home (P. la Prairie)	25·0	38·0	45·0	54·0	70·0	90·0	94·0	84·0	77·0	71·0	56·0	43·0	94·0
Minnedosa	16·6	40·5	47·4	51·2	66·0	80·0	86·5	86·0	75·5	75·0	51·0	41·6	86·5
Morden	24·0	41·0	44·0	54·0	75·0	89·5	88·0	94·0	81·0	77·5	57·0	46·0	89·5
Oakbank	25·0	34·0	44·3	48·5	73·3	87·3	83·0	82·0	73·0	62·5	57·0	38·5	87·3
Oakdale Park	15·0	37·0	50·0	53·0	74·0		85·0	92·0	85·0				
Pipestone					76·0	85·0		98·0	85·0	77·0			
Portage la Prairie					68·0	87·0	86·5	81·5	77·0	65·0			
St. Alban's	18·0	43·0	53·0	56·5	79·5	92·0	96·5	97·5	82·0	83·5	57·0	39·7	97·5

MAXIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Stony Mountain	25·0	.....	49·0	50·0	66·0	87·0	89·0	85·0	77·0	65·0	50·0	42·0	.....
Treherne	29·0	35·0	40·0	50·0	66·0	87·0	90·0	85·0	78·0	73·0	57·0	45·0	90·0
Virden	.....	.....	.....	.....	73·0	84·0	88·0	90·0	77·0	70·0	.....	.....	.....
Winnipeg	26·0	37·5	47·0	53·8	74·3	90·2	87·5	85·2	77·4	74·0	51·5	40·8	90·2
ONTARIO.													
Agincourt	52·0	42·0	61·0	69·5	79·0	89·0	87·5	90·0	84·0	73·0	57·5	47·0	90·0
Alton	49·1	34·8	64·2	69·2	83·2	89·2	88·7	90·7	84·0	72·2	49·1	46·0	90·7
Bancroft	40·0	35·0	58·0	.....	79·0	92·0	86·0	90·0	81·0	70·0	47·0	45·0	.....
Barrie	50·8	40·5	61·7	67·0	82·7	91·0	.....	.....	.....	.....	.....	.....	.....
Beatrice	47·0	35·0	58·0	65·5	81·0	82·5	84·0	86·0	79·0	67·0	48·0	44·0	86·5
Birnam	58·7	46·4	67·5	70·0	79·1	86·3	86·2	86·4	83·4	72·1	84·1	45·3	86·4
Bloomfield	57·0	48·0	61·0	68·0	75·0	87·0	86·0	90·0	80·0	67·0	53·0	49·0	90·0
Brantford	57·0	45·0	66·0	69·0	83·0	88·0	89·0	90·0	85·0	71·0	54·0	49·0	90·0
Bruce Mines	40·0	38·0	54·0	55·0	64·0	90·0	84·0	79·0	.....	70·0	50·0	40·0	.....
Chatham	51·0	42·0	74·0	75·0	82·0	89·0	92·0	90·0	88·0	77·0	55·0	52·0	92·0
Clinton	54·0	41·0	64·0	68·5	80·0	89·0	86·5	88·0	84·0	72·5	53·0	48·0	89·0
Clontarf	46·0	37·0	60·0	68·0	82·0	95·0	90·5	90·0	83·0	69·0	52·0	46·5	95·0
Coldwater	.....	42·0	60·0	67·0	85·0	90·0	86·0	92·0	83·0	70·0	49·0	45·0	92·0
Copper Cliff	43·0	33·0	55·0	56·0	66·0	92·0	86·0	87·0	.....	67·0	.....	.....	.....
Cottam	53·0	43·0	75·0	72·0	84·0	88·0	88·0	88·0	86·0	74·0	54·0	50·0	88·0
Cockburn	45·0	37·0	57·0	53·0	60·0	90·0	82·0	83·0	79·0	69·0	49·0	43·0	90·0
Gravenhurst	49·0	36·0	61·0	65·0	82·0	87·0	85·0	89·0	81·0	67·0	48·0	45·0	89·0
Guelph	53·5	38·0	58·0	64·0	78·5	87·0	85·0	87·5	81·5	67·0	57·0	52·0	87·5
Haileybury	48·1	34·2	64·8	56·8	72·3	96·6	85·6	85·2	78·6	65·8	46·9	42·5	96·6
Haliburton	42·0	35·0	59·0	68·0	82·0	91·0	85·0	90·0	80·0	69·0	55·0	45·0	91·0
Hamilton	58·0	45·0	65·8	72·8	83·0	92·5	89·9	91·2	.....	.....	53·0	49·0	.....
Huntsville	.....	.....	67·0	65·0	79·0	85·0	84·0	85·0	.....	67·0	.....	45·0	.....
Kenora	22·0	42·0	.....	48·0	68·0	89·0	85·0	83·0	79·0	.....	40·0	41·0	.....
Kingston	42·0	38·1	51·0	63·8	69·0	82·1	84·0	80·6	75·4	68·0	53·5	48·3	84·0
Lakefield	39·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	49·0	49·0	.....
Lakeside Home	49·0	40·0	53·0	60·0	64·0	75·0	80·0	85·0	75·0	65·0	50·0	47·0	85·0
Lake Talon	54·3	36·5	61·0	55·2	78·0	90·0	85·2	86·0	79·2	69·0	50·8	44·8	90·0
Lindsay	46·9	36·6	62·1	71·8	82·1	94·5	86·6	90·7	84·6	70·6	49·6	44·8	94·5
Listowel	.....	.....	.....	.....	.....	92·0	87·0	85·0	.....	.....	.....	47·0	.....
London	57·0	43·0	68·0	70·5	79·0	87·0	87·0	86·0	84·0	74·0	54·0	49·0	87·0
Lucknow	56·0	40·9	64·9	67·6	79·5	86·1	88·9	88·1	82·2	72·1	53·0	48·3	88·9
Meaford	57·0	42·0	68·0	60·0	81·0	88·0	84·0	84·0	83·0	70·0	53·0	50·0	88·0
Madoc	46·0	36·0	65·0	63·0	79·0	92·0	90·0	92·0	83·0	72·0	51·0	46·0	92·0
Moose Factory	.....	31·0	50·0	47·0	.....	89·0	86·0	.....	.....	65·0	.....	42·0	.....
North Gower	.....	.....	63·0	71·0	82·5	92·0	89·0	92·0	86·0	69·0	.....	49·0	92·0

MAXIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Otonabee	46·0	36·0	60·0	67·0	77·0	87·0	86·0	.....	82·0	66·0	50·0	45·0	.....
Owen Sound	53·0	43·0	67·0	63·0	83·0	92·0	90·0	91·0	84·0	71·0	52·0	47·0	92·0
Orillia	48·0	38·0	60·0	68·0	82·5	92·0	86·6	91·0	83·0	70·0	49·0	44·0	92·0
Ottawa	46·0	38·0	55·0	68·0	82·0	94·0	87·0	89·0	81·0	64·0	50·0	44·0	94·0
Port Arthur	36·0	40·0	48·0	53·0	60·0	86·0	84·0	83·0	71·0	59·0	47·0	41·0	86·0
Port Burwell	47·0	38·0	60·0	65·5	72·0	81·0	82·5	81·0	77·0	.....	55·0	45·5	82·5
Parry Sound	52·0	40·0	56·0	60·0	83·0	91·0	92·0	90·0	84·0	68·0	51·0	45·0	92·0
Port Hope	46·0	40·0	54·0	66·0	73·0	87·0	.....	.....	82·0	68·0	52·0	46·0	.....
Port Dover	49·5	38·1	68·2	68·5	77·2	82·1	85·2	88·1	78·5	70·5	52·5	48·5	88·1
Port Stanley	48·8	40·0	60·1	60·8	68·1	80·4	84·2	81·7	76·4	65·3	52·8	47·0	84·2
Pelee Island	47·0	30·0	67·0	52·0	66·5	86·0	83·5	80·0	77·0	71·0	48·0	49·0	83·5
Paris	54·0	45·0	65·0	70·0	84·0	89·0	87·0	88·0	84·0	73·0	53·0	48·0	89·0
Peterborough	46·0	40·0	66·0	70·0	79·0	89·0	86·0	89·0	84·0	72·0	50·0	47·0	89·0
Renfrew	46·0	36·0	60·5	66·0	83·5	94·5	88·0	91·5	84·0	69·0	52·0	48·0	94·5
Rockcliffe	50·0	35·0	61·0	61·0	76·0	94·0	88·0	85·0	80·0	68·0	48·0	41·0	94·0
Scarborough	51·0	38·0	52·0	69·0	75·0	86·0	86·0	85·0	82·0	70·0	49·0	46·0	86·0
Southampton	57·8	42·0	60·3	61·8	79·2	89·2	85·9	87·9	81·0	72·2	54·0	49·8	89·2
Stratford	55·0	38·0	64·0	67·0	.....	89·0	.....	86·0	81·0	73·0	52·0	48·0	.....
Stony Creek	.....	.....	.....	.....	88·0	92·0	92·0	94·0	89·0	79·0	55·0	58·0	.....
Sutton West	.....	41·0	65·0	70·0	81·2	91·0	85·5	92·0	85·0	71·2	50·0	47·7	92·0
Toronto	51·0	40·3	64·1	70·0	76·3	86·8	90·0	87·0	82·7	24·0	51·0	47·2	90·0
Uplands	48·0	35·1	55·0	57·0	74·0	90·0	85·0	87·0	80·4	70·0	47·0	47·0	90·0
Ursa	36·0	35·0	46·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uxbridge	59·0	35·0	64·0	70·0	80·0	90·0	87·0	88·0	82·0	71·0	49·0	44·0	90·0
Wallaceburg	56·0	43·0	72·0	72·0	81·0	88·0	.....	.....	85·0	75·0	55·0	52·0	.....
Welland	58·0	45·0	69·0	75·0	81·0	90·0	88·0	88·0	83·0	76·0	58·0	52·0	90·0
Windsor	56·0	46·0	72·0	71·0	80·0	86·0	86·0	86·0	82·0	72·0	54·0	50·0	86·0
White River	30·0	32·0	52·0	46·0	64·5	.....	80·0	80·0	70·5	59·0	45·0	40·0	.....
Whiteside (Bala)	49·5	35·0	55·0	64·0	.....	.....	84·5	87·5	80·0	67·0	51·0	45·0	.....
Woodstock	56·0	41·0	65·0	69·0	80·0	88·5	86·5	86·0	82·0	73·0	53·5	49·5	88·5
QUEBEC.													
Abitibi	36·0	27·0	50·0	45·0	60·0	82·0	78·0	83·0	76·0	60·0	47·0	37·0	83·0
Anticosti, S.W. Pt	36·0	34·5	35·5	41·0	57·0	69·0	72·0	65·0	60·0	53·0	47·0	45·0	72·0
Anticosti, W. Pt	35·0	29·0	36·0	44·0	62·0	73·0	70·0	70·0	63·0	50·0	43·0	38·0	73·0
Bird Rocks	42·0	40·0	36·0	41·0	52·0	60·0	65·0	78·0	65·0	58·9	49·9	46·0	78·0
Brome	49·0	40·0	57·0	67·0	77·0	88·0	84·0	84·0	79·0	65·0	56·0	50·0	88·0
Cape Chatte	45·0	24·0	40·0	49·0	54·0	70·0	67·0	75·0	65·0	58·0	55·0	55·0	75·0
Cape Magdeleine	45·0	30·0	45·0	60·0	57·0	75·0	69·0	68·0	66·0	56·0	57·0	50·0	75·0
Chicoutimi	39·4	30·0	47·2	54·5	67·2	89·2	90·2	80·5	71·6	63·5	53·2	41·3	90·2
Clarke City	34·0	50·0	49·0	49·0	65·0	82·0	77·0	76·0	73·0	62·0	46·0	.....	.....

MAXIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
QUEBEC—*Concluded.*													
Father Point	45·0	31·0	43·2	58·0	59·8	74·7	73·7	77·7	69·7	57·8	52·8	47·8	77·7
Heath Point	35·0	32·0	34·0	37·0	55·0	57·0	58·0	66·0	60·0	53·0	45·0	.....	.....
Montreal	43·0	35·7	49·6	64·0	74·0	87·4	84·8	87·9	79·6	66·7	51·8	49·1	87·9
Percé	41·8	.....	.....	.....	61·4	80·6	.....	.....	.....	.....	.....	45·9	.....
Paspebiac	41·0	31·0	45·0	52·0	66·0	.....	81·0	78·0	.....	60·0	.....	.....	.....
Quebec	45·0	28·0	46·0	62·8	66·2	89·0	87·5	84·0	74·0	60·0	53·0	45·8	89·0
Ste. Anne de Bellevue	.....	.....	.....	69·0	.....	91·5	88·0	.....	.....	67·2	52·2	.....	.....
Sherbrooke	49·1	40·3	55·6	64·2	75·0	90·7	85·7	85·9	80·0	66·0	55·6	50·0	90·7
Shawenegan Falls	.....	.....	.....	.....	.....	.....	.....	84·0	70·0	65·0	52·0	40·0	.....
NEW BRUNSWICK.													
Chatham	48·0	36·5	54·0	66·0	77·0	94·0	90·5	87·0	78·0	66·5	58·5	57·5	94·0
Dalhousie	35·0	31·0	49·0	56·0	.....	91·0	84·0	79·0	75·0	65·0	51·0	47·0	.....
Fredericton	47·5	39·0	50·3	68·0	73·3	91·0	87·8	81·3	78·0	67·0	57·0	53·0	91·0
Grand Manan	50·7	46·2	50·2	53·0	68·1	78·6	83·1	78·6	76·6	64·1	57·5	52·2	83·1
Moncton	53·0	43·0	47·0	67·0	75·5	89·5	87·0	80·0	74·0	65·0	59·0	57·0	89·5
Point Lepreaux	44·0	38·0	48·0	48·0	58·0	67·0	69·0	67·0	65·0	57·0	53·0	50·0	69·0
St. John	48·5	43·3	52·3	52·3	63·0	75·9	76·5	73·2	69·3	60·3	57·0	50·8	76·5
St. Stephen	44·0	43·0	56·5	68·5	76·5	.....	.....	85·0	79·0	65·0	58·0	56·0	.....
Sussex	46·0	42·0	49·0	60·0	.....	85·0	85·5	80·0	79·0	64·0	62·0	56·0	.....
Woodstock	.....	40·0	55·0	66·0	72·0	94·0	90·0	81·0	.....	65·0	.....	.....	.....
NOVA SCOTIA.													
Halifax	50·3	45·6	55·8	68·0	68·0	84·3	86·8	78·3	76·7	64·2	57·4	53·1	86·8
Parrsboro'	54·0	47·0	48·0	.....	.....	.....	.....	.....	.....	66·0	58·0	.....	.....
Port Hastings	49·0	52·0	49·0	67·0	74·0	87·0	88·0	78·0	79·0	69·0	67·0	50·0	88·0
Sable Island (Mn. Stn.)	48·0	50·0	47·0	52·5	53·0	70·5	74·0	73·0	71·0	63·0	56·0	53·0	74·0
Sable Island (East Pt.)	49·0	43·5	44·0	53·0	56·5	66·5	73·5	71·5	69·0	69·5	57·0	53·5	73·5
Sydney	50·5	47·5	49·0	63·0	69·0	83·5	82·5	77·5	76·0	64·5	61·5	57·5	83·5
Truro	51·8	50·4	46·7	70·6	70·3	84·6	87·9	81·7	78·6	65·5	60·6	57·5	87·9
Windsor	55·0	50·0	52·0	64·5	73·0	87·0	85·0	80·5	77·0	66·5	62·5	56·0	87·0
Whitehead	43·0	36·0	41·0	46·0	53·0	60·0	66·0	67·0	67·0	57·0	53·0	47·0	67·0
Wolfville	56·0	49·0	57·0	75·0	74·0	85·0	85·0	84·0	80·0	.....	.....	.....	.....
Yarmouth	55·0	43·7	53·5	58·5	60·1	74·3	72·3	73·4	72·0	61·5	59·0	53·4	74·3
PRINCE ED. ISLAND.													
Charlottetown	46·0	44·6	44·5	60·0	64·0	75·0	83·0	77·0	72·0	63·0	56·0	50·0	83·0
Hamilton	48·0	45·0	42·0	60·0	70·0	85·0	79·0	77·0	74·0	65·0	59·0	54·0	85·0
Summerside	48·0	48·0	44·0	60·0	67·0	81·0	79·0	75·0	72·0	64·0	58·0	52·0	81·0
NEWFOUNDLAND.													
Amour Point	31·0	36·0	31·0	38·0	45·0	58·0	73·0	60·0	57·0	50·0	45·0	35·0	73·0
Belle Isle	33·0	35·0	33·0	41·0	47·0	51·0	65·0	65·0	59·0	48·0	44·0	36·0	65·0

MAXIMUM TEMPERATURE for each Month and for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEWFOUNDLAND—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	—
Channel	42·0	40·0	38·0	50·0	57·0	68·0	67·0	68·0	65·0	53·0	48·0	45·0	68·0
Cape Norman	33·0	33·0	28·0	37·0	45·0	56·0	74·0	63·0	57·0	53·0	48·0	30·0	74·0
Point Rich	35·0	40·0	30·0	39·0	49·0	55·0	70·0	60·0	62·0	54·0	47·0	42·0	70·0
St. John's	47·0	48·0	44·0	58·0	66·0	75·0	76·5	80·0	73·0	69·0	58·0	58·0	76·5
St. George	41·8	45·2	40·8	55·1	66·4	69·4	80·5	78·6	72·4	65·6	57·4	57·5	80·5
BERMUDA.													
Prospect	72·0	71·6	78·0	74·6	76·4	82·6	86·6	86·4	85·6	83·0	76·6	76·4	86·6

MINIMUM TEMPERATURE for each Month and for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year
YUKON.	°	°	°	°	°	°	°	°	°	°	°	°	
Carcross	−40·0	−42·0	−30·0	− 6·0	26·0	30·0	35·0	31·0	26·0	− 8·0	− 7·0	−12·0	−42·0
Dawson	−59·0	−55·0	−41·5	−29·5	23·0	31·0	38·0	30·0	24·0	−15·0	−31·0	−41·0	−59·
White Horse	−55·0	−58·0	−36·0	−23·0	19·0	27·0	34·0	27·0	22·0	−19·0	−18·0	−15·0	−58·0
TERRITORIES.													
Fort Churchill	−45·0	−42·0	−35·0	−22·0	− 7·0	27·0	33·0	38·0	23·0	1·0	−15·0	−36·0	−45·0
Fort Hope	−45·0	−38·0	−35·0	−18·0	− 7·0	28·0	38·0	31·0	.....	.....	.....	.....	.....
Norway House	−43·0	−40·0	−33·0	−18·0	− 2·0	27·0	37·0	38·0	26·0	10·0	−21·0	−35·0	−43·0
BRITISH COLUMBIA.													
Alberni	− 2·8	12·9	22·0	25·0	29·0	40·0	43·0	35·0	32·0	32·0	36·0	23·0	− 2·8
Agassiz	4·0	8·0	24·0	31·0	34·0	38·0	43·0	40·0	37·0	34·0	31·0	28·0	4·0
Atlin	−40·0	−43·0	−24·0	− 2·5	25·5	32·0	35·0	33·5	25·0	21·0	8·5	0·0	−40·0
Barkerville	.....	.....	.....	10·0	20·0	.....	36·0	28·0	23·0	19·0	− 2·0	− 6·0	.....
Bella Coola	1·0	− 1·0	16·0	23·0	29·0	37·0	43·0	35·0	29·0	30·0	26·0	16·0	− 1·0
Big Creek	−37·0	−36·0	− 7·0	8·0	22·0	25·0	34·0	30·0	20·0	12·0	− 4·0	−23·0	−37·0
Clayoquot	14·5	25·0	27·5	32·0	36·0	40·0	43·5	43·0	39·5	41·0	34·0	28·5	14·5
Cowichan	1·5	23·5	24·7	26·6	34·0	40·0	18·0	39·0	36·4	30·0	30·5	26·0	1·5
Crawford Bay	.....	.....	.....	.....	.....	.....	.....	40·0	37·0	34·0	22·0	12·0	.....
Garry Point	1·0	17·0	26·0	28·0	35·0	40·0	43·0	38·0	36·0	32·0	29·0	22·0	1·0
Golden	−51·0	−39·0	− 4·0	13·0	25·0	30·0	39·0	33·0	25·0	26·0	− 4·0	−23·0	−51·0
Hedley (Nickel Plate)	−28·0	−12·0	− 3·0	10·0	22·0	28·0	32·0	22·0	.....	.....	10·0	− 2·0	−28·0
Hedley	−24·0	− 9·0	11·0	20·0	29·0	.....	43·0	40·0	35·0	31·0	19·0	8·0	−24·0
Kamloops	−25·5	−25·0	16·0	26·0	35·0	42·3	48·2	38·2	40·8	31·3	24·0	11·5	.....
Kitamaat	− 8·0	− 8·0	20·0	28·0	32·0	40·0	41·0	40·0	.....	.....	.....	.....	.....
Ladner	−26·0	16·0	25·0	26·0	30·0	42·0	45·0	39·0	36·0	34·0	28·0	23·0	−26·0
Massett	11·0	9·0	21·0	31·0	33·0	38·0	47·0	40·0	38·0	34·0	31·0	28·0	9·0
Nanaimo	1·3	20·5	23·0	28·2	35·0	41·0	43·7	44·4	29·0	33·0	30·0	26·0	1·3
Nelson	− 3·0	− 2·0	20·0	23·0	31·0	.....	40·0	40·0	36·0	32·0	20·0	17·0	− 3·0
New Westminster	2·0	12·7	25·0	28·0	35·5	40·0	44·0	39·9	38·8	34·9	33·2	21·4	2·0
Nicola Lake	−36·0	−31·0	1·0	20·0	25·0	37·0	39·0	37·5	34·0	26·5	15·0	2·5	−36·0
N. Nicomen	0·0	14·0	27·0	29·0	36·0	43·0	45·0	40·0	38·0	36·0	32·0	26·0	0·0
Okanagan Mission	−19·4	−18·5	12·8	19·4	26·6	38·2	43·9	40·0	37·0	29·6	19·7	10·0	−19·4
Penticton	.....	.....	.....	19·0	.....	.....	38·0	39·0	36·0	32·5	17·5	21·0	.....
Port Simpson	4·8	8·5	24·8	30·4	32·6	40·2	46·5	42·5	38·5	32·0	31·5	22·5	.....
Princeton	−45·0	−26·0	3·0	15·0	24·0	31·0	36·0	32·5	29·0	28·0	8·0	− 3·0	−45·0
Quesnel	−47·0	−50·0	− 9·0	15·0	24·0	34·0	41·0	35·0	25·0	20·0	10·0	− 7·0	−50·0
Revelstoke	−25·0	−12·0	11·0	20·0	27·0	39·0	42·0	39·0	34·0	28·0	27·0	2·0	.....
Rossland	− 8·5	− 2·0	14·0	20·0	33·5	37·5	41·0	37·4	32·2	35·0	16·0	10·0	− 8·5
Salmon Arm	−19·0	−20·0	15·0	23·5	29·0	40·0	43·0	38·0	38·0	31·0	23·0	10·0	−20·0
Summerland	.....	.....	.....	.....	.....	.....	43·0	41·5	37·0	33·0	17·0	12·0	.....

MINIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Stuart's Lake	—49·5	—55·5	—21·5	1·5	17·0	26·0	31·0	24·0	16·0	16·0	— 1·0	—13·0	—55·5
Spence's Bridge	—19·5	—15·0	18·5	25·5	34·0	43·0	46·5				22·5	13·5	
Thetis Island	14·6	24·1	24·2	29·5	37·5	43·2						26·8	
Tobacco Plains	—23·4	—11·9	12·0	17·0	33·0	36·0	39·0	35·0	29·0	28·0	17·0	0·0	—23·4
Vancouver	2·3	14·6	24·7	27·9	34·8	40·2	44·5	41·3	41·5	35·7	31·7	23·8	2·3
Vernon	—21·0	—21·0	3·0	18·0	30·0	38·0	42·0	36·0	36·0	31·0	23·0	10·0	—24·0
Victoria	14·8	25·5	28·7	32·2	38·0	43·4	46·7	43·7	40·2	35·5	36·3	30·4	14·8
Winter Harbour	16·0	22·0	28·0			41·0	46·9	41·0					
ALBERTA.													
Alix	—56·0	—58·0	—17·0	9·0	15·0	27·0	39·0	27·0	26·0	19·0	6·0	—21·0	—58·0
Banff	—48·2	—46·3	—10·8	3·2	19·2	28·1	34·7	30·0	23·2	20·7	8·0	—15·2	
Blackfalds	—49·5	—50·3	—15·0	17·5	14·5	30·0	37·0	27·0	26·0	23·0	5·0	—15·0	—50·3
Bon Accord	—41·0	—38·7	—13·5	5·4	12·2	32·3	39·5	31·5	19·8	9·8	6·0	—16·5	—41·0
Calgary	—34·8	—10·0	— 6·8	7·0	16·0	33·0	40·0	31·0	20·0	20·0	10·0	— 8·0	—40·0
Cardston	—32·0	—40·0	—12·0	0·0	18·0	29·0	39·0	32·0	15·0	19·0	17·0		
Didsbury	—42·0	—46·0	—10·0	16·0	18·0	34·0	40·0	28·0	20·0	20·0	12·0	— 6·0	
Dunvegan	—51·0	—53·0	—26·0	5·0	11·0	30·0	37·0	32·0	24·0	5·0	— 3·0	—20·0	—53·0
Edmonton	—46·0	—43·0	—11·0	8·0	15·0	35·0	42·0	31·0	25·0	15·0	8·0	—18·0	—46·0
Gleichen	—51·5	—52·0	—19·0	12·5	11·5	30·5	38·0	28·5		18·5	0·0	—16·5	—52·0
Gray Hill	—36·8	—33·3	— 9·0	9·4	17·7	39·4	39·1	32·5	26·6	22·6	11·5	—11·5	—36·8
High River	—42·0	—43·0	— 8·0	12·5	17·5	35·5	34·0	31·0	11·0	18·0	7·0	—14·0	—43·0
Hillsdown	—47·0	—47·0	—12·0	8·0	15·0	32·0	38·6	28·0	29·0	23·0	8·0	—14·0	—47·0
Knee Hill	—56·0	—51·5	—23·5	9·0	19·6	24·0	31·5			12·0	— 1·0	—26·0	—56·0
Lacombe												—18·1	
Lethbridge	—38·9	—39·2	— 4·1	3·5	19·3	35·8	41·3	36·8	24·2	24·0	16·3	— 0·8	—39·2
Macleod	—41·0	—47·0	— 9·0	3·0	20·0	31·0	43·0	35·0	18·0	24·0	17·0	— 8·0	—47·0
Medicine Hat	—41·0	—43·0	— 2·4	13·7	15·5	34·7	44·7	39·6	24·7	23·8	6·6	— 8·6	—43·0
Nanton	—46·0	—42·0	—10·0	0·0	24·0	30·0	28·0	28·0	22·0	18·0	— 6·0	—18·0	—46·0
Pakan		—29·0	—20·0	— 0·5	8·0	28·2	39·0	31·0	18·0	6·0	3·0	—24·5	
Pekisko	—37·0	—45·0	—16·0	— 7·0	12·0	27·0	32·0	29·5	13·0	10·0	10·0	— 9·0	—45·0
Red Willow				— 1·0	9·0	27·0	36·0	26·5	20·0	12·0	8·0	— 4·0	
Taber			— 3·0	12·0	16·0	35·0	41·0	36·0	28·0	22·0	8·0	— 5·0	
Threehills Creek	—56·0	—54·0	—15·0	9·5		28·0	34·0	25·0	21·0	16·0	5·5	—25·0	—56·0
Waitefield	—55·0	—50·0	—19·5	— 2·0	6·2	32·0	39·0	30·5	16·5	12·0	6·5	—18·0	—55·0
Wetaskiwin	—51·0	—49·0	—20·0	7·0	14·0	31·0	43·0	29·0	23·0	16·0	9·0	—14·0	—51·0
SASKATCHEWAN.													
Alameda	—41·0	—42·0	—13·0		15·0	32·0	42·0	34·0	14·0	8·0		—21·0	—42·0
Battleford	—50·0	—46·0	—18·0	2·0	10·0	34·0	44·0	36·0	21·0	8·0	0·0	—21·0	—50·0
Broadview					9·0	34·0	37·0						

MINIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Cannington Manor	46·0	—44·0	—22·0	— 1·0	.....	.....	.....	.....	.....	.....	.....	.....	.....
East End	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	— 2·0	— 9·0	.....
Estevan	—39·0	—41·5	— 8·0	4·0	17·0	35·0	45·0	35·0	13·0	11·0	0·5	—18·0	—4·15
Foxleigh	—44·0	—44·0	—14·0	— 2·0	4·0	32·0	41·0	30·0	10·0	9·0	— 7·0	.....	.....
Fond du Lac	—52·0	—49·0	—36·0	—24·0	—13·0	31·0	35·0	34·0	16·0	10·0	—15·0	—44·0	—52·0
Gatesgarth	—47·0	—46·0	—15·0	— 4·0	10·0	33·0	40·0	37·0	13·0	12·0	— 4·0	—24·0	—46·0
Grenfell	—10·0	—37·0	— 7·0	3·0	9·0	36·0	42·0	34·0	25·0	13·0	2·0	—18·0	—40·0
Haddington	.....	.....	.....	.....	.....	.....	.....	.....	.....	9·0	— 7·0	—22·0	.....
Humboldt	.....	.....	.....	.....	.....	.....	.....	34·0	20·0	.....	.....	15·0	.....
Indian Head	—42·0	—42·0	—10·0	— 3·0	6·0	34·0	41·0	33·0	22·0	12·0	1·0	—27·0	—42·0
Lemberg	—43·0	—42·0	—10·0	2·0	24·0	37·0	42·0	35·0	.....	.....	.....	.....	.....
Lloydminster	—51·4	—45·2	23·4	— 5·4	6·4	28·8	37·1	39·0	14·0	10·5	— 2·2	—26·4	—51·4
Meota	.....	.....	.....	.....	.....	.....	.....	30·5	12·0	11·0	— 6·0	—29·0	.....
Moosomin	—40·0	—37·0	—14·0	2·0	12·0	35·0	43·0	31·0	24·0	12·0	— 4·0	—23·0	—40·0
Moose Jaw	—50·0	—54·0	—10·0	— 1·0	9·0	32·0	38·0	35·0	11·0	11·0	— 4·0	—21·0	—54·0
Onion Lake	—48·5	—48·0	—20·0	.....	3·0	.....	.....	.....	16·0	.....	.....	.....	.....
Prince Albert	—49·5	—48·5	17·0	0·5	2·5	32·5	41·0	35·7	19·5	16·5	1·5	—29·5	—49·5
Qu'Appelle	—39·7	—37·0	—10·0	— 1·5	8·3	34·5	.....	.....	.....	.....	.....	.....	.....
Regina	.....	.....	.....	.....	.....	.....	40·0	32·4	14·7	10·2	0·2	—20·5	.....
Saskatoon	—48·8	—45·6	—16·3	1·5	9·0	34·0	43·0	36·5	14·5	12·0	— 2·5	—22·5	—47·8
St. Peter's Monastery	—44·5	—44·0	18·0	— 4·0	.....	.....	.....	.....	.....	.....	.....	.....	.....
Swift Current	—41·0	—41·0	0·0	8·0	12·0	33·0	38·0	36·0	19·0	13·0	2·0	—12·0	41·0
Waseca	.....	.....	.....	.....	.....	.....	35·0	29·5	14·0	9·0	— 8·0	— 6·0	.....
MANITOBA.													
Almasippi	.....	.....	.....	— 1·0	13·0	31·0	38·0	.....	17·0	.....	.....	—22·0	.....
Birtle	—43·0	—42·0	—17·0	2·0	11·0	33·0	37·0	30·0	27·0	11·0	.....	.....	.....
Brandon	—44·9	—46·0	—17·3	4·2	9·5	28·5	38·0	29·5	18·0	6·0	—14·0	—27·2	—44·9
Carberry	—50·0	—46·0	—22·0	1·0	4·0	31·0	.....	.....	12·0	0·0	—10·0	—20·0	.....
Carman	.....	.....	.....	.....	15·0	36·0	44·0	31·0	18·0	11·0	.....	.....	.....
Cypress River	.....	.....	.....	.....	11·0	33·0	37·0	37·0	22·0	.....	.....	.....	.....
Dauphin	—37·0	—34·0	— 7·0	— 2·0	10·0	35·0	42·0	36·0	26·0	17·0	—17·0	—31·0	—37·0
Hillview	—42·0	—42·0	—18·0	7·0	15·0	38·0	43·0	36·0	22·0	12·0	— 7·0	—26·0	—42·0
Home (P. la Prairie)	—35·0	—36·0	— 9·0	3·0	12·0	37·0	45·0	40·0	24·0	16·0	— 8·0	—20·0	—36·0
Minnedosa	—38·6	—37·1	—11·2	— 4·7	14·6	30·0	40·5	34·0	20·5	12·0	10·7	—20·6	—38·6
Morden	—34·0	—34·0	— 6·0	1·0	8·0	35·0	43·0	38·0	22·0	12·5	— 4·0	—18·0	—34·0
Oakbanks	—43·0	—37·0	—19·0	3·5	9·0	32·0	42·5	33·0	23·5	11·7	—17·0	—20·7	—43·0
Oakdale Park	—39·0	—38·0	— 8·0	4·0	10·0	.....	38·0	34·0	20·0	.....	.....	.....	.....
Pipestone	.....	.....	.....	.....	11·0	37·0	.....	35·0	20·0	11·0	.....	.....	.....
Portage la Prairie	.....	.....	.....	.....	14·0	38·0	43·0	41·0	27·0	18·0	.....	.....	.....
St. Alban's	—37·5	—40·0	—13·0	0·0	12·0	32·0	39·5	34·8	19·0	9·0	— 8·0	—24·0	—40·0

MINIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
Stony Mountain	—42·0	.....	—15·0	— 1·0	11·0	34·0	44·0	35·0	24·0	11·0	— 3·0	—22·0	.....
Treherne	—42·0	—41·0	—11·0	— 5·0	10·0	29·0	31·0	30·0	15·0	8·0	—10·0	—25·5	—42·0
Virden	.....	.....	.....	.....	15·0	37·0	43·0	29·0	21·0	12·0	.....	.....	.....
Winnipeg	—38·6	—38·0	—11·6	5·2	10·9	32·4	40·0	38·2	21·8	13·6	—12·0	—19·5	—38·6
ONTARIO.													
Agincourt	—15·0	—11·0	0·0	16·0	24·0	40·0	45·5	44·5	33·5	19·0	14·5	5·0	— 1·5
Alton	—21·5	—19·0	— 9·8	7·7	17·9	36·0	34·5	35·0	29·0	13·8	9·3	2·6	—21·5
Bancroft	—24·0	—43·0	—20·0	.....	19·0	33·0	38·0	36·0	27·0	10·0	2·0	—10·0	.....
Barrie	—21·5	—16·0	— 9·0	10·8	23·0	42·0	.....	.....	.....	.....	.....	.....	.....
Beatrice	—28·0	—32·0	— 9·0	6·0	15·0	35·0	40·0	36·0	32·0	13·0	6·0	— 6·0	—32·0
Birnam	—13·0	—10·0	5·0	13·5	26·0	38·0	37·6	39·7	39·3	22·0	9·0	7·5	—13·0
Bloomfield	—18·0	—11·0	1·0	18·0	28·0	41·0	46·0	45·0	39·0	22·0	13·0	— 1·0	—18·0
Brantford	—12·0	— 9·0	7·0	15·0	24·0	39·0	38·0	41·0	32·0	20·0	15·0	— 9·0	—12·0
Bruce Mines	—25·0	—28·0	—15·0	7·0	21·0	38·0	39·0	37·0	.....	18·0	3·0	— 6·0	—28·0
Chatham	—10·0	— 6·0	10·0	15·0	27·0	38·0	37·0	45·0	35·0	23·0	19·0	13·0	—10·0
Clinton	—12·0	— 8·0	5·0	12·0	23·0	35·0	34·0	36·5	36·5	20·0	6·0	— 4·0	—12·0
Clontarf	—30·0	—32·0	— 0·4	12·0	15·8	31·7	35·2	24·0	30·7	16·0	9·0	— 9·0	—32·0
Coldwater	.....	—24·0	—19·0	8·0	20·0	34·0	36·0	34·0	25·0	10·0	9·0	—14·0	.....
Copper Cliff	—26·0	—25·0	—13·0	3·0	22·0	41·0	41·0	42·0	.....	17·0	.....	.....	.....
Cottam	—15·0	—10·0	7·0	20·0	26·0	34·0	36·0	40·0	31·0	20·0	16·0	9·0	—15·0
Cockburn	—16·0	—21·0	— 9·0	10·0	21·0	37·0	42·0	39·0	32·0	19·0	9·0	2·0	—21·0
Gravenhurst	—33·0	—42·8	—18·0	6·4	24·0	35·0	39·0	40·0	36·0	14·8	11·6	— 7·4	—42·8
Guelph	—14·0	—15·0	11·0	19·0	25·0	40·5	44·0	42·0	36·0	22·0	20·0	10·0	—15·0
Haileybury	—34·3	—31·4	—18·6	— 3·0	16·9	37·8	40·6	35·8	27·0	13·0	5·7	—12·8	—34·3
Haliburton	—31·0	—42·0	1·0	5·0	23·0	32·0	32·0	33·0	33·0	11·0	1·0	— 9·0	—42·0
Hamilton	— 9·0	— 3·3	11·9	19·8	30·8	44·0	48·3	48·0	.....	.....	21·0	15·0	.....
Huntsville	.....	.....	—14·0	7·0	16·0	41·0	46·0	41·0	.....	16·0	.....	— 5·0	.....
Kenora	—38·0	—37·0	.....	5·0	10·0	37·0	45·0	41·0	28·0	.....	3·0	— 4·0	.....
Kingston	—12·6	—12·6	— 1·8	17·3	27·6	43·4	46·9	45·1	37·0	21·0	12·8	1·7	—12·6
Lakefield	—20·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	15·0	— 1·0	.....
Lakeside Home	—10·0	— 6·0	6·0	18·0	32·0	43·0	48·0	47·5	41·0	27·0	23·0	8·0	—10·0
Lake Talon	—36·5	—34·0	—22·0	0·8	4·5	35·0	32·5	32·0	27·5	11·0	1·0	—10·5	—36·5
Lindsay	—16·0	—22·5	— 6·0	9·0	24·0	40·9	41·4	42·2	38·7	19·0	11·6	— 5·4	—22·5
Listowel	.....	.....	.....	.....	.....	37·0	37·0	38·0	.....	.....	.....	— 5·0	.....
London	—14·0	—11·0	8·0	12·0	24·0	36·5	37·7	38·5	37·5	22·0	15·0	7·5	—14·0
Lucknow	—14·1	—11·2	0·0	10·7	21·0	35·4	32·3	34·7	30·2	19·5	13·8	— 2·3	—14·1
Meaford	— 9·0	—18·0	— 6·0	15·0	23·0	35·0	44·0	44·0	38·0	23·0	19·0	11·0	—18·0
Madoc	—17·0	—22·0	— 6·0	14·0	20·0	39·0	42·0	42·0	36·0	17·0	10·0	— 8·0	—22·0
Moose Factory	.....	—40·0	—28·0	—29·0	.....	29·0	32·0	.....	.....	10·0	.....	—32·0	.....

MINIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
ONTARIO—*Concluded.*													
North Gower	.....	.....	—20·0	14·5	24·0	32·0	43·0	39·0	28·5	21·0	.....	— 6·5	.. ....
Otonabee	—16·0	—11·0	0·0	16·0	29·0	44·0	48·0	.....	40·0	24·0	15·0	0·0	16·0
Owen Sound	— 9·0	—19·0	— 6·0	11·0	18·0	36·0	40·0	40·0	37·0	19·0	18·0	13·0	—19·0
Orillia	—16·0	—22·0	— 7·5	12·0	26·0	42·0	48·0	46·0	38·0	19·0	13·0	— 2·0	—22·0
Ottawa	—20·0	—19·0	—15·0	14·0	21·0	45·0	48·0	47·0	36·0	23·0	14·0	3·0	—20·0
Port Arthur	—27·0	—27·0	—10·0	1·0	16·0	34·0	40·0	38·0	23·0	16·0	6·0	—14·0	—27·0
Port Burwell	—10·0	— 4·0	11·0	14·0	23·0	41·0	41·0	41·0	42·0	.....	20·0	8·0	—10·0
Parry Sound	—22·6	—31·0	— 5·0	7·0	16·0	40·0	40·0	42·0	34·0	17·0	8·0	— 3·0	—31·0
Port Hope	—13·0	—11·0	— 5·0	17·0	28·0	41·0	.....	. .. ..	35·0	21·0	16·0	3·0	—13·0
Port Dover	—12·5	— 7·5	9·2	15·4	24·0	40·1	41·5	44·2	41·5	23·2	19·5	10·1	—12·5
Port Stanley	— 7·4	— 6·5	12·1	13·2	26·3	38·1	42·8	43·4	39·9	22·1	17·0	5·4	— 7·4
Pelee Island	— 8·0	— 9·0	— 6·0	26·5	34·0	49·0	55·0	61·0	46·5	35·0	28·0	20·0	— 9·0
Paris	—11·0	—10·0	7·0	16·0	25·0	40·0	42·0	42·0	39·0	22·0	16·0	10·0	—11·0
Peterborough	—20·0	—20·0	—10·0	12·0	25·0	38·0	42·0	41·0	36·0	13·0	8·0	— 6·0	—20·0
Renfrew	—26·0	—28·0	—21·0	10·0	18·0	36·0	46·0	39·5	29·5	17·4	6·5	13·0	—28·0
Rockcliffe	—38·0	—39·0	—28·0	2·0	14·0	35·0	38·0	35·0	30·0	13·0	1·0	— 8·0	—39·0
Scarborough	—15·0	— 9·0	2·0	15·0	25·0	42·0	44·0	45·0	39·0	23·0	14·0	3·0	—15·0
Southampton	—16·1	—13·1	— 1·2	12·1	24·1	35·1	38·6	38·8	40·1	21·1	18·1	14·0	—16·1
Stratford	—12·0	—12·0	4·0	12·0	.....	39·0	.....	41·0	34·0	20·0	10·0	8·0	... .
Stony Creek	....	.....	. . ..		26·0	37·0	43·0	43·0	39·0	22·0	19·0	15·0	....
Sutton West	.....	—16·0	—12·2	11·8	24·3	40·0	46·0	46·4	30·2	20·5	17·0	7·8	.....
Toronto	— 9·7	— 8·0	4·8	17·6	26·0	44·0	48·1	47·8	40·3	7·2	18·5	7·2	— 9·7
Uplands	—33·6	—31·5	—17·6	1·0	4·0	35·0	28·7	31·5	26·5	10·5	4·0	1·0	—33·6
Ursa	—35·0	—42·0	—20·0	. .....	.....	.... ..	.....	.....	.....	...	....	....	.....
Uxbridge	—22·0	—20·0	—10·0	13·0	21·0	40·0	39·0	40·0	37·0	17·0	14·0	— 2·0	—22·0
Wallaceburg	— 7·0	— 8·0	10·0	15·0	28·0	38·0	.....	.... ..	38·0	23·0	18·0	11·0	.....
Welland	—13·0	— 7·0	3·0	17·0	27·0	45·0	44·0	48·0	43·0	24·0	20·0	13·0	—13·0
Windsor	— 1·0	— 3·0	15·0	18·0	30·0	41·0	45·0	48·0	37·0	28·0	22·0	14·0	— 3·0
White River	—57·5	—54·0	—36·0	30·0	0·0	.....	31·0	30·8	18·0	0·0	— 9·0	—27·0	—57·5
Whiteside (Bals)	—24·5	—32·0	—13·0	10·5	....	....	43·0	41·5	37·0	20·0	13·0	— 5·0	....
Woodstock	—14·0	— 7·0	6·0	12·0	25·0	39·5	39·8	39·8	35·0	20·0	16·7	10·0	—14·0
QUEBEC.													
Abitibi	—45·0	—39·0	—31·0	—12·0	8·0	38·0	35·0	40·0	26·0	15·0	— 6·0	—26·0	—45·0
Anticosti (S.W. Point)	—40·0	—25·0	— 9·5	10·0	20·5	35·0	44·0	45·0	34·5	24·0	5·0	2·0	—40·0
Anticosti (W. Point)	—12·0	—15·0	—12·0	13·0	27·0	39·0	48·0	48·0	36·0	29·0	17·0	8·0	—15·0
Bird Rocks	— 9·0	—16·4	— 5·2	11·0	26·2	27·2	38·2	44·2	36·0	28·9	22·5	18·1	—16·4
Brome	—31·0	—26·0	—22·0	11·0	22·0	32·0	45·0	30·0	31·0	15·0	— 5·0	—15·0	—31·0
Cape Chatte	—17·0	—15·0	2·0	12·0	25·0	38·0	41·0	49·0	37·0	27·0	15·0	10·0	—17·0
Cape Magdeleine	—15·0	—17·0	— 15·0	10·0	30·0	35·0	49·0	42·0	35·0	28·0	15·0	8·0	—17·0
Chicoutimi	—38·6	—30·4	—23·2	4·8	20·2	36·6	43·7	39·3	25·1	17·8	1·2	—16·1	—38·6

MINIMUM TEMPERATURE for each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	
Clarke City	−33·0	−39·0	−29·0	0·0	18·0	32·0	41·0	38·0	28·0	10·0	− 9·0		
Father Point	−20·0	−18·0	−10·0	8·5	25·0	31·0	44·0	40·0	32·0	21·0	11·0	3·0	−20·0
Heath Point	−12·0	−10·0	− 8·0	10·0	28·0	37·0	43·0	45·0	40·1	23·0	18·0		
Montreal	−24·0	−13·6	− 5·8	13·0	28·1	44·2	51·5	48·8	35·2	25·0	15·8	3·5	−24·0
Percé	−17·2				28·0	36·2						6·2	
Paspebiac	−18·0	−19·0	−21·0	8·0	25·0		45·0	46·0		25·0			
Quebec	−30·2	−17·0	−12·6	11·4	24·6	40·0	47·6	43·2	28·5	17·5	11·0	− 3·6	−30·2
Ste. Anne de Bellevue	−28·5			11·8		42·8	51·2			22·5	7·0		
Sherbrooke	−42·0	−19·2	−20·3	11·7	26·3	35·5	44·0	39·8	31·0	19·0	6·0	− 9·5	−42·0
Shawenegan Falls								41·0	27·0	19·0	7·0	− 3·0	
NEW BRUNSWICK.													
Chatham	−26·0	−28·0	−18·5	2·0	27·5	34·0	50·0	45·0	30·0	22·0	14·0	5·0	−28·0
Dalhousie	− 6·0	−10·0	− 2·0	21·0		42·0	48·0	40·0	35·0	20·0	11·0	4·0	−10·0
Fredericton	−21·2	−25·5	−17·2	11·0	29·5	34·0	46·0	40·5	31·5	17·3	11·5	2·6	−25·5
Grand Manan	− 7·5	− 9·0	8·0	20·0	31·8	40·0	46·2	48·0	41·8	30·0	20·8	16·3	− 9·0
Moncton	−21·0	−18·0	−19·5	7·0	26·0	30·5	47·0	42·0	31·0	17·5	8·5	0·0	−21·0
St. John	−17·0	−11·3	− 3·2	13·5	31·8	38·5	49·5	50·0	39·5	27·0	19·3	10·0	−17·0
St. Stephen	−30·0	−33·0	−21·0	7·0	25·0			41·0	29·0	15·0	12·0	− 3·0	
Sussex	−24·0	−17·0	−23·0	6·0		29·0	45·0	36·0	29·0	17·0	12·0	− 6·0	
Point Lepreaux	−15·0	− 7·0	− 2·0	23·0	31·0	40·0	49·0	49·0	40·0	28·0	20·0	12·0	−15·0
Woodstock		−30·0	−34·0	5·0	29·0	34·0	48·0	45·0		19·0			
NOVA SCOTIA.													
Halifax	−10·0	− 7·8	− 0·3	17·3	28·5	36·6	49·0	45·6	34·6	24·4	20·5	15·5	−10·0
Parrsboro	−15·0	−14·0	− 9·0							18·0	16·0		
Port Hastings	0·0	0·0	5·0	14·0	30·0	37·0	45·0	49·0	40·0	32·0	24·0	16·0	0·0
Sable Island (Mn. Stn.)	0·2	3·5	13·0	20·0	32·0	35·0	47·0	54·0	45·0	34·0	30·0	24·0	0·2
Sable Island (E. Point)	5·0	5·0	13·0	21·5	34·0	39·5	51·5	55·0	48·5	38·0	33·0	27·0	5·0
Sydney	− 8·4	−11·4	− 6·0	12·0	25·9	27·9	40·9	36·4	32·0	29·4	20·5	20·0	−11·4
Truro	−18·3	−22·3	−13·2	10·4	23·5	28·8	43·4	38·3	29·0	17·3	9·9	6·0	−22·3
Windsor	−10·5	− 9·0	− 8·0	12·5	25·0	33·0	48·5	44·0	34·0	20·0	16·0	14·5	−10·0
Whitehead	− 3·0	− 5·0	4·0	17·0	32·0	38·0	48·0	52·0	41·0	32·0	26·0	20·0	− 5·0
Wolfville	−10·0	− 8·0	− 3·0	14·0	27·0	32·0	49·0	40·0	35·0				
Yarmouth	− 1·0	− 1·0	8·0	19·7	31·1	33·4	46·8	44·3	36·7	24·8	21·0	21·0	− 1·0
PRINCE ED. ISLAND.													
Charlottetown	−11·0	− 8·5	− 7·0	12·0	28·3	35·0	51·0	47·0	35·5	28·5	20·5	12·0	−11·0
Hamilton	−11·0	− 8·0	− 8·0	10·0	29·0	37·0	48·0	47·0	38·0	29·0	20·0	13·0	−11·0
Summerside	−13·0	−12·0	−14·0	9·0	27·0	34·0	49·0	46·0	35·0	25·0	19·0	9·0	−14·0
NEWFOUNDLAND.													
Amour Point	−15·0	−22·0	−15·0	0·0	20·0	31·0	43·0	44·0	38·0	20·0	4·0	9·0	−22·0
Belle Isle	−15·0	−21·0	−12·0	− 1·0	17·0	29·0	38·0	40·0	32·0	23·0	9·0	0·0	−21·0

MINIMUM TEMPERATURE for each Month and for the Year 1907 —*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEWFOUNDLAND— *Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Channel	0·0	—11·0	— 3·0	10·0	25·0	32·0	45·0	43·0	34·0	29·0	22·0	15·0	—11·0
Cape Norman	—14·0	—15·0	— 8·0	3·0	24·0	30·0	43·0	43·0	42·0	22·0	18·0	— 7·0	—15·0
Point Rich	—12·0	—18·0	—16·0	0·0	18·0	32·0	40·0	45·0	35·0	26·0	15·0	5·0	18·0
St. John's	0·0	— 3·0	— 5·0	15·0	27·0	30·5	43·5	40·0	34·0	28·0	22·0	9·0	— 5·0
St. George	— 9·6	— 14·2	—10·4	— 3·2	27·4	28·7	40·4	45·7	36·2	29·8	17·5	11·6	—14·2
BERMUDA.													
Prospect	54·6	48·0	50·4	51·6	60·0	61·6	71·0	71·0	68·4	62·4	60·0	51·0	48·0

Mean Daily Range of Temperature for each Month for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
YUKON.	°	°	°	°	°	°	°	°	°	°	°	°
Carcross	.....	14·9	21·6	22·7	23·5	30·2	25·5	23·8	18·1	16·4	19·3	16·0
Dawson	15·7	15·9	25·2	25·5	25·0	29·4	26·7	26·5	18·4	12·4	14·9	6·1
White Horse	24·4	23·8	30·2	27·1	26·8	26·1	23·4	23·2	22·3	16·8	17·8	14·9
TERRITORIES.												
Fort Churchill	15·7	20·8	23·7	21·9	14·4	19·6	16·8	18·0	12·7	15·9	15·2	17·1
Fort Hope	22·6	28·5	29·1	28·3	23·0	30·9	21·4	19·9	.....	.....	.....	.....
Norway House	18·1	22·4	25·0	25·2	18·3	22·1	18·5	14·1	13·2	16·8	16·5	18·0
York Factory	16·5	22·5	24·3	23·6	15·6	23·5	19·7	17·5	14·9	19·5	25·4	.....
BRITISH COLUMBIA.												
Alberni	19·1	22·3	22·7	28·8	28·3	26·8	31·7	30·3	31·4	29·7	.....	10·2
Agassiz	8·9	12·6	16·6	26·7	29·8	31·6	24·6	26·9	28·3	25·1	24·0	11·4
Atlin	17·2	16·3	20·8	19·7	22·4	24·1	23·1	17·1	16·7	10·0	9·6	9·6
Barkerville	.....	.....	.....	19·8	21·6	.....	29·8	19·3	18·9	20·8	13·0	13·7
Bella Coola	9·2	11·1	16·7	24·2	25·7	22·1	26·2	21·2	23·4	17·9	9·9	7·1
Big Creek	22·1	27·2	27·5	28·1	31·9	29·1	33·4	26·9	27·9	30·7	21·8	20·2
Clayoquot	13·8	12·5	16·7	19·2	18·0	23·5	21·4	19·1	21·5	13·9	11·1	12·4
Cowichan	15·1	16·5	17·6	22·3	22·2	22·5	23·9	21·9	20·8	18·6	38·9	10·8
Crawford Bay	.....	.....	.....	.....	.....	.....	29·7	19·2	20·8	19·2	8·4	9·5
Garry Point	14·0	10·8	14·4	16·8	18·7	18·8	19·8	17·9	15·9	13·1	40·2	10·6
Golden	23·3	17·8	22·6	21·8	28·6	26·7	29·3	23·1	22·9	23·8	11·6	15·1
Hedley	16·5	16·3	22·8	29·8	30·7	.....	30·7	23·9	24·9	24·1	15·5	11·7
Hedley (Nickel Plate)	27·4	21·4	23·2	26·4	21·0	22·2	25·0	20·7	.....	.....	16·3	15·5
Kamloops	16·2	12·5	17·5	16·6	24·7	25·0	28·5	24·4	19·5	18·8	12·2	10·2
Kitamaat	22·0	20·5	26·8	31·0	33·9	30·1	33·3	27·9	.....	.....	.....	.....
Ladner	16·8	5·4	7·7	16·0	22·2	18·4	19·4	18·2	17·7	15·1	11·3	8·9
Nanaimo	11·8	10·7	16·1	20·7	21·3	21·5	23·6	19·0	18·1	15·1	11·0	9·2
Nelson	11·8	16·0	17·1	21·3	30·2	.....	31·5	22·1	21·5	22·3	10·5	8·3
New Westminster	12·2	11·8	15·6	19·6	22·6	20·9	23·9	19·1	16·5	12·6	9·3	9·1
Nicola Lake	13·8	15·0	17·6	26·0	27·6	23·9	27·2	22·6	20·6	24·3	14·5	11·4
N. Nicomen	12·2	12·9	15·6	20·5	23·7	19·8	24·2	18·1	19·2	16·0	10·9	9·1
Okanagan Mission	14·9	14·3	18·4	27·6	27·4	25·7	30·6	22·3	20·4	21·2	12·0	11·2
Penticton	.....	.....	.....	27·2	.....	.....	33·7	26·0	22·5	25·8	14·8	10·9
Port Simpson	9·6	8·1	9·2	15·2	16·8	14·5	14·4	13·0	11·8	8·9	17·5	7·5
Princeton	22·5	18·1	23·4	31·5	32·2	29·8	37·1	27·5	27·9	23·7	19·4	13·5
Quesnel	19·5	22·5	26·0	29·2	32·8	27·8	31·8	25·9	25·7	25·5	13·8	13·3
Rossland	8·8	9·8	11·5	17·7	12·3	21·6	24·0	17·9	17·3	16·8	6·7	6·4
Salmon Arm	12·5	12·2	16·8	25·6	28·4	25·8	30·9	20·1	19·9	18·6	9·6	7·5
Summerland	.....	.....	.....	.....	.....	.....	26·2	19·8	18·8	20·2	11·8	10·4
Stuart's Lake	29·5	22·5	31·1	27·0	33·2	31·1	35·0	29·1	29·1	27·7	21·3	20·0

MEAN DAILY RANGE of Temperature for each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
BRITISH COLUMBIA—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Spence's Bridge	13·6	14·3	19·6	28·1	32 1	28·9	32·6	.... ..	.....	.....	16·3	10·8
Thetis Island	11·1	11·0	14·9	20·1	19·4	19·4	....	.....	.....	.....	.... ..	9·3
Tobacco Plains	15·2	14·0	15·6	20·2	24·8	24·7	28·1	23·1	22·6	23·4	12·8	11·2
Vancouver	13·0	11·7	14·9	19·2	22·2	20·7	24·0	19·3	15·6	11·3	8·3	8·1
Vernon	14·5	12·7	16·6	24·3	26·5	25·0	31·6	22·0	20·3	20·4	10·4	10·1
Victoria	8·7	9·4	14·4	17·6	18·8	19·1	21·4	18·7	16·3	12·3	9·1	6·9
ALBERTA.												
Alix	26·9	28·0	26·2	19·1	21·1	24·2	24·0	24·6	22·9	30·5	23·1	23·4
Banff	23·3	20·2	22·9	19·9	23·1	24·6	29·2	21·7	22·1	24·2	12·9	13·7
Blackfalds	25·5	25·4	27·1	20·2	23·5	21·6	24·8	24·1	24·8	33·5	23·3	21·7
Bon Accord	20 0	18·1	21·8	18·2	22·1	23·5	23·4	22·0	22·7	26·9	21·3	17·5
Cardston	25·6	23·6	22·5	25·8	24·1	25·3	30·9	24·4	24·2	35·7	23·4	.....
Didsbury	18·4	22·3	20·0	20·7	22·5	21·7	26·5	22·6	26·5	30·3	23·3	22·1
Dunvegan	23·2	25·4	31·8	.....	27·6	27·5	22·8	28·9	26·7	29 2	22·0	17·3
Edmonton	22·0	20·5	22·5	20 6	23·5	23·4	23·5	22·8	23·9	25·7	17·1	16·4
Gleichen	22·8	25·2	27·0	23·5	29·5	24·3	29·6	31·8	.....	40·0	35·0	29·2
Gray Hill	20·0	20·5	21·6	19·2	22·5	21·7	23·0	21·4	21·9	25·8	18·9	17·1
High River	23·2	23·6	26·1	21·5	25·6	27·1	28·0	26·8	26·9	34·5	29·5	24·7
Hillsdown	23·5	21·5	23·4	18·7	22·9	23·3	25·0	23·0	23·0	27·9	20·1	18·5
Knee Hill	25·0	27·5	28·2	27·0	28·8	28·9	30 8	.....	.....	35·8	31·7	28·3
Laurence	16·2	22·7	24·3	19·5	25·6	29·3	36·8	34·3	29·6	41·7	33 8	26·0
Lethbridge	26·6	25·7	25·9	26·0	25·7	25·2	29·3	27·0	24·6	31·0	21·5	22·4
Macleod	26·8	24·4	27·4	25·2	20·8	21 0	25·3	24·2	20·8	26·2	19·3	18·7
Pakan	.....	25·7	28·0	20·1	24·1	26·1	24·5	23·8	25·7	29·2	24·5	25·7
Pekisko	33·2	27·0	30·7	23·4	24·2	25·1	27·9	23·8	25·0	34·3	22·9	24·3
Red Willow	.....	.....	.....	28·1	27·1	30·8	29·1	26·2	24·0	27·7	20·3	17·3
Taber	.....	.....	19·3	21·1	23·0	21·6	29·5	27 1	23 0	25 2	17·6	21·3
Threehills Creek	22·7	23·3	26·8	23·4	.....	27·7	32·1	26·0	29·3	27·5	25·3	24·9
Waitefield	22·6	20·0	25·0	18·8	23·5	22·4	21·9	21·7	22·9	26·4	20·6	19·7
Wetaskiwin	24 3	21·8	27·7	22·2	23·8	26·3	27·1	26·2	22·8	28·1	19·8	21·2
SASKATCHEWAN.												
Alameda	.....	16·6	19·5	.....	23·5	25·2	26·5	25·0	24·6	30·6	.....	18·5
Battleford	18·2	21·9	21·9	18·2	24·3	25·6	25·9	25·3	24·6	34·0	21·2	18·6
Broadview	.....	.....	.....	.....	19·4	17·1	26·0	... ...	.....	.....	.....	.....
Cannington Manor	16·0	20·6	16·2	16·1	.....	.. ....	.....	.....	.....	.....	.....	.....
Estevan	17·8	17·0	19·1	15·9	19·4	22·5	21·8	24·7	26·0	33·8	24·5	21·6
Foxleigh	17·9	19·9	20·7	19·0	23·5	20·0	26·4	28·3	25·6	30·3	26·3	.....
Fond du Lac	18 0	23·2	28·9	26·2	21·0	23·3	17·2	16·2	14·1	13·7	15·7	16·3
Gatesgarth	17·7	19·0	21·2	17·5	24·2	23·2	26·5	26·4	27·3	33·1	27·4	23·9
Grenfell	18·1	20·4	19·7	18·1	24·4	20·0	22·3	21·9	23·2	27·5	20·3	18·9

MEAN DAILY RANGE of Temperature for each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Haddington										33·3	29·3	22·8
Humboldt							24·0	24·5	21·6	28·6		
Indian Head	21·8	20·7	22·5	17 5	24·5	20·7	23·8	22·4	23·0	29·5	24·3	21·2
Lemberg	20·7	26 2	23·0	20·9	16·6	28·4	31·9	34·6				
Lloydminster	21·1	22·0	26·9	18·8	20·5	22·7	24·8	23·9	23·3	27·7	22·8	21·4
Meota								43·4	26·4	30·9	27·8	24·2
Moosomin	15·0	17·5	18·2	16·0	20·7	19·5	22·4	20·7	19·9	26 0	20·6	16·8
Moose Jaw	18·0	19·3	21·1	15·2	21·7	23·5	27·3	28·6	28·2	31·4	26 2	19·2
Onion Lake	19·9	29·1	25·1		24·8				16·9			
Prince Albert	21·1	23·7	26·0	21·7	22·8	24·6	22·8	21·1	20 6	25·7	19·8	20·4
Qu'Appelle	19·5	19·2	19·7	18·0	23·3	21·1						
Regina							27·0	27·1	26·5	31·3	25·7	21·7
Saskatoon	19·8	21·0	24·8	17·3	21·0	22·8	23·5	24·8	25·2	31·6	26·1	21·4
St. Peter's Monastery	16·1	18·2	21·4	19·9								
Swift Current	18·0	17·9	18·3	17·2	22·6	21·3	27·6	29·1	26·1	30·6	25·8	19·5
Waseca							25·3	22·3	20·6	25·6	22·9	20·2
MANITOBA.												
Almasippi	17·4		19·3	17·8	25·7	25·3	26·7	26·3	23·1	29·4		19·1
Birtle	25·4	18·2	26·2	25·4	24·6	23·5	29·6	25·6				
Brandon	22·5	24·7	24·5	19·8	27·8	25·8	28·6	26·8	25·8	31·3	27·5	24·6
Carberry	40 0	23·7	29·6	21·3	23·6	27·3			22·6	21·7	21·1	
Carman					19·2	26 6	29·0	28·3	29·6	32·5		
Cypress River					24·4	25 1	27·4	24·8	23·0			
Dauphin	18·7		22·8	21·3	23·4	21·0	23·8	21·4	19·8	22·8	19 6	18·8
Hillview	15·6	18·1	23·0	15·3	23·2		21·5	21·0	19·7	25·8	19·7	17·5
Home (Portage la Prairie)	18·8	21·4	19 4	15·9	21·5	21·9	20·8	18·2	19·5	23·8	18·3	19·6
Minnedosa	19·3	22·6	23 1	20·5	22·3	20·9	24·6	21·6	22·3	23·7	19·6	19·8
Morden	18·6	22·4	22·2	20·0	26·5	25·1	25·1	25·7	24·1	26·6	20·2	19·0
Oakbank	17·0	15·3	19·4	16·5	20·5	21·7	22·4	18·1	18·2	21·1	15·7	14·3
Oakdale Park	16·3	18·8	22·8	21·4	32·1	27·7	29·1	28·5				
Pipestone					28·8	17·6		27·0	24·6	31·2		
Portage la Prairie					19·3	17·9	13·8	16·7	19·1	22·7		
St. Alban's	20·5	21·9	25·1	20·7	27·8	28·3	29·1	26·5	24·5	27·9	22·5	21·1
Stony Mountain	21·5		23·3	17·7	23·4	25·1	25·5	20·8	21·6	28·7	20·0	20·0
Treherne	18·6	17 1	13·4	17·5	22·5	26·9	27·2	21·3	34·6	28·0	21·6	17·3
Virden					32·7	23·3	29·0	27·8	24·6	31·9		
Winnipeg	20·5	22·4	21·7	16·9	24·1	24·2	23·4	20·8	21·7	23·2	18·4	18 1
ONTARIO.												
Agincourt	13·2	18·6	16·6	15·4	22·5	20·7	24·6	27·0	19·5	21·7	14·0	12·3
Alton	18·2	21·0	21·9	21·6	28·1	77·0	29·2	33·7	25 4	23·4	17·0	14·9

MEAN DAILY RANGE of Temperature for each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO—*Continued.*	°	°	°	°	°	°	°	°	°	°	°	°
Bancroft	18·0	26·0	22·1	19·6	26·2	26·9	28·2	28·3	19·2	21·8	15·8	15·1
Barrie	15·4	20·6	18·1	16·1	23·1	21·6	.....	.....	.....	.....	.....	.....
Beatrice	19·4	23·5	20·7	18·5	24·5	25·3	24·0	24·9	17·8	19·8	13·3	10·7
Birnam	10·2	14·9	14·0	14·9	19·6	20·0	19 0	20·8	16·5	15·1	11·6	10·0
Bloomfield	16·2	22 3	18·1	16·6	19·1	20·6	20·4	22·7	15·7	18·0	13·9	13 1
Brantford	15·5	18·8	18·5	18·5	24·0	23·5	25·5	26·3	19·6	21·2	15·1	12·3
Bruce Mines	15·4	22·6	20·4	18·8	17 7	24·1	24·7	21·6	17·6	19·4	14·4	16·4
Chatham	14·9	17·3	17·5	18·4	24·5	20 5	24·6	25·0	19·4	21·9	15·6	12·9
Clinton	11·5	16·9	16·0	14·6	20·4	20·8	22·0	24·4	18·1	18·0	12·7	11·4
Clontarf	28·0	28·3	20·7	24·2	26·9	32·2	26·3	30·5	22·2	22 0	16·2	16·5
Coldwater	.....	28·9	24·1	17·7	29·7	31·8	31·0	34·8	25·5	24·7	17·3	19·9
Copper Cliff	18·9	23·1	20·6	19·9	21·0	24·5	24·4	21·3	.....	17·0	.....	.....
Cottam	17·9	18·1	18·7	18·9	25·6	21·8	24·3	25·1	20·2	21·5	17·7	14·1
Cockburn	13 8	23·3	21·3	16 8	16·5	28·2	23·0	20·6	16·3	16·9	13·3	14·2
Gravenhurst	20·2	26·8	21·8	18·8	23·7	25·1	22·8	22·6	17·2	18·6	13·2	14·9
Haileybury	21 8	24·8	23·1	19·8	19·3	24 0	19·7	18·5	15·1	16·2	13·4	18·4
Haliburton	20·0	29·2	19·9	22·5	28·8	31·0	28·9	29·7	18·5	22 7	16·1	18·0
Hamilton	12·2	16·5	15·2	13·1	18·0	17·7	20·1	22 1	17·2	.....	11·6	9·1
Huntsville	.....	.....	17·7	18·8	21·6	22·7	19·9	20·8	.....	16·9	13·2	16·9
Kenora	16·2	18·1	18·5	15·7	13·7	20·2	21·4	20·0	17·2	16·1	7·7	14·4
Kingston	14·9	17·9	13·2	13·7	16·1	17·0	13·5	16·3	12·8	16·9	12·0	12·8
Lakefield	13·8	21·2	19·1	20·9	27·0	.....	.....	.....	.....	18·8	15·2	15·9
Lakeside Home	12·5	14·9	13·1	11·2	15·4	13·9	16·7	16·3	11·7	13 2	10·4	9·5
Lake Talon	19·7	24·4	22·2	20·3	24·4	29·3	25·9	28·6	19·6	18·5	12·3	13·2
Lindsay	15·9	22·8	18·5	18·1	25·0	25·0	23·5	24·8	16·8	19·4	12·7	13·5
Listowel	14·5	19·5	.....	13·4	20·8	23·2	22·3	26·3	.....	.....	10·4	11·9
London	14·7	18·2	17·7	17·4	24·1	22·2	21·8	24·6	16·9	20·6	12·8	17·1
Lucknow	12·5	18·5	17·3	15·3	22·3	23·0	24·3	27·7	18·3	18·7	12·1	11·0
Meaford	11·5	19·8	18·3	12·3	19·8	18·6	17·3	19·8	14·8	13·6	13·9	9·7
Madoe	12·5	16·8	16·4	16·1	22·0	24·2	22·9	25 3	16 2	19·0	12·6	14·3
Moose Factory	29·2	33·7	32·0	26·6	21·2	29·2	25·1	22·5	23·7	19·2	18·8	20·7
North Gower	.....	21·5	20·2	17·3	21·8	23·7	23·6	26·9	19·9	17·3	14·9	16·3
Owen Sound	11·7	20·2	18·8	16·0	22·5	26·4	24·3	26·7	18·1	16·4	12·1	9·5
Orillia	14·8	22·4	18·7	16·6	23·1	21·6	20·3	19·3	15·9	18·8	13·0	14·3
Port Arthur	15·4	18·4	16·4	16·4	21·0	21·8	19·9	18·7	14·1	14·9	9·4	11·0
Port Buawell	17·9	24·4	22·1	19·0	18·1	21·9	23·8	18·8	15·8	18·5	15·2	19·7
Point Clark	11·2	13·3	11·8	14·2	18·9	15·7	17·2	17·9	12·0	17·3	11·8	8·3
Parry Sound	17·6	22·7	19·8	19·1	21·6	25·6	25·0	23·3	18·6	19·0	13·0	14·9
Port Hope	13·6	20·1	16·2	14·9	19·8	18·2	18·5	21·6	15·0	17·7	12·7	13·2
Port Dover	13·0	15·1	13·1	14·4	19 1	16·8	19·3	21·1	12·8	15·1	11·5	8·5

MEAN DAILY RANGE of Temperature for each Month for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ONTARIO—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Port Stanley	14·4	18·1	13·8	14·5	18·5	18·2	18·6	19·9	14·1	17·9	13·7	11·5
Pelee Island	11·4	12·8	10·3	9·7	9·0	8·7	8 2	7·8	8·4	9·0	8·9	8·8
Paris	13·5	19 3	19 4	16·8	24·6	22·4	22 9	25·5	16·9	18·8	11·4	11·0
Peterborough	18·0	22·9	20·0	17·6	26·4	25·0	22·5	25·5	19·5	22·7	15·8	16·3
Renfrew	19·6	22·3	22·5	19·3	23·1	24·9	24·2	29·8	20·0	20·8	13·0	16·8
Rockcliffe	24·0	27·5	26·0	21·2	23·4	27·0	23·8	24·9	17·2	18·1	14·3	16·6
Scarborough	15·6	16 8	13·6	13·8	18·2	18 3	21·0	21·1	15·3	18·6	12·7	11·5
Southampton	14·5	21·5	18·0	14 2	18·7	22·0	18·0	20 1	14·8	15·2	11·7	10·6
Stratford	14·2	17·6	18·2	16·7	20·4	20·2	22·1	22 8	17·1	16·6	14·1	11·5
Stony Creek					24·4	22·7	23·1	26·7	17·6	21 0	14·6	12·4
Sutton West	14·4	20·2	18·5	15·8	19·4	21·6	20 9	21·7	17·1	16·5	12·8	11·8
Toronto	13·0	16·6	15·1	15·1	20·6	20·1	22·9	21·8	15·4	17·2	11·5	10·8
Uplands	21·8	24·4	24·9	23·6	28·0	29·7	29·1	30·9	22 9	21 1	17·9	18·9
Uxbridge	12·0	16·2	16·2	15·9	22·6	23·4	22·3	27·2	17·0	17·4	11·8	10·7
Wallaceburg	14 0	18·8	18·1	17·4	23·1	21·0			17·7	19 3	14·6	13·5
Welland	15·7	17·1	18·0	17·9	23·0	20·8	21·1	22·3	15·8	18·2	12·8	12·7
Windsor	13·5	16·9	16·3	15·7	17·6	18·0	17·9	19·0	14·3	15·2	12·5	9·8
White River	27·0	34·1	27·5	27·5	23·6	32·4	26·3	23·8	18·2	20·7	16 1	19·9
Whiteside (Bala)	15·9	23·6	20·1	16·9			21·8	19·9	16·7	17·9	12·5	15·0
Woodstock	15·6	18·7	19·4	18·2	23·1	22·1	22·6	26·3	18·1	19·9	12·3	11·9
QUEBEC.												
Abitibi	27·0	27·4	27·5	20·4	16·7	19·0	17·1	15·6	16·0	12 9	13·7	20·0
Anticosti (S.W. Pt.)	20·7	18·3	15·9	9·9	9·6	12·9	13·7	8·1	8·9	9·0	9·8	11·2
Bird Rocks	15·9	18·0	13·4	10 4	14·8	13·0	10·4	11·5	14·4	10·5	13·4	11·1
Brome	16·7	17·8	19·4	16·1	19·6	21 1	18·4	20·9	14·9	15·9	13·4	11·9
Chicoutimi			22·9	20·4	21 1	25·8	20·3	19·2	18·9	15·3	16·1	21·2
Clarke City	20·4	25·3	25·0	19·1	16·6	20·0	10·0	16·8	19·0	15·4	17·7	
Father Point	17·2	16·1	18·8	14·9	13·4	15·3	14·4	14·8	13·9	13 0	12·8	13·5
Montreal	14·7	16·1	13·5	13·8	16·6	17·1	16·4	16·1	12·5	13 2	9·7	11·6
Percé	15·2				11·8	15·3	10·2		12·8	12·8	11·3	10·5
Paspebiac	12·3	12·4	19 1	12·9	16·1	18·3	13·4	16·1	16·6	14·7		13·1
Quebec	15·5	15·4	16·3	15·8	15·6	18·9	17·8	16·8	12·3	13·6	19·5	12·1
Ste. Anne de Bellevue				15·4	18·8	22·8	21·4		17·4	16·3	11·2	11·4
Sherbrooke	23·2	20·6	20·1	17·7	19·0	22·0	19·3	19·3	17·1	17·5	13 1	15 1
Shawenegan Falls								22·4	20·1	20·1	13·8	16·1
NEW BRUNSWICK.												
Chatham	22 8	25·6	26·8	20·1	20·0	25·2	17·8	20·4	18·5	18 9	15·6	16·0
Dalhousie	8·4	6·9	6 2	5 9	8·4	7·5	12·5	14·0	16·4	13·0	15 6	16·3
Fredericton	21·6	22·9	23·4	18·3	19·2	23·7	18·9	21·2	17·5	19 9	16·6	16·9

MEAN DAILY RANGE of Temperature for each Month for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
NEW BRUNSWICK—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°
Grand Manan	18·4	17·3	12·9	11·5	15·1	17·4	15·2	15·1	12·4	12·6	10·4	11·8
Moncton	24·6	22·1	20·7	17·2	20·9	22·8	18·2	19·6	17·9	18·8	16·5	17·8
St. John	18·7	19·0	16·4	12·1	12·6	14·5	12·1	11·8	10·8	13·9	11·3	12·5
St. Stephen	20·5	22·0	22·3	19·5	21·1	26·6	20·6	23·9	20·8	20·0	17·8	18·3
Sussex	15·5	15·1	20·2	15·7	19·0	24·4	19·4	20·9	20·2	16·3	17·8	14·8
Woodstock	.....	29·9	32 3	19·6	16·8	25·4	14·5	17·9	.....	18·9	.....	.....
NOVA SCOTIA.												
Halifax	18·4	17·8	16·3	15·5	18·8	20·9	17·1	16·3	15·9	14·7	14·5	13·5
Parrsboro	23·7	24·6	18·4	.....	.....	.....	.....	.....	.....	18·2	15·6	.....
Port Hastings	10·3	13·9	10·3	11·7	13·4	18·2	15·0	12 1	12·5	10·7	11·1	11·7
Sable Island (Main Station)	15·2	12·7	10·9	9·6	9·6	10·8	11·5	9·6	18·7	8·5	8·3	9·7
Sydney	21 4	21·1	18·9	17·6	19·4	22·6	16·8	17·2	16·1	14·0	13·1	11·5
Truro	21·3	24·9	20·0	18·2	20·8	24·2	19·4	21·0	19·9	19·1	17·5	16·2
Windsor	19·7	18·9	16·2	14·9	19·5	22·0	18·3	18·5	16·6	15·0	14·8	11·7
Wolfville	22·7	20·0	17·7	17·6	21·2	24·8	19·3	23·3	21·7	.....	.....	.....
Yarmouth	17·6	15·4	12·3	11·6	13·7	13·6	13·6	14·5	12·8	13·5	12·1	11·0
PRINCE EDWARD ISLAND.												
Charlottetown	16·7	18·6	15·5	14·3	15·4	17·6	13·1	14·1	13·1	11·6	10·7	11·5
Hamilton	17·5	16·4	15·4	13·8	15·0	17·0	13·4	13·9	12·0	13·6	11·9	13·2
Summerside	21·7	21·1	18·1	14·0	16·7	18·0	12·4	13·1	14·3	15·3	11·5	12·4
NEWFOUNDLAND.												
Belle Isle	12·1	11·3	13·4	13·9	9·6	11·8	16·0	14·5	11·2	11·5	.....	.....
Channel	15·2	16·4	12·5	9·5	10·8	13·8	8·1	10·8	11·8	10·0	9·0	8·8
St. John's	15·6	15·5	15·8	11·7	14·8	15·9	11·3	14·8	13·4	12·7	12·0	9·9
St. George	13·6	18·3	16·1	14·2	14·5	17·6	12·7	12 9	13·5	14·6	12·6	12·0
BERMUDA.												
Prospect	9·1	9·6	10·4	9·1	8·9	8·7	8·7	10·0	11·5	10·0	10·6	10·3

RAINFALL in inches in each Month and for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
YUKON.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Conrad	0·00	0·02	0·00	0·00	0·00	0·03	0·43	1·45	0·54	0·27	0 00	0 00	2 74
Dawson	0·00	0·00	0·00	0·06	0·76	0·85	1·93	1·28	1·89	0·26	0·00	0·00	7·23
White Horse	0·00	0·00	0·00	0·75	0·27	3·03	5·10	1·63	0·31	0·04	0·00	0·00	11·13
TERRITORIES.													
Fort Chipewyan	0·00	0·00	0·00	0·00	0·65	1 02	3·21	3·04	0 74	0·46	0·00	0·00	9·12
Fort Churchill	0·00	0·00	0·00	0·00	R.	2·25	1·58						
Fort Hope	0·00	0·00	0·00	0·00	0·00	0·57	2·65	3·50	0·87				
Fort Norman	0·00	0·00	0·00	0·00	0 00	2·00							
Fort Simpson	0·00	0·00	0·00	0·00	0·90	2·25							
Norway House	0·00	0·00	0·00	0·00	0·35	2·54	2·70	6·32	3·25	0·34	0 00	00·0	15·50
York Factory	0·00	0·00	0·00	R.	0·25	1·15	0·83	0·26	0·70	0·30	0·00	0·00	3·49
BRITISH COLUMBIA.													
Alberni	2·90	5·94	3·80	7·11	3·55	1·51	1·84	1·89	2·37	2·43	14·11	9·89	57·34
Alberni (2)	3·30	6·32	4·94	7·69	3·24	1·37	1·10	0·95	1·95	2·12	16·01	10·72	59·71
Atlin	0·00	0·03	0·00	R.	0·34	0·32	0·42	1·48	0·58	0·42	0·31	0·00	3·90
Agassiz (Ex. Farm)	1·63	5·90	7·26	7·40	2·30	4·36	1·06	6·40	3·30	1·24	8·42	4·20	53·47
Barkerville				0·16	1·06		6·40	5·24	3·25	1·49	0·79	0·10	
Bella Coola	6·48	3·98	1·40	2·15	1·53	1·56	1·01	2·96	3 21	5·37	10·65	3·37	37·67
Big Creek	0·00	0·09	8·25	0·09	0·55	1·12	2·23	3·04	1·06	0·06	9·30	0·00	16·79
Cape Scott	5·00	14·43	10·41	11·27	6·07	2·58	1·23	7·60	6·00	7·89	22·32	18·55	113·34
Cowichan (Tzoubalem)	2·46	4·73	1·31	2·09	0·61	1·24	0·90	0·48	1·01	1·08	7·36	8·54	31·51
Clayoquot	9 78	13·11	8·10	11·73	5·80	0·87	0·95	5 09	4·64	5·98	13·62	14·86	94·51
Denman Island	3·40	5·31	3·90	5·30	4·77	1·37	1·23	1·11	2·32	1·95	9·53	11·42	51·63
Fort St. James	0·00	0·06	0·00	0·55	0·74	1·69	0·94	2·80	1·69	0·63	0·27	0·00	9·37
Garry Point	4·40	5·08	1·51	2·48	0·83	0·60	0·07	0 14	0·23	0·47	6·57	6·45	28·83
Golden											R.	0·00	
Goldstream River	3·86	6 54	2·26	3·46	0·87	1·11	0·58	0 65	1 61	1·35	13·42	9·94	47·65
Hornby											4·22	9·38	
Hartley Bay	1·25	7·29	0·80	7·19	4·58	2·96	1·26	1·41	1·06	2·83	15·81		
Hedley	0·00	0·00	0·16	0·15	1·41		0·76	1·51	1·82	0·19	0·33	0·05	
Hedley (Nickel Plate)	0·00	0·00	0·00	0·00	2·32	0·98	0·90	1·96	1 13		0·00	0·00	
Kamloops	0·00	0·00	0·10	0·16	0·09	1·00	1·18	1·73	2·01	0·13	0·47	0·03	6·90
Kitamaat	0·00	8·98	0·88	4·03	1·00	1·05	1·55	3·22	3·38				
Ladner	3 15	4·12	1·32	2·72	0·55	1·32	0·61	1·45	3·60	1·21	6·51	7·10	33·36
Massett	0·00	2·85	0·85	3·75	2·00	0·85	1·70	3·98	0·39	4·08	9·02	6·52	35 99
Naas Harbour	00·0	8·67	0·56	2·41	2·20	1·56	2·03	7·68	55·5	15·24	15·84	5·01	66·78
Nanaimo	2·92	4·22	2·87	2·60	1·34	2·12	0·72	0 58	2·95	0·89	6·57	8·18	35·96
Nanaimo (2)	1·85	4·88	1·91	2·94	1·54	1 68	0·65	0·55	2·74	0·74	6·74	6·92	33·12

RAINFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Nelson	0·48	0·94	0·43	2·22	2·62	.....	1·94	7·51	1·39	1·20	2·51	1·52	.....
New Westminster	4·67	8·22	2·58	4·04	0·86	2·09	1·21	2·25	4·37	1·70	12·49	7·99	52 47
Nicola Lake	0·00	0·10	R.	R.	0·53	1·00	1·07	2·52	2·30	0·06	0·53	0·20	8·31
N. Nicomen	1·11	11·51	4·21	6·23	1·74	2·09	2·12	2·55	2·61	2·80	13·29	8·25	58·51
Okanagan Mission	0·00	0·29	0·21	0·10	1·45	1·37	0·55	1·74	2·23	0·27	0·52	0·52	9·25
Penticton	.....	.....	.....	0·19	.....	.....	0·37	1·13	0·78	0·30	0·21	0·64	.....
Port Simpson	0·23	10·01	3·51	3·39	1·63	3·49	3·52	6·58	4·32	9·83	12·02	5·94	64·47
Princeton	0·00	0·26	0·24	0·24	1·03	0·88	0·83	1·87	2·02	0·25	0·64	0·22	8·48
Quesnel	0·00	0·50	0·00	0·53	0·66	3·46	1·42	3·13	2·20	0·63	0·37	0·45	13·40
Rossland	0·00	0·67	0·17	1·97	3·58	2·87	0·88	5·89	4·25	1·37	1·54	R.	23·22
Salmon Arm	0·00	0·45	0·35	0·66	1·49	1·83	1·75	1·90	3·23	0·31	1·08	0·25	13·30
Somas River	3·30	6·32	4·94	7 69	3·24	1·37	1·10	0·95	1·95	2·12	16·01	10·72	59·71
Summerland	.....	.....	.....	.....	.....	.....	1·26	1·69	1·86	0 33	0·45	0·91	.....
Spence's Bridge	1·23	.....	.....	0·3	0·13	0·30	0·69	.....	.....	.....	0·38	R.	.....
Swanson Bay	.....	.....	.....	.....	1·42	3·61	3·67	7·86	6·75	18·15	34·89	21·98	.....
Thetis Island	3·55	4·12	1·53	1·53	0·82	1·30	.....	.....	.....	.....	.....	8·04	.....
Tobacco Plains	R.	1·05	0·31	0·80	1·35	3·43	3·21	3·93	2·98	R.	0·52	0·00	17·58
Vancouver	7·32	8·05	2·39	4·13	1·44	1·43	1·70	1·36	4·51	1·76	13·23	7·96	55·28
Vernon (Coldstream)	0 00	0·20	0·00	0·50	1·55	1·56	0·93	3·52	2·67	0·34	0·74	0 00	12·01
Victoria	2·64	3·87	1·40	1·39	0·35	0·33	0·39	0·23	1·21	0·73	4·68	4·78	22·00
Victoria Waterworks (Royal Oak)	4·08	3·44	1·76	1·89	0·52	0·38	0·36	0 35	1·19	0·90	5·60	7·23	27·70
Winter Harbour	4·93	16·74	9·64	.....	.....	1·30	0·74	3·99	.....	.....	.....	.....	.....
ALBERTA.													
Alix	0·00	0·00	0·00	0·00	1 07	3·38	1·50	2·35	1·60	0·75	.....	0·00	.....
Beaver Hills W.	0·00	0·00	0 00	0·00	0·83	2·90	2·42	4·64	1·50	0·04	0 03	0·01	12·37
Beaver Hills E.	0·00	0·00	0·00	0·00	0·30	2·80	2 35	4·68	3·29	0·00	0·00	0·00	13·42
Bismark	0·00	0·80	0·00	0·00	0·64	4·83	2·80	3·99	2·01	0·33	0·00	0·00	14·60
Bittern Lake	0·00	0·00	0·00	0·00	0·90	2·74	2·27	5·52	1·78	0·31	0·06	0·02	13·60
Banff	0·00	0·00	0·11	0·36	2·71	2·80	1·90	4·26	1·97	0·96	0·11	0·00	15·18
Blackfalds	0·00	R.	R.	R.	0·14	4·61	2·34	4·21	2·18	0·74	0·09	0·00	14·31
Bruderheim	0·00	0·00	0·00	0·21	0·86	2·64	1·73	3·30	1·32	0·25	0·01	0·00	10 32
Bon Accord	0·00	0·13	0·00	0·05	1·12	2·77	1·78	3·56	1 44	0·19	0·15	0·00	11·19
Cardston	0·00	0·10	0·00	0·00	2·99	3·76	2·55	2·48	1·69	.....	.....	.....	.....
Clover Bar	0·00	0·00	0·00	.....	0·60	2·98	0·98	3·25	.....	.....	.....	.....	.....
Conjuring Creek	0·00	0·00	0·00	0·00	0·75	3·93	1·74	3·08	1·84	3·20	0·11	0·00	14·65
Coutts	0·00	0·00	0·00	0·00	3·75	1·47	2·00	0·50	2·25	0·25	0·00	0·00	10·22
Conrad	0·02	0·00	0·00	1·25	.....	0·30	4·25	1·45	0·54	0·27	0·00	0·00	8 06
Didsbury	0·00	0·00	0·00	0·00	1·40	5·33	3·93	4·49	2·03	0·43	0·00	0·00	17·71
Dunvegan	0·00	0·00	0·00	0·00	0·49	2·33	1·88	1·90	0·95	0·40	0·00	0·00	7·95

RAINFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ALBERTA—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Dorenlee	0·00	0·00	0·00	0·00	0·61	3·67	2·94	4·63	1·55	0·29	0·30	0·00	13·99
Edmonton	1·04	0·12	0·45	0·15	0·40	0·92	0·74	1·04	0·82	0·14	0·06	0·12	6·00
Gleichen	0·00	0·00	0·00	0·34	0·90	6·05	1·12	1·23	.....	.....	R.	0·00	.....
Grassy Lake	0·00	0·00	0·00	0·25	1·00	0·40	0·04	0·20	3·50	0·00	0·00	0·00	5·39
Gray Hills	0·00	R.	0·00	0·02	0·31	0·33	1·64	3·67	1·63	0·53	0·14	0·00	11·27
Heather Brae	0·00	0·00	0·00	0·00	1·16	3·46	1·99	5·14	2·26	0·85	0·06	0·00	14·92
High River	0·00	0·00	0·00	0·11	0·57	4·05	1·10	3·39	0·95	0·30	0·00	0·00	10·47
Hillsdown	0·00	R.	0·00	0·02	1·03	3·30	1·47	3·76	1·76	0·48	0·16	0·00	11·98
Innisfail	0·00	0·00	0·00	0·05	3·34	.....	.....	.....	.....	.....	.....	.....	.....
Island Lake	0·00	0·00	0·00	0·00	0·65	.....	.....	.....	.....	.....	.....	.....	.....
Josephsburg	0·00	0·00	0·00	0·03	1·84	3·07	0·78	1·53	0·86	0·00	0·00	0·00	8·11
Jumping Pound	0·00	0·00	0·57	0·75	0·97	3·67	1·41	4·97	0·50	0·21	0·30	0·34	13·69
Kimball	.....	.....	.....	.....	.....	.....	.....	1·74	0·29	R.	0·00	0·00	.....
Knee Hill	.....	.....	.....	0·30	0·90	2·85	1·32	.....	1·11	0·20	.....	0·00	.....
Laurence (Nanton)	0·00	0·00	0·00	0·44	0·83	3·06	1·06	1·02	2·75	0·02	0·00	0·00	9·18
Lacombe	0·00	0·00	0·00	0·34	5·50	3·23	4·10	2·55	1·10	0·01	0·00	0·00	16·83
Lethbridge	0·00	0·00	0·00	0·12	1·14	3·64	1·43	2·30	1·97	0·05	0·00	0·00	10·65
Macleod	0·00	0·00	0·49	0·12	1·21	3·57	0·78	1·59	0·66	R.	0·00	0·00	8·42
Macleod (2)	0·00	0·00	0·19	0·33	1·17	4·47	0·22	3·72	1·92	0·15	0·00	0·00	12·17
Magrath	0·00	0·20	0·00	1·00	1·04	3·25	0·49	1·03	1·56	0·17	0·00	0·00	8·74
Mayton	0·00	0·00	0·00	0·00	0·87	4·61	2·63	3·75	1·76	0·32	0·00	0·00	13·94
Medicine Hat	0·00	R.	0·15	0·10	0·65	1·69	0·92	0·62	1·01	0·00	0·01	0·00	5·15
Morinville	0·00	0·00	0·00	0·00	0·78	2·73	1·83	2·85	0·40	0·05	0·00	0·00	8·64
Okotoks	0·00	0·00	0·00	0·00	0·84	4·55	1·29	3·30	0·27	0·00	R.	0·00	10·25
Pakan (Victoria)	0·00	0·00	0·00	0·00	0·76	1·78	3·14	4·41	2·85	2·00	0·07	0·20	15·21
Pekisko	0·00	0·00	0·00	0·00	1·12	4·58	1·78	4·57	0·67	0·02	0·00	0·00	12·74
Ponoka	0·00	0·00	0·00	0·00	1·17	5·77	2·21	4·65	2·28	0·30	0·04	0·00	16·42
Red Willow	.....	.....	.....	0·00	0·00	1·39	1·14	4·11	1·32	0·49	0·17	0·00	.....
Saddle Lake	0·00	0·00	0·00	0·00	0·15	0·85	2·08	4·94	1·20	0·00	0·00	0·00	9·22
Sion	0·00	0·32	0·00	0·00	1·33	4·17	2·44	3·43	1·47	0·34	0·08	R.	13·58
Threehills Creek	0·00	0·00	0·00	0·05	.....	2·08	2·10	3·09	2·41	0·28	0·07	0·00	.....
Wabamun	0·00	0·45	0·00	0·02	1·66	4·52	2·71	4·20	1·13	0·44	0·18	0·00	15·31
Wetaskiwin	0·00	0·00	0·00	0·00	0·39	3·83	2·17	4·12	1·52	0·49	0·10	0·00	12·62
SASKATCHEWAN.													
Alameda	.....	0·08	0·15	.....	0·10	0·85	2·49	1·59	0·39	0·22	.....	0·00	.....
Battleford	0·00	0·00	0·00	R.	0·24	1·54	2·26	2·58	2·13	0·04	0·01	0·01	8·81
Chaplin	0·00	0·00	0·20	0·20	1·29	3·36	3·75	5·28	0·55	0·01	0·09	0·00	14·73
Elm How	0·00	0·00	0·00	0·00	1·18	5·23	1·70	2·29	1·65	0·12	0·00	0·00	12·17

RAINFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Estevan	0·00	0·00	0·25	R.	0·31	0·89	2·31	4·92	0·37	0·10	R.	R.	9·45
Fond du Lac	0·00	0·00	0·00	0·00	0·35	1·52	2·44	2·26	1·58	0·86	0·00	0.00	9·01
Foxleigh	0·00	0·00	0·00	0·00	1·04	7·46	1·15	3·55	1·23	R.	R.	0·00	14·43
Gatesgarth					1·07						0·05	0·00	
Grenfell	0·00	0·00	0·00	0·24	0·69	5·72	1·41	2·68	1·49	0·09	0·60	0·00	12·32
Humboldt							1·88	2·89	1·58	2 01			
Indian Head	0·00	0·00	0·10	0·05	0·95	6·07	1·58	3·91	2·14	0 23	0·00	0·00	15·03
Insinger	0·00	0·00	0·00	0·00	1·18	5·23	1·70	2·29	1·65	0·12			12·17
Last Mountain	0·00	0·00	0·00	0·00	0·68	4·36	2·76	5·48	1·59			0·00	
Lemberg					0·15	4·80	1·52	3·71					
Lloydminster	0 00	0·05	0·00	0·01	0·93	3·59	2·26	6·37	2·54	0·29	0·01	0·15	16·20
Meota						1·10	3·77	1·39	0·15				
Moosomin					4·80	2·27	4·05	1·20	0·55				
Moose Jaw	0·00	0·00	0·21	0·00	0·91	2·63	1·26	3·13	0·15	0·55	0·00	0·00	9·20
Union Lake	0·00				0·52				2·04				
Qu'Appelle	0·00	0·00	0·00	0·01	0·82	6·11	2·22	4·34	1·03	0·08	0·01	0·00	14·62
Regina	0·00	0·00	0·02	0·00	0·67	5·22			0·70	0·05	0·02	0·00	
Regina (2)	0·00	0·00	0·02	0·00	0·67	4·52	2·10	3·26	0·90	0·06	0·11	0·00	11·62
Saskatoon	0·00	0·00	0·00	0·00	0·55	2·12	1·48	2·58	1·04	0·01	0·00	0·00	7·78
Swift Current	0·00	0·00	0·32	0·04	1·17	1·59	1·37	3·59	0·50	0·04	R.	0·00	8·64
Waseca							1·51	3·98	2·92	0 22	0·00	0·50	
MANITOBA.													
Almasippi	0·00	0·00	0·00	0·00	0·25	1·17	2·63	2 41	1·01	0·50	0·29	0·00	8·26
Beaver					1·00	1·18	2·63	5·81	2·77	0·40			
Birtle					0·30	2·59	3·59	0·81					
Brandon	0·00	0·00	0·15	0·00	2·75	2·51	2·45	6·24	0·82	0·20	0·00	0·00	15·12
Carberry	0·00	0·00	0·00	0·00		1·45	0·06	4·06	0·27	0·25	0·00	0 00	
Carman					0·33	1·51	1·38	2·29	1·01	0·42			
Cartwright	0·00	0·00	0·00	0·00	2·20	2·23	2·57	3·83	2·17	0·74	0·00	0·00	13·74
Cypress River					0·40	1·88	1·95	5·27	0·87				
Dauphin	0·00	0·00	0·00	0·00	0·99	2·08	2·83	6·29	1·13	0·70	0·20	0·00	14·22
Gretna	0·00	0·00	0·28	0·00	0·48	1·88	2·04	2·23	1·42	0·35	0·00	0·00	8·68
Hillview	0·00	0·00	0·50	0·00	0·06	3·95	2 61	3·72	0·72	0·27	0·00	0·00	11·83
Minnedosa	0·00	0·00	0·19	0·00	0·25	3·98	2·76	3·27	1·39	0·35	0·04	0·00	12·23
Morden	0·00	R.	R.	0·00	0·49	1·23	1·47	1·63	1·08	0·67	0·20	0·00	6·77
Norquay	0 00	0·00	0·00		0·09	0·64	2·50	2·83	0·96	0·34	0·01	0·00	7·37
Oakbank	0·00	0·50	0·00	0·00	3·70	1·64	4·49	4·07	1·12	0·59	0·10	R.	16·21
Oakdale Park	0·00	0·00	0·30	0·00		3·55	1·48	0·56					

RAINFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Pipestone	.....	.....	.....	.....	0·16	4·02	1·81	6·66	0·82	0·58	.....	.....	.....
Portage la Prairie	.....	.....	.....	.....	0·05	1·15	2·02	4·48	1·37	0·44	.....	.....	.....
Rapid City	0·00	0·00	0·01	0·05	0·26	3·89	2 60	5·56	0·87	0·27	0·00	0·00	13·71
Stony Mountain	0·00	0·00	0·[illegible]	0 00	0·68	1·70	3·66	4·51	1·05	0·52	R.	0·00	12·12
Virden	.....	.....	.....	.....	2 58	0·19	3·10	.....	.....	.....	.....	.....	.....
Winnipeg	0·00	0·00	R.	0 00	0·73	1·54	3·98	3·90	0·69	0·40	0·17	0 00	11·41
ONTARIO.													
Agincourt	0·14	0·00	1·32	2·08	1·82	2·01	1·83	0·78	3·07	1·96	1 30	0·90	20·01
Alton	2·08	0·05	1·75	2·05	1·56	2·07	1·87	1·41	3·30	2·28	1·96	0·96	21·34
Arden	2·13	0·48	1·74	1·83	1·68	1·07	2·25	1·28	6·22	2·93	3·49	2 08	27·13
Aurora	1·73	0·21	1·11	2·25	1·33	3·18	2·10	0·85	3·51	1·84	2·96	2 83	23·93
Bancroft	.....	.....	.....	1·60	0·33	2·53	2·45	1·08	5·11	2·18	.....	.....	.....
Barrie	0·95	0·16	1·61	1·84	0·97	3·29	.....	.....	.....	.....	.....	.....	.....
Beatrice	2·60	0·12	2·47	1·80	1·13	2·51	1·78	1·95	3·48	3·13	3·50	1 26	25·73
Birnam	2·96	0·00	1·94	1·99	2·60	4·58	2·33	1 23	3·93	3·92	2·53	3·17	31 18
Bloomfield	.....	.....	0·43	1·08	0·60	1·20	1·49	0·70	4·56	3·23	3·63	2·82	.....
Brantford	2·93	0·00	1·77	1·64	2·99	1·88	1·72	0·75	3·30	2·90	2·44	3·95	26·27
Bruce Mines	0·78	0 00	1·78	0·68	2·29	2·78	1·90	4·56	2·72	1·75	2·47	1·24	22·95
Chatham	1·09	0·03	0·57	0 44	0·41	1·89	1·91	1·00	5·65	2·32	2·51	1·45	19·27
Clinton	2·62	1·55	2 37	3·07	1·56	3·11	2·44	0·99	3 22	3·01	2·42	0·87	27·23
Clontarf	0·89	R.	0·77	0·12	2·78	1·42	0·00	1·04	4·26	4·04	5 67	R.	20·99
Coldwater	0·00	0 00	0·00	1·55	0·00	0·88	2·02	0·93	2·37	1·91	1·37	0·13	11·16
Copper Cliff	1·14	0·00	1·23	1·18	2 70	1·48	2·35	1·98	.....	2·15	.....	.....	.....
Cottam	2·71	0·00	2·41	1·85	1·99	3·67	4·05	1·25	5·31	2·33	2·50	4·10	32·17
Cockburn Island	0·30	0·00	1·31	0·20	3·15	1·61	1·23	4·10	3·75	2·88	2·42	0·85	21 82
Croydon	0·18	0·00	1 76	1·55	1·35	0·80	1·45	0·95	6·55	3·40	3·50	2·20	23·69
Dutton	3·58	0·00	1·33	1·75	2·43	1·73	3·25	1·36	5·08	1·80	3·56	3·10	28·98
Elmsdale	1·68	0·00	2·02	2·34	1·76	5·42	2·51	1·77	4·11	2·63	2·85	0·67	27·16
Ennismore	1·50	.....	.....	0·60	1·00	3·35	0·60	1·89	2·08	2·15	2 70	0 85	.....
Goderich (Lighthouse)	2·40	0·44	1·74	0·92	0·75	1·91	1·06	0·34	1·73	1·94	1·53	1·40	16·16
Georgetown	2 33	0·16	2·21	2·37	1·73	2·58	1·84	1·04	3·65	1·85	2·58	1·52	23·86
Gravenhurst	0·00	0·00	1·24	0·56	4·82	2·39	5·76	4·12	3·49	4·75	0·23	0·92	27·78
Guelph	1·27	0·13	1·89	3·12	2·64	1·11	0·84	0·65	2·71	3·50	5·83	1·14	24·83
Haileybury	0·76	R.	0·76	0·15	3·24	3·13	4·63	1·85	6·86	2·25	0 66	0·71	24·30
Haliburton	0·00	R.	.....	1·10	1·30	2·55	2·60	1·19	7·17	2·90	1·00	0·20	....
Hamilton	2·29	0·11	1·78	1·66	2·75	2·68	2·22	1·11	2·71	.....	1·29	0·76	.....
Huntsville	1·11	0·00	2·23	1·25	1·66	4·15	1·44	1·93	2·96	3·09	2·10	0·80	22·72
Kenora	0·00	0·00	R.	0·00	0·40	2·78	5·40	6·45	3·25	0 60	R.	0·00	18·58
Kingston	1·29	0·19	0·79	1·26	1·21	1·18	1·82	0·63	3·19	2·56	1·83	1·24	17·

RAINFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Lakefield	1·42	0·00	0·82	0·21	1·31	.....	.....	.....	.....	2·31	2·55	1·00	.....
Lake Talon	0·36	0·00	0·55	0·35	2·67	2·58	4·72	1·78	2·36	2·23	1·36	0·55	19·45
Lansdowne	1·40	0·00	1·39	1·46	1·26	1·65	0·54	0·59	3·01	1·74	4·27	3·05	20·36
Lindsay	1·78	0·06	0·77	1·87	0·96	3·47	3·03	1·25	4·48	2·71	2·45	1·30	24·15
Listowel	2·75	0·00	1·51	2·91	1·66	4·62	1·42	R.	2·69	2·44	1·39	0·60	22·00
London	3·65	0·42	2·03	2·49	2·53	3·05	3·51	0·81	4·28	2·94	2·83	2·97	31·51
Lucknow	2·65	0·25	2·18	2·30	1·59	2·50	1·44	0·65	3·08	3·17	2·60	1·09	23·50
Meaford	1·24	0·00	2·28	2·95	1·22	1·60	1·33	0·73	2·71	1·80	2·15	3·32	21·33
MacCue	0·75	0·00	1·65	2·64	0·83	0·43	2·40	2·07	2·01	1·68	3·21	0·65	18·32
Madoc	0·92	0·25	1·21	0·52	0·98	1·46	2·77	1·75	5·01	3·08	2·67	2·25	22·87
Midland	0·00	0·00	R.	2·81	0·88	3·94	1·00	1·28	4·06	3·53	2·64	0·00	20·14
Montague	0·64	0·21	0·38	3·40	1·77	0·95	2·33	0·25	4·33	2·24	2·62	1·92	21·04
Moose Factory	0·00	0·00	0·30	0·16	0·58	2·41	3·07	4·75	1·56	0·99	0·37	0·00	14·19
North Bruce	2·57	0·03	2·83	2·18	1·86	1·36	0·87	0·53	2·25	2·82	2·76	0·31	20·37
North Gower	.....	.....	2·59	4·13	1·95	2·08	3·63	1·17	3·95	2·60	4·20	2·33	.....
Otonabee	1·54	0·00	0·69	2·11	1·67	2·10	2·21	2·16	2·45	2·37	3·04	1·99	22·33
Owen Sound	0·77	0·16	2·96	2·15	1·92	2·23	1·56	0·83	4·99	1·91	1·64	0·31	21·43
Orangeville	4·42	0·00	2·69	2·28	2·37	2·57	1·81	0·97	3·58	1·50	4·60	0·65	27·44
Orillia	0·00	0·00	0·00	0·20	0·97	1·71	0·81	0·90	3·67	1·45	2·25	0·75	13·61
Point Clark	1·27	0·00	1·57	2·40	1·67	0·60	0·87	1·17	1·59	1·50	0·41	0·00	13·05
Parry Sound	1·09	0·34	2·36	2·13	1·38	4·04	1·65	1·47	2·74	2·58	1·94	0·81	22·53
Port Burwell	3·07	0·20	2·62	1·30	2·32	2·30	2·96	1·53	3·66	3·36	2·36	2·95	28·63
Peterborough	1·71	0·00	0·72	1·47	1·47	2·45	1·86	1·56	2·87	3·15	2·39	2·65	22·30
Port Hope	2·19	0·00	0·68	1·24	1·14	1·68	1·42	2·41	3·76	3·26	4·40	0·91	23·09
Port Arthur	0·00	0·00	0·13	0·00	0·65	0·74	5·94	5·06	3·26	2·33	0·94	0·00	19·05
Port Dover	3·43	0·36	2·82	1·89	2·88	0·92	2·50	1·10	4·25	3·51	2·60	2·00	28·26
Port Stanley	2·65	0·18	1·99	1·51	2·08	2·53	3·58	1·12	4·48	3·43	1·88	2·64	28·07
Pelee Island	1·42	0·00	1·20	0·92	0·79	3·42	2·12	1·49	4·60	2·64	1·71	4·07	24·38
Paris	2·78	0·13	2·23	1·93	3·20	2·22	2·57	0·86	4·78	3·02	2·79	3·37	29·88
Parma	2·35	0·42	2·57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Princeton	2·95	0·00	2·85	1·80	4·86	2·38	2·98	0·70	4·33	2·02	3·16	3·11	31·04
Renfrew	0·80	0·00	0·27	2·32	0·40	1·30	3·78	0·71	4·41	2·41	3·26	0·11	19·77
Rockliffe	0·20	0·00	1·06	0·42	2·51	2·90	0·74	1·15	3·60	1·42	2·75	0·30	17·05
Sarnia	0·73	0·00	1·88	1·54	1·31	1·64	1·33	0·16	3·50	1·92	0·79	0·00	14·80
Scarboro	2·27	0·00	1·42	2·34	2·11	2·49	1·69	0·94	3·71	2·01	3·43	3·27	25·68
Southampton	0·83	0·05	2·03	2·17	1·51	1·36	0·76	0·49	3·04	1·96	1·74	0·35	16·29
Stratford	0·83	0·00	3·20	2·25	2·43	3·84	3·78	0·83	4·80	3·02	5·45	1·34	31·77
Strathroy	3·55	0·75	2·42	2·14	2·50	4·39	2·70	1·10	3·56	2·59	2·55	4·43	33·01
Stony Creek	.....	.....	.....	.....	2·90	2·10	3·78	0·66	2·96	2·52	1·80	5·76	.....
Sutton West	1·98	R.	1·09	1·62	2·04	2·73	3·57	0·83	33·4	2·20	2·21	0·63	22·24

RAINFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Sydenham	1·75	0·20	2·44	1·80	2·05	1·67	1·63	3·32	4·56	3·35	3·75	3·50	30·02
Sunnyside	1·57	0·07	1·11	1·32	1·03	1·81	2·91	1·09	3·75	2·86	4·43	1·79	23·74
Toronto	2·32	0·15	1·81	1·97	1·77	2·12	2 08	1·09	4·80	1·97	3·42	2·70	26·20
Toronto (Reservoir)	2·11	0·00	1·55	1·81	1·05	1·36	1·79	1·12	4·34	1·90	3·16	3·22	23·41
Uplands	0·44	0·00	0·57	0·29	1·35	1·35	2·75	1·12	1·63	0·72	1·14	0·81	11·34
Uxbridge	1·61	0·15	0 86	2·24	0·30	1·48	3·37	1·06	5·30	1·74	1·90	1·16	21·17
Wallaceburgh	0·00	0·00	.....	1·94	2·60	2·63	1·23	.....	3·50	1·85	1·62	2·37	.....
Watford	3·13	0·00	1·18	2·31	2 15	2·89	2·89	1·86	4·26	3·70	2·50	3·12	29·99
Welland	2·25	0·40	1·66	1·39	2·85	1·92	2·35	1·59	5 49	4·53	2·98	3·05	30·46
Westminster	2·48	0·00	1·32	1·81	1·92	2·60	2·58	0·32	2·79	1·80	2·05	1 62	21·30
Westport	1·88	0·00	0·25	2·30	0·64	0·80	1·65	1·41	4·14	2·76	1·79	0·70	18 32
Wiarton	0·68	R.	2·49	1·30	0·78	1·23	0·45	0·38	3·86	1·61	2·27	0·88	15·90
Windsor	3·03	0·14	2·23	2·23	2·69	3·88	3·10	0·63	4·42	2·17	1·60	4·40	30·52
White River	0·00	0·00	0·23	0·00	1·55	0·26	2·97	4·48	4·39	0·82	2·86	0·05	17·61
Whiteside (Bala)	0·22	0·20	1 62	1·53	.....	.....	1·46	0·66	2·50	3·07	1·63	0·30	.....
Woodstock	2·98	0·33	2·04	1·85	1·90	2·28	3·96	0·55	4·45	2·92	3·09	2·43	28 68
Wyoming	3·05	0·00	0·80	2·30	.....	.....	.....	.....	.....	.....	.....	.....	.....
QUEBEC.													
Abitibi	0 00	0·00	R.	0·00	1·82	2·53	2·09	3·82	3 82	2·78	0·35	0·00	17·21
Anticosti, S. W. Point	0·00	0·00	0·10	0·60	0·21	3·64	8·70	4·14	3·92	2·93	3·32	2·20	29·76
Anticosti, W. Point	0·02	0·00	0·05	0·92	1·17	3·51	8·61	3·74	1·78	4·09	1·44	0·21	25·54
Anticosti, E. Point	.....	.....	.....	0·00	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bicquet	.....	.....	.....	0·00	1·50	0·68	5·70	2·95	4·05	4·25	1·90	.....	.....
Bird Rocks	0·39	0·19	0·07	0·08	1·38	0·35	2·05	1·02	2·17	1·33	1·08	0·98	.....
Brome	0·75	R.	0·86	0·99	1·80	3·49	6·19	1·55	5·09	5·59	1·58	2·37	30·25
Cape Chatte	0·00	0·00	0 72	0·61	2·02	3·81	0·50	4·60	2·82	0·25	0·17	0·73	16·23
Cape Magdalen	0·00	0·00	0·40	0·25	1·57	1·55	5·16	3·63	1·83	1·49	0·75	0·80	17·43
Chicontimi	0·00	0·00	0·00	0·20	0·92	1·55	2·39	3·25	2·16	1·31	0·33	R.	12·11
Clarke City	0·00	0·00	0·30	0·47	3·47	4·20	12·88	6·24	2·96	5·44	3·10	.....	.....
Father Point	0·06	0·00	0·40	1·24	0·58	4·61	5·70	4·10	3·54	5·49	1·15	0·94	27·81
Heath Point	0·10	0 00	0·40	0·11	0·00	.....	4·50	0·14	2·85	1·16	2·40	0·49	.....
Montreal	1·05	0·14	2·04	2·19	1·93	2 50	3·30	1·23	4·15	3·52	2·54	1·96	27·55
Percé	2·62	R.	4·35	0·49	2·25	5·27	9·55	6 54	4·03	4·32	3·87	1·71	45·02
Paspebiac	0·13	0 00	1·30	1·21	3·71	3·32	7·96	5·73	6 76	3·60	.....	00·0	.....
Quebec	0·34	0·00	1·44	2·04	2·57	4·97	6·56	3·22	4·62	5 09	2·82	1·92	35·59
Ste. Anne de Bellevne	.....	.....	1·26	1·71	2·45	2·25	2·67	1·29	5 77	2·54	2·47	0·96	.....
Shawenegan Falls	.....	.....	.....	.....	.....	.....	.....	1·10	5·25	3·28	3·13	2·70	.....
Sherbrooke	2·64	0·27	1·08	1·36	1·84	3·38	6·59	2·32	5 11	5·23	1·50	2·24	33·10

RAINFALL in inches in each Month and for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEW BRUNSWICK.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Chatham	1·33	0·16	0·35	1·58	3·45	3·75	7·08	5·47	4·30	3·76	4·40	1·71	37·34
Dalhousie	0·00	0·00	0·09	2·06	1·14	1·24	4·50	2·33	1·32	1·59	1·12	1·27	16·66
Fredericton	0·94	R.	0·41	2·44	2·02	2·94	3·50	3·81	5·12	4·15	.....	.....	.....
Grand Manan	1·67	1·64	1·43	3·35	2·77	2·61	3·55	2·78	5·07	4·56	4·71	5·30	39·44
Moncton	0·85	0·60	0·35	1·55	2·01	0·78	5·03	5·46	5·78	3·11	3·88	1·25	30·65
St. John	1·32	1·07	0·75	3·30	2·50	1·60	4·33	3·92	4·83	4·19	5·33	3·72	36·86
St. Stephen	2·17	0·43	0·00	1·95	1·57	2·06	3·65	2·23	4·56	3·82	5·34	3·29	31·07
Sussex	1·61	1·49	0·61	2·43	1·83	1·00	2·70	4·24	5·21	4·86	4·17	2·99	33·14
Point Escuminac	0·16	0·50	0·13	0·49	0·77	2·46	6·02	6·06	2·98	3·12	2·57	0·24	25·47
Point Lepreaux	1·43	0·71	0·57	2·78	1·50	1·44	4·98	3·50	3·68	3·77	4·25	3·12	31·73
Woodstock	.....	0·00	0·00	2·34	1·89	5·98	5·62	2·45	.....	2·95	.....	.....	.....
NOVA SCOTIA.													
Halifax	3·68	1·95	2·33	2·71	3·32	3·71	3·40	4·86	4·26	5·04	5·85	5·38	46·49
Parrsboro	0·4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1·75	.....	.....
Port Hastings	2·12	1·98	0·00	1·27	2·34	3·61	5·31	1·56	1·83	2·95	5·42	2·82	31·21
Sable Island, M.S.	5·36	3·92	4·79	4·80	5·93	2·06	1·41	5·06	4·72	6·48	6·74	5·02	56·29
Sable Island, E.P.	5·14	5·12	3·39	3·23	4·94	2·07	1·84	3·31	5·35	7·08	6·59	5·32	53·38
Sydney	2·24	1·42	1·00	1·62	3·42	1·98	4·95	0·99	2·22	7·14	5·04	3·34	36·36
Truro	1·49	1·07	1·17	1·07	0·98	2·01	3·49	3·88	2·50	4·27	3·74	4·22	29·89
Windsor	2·60	1·35	0·88	1·24	2·34	2·71	3·73	4·98	3·48	3·89	4·43	2·72	34·55
Whitehead	2·19	1·23	1·28	1·90	2·34	1·61	3·46	1·69	2·39	3·96	2·50	3·91	28·46
Wolfville	1·44	1·60	0·74	1·42	1·49	1·35	2·20	4·28	3·04	.....	.....	.....	.....
Yarmouth	2·69	1·56	1·37	2·14	2·20	1·51	2·00	4·70	4·54	4·76	5·12	3·04	35·63
P. E. ISLAND.													
Charlottetown	1·27	1·03	0·90	0·94	2·39	1·41	5·18	3·54	3·63	4·20	1·56	2·50	28·55
Hamilton	1·58	1·02	0·70	1·12	1·80	0·83	3·26	4·29	6·86	3·58	2·57	1·81	24·42
Summerside	1·13	1·23	0·50	1·67	1·66	0·74	4·61	4·82	7·45	4·87	2·29	2·27	33·24
NEWFOUNDLAND.													
Amour Point	0·00	0·00	0·00	1·60	0·95	2·12	5·28	5·16	3·67	2·20	2·37	0·63	23·98
Belle Isle	0·00	1·01	0·00	1·05	3·70	2·57	7·66	8·17	10·33	2·23	1·35	0·00	40·27
Channel	0·00	0·00	0·00	1·00	1·85	3·00	9·75	3·20	4·90	4·79	5·55	0·00	34·02
Cape Norman	0·00	0·00	0·00	0·52	1·56	0·58	4·20	4·82	8·15	2·26	2·42	0·90	25·41
Point Rich	0·00	0·20	0·00	0·35	0·47	0·60	3·75	3·19	5·55	2·85	1·60	2·31	20·87
St. John's	4·23	2·59	5·89	4·96	3·33	3·38	3·97	4·80	5·06	12·01	6·16	3·73	60·11
St. George's	.....	.....	.....	.....	.....	.....	.....	.....	1·12	0·78	0·78	0·36	.....
BERMUDA.													
Prospect	1·48	5·76	1·58	4·84	3·88	4·82	2·24	3·16	3·34	7·02	1·76	5·48	45·36

SNOWFALL in inches in each Month and for the Year 1907.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
YUKON.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Carcross	.....	34·7	5·3	1·3	.....	.....	.....	.....	*	5·3	17·1	8·8	.....
Dawson	15·3	3·4	8·8	1·7	3·0	.....	.....	.....	4 5	38·3	26·0	6 2	107·2
White Horse	5 5	5·2	14·5	.....	.....	.....	.....	.....	.....	2 2	9·0	3·0	39·4
TERRITORIES.													
Fort Chipewyan	7·3	23·5	10·5	0·0	*	.....	.....	.....	1·0	*	6·0	6·0	54·3
Fort Churchill	*	0·4	*	0·0	0·0	0·2	.....	.....	.....	.....	.....	.....	.....
Fort Hope	5·0	6·0	21·0	5·0	6·0	.....	.....	.....	.....	.....	.....	.....	.....
Fort Norman	11·5	3·8	10·8	2·3	9·0	.....	.....	.....	.....	.....	.....	.....	.....
Fort Simpson	1·5	7·0	6·5	8·0	3·0	.....	.....	.....	.....	.....	.....	.....	.....
Norway House	6·0	23·0	13·0	8·0	5·0	.....	.....	.....	.....	0·0	12·0	.....	.....
York Factory	0·0	3·0	0·0	*	2·0	.....	.....	.....	0·5	2·0	9·0	.....	.....
BRITISH COLUMBIA.													
Alberni	21·5	8·0	9·5	*	.....	.....	.....	.....	.....	.....	4·0	8·0	51·0
Alberni (2)	25·0	9·3	5·5	0·0	.....	.....	.....	.....	.....	.....	0·5	3·3	43·6
Agassiz (Exp. Farm)	37·0	6·0	2·0	.....	.....	.....	.....	.....	.....	.....	2·0	1·0	48·0
Atlin	9·9	21·5	5·5	0·9	.....	.....	.....	.....	.....	4·0	20·3	5·1	67 2
Barkerville	.....	.....	.....	17·0	.....	.....	.....	.....	.....	1·0	32·5	42·0	.....
Bella Coola	11·0	2·0	0·5	.....	.....	.....	.....	.....	.....	.....	9·8	4·5	27·8
Big Creek	7·0	2·8	0 0	1·0	.....	.....	.....	.....	*	0·0	3·0	6·0	19·8
Clayoquot	30·7	0·0	3·0	.....	.....	.....	.....	.....	.....	0·0	0·0	0·0	33·7
Coquitlam	16·3	0·0	0·5	.....	.....	.....	.....	.....	.....	0·0	0·0	2·0	18·8
Cowichan (Tyontalim)	14·5	3·0	0·0	.....	.....	.....	.....	.....	.....	0·0	0·0	0·0	17·5
Crawford Bay	.....	.....	.....	.....	.....	.....	.....	.....	.....	0·0	6·0	46·3	.....
Denman Island	0·4	8·0	*	.....	.....	.....	.....	.....	.....	.....	.....	1·5	9·9
Garry Point	8·0	3·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	0·7	11·7
Golden	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12·0	12·0	24·0
Goldstream Lake	32·0	17·0	45·5	0·5	.....	.....	.....	.....	.....	.....	0·0	21·0	82·5
Hartley Bay	53·0	17·0	41·5	0·5	.....	.....	.....	.....	.....	.....	3·0	.....	.....
Hedley	4·0	6·8	1·7	.....	.....	.....	.....	.....	.....	.....	.....	3·8	16·3
Hedley (Nickel Plate)	17·6	14·3	22·5	10·0	10·0	8·0	0·0	4·8	8·0	.....	10·0	16·0	121·1
Kamloops	11·0	5·6	1·4	.....	.....	.....	.....	.....	.....	.....	1·0	1·4	20·4
Kitamaat	54·0	24·0	36·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ladner	16·0	3·0	2·0	.....	.....	.....	.....	.....	.....	.....	0·0	0·0	21·0
Massett	4·0	2·0	29·0	.....	.....	.....	.....	.....	.....	0·0	0·0	0·0	35·0
Naas Harbour	44·0	24·0	14·0	0·0	10·0	8·0	.....	4·8	.....	.....	4·0	7·0	93·0
Nanaimo	16·0	7·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	*	23·0

Snowfall in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	Marc	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Nanaimo (2).	16·0	8·0	0·0	.....	.....	.....	.....	.....	.....	.....	0·0	1·0	25·0
Nelson	31·7	14·0	6·9	0·2	.....	.....	.....	.....	.....	.....	8·5	19·3	80·6
New Westminster	24·8	1·0	0·4	.....	.....	.....	.....	.....	.....	.....	0·0	2·1	28·3
Nicola Lake	9·2	8·7	13·7	.....	.....	.....	.....	.....	.....	.....	3·5	10·0	45·1
N. Nicomen	5·6	0·0	0·0	.....	.....	.....	.....	.....	.....	.....	*	2·0	7·6
Okanagan Mission	16·5	6·4	10 0	.....	.....	.....	.....	.....	.....	.....	1·8	6·0	40 7
Penticton	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*	3·0	.....
Port Simpson	8·5	11·9	21·2	.....	.....	.....	.....	.....	.....	.....	0·0	0·0	41·6
Princeton	23·0	10·5	2·5	0·3	.....	.....	.....	.....	.....	.....	2·6	9·0	47·9
Quesnelle	21·0	1·0	5·5	0·0	.....	.....	.....	.....	.....	.....	5·0	6·0	38·5
Revelstoke	65·5	45·0	33 7	*	.....	.....	.....	.....	.....	.....	18·3	35·5	198·0
Rivers Inlet	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17·0	34·5	128·0
Rossland	37·8	10·7	26·0	2·0	.....	.....	.....	.....	.....	.....	17 0	38·1	131·6
Salmon Arm	32·3	8·3	9·8	.....	.....	.....	.....	.....	.....	.....	3·0	12·0	65·4
Somas River	25·0	9·3	5·5	.....	.....	.....	.....	.....	.....	.....	.....	3·3	43·1
Stuart's Lake (Fort St. James)	14·3	7·0	4·8	4·7	.....	.....	.....	.....	.....	.....	11·2	12·6	53·6
Spence's Bridge	2·5	2·5	2·0	0·0	.....	.....	.....	.....	.....	.....	2·5	3·8	13·3
Thetis Island	12·0	6·0	0·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tobacco Plains	24·0	6·0	14·0	5·9	.....	.....	.....	.....	.....	.....	3·7	17·0	70·6
Vancouver	20·0	2·5	*	.....	.....	.....	.....	.....	.....	.....	*	0·6	23·1
Vernon (Coldstream)	22·5	11·5	19·0	0·0	.....	.....	.....	.....	.....	.....	5·0	8·0	66·0
Victoria	4·0	0·7	*	.....	.....	.....	.....	.....	.....	.....	.....	*	4·7
Victoria Water Works	2·0	2·5	0·5	.....	.....	.....	.....	.....	.....	.....	0·0	1·0	4·0
Winter Harbour	18·0	0·0	6·8	0·0	.....	.....	.....	.....	.....	.....	.....	.....	.....
Alberta.													
Alix	13·3	2·5	2·3	3·0	0·0	.....	.....	.....	7·0	0·0	.....	4.7	32·8
Banff	16·4	5·6	14·4	12·7	6·2	.....	.....	S.	6·3	0·0	11·1	11·1	83·8
Bismark	17·5	7·0	5·5	0·8	2·2	.....	.....	.....	5·5	0 0	*	7·9	45·4
Beaver Hills W.	6·5	3·8	4·8	3·9	6·6	.....	.....	.....	*	0 0	0·0	8·8	34·4
Beaver Hills E.	4·0	2·4	2·1	1·5	6·5	.....	.....	.....	1·5	0·0	0·0	3·3	21·3
Bittern Lake	.....	7·5	7·0	4·5	5·0	.....	.....	.....	0·0	0·0	0·0	10·3	.....
Blackfalds	1 2	0·3	3·2	1·1	12·5	.....	.....	.....	10·0	0·0	*	3·3	31·6
Bruederheim	6·0	6 0	3·0	2·5	17·0	.....	.....	.....	1·0	0·0	0·0	.....	.....
Bon Accord	8 3	5·0	5·0	3·2	5·8	.....	.....	.....	0·0	0·0	*	6·0	33·3
Calgary	4·0	2·0	7·6	17·8	0·2	.....	.....	.....	10·5	0·8	0·8	1·0	43·9
Cardston	36·0	2·0	12·0	18·0	4·0	.....	.....	.....	.....	.....	.....	.....	.....
Conjuring Creek	12·3	9·0	5·2	*	10·0	.....	.....	.....	3·0	0·0	0·0	0·0	40·5
Clover Bar	6·0	2·8	5·0	1·5	.....	.....	.....	.....	.....	.....	.....	.....	.....
Coutts	26·0	6·0	9 0	13·0	1·0	.....	.....	.....	12·0	0·0	*	0·5	67·5

SNOWFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ALBERTA—*Concluded.*	in.	in.	in.	in,	in.	in.	in.	in.	in.	in.	In.	in.	in.
Didsbury	13·0	6·0	10·0	9·0	5·0				16·5	0·0	*	4·0	63·5
Dorenlee	20 0	8·0	7·0	4·0	6·5					0·0	0·0	4·3	56·8
Dunvegan		14·5	4·5		2·3						1·4	1·5	
Edmonton	10·4	2·7	5·0	4·9	9·1				1 1	0·0	S.	5·6	38·8
Gleichen	*	1·0	3·5	2·5						*	*	0·5	7·5
Gray Hill	13·5	3·4	7·4	6·3	11·2				0·5	0 0	0·6	7·3	50·2
Grassy Lake	13·0	2·0	3·5	1·5							0·5	1·0	21·5
Heather Brae	13·8	4·8	8·7	10·0	6·8				2·3	0·0	0·0	6·8	53·2
High River	6·5	0·5	9·0	10·5	*				15·8	0·0	2·0	11·5	55·8
Hillsdown	12·5	4·5	7·5	7·0	3·5				12·0	0·0	1·0	7·3	55 3
Innisfail	10·0	2·7	5·0	4 0	*								
Island Lake	3·5	0·0	2·9	1·8	0·0								
Josephsburg	12·5	5·0	10·0	6·0					3·0	0·0	3·0		
Jumping Pound	5·8	2·6	*	*	*	*			15·6	*	*	*	24·0
Kimball									23·0	0·0	*	2·0	
Knee Hill												6·0	
Lawrence (Nanton)	6 7	1·5	11·7	8·0					13·5	0·0	3·0	2·0	46·4
Lacombe	12·0	5·3	1·5	1·5							*	2·0	22·3
Lethbridge	15·2	3·0	3·4	9·6	0·5				12·7	0·0	1·4	3·2	49·0
Macleod	3·0	3·0	7·0	7·9					13·0	0·0	0·0	4·5	38·9
Macleod (2)	4·0	3·6	12 0	30·0	*				22·0		1·5		
Magrath	23·0	3·0	13·0	7 0	6·0				22·0	0·0	0·5	3·0	77·5
Mayton	13·0	3·0	7·0	7·0	1·0				0·0				
Medicine Hat	7·5	2·5	3·6	3·0	0·0						*	1·5	18·1
Morinville	2·0	1·5	1·3	3·8	7·5				2·0		*	20·0	
Okotoks		1·0	10·8	8·5	0·0				0·0	0·0	*	6·5	
Pakan (Victoria)		2·0	7·1	3·0	8·5				3·2	0·0	0·3	4·8	
Ponoka	10·0	2·0	6·0	*	2·0				3·5	0·0	*	7·5	31 0
Peace River Crossing									1·8	0·0	3·2	0·8	
Pekisko	12·3	8·5	6·0	18·0	*				20·1	*	2 3	4·5	71·7
Red Willow				3·5	6·3						0·4	8·0	
Saddle Lake	1·0	0·3	4·0	*	0·0				1·5	0·0	0·0	0·0	6·8
Sion	5·0	6·0	10·0	3·3	5 3						0·0	5·0	34·6
Stirling	11·0	2 0	8·0	9·0									
Threehills Creek	12·6	5·5	6·5	8·0							0·5	3·5	36·6
Waitefield	10·2	3·1	8·3	5·0	4·8				0·5	0·0	*	5·8	37·7
Wabamun	13·1	11·1	7·4	4·2	5·2				1·5	0·0	*	12 0	54·5
Wetaskiwin	18·3	9·8	7·6	2·1	4·0				2·8	0·0	*	8·7	53·3

SNOWFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Alameda	.....	1·5	23·0	.....	0·3	.....	.....	.....	.....	.....	.....	14·5	.....
Battleford	1·3	0·7	5·2	1·3	0·6	.....	.....	.....	.....	.....	*	3·9	13·0
Chaplin	32·0	11·0	16·0	14·5	6·0	.....	.....	.....	1·0	0·0	1·0	12·0	93·5
Elmbow	12·0	4·0	6·5	8·0	2·0	.....	.....	.....	.....	.....	.....	11·0	43·5
Estevan	24·5	4·0	15·0	4·0	*	.....	.....	.....	.....	.....	*	12·5	60·0
Foxleigh	5·0	0·0	8·0	9·0	0·0	*	.....	.....	.....	.....	*	.....	.....
Fond du Lac	.....	.....	.....	.....	.....	.....	.....	.....	.....	*	*	.....	.....
Gatesgarth	14·0	.....	.....	.....	.....	.....	.....	.....	.....	.....	1·0	3·0	.....
Grenfell	5·0	2·0	12·0	17·0	1·0	.....	.....	.....	.....	.....	4·0	0·0	41·0
Haddington	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0·0	4·0	.....
Humboldt	.....	.....	.....	.....	.....	.....	.....	.....	1·0	0·0	.....	.....	.....
Indian Head	4·0	2·0	8·0	9·5	*	.....	.....	.....	.....	.....	1·0	6·5	31·0
Insinger	4·5	5·0	14·5	10·0	1·0	.....	.....	.....	1·0	0·0	4·5	10·7	51·1
Last Mountain	.....	2·0	1·5	2·0	*	.....	.....	.....	.....	.....	.....	6·0	.....
Lloydminster	4·4	0·3	7·5	1·5	*	.....	.....	.....	0·3	0·0	*	3·0	17·0
Meota	.....	.....	.....	.....	.....	.....	.....	.....	*	0·4	1·2	2·1	.....
Moosejaw	.....	.....	.....	2·1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Moosomin	.....	.....	3·0	6·0	0·2	.....	.....	.....	.....	.....	.....	.....	.....
Prince Albert	6·1	4·5	8·2	5·5	8·2	.....	.....	.....	.....	0·0	1·6	6·0	40·6
Qu'Appelle	2·8	3·9	9·5	10·2	2·4	.....	.....	.....	.....	0·0	2·6	7·7	39·1
Regina	12·3	2·0	4·0	8·5	2·0	.....	.....	.....	.....	0·0	1·0	4·4	34·3
Regina (2)	7·0	0·4	2·8	7·5	1·8	.....	.....	.....	.....	0·0	0·6	1·6	21·7
Saskatoon	12·0	0·0	8·0	3·0	.....	.....	.....	.....	*	0·0	0·5	2·5	26·0
Swift Current	10·2	3·6	5·4	9·4	1·6	.....	.....	.....	1·8	0·0	1·6	11·7	45·3
Waseca	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4·1	.....
MANITOBA.													
Almasippi	.....	2·3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1·0	.....
Brandon (Exp. Farm)	24·5	2·5	14·0	10·3	.....	.....	.....	.....	.....	.....	3·5	2·0	57·0
Cartwright	8·0	1·5	13·5	12·8	1·5	.....	.....	.....	.....	.....	3·5	2·3	43·1
Cypress River	.....	.....	.....	.....	2·0	.....	.....	.....	.....	.....	.....	.....	.....
Dauphin	9·0	.....	6·0	.....	.....	.....	.....	.....	.....	.....	2·0	9·0	.....
Gretna	13·5	*	9·0	12·5	S.	.....	.....	.....	.....	*	4·5	3·5	43·0
Hillview	7·0	3·0	16·0	6·0	6·0	.....	.....	.....	.....	.....	3·0	3·5	44·5
Minnedosa	12·3	3·0	6·7	10·7	3·2	.....	.....	.....	*	0·1	3·2	2·6	.....
Morden	23·6	9·3	12·8	15·1	2·7	.....	.....	.....	.....	0·2	5·3	2·7	71·7
Norquay	14·5	3·0	10·0	15·5	7·5	.....	.....	.....	.....	.....	.....	1·8	52·3
Oakbank	23·0	5·0	24·0	14·0	5·0	.....	.....	.....	.....	.....	10·0	7·0	88·0
Oakdale Park	4·0	0·0	6·5	7·0	3·0	.....	.....	.....	.....	.....	.....	.....	.....
Portage la Prairie	18·0	8·0	9·3	8·5	1·8	.....	.....	.....	.....	.....	7·5	2·0	55·3

SNOWFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOCA—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Rapid City	6·5	2·8	11·8	4·8	2·4					*	3·2	2·7	34·2
St. Alban's	10·5	2·6	8·5	13·9	2·6						5·5	2·4	46·0
Stony Mountain	10·0		21·0	5·1	5·8					*	5·0	3·0	
Winnipeg	21·2	2·7	11·2	9·9	2·4					*	5·5	1·8	54·7
ONTARIO.													
Agincourt	4·5	6·3	3·5	*	3·0						1·5	18·5	37·3
Alton	11·0	9·0	5·5	6·0	3·5						4·5	36·5	76·0
Arden	11·0	21·0	4·0	7·0	7·0						3·0	23·0	76·0
Aurora	9·5	9·6	5·0	0·6	3·5						0·3	28·3	56·8
Bancroft				7·0	6·0					*			
Barrie	4·0	11·8	2·3	3·4	3·4								
Beatrice	17·0	30·0	4·0	13·5	6·2					1·3	19·8	33·7	132·5
Birnam	16·8	15·8	8·0	2·2	3·5						3·8	24·5	74·6
Bloomfield					2·0						*	18·0	
Brantford	5·5	7·0	3·5		2·0							9·5	
Bruce Mines	21·0	10·0	17·0	11·0	6·6						9·0	8·0	82·6
Chatham	2·0	6·3	4·0								0·0	0·0	12·5
Clinton	14·3	15·5	9·0	0·5	1·6							24·0	64·9
Clontarf	18·0	8·3	13·0	15·0	4·0						5·7	5·2	69·2
Coldwater		14·0	4·8	2·8	1·5						7·0	22·3	
Copper Cliff	11·5	13·5	11·0	5·2	2·7								
Cottam	17·8	3·3	3·8	2·5	1·3					*	2·2	10·6	41·5
Cockburn Island	6·0	6·0	11·0	11·1							3·0	13·0	50·1
Croydon	10·0	9·0	1·0	5·0	4·0						3·0	29·0	61·0
Dutton	7·0	6·0	7·0	*						1·0	0·2	13·0	34·2
Elmsdale	13·3	16·0	8·5	6·0	3·0						10·8	27·8	85·4
Ennismore	5·0			9·0	4·0						6·0	15·0	
Georgetown	13·0	8·4	2·6	1·0	1·0						2·3	31·9	60·2
Goderich (Lighthouse)	9·0	7·5	2·0	1·0	2·0						9·0	13·0	43·5
Gravenhurst	18·0	21·0	7·5	8·0	0·5					*	14·0	41·5	110·5
Guelph	3·5	7·5	0·0	0·6							0·0	16·7	28·7
Haileybury	6·6	9·5	9·8	9·0	6·5				*	3·5	8·3	22·0	75·2
Hailburton	11·0	8·0		12·0						*		12·0	43·0
Hamilton	17·8	14·3	2·8	*	3·9								
Huntsville	15·0	13·5	10·5	14·8	1·0					*	8·5	22·0	85·3
Kenora	25·0	5·5	13·8	11·0							8·5	2·5	68·3
Kingston	6·7	9·6	1·5	6·1	5·0						3·4	14·1	46·4
Lakefield	9·0	19·0	4·0	6·0	8·5						6·0	20·0	72·5
Lake Talon	3·0	3·5	2·5	10·5	3·0						13·0	7·0	42·5

SNOWFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Lansdowne	2·0	5·0	0·0	6·0	0·0						1·0	9·0	23·0
Lindsay	21·4	27·3	3·6	6·6	7·9					*	18·2	38·8	123·8
Listowel											1·2	2·6	
London	14·5	21·5	15·5	1·2	1·6						0·3	20·1	74·7
Lucknow	21·8	21·0	5·8	3·6	4·2						21·8	34·5	112·7
Meaford	29·5	14·0	4·5	9·0	2·5						3·0	30·5	93·0
MacCue	10·0	7·0	0·0	0·0							2·0	19·5	38·5
Madoc	15·0	19·0	5·8	12·3	12·0					*	2·1	32·5	98·7
Midland	23·8	20·0	6·5	3·0	*						11·5	34·3	99·1
Montague	9·0	8·0	1·0	4·5	2·0						1·0	13·5	39·0
Moose Factory	16·0	14·5	9·3	7·5	9·5						2·5	3·0	62·3
North Bruce	25·7	17·9	8·2	*	*						3·0	26·8	81·6
North Gower				8·0									
Otonabee	5·5	9·8	3·5	4·5	7·5						5·0	17·0	52·8
Owen Sound	17·2	16·7	6·8	16·0	3·7						6·4	52·9	119·7
Orangeville	9·5	5·1	2·3	13·2	5·3						3·3	39·7	78·4
Orillia	25·5	17·5	6·5	3·0							12·0	48·0	112·5
Port Arthur	10·3	8·0	15·0	10·1	2·3					1·4	1·1	0·2	48·4
Port Burwell	7·5	4·3	6·5	*	1·5						*	11·3	31·1
Point Clark	18·0	10·0									12·0	19·0	59·0
Parry Sound	22·5	34·5	12·4	19·0	1·0					*	18·5	41·0	148·9
Port Hope	3·0	6·5	6·0								0·0	18·0	33·5
Port Dover	11·5	11·9	5·1	0·6	3·5							11·4	44·0
Port Stanley	17·4	7·3	7·9	0·5	1·4						0·4	12·3	50·2
Pelee Island	2·0	5·0											
Paris	5·5	6·8	7·8	0·0	2·5						2·0	22·0	46·6
Peterborough	11·5	17·5	0·4	0·5	6·5						8·5	24·5	69·4
Princeton	10·5	12·0	8·5	0·5	*						1·0	16·0	48·5
Renfrew	11·0	15·5	10·0	13·3	5·0					*	4·8	26·4	86·0
Rockliffe	10·4	20·8	8·6	10·1	2·2					2·6	7·0	16·6	78·3
Sarnia	13·5	6·5	0·5	0·1	0·4							2·1	17·3
Scarborough	5·0	4·0	4·7	*	*						1·8	10·3	25·8
Southampton	28·7	16·7	6·1	4·7	3·6					*	8·6	31·3	99·7
Stratford	6·4	8·7	8·8	1·3	0·2						9·2	26·1	60·7
Strathroy	18·0	13·0	9·0	0·5	*						2·0	27·0	69·5
Stony Creek					4·0							19·5	
Sutton West	4·0	10·0	5·0	1·0	1·0					*	2·0	13·0	34·0
Sydenham	15·0	15·0	0·0	7·5							2·0	22·0	61·5
Sunnyside	4·5	4·0	1·0	5·5	3·0						6·0	24·0	48·0
Toronto	18·0	7·2	3·4	1·2	1·6						0·9	19·9	52·2

SNOWFALL in inches in each Month and for the Year 1907—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Parma	5·0	4·5	0·5										
Toronto (Reservoir)	14·2	7·7	2·5	*	1·6						0·2	13·3	39·5
Uplands	22·5	26·0	17·0	17·5	10·0					2·0	14·0	16·0	125·0
Uxbridge	9·5	14·0	6·0	0·5	7·0						7·5	20·0	64·5
Wallaceburg	6·0	5·0		*							0·2	2·0	13·2
Welland	6·0	7·5	7·5	2·0							0·3	8·5	31·8
Westminster	3·0	8·0	7·5	*	*						*	9·0	27·5
Westport	7·8	11·6	5·3	8·5	3·5						3·3	18·4	58·4
Wiarton	22·0	12·0	*	6·8	1·3						5·3	24·5	71·9
Windsor	10·5	4·0	*	*							2·5	7·0	24·0
White River	22·6	22·8	38·6	25·3	18·6				*	2·9	17·5	8·7	157·0
Whiteside (Bala)	22·5	19·3	7·0	8·0							12·0	20·5	89·3
Woodstock	8·2	7·0	3·3	0·5	3·0							18·2	40·2
Wyoming	13·0	4·0	5·0	2·0									
QUEBEC.													
Abitibi	18·0	20·0	21·0		7·0						5·0	17·5	88·5
Anticosti, S.W. Pt	14·8	8·4	3·8	1·6	2·2					0·8	1·3	2·3	35·2
Anticosti, W. Pt	60·5	47·5	16·5	24·0	7·0						4·0	45·5	205·0
Anticosti, E. Pt	23·0	24·0	5·0	14·0							6·5	18·5	41·0
Bicqnet				27·5	10·0					12·5	2·0		
Bird Rocks	20·7	11·0	11·4	18·0	8·0					2·4	0·2	16·7	88·4
Brome	8·5	13·5	16·0	13·1	*					*	10·0	7·0	68·1
Cape Chatte.	12·5	21·0	13·0	13·6						3·5	4·0	20·0	87·6
Cape Magdeleine	24·0	18·8	4·2	3·7					1·0	1·7	3·9	4·6	61·9
Chicoutimi	1·5	2·8	0·6	2·1	4·5					0·4	3·1	12·9	27·9
Clarke City	19·0	27·0	10·5	0·5	8·6					7·5	5·0		
Father Point	19·6	17·1	17·4	12·8	3·0					3·0	4·8	20·1	97·8
Heath Point	23·0	24·0	5·0	14·0							6·5	18·5	91·0
Montreal	23·0	26·6	19·8	17·8	*					*	14·2	31·2	132·6
Percé	30·0	19·0	24·0	21·0	4·6					*	1·8	29·3	129·7
Paspebiac	22·3	16·8	8·3	7·3								11·0	65·7
Quebec	23·4	28·4	19·4	11·4	3·7					2·3	10·2	21·0	119·8
Sherbrooke	30·8	15·1	30·7	10·5						0·8	13·2	23·7	124·8
Shawenegan Falls										3·0	6·5	0·9	10·4
NEW BRUNSWICK.													
Chatham	25·2	25·7	30·8	27·4	1·5					0·2	2·2	12·9	125·9
Dalhousie	9·3	22·0	12·2	10·0	*					*	3·0	8·0	64·5
Fredericton											1·3	12·5	

Snowfall in inches in each Month and for the Year 1907—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
New Brunswick—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Grand Manan	28·5	32·3	7·3	15·4						5·3	*	9·4	98·2
Moncton	10·0	6·5	11·0	9·0	3·0					2·5	2·0	5·5	49·5
St. John	17·8	32·5	10·5	12·7	4·6					0·5	0·3		
St. Stephen	39·3	31·0	23·5	16·0						0·0	0·0	6·0	115·8
Sussex	20·0	18·0	12·0	11·0						0·0	0·0	18·0	79·0
Point Escuminac	15·0	28·9	27·4	26·0	1·1					0·0	0·1	13·5	112·0
Point Lepreaux	30·0	49·0	17·0	15·0	4·0					0·2	0·0	14·0	129·2
Woodstock		30·0	15·0	2·0						*			
Nova Scotia.													
Halifax	25·0	25·4	10·3	5·2	0·2					3·0	2·0	13·0	84·5
Parrsboro	11·0									5·0			
Port Hastings	38·0	45·0	31·0	19·0						6·0	3·0	0·0	142·0
Sable Island, M.S.	16·0	22·0	30·1	5·0								2·6	75·7
Sable Island, E.P.	5·0	18·0	11·0	5·0								1·0	40·0
Sydney	5·1	36·5	37·0	19·0							4·0	11·0	112·6
Truro	23·1	19·3	13·5	4·5	1·0					3·0	3·8	5·7	73·9
Windsor	18·8	21·0	7·3	6·8	1·5					3·5	3·2	6·5	68·6
Whitehead	16·8	12·2	23·5									1·8	54·3
Wolfville	11·0	29·0	16·0	12·0	9·0								
Yarmouth	13·0	27·0	8·5	6·4						0·2	1·5	14·5	71·1
Prince Edward Island.													
Charlottetown	20·6	15·8	14·1	14·2	7·5					3·4	1·6	15·1	91·3
Hamilton	15·5	20·0	18·0	20·5	4·0						1·0	10·5	89·5
Summerside	13·1	17·1	4·0	14·0	8·0					0·5	1·0	15·0	72·7
Newfoundland.													
Amour Point	13·0	7·0	12·0	11·3	21·0						2·0	0·0	47·3
Belle Isle	15·0	13·5	44·0	22·0	7·0					4·0			
Channel	36·5	15·0	19·0	43·0						*	4·0	12·0	129·5
Cape Norman	13·6	6·8	8·8	4·3	3·1	0·1				2·1	4·8	22·4	66·0
Point Rich	33·0	18·0	22·0	22·5	5·0					3·0	2·0	11·0	116·5
St. John's	12·6	27·4	2·2	9·0	*							26·5	77·7
St. George's										3·0	9·0	13·2	

DEPARTMENT OF MARINE AND FISHERIES

REPORT

OF THE

METEOROLOGICAL SERVICE

OF

CANADA

Central Office, Toronto

BY

R. F. STUPART, F.R.S.C., DIRECTOR

FOR THE YEAR ENDED DECEMBER 31, 1907

PARTS VI—VII

OTTAWA
PRINTED BY C. H. PARMELEE, PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1911

PART VI.

Daily Weather Reports from Selected Telegraph Stations for the Year 1907.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon: Latitude North, 64° 04′; Longitude West, 139° 20′. Height above Sea, 1,200 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·07	29·00	−30·0	−20·0	−20·0	−34·0	*	*	S.E.	6	S.	4	....	....	5	ci.s.	....	....	4	c.s.	....	....
2	29·18	29·21	−18·0	−21·0	−17·0	−23·0			N.	5	N.	2	....	....	3	ci.	....	....	5	c.s.	....	....
3	29·03	28·98	−12·0	−10·0	−9·0	−21·0			S.	6	S.	2	·05	·02	....	....	10	n.	....	....	10	s.
4	28·86	28·92	−22·0	−12·0	−10·0	−27·0			S.	6	C.	0	·05	....	....	....	10	n.	....	....	9	n.
5	28·85	29·07	−6·0	−15·0	−3·0	−16·0			S.E.	5	N.	4	·10	....	....	....	9	s.	1	c.	....	....
6	29·39	29·40	−26·0	−27·0	−15·0	−28·0			S.	6	C.	0	....	....	2	ci.s.	....	....	1	c.	....	....
7	29·22	29·16	−12·0	−11·0	−5·0	−28·0			C.	0	C.	0	·01	....	....	ci.	8	n.	....	....	6	s.
8	29·13	29·03	0·0	4·0	1·0	−11·0			C.	0	S.	6	....	·01	....	....	10	....	....	....	10	....
9	29·27	29·41	−16·0	−10·0	4·0	−16·0			N.	2	N.	6	·05	..	4	ci.	....	....	1	ci.	....	..
10	29·63	29·67	−8·0	−30·0	−8·0	−30·0			N.	10	N.W.	1	....	....	....	....	....	....	....	....	....	....
11	29·67	29·51	−25·0	−17·0	−17·0	−35·0			N.	6	S.	1	....	·05	....	....	7	s.	....	....	10	n.
12	29·32	29·32	−5·0	−10·0	10·0	−17·0			C.	0	C.	0	·30	·10	....	....	10	n.	....	....	10	n.
13	29·23	29·15	6·0	4·0	20·0	2·0			S.	2	C.	0	..	T.	....	....	10	n.	....	....	10	s.
14	29·03	29·32	10·0	8·0	18·5	−2·0			N.	7	S.	6	·07	....	....	....	9	s.	....	....	4	s.
15	29·21	28·95	−25·0	−15·0	8·0	−28·0			C.	0	N.	1	....	....	....	....	1	s.	....	....	10	....
16	28·74	28·83	−8·0	−23·0	−5·0	−24·0			C.	0	S.	2	·10	....	....	....	10	n.	1	s.	....	....
17	28·85	28·94	−36·0	−36·0	−23·0	−37·0			S.	2	C.	0	..	....	....	....	10	....	2	s.	....	....
18	29·09	29·10	−44·0	−47·0	−36·0	−47·0			C.	0	C.	0	....	....	....	....	10	....	....	....	10	....
19	29·19	29·21	−50·0	−54·0	−40·0	−54·0			S.E.	2	C.	0	....	....	....	....	10	....	....	....	10	....
20	29·21	29·21	−57·0	−54·0	−54·0	−59·0			S.W.	2	N.W.	3	....	....	....	....	10	....	....	....	10	....
21	29·07	29·04	−52·0	−35·0	−35·0	−56·5			S.	2	S.	3	....	....	....	....	10	....	....	....	10	....
22	29·28	29·57	−30·0	−31·0	−27·0	−35·0			S.	10	S.	5	....	..	2	ci.s.	....	....	1	ci.s.	....	....
23	29·63	29·62	−35·0	−24·0	−22·0	−38·0			S.W.	6	S.E.	2	....	....	4	ci.s.	....	....	2	ci.	....	....
24	29·65	29·71	−21·0	−13·0	−13·0	−26·0			S.	6	S.	7	....	....	....	....	2	s.	....	....	10	s.
25	29·73	29·71	−15·0	−11·0	−11·0	−18·0			S.	4	C.	0	·20	....	....	....	10	s.	....	....	10	s.
26	29·76	29·75	−15·0	−31·5	−9·0	−31·5			E.	2	S.	1	....	....	....	....	10	s.	1	ci.	....	....
27	29·80	29·75	−42·0	−40·0	−36·5	−44·0			S.E.	4	S.	3	·02	....	....	....	10	....	....	....	10	....
28	29·69	29·67	−40·0	−47·0	−38·0	−49·0			N.	5	C.	0	....	....	3	ci.	....	....	....	....	6	....
29	29·66	29·27	−46·0	−37·0	−37·0	−48·0			S.E.	4	C.	0	·06	....	....	....	5	....	....	....	2	....
30	29·28	29·11	−31·0	−23·0	−23·0	−37·0			C.	0	C.	0	....	....	2	ci.	....	....	....	....	6	cu.
31	29·30	29·50	−36·0	−43·0	−23·0	−43·0			N.	6	C.	0	..	....	2	ci.s.	....	....	....	....	2	....

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·64	29·81	—46·0	—47·0	—43·0	—48·0	*	*	S.	3	C.	0										
2	29·73	29·54	—49·0	—44·0	—43·0	—50·0			S.	4	S.	4										
3	29·36	29·25	—40·0	—36·0	—36·0	—47·0			S.	6	S.	4							4	ci.st.		
4	29·12	28·91	—47·0	—37·0	—36·0	—47·0			C.	0	N.	2		T.							6	st.
5	28·79	28·71	—34·0	—34·0	—31·0	—37·0			W.	2	C.	0					7	cu.			6	cu.
6	28·50	28·55	—21·0	—22·0	—18·0	—34·0			N.	8	N.	9	·04				10	nb.			10	nb.
7	28·26	28·50	—19·0	—22·0	—17·0	—22·0			N.	20	N.	2					10	nb.	4	ci.st.		
8	28·55	28·88	—24·0	— 6·0	—16·0	—32·0			N.W.	8	C.	0					8	st.	1	ci.		
9	28·92	28·70	—37·0	—30·0	—26·0	—42·0			C.	0	C.	0							2	ci.		
10	28·52	28·57	—15·0	—10·0	—10·0	—30·0			N.	15	N.	10					10	nb.			7	cu.
11	28·54	28·51	—12·0	—14·0	— 7·0	—15·0			S.	2	C.	0					8	st.			3	st.
12	28·49	28·60	—16·0	—16·0	— 5·0	—18·0			S.	2	S.E.	2					3	st.				
13	28·08	27·90	— 1·0	— 1·0	— 1·0	—11·0			N.	10	.E.	8	·20				10	nb.			7	st.
14	28·35	28·09	— 2·0	— 1·0	— 1·0	— 5·0			N.E.	8	N.E.	4					7	st.			10	st.
15	27·94	27·71	2·0	24·0	45·0	— 2·0			S.E.	2	S.E.	5					6	cu.			2	cu.
16	28·32	28·50	0·0	— 5·0	24·0	— 5·0			N.	8	N.	10					8	st.				
17	28·88	29·05	—20·0	—30·0	— 5·0	—30·0			N.	8	N.W.	2					6	st.			2	st.
18	29·28	29·25	—45·0	—40·0	—30·0	—45·0			C.	0	N.	1					6	st.			3	cu.
19	29·42	29·28	—50·0	—45·0	—40·0	—50·0			S.	1	S.	1					7	st.			9	st.
20	29·28	29·11	—50·0	—40·0	—38·0	—52·0			S.	2	S.	2					10	st.			1	cu.
21	29·08	29·06	—55·0	—45·0	—40·0	—55·0			S.	2	N.	3					8	st.			10	st.
22	28·91	28·94	—53·0	—45·0	—40·0	—55·0			S.	1	S.	1					8	st.			10	st.
23	29·29	29·43	—50·0	—40·0	—35·0	—50·0			S.	2	S.	2					10	st.	2	ci..st.		
24	29·39	29·16	— 5·0	—29·0	—29·0	—53·0			S.	1	S.	3					10	st.	4	ci.		
25	29·17	28·91	—33·0	—20·0	—13·0	—36·0			S.	1	S.	2					5	st.	4	ci.		
26	28·77	28·74	—29·0	—15·0	— 9·0	—29·0			S.	2	C.	0			4	ci.st.			3	ci.st.		
27	28·80	28·83	—28·0	—15·0	— 5·0	—30·0			C.	0	C.	0			4	ci.st.					5	cu.
28	28·72	28·88	—24·5	— 6·0	— 5·0	—26·0			C.	0	C.	0			1	ci.			3	ci.		

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson, Yukon—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·07	28·99	—23·0	— 9·0	— 5·0	—25·0	*	*	N.	4	N.	3	...	....	2	ci.	....	.....	3	ci.	....	.....
2....	29·02	29·15	—19·0	—16·0	6·0	—20·0			C.	0	C.	0	...	....	4	ci.st.	...	.....	4	ci.st.	....	.....
3....	29·04	28·72	—15·0	0·0	0·0	—23·0			C.	0	N.	2	...	·05	5	ci.st.	..	.....	.....	.....	9	nb.
4...	28·54	28·61	5·0	13·0	17·0	0·0			C.	0	C.	0	·15	. .	....	.....	8	st.	....	. .	7	st.
5....	28·79	28·55	1·0	21·0	22·0	0·0			S.	4	N.	18	....	....	2	ci.	...	.....	....	.....	8	st.
6....	28·69	28·94	2·0	5·0	21·0	0·0			S.	3	C.	0	·05	....	....	.....	7	cu.	4	ci.	....	....
7....	29·20	29·28	10·0	5·0	20·0	4·0			S.	7	C.	0	....	....	....	....	7	cu.	1	ci.	....	... .
8....	29·22	29·13	— 5·0	8·0	11·0	— 7·0			S.W.	4	C.	0	....	...	4	ci.	....	. ...	.....	.....	8	st.
9....	29·27	29·27	— 3·0	29·0	33·0	— 7·0			S.E.	4	S.	8	....	....	1	ci.	....	. ...	.....	.....	7	cu.
10....	29·28	29·09	0·0	5·0	29·0	— 3·0			S.	4	C.	0	.. .	....	2	ci.	...	. . .	1	ci.st.	....	.....
11....	28·92	28·80	9·0	10·0	18·0	3·0			S.	4	C.	0	....	....	....	.....	9	n.b.	1	ci.	....	.....
12....	28·92	28·85	— 3·0	7·0	18·0	— 6·0			C.	0	C.	0	....	....	....	....	7	cu.	....	.....	2	cu.
13....	29·21	28·91	— 3·0	8·0	13·5	—18·0			S.	10	C.	0	...	..	5	ci.	....	.....	5	ci.	....	....
14....	28·91	28·89	8·0	4·0	21·0	4·0			S E.	2	W.	5	....	....	....	... ..	5	cu.	1	ci.	....	....
15....	28·93	28·91	—19·0	—11·0	6·0	23·0			S.	6	C.	0	....	. .	5	ci.st.	....	.....	1	ci.	....	.....
16....	29·12	29·36	—27·5	—11·0	5·0	—29·0			S.E.	2	C.	0	....	....	1	ci.st.	....	.....	1	ci.st.	....	.....
17....	29·41	29·00	—34·0	— 5·0	— 4·0	—35·0			S.E.	2	N.	3	....	....	2	ci.	...	. .	1	ci.	...	.....
18....	28·60	28·27	— 1·0	2·0	6·0	—11·2			S.	8	S.	4	....	·10	....	....	10	n.b.	.....	... ..	7	nb.
19....	28·31	28·19	— 5·0	— 6·0	12·5	— 8·0			C.	0	C.	0	....	....	.	.....	4	st.	....	.....	3	st.
20....	28·46	28·61	— 2·5	—13·0	3·0	—13·0			S.W.	6	C.	0	....	....	5	ci.st.	. .	. . .	1	ci.	....	.....
21....	28·45	28·41	—38·0	—20·0	— 5·5	—41·5			C.	0	C.	0	....	....	1	ci.	....	.....	1	ci.	....	.....
22. ..	28·65	28·83	—34·0	—13·0	0·0	—35·0			S.	2	N.	8	....	....	3	ci.st.	....	...	.....	.....	....	.....
23....	29·15	29·21	—34·5	—18·0	— 3·0	—38·0			C.	0	N.W.	1	...	....	....	.. ....	....	....	.....	.....	....	.. .
24....	29·43	29·18	—39·5	0·0	0·5	—39·5			S.E.	2	S.E.	10	....	....	....	. ....	....	....	2	ci.st.	....	.. ...
25....	28·98	28·73	2·0	8·0	12·0	— 3·5			S.	8	S.	12	....	....	....	. . .	10	st.	4	ci.	...	.....
26....	28·36	28·43	8·0	1·0	18·0	1·0			C.	0	N.	35	·15	·07	....	..	9	n.b.	...	....	9	nb.
27....	28·92	29·10	—10·0	—15·0	1·0	—15·0			N.	25	C.	2	...	....	1	ci.st.	....	.....	1	ci.st.	....	.....
28....	29·18	29·04	—33·0	—11·5	— 1·5	—36·0			C.	0	C.	0	....	....	3	ci.	....	....	4	ci.st.	...	... .
29....	29·07	29·06	—17·5	5·0	18·0	—23·5			N.W.	2	S.W.	2	....	....	....	.....	7	st.	6	ci.st.	....	.....
30....	29·00	28·27	— 8·5	1·0	8·0	— 8·5			N.W.	6	N.	18	.. .	....	....	....	7	st.	6	ci.st.	...	... .
31....	28·77	28·87	—13·5	— 3·0	4·0	—21·0			S.E.	2	N.W.	6	....	....	....	.....	.....	.....	.....	.....	....	.....

*No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson, Yukon—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	n.								
1	29·08	28·93	—26·0	— 2·0	10·0	—29·5	*	*	N.W.	4	N.	4							1	ci.st.		
2	28·93	28·74	—15·0	10·0	22·0	—20·0			N.	2	C.	0										
3	28·66	28·53	— 6·5	21 0	26·0	— 9·0			N.	4	N.	17			2	ci.st.			7	ci.		
4	28·30	28·36	6·0	23 0	30 0	3·0			N.	8	N.	16			2	ci.			1	ci.		
5	28·45	28·41	4·5	17·0	27·0	0·0			N.	6	N.	16					8	cu.			9	cu.
6	28·48	28·51	11·5	22·5	25·0	10·0			N.W.	8	N.W.	5					10	nb.			9	nb.
7	28·64	28 62	21·0	35·0	43·0	18·5			N.W.	2	N.						9	cu.			8	cu.
8	28·64	28·61	28·0	29·0	40·5	24·5			N.	2	C.	0					8	nb.			4	st.
9	28·54	28·47	22·0	31·0	40·5	20·5			C.	0	W.	2		T.			5	cu.			7	nb.
10	28·70	28·87	23·0	29·5	40·0	18·0			N.	3	C.	0	01				5	cu.			1	st.
11	29·02	28·87	16·0	42 0	46·0	8·0			N.	2	C.	0					5	st.	5	ci.st.		
12	28·85	28·66	31·0	40 0	49·0	26·0			C.	0	C.	0			2	ci.					7	cu.
13	28·64	28·67	27·0	41·0	50·5	22·0			C.	0	C.	0			3	ci.			7	ci.st.		
14	28 60	28·48	40·0	42 0	53·0	32·0			N.	4	C.	0					3	cu.			10	nb.
15	28·48	28·56	35 0	35 0	49·0	32·0			C.	0	C.	0		03			8	st.			10	nb.
16	28·59	28·69	35·0	37·0	44·0	31·0			C.	0	C.	0	01		3	ci.					8	nb.
17	28·89	28·97	35·0	34·0	42 0	31·0			N.W.	6	C.	0		02			10	nb.			8	nb.
18	29·14	28·94	30·0	39·0	44 0	24·0			S.E.	4	C.	0			3	ci.st.			1	ci.st.		
19	28·64	28·47	36·0	33·0	44·0	26·0			N.	2	C.	0		07	8	ci.					9	nb.
20	28·69	28·78	31·0	38·0	43·0	29 0			N.	4	N.	8	05				9		5	ci.		
21	28·99	28·96	30·5	38·0	46·0	26·0			W.	4	C.	0					6		1	ci.		
22	29·33	29·29	25·0	37·0	46·0	18·0			C.	0	C.	0							1	ci.		
23	29·23	29·19	27·0	38·0	47 5	18·0			N.W.	2	C.	0			1	ci.st.			1	ci.		
24	29·26	29·18	28·5	38·0	49·5	18·5			C.	0	N.W.	3			1	ci.st.			1	ci.		
25	29·25	29·06	28·5	17·0	54·0	20·0			N.W.	3	C.	0										
26	28·99	28·82	30·0	46·0	58 0	24·0			C.	0	C.	0			1	ci.st.			1	ci.		
27	28·86	28·82	33·5	39·0	61·0	25·5			S.	2	C.	0										
28	28·92	28·87	37·0	46·0	59·5	26·0			S.	2	C.	0			1	ci.st.					3	cu.
29	29·04	29·13	39·0	42·0	53·0	29·5			C.	0	S.	2		02			9	st.			9	st.
30	29·87	29·02	35 0	46·0	56·0	32·0			C.	0	W.	2										

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·03	28·99	42·0	52·0	61·0	32·0	*	*	N.W.	4	S.E.	6	...	...	2	ci.	...	...	2	ci.st.	...	...
2....	29·04	28·98	40·0	55·0	65·0	31·5			C.	0	S.	2	...	...	1	ci.	...	...	...	...	...	...
3....	29·01	29·06	38·0	55·0	67·0	30·0			C.	0	S.W.	4	...	...	...	...	...	...	...	...	9	st.
4....	29·02	28·90	44·0	53·0	66·0	33·0			S.	2	N.W.	2	...	...	1	ci.	...	...	2	ci.	...	...
5....	28·81	28·56	41·0	56·0	68·0	32·0			N.	4	N.	2	...	T.	4	ci.cu.	...	...	...	...	8	cu.
6....	28·69	28·77	46·0	43·0	56·0	40·0			N.E.	4	C.	0	·02	...	1	ci.	...	...	...	...	2	cu.
7....	28·77	28·67	37·0	49·0	58·5	29·0			C.	0	N.	4	...	T.	...	...	...	...	...	..	8	st.
8....	28·63	28·52	40·0	49·0	51·0	38·0			N.E.	4	W.	4	·04	...	10	ci.cu.	...	...	4	ci.st.	...	...
9..	28·54	28·35	39·0	46·0	55·0	38·0			N.	7	C.	0	...	...	...	...	8	cu.	8	ci.cu.	...	...
10...	28·33	28·39	32·0	33·0	46·0	31·0			N.	10	N.W.	2	...	...	...	...	10	nb.	...	...	8	nb.
11....	28·31	28·28	34·0	44·0	54·0	23·0			N.	1	N.W.	4	...	...	6	ci.cu.	...	...	5	ci.cu.	...	...
12...	28·21	28·14	51·5	51·0	57·0	36·5			W.	4	N.	6	·08	...	6	ci.cu.	...	...	4	ci.	...	...
13....	28·19	28·18	46·0	43·0	55·0	41·0			N.	4	E.	4	03	...	10	ci.cu.	...	...	10	ci.cu.	...	...
14...	28·64	28·77	42·0	44·0	50·0	40·0			N.W.	6	N.E.	7	27	...	10	ci.cu.	...	...	6	ci.st.	...	...
15....	28·90	28·90	43·0	44·0	52·0	35·0			N.W.	8	N.	4	...	...	...	...	...	...	...	.	4	cu.
16....	28·99	28·97	40·0	49·0	54·0	32·0			S.	6	W.	1	...	...	7	ci.cu.	...	...	8	ci.cu.	...	...
17....	29·04	29·04	43·0	45·0	59·0	36·0			W.	1	C.	0	...	03	5	cu.	..	..	4	ci.st.	...	...
18....	29·02	28·99	39·0	57·0	62·0	31·0			C.	0	S.	6	...	...	...	...	...	...	4	ci.st.	...	...
19....	28·96	28·92	60·0	57·0	66·0	43·5			C.	0	C.	0	...	...	6	ci.cu.	..	...	...	...	8	cu.
20....	28·88	28·82	54·0	52·0	68·0	43·0			N.	2	C.	0	...	·03	6	ci.cu.	...	...	9	ci.st.	...	...
21....	28·82	29·03	52·0	54·0	70·5	38·0			C.	0	N.W.	2	...	...	...	...	...	...	5	ci.st.	...	...
22..	28·96	28·83	56·0	65·0	76·0	44·0			C.	0	N.	2	...	...	2	ci.st.	...	...	2	ci.st.	...	...
23..	28·91	28·54	56·0	54·0	80·0	40·0			C.	0	C.	0	...	...	...	.	...	...	...	...	7	cu.
24....	28·69	28·67	64·0	64·0	77·0	44·0			C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
25....	28·87	28·92	60·0	60·0	71·0	52·0			S.	6	S.	3	...	...	8	ci.st.	...	...	6	ci.st.	...	...
26....	28·77	28·67	60·0	69·0	74·0	48·0			C.	0	S.	3	...	...	3	ci.cu.	...	...	2	ci.st.	...	...
27....	28·69	28·78	62·0	57·0	71·0	57·0			C.	0	N.	3	...	...	...	...	7	st.	...	...	7	cu.
28....	28·86	28·76	56·0	65·0	72·0	56·0			C.	0	S.	6	...	...	...	...	8	cu.	...	...	8	cu.
29....	28·84	28·74	59·0	66·0	73·0	45·0			N.W.	4	C.	0	·03	...	.	...	8	cu.	...	...	5	cu.
30....	28·78	28·60	60·0	70·0	78·0	39·0			C.	0	N.	10	...	...	3	ci.st.	..	.	...	...	7	cu.
31..	28·63	28·59	59·0	57·0	70·0	50·0			W.	4	S.	8	...	...	...	...	...	...	...	...	..	...

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	n.	°	°	°	°							in.	in.								
1....	28·68	28·68	45·0	59·0	74·0	38·0	*	*	E.	4	C.	0	...	....	1	ci.st.	...	.....	..	...	6	c.u.
2....	28·67	28·64	46·0	56·0	72·0	46·0			S.	6	N.	5	....	....	1	ci.	....	.....	4	ci.st.	....	.....
3....	28·69	28·51	57·0	69·0	78·0	36·0			C.	0	N.	4	...	...	....	.....	....	.. .	1	ci.	....	.....
4....	28·55	28·39	52·0	63·0	77·0	31·0			C.	0	N.	6	....	....	....	.....	8	st.	....	.....	8	st.
5....	28·52	28·54	53·0	54·0	63·0	48·5			N.	2	C.	0	....	·04	....	.....	8	st.	....	.. ..	8	cu.
6....	28·58	28·56	54·0	53·0	67·0	45·0			S.W.	3	S.	2	·04	·07	5	ci.	....	.....	....	.....	10	cu.st.
7....	28·54	28·44	54·0	56·0	70·0	44·0			C.	0	N.	10	....	....	....	....	9	cu.st	....	.. ..	9	st.
8....	28·49	28·46	51·0	56·0	67·0	41·0			C.	0	S.E.	4	....	....	....	.....	8	cu.	....	.....	10	cu.st.
9....	28·47	28·49	58·0	51·5	66·5	40·0			N.	2	C.	0	T.	·13	...	.....	10	cu.st.	...	.....	10	cu.st.
10....	28·52	28·50	48·0	53·0	65·0	42·0			S.	6	N.	2	...	T.	....	.....	8	cu.	....	....	9	cu.st.
11....	28·53	28·51	50·0	55·0	67·0	44·0			N.	6	C.	0	....	....	....	.....	5	cu.	.. .	.....	10	cu.st..
12....	28·60	28·64	59·0	54·0	74·0	47·0			N.	3	C.	0	....	....	....	.... .	8	st.	6	ci.	....	.....
13....	28·74	28·74	58·0	68·0	75·0	41·0			N.	6	C.	0	...	....	1	ci.	....	.....	1	ci.	..	.... .
14....	28·72	28·66	55·0	67·0	77·0	44·0			N.	8	W.	2	....	....	....	.....	10	cu.st.	1	ci.	....	.....
15....	28·69	28·69	54·0	64·0	71·0	48·0			W.	5	C.	0	....	....	1	ci.	....	. ...	5	ci.	....	.... .
16....	28·71	28·78	63·0	60·0	72·5	43·0			S.E.	15	C.	0	....	...	....	.....	2	cu.	7	ci.st.	....	.....
17....	28·89	29·00	50·0	55·0	70·0	39·0			S.	4	C.	0	....	....	....	.....	10	cu.st.	....	....	9	st.
18....	29·00	28·87	50·0	52·0	63·0	43·0			C.	0	C.	0	T.	....	6	ci.	....	.....	6	ci.st.	6	.....
19....	28·88	28·84	50·0	60·0	65·0	38·0			C.	0	C.	0	....	....	....	.....	10	cu.st.	5	ci.st.	....	.....
20....	28·97	28·87	48·0	56·0	65·0	38·0			N.	5	N.	2	·04	...	....	.....	8	st.	....	.....	6	cu.
21....	28·83	28·61	51·0	55·0	67·0	39·0			C.	0	C.	0	....	·03	....	.....	9	st.	....	.....	10	cu.st.
22....	28·77	28·74	54·0	68·0	68·0	41·0			S.	3	S.E.	6	....	T.	....	.....	6	c.u.	....	....	6	cu.
23....	28·74	28·55	64·0	66·0	74·0	44·0			C.	0	S.	3	...	T.	....	.....	10	cu.st.	....	.....	8	st.
24...	28·72	28·81	55·0	55·0	66·0	44·0			C.	0	C.	0	....	...	....	.....	....	.....	....	.....	2	cu.
25....	28·89	28·77	60·0	63·0	77·5	42·5			S.	4	C.	0	.. .	....	....	....	....	. ...	....	.....	....	.....
26....	28·77	28·62	60·0	75·0	84·0	44·0			W.	3	C.	0	....	....	....	.....	....	.. ..	....	.....	....	....
27.. .	28·58	28·51	53·0	72·0	87·0	43·0			S.E.	4	N.E.	6	....	....	....	.....	2	cu.st.	....	.....	4	cu.st
28....	28·70	28·71	55·0	63·0	80·0	45·0			S.	4	C.	0	....	....	....	.....	6	cu.	....	.....	6	cu.
29. ..	28·79	28·77	60·0	70·0	80·0	47·0			N.	4	W.	4	....	....	3	ci.	...	.....	....	.....	....	....
30....	28·78	28·70	62·0	64·0	74·0	52·0			W.	8	C.	0	....	....	8	ci.cu.	....	... .	....	.....	9	st.

*No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson, Yukon—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Winds.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·67	28·56	60·0	64·0	71·0	50·0	*	*	E.	2	C.	0	....	....	....	.....	8	cu.	4	ci.st.	....	....
2....	28·57	28·47	54·0	54·0	69·0	48·0			C.	0	C.	0	·70	1·0	....	.....	10	n.b.	....	.....	10	nb.
3....	28·45	28·43	54·0	56·0	60·0	45·0			N.	12	N.	8	...	·03	....	.....	9	st.	....	.....	9	st.
4....	28·51	28·58	56·0	61·0	69·0	40·0			N.	6	W.	6	....	....	6	ci.cu.	....	.....	....	.....	6	cu.
5....	28·70	28·65	55·0	69·0	76·0	38·0			C.	0	E.	6	....	....	1	ci.	....	....	....	....	8	st.
6....	28·66	28·67	62·0	56·0	80·0	46·0			S E.	8	C.	0	....	....	2	ci.	...	.....	4	ci.st.	....	....
7....	28·76	28·82	53·0	55·0	60·0	49·0			C.	0	C.	0	....	·06	....	....	10	ci.st.	1	ci.st.	....	....
8 ...	28·83	28·69	53·0	63·0	73 0	40·0			N.	2	C.	0	....	....	2	ci.	....	....	....	....	8	st.
9....	28·67	28·58	59·0	60·0	76·0	53·0			N.	4	C.	0	....	....	....	..	1	cu.	....	.....	8	st.
10....	28·56	28·54	55·0	60·0	65·0	54·0			N.W.	6	C.	0	·16	...	....	.....	10	ci.st.	...	.....	10	ci.st.
11....	28·85	28·79	59·0	65·0	71·5	51·0			E.	8	C.	0	·12	....	....	.....	7	.....	....	.....	....	....
12....	28·78	28·84	52·0	57·0	65·0	44·0			C.	0	C.	0	....	·02	5	ci.	....	.....	...	.....	9	st.
13. ..	28·97	28·97	60·0	63·0	67·0	53·0			N.	10	C.	0	....	....	....	.....	8	cu.	2	ci.st.	....	.....
14....	29·05	28·81	55·0	60·0	77·0	39·0			C.	0	C.	0	....	....	....	.....	1	cu.	1	ci.st.	....	.....
15....	28·83	28·57	55·0	62·0	64·5	39·0			C.	0	W.	4	....	....	5	ci.st.	....	.. .	....	.....	5	cu.
16....	28·76	28·77	53·0	56·0	62·0	53·0			C.	0	N.	4	....	....	....	.....	10	cu.st.	2	ci.st.	....	.....
17....	28·79	28·66	52·0	55·0	62·0	40·0			C.	0	C.	0	·08	....	....	.....	8	cu.	....	.....	10	nb.
18....	28·87	28·95	56·0	56·0	62·0	39·0			W.	4	W.	6	·25	....	....	.....	6	cu.	1	ci.st.	....	....
19....	28·93	28·72	45·0	65·0	75·0	45·0			C.	0	C.	0	....	....	1	ci.st.	....	.....	....	.....	9	st.
20....	28·88	28·70	60·0	66·0	81·0	45·0			C.	0	C.	0	....	....	1	ci.st.	...	.....	2	ci.st.	....	.....
21....	28·64	28·53	60·0	69·0	85 0	39·0			S.	4	C.	0	....	....	1	ci.st.	....	.. .	4	ci.	....	.. ...
22 ...	28·64	28·50	60·0	73·0	83·0	47·0			C.	0	S.W.	3	....	....	1	ci.st.	....	.....	3	ci.st.	....	.....
23....	28·57	28·54	61·0	68·0	82·5	48·0			S.E.	8	C.	0	....	....	....	...	....	.....	1	ci.	...	.....
24....	28·62	28·61	66·0	67·0	73·0	53·0			C.	0	C.	0	....	....	1	ci.st.	....	.....	....	.. ..	6	cu.
25....	28·57	28·64	57·0	56·0	75·0	45·0			S.	5	C.	0	....	....	....	.....	8	st.	....	.....	8	st.
26....	28·66	28·56	55·0	55·0	70·0	49·0			S.W.	3	C.	0	...	..	....	.....	8	st.	....	.....	9	st.
27....	28·56	28·53	54·0	54·0	69·0	45·0			S.	4	N.W.	5	....	·17	....	.....	9	st.	....	.....	10	nb.
28....	28·73	28·77	55 0	60·0	68·0	43 0			C.	0	N.W.	10	·14	....	....	.....	10	nb.	....	.....	8	st.
29....	28·89	28·90	58·0	59·0	73·0	39·0			C.	0	C.	0	....	....	....	.....	10	nb.	....	....	8	nb.
30....	29·09	28·95	55·0	64·0	79·0	50·0			C.	0	C.	0	....	....	....	.. ..	1	cu.	....	.....	6	st.
31....	28·89	28·63	59·0	70·0	88·5	44·0			C.	0	C.	0	....	....	....	.....	3	cu.	....	.....	4	cu.

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·58	28·75	64·0	52·0	70·0	52·0	*	*	S.	6	W.	4	....	....	....	....	7	cu.st.	....	....	10	nb.
2	28·72	28·62	50·0	60·0	72·0	41·0			S.E.	5	C.	0	·13	....	....	....	9	nb.	....	....	4	st.
3	28·57	28·46	55·0	69·0	76·0	44·0			C.	0	S.E.	4	....	....	....	....	2	cu.	....	....	8	st.
4	28·57	28·62	63·0	56·0	69·0	50·0			C.	0	N.	6	....	T.	....	....	7	cu.st.	....	....	6	cu.st.
5	28·68	28·70	51·0	62·0	72·0	38·0			C.	0	C.	0	....	·11	....	....	7	cu.	....	....	4	st.
6	28·83	28·79	54·0	63·0	76·0	47·0			N.	8	S.E.	12	....	....	3	ci.	....	....	....	....	8	st.
7	28·89	28·82	54·0	60·0	73·0	41·0			C.	0	N.	3	T.	....	1	ci.	....	....	....	....	6	st.
8	28·70	28·62	54·0	57·0	57·5	45·0			C.	0	C.	0	....	....	3	ci.	....	....	4	ci.	....	....
9	28·68	28·69	60·0	65·0	70·0	43·5			N.	3	C.	0	....	....	5	ci.	....	....	3	ci.	....	....
10	28·81	28·82	60·0	65·0	77·0	47·0			C.	0	C.	0	....	....	3	ci.	....	....	....	....	....	....
11	28·76	28·82	57·5	60·0	79·0	44·0			C.	0	C.	0	....	....	3	ci.	....	....	3	ci.	....	....
12	28·81	28·74	60·0	61·0	76·0	43·0			C.	0	C.	0	....	....	1	ci.	....	....	....	....	4	st.
13	28·78	28·64	50·0	63·0	78·0	40·0			C.	0	C.	0	....	....	1	ci.	....	....	....	....	2	cu.
14	28·70	28·63	52·0	60·0	76·0	41·0			C.	0	N.	8	....	T.	....	....	....	....	....	....	10	nb.
15	28·73	28·89	53·0	56·0	65·0	42·0			N.	5	C.	0	·16	....	....	....	10	nb.	....	....	....	....
16	29·02	28·92	41·0	61·0	69·0	34·0			N.	4	C.	0	....	....	2	ci.	....	....	....	....	4	cu.st.
17	28·85	28·81	50·0	62·0	72·0	40·0			C.	0	N.	3	....	....	....	....	8	cu.st.	....	....	5	cu.
18	28·88	28·83	52·0	58·0	68·0	49·0			C.	0	C.	0	·05	....	....	....	10	nb.	....	....	8	st.
19	28·83	28·62	51·0	58·0	75·0	40·0			S.	2	C.	0	·04	....	1	ci.	....	....	....	....	8	st.
20	28·48	28·39	57·0	55·0	65·0	53·0			C.	0	N.	8	....	....	....	....	10	nb.	5	ci.st.	....	....
21	28·34	28·16	52·0	49·0	63·0	41·0			C	0	S.E.	4	·40	..	....	....	8	st.	....	....	10	nb.
22	28·37	28·47	50·0	50·0	60·0	46·5			S.	5	W.	8	....	....	....	....	10	nb.	6	ci.st.	....	....
23	28·58	28·68	43·0	50·0	60·0	31·5			C.	0	C.	0	....	....	....	..	8	st.	....	....	10	nb.
24	28·80	28·76	39·0	50·0	61·0	31·0			C.	0	S.	4	....	....	....	....	10	nb.	4	ci.	....	....
25	28·80	28·93	38·0	48·0	58·0	30·0			S.	4	W.	4	....	....	5	ci.	....	....	1	ci.	....	....
26	28·99	28·73	37·0	56·0	63·0	30·0			C.	0	C.	0	....	....	....	....	....	....	6	ci.st.	....	....
27	28·81	28·62	47·0	51·0	58·0	43·0			C.	0	C.	0	·02	....	....	....	10	nb.	....	....	8	st.
28	28·51	28·55	48·0	49·0	58·5	43·0			N.	8	W.	4	....	....	7	ci.	....	....	....	....	5	cu.
29	28·56	28·51	37·0	45·0	50·5	29·5			C.	0	C.	0	....	·08	6	ci.	....	....	....	....	8	st.
30	28·44	28·15	42·0	53·0	54·0	31·0			S.	10	S.W.	5	....	....	....	....	10	nb.	5	ci.st.	....	....
31	28·38	28·48	43·0	47·0	65·0	38·0			C.	0	S.	2	....	....	1	ci.	....	....	1	ci.	....	....

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·77	28·74	39·0	46·0	64·0	30·0	*	*	C.	0	C.	0	....	....	1	ci.	....	.....	....	....	....	.....
2	28·79	28·74	40·0	47·0	64·0	32·0			W.	6	N.	2	....	....	1	ci.	....	.. ..	2	ci.st.	....	.....
3	28·91	28·80	32·0	51·0	62·0	25·0			S.	4	C.	0	....	....	1	cl.	...	.....	1	ci.st.	...	... .
4	28·57	28·44	42·0	44 0	51·0	32·0			N.W.	5	N.	4	T.	....	....	.....	10	nb.	....	.....	10	nb.
5	28·61	28·72	41·0	48·0	48·0	40 0			S.	4	S.	4	....	....	...	.....	10	nb.	8	ci.st.	...	.....
6	28·97	28·84	35·0	46·0	54·0	35·0			C.	0	C.	0	....	....	....	.....	6	cu.	....	.....	6	st.
7	28·84	28·73	35·0	47·5	50 5	29 5			C.	0	C.	0	..	T.	....	.....	10	nb.	....	.....	7	st.
8	28·80	28·95	46·0	46·0	57·0	42·0			C.	0	C.	0	....	·02	....	.. ..	10	nb.	....	.....	9	st.
9	29·39	29·33	42·0	44·0	59·0	35·0			E.	6	C.	0	...	....	....	.....	8	cu.	....	.. ...	9	cu.
10	29·48	29·33	36·0	52·0	59·0	30·0			S.	5	N.	6	....	T.	4	ci.st.	..	.....	....	...	10	nb.
11	29·31	29·22	47·0	53 0	60·0	44·0			C.	0	C.	0	...	....	...	.....	10	nb.	....	.....	10	nb.
12	29·04	28·91	48·0	52·0	64·0	48·0			S.E.	6	N.W.	6	....	·14	...	.....	10	nb.	...	.....	....	.....
13	29·11	29·11	45·0	45·0	52·0	45·0			N.W.	8	C.	0	....	....	....	.....	8	st.	....	.....	8	cu.
14	29·17	29·16	34·0	38·0	50·5	27·0			E.	2	N.	2	..	....	4	ci.st.	....	.... .	3	ci.	...	....
15	29·07	29·06	33·0	35·0	40·0	24·0			C.	0	C.	0	T.	..	....	.....	10	nb.	....	.....	10	nb.
16	28·71	28·69	36·0	34·0	47·5	34·0			N.W.	2	C.	0	...	·15	....	.....	6	cu.	2	ci.st.	...	. . .
17	28·63	28·51	30·0	34·0	39·0	25 0			C.	0	N.W.	10	....	..	..	.....	10	nb.	....	.....	8	nb.
18	28·75	28·76	27·0	36·0	45·0	24 0			N.	4	S.	4	....	....	4	ci.	...	.....	4	ci.	...	...
19	28·84	28·79	30·0	33 0	40·0	25·0			S.W.	4	C.	0	...	....	2	ci.	....	.. ..	....	.....	10	nb.
20	28·71	28·52	34·0	36·0	38·0	32 0			C.	0	S.	2	...	...	....	.....	10	nb.	....	.....	10	nb.
21	28·48	28·07	37·0	38·0	42·5	35·0			S.	2	C.	0	....	..	....	... ..	10	nb.	....	.....	9	cu.
22	28·08	28·31	40 0	40·0	46·5	37·0			S.E.	4	C.	0	....	...	...	.....	9	nb.	....	.....	8	cu.
23	28·57	28·84	38·0	40·0	49·0	35·0			W.	5	C.	0	....	·04	....	... .	8	nb.	....	.....	9	nb.
24	29·04	28·95	36 0	38·0	46·0	33·0			C.	0	C.	0	....	....	....	.....	10	nb.	....	.. .	. .	.....
25	28·88	28·79	32·0	40·0	57·0	29·0			C.	0	C.	0	....	....	3	ci.	....	... .	4	ci.st.	...	.....
26	28·78	28·66	30·0	49·0	60·0	28 0			C.	0	N.W.	2	....	....	2	ci.	....	....	1	ci.	....	.....
27	28·70	28·54	32·0	40·0	55·0	30·0			S.	4	C.	0	...	....	1	ci.	...	.....	2	ci.	....	... ..
28	28·35	28·31	40 0	45·0	62·0	34·0			S.	2	C.	0	....	....	2	ci.	....	....	....	.....	7	nb.
29	28·24	28·29	41·0	41·0	45·0	41·0			C.	0	C.	0	...	·41	....	.....	10	nb.	....	.....	9	nb.
30	28·49	28·57	36·0	35·0	41·0	35 0			N.	6	N.	5	·09	....	....	....	....	.....	....	.....	9	st.

*No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson, Yukon—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·59	28·40	34·0	32·0	43·0	32·0	*	*	N.	4	C.	0	T.	....	....	.....	10	nb.	1	ci.	....	. . .
2....	28·23	28·17	30·0	44·0	48·0	27·0			C.	0	S.	10	...	....	....	.....	6	cu.	....	.....	8	cu.
3....	28·26	28 24	31·0	35·0	49·0	26·0			S.	5	C.	0	....	....	6	ci.	....	.... ..	3	c.i.	....	.....
4....	28 26	28 32	42 0	35·0	44·0	31·0			S.	8	C.	0	....	....	....	.....	10	st.	....	.....	7	st.
5....	28·46	28·33	32·0	46·0	48·0	30 0			S.	3	N.	6	...	....	8	ci.st.	...	.....	....	.....	8	st.
6 ..	28 23	28·37	40·0	35·0	46·0	35 0			S.	2	W.	16	·10	....	....	.....	8	cu.	...	.....	9	.....
7....	28 57	28 63	30·0	32·0	35·0	30·0			N.	4	C.	0	...	...	....	....	10	nb.	8	ci.	...	nb.
8....	28·55	28·59	31·0	32·0	39·0	29·0			C.	0	S.	2	·05	....	....	.....	9	nb.	....	.....	7	cu.
9 ..	28·60	28·58	31·0	34·0	39 0	30·0			S.	8	C.	0	....	....	6	ci.cu.	....	.....	6	ci.	....	.....
10.. .	28·62	28·41	32·0	36·0	37·0	32·0			C.	0	N.	20	....	....	....	.....	8	st.	....	....	6	nb.
11 ...	28·09	28·63	30·0	28·0	36·0	28·0			N.	20	N.	6	....	·15	...	. ...	8	nb.	5	ci.	....	.....
12....	28·69	28·72	23 0	25·0	31·0	22·0			N.	16	N.	6	....	....	1	ci.	...	.....	1	ci.	....	. . .
13....	28·28	28·28	25·0	17·0	25·0	17·0			N.	8	N.	5	....	....	...	.....	8	st.	....	.....	10	nb.
14....	28·40	28·71	14·0	15 0	17·0	11·0			S.	4	N.	2	·80	....	6	ci.st.	....	.....	...	.....	10	nb.
15....	28·95	29·32	7·0	0·0	17·0	0·0			N.	2	C.	0	·15	....	4	ci.	....	.....	....	.....	....	.....
16....	29·41	29·34	—13·5	— 3·0	7·0	—15·0			C.	0	C.	0	...	....	2	ci.	....	.....	1	ci.	...	.....
17....	29·10	28·81	— 3·5	13·0	13·0	—10·0			C.	0	N.W.	7	T.	·07	....	.. .	10	nb.	....	. .	9	nb.
18....	28·86	28·80	14·0	17·0	24·0	10·0			S.	2	C.	0	....	....	...	... ..	7	st.	....	... .	10	st.
19....	28·47	28 28	24·0	36·0	36·0	16·0			C.	0	C.	0	·05	·01	....	.....	10	nb.	....	.....	9	nb.
20....	28·36	28·34	37·0	33·0	37·0	33 0			C.	0	S.	4	·01	...	....	.....	9	st.	....	.....	8	st.
21....	28·12	28·29	43·0	30·0	45·0	30·0			S.	10	C.	0	....	....	....	... .	7	st.	2	ci.st.	....	.....
22....	28·49	28·69	18·0	22·0	30·0	16·0			S.	4	S.	5	....	....	3	ci.	.. .	.....	3	ci.	....	....
23....	28 98	28·89	10·0	14·0	22·0	8·0			S.	2	C.	0	....	....	1	ci.	....	.....	1	ci.	....	... .
24....	28·70	28·68	14·0	24·0	24·0	10·0			N.	4	C.	0	....	....	....	.....	10	nb.	....	.....	10	nb.
25....	28·79	28·58	24·0	27·0	29·0	19·0			C.	0	C.	0	....	....	....	... ..	10	nb.	....	.....	8	nb.
26....	28·38	28·42	32·0	30·0	34·0	27·0			N.	4	N.	1	·10	....	....	.....	9	nb.	....	... ..	8	st.
27.. .	28·47	28·24	25·0	27·0	30·0	24·0			S.	3	W.	4	....	·40	....	.....	.. .	.....	....	.....	9	nb.
28....	28·18	28·16	31·0	32·0	36·0	27·0			N.	1	N.	4	·10	...	.. .	.....	10	nb.	....	.... .	9	nb.
29....	28·16	28·18	25·0	23·0	34·0	23·0			C.	0	N.	15	·30	.10	....	.....	10	nb.	...	.....	10	nb.
30....	28·25	28·36	20·0	14·0	23·0	14·0			N.	8	N.	10	....	·10	....	.....	8	nb.	....	.....	10	nb.
31....	28·41	28·75	2·0	—30·0	14·0	—30·0			N.	15	N.W.	3	·40	....	....	.....	10	nb.	2	ci.	....	.....

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·76	28·32	— 6·0	3·0	3·0	—17·0	*	*	N.	6	N.W.	15	·07	·10	....	....	10	nb.	....	.....	10	nb.
2....	28·54	28·51	— 4·0	— 8·0	3·0	— 8·0			N.	10	N.	8	·20	....	....	.....	10	nb.	3	ci.	....	.....
3....	28·41	27·99	—23·0	— 5·0	— 4·0	—26·0			C.	0	C.	0	....	·07	1	ci.	....	. .	....	.....	7	nb.
4....	28·05	28·40	1·0	— 1·0	2·0	— 5·0			N.	8	N.W.	12	·07	....	....	....	9	nb.	5	ci.st.	....	.....
5....	28·35	28·74	— 2·0	—10·0	0·0	—10·0			S.	16	C.	0	·30	..	....	...	9	nb.	5	ci.st.	7	st.
6....	28·80	28·53	—30·0	—21·0	—10·0	—31·0			C.	0	C.	0	....	....	6	ci.st.	....	....	....	.. ..	9	nb.
7....	28·40	28·68	—10·0	—14·0	— 4·0	—21·0			S.	3	S.	3	·15	....	....	.....	10	nb.	1	ci.	....	.... .
8....	28·98	29·10	—10·0	—12·0	— 2·0	—15·0			S.	8	C.	0	..	....	2	ci.	....	.....	1	ci.	....	.....
9...	28·88	29·05	2·0	8·0	9·0	—12·0			S.	6	C.	0	·15	....	....	.....	8	st.	2	ci.st.	....	.....
10....	28·86	28·86	4·0	20·0	24·0	3·0			S.E.	4	C.	0	....	....	1	ci.	....	....	....	.....	....	.....
11....	29·36	29·40	20·0	5·0	26·0	5·0			S.	2	C.	0	....	....	1	ci.	....	.....	4	ci.st.	....	. ....
12....	29·25	29·10	— 2·0	— 4·0	2·0	— 4·0			S.	4	S.	6	....	....	5	ci.	....	.....	5	ci.st.	...	.....
13....	29·06	28·88	—10·0	— 5·0	2·0	—10·0			C.	0	S.	4	....	...	4	ci.st.	....	.....	....	....	8	cu.
14....	28·91	28·76	— 4·0	6·0	6·0	—10·0			S.W.	6	S.	4	....	....	1	ci.	. ..	.....	....	... ..	8	st.
15....	28·49	28·40	15·0	15·0	2·0	6·0			S.	8	N.W.	15	....	·20	....	.....	10	nb.	....	.....	10	nb.
16....	28·50	28·63	10·0	10·0	15·0	8·0			N.W.	12	N.	3	·15	....	....	.....	10	nb.	...	.....	10	nb.
17. ..	28·66	28·11	10·0	5·0	12·0	5·0			C.	0	C.	0	....	....	....	.....	8	cu.	3	ci.st.	....	.....
18....	27·81	28·04	11·0	5·0	18·0	4·0			N.	20	N.	15	....	·20	....	.....	10	nb.	....	... .	10	st.
19....	28·15	28·34	0·0	— 2·0	5·0	— 2·0			N.	8	N.	2	....	...	....	...	8	st.	....	....	7	cu.
20.. .	28·39	28·34	— 6·0	— 6·0	0·0	—10·0			C.	0	C.	0	....	....	....	.....	8	cu.		ci.st.	....	.....
21....	28·06	28·14	5·0	3·0	10·0	— 6·0			N.	4	N.	10	....	....	....	....	6	st.	....	.....	....	.....
22....	28·28	28·32	— 5·0	—10·0	3·0	—12·0			N.W.	4	C.	0	....	....	....	.....	8	st.	4	ci.st.	....	.....
23 ...	28·37	28·41	—18·0	—10·0	10·0	— 2·0			S.	2	C.	0	....	....	3	ci.st.	....	.....	....	.....	10	st.
24....	28·44	28·50	— 5·0	— 3·0	— 1·0	—15·0			S.	4	S.	4	T.	....	....	.....	10	nb.	....	.....	9	st.
25...	28·57	28·49	3·0	8·0	8·0	— 3·0			C.	0	N.	6	..	....	....	.....	10	st.	....	.....	10	nb.
26 ...	28·53	28·47	5·0	0·0	8·0	0·0			N.	12	N.W.	4	·01	....	..	.....	9	nb.	....	.....	8	.....
27....	28·35	28·26	— 4·0	23·0	23·0	— 8·0			S.	3	S.	12	....	....	4	ci.	....	....	....	...	6	st.
28....	28·24	28·20	25·0	11·5	26·0	10·0			S.	6	S.E.	2	....	....	1	ci.	....	.. .	....	.....	6	st.
29....	28·55	28·60	9·0	1·0	14·0	1·0			S.	7	S.E.	2	·01	....	1	ci.	....	.....	....	.....	10	nb.
30. ..	28·26	28·70	— 2·0	— 6·0	1·0	— 6·0			C.	0	C.	0	....	...	....	.....	10	nb.	....	...	10	nb.

* No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Dawson City, Yukon—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 p.m.		8 a.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1 ...	28·99	28 66	—17 0	— 5·0	— 5·0	—18·	*	*	C.	0	N.	4	....	·10	1	ci.st.	....	.....	...	....	8	st.
2....	28·33	28·26	10 0	3·0	15 0	— 5·0			C.	0	N.W.	8	....	....	....	.....	10	nb.	....	.....	10	nb.
3....	28·25	28·13	18·0	15·0	20·0	10·0			W.	15	N.W.	25	....	....	....	.....	10	nb.	...	.....	10	nb.
4 ...	27·95	28·06	9 0	7·0	15·0	3·0			N.W.	25	N.W.	20	....	·10	....	.....	10	nb.	...	.....	10	nb.
5....	28·28	28·55	4 0	— 5·0	7·0	— 5·0			N.	15	N.	5	....	....	....	....	10	nb.	6	ci.st.	....	....
6....	28·68	28·71	—16·0	—19·0	— 5·0	—21·0			S.	6	S.	2	....	....	3	ci.	....	.....	5	ci.st.	....	. ..
7....	28·68	28·82	—15·0	—21·0	—13·0	—21·0			S.	4	S.	5	....	....	1	ci.	....	.....	3	ci.st.	....	....
8....	28·81	28·39	—21·0	—11·0	—11·0	—23·0			N.	3	C.	0	....	...	5	ci.st.	...	.....	4	ci.	....	.. ..
9 . .	28·12	28·11	— 9·0	— 8·0	— 8·0	—12·0			S.	15	W.	5	. ..	....	3	ci.	....	....	6	ci.st.	...	.....
10....	27·86	27·78	— 3·0	10·0	10·0	—14·0			S.E.	2	C.	0	....	....	....	.....	5	st.	3	ci.	....	.....
11....	28·01	28 19	10·0	3·0	10·0	3·0			C.	0	C.	0	....	....	....	.....	5	st.	....	.....	6	st.
12....	28·22	28·22	6·0	9·0	9 0	2·0			C.	0	C.	0	....	....	..	. ...	8	st.	....	.... .	6	st.
13....	28·45	28·65	10·0	— 2·0	9·0	— 6·0			C.	0	S.	3	..	....	3	ci.	....	.....	3	ci.	....	.....
14....	28·85	28·86	—12·0	—11·0	— 2·0	—15·0			S.	4	C.	0	...	....	3	ci.	....	.....	3	ci.	....	... .
15....	29·04	28·97	—12·0	— 6·0	— 6·0	—19 0			S.	3	C.	0	....	....	3	ci.st.	....	....	3	ci.	....	.....
16....	28·83	28·65	—18·0	—13·0	— 5·0	—18·0			C.	0	C.	0	....	....	2	ci.	....	...	....	.....	....	.....
17....	28·47	28·50	—11·0	— 7·0	— 6·0	—13·0			S.E.	5	C.	0	....	....	5	ci.st.	....	.....	3	ci.st.	....	... ..
18 ...	28·42	28·29	—16·0	—14·0	— 7·0	—17·0			S.	5	C.	0	....	....	....	.. .	3	st.	....	. ..	3	st.
19....	28·04	28·13	—13·0	— 7·0	1·0	—14·0			S.	5	C.	0	....	....	....	.....	6	st.	3	ci.	....	.. ..
20 ...	27·95	27·74	—12·0	7·0	8·0	—17·0			S.E.	3	C.	0	....	....	..	.....	5	st.	....	.....	8	st.
21....	27·87	28·11	6·5	10·0	13·0	6·0			N.	3	C.	0	....	....	....	....	4	st.	....	...	4	st.
22....	28·37	28·54	10·0	— 2·0	14·0	— 2·0			S.	5	S.	4	·01	....	....	....	3	st.	....	.....	5	st.
23....	28·61	28·58	— 3·0	— 9·0	— 1·0	— 9·0			S.	5	S.	3	...	... .	....	.....	6	st.	....	.....	6	nb.
24....	28·47	28·27	— 1·0	— 1·0	0·0	— 9·0			S.	3	C.	0	·01	...	...	.....	6	nb.	....	.....	....	... ..
25....	28·10	28·00	2·0	2·5	4·0	— 2·5			E.	3	C.	0	....	...	6	ci.	....	.....	....	.....	....	... ..
26...	28·03	28·05	6·0	1·0	6·0	1·0			C.	0	C.	0	....	....	....	.....	5	st.	1	ci.	....	....
27....	28·12	28·19	— 6·0	— 7·0	— 1·0	— 7·0			C.	0	C.	0	....	....	....	.....	8	st.	...	....	5	st.
28....	28·56	28·56	—13·0	—12·0	— 7·0	—15·0			N.	3	W.	5	T.	....	4	ci.	....	.....	6	ci.	....	....
29....	28·54	28·42	—18·0	— 5·0	— 5·0	—18·0			N.	5	N.	10	....	....	6	ci.	....	...	....	....	5	st.
30....	28·56	28·83	— 7·0	—23 0	— 5·0	—23·0			N.	8	C.	0	·20	....	....	....	7	st.	....	.. ..	5	st.
31....	28·85	28·71	—31·0	—38·0	—23·0	—41·0			S.	3	C.	0	....	....	5	ci.	....	.....	5	ci.	....	.....

*No returns.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia: Latitude North, 54° 34′; Longitude West, 130° 26′. Height above Sea, 26 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Vel.	Dir.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1			17·0	20·0	22·6	13·8	97	94	E.	5	E.	5									2	s.
2			18·6	21·0	22·0	15·4	94	50	E.	9	N.	12										
3			19·6	23·4	23 4	17·8	89	95	N.E.	11	N.	16										
4			20·6	21·6	24·0	17·8	88	97	E.	1	E.	4										
5			24·6	29·2	30·0	15·8	95	99	E.	4	N.E.	7		T.			10	cu.			10	cu.n.
6			25·6	28·0	29·0	23·6	96	100	N.	6	E.	1	·25				2	s.				
7			28·6	30·0	30·0	22·6	87	100	C.	0	C.	0									6	cu.s.
8			23·4	29·4	30·0	20·8	97	92	C.	0	C.	0									2	s.
9			27·4	32·6	32·6	23·6	91	98	C.	0	C.	0									8	cu.
10			32·0	34·0	38·4	23·6	98	95	C.	0	C.	0		·05			8	cu.			10	cu.n.
11			23·0	21·0	25·0	20·0	97	90	N.E.	14	N.	17										
12			21·0	23·6	35·0	17·0	100	97	N.	8	E.	6									2	s.
13			21·6	25 6	27·2	14·6	91	97	N.	3	N.	2										
14			18·6	27·8	27·8	16·0	97	98	N.	1	N.	1									10	cu.n.
15			27·6	29 0	30·0	24·6	93	95	N.	6	N.	6	·10				10	cu.n.				
16			16·8	23·0	29·0	15·0	93	100	E.	4	E.	3										
17			25·8	27·4	28·0	23·0	95	95	E.	10	W.	4		·15							10	n.
18			18·0	22·0	27·4	11·8	97	90	E.	4	N.E.	7										
19			18·0	21·6	23·8	12·4	100	88	N.	5	N.	10									8	cu.s.
20			26·4	28·4	28·6	20·6	95	95	N.E.	13	N.	12	·02	·01			10	n.			10	n.
21			33·4	35·8	36 8	28·0	98	98	E.	7	C.	0	·02	·02			10	n.			10	cu.n.
22			35·6	35·5	37·2	34·6	99	100	C.	0	E.	3	·06				10	n.			10	cu.n.
23			34·6	34·0	36·0	31·8	92	85	C.	0	N.	2					8	cu.n.			2	s.
24			29·8	35·8	36·0	28·0	96	88	C.	0	C.	0										
25			26·0	33·5	36·8	26·0	98	89	C.	0	C.	0										
26			22·0	32·0	34·6	22·0	97	98	C.	0	N.	5									4	s.
27			20·4	22·0	32·0	20·4	98	100	E.	6	N.	7									2	s.
28			13·0	20·0	22·0	13·0	100	100	E.	4	N.	6										
29			12·8	21·0	21·0	9·8	96	99	E.	4	N.	6										
30			15·8	18·0	21·0	13·0	98	100	N.	10	N.E.	6					8	cu.				
31			6·4	22·0	22·0	4·8	91	100	C.	0	E.	4										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	. .	.....	13·0	17·0	22·0	11·0	100	100	E.	2	N.	6	....	...	....	... .	....	.. .	....	.... .	10	n.
2	.....	.....	17·8	19·6	19·8	15·0	100	91	E.	6	N.	8	·05	...	....	.....	5	cu.	....	.....	....	.....
3	.....	.....	17·6	23·0	24·0	10·8	88	100	N.	5	N.	4	...	....	....	.....	....	.....	....	.. ..	....	.....
4	....	....	9·8	23·0	23·0	8·5	100	100	C.	0	N.	4	...	....	....	.....	....	.....	....	.....	....	.....
5	.....	.....	21·3	28·0	28·0	13·0	96	100	N.	12	N.	8	..	...	....	.....	8	cu.	....	.. ..	10	cu.n.
6	.. ..	.....	39·5	36·8	39·6	28·0	87	95	S.E.	15	C.	0	·94	·19	....	...	10	cu.n.	....	.....	10	n.
7	.....	.....	42·8	36·8	42·8	36·8	96	98	S.E.	4	C.	0	·52	·02	...	.....	10	n.	....	.....	10	n.
8	.....	.....	47·4	39·4	47·4	33·0	96	84	N.	4	S.E.	4	·12	·02	....	.....	8	cu.n.	....	.. .	10	cu.n.
9	.....	.....	38·8	47·3	47·4	38·3	86	84	S.E.	2	S.E.	2	....	·02	....	.....	....	.....	....	.....	10	cu.n.
10	.....	.....	50·8	47·3	52·3	45·4	90	96	S.E.	5	S.E.	6	·02	·29	....	.....	10	n.	....	.....	10	n.
11	.....	.... .	15·0	40·0	48·4	40·0	98	99	S.	10	S.	4	1·02	·21	....	.....	10	n.	....	.....	10	n.
12	.....	.....	33·5	39·3	40·1	33·5	95	91	E.	2	S.	7	·05	....	.. ..	...	....	.....	....	.....	10	cu.n.
13	.....	....	36·5	39·8	43·4	36·5	98	81	E.	6	W.	2	·17	...	....	....	10	n.	....	.....	10	cu.n.
14	.....	.....	40·0	41·7	46·2	38·8	88	89	S.E.	3	S.E.	14	·02	·37	....	.....	....	.....	....	.....	10	n.
15	... ..	....	41·5	41·2	48·8	41·4	98	84	N.	6	S.E.	13	·82	·25	....	... ..	10	n.	....	.....	10	n.
16	.....	.....	35·7	35·5	44·2	34·0	95	81	W.	19	E.	14	·92	...	....	.. ..	10	n.	..	. . .	8	cu.n.
17	. ...	.....	33·7	37·3	37·5	32·0	82	97	S.E.	16	S.E.	14	....	·23	....	.....	10	n.	...	.....	10	n.
18	.....	.....	35·0	34·3	38·5	34 3	97	87	S.W.	3	W.	14	·14	....	....	.....	10	n.	....	.....	10	cu.n.
19	.... .	.	32·3	41·0	41·0	32·2	97	99	E.	1	S.E.	24	....	·47	. .	.....	....	.....	....	.....	10	n.
20	.....	.....	41·0	44 8	44·8	39·7	100	92	S.	10	S.E.	9	·27	....	....	.. .	10	n.	....	.....	10	cu.n.
21	.....	.....	40·8	41·6	44·8	37·0	96	98	E.	11	E.	1	·07	·03	....	.	....	.....	....	.....	10	n.
22	. ....	....	38·2	38·5	41·6	38·2	98	95	E.	5	W.	15	·45	·08	....	.....	10	n.	....	.....	8	cu.n.
23	.....	.....	32·0	36·4	38·5	32·0	100	98	S.E.	17	N	4	·03	...	....	....	....	.....	....	.....	10	cu.n.
24	.....	.....	35·0	35·0	36·0	33 0	78	81	N.E.	9	N.	12	....	·01	....	..	8	cu.n.	....	.....	9	cu.n.
25	.....	.....	31·3	35·3	35·8	31·4	78	84	N.	8	N.E.	7	....	....	....	.....	....	....	....	.....	....	. . .
26	....	... ..	27·0	33·8	35·3	27·0	100	96	E.	3	N.E.	8	....	....	7	ci.cu.	....	. . .	....	.....	10	cu.n.
27	.....	.....	33 7	39 4	39·4	32·7	95	87	E.	3	E.	4	....	...	....	.....	9	cu.n.	....	.....	10	cu.n.
28	.....	.....	42·0	46·7	48·4	36·5	79	71	E.	8	S.E.	7	....	....	....	.....	8	cu.n.	....	....	10	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	.....	.....	36·8	45·7	46·8	35·0	95	74	E.	4	W.	4	....	....	....	.....	10	cu.n.	....	.....	5	cu
2	.....	.....	36·3	38 0	45·8	31·8	94	90	S.	3	S.E.	4	·02	·04	....	.....	10	n.	.	....	10	n.
3	.....	. ...	36·0	39·3	41·0	34 5	90	91	C.	0	S.W.	5	·07	....	....	.....	10	fog.	....	....	8	cu.n.
4	. ..	... .	34·3	43 0	45·0	33·3	100	81	S.W.	3	S.	5	....	....	....	.....	9	cu.n.	....	.....	10	cu.n.
5	.....	.....	33·5	40 3	43·0	33·3	87	73	E.	3	W.	8	·25	....	6	ci.cu.	....	.....	....	.....	3	cu.
6	.....	.....	29·2	36·0	40·3	29·5	100	94	S.E.	3	E.	3	...	·04	....	.....	....	.....	....	.....	10	n.
7	.....	.... .	36·0	39·5	39·5	35·8	97	94	E.	2	E.	4	·40	·04	....	. ..	10	n.	....	. ....	10	cu.n.
8	.....	.....	33·2	45·2	45·3	33·2	99	62	N.	2	N.E.	6	...	....	....	.....	....	.....	....	.....	....	.....
9	.....	.....	28·3	41·8	45·2	28·3	94	100	C.	0	W.	8	...	....	....	.....	....	.....	....	.....	....	.....
10	.....	....	36·0	42·3	42·3	36·3	100	58	N.	4	N.	4	....	....	....	.....	..	.....	....	.....	....	.....
11	.....	.....	31·7	39·6	42·3	31·4	69	68	E.	4	W.	6	....	...	....	..	....	.....	....	. ....	....	.....
12	. ...	... ..	33·0	40·2	40·2	29·4	89	80	C.	0	W.	6	.. .	....	...	.. ..	10	cu.n.	....	.....	9	cu.n.
13	... .	.....	33·5	37·8	40·2	33·5	99	87	S.	4	W.	2	·12	·01	....	.....	10	n.	.. .	.....	10	cu.n.
14	....	.....	33·0	35·7	37·8	32·7	89	83	E.	7	N.E.	7	....	20	....	.....	10	cu.n.	. ..	....	9	cu.n.
15	....	....	31 0	35·4	35·8	30·0	94	74	N.	4	S.W.	8	·45	....	...	.....	10	n.	....	.....	3	cu.
16	.....	. ....	33·3	34·0	35 6	29·1	80	94	S.E.	13	E.	10	03	·03	...	.....	10	cu.n.	...	.....	10	n.
17	.....	.....	34·4	40·3	40·7	34·4	91	76	E.	4	E.	5	·40	...	....	.....	10	cu.n.	....	....	10	cu.n.
18	.....	. ...	30·0	41·4	41·4	29·6	92	83	E.	4	N.W.	7	..	....	....	. .	....	.....	....	.....	....	.....
19	.....	.. ...	35·0	34 8	41·4	32 0	89	96	S.	5	E.	18	....	·16	.. .	.....	10	cu.n.	....	.....	10	n.
20	.....	.....	31·4	38·8	38·8	31·4	100	83	S.W.	5	S.	4	·12	·29	....	.....	10	cu.n.	....	.. .	5	cu.n.
21	.....	.....	30·0	35 2	38·8	30·0	100	90	E.	9	S.	8	·50	·23	....	..	10	n.	....	.....	6	cu.n.
22	...	....	27·0	40·0	40·0	27·0	96	73	E.	4	N.	8	·10	....	....	....	...	.....	2	c.s.	....	...
23	.. ..	.....	30·8	41·8	44·0	30·2	91	74	E.	3	E.	7	....	....	....	.....	10	cu.n.	....	.....	9	cu.n.
24	.....	.....	33·2	33·8	41·5	33·8	87	81	W.	10	W.	5	....	....	....	.....	8	cu.n.	...	.....	9	cu.n.
25	.....	.....	29·5	39·8	40·0	29 5	80	68	E.	5	W.	8	....	....	....	. .	....	.....	....	.....	....	.....
26	.....	.....	31·3	38 0	39·8	29·6	86	81	C.	0	S.E.	6	....	....	....	.....	6	cu.s.	.. .	.. ...	10	n.
27	.....	.....	33·0	32 0	38·0	31·3	90	82	W.	20	W.	8	·09	·04	....	.....	10	cu.n.	....	.....	9	cu.n.
28	.. ...	.....	28·0	32·0	33·5	28·0	95	89	E.	4	E.	3	·12	....	....	.....	9	cu.n.	...	.....	9	cu.n.
29	... .	... ..	24·8	39·5	40·0	24·8	92	60	E.	3	E.	4	...	....	....	.....	....	.....	....	.....	8	cu.n.
30	... ..	.....	36·3	37·3	39·5	35·0	95	99	E.	3	E.	4	·05	·40	....	.....	10	cu.n.	....	.....	10	n.
31	.....	.....	34·3	37·2	38·4	34·3	87	78	W.	8	S.	3	·05	·06	....	.....	10	cu n.	....	.....	10	cu.n

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	.....	.....	34·4	42·7	43·0	33·7	78	65	E.	4	S.E.	2	....	....	....	....	8	cu.n.	....	.....	10	cu.n.
2	.....	.....	34·0	39·0	42·8	34·0	92	84	E.	3	W.	6	....	·05	....	....	8	cu.n.	....	.....	10	cu.n.
3	.....	.....	39·3	48·5	49·7	34·0	85	100	E.	3	E.	5	....	...	....	...	10	cu.n.	....	.....	8	cu.n.
4	.....	.....	36·5	42·8	48·5	36·5	97	87	S.E.	4	S.W.	5	·19	·04	....	...	10	cu.n.	....	...	10	cu.n.
5	.....	.....	34·2	45·0	46·1	34·2	98	79	E.	4	W.	4	·07	....	....	.....	7	cu.n.	....	.....	8	cu.n.
6	.....	.....	37·0	44·0	48·7	35·0	94	89	E.	3	E.	5	·06	·05	....	....	10	n.	....	.....	7	cu.n.
7	.....	.....	36·1	45·8	47·5	36·0	99	80	E.	2	S.	4	·20	·02	....	.....	10	n.	....	....	7	cu.n.
8	.....	.....	31·3	45·2	46·2	31·2	97	86	C.	0	S.	3	....	·04	....	....	....	.....	....	... ..	7	cu n.
9	.....	.....	37·3	38·2	46·3	37·3	97	96	E.	2	S.E.	4	·02	·30	....	.....	10	cu.n.	...	.....	10	n.
10	.....	.....	38·3	45·5	46·4	36·1	96	76	S.	4	E.	4	·30	·02	....	.	10	cu.n.	....	....	10	cu.n.
11	.....	.....	37·3	54·0	54·0	37·2	97	67	E.	2	W.	3	·04	...	....	.....	10	cu.n.	2	ci.cu.	....	.....
12	.....	.....	40·6	50·2	54·8	37·8	90	77	S.E.	6	N.W.	1	....	...	....	.....	10	cu.n.	....	. ..	9	cu.n.
13	.....	.....	40·8	48·1	50·2	40·8	97	83	S.E.	2	N.	2	·10	·01	....	.....	10	n.	...	.....	6	cu.
14	.....	.....	35·8	46·6	49·4	36·2	96	77	S.E.	3	S.E.	3	....	·01	....	.....	10	cu.n.	....	.....	10	n.
15	.....	.....	35·2	45·2	46·5	36·8	98	85	S.	3	S.E.	6	·35	·02	....	.....	10	cu.n.	....	....	10	cu.n.
16	.....	.....	36·8	46·3	47·0	36·8	92	82	E.	4	S.W.	6	...	·02	....	.....	10	cu.n.	....	.....	10	cu.n.
17	.....	.....	34·0	45·7	46·8	34·0	100	79	E.	4	N.W.	2	·06	·01	....	....	8	cu.n.	....	.....	7	cu.n.
18	.....	.....	31·0	53·0	53·0	31·0	98	68	E.	3	W.	5	....	...	....	....	..	....	....	.....	....	.....
19	.....	.....	42·3	53·8	54·0	42·3	89	75	E.	7	S.E.	8	·01	....	....	. ..	10	cu.n.	....	.....	10	cu.n.
20	.....	.....	40·7	48·6	53·8	40·7	96	76	E.	6	N.W.	3	·62	....	....	.....	10	cu.n.	2	ci.	....	.....
21	.....	.....	36·8	47·7	48·6	36·8	94	70	E.	3	W.	8	....	....	....	.... .	10	cu.n.	....	... .	1	cu.
22	.....	.....	31·0	49·0	49·0	31·0	93	78	S.E.	3	N.W.	10	....	....	. .	.....	....	....	....	.....	....	.....
23	....	....	31·8	51·3	53·3	31·8	90	72	E.	4	N.W.	5	....	....	...	.....	....	.....	...	.....	....	.....
24	....	.....	32·3	50·0	51·3	32·0	97	74	E.	3	N.	4	....	....	....	.....	....	.....	...	.....	...	.....
25	....	. .	32·8	58·0	60·4	30·4	64	54	E.	4	W.	8	....	....	....	.....	....	.....	....	.....	...	.....
26	.. ..	.....	35·8	56·8	58·4	34·2	66	55	E.	4	N.W.	8	....	....	....	.....	....	.....	....	. ..	....	.....
27	.. ...	.....	35·0	55·0	56·8	33·2	79	74	E.	4	W.	6	....	....	....	.....	....	.....	....	...	....	.....
28	.....	.....	34·5	54·0	55·1	31·6	79	66	E.	4	W.	3	....	....	....	... .	....	.....	....	.....	8	cu.n
29	.....	....	43·0	51·3	54·0	42·2	94	79	S.	3	N.W.	6	....	....	....	.....	10	cu.n.	....	.. . .	4	cu.
30	.....	.....	35·5	53·4	53·4	33·7	98	77	E.	3	W.	4	....	....	....	... .	1	cu.s.	1	ci.	.. .	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1.. .	30·22	30·17	37·3	58·5	62·0	35·0	91	75	S.E.	4	W.	5	....	....	....	.....	....	.....	.. ..	.....	....	.....
2...	30·14	30·22	41·8	53·7	58·5	37·0	82	83	E.	4	W.	4	....	....	....	.....	....	....	2	ci.s.	....	.....
3....	30·38	30·41	40·0	56·3	56·3	36·7	100	73	S.E.	2	W.	6	....	....	....	....	....	.....	....	....	....	.....
4....	30·29	30·13	37·5	55·4	56·3	36·6	97	74	S.E.	2	N.W.	5	....	....	....	..	....	...	....	....	....	....
5....	30·04	29·95	42·0	62·0	62·5	41·6	94	63	E.	2	W.	2	....	....	....	...	....	.....	1	ci.	....	....
6....	29·92	29·91	47·0	59 8	62·0	39·3	92	88	E.	1	W.	8	....	..	....	....	....	....	....	....	....	.....
7....	29·95	29·91	42·0	53·7	59·8	41·0	98	84	E.	2	W.	4	....	...	....	.....	10	fog.	....	.....	10	fog.
8....	29·88	29·81	46·0	54·2	56·2	44·3	94	75	E.	2	S.E.	2	. .	....	....	.. .	10	cu.n.	....	.....	10	cu.n.
9....	29·58	29·26	46·3	58·3	59·0	45·3	91	94	E.	2	E.	4	....	....	....	.....	10	cu.n.	....	.....	10	cu.n.
10....	29·32	29·46	47·3	49·4	58·3	42·4	96	94	S.	3	N.	4	·01	·06	....	.....	10	cu.n.	....	.....	10	cu.n.
11....	29·71	29·78	44·0	55 6	56·4	42·6	95	81	E.	2	W	2	·03	....	....	. .	10	cu.n.	....	. .	1	cu.
12....	29·87	29·93	46·5	47·0	55·7	43·8	96	94	W.	2	S.E.	5	·02	·33	....	.....	10	cu.n.	....	...	10	n.
13....	29·86	30·09	47·7	48·4	50·3	44·8	91	89	S.E.	4	S.E.	6	·30	·08	....	....	10	n.	....	.....	10	cu.n.
14....	30·23	30·26	41·8	50·2	51·5	39·1	93	79	S.	2	W.	6	·02	.. .	....	.....	10	cu.n.	....	.....	7	cu.
15....	30·16	30·13	35·4	51·0	51·3	33·4	96	78	E.	4	W.	10	....	...	....	.....	10	fog.	....	....	1	cu.
16....	30·04	29·97	34·0	54·4	56·1	32·6	96	78	E.	3	W.	3	....	....	....	...	....	.....	....	..	....	....
17....	29·96	29·91	45·0	59·0	62·4	41·9	92	71	E.	2	C.	0	....	....	....	.....	....	.....	5	ci.s.	....	.....
18....	29·93	29·72	44·3	68·0	68·0	42·8	92	50	E.	2	E.	2	. .	....	....	.....	....	.....	....	.....	8	cu.
19....	29·71	29·79	54·8	56·3	68·3	54·2	84	79	E.	2	W.	2	....	....	....	....	9	cu.n.	....	.....	10	cu.s.
20....	29·93	30·08	51·3	57·0	60 6	48·3	93	83	W.	2	W.	4	....	....	....	....	7	cu.n.	....	.....	9	cu.n.
21....	30·14	30·12	54·3	60·4	60 8	47·3	89	80	E.	3	C.	0	....	....	....	.....	....	....	....	.....	6	..
22....	30·00	29·98	48·2	65·4	67·4	47·3	94	71	E.	3	W.	3	....	...	....	.....	6	cs.	....	.....	2	cu.s.
23....	30·01	30·06	53·4	57·0	65·8	43·3	85	81	E.	2	S.W.	6	....	....	....	....	....	.....	....	.....	10	.....
24....	30·31	30·25	50·0	58·4	58·4	49·0	95	51	W.	2	W.	4	....	....	....	....	10	....	....	.....	....	.....
25....	30·27	30·24	46·4	64·0	64·0	45·0	89	74	C.	0	C.	0	·02	....	·10	ci.s.	....	.....	....	...	....	....
26....	....	.....	47·0	58·0	64·0	43·4	69	55	C.	0	S.E.	8	...	....	....	.....	....	.....	...	.....	10	cu.n.
27....	.....	.....	51·0	56·0	58·0	49·0	100	81	C.	0	W.	4	....	...	..	.. ..	10	n.	....	.. .	4	cu.s.
28....	.	.....	43·0	54·5	57·5	41·0	93	87	W.	2	N.W.	2	....	·04	....	.....	5	cu.s.	....	...	10	cu.s.
29....	.. .	.....	51·0	55·0	55·5	50·0	95	93	C.	0	C.	0	...	·08	....	.....	10	n.	....	.....	10	n.
30....	.....	.....	53·0	62·0	66 5	50·0	100	84	N.E.	2	C.	0	....	....	....	.....	10	cu.n.	....	.....	7	cu.s.
31....	.....	.....	42·3	51·7	62·0	42·3	92	81	C.	0	W.	8	·06	....	.. .	.. ..	9	cu.s.	...	.. ..	10	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	....	....	45·3	52·2	64·5	44·5	95	89	C.	0	S.	4	·14	·07	....	.....	10	n.	....	.....	10	n.
2	.....	....	50·0	52·2	53·4	47·0	81	98	C.	0	C.	0	·33	·03	....	.....	10	n.	. ..	... .	10	cu.
3	.....	.	49·5	54·0	57·5	48·0	97	89	C.	0	C.	0	·02	....	....	.... .	10	cu.	....	.....	9	cu.
4	....	.....	50·2	55·7	57·0	48·6	99	89	C.	0	S.W.	2	...	...	....	.....	10	n.	.	.....	8	cu.
5	.....	....	50·0	52·2	56·3	47·5	89	78	S.W.	4	S.W.	8	....	....	....	.....	9	cu.	....	....	8	cu.n.
6	.....	.....	48·0	59·0	59·0	45·0	89	94	C.	0	W.	1	....	....	....	.....	10	cu	....	. ...	....	. .
7	.....	. ....	45·0	52·0	59·0	41·0	91	92	C.	0	S.	4	...	·20	....	....	10	cu.	....	.....	10	n.
8	.....	.....	48 0	51·5	56·0	46·4	94	90	S.	2	S.	2	·33	·06	....	... .	10	n.	...	...	10	n.
9	.....	.....	47·0	52·3	52·5	46·0	95	88	S.E.	6	S.	2	·46	·06	...	... .	10	n.	....	.....	8	cu.
10	.....	....	45·1	53·5	54·0	42 5	95	85	E.	2	W.	4	·04	...	....	...	10	cu.	....	.....	7	cu.
11	....	....	42·0	56·3	57·0	41·0	94	82	W.	2	N.W.	2	..	....	...	.....	..	.....	....	....	10	cu.
12	...	....	48·1	58·5	59·0	47·1	94	79	S.E.	6	W.	4	33	....	....	.....	10	n.	....	. .	8	cu.
13	. .	.....	44·5	60·2	61·0	40·2	96	81	C.	0	S.W.	10	..	....	...	.....	....	....	...	..	....	.
14	...	...	48·5	58·3	61·3	47·5	89	64	S.W.	6	S.W.	8	....	....	....	.....	10	cu.	...	.....	. ..	.....
15	...	....	50·3	57 2	58·5	47·5	94	92	C.	0	S.W.	8	·08	·02	....	... .	10	n.	....	.....	8	cu.
16	... .	....	50·0	57·0	58 3	49·0	92	83	W.	2	W.	6	....	....	....	.....	9	cu.s.	....	....	8	cu.
17	....	....	47·3	58·3	59·5	46·0	90	75	C.	0	N.W.	4	...	...	....	.....	10	cu.n.	....	... ..	8	cu.
18	....	.....	52·4	55·0	62·1	49·0	92	93	C.	0	S.	6	....	·16	...	. ...	10	cu.	....	.....	10	n.
19	.....	....	48·5	56·5	59·0	47·5	89	74	S.	2	S.W.	10	·22	...	...	.....	10	cu.	....	. ..	8	cu.
20	. .....	.....	50·3	58·6	58·6	44·5	81	75	W.	10	N.W.	16	....	...	. .	.....	8	cu.	....	. . .	3	cu.
21	....	...	45·0	65·9	65·9	45 0	91	74	E.	10	W.	4	....	. .	....	.....	.....	.....	2	ci.	...	....
22	.....	.....	49·2	63·9	65·9	46·9	91	80	S.	6	W.	2	....	....	...	....	6	cu.	....	... ...	..	.....
23	...	..	52·5	70·9	73·3	48·0	93	76	N.E.	2	W.	2	....	....	....	....	....	.....	....	. ..	...	.....
24	...	. .	53·2	66·9	70·9	50 0	99	75	S.W.	6	W.	4	....	....	...	.....	.. .	.....	....	.....	4	cu.
25	..	....	53 5	62·3	66·9	52·1	97	76	S.	2	S.W.	12	·02	...	....	....	9	cu.	....	.....	....	.....
26	. ..	...	46·0	62·0	62·3	43·9	94	77	N.E.	2	S.W.	10	..	...	....	. ..	2	cu.	....	.....	....	.....
27	.....	.....	50·5	63·0	63·0	48·9	88	79	S.	2	W.	4	....	....	....	.....	9	cu.	...	.....	3	cu.
28	.....	....	48·9	63·0	63·7	45·3	96	75	W.	2	S.W.	6	....	...	....	...	9	cu.	....	.....	....	.....
29	.....	.....	52·2	58·5	66·0	51 0	95	84	S.	2	W.	2	....	....	....	.....	10	cu.	....	.....	8	cu.
30	..		47·0	65·0	66·5	46·0	93	73	C.	0	S.W.	10	. .	....	....	....	1	cu.	....	.....	....	.. ...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·02	30·00	51·0	61 0	65·0	47·5	92	82	C.	0	C.	0	....	...	....	.....	9	cu.	....	.....	7	cu.s.
2	30·03	29·96	52·5	62·5	65·0	51·0	97	85	C.	0	C.	0	....	....	...	.....	9	cu.	..	.....	7	cu.
3	29·73	29·54	48·2	66·5	66·5	47 0	98	76	N.E.	2	W.	2	....	....	....	.....	2	cu.	2	ci.	....	.....
4	29·79	29·97	52·0	54·2	68·0	50·0	90	95	S.	2	S.	4	·05	·12	....	.....	10	cu.	....	.....	10	n.
5	30·06	30·07	52·5	57·0	57·5	52·0	97	93	S.	12	S.W.	2	1·08	·05	...	.....	10	n.	....	.....	10	cu.
6	30·20	30·14	52·2	59·5	60·0	52·0	99	86	C.	0	W.	2	·13	....	...	....	10	cu.	....	.....	7	cu.
7	.....	....	54·2	61·2	61·2	53·5	93	81	N.W.	2	W.	4	....	....	....	.....	10	cu.	....	.....	3	cu.
8	.....	....	53·1	65·2	65 2	52·3	99	84	N.W.	2	N.W.	2	....	....	...	.....	....	.....	....	.....	....	.....
9	.....	. .	57·0	54 2	65·5	54·0	90	98	C.	0	N.W.	2	·01	·12	....	...	10	n.	....	.....	10	n.
10	.....	.....	48·2	60·0	60·2	47·0	99	99	C.	0	W.	2	·09		...	.....	9	cu.	....	.....	8	cu.
11	.....	.....	51·0	56·2	58·0	49·5	95	86	C.	0	W.	2	·03	...	...	.....	10	cu.	....	...	10	cu.
12	.....	....	50·7	58·0	62·3	49·3	97	90	C.	0	N.W.	2	....	....	....	.....	9	cu.	....	...	10	cu.
13	...	.....	52 3	63·0	63·0	51·5	98	83	S.	6	W.	2	·12	....	...	....	10	n.	....	....	2	cu.
14	.....	....	50·0	66·2	67·2	48·5	96	78	N.E.	4	S.W.	8	....	....	....	.....	10	fog.	....	.....	....	.....
15	....	.....	51·2	60·0	66·2	49·0	97	82	S.	10	S.W.	16	. .	....	....	.....	9	cu.	....	.....	8	cu.
16	.....	.....	51·5	56·5	60·0	51·0	91	87	S.	16	S.	10	....	....	....	.	8	cu.	....	....	10	cu.
17	....	.....	52·0	57·7	59·3	51·5	90	83	S.W.	4	C.	0	....	...	....	.....	10	cu.	....	.....	10	cu.
18	.....	.....	53·5	62·2	64·5	52·5	93	82	C.	0	W.	2	....	....	....	....	10	cu.s.	....	.....	2	cu.
19	.....	.....	52·2	67·5	68·5	50·7	97	72	W.	2	W.	4	....	....	....	.....	3	cu.	....	.....	...	....
20	.....	.....	51·2	75·0	75·0	50 0	99	67	C.	0	C.	0	....	...	....	.....	....	.....	....	.....	....	.....
21	.....	.....	53·2	64·0	76·0	51 0	98	81	C.	0	S.	6	....	....	....	.....	10	cu.	....	.....	....	.....
22	.....	.....	50·5	62·5	65·0	49·0	96	77	S.W.	2	S.	8	....	....	....	.....	9	cu.	....	.....	2	cu.s.
23	....	.....	50·5	66·0	66·0	48·0	96	76	C.	0	S.W.	6	...	....	....	.....	10	fog.	...	...	....	.....
24	.....	.....	51·2	61·0	66·0	49·0	99	85	C.	0	S.	2	....	....	. .	.....	5	cu.	....	....	9	cu.s.
25	.....	.....	54·2	58·0	61·5	53·5	97	94	C.	0	S.	2	·25	·14	....	...	10	n.	....	.....	10	cu.n.
26	.....	. ..	56·0	58·7	58·7	55·0	98	90	C.	0	C.	0	·14	·02	....	.....	10	cu.	....	.....	10	cu.n.
27	.....	.....	53·5	57·5	58·7	52·5	97	97	C.	0	S.W.	2	·15	04	....	.....	10	n.	....	....	10	n.
28	.....	. ....	47 5	62·5	62·5	46·5	96	81	C.	0	W.	4	·02	....	....	.....	6	cu.	..	.....	....	.....
29	... ..	... ..	47·5	69·4	69·5	46·5	96	74	W.	2	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
30	.....	.....	50·2	73·0	73·0	48·5	98	67	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.. ...
31	.....	.....	54·5	69·5	74·0	52·5	97	77	C.	0	S.W.	8	....	....	....	...	....	.....	..	.....	..	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	.....	.. ..	50·2	66·0	71·2	49·5	99	78	C.	0	S.W.	8	....	....	....	...	3	cu.	3	ci.	.. .	.....
2	.....	.....	52·2	58·1	66·0	52·0	95	82	S.W.	2	C.	0	...	....	....	.....	9	cu.	....	....	10	cu.
3	...	.....	54·2	57·0	58·2	51·5	99	87	S.	8	S.	4	·48	..	....	.....	10	n.	...	.....	9	cu.
4	.....	.....	52·2	58·0	58·9	51·7	95	85	S.	2	S.	6	·02	....	...	.....	10	cu.	....	..	8	cu.
5	.....	.....	51·0	56·5	58·0	48·0	95	85	C.	0	W.	4	·02	.. .	....	.....	8	cu.	....	.... .	10	cu.
6	.....	.....	48·7	67·2	67·9	48·0	96	66	C.	0	C.	0	·08	....	....	.. ..	9	cu.s.	....	....	9	cu.
7	.....	.....	52·0	58·5	68·0	48·3	97	91	C.	0	W.	2	·01	·08	....	.....	10	n.	...	....	10	cu.
8	.....	.....	47·0	64·5	64·5	46·0	99	83	C.	0	C.	0	....	....	....	.....	3	cu.	....	. ..	....	.....
9	.....	.....	49·9	62·2	65·0	49·0	97	82	C.	0	S.W.	2	....	....	....	.....	10	fog.	....	.....	10	cu.
10	.....	...	52·5	60·5	62·2	51·5	97	80	S.E.	4	N.E.	2	·18	·02	....	.....	10	n.	....	.	6	cu.
11	.....	.. ...	49·0	57·0	59·5	46·5	92	93	C.	0	S.	4	·10	·08	....	.....	9	cu.	....	..	10	n.
12	.....	.....	50·5	56·2	58·5	50·0	96	99	C.	0	C.	0	·02	·05	....	.....	10	n.	...	.....	10	n.
13	.....	.....	53·5	61·2	61·2	52·4	97	87	C.	0	S.W.	4	·08	....	....	.....	10	cu.	....	. .	3	cu.
14	.. ..	.....	50·2	55·8	61·5	46·5	99	96	C.	0	N.	8	·01	·05	....	.....	10	cu.	....	...	10	n.
15	.....	.....	53·5	62·3	62·3	53·2	99	84	N.	2	W.	5	·16	....	....	....	10	n.	....	.....	3	cu.
16	.....	.....	52·2	60·0	62·5	51·5	95	88	S.	7	C.	0	....	....	....	.....	10	cu.	...	.. ...	2	cu.
17	...	.....	45·0	65·0	65·0	44·0	99	77	E.	2	S.W.	9	....	....	....	.....	10	fog.	...	....	....	.....
18	.....	.....	48·2	60·0	64·2	46·5	99	76	W.	2	S.W.	12	....	....	....	....	10	cu.	....	.....	9	cu.
19	.....	.....	52·0	60·5	61·5	51·0	95	91	S.	1	N.W.	2	....	...	....	.. ..	10	cu.s.	....	.	9	cu.
20	.....	.....	56·0	63·5	66·3	55·0	93	86	W.	1	S.	10	·08	....	....	.....	10	n.	....	.....	10	cu.
21	.....	.....	57·2	55·3	63·5	54·5	99	98	S.	16	N.	4	68	·08	.	.....	10	n.	....	.. .	10	n.
22	.....	.....	53·0	61·2	61·2	52·3	99	85	S.	7	S.W.	10	·40	...	....	.....	10	n.	....	.....	7	cu.
23	.....	.....	57·0	62·0	66·5	56·5	97	91	S.E.	11	S.	16	·34	·02	....	.....	10	n.	...	.....	10	cu.n.
24	.....	.....	57·2	56·0	62·0	53·4	99	93	S.	4	S.W.	6	·33	·06	....	. .	10	n.	....	.....	9	cu.
25	... ..	.....	47·5	58·5	58·5	46·0	77	85	S.W.	5	W.	12	·01	....	....	.....	3	cu.	....	...	6	cu.
26	. .	.....	43·5	59·0	59·2	42·5	96	81	E.	2	W.	8	....	...	....	.....	2	cu.	....	.....	1	cu.
27	.....	.....	45·2	56·2	59·2	42·5	98	87	E.	3	N.E.	2	....	....	....	.....	8	cu.	....	.....	10	cu.n.
28	.....	.....	57·0	56·0	59·5	53·0	97	91	S.	14	S.W.	21	·69	·08	....	.....	10	n.	....	.....	9	cu.
29	.....	.....	49·9	59·0	58·5	43·5	93	83	S.	5	W.	3	·05	..	.. ..	....	10	cu.	....	.. .	7	cu.
30	.....	.....	43·5	57·5	59·0	42·5	90	84	E.	3	N.W.	2	....	....	....	.....	6	cu.s.	....	.....	9	cu.
31	.....	.....	52·0	62·5	62·5	49·5	97	80	E.	1	N.W.	3	....	....	....	.....	10	cu.	...	....	2	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·00	30·04	51·5	63·9	63·5	50·0	97	87	E.	4	N.W.	4	....	....	....	.....	9	cu.	2	c.i.	...	.....
2....	30·11	30·07	51·2	62·9	68·9	50 0	99	92	S.	2	S.	9	....	·01	....	.. ..	6	cu.	...	... .	10	u.
3 ...	30·08	30·00	58·2	66·0	67·5	51·5	99	89	S.	1	S.	10	·54	·02	. .	....	10	n.	....	.....	9	cu.
4....	29·87	29·88	59·2	58·8	59·0	53·0	99	89	S.	8	C.	0	·80	...	....	....	10	n.	...	.....	4	cu.s.
5....	29·85	30·00	48·0	57·5	58·5	45·5	99	86	E.	3	N.	8	..	....	....	.....	10	n.	....	.....	9	cu.
6....	30·11	30·19	49·2	59·0	59·5	46·5	99	85	E.	2	N.E.	4	....	....	....	....	9	cu.s.	....	.....	9	cu.s.
7....	30·31	30·42	56·9	58·2	59·2	54·0	99	99	S.	1	S.	2	·37	·04	....	. .	10	n.	....	.....	10	n.
8...	30·39	30·28	57·5	64·2	65·2	56·5	99	91	E.	3	C.	0	·02	...	....	....	5	cu.	....	...	8	cu.
9 ...	30·18	30·17	55·2	63·9	64·9	54·0	99	86	S.W.	4	S.W.	5	·14	....	....	.....	10	n.	....	.....	...	.....
10....	30·26	30·25	53·5	65·0	66·5	49·0	83	62	N·	7	N.W.	14	....	....	...	... .	....	..	....	.....	....	.....
11....	30·43	30·04	49·2	59·3	62·1	48·0	78	73	N.	6	N.	6	...	...	..	.....	...	...	....	.....	7	cu.s.
12....	30·07	30·07	43·0	62·3	62·3	41·5	96	66	E.	3	N.	2	. .	....	....	. ...	....	.....	....	.....	....	.... .
13....	29·97	29·90	46·0	54·2	62·3	44·5	89	99	N.	3	S.	4	....	·02	....	.....	7	cu.	...	...	10	k.u.
14....	29·66	29·68	51·0	54·0	57·0	50·0	97	95	C.	0	C.	0	....	·05	....	.....	10	fog.	....	.....	10	n.
15....	29·72	29·79	47·0	55·0	55·5	45·5	92	71	E.	3	N.	16	·24	....	..	.....	10	n.	...	....	....	.....
16....	29·86	29·87	47·0	54·5	55·5	42·0	67	78	N.	7	N.W.	10	....	...	...	....	....	....	....	....	....	.....
17....	29·96	29 95	40·5	54·5	56·5	38·5	58	77	E.	3	S.	10	....	T.	....	.....	6	cu.s.	...	. ...	10	n.
18....	29·97	29·96	54·0	52·9	53·9	40·0	82	97	S.	20	S.W.	14	·25	·08	...	.. .	10	n.	....	. ...	10	n.
19....	30·06	30·27	44·5	54·0	54·5	42·5	96	93	N.E.	1	S.W.	6	·02	..	....	...	....	.....	....	.....	10	cu.s.
20....	30 28	30·25	50·5	57·9	58·9	50·0	99	90	E.	2	N.W.	3	....	....	...	... .	5	fog.	....	.....	....	.....
21....	30·21	30·12	51·0	57·9	57·5	50·0	97	94	S.	3	S.	12	·07	·02	....	.....	10	n.	....	... ..	10	n.
22....	30·03	30·14	57·2	58·0	58·3	56·0	99	93	S.	23	S.W.	6	1·00	....	....	.....	10	n.	....	.....	7	cu.
23....	30·19	30·11	47·2	55·5	55·2	45·0	99	87	E.	1	N.W.	10	....	....	....	.....	10	cu.	....	.....	....	... .
24....	29·91	29·85	43·0	58·9	59·0	42·0	99	82	E.	3	N.E.	1	....	....	....	.....	8	cu.s.	...	.....	3	cu.
25....	29·88	29·90	47·0	58·0	57·5	45·0	96	87	E.	4	N.W.	2	....	...	1	c-i.	....	.....	....	..	....	.....
26....	29·86	29·90	49·0	59·0	61·5	47·5	92	87	N.	3	S.W.	6	....	....	....	..	9	cu.	...	.....	6	cu.
27 ..	29·76	29·90	52·5	55·5	57·0	51·5	97	93	N.	5	C.	0	·02	·01	....	.....	10	cu.	....	...	10	cu.
28....	29·94	29·73	52·0	54·9	59·9	50·0	99	92	S.	4	S.	8	....	·06	....	.....	10	fog.	....	.....	10	n.
29....	29·76	29·69	50·0	50·2	51·5	47·5	96	89	S.W.	8	W.	4	·54	....	....	.....	10	k.	....	...	10	cu.
30....	29·61	29·65	42·0	52·0	52·5	40·0	97	79	C.	0	W.	10	.. .	..	....	....	10	fog.	1	c.i.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·75	29·87	45·0	57·5	53·5	42·0	96	90	E.	3	S.	8	·12	·01			10	n.			10	cu.
2	29·72	29·89	47·3	56·0	58·0	45·0	90	80	S.	5	S.	14	·10				10	n.			10	cu.
3	29·63	29·98	55·2	57·5	58·5	48·5	99	87	N.W.	4	S.	10	·13				10	n.			10	cu.
4	29·73	29·86	50·2	50·9	51·5	48·5	99	96	E.	2	C.	0	·87				10	n.			10	cu.n.
5	29·86	29·91	44·0	51·2	51·0	42·0	96	92	E.	4	W.	6					10	fog.	3	ci.		
6	29·95	29·84	48·5	49·5	52·3	42·5	96	96	S.	4	S.	10	·20	·34			10	n.			10	n.
7	30·07	30·30	49·9	51·0	55·9	42·5	97	86	S.W.	13	S.W.	8	·47				10	n.			2	cu.
8	30·34	30·24	46·5	50·0	55·9	41·5	84	96	S.	9	S.	10	·06	·10			10	cu.			12	n.
9	30·18	30·21	56·0	57·5	58·5	49·0	93	97	S.	27	S.E.	15	·57	·06			10	n.			10	n.
10	30·15	29·96	51·2	55·0	55·9	49·9	99	97	E.	2	N.	3	·02				10	fog.			8	cu.
11	30·00	30·03	48·5	52·9	52·5	47·0	98	96	E.	4	S.	4	·04	T.			8	cu.			9	cu.
12	30·10	30·11	40·0	49·0	48·5	38·0	96	89	S.	3	W.	8					9	cu.				
13	30·12	29·93	38·5	46·2	50·5	37·0	96	91	E.	4	S.	12		·06							10	n.
14	29·90	29·86	48·5	48·5	49·5	46·9	92	92	S.	22	S.	12	1·21	·16			10	n.			7	cu.
15	30·10	30·06	42·5	43·5	46·9	39·0	96	94	S.	10	S.	7	·22	·02			10	n.			10	cu.n.
16	30·29	30·20	33·2	42·0	46·2	32·0	97	76	S.W.	8	N.	8									3	cu.
17	30·03	29·85	40·0	46·0	49·5	36·5	90	84	E.	5	W.	4	·02				10	cu.			10	cu.s.
18	30·01	29·92	45·5	49·0	52·7	42·0	96	92	W.	6	N.	2	·08				10	cu.			5	cu.s.
19	29·77	29·81	42·5	49·0	51·9	41·0	96	96	E.	2	E.	5		·06			10	cu.			10	n.
20	29·88	29·96	47·9	50·5	52·5	45·0	96	96	E.	6	S.	4	·68				8	cu.s.	2	ci.		
21	29·98	29·82	43·9	49·0	49·9	42·5	97	92	C.	0	E.	5					6	cu.s.			9	cu.
22	29·87	30·05	46·0	49·5	49·9	44·0	91	89	S.W.	18	S.W.	8	93				10	n.			5	cu.
23	29·87	29·88	39·9	47·0	47·9	38·0	92	92	E.	9	N.	2					10	cu.			10	cu.
24	29·79	29·90	43·5	47·0	40·9	42·5	90	96	E.	7	S.E.	3		·24			9	cu.			10	n.
25	30·01	30·01	40·2	46·5	46·3	36·5	98	96	E.	3	N.	3	·04				16	fog.			10	cu.n.
26	29·84	29·92	47·2	50·0	50·9	42·9	99	96	N.E.	2	S.	7	·65	·38			10	n.			10	n.
27	29·67	29·58	46·9	50·0	50·0	44·5	97	99	E.	3	S.E.	6	·04	·02			9	cu.			10	n.
28	29·41	29·56	50·5	47·5	51·5	46·9	98	98	N.	3	W.	3	·58	·04			10	n.	2	ci.		
29	29·63	29·61	42·3	49·0	49·9	38·3	97	89	E.	1	S.	12									3	cu.
30	29·64	29·49	42·5	45·0	46·2	41·5	96	99	E.	5	N.	3	·67	·11			10	n.			10	n.
31	29·54	29·71	44·5	45·3	46·0	39·9	90	90	S.W.	14	S.	6	·53				10	n.			10	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Fort Simpson, British Columbia—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·11	28·97	42·0	40·0	49·9	39·5	97	96	N.E.	8	S.	10	·40	·42	...	...	10	n.	....	....	10	n.
2	29·60	29·62	37·0	37·0	38·9	34·5	89	93	S.	16	S.	8	·36	·04	....	.. ..	10	n.	....	....	8	cu.n.
3	29·61	29·38	40·9	48·5	49·9	33·5	88	89	S.	10	S.W.	12	·54	·20	....	... ..	10	n.	....	.....	7	cu.n.
4	29·72	29·79	46·5	50·0	50·5	44·5	91	89	S.	22	S.	18	·26	·04	....	.....	10	n.	...	....	10	n.
5	29·76	29·93	46·0	39·0	46·3	38·4	91	96	S.W.	18	S.W.	8	·40	....	...	....	10	n.	....	.....	10	cu.n.
6	30·03	29·86	36·0	40·0	42·5	33·5	92	90	E.	6	S.	11	·01	·06	....	.....	10	cu.n.	....	.....	10	n.
7	29·68	29 92	45·5	44·3	46 5	39·0	95	98	S.E.	28	N.	4	·98	·16	....	.....	10	n.	....	.....	10	n.
8	30·12	30·37	50·7	47·0	51·0	43·0	95	99	S.	15	S.	2	·56	....	....	.. ...	10	n.	....	.....	7	cu.s.
9	30·24	30·16	38 0	48·0	50·7	36·5	95	92	E.	5	N.E.	6	....	....	....	.....	....	.. .	....	.....	....	.....
10	30·18	30·22	38·2	45·5	47·5	36 0	98	96	N.E.	5	N.E.	2	....	....	..	.....	....	. .	...	.....	....	.....
11	30·11	30·09	36·5	41·5	43·9	35·0	95	96	E.	4	N.E.	3	....	....	....	.....	....	.....	...	.....	....	.....
12	30 14	30·06	35·0	40·2	42·2	34·5	95	98	S.	2	N.E.	5	.. .	....	....	.....	....	....	...	.....	1	cu.n.
13	30·01	30·07	38·5	43·3	43·9	34 9	95	98	N.E.	6	C.	0	....	T.	..	.....	10	cu.n.	....	.. ..	10	n.
14	30·10	30·07	44·0	48·0	47·5	42·5	96	96	N.E.	4	N.	3	30	·08	....	....	10	n.	....	.....	10	n.
15	29·73	29·82	51·5	46·0	51·0	45·0	90	94	S.	8	S.	8	·82	·10	....	.....	10	n.	....	.....	9	cu.n.
16	29·78	29·83	42·0	42·3	42·3	40·0	91	97	S.	11	N.	5	·17	·04	....	.....	10	n.	....	.	10	n.
17	30·18	30·02	40·0	42·0	43·0	37·0	99	87	S.E.	3	S.	11	·14	..	....	....	....	.....	....	.....	10	cu.n.
18	29·43	29·40	46·9	45·0	46·5	40·0	95	91	S.E.	34	S.	24	·89	·04	....	.. ..	10	n.	....	....	10	cu.n.
19	29·40	29·43	43·0	42·0	43·5	39·5	91	91	S.	13	S.	16	·72	·06	..	....	10	cu.n.	...	..	9	c.un.
20	29·50	29·59	42·2	44·5	45·5	39·9	98	96	E.	7	S.	10	·10	·06	....	.....	10	n.	....	.....	9	cu.n.
21	29·41	29 30	44·3	40·2	46·0	40·0	94	98	S.W.	20	E.	6	·24	·06	....	...	10	n.	....	.....	10	n.
22	29·39	29·57	35·0	40·0	40·3	34·9	99	96	E.	4	W.	17	·48	....	....	.....	10	cu.n.	....	.....	10	cu.n.
23	29·50	29·70	35·0	40·2	41·0	33·5	95	98	E.	6	S.	16	·08	·08	....	.....	10	cu.n.	....	....	10	n.
24	29·41	29·68	41·0	39·0	40·7	37·3	90	89	S.	16	S.	19	·44	·06	....	.....	10	n.	...	.....	9	cu.n.
25	29·62	29 37	33·9	34·0	36·0	32·5	88	98	S.	2	E.	5	·14	....	....	.....	10	n.	...	.....	8	cu.n.
26	29·85	29·89	34·0	38·0	37·5	31·5	95	80	E.	3	E.	8	....	....	....	. .	10	cu.n.	....	....	10	cu.n.
27	29·53	29·47	41·5	43·0	46·5	35·0	74	80	E.	16	S.E.	11	....	....	....	.....	10	cu.n.	....	. ..	10	cu.n.
28	29·53	29·71	42·5	41·0	43·5	40·5	88	96	S.	13	E.	9	·16	·03	....	.....	10	cu.n.	...	.....	10	n.
29	29·75	29·46	40·5	52·5	54·0	38·5	99	97	E.	9	S.	15	·98	·74	....	.....	10	n.	....	.....	10	n.
30	29·64	29·96	40·0	38·9	44·5	37·9	96	94	S.	15	S.	10	64	....	...	.....	10	n.	....	...	8	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Simpson, British Columbia—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·99	29·72	37·0	27·5	51·5	35·0	89	90	E.	8	S.E	13	·02	·04	...	.....	....	..	....	.....	10	n.
2	29·56	29·38	51·9	49·0	52·0	46·0	92	94	S.	8	S.	10	1·02	·08	....	.....	10	n.	....	...	10	n.
3	29·45	28·96	43·3	52·0	54·2	42·5	98	81	S.	7	S.	23	·02	·06	....	.....	10	cu.n.	....	...	10	n.
4	29·16	29·29	43·0	40·5	51·5	40·0	91	98	S.	12	E.	3	·49	·04	....	.....	10	n.	....	..	10	cu.s.
5	29·49	29·61	37·0	37·0	39·9	35·5	95	93	E.	8	E.	10	·20	·02	....	.....	10	n.	....	.....	9	cu.s.
6	29·63	29·67	33·3	31·9	34·0	31·5	88	96	E.	2	E.	4	·08	....	....	.....	....	...	....	.....	2	cu.s.
7	29·84	30·01	28·5	29·5	31·5	27·5	99	99	E.	6	E.	4	....	....	....	.....	...	..	....	.....	5	cu.s.
8	29·86	29·50	31·5	37·0	37·2	36·5	36	95	E.	7	N.E.	6	....	·02	....	..	..	.....	....	...	10	n.
9	29·54	29·60	43·2	43·0	45·5	36·0	89	91	S.	11	E.	8	·39	·04	...	.....	10	n.	....	.....	10	n.
10	29·22	29·34	48·5	41·3	49·0	40·5	83	97	S.E.	12	N.	4	·28	·08	....	..	10	n.	...	....	10	n.
11	29·41	29·14	39·0	40·0	40·7	37·0	99	96	E.	2	E.	5	·06	....	....	.....	...	....	....	...	10	cu.n.
12	29·05	29·41	45·0	41·7	46·9	37·0	81	89	S.	10	S.E.	9	04	....	....	.....	10	cu.n.	....	....	7	cu.n.
13	29·55	29·86	31·2	33·9	35·5	30·0	98	91	E.	5	E.	4	...	....	....	.....	....	...	....	.....	2	cu.n.
14	30·05	30·15	37·0	38·5	39·5	31·9	99	93	E.	3	E.	6	·05	....	....	....	10	n.	....	.....	10	cu.n.
15	30·08	30·19	34·5	34·0	35·5	31·5	89	99	N.E.	3	N.	4	....	....	....	.....	...	.....	....	.....	..	.....
16	30·16	30·01	29·5	35·0	38·5	28·0	99	75	E.	4	E.	5	....	....	....	.....	...	.....	....	....	...	.....
17	30·00	29·97	37·0	37·5	37·5	32·9	80	98	N.	6	N.W.	3	·06	·04	....	.....	10	cu.n.	....	....	10	cu.n.
18	29·96	29·77	39·0	44·0	44·2	34·9	90	83	S.	3	S.E.	12	·01	....	....	.....	10	cu n.	....	...	10	cu.n.
19	29·55	29·51	38·0	38·0	46·5	36·0	90	90	N.	3	E.	3	....	....	....	....	9	cu.n.	....	..	10	cu.n.
20	29·41	29·30	43·0	38·0	46·3	36·0	91	90	S.	7	S.	20	·21	·08	....	....	10	n.	....	.....	9	cu.n.
21	29·58	29·73	40·5	40·0	42·0	39·9	90	90	S.	12	S.	12	·28	·03	....	.....	8	cu.n.	....	...	9	cu.n.
22	29·56	29·75	36·2	40·5	41·5	32·9	98	90	E.	3	S.	19	·14	·04	....	.....	10	n.	....	.....	10	n.
23	29·79	30·11	40·0	42·0	42·0	35·0	90	74	S.	11	N.	14	·04	....	....	...	6	cu.n.	....	.....	10	cu.n.
24	29·56	29·56	39·0	40·0	46·0	36·5	96	91	E.	8	S.	12	·32	·10	....	.....	10	n.	....	.....	10	cu.n.
25	29·13	28·77	39·5	38·5	42·0	36·5	90	97	E.	9	S.	1	·06	·02	....	..	10	n.	....	.....	10	n.
26	28·93	29·02	39·0	39·5	42·5	36·0	81	90	E.	8	S.E.	10	·10	·08	....	.....	10	cu.n.	..	.....	10	n.
27	29·35	29·63	38·0	38·2	11·3	35·0	96	98	S.	10	N.	2	·69	·02	....	..	10	n.	...	...	10	n.
28	29·67	29·36	35·2	33·0	37·5	32·5	98	99	S.	10	S.	4	·02	·06	....	...	10	cu.n.	....	....	6	cu.n
29	29·92	29·92	34·0	37·3	38·5	31·5	95	100	N.	5	S.	1	·01	....	....	.....	10	cu.n.	....	.....	10	cu.n.
30	29·72	29·60	30·3	34·0	35·0	29·0	91	79	N.	9	N.	6	....	....	....	.....	...	.....	....	.....	8	cu.s.
31	29·57	29·61	25·0	28·0	29·3	22·5	100	88	E.	6	E.	4	....	....	....	.....	....	..	....	.....	2	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia: Latitude North, 53° 2′; Longitude West, 121° 35′. Height above Sea, 4,180 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	25·40	25·44	−21·0	17·0	−11·0	−24·0	100	100	C.	0	C.	0										
2	25·45	25·40	−24 0	−10·0	−10 0	−28·0	100	100	C.	0	C.	0										
3	25·20	24·91	− 6 0	− 6·0	−6·0	−12·0	100	100	C.	0	C.	0		1			10	cu.			10	cu.
4	25 33	25·42	−11·0	−11·0	− 6·0	−14·0	100	100	C.	0	C.	0										
5	25·37	25·36	−17·0	0·0	0 0	−24·0	100	100	C.	0	C.	0									8	cu.
6	25·45	25·51	− 5·0	− 1 0	2 0	− 8 0			C.	0	C.	0										
7	25·27	25·86	− 6·0	0·0	2 0	−10·0			C.	0	C.	0										
8	26·01	26·00	−10·0	3·0	3 0	−14·0			C.	0	C.	0										
9	25·91	25·79	2·0	14·0	14 6	0·0			C.	0	C.	0										
10	25·65	25·35	16·0	24·0	24·0	9·0			C.	0	C.	0					10	cu.			10	cu.
11	25·39	25·46	14·0	− 2 0	24·0	− 2·0			C.	0	C.	0										
12	25·58	25·60	−18·0	−14·0	− 2·0	−20 0			C.	0	C.	0										
13	25·67	25·72	−24·0	−13·0	− 8·0	−26·0			C.	0	C.	0										
14	25·74	25·61	−24·0	−14·0	−12·0	−26·0			C.	0	C.	0										
15	25·37	25·44	−20·0	− 4 0	− 2·0	−24·0			C.	0	C.	0										
16	25·48	25·46	− 6·0	− 2·0	0 0	−10·0			C.	0	C.	0					10	cu.				
17	25·43	25·18	−12·0	9·0	10 0	−14·0			C.	0	S.	5									10	cu.
18	25·08	25·30	5·0	1·0	10·0	1 0			C.	0	C.	0					10	cu.				
19	25 43	25·61	−18·0	− 8 0	1 0	−18·0			C.	0	C.	0										
20																						
21																						
22																						
23																						
24																						
25																						
26																						
27																						
28																						
29																						
30																						
31																						

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10	25·42	25·40	12·0	24·0	26·0	10·0	100	100	C.	0	N.	5					8	cu.			8	cu.
11	25·58	25·58	0·0	22·0	24·0	— 4·0	100	100	C.	0	C.	0										
12	25·50	25·54	4·0	24·0	26·0	— 4·0	100	100	C.	0	C.	0									10	cu.
13	25·55	25·40	16·0	24·0	28·0	12·0			C.	0	C.	0		·1			10	cu.			10	n.
14	25·40	25·34	16·0	24·0	26·0	14·0			C.	0	C.	0					10	cu.				
15	25·25	25·38	18·0	22·0	24·0	12·0			C.	0	S.W.	5		·2			10	cu.			10	cu.
16	25·43	25·55	14·0	24·0	24·0	10·0			C.	0	C.	0					10	cu.			4	cu.
17	25·54	25·38	16·0	26·0	28·0	12·0	100	87	C.	0	C.	0					10	cu.			10	cu.
18	25·37	25·38	6·0	28·0	30·0	4·0	100	100	C.	0	C.	0										
19	25·45	25·27	2·0	36·0	36·0	0·0	100	90	C.	0	S.	10									6	cu.
20	25·19	25·13	26·0	30·0	36·0	24·0	75	100	C.	0	S.	8					10	cu.				
21	25·08	24·78	20·0	26·0	30·0	18·0	100	100	C.	0	C.	0	·2				10	cu.			10	cu.
22	25·18	25·07	10·0	28·0	30·0	8·0	100	100	C.	0	S.	14									8	cu.
23	25·01	25·06	20·0	34·0	38·0	16·0	100	89	C.	0	S.	5					10	cu.			10	cu.
24	25·22	25·33	26·0	34·0	36·0	22·0	100	89	C.	0	C.	0									10	cu.
25	25·56	25·59	2·0	22·0	34·0	0·0	100	100	C.	0	C.	0										
26	25·69	25·42	— 4·0	30·0	36·0	8·0	100	100	C.	0	C.	0									10	cu.
27	25·40	25·19	24·0	36·0	38·0	20·0	100	90	C.	0	S.	20					10	cu.			4	cu.
28	25·35	25·53	16·0	18·0	36·0	12·0	100	90	C.	0	S.E.	5		·2			10	cu.			10	cu.
29	25·29	25·59	6·0	26·0	40·0	6·0	100	90	C.	0	C.	0					10	cu.			10	cu.
30	25·59	25·50	16·0	38·0	38·0	16·0	100	90	C.	0	S.	16					10	cu.			10	cu.
31	25·44	25·45	34·0	32·0	38·0	30·0	100	100	S.	10	S.	5		·2							8	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							n.	in.								
1	25·54	25·46	14·0	28·0	32·0	10·0	100	100	C.	0	C.	0	..	·1	....	....	....	.....	...	.....	10	.....
2	25·48	25·46	20·0	34·0	34·0	16 0	100	89	C.	0	S.	5	·2	·1	....	....	10	cu.	....	.....	8	cu.
3	25·45	25·48	26·0	36·0	38·0	24·0	87	100	C.	0	S.	8	·1	....	...	....	10	cu.	....	.....	8	cu.
4	25·43	25·13	28·0	36·0	38·0	26 0	100	100	C.	0	C	0	....	T.	...	....	....	.....	....	...	..	.....
5	25·16	25·03	14·0	36·0	38·0	12·0	100	90	C.	0	S.	5	·2	...	....	....	....	.....	...	.....	10	cu.
6	25·06	25·21	16·0	34·0	36 0	14·0	100	79	C.	0	S E.	5	....	....	....	....	....	.....	...	.. ..	7	cu.
7	25·34	25·55	24·0	36·0	38·0	22·0	100	80	C.	0	S.	5	..	....	....	.....	10	cu.	....	.....	5	cu.
8	25·53	25·52	28·0	40·0	42·0	24 0	100	55	C.	0	C.	0	....	....	....	.....	10	cu.	...	.....	10	cu.
9	25·54	25·02	34·0	44·0	44·0	32·0	89	59	C.	0	S.	16	....	·06	....	...	10	cu.	..	....	10	cu.
10	25·50	25·79	26·0	36·0	36·0	20·0	100	70	C.	0	N.	5	·3	....	.....	..	10	.....	...	.....	5	cu.
11	25·91	25·87	20·0	42·0	42 0	14·0	100	66	C.	0	C.	0	....	....	...	.....	...	.....	..	.....	....	.....
12	25·80	25·68	24·0	50·0	52 0	20·0	100	45	C.	0	N.	5	....	....	..	..	....	.. ..	....	....	3	cu.
13	25·65	25·38	30·0	46·0	50·0	28·0	100	59	C.	0	C.	0	....	....	..	.....	5	cu.	....	.....	10	.....
14	25·41	25·65	34·0	38·0	38·0	30·0	89	71	C.	0	C.	0	·08	....	....	.....	10	cu.	..	.....	10	cu.
15	25·67	25·57	28 0	44·0	44·0	26·0	100	59	C.	0	S.E.	8	....	....	...	....	....	.....	....	.....	8	cu.
16	25·53	25·52	26·0	34·0	44·0	24·0	100	100	C.	0	N.	5	·5	....	...	.....	....	...	....	.....	10	cu.
17	25·59	25·70	28·0	36·0	36 0	24·0	100	80	C.	0	S.	5	·2	....	....	.....	10	cu.	....	.....	8	cu.
18	25·75	25·87	16·0	36·0	38·0	14·0	100	70	C.	0	C.	0	....	....	....	....	..	.....	...	.....	..	.. ..
19	25·85	25·98	14·0	44·0	44·0	12·0	100	37	C.	0	C.	0	....	....	....	.....	..	.....	....	.....	9	cu.
20	26·00	25·80	30·0	48·0	50·0	28·0	100	49	C.	0	C.	0	....	....	....	.....	....	....	....	.....	6	cu.
21	25·77	25·71	34·0	40 0	42·0	30·0	79	73	C.	0	C.	0	...	·02	....	.....	10	cu.	....	....	10	cu.
22	25·69	25·64	30·0	36·0	40·0	26·0	100	70	C.	0	N.W.	5	....	....	....	....	....	..	....	... .	4	cu.
23	25·64	25·79	28·0	38·0	38·0	24·0	100	81	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	....	.....
24	25 82	25·71	24·0	40 0	42·0	20·0	86	55	C.	0	N.W.	5	..	....	....	..	..	.....	....	...	4	cu.
25	25 74	25·68	26·0	34 0	38·0	22·0	87	89	C.	0	N.	5	....	....	....	....	....	...	....	.....	6	cu.
26	25·70	25·71	20·0	28·0	34·0	18·0	100	88	N.W.	5	N.	5	....	....	....	..	....	.....	....	.....	6	cu.
27	25·73	25·76	20·0	34·0	38·0	16·0	85	89	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
28	25·80	25·81	24·0	48·0	49·0	18·0	86	42	C.	0	C.	0	....	....	....	...	....	....	....	.. ..	....	.....
29	25·75	25·71	24·0	50·0	50·0	20 0	86	32	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
30	25·75	25·76	28·0	44·0	48·0	26·0	100	52	C.	0	N.W.	5	....	....	....	.. ...	6	cu.	....	.. ...	6	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Cloud.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	25·78	25·87	26·0	46·0	48·0	24·0	100	61	C.	0	N.W.	5	....	....	....	....	....	....	....	....	6	cu.s.
2	25·84	25·80	30·0	45·0	50·0	20·0	100	47	C.	0	N.W.	5	....	....	....	....	....	....	....	....	8	cu.s.
3	25·89	25·84	30·0	46·0	48·0	26·0	100	61	C.	0	N.	5	....	....	....	....	....	....	....	....	10	cu.s.
4	25·85	25·67	36·0	54·0	48·0	24·0	100	49	C.	0	C.	0	....	....	....	....	10	cu.s.	....	....	10	cu.s.
5	25 68	25·61	34·0	46·0	54·0	32·0	100	69	C.	0	C.	0	....	....	....	....	....	....	....	....	4	cu.s.
6	25·64	25·51	32·0	54 0	56·0	32·0	100	47	C.	0	C.	0	....	....	....	....	....	....	....	....	10	cu.s.
7	25·51	25·53	36·0	58·0	58·0	34·0	100	52	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
8	25·52	25·48	36·0	58·0	58·0	35 0	100	75	C.	0	C.	0	....	....	....	....	....	....	....	....	10	cu.s.
9	25·44	25·39	44·0	42·0	58·0	42 0	100	66	C.	0	S.E.	5	·06	....	....	....	10	n.	....	....	10	cu.s.
10	25·33	25·23	40·0	40·0	42·0	36·0	100	82	C.	0	C.	0	·08	·26	....	....	10	n.	....	....	10	n.
11	25·28	25·34	36·0	46·0	46·0	34·0	100	69	C.	0	C.	0	....	....	....	....	10	n.	....	....	10	cu.s.
12	25·42	25·58	36·0	50·0	52·0	32·0	90	58	C.	0	W.	5	....	....	....	....	....	....	....	....	9	cu.s.
13	25·56	25·73	40·0	52·0	54·0	26·0	91	50	C.	0	S.	5	....	....	....	....	10	cu.s.	....	....	10	cu.s.
14	25·77	25·73	42·0	50·0	52·0	34·0	82	71	C.	0	C.	0	....	·10	....	....	10	cu.s.	....	....	10	n.
15	25·80	25·65	42·0	44·0	50·0	38·0	82	83	C.	0	C.	0	·12	·26	....	....	10	n.	....	....	10	n.
16	25·61	25·63	38·0	50·0	52·0	36·0	81	71	C.	0	C.	0	·04	....	....	....	....	....	....	....	5	cu.s.
17	25·66	25·67	40·0	56·0	58·0	32·0	82	39	C.	0	C'	0	....	....	....	....	....	....	....	....	....	....
18	25·70	25·60	42·0	60·0	62·0	38·0	82	44	C.	0	C.	0	....	....	....	....	10	cu.s.	....	....	....	....
19	25·51	25·42	44 0	48·0	52·0	38·0	75	85	C.	0	C.	0	....	·04	....	....	10	cu.s.	....	....	10	n.
20	25·45	25·62	42·0	50·0	50·0	40·0	91	71	C.	0	S.	5	·06	·04	....	....	10	n.	....	....	6	cu.s.
21	25·65	25·67	44 0	46·0	50·0	36·0	70	76	C.	0	C.	0	....	....	....	....	10	cu.s.	....	....	10	cu.s.
22	25·65	25·70	40·0	50·0	52·0	34·0	82	71	C.	0	N.	5	....	....	....	....	....	....	....	....	10	cu.s.
23	25·71	25·80	42·0	56·0	58·0	32·0	67	45	C.	0	C.	0	....	....	....	....	....	....	....	....	8	cu.s.
24	25·72	25·78	42·0	60·0	64·0	34·0	66	40	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
25	25·79	25·87	50·0	58·0	62·0	36·0	75	37	C.	0	C.	0	....	....	....	....	....	....	....	....	10	cu.s.
26	25·90	25 84	40·0	60·0	64·0	34·0	91	39	C.	0	C.	0	....	....	....	....	....	....	....	....	9	cu.s.
27	25·83	25·71	42·0	60·0	62·0	36·0	82	44	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
28	25·73	25·67	46·0	60·0	64·0	36·0	69	29	C.	0	N.W.	5	....	....	....	....	....	....	....	....	6	cu.s.
29	25·72	25·73	44·0	56·0	60·0	38·0	70	56	C.	0	C.	0	....	....	....	....	8	cu.s.	....	....	10	cu.s.
30	25·75	25·65	42·0	64·0	66·0	36·0	82	47	C.	0	S.	5	....	....	....	....	10	cu.s.	....	....	9	cu.s.
31	25·63	25·56	46·0	52·0	64·0	40·0	84	66	S.	5	C.	0	....	....	....	....	10	cu.s.	....	....	10	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°																
1	25·72	25·77	36·0	44·0	52·0	34·0	80	59	C.	0	C.	0	..	·12	....	....	10	cu.s.	....	....	10	cu.s.
2	25·73	25·70	48·0	48·0	50·0	36·0	77	70	C.	0	C.	0	....	·04	....	....	10	cu.	....	....	10	n.
3	25·67	25·63	42·0	52·0	52·0	38·0	82	66	C.	0	C.	0	·06	...	....	....	10	n.	....	....	10	cu.
4	25·61	25·57	42·0	52·0	54·0	36·0	82	79	C.	0	C.	0	....	·04	....	....	10	n.	....	....	10	n.
5	25·49	25·48	44·0	50·0	56·0	38·0	91	85	C.	0	C.	0	·44	·24	....	....	10	n.	....	....	10	n.
6	25·52	25·47	42·0	52·0	54·0	36·0	91	66	C.	0	S.W.	5	·18	...	....	....	....	....	....	....	7	cu.
7	25·60	25·59	42·0	54·0	60·0	36·0	82	61	C.	0	C.	0	....	....	....	....	7	cu.	....	....	10	cu.
8	25·51	25·44	42·0	50·0	66·0	38·0	100	64	C.	0	C.	0	·08	....	....	....	10	n.	....	....	7	cu.
9	25·57	25·48	38·0	48·0	60·0	36·0	100	56	C.	0	C.	0	·20	....	....	....	....	....	....	....	10	cu.
10	25·47	25·33	46·0	50·0	58·0	40·0	69	64	C.	0	S.	5	....	....	....	....	....	...	....	....	10	cu.
11	25·36	25·31	40·0	56·0	58·0	34·0	82	39	S.	5	S.	5	...	....	..	....	10	cu.	...	....	8	cu.
12	25·26	25·39	44·0	56·0	64·0	38·0	83	45	C.	0	C.	0	...	...	....	.. ..	....	...	....	....	7	cu.
13	25·38	25·43	40·0	44·0	46·0	40·0	73	100	C.	0	C.	0	·50	·30	...	....	10	n.	...	. ..	10	n.
14	25·50	25·60	40·0	44·0	44·0	38·0	100	100	S.	5	C.	0	·26	·06	...	...	10	n.	...	....	10	n.
15	25·68	25·68	40·0	44·0	44·0	38·0	100	100	C.	0	C.	0	·20	·18	....	....	10	n.	..	....	10	n.
16	.....	.....	.. ..	.....	.....	....	....	....	.....	....	.....	....	....	....	....	....	....	....	....	....	....	....
17	.....	.....	....	.....	.. ..	...	....	....	.. ..	....	.....	....	....	....	....	....	....	.....	..	.....	....	.....
18	.....	.....	.....	.....	.....	.....	..	....	...	....	.....	....	....	....	...	...	....	.....	....	.....	....	.. ..
19	.....	.....	.. ..	.....	.....	.....	....	....	.....	....	.....	....	....	....	...	.. ..	....	.....	....	.....	....	.....
20	...	.....	.....	.....	.....	.....	....	....	...	....	.....	....	....	....	....	....	....	.....	..	....	....	.....
21	.. ...	.....	.....	.....	.....	.....	....	....	.....	....	.....	....	....	....	....	....	....	.....	....	.....	..	.. ..
22	.....	.....	.....	.....	.....	.....	....	....	...	....	.....	....	..	....	...	..	....	...	....	.....	....	.....
23	25·80	25·80	68·0	70·0	68·0	70·0	51	....	C.	0	C.	0	....	...	..	.....	....	.....	....	....	....	.....
24	25·83	25·80	48·0	74·0	48·0	74·0	85	43	C.	0	C.	0	....	....	....	.....	....	.....	..	.....	6	cu.
25	25·84	25·81	56·0	74·0	56·0	74·0	45	32	C.	0	C.	0	....	....	...	.....	....	.....	....	.....	....	.....
26	25·80	25·71	72·0	70·0	72·0	70·0	....	24	C.	0	C.	0	....	....	....	.. ..	....	.....	....	.....	....	cu.
27	25·53	25·46	59·0	63·0	59·0	63·0	65	78	C.	0	S.W.	5	....	06	...	....	7	cu.	...	.. .	10	n.
28	24·96	25·44	53·0	58·0	53·0	58·0	93	76	S.W.	5	C.	0	·36	....	....	.....	10	n.	...	.....	8	n.
29	25·55	25·56	54·0	58·0	54·0	59·0	80	65	C.	0	C.	0	·02	....	....	.....	8	n.	....	.....	6	n.
30	.....	.....	.....	.....	.....	.....	...	....	.....	....	.....	....	....	....	....	.....	...	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	25·66	25·76	55·0	50·0	71·0	40·0	88	100	C.	0	C.	0	·03	·50	....	...	7	cu.	...	.....	6	n.
2....	25·61	25·62	53·0	62·0	75·0	40·0	86	41	C.	0	C.	0	·12	..	....	.....	4	cu.	...	.....	5	cu.
3....	24·85	25·44	50·0	50·0	75·0	42·0	86	100	C.	0	C.	0	·02	·65	....	...	10	n.	...	.....	10	n.
4....	25·52	25·69	43·0	40·0	70·0	38·0	100	100	C.	0	C.	0	·30	·40	....	....	10	n.	....	....	10	n.
5....	25·77	25·79	44·0	48·0	70·0	40·0	100	100	C.	0	C.	0	·06	·04	....	.....	10	n.	....	...	10	n.
6....	25·78	25·78	49·0	55·0	68·0	44·0	71	74	C.	0	C.	0	·04	T.	....	.....	9	n.	....	...	6	n.
7....	25·75	25·66	54·0	60·0	70·0	40·0	74	76	C.	0	C.	0	...	..	....	.....	6	cu.	....	....	8	cu.
8....	25·67	25·65	56·0	62·0	73·0	45·0	80	87	C.	0	C.	0	....	....	....	.....	7	cu.	..	....	6	cu.
9....	25·68	25·68	47·0	66·0	68·0	43·0	85	73	C.	0	C.	0	....	....	....	.....	....	.....	..	.....	8	cu.
10....	25·70	25·68	60·0	62·0	77·0	48·0	76	83	C.	0	C.	0	....	....	....	. .	6	cu.	....	.....	7	cu.
11....	25·68	25·71	50·0	56·0	77·0	44·0	72	63	C.	0	C.	0	....	....	....	.....	8	cu.	...	.....	4	cu.
12....	25·73	25·73	44·0	52·0	68·0	40·0	92	86	C.	0	C.	0	·08	·02	....	.....	10	n.	....	.....	3	cu.
13..	25·63	25·55	43·0	52·0	66·0	36·0	92	86	S.	6	C.	0	·08	·03	....	...	5	cu.	....	.....	8	n.
14....	25·60	25·59	50·0	60·0	66·0	40·0	72	65	C.	0	C.	0	....	....	....	.....	6	cu.	....	.....	....	.....
15 ..	25·62	25·59	48·0	60·0	74·0	40·0	70	60	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
16 ...	25·65	25·67	50·0	60·0	70·0	45·0	100	65	C.	0	C.	0	·22	·04	...	.....	10	n.	....	.....	10	n.
17....	25·75	25·71	51·0	63·0	70·0	45·0	93	72	C.	0	C.	0	·12	....	....	.....	9	cu.	....	.....	7	cu.
18 ..	25·78	25·74	50·0	69·0	75·0	40·0	79	47	C.	0	C.	0	....	....	....	.....	4	cu.	....	.....	....	.....
19....	25·72	25·65	52·0	70·0	76·0	42·0	73	61	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	4	cu.
20 ...	25·64	25·61	52·0	68·0	81·0	46·0	73	51	C.	0	C.	0	....	..	....	....	....	.....	....	.....	....	.. ..
21....	25·67	25·51	56·0	56·0	82·0	43·0	63	93	C.	0	C.	0	...	·38	....	.....	....	.....	....	.....	9	n.
22 ..	25·68	25·63	52·0	60·0	68·0	48·0	93	88	C.	0	C.	0	·88	T.	....	.....	10	n.	....	....	10	n.
23....	25·63	25·59	52·0	56·0	74·0	42·0	86	93	C.	0	C.	0	·46	·01	....	.....	10	n.	....	.....	10	n.
24....	25·66	25·70	50·0	58·0	71·0	45·0	100	87	C.	0	C.	0	1·06	....	....	.....	10	n.	....	.....	8	cu.
25 ..	25·71	25·66	53·0	61·0	74·0	41·0	93	82	C.	0	S.E.	3	....	T.	....	.....	....	.....	....	.....	10	cu.
26. ..	25·72	25·76	51·0	60·0	77·0	48·0	100	82	S.E.	3	S.W.	4	·10	·03	....	.....	10	n.	....	.....	7	cu.
27....	25·76	25·75	50·0	63·0	72·0	42·0	72	72	S.	2	S.W.	4	....	....	....	....	4	cu.	....	.....	8	cu.
28....	25·80	25·79	46·0	64·0	74·0	45·0	92	62	W.	3	S.E.	3	....	....	....	.....	4	cu.	....	.....	3	cu.
29....	25·89	25·99	50·0	66·0	71·0	44·0	72	59	E.	2	E.	2	....	....	....	.....	...	.....	..	.....	....	.....
30..	25·98	25·92	56·0	70·0	75·0	47·0	87	61	W.	2	W.	2	....	....	....	.....	....	.....	....	....	....	.....
31....	25·95	25·87	52·0	64·0	74·0	47·0	86	89	C.	0	S.W.	6	...	·23	...	.....	....	.. ..	....	... .	6	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	25·79	25·67	54·0	61·0	75·0	49·0	87	65	S.W.	3	S.W.	3	....	....	....	.....	6	cu.	....	.....	7	cu.
2....	25·64	25·56	57·0	59·5	76·0	49·0	87	83	S.W.	4	S.W.	1	·04	....	....	.....	6	cu.	....	.....	....	.....
3....	25·61	25·62	52·0	52·5	69·0	50·0	36	87	W.	6	W.	2	·16	·06	....	.....	10	cu.	....	.....	7	cu.
4....	25·70	25·57	46·0	48·0	60·0	40·0	92	86	S.W.	3	W.	5	·06	·08	....	.....	9	cu.	....	.....	10	n.
5....	25·61	25·60	40·0	44·0	58·0	38·0	91	78	N.W.	2	S.W.	2	·34	T.	....	.....	10	n.	....	.....	6	cu.
6....	25·54	25·52	42·0	44·0	48·0	33·0	83	92	S.W.	2	S.E.	1	T.	....	....	.....	8	cu.	....	.....	10	cu.
7....	25·54	25·54	40·0	41·5	58·0	40·0	91	100	S.E.	1	S.E.	2	....	·22	....	.....	10	cu.	....	.....	10	n.
8....	25·62	25·72	41·0	44·5	60·0	39·0	91	85	S.E.	2	S.	3	·49	T.	....	.....	10	cu.	....	.....	7	cu.
9....	25·75	25·70	41·0	47·5	68·0	34·0	91	74	S.	3	S.E.	3	....	....	....	.....	4	cu.	....	.....	7	cu.
10..	25·72	25·72	40·0	44·0	61·0	36·0	82	100	S.E.	3	S.E.	1	·26	....	....	.....	....	.....	....	.....	10	n.
11....	25·75	25·74	40·0	43·5	56·0	37·0	100	92	S.E.	3	E.	2	·33	·04	....	.....	10	n.	....	.....	8	n.
12....	25·79	25·73	36·0	44·5	57·0	32·0	81	80	E.	2	S.	4	....	....	....	.....	10	cu.	....	.....	8	cu.
13....	25·67	25·61	48·0	49·5	54·0	45·0	93	93	S.	6	E.	2	·10	·04	....	.....	8	cu.	....	.....	10	n.
14....	25·67	25·77	46·0	49·5	55·0	44·0	92	93	E.	2	W.	6	·37	·03	....	.....	10	n.	....	.....	6	cu.
15....	25·83	25·78	47·0	49·0	56·0	45·0	92	93	W.	5	S.W.	3	·03	·25	....	.....	10	n.	....	.....	10	n.
16....	25·71	25·62	42·0	44·0	51·0	40·0	100	100	S.E.	3	S.E.	3	·06	·09	....	.....	10	n.	....	.....	10	n.
17....	25·53	25·78	42·0	41·5	46·0	41·0	91	91	S.E.	3	N.W.	3	·28	·02	....	.....	10	n.	....	.....	10	n.
18....	25·90	25·88	32·0	39·0	50·0	28·0	69	84	N.W.	3	N.W.	3	....	....	....	.....	10	cu.	....	.....	6	cu.
19....	25·94	26·01	38·0	45·5	55·0	35·0	90	80	S.W.	2	W.	3	·04	....	....	.....	10	n.	....	.....	4	cu.
20....	25·81	25·82	42·0	47·0	60·0	38·0	83	86	W.	3	W.	2	....	T.	....	.....	6	cu.	....	.....	6	cu.
21 ...	25·81	25·62	42·0	48·5	58·0	38·0	83	93	S.W.	2	S.W.	4	..	·14	....	.....	6	cu.	....	.....	10	cu.
22....	25·64	25·70	50·0	52·5	60·0	48·0	100	93	S.W.	3	S.W.	4	·20	·06	....	.....	10	n.	..	.....	4	cu.
23....	25·85	25·81	41·0	40·5	62·0	40·0	91	82	S.W.	3	W.	2	....	....	....	.....	4	cu.	....	.....	3	cu.
24....	25·75	25·58	46·0	55·0	66·0	44·0	92	83	N.W.	2	N.W.	3	T.	....	....	.....	6	cu.	....	.....	6	cu.
25....	25·54	25·56	44·0	49·0	65·0	42·0	92	74	N.W.	6	N.W.	2	....	....	....	.....	6	cu.	....	.....	6	cu.
26....	22·69	25·69	35·0	41·5	54·0	32·0	90	78	N.W.	2	N.	1	....	....	....	.....	4	cu.	....	.....	.....	.....
27....	25·80	25·76	36·0	44·0	55·0	33·0	90	73	N.W	1	W.	2	....	....	....	.....	.....	.....	....	.....	4	cu.
28....	25·69	25·47	46·0	48·0	54·0	42·0	92	100	W.	2	W.	4	·10	·44	....	.....	10	n.	....	.....	10	n.
29....	25·50	25·56	36·0	39·0	56·0	34·0	90	91	W.	4	N.W.	4	·50	·04	....	.....	10	cu.	....	.....	10	n.
30....	25·79	25·73	38·0	44·0	52·0	36·0	90	78	S.W.	4	N.W.	1	....	....	....	.....	10	cu.	....	.....	....	.....
31....	25·82	25·78	37·0	47·5	61·0	35·0	90	76	S.W.	3	W.	3	..	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	25·79	25·76	37·0	59·0	62·0	34·0	90	70	S.W.	1	S.W.	1	.	.	.	.	.	.	.	.	.	.
2	25·80	25·77	37·0	61·0	62·0	34·0	90	82	N.W.	1	S.W.	2	.	.	.	.	.	.	.	.	5	cu.
3	25·87	25·86	44·0	57·0	60·0	40·0	92	81	W.	2	N.W	2	.	.	.	.	3	cu.	.	.	3	cu.
4	25·76	25·64	44·0	60·0	62·0	40·0	92	76	W.	2	W.	2	.	.	.	.	.	.	.	.	3	cu.
5	25·55	25·59	44·0	53·0	62·0	42·0	92	86	W.	2	W.	2	.	·10	.	.	6	cu.	.	.	10	cu.
6	25·80	25·87	45·0	50·0	60·0	44·0	92	86	N.E.	2	S.W.	2	·05	.	.	.	6	cu.	.	.	6	cu.
7	25·98	26·07	42·0	56·0	58·0	38·0	83	86	W.	1	W.	1	.	.	.	.	8	cu.	.	.	10	cu.
8	26·10	26·10	45·0	62·0	64·0	43·0	92	66	W.	1	S.	2	.	.	.	.	.	.	.	.	.	.
9	25·86	25·79	47·0	61·0	66·0	44·0	85	77	S.W.	1	S.E.	1	.	T.	.	.	.	.	.	.	10	n.
10	25·92	25·92	40·0	45·0	61·0	40·0	91	76	N.W.	6	N.W.	6	.	.	.	.	6	cu.	.	.	7	cu.
11	25·96	25·96	31·0	40·0	46·0	26·0	89	73	N.W.	2	N.W.	2	.	.	.	.	5	cu.	.	.	.	.
12	25·85	25·76	27·0	44·0	51·0	23·0	100	52	N.W.	2	N.W.	2	.	.	.	.	.	.	.	.	.	.
13	25·75	25·51	36·0	48·0	52·0	34·0	90	85	W.	2	W.	2	·01	·03	.	.	.	.	.	.	10	cu.n.
14	25·46	25·45	36·0	38·0	42·0	36·0	100	90	S.W.	2	S.W.	2	1·12	·21	.	.	10	n.	.	.	10	n.
15	25·56	25·54	34·0	37·0	38·0	32·0	89	90	S.W.	1	S.W.	1	·58	·01	.	.	10	n.	.	.	10	cu.
16	25·49	25·43	34·0	38·0	38·0	33·0	100	90	W.	1	W.	1	·20	.	.	.	10	n.	.	.	7	cu.
17	25·59	25·72	33·0	40·0	41·0	30·0	89	91	C.	0	W.	1	.	.	.	.	10	n.	.	.	.	.
18	25·70	25·67	34·0	43·0	44·0	33·0	89	100	S.W.	1	W.	1	·14	·66	.	.	10	n.	.	.	10	n
19	25·81	25·82	40·0	45·0	46·0	38·0	91	92	W.	1	S.E.	2	·60	.	.	.	10	cu.	.	.	5	cu.
20	25·89	25·86	37·0	47·0	50·0	35·0	90	85	S.E.	2	S.W.	1	.	.	.	.	6	cu.	.	.	.	.
21	25·88	25·90	32·0	48·0	52·0	31·0	90	92	W.	1	S.W.	1	.	.	.	.	.	.	.	.	10	cu.
22	25·89	25·84	42·0	56·0	58·0	40·0	83	87	W.	1	S.W.	1	.	.	.	.	.	.	.	.	10	cu.
23	25·83	25·77	36·0	49·0	57·0	35·0	100	78	W.	1	N.W.	1	.	.	.	.	.	.	.	.	.	.
24	25·79	25·73	33·0	52·0	55·0	32·0	100	73	S.W.	2	N.W.	2	.	.	.	.	.	.	.	.	10	cu.
25	25·74	25·60	39·0	54·0	60·0	38·0	91	80	S.W.	2	S.W.	2	.	.	.	.	6	cu.	.	.	6	cu.
26	25·74	25·64	32·0	59·0	61·0	31·0	90	88	S.W.	2	N.W.	2	.	.	.	.	.	.	.	.	.	.
27	25·64	25·67	42·0	50·0	57·0	39·0	83	86	S.W.	2	W.	4	.	T.	.	.	6	cu.	.	.	10	cu.
28	25·71	25·70	42·0	50·0	53·0	40·0	91	86	S.W.	1	W.	1	.	.	.	.	6	cu.	.	.	10	cu.
29	25·66	25·49	39·0	50·0	53·0	35·0	91	79	S.E.	4	S.E.	8	.	T.	.	.	8	cu.	.	.	10	cu.
30	25·37	25·41	48·0	41·0	52·0	45·0	78	91	S.E.	10	S.E.	1	·01	·10	.	.	10	cu.	.	.	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1. ..	25·61	25·61	30·0	39·0	41·0	28·0	100	82	C.	0	N.E.	1	....	....	....	.....	....	.....	....	.....	....	.....
2....	25·74	25·75	30·0	42·0	44·0	26·0	100	83	S.E.	2	S.E.	4	....	....	....	.....	6	cu.	....	.....	6	cu.
3....	25·65	25 75	41·0	48·0	49 0	35·0	91	92	C.	0	W.	1	·25	·08	....	.....	10	n.	....	.....	10	cu.
4....	25·72	25·63	44·0	53·0	59 0	43·0	100	86	S.	1	W.	3	14	T.	....	.....	10	n.	....	.....	6	cu.
5....	25·58	25·65	46·0	47·0	61·0	45·0	100	92	W.	2	W.	2	·20	·68	....	.....	10	n.	....	.....	8	cu.
6....	25·77	25·72	42·0	46·0	56·0	40·0	100	84	W.	1	W.	1	....	....	....	.....	10	cu.	....	.....	10	n.
7.. .	25·63	25·96	45·0	40·0	54·0	40·0	92	73	C.	0	S.E.	1	....	....	....	.....	5	cu.	....	.....	6	cu.
8 ...	26·04	26·04	22·0	40·0	55·0	22·0	100	64	C.	0	N.	2	....	....	....	.....	....	.....	....	.....	4	cu.
9....	26·04	26·00	31·0	47·0	55·0	30·0	100	77	W.	2	W.	1	....	....	....	.....	10	cu.	....	.....	5	cu.
10....	26·01	25·90	33·0	48·0	59·0	30·0	89	78	C.	0	W.	1	....	....	....	.....	....	.....	....	.....	6	cu.
11....	25·83	25·71	34·0	50·0	59·0	33·0	89	65	W.	1	W.	1	....	....	....	.....	....	.....	....	.....	....	.....
12....	25·71	25·73	35·0	47·0	59·0	34·0	90	77	C.	0	S.E.	1	....	....	....	.....	....	.....	....	.....	....	.....
13....	25 81	25·78	31·0	45 0	51·0	30·0	89	84	C.	0	E.	1	....	....	....	.....	....	.....	....	.....	10	cu.
14....	25·77	25·64	33·0	50·0	60·0	30 0	89	65	C.	0	S.E.	1	....	....	....	.....	10	cu.	....	.....	....	.....
15....	25·78	25 72	34·0	41·0	62 0	33 0	100	91	C.	0	S.E.	1	·10	....	....	.....	....	.....	....	.....	10	cu.
16....	25·78	25·94	31·0	32·0	54·0	30·0	89	79	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
17 ...	25·93	25·82	20·0	40·0	45·0	19·0	100	73	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
18....	25·81	25·80	32·0	47·0	54 0	30·0	90	70	S.E.	1	S.E.	1	....	....	....	.....	....	.....	....	.....	....	.....
19....	25 79	25·71	32·0	47·0	53·0	30·0	90	85	S.E.	1	S.E.	1	....	....	....	.....	....	.....	....	.....	....	.....
20. ..	25·71	25·65	29·0	46·0	56·0	28·0	89	92	C.	0	S.E.	1	....	·10	....	.....	....	.....	....	.....	....	.....
21....	25·77	25·72	41·0	50·0	58·0	40·0	91	86	S.E.	2	S.E.	2	·17	....	....	.....	10	cu.	....	.....	10	n.
22....	25·61	25·65	32·0	46·0	50·0	36·0	90	92	S.W.	4	S.W.	2	....	·27	....	.....	8	cu.	....	.....	8	cu.
23....	25·78	25·76	28·0	41·0	45·0	30·0	100	91	C.	0	S.W.	1	....	....	....	.....	....	.....	....	.....	8	cu.
24....	25·71	25·54	28 0	46·0	54·0	28·0	100	84	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
25....	25·72	25·75	37·0	43 0	55·0	35·0	90	92	W.	2	W.	1	T.	·02	....	.....	6	cu.	....	.....	....	.....
26....	25·76	25·68	31·0	43·0	46 0	31 0	100	83	C.	0	W.	2	T.	....	....	.....	....	.....	....	.....	10	n.
27....	25·68	25·57	32·0	41·0	48·0	31·0	90	91	C.	0	W.	2	....	....	....	.....	....	.....	....	.....	6	cu.
28....	25·48	25·43	28·0	44 0	49·0	28 0	100	84	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
29.. .	25·46	25·46	37·0	39·0	45·0	36·0	90	82	W.	1	W.	1	·01	....	....	.....	10	cu.	....	.....	....	.....
30....	25·43	25 42	30·0	31·0	40·0	28·0	100	89	S.E.	1	S.E.	2	....	·07	....	.....	10	cu.	....	.....	....	.....
31....	25·27	25·61	33·0	32·0	49·0	29 0	71	100	S.E.	10	W.	1	....	....	....	.....	6	cu.	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lowe	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	25·51	25·20	31·0	42·0	45·0	24·0	*	*	N.W.	3	S.W.	20	....	....	....	.....	10	cu.	....	....	5	cu.
2	25·51	25·40	28·0	31·0	32·0	26·0			S.W.	4	S.W.	20	·10	..	....	.....	6	cu.	....	.....	10	cu.
3	25·51	25·40	26·0	35·0	35·0	26·0			C.	0	S.W.	10	·20	·16	....	.....	10	n.	....	...	5	cu.
4	25·59	25·71	32·0	32·0	37·0	31·0			W.	1	W.	1	....	....	....	.	6	cu.	....	.....	....	...
5	25·65	25·48	36·0	40·0	40·0	28·0			W.	1	S.W.	6	·34	....	....	...	10	n.	....	.....	10	cu.
6	25·62	25·67	30·0	29·0	31·0	27·0			N.	3	N.W.	1	·20	....	...	... .	5	cu.	....	....	....	.....
7	25·73	25 73	25·0	33·0	36·0	24·0			N.W.	1	S.W.	1	..	.. .	....	.....	3	cu.	....	. ...	10	cu.
8	25·94	26·00	33·0	35·0	42·0	33·0			W.	1	W.	1	....	....	....	.....	10	cu.	....	....	10	cu.
9	26·08	26·06	29·0	36·0	40·0	28·0			C.	0	S.E.	2	....	...	....	.....	....	.....	....	... .	....	.....
10	26 05	26·01	27·0	35·0	42·0	26·0			S.E.	2	C.	0	....	....	....	.. ..	....	.....	....	.....	....	.....
11	25·95	25·85	27·0	32 0	40·0	26·0			C.	0	S.E.	1	....	....	...	.....	...	....	....	.....	....	.....
12	25·83	25·83	22·0	30·0	36·0	22·0			C.	0	C.	0	....	....	....	.....	...	.....	....	.. .	. ..	.....
13	25·80	25·77	20·0	30·0	38·0	19·0			C.	0	S.E.	1	....	....	....	.....	....	.....	....	.....	....	.....
14	25·85	25·88	13·0	31·0	31·0	11·0			S.E.	2	S.E.	1	·05	·03	...	....	...	.....	...	.....	10	n.
15	25·84	25·59	20·0	34·0	36·0	20·0			C.	0	S.E.	1	·03	·06	. .	...	....	.....	....	....	10	n.
16	25·61	24·67	27·0	26·0	36·0	26·0			S.E.	1	W.	1	·28	....	....	.....	10	n.	....	.	....	.....
17	25·68	25·73	28·0	26·0	33·0	26·0			W.	1	N.W.	1	·15	·05	...	.....	10	n.	....	....	8	cu.
18	25·49	25·26	24·0	32·0	34·0	22·0			N.W.	3	S.W.	3	·13	·02	...	.....	10	n.	...	.....	10	n.
19	25·20	25·30	22·0	23·0	30·0	22·0			S.E.	1	C.	0	·83	·02	...	.....	10	n.	....	.....	10	n.
20	25·35	25·41	12·0	29·0	31·0	12·0			N.W.	1	N.W.	1	·15	·03	....	.... .	4	cu.	...	... .	8	cu.
21	25·38	25·24	32·0	32 0	35·0	20 0			S.W.	3	S.W.	6	·10	·10	....	.....	8	cu.	....	.....	10	cu.
22	25·10	25·30	30·0	30·0	31·0	26·0			S.W.	2	S.W.	2	·05	·10	....	.... .	10	cu.	....	.....	10	n.
23	25·33	25·12	19·0	25·0	32·0	11·0			S.W.	1	S.E.	6	·13	·10	....	.....	10	cu.	....	.....	6	cu.
24	25·18	25·43	33·0	27·0	28·0	22 0			S.E.	1	S.E.	1	·02	..	....	.....	10	n.	....	.....	6	cu.
25	25·62	25·07	17·0	27·0	27·0	14·0			C.	0	S.W.	10	....	·20	....	.....	....	.....	. ..	.....	10	n.
26	25·52	25 65	22·0	18·0	34·0	18·0			S.W.	5	C.	0	·20	....	....	.....	6	cu.	..	....	....	.....
27	25·60	25·55	— 2 0	22·0	29·0	— 2·0			C.	0	C.	0	....	·03	...	.....	....	.....	....	..	10	n.
28	25·46	25·52	12·0	35·0	35·0	12 0			C.	0	S.W.	2	·10	T.	...	.. ..	....	.....	....	....	10	n.
29	25·69	25 67	30 0	38·0	38·0	29·0			S W.	1	S.W.	6	01	....	....	.....	6	cu.	....	.....	10	cu.
30	25·64	25 71	39·0	38·0	42·0	35·0			S.W.	6	S.W.	3	....	·10	. .	...	....	.....	....	.....	10	n.

*Not taken.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Barkerville, British Columbia—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	25·83	25·83	12·0	34·0	40·0	12·0	*	*	C.	0	S.W.	2	·10	T.	....	....	10	cu.	....	.....	10	c.
2	25·76	25·53	32·8	39·0	43·0	31·0			S.W.	5	S.W.	2	....	....	....	....	10	cu.	....	.....	10	cu.
3	25·55	25·38	32·0	40·0	55·0	31·0			S.W.	5	S.W.	10	....	....	....	....	10	cu.	....	. .	6	cu.
4	25·07	25·00	41·0	38·0	58·0	38·0			S.W.	10	S.W.	10	....	T.	....	.....	6	cu.	....	....	6	cu.
5	25·85	25·88	12·0	26·0	27·0	12·0			S.W.	1	S.W.	1	·20	....	....	....	....	.....	....	.....	....	.....
6	25·36	25·23	19·0	20·0	27·0	19·0			S.W.	1	S.W.	1	·08	·05	....	.....	10	n.	....	.....	10	n.
7	25·31	25·52	22·0	16·0	33·0	16·0			S.W.	1	N.W.	1	·60	....	....	....	10	n.	....	.....	10	cu.
8	25·76	25·52	2·0	18·0	21·0	2·0			N.	1	N.	1	....	....	....	....	4	cu.	....	.....	10	cu.
9	25·47	25·58	12·0	28·0	31·0	12·0			N.	1	N.	1	·30	....	....	....	10	n.	....	.	6	cu.
10	25·41	25·22	12·0	32·0	34·0	12·0			S.W.	5	N.W.	5	·05	....	....	.....	10	n.	....	.....	8	s.cu.
11	25·24	25·21	30·0	28·0	33·0	28·0			S.W.	3	S.W.	1	·05	....	....	.....	10	n.	....	.....	10	cu.
12	25·32	25·31	25·0	19·0	28·0	19·0			S.W.	1	N.	1	·03	....	....	.....	10	cu.	....	.....	6	cu.
13	25·05	25·39	10·0	12·0	23·0	10·0			C.	0	C.	0	....	....	....	....	....	....	....	.....	....	.....
14	25·68	25·77	12·0	12·0	13·0	10·0			W.	1	N.	1	....	....	....	.....	....	.....	....	...	10	cu.
15	25·74	25·80	12·0	12·0	20·0	12·0			N.	1	N.	1	....	·05	....	.....	5	cu.	....	.....	10	n.
16	25·91	25·84	14·0	5·0	20·0	5·0			N.	1	C.	0	·08	....	....	.....	10	n.	....	.. ..	....	.....
17	25·77	25·75	— 5·0	4·0	9·0	— 5·0			S.W.	1	C.	0	....	....	....	.....	....	.....	....	.....	..	.....
18	75·75	25·66	10·0	10·0	17·0	4·0			C.	0	S.E.	1	....	..	....	.....	8	cu.	....	.....	....	. .
19	25·32	24·32	40·0	14·0	18·0	4·0			N.W.	1	S.W.	10	....	..	....	.....	....	.....	....	.....	5	cu.
20	25·44	25·36	24·0	27·0	32·0	14·0			C.	0	C.	0	T.	....	....	.....	10	n.	....	.....	10	cu.
21	25·29	25·52	28·0	22·0	32·0	22·0			S.W.	1	S.W.	1	·45	....	....	.....	10	n.	....	.....	6	cu.
22	25·47	25·51	21·0	28·0	29·0	21·0			S.W.	3	S.	1	·15	·15	....	.....	10	cu.	....	.....	10	n.
23	25·51	25·01	31·0	34·0	36·0	28·0			S.W.	1	S.W.	1	·02	·15	....	....	6	cu.	....	.	10	n.
24	25·07	25·41	40·0	28·0	40·0	28·0			S.W.	3	S.W.	1	1·60	·10	....	.....	10	n.	....	....	10	n.
25	25·15	24·60	13·0	22·0	24·0	13·0			N.W.	1	S.W.	1	T.	....	....	....	10	n.	....	.....	10	n.
26	24·82	25·09	20·0	11·0	22·0	11·0			S.W.	1	W.	1	·10	....	....	....	10	cu.	....	..	....	.....
27	25·16	25·46	19·0	15·0	25·0	10·0			S.W.	1	C.	0	T.	..	....	....	10	cu.	....	.. ..	....	.....
28	25·39	25·46	10·0	11·0	20·0	5·0			C.	0	W.	1	....	....	....	....	....	....	....	.....	6	cu.
29	25·52	25·63	9·0	5·0	20·0	3·0			S.E.	1	C.	0	....	....	....	....	....	.....	....	...	....	.....
30	25·61	25·38	— 6·0	2·0	5·0	— 6·0			C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
31	25·34	25·33	1·0	10·0	10·0	0·0			C.	0	O.	0	....	....	....	.....	....	.....	....	.....	....	.....

*Not taken.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia: Latitude North, 48° 24′; Longitude West, 123° 19′. Height above Sea, 85 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8. a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in								
1	29·69	29·75	28·8	31·0	32·0	27·7	100	77	N.	14	N.	12	·03		..	..	10	n.			10	cu.n.
2	29·87	29·74	27·3	34·8	36·5	26·7	99	94	N.	8	N.	8	·01	·18			10	cu.n.			10	n.
3	29·10	29·31	39·0	40·8	46·2	34·8	100	92	S.E.	40	S.W.	28	·25	04			10	n.			10	n.
4	29·45	29·66	36·1	37·6	40·8	32·6	98	100	N.W.	12	N.E.	16	·06	03			10	cu.n.			10	n.
5	29·94	29·87	27·8	30·6	32·6	24·4	98	99	N.	4	E.	1	T.				10	cu.n.			10	cu.n.
6	29·76	29·76	30·0	32·0	33·8	24·3	99	70	N.	12	N.	8	T.				10	cu.n.			1	cu.n.
7	29·83	30·04	28·0	32·0	34·0	27·0	88	90	N.	12	N.E.	16										
8	30·38	30·35	30·2	34·3	35·0	29·3	95	89	N.E.	16	N.E.	12			3	ci.						
9	30·29	30·14	27·0	35·1	36·4	26·4	98	80	N.	4	N.	12					8	cu.n.			2	cu.
10	29·98	29·88	27·8	35·0	37·2	26·2	99	89	N.	4	N.E.	2										
11	29·76	29·72	33·2	37·2	39·1	30·0	100	70	N.E.	2	N.E.	12	·07	03			6	s.cu.			1	cu.
12	29·77	29·87	24·0	24·5	37·2	21·0	99	100	N.E.	20	N.E.	16										
13	29·97	30·04	17·0	19·8	24·6	16·8	83	68	N.E.	20	N.E.	16										
14	30·06	30·90	17·0	22·5	23·0	15·5	83	72	N.E.	16	N.E.	16										
15	29·89	29·81	15·0	26·0	26·8	14·8	91	94	N.	8	N.E.	12	·06								10	cu.n.
16	29·86	29·83	24·0	28·6	30·0	22·2	98	86	N.E.	8	N.E.	6					1	s.cu.			8	s.
17	29·81	29·69	20·7	30·0	34·1	20·2	97	96	N.	6	N.E.	2	T.	·02	..		4	s.	..		10	n.
18	29·53	29·84	30·0	37·2	39·0	25·3	99	74	N.	6	S.W.	20		·02			1	ci.cu.			2	cu.
19	29·98	29·94	38·0	40·0	41·2	35·3	98	91	S.W.	12	S.E.	8	T.	·01			10	cu.n.			10	n.
20	29·86	29·89	41·0	45·0	46·0	38·2	96	92	E.	6	E.	12	·85	·41			10	n.			10	cu.n.
21	30·13	30·24	41·0	46·8	48·2	41·2	100	95	E.	8	E.	2	·54	T.			10	n.			10	cu.n.
22	30·22	30·17	42·3	41·8	46·8	37·5	100	98	N.	4	S.E.	3					10	fog.			10	fog.
23	30·14	30·08	38·0	42·0	43·0	37·2	100	91	N.	2	N.	6	·01				10	fog.			10	cu.n.
24	30·16	30·12	38·0	40·0	42·8	36·8	63	61	N.	12	N.	16										
25	30·10	30·03	33·0	39·0	41·8	27·0	73	74	N.	8	N.E.	4										
26	30·00	29·44	28·1	37·2	41·2	26·2	84	89	N.	6	E.	4			1	ci.	8	s.cu.			8	cu.n.
27	29·93	29·82	33·1	33·0	35·3	33·0	70	70	N.W.	8	N.	10										
28	29·70	29·70	32·0	34·2	35·3	31·8	85	98	N.E.	12	N.	6			3	ci.cu.	10	cu.n.			10	s.cu.
29	29·82	29·77	33·0	37·2	39·2	32·3	99	98	N.	4	N.	4	T.	T.	1	ci.cu.	10	s.cu.			10	cu.n.
30	29·75	29·60	38·2	43·0	44·0	36·2	99	100	E.	2	N.E.	2	·06	·07			10	cu.n.			10	fog.
31	29·33	29·61	40·0	34·3	43·8	34·3	100	98	N.	4	S.W.	32	·36				10	n.			10	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·94	30·06	30·8	32·8	35·2	29·2	98	81	N.	4	N.	12	·02	T.	.....	.....	10	n.	...	.....	10	cu.n.
2....	29·93	29·86	26 8	29·0	32·8	26·8	95	62	N.E.	12	N.E.	12	...	....	.....	.....	10	cu.n.	...	.....	10	n.
3....	29 81	29·76	26·0	28·8	29·2	25·5	98	68	N.E.	16	N.E.	10	T.	T.	.....	.....	10	n.	.....	...	10	n.
4....	29·83	29·75	29·0	32·0	32·8	29·0	98	98	N.	4	N.	4	·05	T.	...	....	10	cu.n.	.....	...	10	n.
5....	29·37	29·67	33·0	44·8	48·8	32·0	100	91	N.	6	W.	12	·64	·04	....	....	10	cu.n.	...	.....	10	cu.n.
6....	30·03	30·14	45 0	47·0	52·5	43·0	99	92	S.W.	6	S.	4	·12	....	...	.....	10	cu.n.	.....	.....	1	cu.n.
7.. .	29·93	29·83	45·0	47·0	48·3	38 1	100	100	N.E.	6	N.	6	1·13	·53	.....	.....	..	.....	.....	.....	...	.....
8....	29·95	30·20	45·2	47·2	48·8	43·5	99	95	N.	4	E.	2	·61	...	...	.....	...	.....	.....	.....	.....	...
9....	30 35	30·30	43 8	47·0	49·9	43·7	98	77	N.	8	E.	6	·01	....	...	.. ..	.....	*....	2	ci.	6	cu.
10....	30·24	30·16	38·2	45·5	47 2	36·3	98	85	N.E.	6	N.E.	4	...	....	...	....	...	.....	.....	.....	2	cu.
11....	30·14	30·04	35·0	39·7	25·5	34·3	100	96	N.E.	4	E.	2	....	....	....	.....	10	n.	....	....	10	cu.n.
12...	30·04	30·20	37·8	44·2	45·4	37 7	98	88	C.	0	S.E.	4	·06	·01	....	...	6	s.cu.	....	.....	1	cu.
13....	30·30	30·21	39·0	46·3	48·3	33·2	97	81	N.E.	2	N.E.	6	·01	....	..	.....	.....	.....	.....	.....	..	...
14 ...	30·20	30·25	32 0	43·8	46·3	31·3	98	90	N.	4	E.	4	....	....	....	...	....	.....	.....	.....	.....	.....
15 ...	30·27	30 11	36·3	40·2	45 0	34·3	100	98	N.E.	2	C.	0	...	....	....	.....	10	fog.	....	....	10	cu.n.
16 ...	29·98	29·87	36·0	41·0	48·7	34·4	100	93	E.	2	W.	4	T.	...	....	.....	1	s.cu.	.....	.....	8	s.
17....	30·03	30·21	35·3	44·5	46·3	32·1	89	67	C.	0	S.E.	12	..	...	....	.....	4	s.	....	...	10	n.
18....	30·25	30·17	43·2	45·0	46·8	41·3	92	96	S.W.	10	S.E.	10	·02		....	.....	9	cu.n.	1	ci.cu.	2	cu.
19 ...	30 17	30·19	44·0	52·0	53 1	44·0	100	77	S.E.	10	W.	12	·07	....	....	.....	10	cu.n.	...	.....	10	n.
20....	30·13	29·97	47·0	47·0	52·0	45·0	71	90	S.W.	16	S.	10	...	....	....	...	10	n.	.....	.....	10	cu.n.
21 ...	29·83	29·63	36·2	46·0	49·2	36·7	100	90	N.	2	S.	4	...	....	....	.....	10	n.	..	.....	1	cu.n.
22....	29·54	29·58	42·0	45·0	46·6	41·0	98	94	E.	4	S.E.	4		·03	....	.....	10	fog.	...	.....	9	fog.
23 ...	30·00	29·91	39·2	45·1	47·8	37·6	97	90	W.	4	E.	12	·08	T.	....	.....	10	fog.	....	.....	10	cu.n.
24....	29·62	29·58	46·0	51·1	52 0	42·3	98	81	S.E.	6	E.	2	·39	....	...	....	....	.. .	....	. ...	.....	.. ...
25...	29·58	29·80	44·0	47·0	51 1	32·4	95	85	N.W.	4	N.W.	4	...	T.	....	....	....	.....	.....	.....	.....	. .
26....	29·96	29·94	42·0	45·2	47·0	41·2	93	89	N.E.	4	S.	2	T.	...	1	ci.	....	.....	2	ci.cu.	6	cu.n.
27....	29·96	29·90	42·0	46·0	50·1	40·2	97	84	N.E.	4	N.	8	·04	....	10	ci.	....	.....	.....	.....	.....	.....
28....	29·66	29 70	43·4	47·0	51·8	41 6	90	75	N.	2	W.	12	·08	....		.....	10	cu.n.	....	.....	10	s.cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·82	29·93	38·7	46·2	54·6	35·3	93	83	E.	4	S.E.	12	·24	....	....	. . .	8	n.	....	. . .	5	s.
2	30·09	30·15	40·2	48·0	49·6	40·0	92	73	E.	10	E.	4	·01	....	....	.....	10	s.cu.	....	....	4	cu.
3	30·13	30·13	34·0	46·8	48·2	32·7	98	73	N.	4	N.	4	....	T.	....	. . . .	4	cu.n.	....	. .	1	cu.
4	30·15	29·93	33·0	47·6	47·6	32·3	97	50	N.	4	N.	12	....	....	....	.....	....	. . .	....	.....	....	....
5	29·73	29·64	37·0	48·6	48·6	36·4	80	60	N.	6	N.E.	8	....	....	....	.....	....	. . .	....	.....	6	cu.
6	29·88	30·06	31·0	49·0	53·3	30·2	98	69	N.	4	S.	8	....	....	....	....	....	.....	....	.....	....	.....
7	30·08	29·94	31·0	50·5	51·0	30·1	93	72	N.	4	S.	4	....	....	1	ci.	....	.....	1	ci.s.	....	.....
8	29·89	29·86	38·2	53·8	53·8	36·7	93	50	N.E.	6	N.	8	....	....	3	c.s.	....	.....	1	ci.s.	..	.....
9	29·89	29·73	44·7	54·0	54·3	38·3	56	43	N.	10	N.E.	6	....	....	....	.....	....	...	....	. . .	....	...
10	29·56	29·55	43·0	47·0	48·3	36·3	75	59	W.	20	S.W.	12	....	T.	....	.....	4	s.cu.	....	.....	6	cu.n.
11	29·70	29·83	39·1	48·0	49·0	38·2	90	44	E.	10	N.W.	8	·04	....	....	....	10	c.un.	....	.....	1	cu.n.
12	29·99	30·03	32·1	45·2	49·4	30·3	80	69	N.	4	S.W.	12	....	....	3	ci.s.	....	....	....	. . .	....	.....
13	30·04	29·95	42·0	43·1	45·2	34·9	83	78	W.	8	W.	20	T.	....	....	.....	10	cu.n.	....	.....	10	cu.n.
14	29·87	29·73	42·0	41·0	44·5	37·6	87	92	W.	16	S.W.	8	·20	·29	....	. .	10	cu.n.	....	. . .	10	n.
15	29·86	29·92	36·1	37·3	45·5	35·3	87	86	S.W.	16	S.W.	24	·11	....	....	....	4	cu.n.	. .	....	9	cu.n.
16	30·03	29·95	30·2	44·5	45·0	23·8	98	54	N.W.	4	E.	4	T.	. .	....	.....	4	s.cu.	....	.....	6	cu.
17	29·76	29·42	34·0	44·0	46·0	31·6	90	58	N.	8	N.	12	....	....	....	....	4	s.cu.	....	. . .	10	cu.n.
18	29·45	29·62	39·8	43·1	46·5	39·4	93	91	N.	4	N.W.	12	·12	·02	....	.....	10	n.	....	.....	10	cu.n.
19	29·73	29·67	33·8	49·0	49·5	33·4	98	61	N.W.	4	S.W.	12	·06	..	....	...	10	s.cu.	2	ci.	....	.....
20	29·63	29·41	30·0	47·5	49·0	28·7	98	62	N.W.	2	S.W.	2	....	....	....	.....	....	.....	....	.....	8	cu.
21	29·30	29·42	41·0	44·0	47·5	36·0	82	59	S.E.	20	S.W.	20	·04	....	....	.....	10	c.u.n.	....	.....	8	cu.n.
22	29·34	29·01	31·2	40·0	44·0	31·2	98	84	N.	4	S.E.	40	·01	....	....	.....	1	s.	....	.....	10	s.cu.
23	29·14	29·33	41·0	47·2	52·2	37·0	83	67	S.E.	24	S.E.	6	T.	....	....	. ....	10	cu.n.	6	ci.	2	cu.n.
24	29·47	29·53	34·1	47·5	50·1	33·1	98	68	N.	8	S.	4	....	....	4	ci.s.	....	..	....	... .	7	cu.n.
25	29·58	29·61	37·7	53·0	54·0	35·5	91	73	N.	8	N.	12	....	....	7	ci.s.	....	. . ....	....	.....	....	.....
26	29·70	29·74	34·0	51·0	54·5	31·4	79	53	N.W.	4	S.	12	....	....	....	.....	....	. . . .	....	. . .	....	.....
27	29·83	29·83	44·0	46·0	51·0	41·2	76	69	S.W.	20	S.W.	20	·01	....	....	...	10	cu.n.	....	.....	10	cu.n.
28	29·91	30·03	36·0	42·6	46·1	36·2	88	63	S.W.	16	W.	24	·02	....	....	.....	4	cu.n.	....	. . .	10	cu.n.
29	30·04	29·98	36·3	48·0	51·0	36·3	100	92	N.E.	4	S.E.	8	·03	....	...	.....	10	n.	....	.....	8	cu.n.
30	29·99	29·89	43·0	52·0	57·0	40·6	100	73	N.	4	S.W.	2	·08	·07	....	. .	10	n.	....	.....	10	cu.n.
31	29·78	29·89	47·0	47·7	50·8	45·1	85	47	E.	4	W.	24	·05	....	....	. ...	10	cu.n.	....	.....	....	. . .

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·89	29·83	35·2	47·8	50·0	34·1	88	66	W.	4	E.	4	....	....	....	....	10	s.cu.	....	.....	10	cu.n.
2	29·77	29·84	38·3	45·0	51·7	38·3	95	76	N.W.	6	S.W.	12	....	T.	....	.. ..	10	s.cu.	....	....	6	cu.n.
3	29·93	29·76	39·2	46·8	47·2	38 6	89	75	E.	4	S.E.	16	·03	....	....	.....	10	cu.n.	....	.....	10	cu.n.
4	29·53	29·62	46·0	46·0	52 8	44·2	84	75	S.E.	16	S.W.	26	T.	T.	....	.....	10	cu.n.	....	...	4	cu.n.
5	29·30	29·37	41·0	44·7	48·5	39·2	84	83	S.E.	40	S.W.	24	....	·08	....	.....	10	cu.n.	....	....	5	cu.n.
6	29·50	29 64	41·1	46·8	49·0	40·1	99	82	S.E.	10	S.W.	16	·47	·03	....	.....	10	n.	....	.....	6	u.n.
7	29·91	29·94	39·2	44·8	49·1	39·2	98	89	C.	0	E.	12	....	·10	....	.....	9	cu.n.	....	...	10	n.
8	29·88	29·88	48·4	54·7	55·1	44·3	99	90	S.E.	4	N.E.	4	·44	·03	....	.....	10	n.	....	.....	10	cu.n.
9	29·64	29·74	48·1	47·0	54·2	45 7	99	79	E.	4	S.W.	32	·05	·08	....	.....	10	cu.n.	....	.....	3	cu.n.
10	30·08	30·14	40·0	52·0	53·0	38·4	82	59	S.W.	8	N.	6	·02	....	....	.....	3	cu.n.	....	...	1	cu.
11	30·08	29·99	40·6	61·1	62·0	37·8	86	50	N.	8	N.	6	....	....	....	.....	....	....	....	.....	1	cu.
12	29·97	29·87	45·4	56·2	62·7	43·3	76	72	N.	6	S.W.	12	....	....	....	.....	4	c.s.	2 8	ci. ci.cu.	....	.....
13	29 83	29·92	46·7	48·0	56·1	46·2	84	76	S.W.	8	S.W.	20	....	....	....	....	10	cu.n.	....	.....	2	cu.
14	30·02	30·03	36·2	52·0	53·1	35·8	94	65	N.W.	2	S.W.	8	.. ..	....	....	.....	4	c.s.	3	ci.s.	5	cu.
15	30·04	30·01	40·2	55·2	57·6	39·2	95	67	W.	2	S.W.	12	....	....	9	ci.cu.	....	.. ..	6 2	ci.cu. ci.	....	.. ..
16	30·01	30·02	44·3	47·3	55·2	42·7	85	90	W.	16	S.W.	10	·05	·01	....	....	10	cu.	....	. . .	10	cu.
17	30·07	30·14	42·6	52·0	55 0	41·6	84	74	S.W.	20	S.W.	16	T.	....	....	.. ..	4	cu.	4	ci.	2	cu.n.
18	30·15	30·17	44·3	52 8	56 3	44·3	89	81	S.E.	2	S.W.	8	....	....	....	.....	10	cu.n.	1	ci.cu.	....	....
19	30·33	30·32	37·2	61·8	63·0	35·6	96	62	N.E.	4	S.E.	4	....	....	....	.....	....	.....	....	.....	....	.....
20	30·27	30·10	37·2	58·8	65 0	37·2	88	71	N.	6	S.W.	6	....	....	....	.. ..	....	.....	....	.....	....	.. ..
21	30·07	29·97	38·2	62·8	67·2	38·1	96	65	C.	0	S.W.	4	....	....	....	.....	....	.....	....	....	..	.....
22	29·99	29·92	42·0	60·6	61·6	41·4	97	60	N.E.	2	S.W.	10	....	....	....	.. ...	....	.....	....	.....	....	.....
23	29·94	30·04	45·0	58·6	60·0	45·0	76	57	W.	12	S.W.	8	....	....	....	.....	4	c.s.	....	.....	....	.....
24	30·10	29·99	37·0	58·0	64·0	36·3	92	58	N.	4	S.W.	4	....	....	....	.....	....	.. ..	....	.....	....	.....
25	29·90	29·78	38·1	58·1	62·3	37·5	90	58	N.	2	S.	6	....	....	....	.....	....	.....	....	.....	....	.. ..
26	29·80	29·81	42·0	59·0	63·0	39·2	80	59	N.	6	S.	8	.. ..	....	4	ci.cu.	....	.....	....	.....	....	cu.
27	29·93	30·06	46·1	56·0	59·0	45·3	63	71	N.	8	N.E.	12	....	....	....	.....	....	.....	....	.....	....	.....
28	30·14	30·10	32·2	60·0	61·3	32·2	85	18	N.	4	N.E.	8	....	....	....	.....	....	.. ..	....	.....	....	.....
29	30·12	30·04	33·0	58·1	60·4	33·0	86	50	N.	4	S.W.	6	....	....	....	.. ..	....	.....	....	..	....	.. ..
30	30·03	29·98	36·0	55 0	60·8	35·4	90	73	N.	2	S.W.	16	....	....	....	.....	....	.....	....	....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.		8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·07	30·06	38·0	61·0	64·0	38·0	93	57	N.W.	2	S.W.	12									1	cu.
2	30·08	30·00	41·0	58·0	61·2	40·0	91	67	N.E.	2	S.W.	12							7	ci.s.		
3	30·10	30·08	42·7	62·2	63·2	42·2	94	60	C.	0	S.W.	4							4	ci.s.		
4	30·03	29·87	40·9	60·2	62·2	40·7	95	78	S.E.	2	S.W.	12										
5	29·80	29·69	41·0	60·9	61·9	40·6	87	57	W.	2	S.W.	12									1	cu.
6	29·76	29·78	44·0	62·2	66·7	44·0	98	58	N.	3	S.W.	20									1	cu.
7	29·88	29·91	48·1	58·5	62·7	48·1	87	70	S.W.	6	S.W.	16									1	cu.
8	29·94	29·94	49·2	52·5	58·5	48·7	91	79	S.W.	10	S.	16					10	cu.n.			10	cu.n.
9	29·83	29·64	48·0	55·0	57·6	47·7	92	86	C.	0	S.W.	4		T.			10	cu.n.			10	cu.n.
10	29·48	29·59	48·0	55·8	61·7	47·8	94	73	W.	5	S.W.	12	·03	T.			10	cu.n.			10	cu.n.
11	29·56	29·63	46·2	55·9	61·7	46·2	98	72	N.E.	2	S.W.	8	T.				10	cu.n.			8	cu.n.
12	29·82	29·94	42·0	59·0	64·0	41·0	99	82	W.	1	S.W.	20			6	ci.cu.			1	ci.cu.		
13	30·11	30·15	46·1	58·0	63·0	46·0	91	59	W.	6	S.W.	16			4	ci.			4	ci.cu.		
14	30·16	30·06	44·8	63·2	65·3	43·5	94	59	C.	0	S.W.	9					10	cu.n.	2	ci.		
15	29·94	29·87	49·0	55·0	68·1	48·7	93	82	C.	0	S.W.	12			4	ci.cu.					10	cu.n.
16	29·88	29·86	51·2	61·0	61·9	51·2	93	62	S.E.	4	S.W.	12	·03				10	cu.n.			3	cu.
17	29·87	29·84	50·0	62·0	55·7	48·2	94	72	C.	0	S.W.	16					10	cu.n.	8	ci.s.		
18	29·81	29·66	51·0	58·0	62·7	49·2	93	79	S.W.	6	S.E.	16	T.				10	cu.n.			10	cu.n.
19	29·72	29·73	47·1	66·2	68·0	47·1	98	68	C.	0	N.	8	T.		5	ci.s.					6	cu.n.
20	29·87	29·94	50·0	57·9	61·9	50·0	79	70	N.W.	6	S.W.	16	29				6	cu.n.			5	cu.n.
21	29·93	29·86	41·0	63·8	64·0	40·9	93	53	C.	0	S.	8									1	cu.
22	29·82	29·82	45·0	63·1	69·2	44·2	92	52	S.E.	2	S.W.	12									10	cu.n.
23	29·95	29·98	50·0	59·2	65·0	50·2	87	68	W.	8	S.	20	T.		4	ci.cu.			6	ci.s.	5	cu.
24	30·04	30·04	51·3	62·2	65·0	51·3	82	76	S.W.	8	S.W.	16					8	cu.n.	1	ci.		
25	30·12	30·08	45·0	64·1	67·0	45·0	92	60	N.W.	2	S.W.	16										
26	30·11	29·99	46·0	66·2	70·5	46·0	97	55	N.W.	4	S.W.	6							4	ci.		
27	29·99	29·90	52·0	69·0	72·4	52·0	91	48	N.E.	2	S.W.	16					4	s.	7	ci.s.	7	cu.
28	29·96	29·93	50·8	59·0	70·0	50·3	93	75	S.W.	2	S.	20			10	ci.s.			5	ci.		
29	29·98	29·90	48·0	65·0	72·4	48·0	97	58	C.	0	S.	6										
30	29·86	29·76	49·1	73·0	76·7	48·8	97	49	E.	4	S.	4										
31	29·78	29·94	56·0	60·0	73·0	49·5	81	53	S.W.	24	S.W.	28					10	s.	3	ci.s.	1	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·07	30·05	47·1	60·0	64·5	47·0	96	64	W.	4	S.E.	6	....	....	....	.....	....	.....	3	ci.	....	.....
2....	30·04	29·93	43·8	65·9	70·3	43·4	95	51	W.	2	S.	12	....	....	....	.....	....	....	1	ci.	....	.....
3....	29·86	29·75	49·0	70·2	73·0	47·0	93	57	N.E.	4	S.W.	2	....	....	1	ci.	....	.....	4	ci.	....	.....
4....	29·72	29·72	54·2	59·8	70·2	53·2	92	64	C.	0	S.W.	16	....	T.	....	.....	10	s.cu.	....	.....	10	cu.n.
5....	29·84	29·80	51·2	63·0	65·0	51·2	89	52	S.W.	18	S.W.	16	....	....	....	.....	4	cu.	4	ci.cu.	....	.....
6....	29·79	29·79	49·0	61·8	65·5	49·0	85	63	S.W.	8	S.W.	14	....	....	4	ci.cu.	....	....	....	.....	4	cu.
7....	29·87	29·89	47·4	67·0	68·5	47·3	92	45	W.	4	S.W.	20	....	....	....	.....	4	cu.	4	ci.	....	.....
8....	29·90	29·89	65·0	62·5	67·0	53·6	96	98	W.	12	W.	20	·02	·01	....	.....	10	cu.n.	....	.....	6	cu.n.
9....	29·98	29·85	49·0	54·8	62·5	49·0	84	82	S.W.	12	W.	2	...	·02	....	.....	....	.....	...	.....	10	n.
10....	29·62	29·64	49·6	55·1	61·7	49·6	96	68	E.	4	W.	12	·12	·02	....	.....	10	cu.n.	....	.....	10	n.
11....	29·31	29·54	50·0	58·2	61·4	49·0	93	56	N.	6	W.	12	·09	....	....	.....	10	cu.n.	....	.....	8	cu.n.
12....	29·61	29·68	48·0	61·0	64·8	47·9	98	50	E.	6	S.W.	10	·05	....	....	.....	10	cu.n.	6	ci.	...	.....
13....	29·81	29·85	47·2	63·1	64·0	47·2	91	41	S.W.	4	S.W.	12	....	....	....	.....	....	.....	....	...	4	cu.
14....	30·02	30·08	50·3	59·2	63·1	49·2	86	65	W.	16	S.W.	24	....	....	....	.....	....	.....	6	ci.	6	cu.
15....	30·08	29·99	50·0	61·2	64·5	49·0	79	58	S.W.	14	W.	16	....	....	....	.... .	6	s.cu.	....	.....	9	cu.
16....	30·06	30·10	53·0	60·1	68·0	53·0	86	70	W.	16	S.	16	....	....	....	.....	6	cu.	5	ci.cu.	4	cu.
17....	30·14	30·16	46·0	69·0	75·2	45·8	98	56	C.	0	S.W.	6	....	....	....	.....	2	fog.	....	.....	....	.....
18 ...	30·22	30·15	49·2	65·0	72·0	48·8	96	62	C.	0	S.W.	17	....	....	...	.....	....	.....	....	.....	....	... .
19....	30·09	29·92	49·0	65·3	73·0	49·0	93	57	C.	0	S.	16	....	...	....	.....	....	....	4	ci.	....	.....
20....	29·82	29·72	53·1	61·1	65·3	52·7	91	51	S.W.	14	W.	34	....	...	....	.....	....	.....	....	....	1	cu.
21....	29·75	29·73	49·1	66·9	71·8	49·1	93	56	S.W.	4	S.W.	10	T.	....	....	.....	1	s.cu.	1	ci.	....	... .
22....	29·85	29·87	41·8	70·8	72·4	47·2	94	51	C.	0	S.W.	8	....	....	....	.....	....	.....	....	.....	....	.....
23....	29·94	29·89	49·8	65·2	72·4	48·4	87	48	S.E.	2	S.W.	16	....	....	4	ci.	....	.....	....	.....	....	. ....
24....	29·99	29·95	51·1	69 8	74·5	51·3	96	49	S.W.	8	S.W.	6	....	....	....	.....	....	.....	....	.....	....	.....
25....	29·98	29·90	51·8	72·2	78·2	51·2	93	57	C.	0	S.W.	6	....	....	....	.....	....	.....	....	.....	....	.....
26....	29·90	29·81	54·0	73·2	77·4	52·4	87	42	C.	0	S.W.	10	....	....	....	.....	....	.....	5	ci.	....	.....
27....	29·80	29·77	53·0	60·2	72·2	52·4	89	64	S.W.	8	S.W.	24	....	....	6	ci.	....	.....	....	.....	10	cu.n.
28....	29·79	29·84	52·2	62·5	69·0	52·6	96	85	S.W.	16	S.W.	12	T.	T.	....	.....	10	cn.	....	.... .	10	cu.n.
29 ...	29·89	29·87	53·4	60·2	68·2	52·2	91	81	W.	6	S.W.	12	....	T.	8	cu.	....	.....	....	.....	10	cu.n.
30....	29·90	29·93	51·6	64·2	69·2	51·2	89	64	S.W.	10	S.W.	6	T.	....	....	.. .	10	cu.n.	2	ci.cu.	5	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·94	29·99	54·0	65·0	68·0	53·0	92	62	C.	0	S.W.	6	T.	....	...	.....	10	cu.n.	8	ci.cu.	..	.....
2	29·97	29·79	52·0	72·1	75·7	57·7	96	58	E.	2	S.W.	6	....	....	6	ci.cu.	...	..	1	ci.cu.	5	s.
3	29·68	29·76	56·0	61·5	72·1	53·7	98	69	E.	6	S.W.	8	·37	·01	....	.....	6	cu.n.	....	.. ..	10	cu.n.
4	29·93	30·08	52·0	66·0	67·4	51·8	97	59	S.	6	S.W.	16	·01	....	..	.....	9	cu.n.	....	.....	4	cu.
5	30·12	30·07	47·0	68·0	70.7	46·7	94	65	N.W.	8	S.W.	8	....	....	1	ci.	....	.....	..	....	....	....
6	30·06	29·98	48·0	70·0	74·7	48·0	96	69	C.	0	S.W.	12	....	....	....	.....	...	.....	....	.....	....	.....
7	29·92	29·86	50·0	75·8	77·4	50·0	98	53	C.	0	S.W.	4	....	..	....	.....	....	.....	....	... ..	....	.....
8	29·77	29·73	53·0	74·5	77·3	53·0	93	70	N.	2	S.W.	8	.. ..	....	....	.....	....	.....	....	.....	....	.....
9	29·84	29·83	54·0	72 3	75·0	54·0	99	70	C.	0	S.W.	12	....	....	.. .	.....	..	.....	....	....	....	.....
10	29·93	29·91	53·0	72·0	76 7	53·0	98	51	S.W.	8	S.W.	8	. ..	....	....	.....	....	.....	1 5	ci. ci.cu.	...	.....
11	29·95	29·96	50·0	67·5	72·0	49·6	98	62	C.	0	S.W.	12	....	....	....	..	...	.....	....	.....	....	.....
12	29·96	29·96	49·0	69·0	74·7	48·4	99	75	C.	0	S.W.	8	....	....	....	...	....	.....	....	.....	....	.....
13	29 96	29·75	52·0	66·0	70·0	51·6	94	76	N.	2	S.W.	16	....	....	4	ci.cu.	....	ci.cu.	1	ci.cu.	7	cu.
14	29·74	29·76	53·8	66·0	71·5	53·7	95	80	S.W.	4	S.	12	T.	....	....	.....	10	cu.n.	....	.....	....	.....
15	29·83	29·80	53·0	69 8	70 0	52·9	95	76	S.E.	2	S.W.	20	T.	....	2	ci.cu.	....	.....	4	ci.	4	cu.
16	29·88	29·90	52·1	65·5	70·3	52·1	96	81	S.W.	6	S.W.	16	....	....	1	ci.cu.	....	....	5 5	a.cu. ci.s.	10	cu.
17	30·05	30·06	50·8	64·0	69·3	50 7	94	81	C.	0	S.W.	4	....	....	4	ci.s.	....	.. .	....	....	10	high fog.
18	30·00	29·96	55·0	69·9	72·0	54·2	93	76	S.W.	4	S.	8	T.	....	....	.....	10	cu.n.	....	.....	..	....
19	29·95	29·77	52·0	74·5	78·7	51·(	98	74	E.	2	S.	8	....	....	....	. . .	...	. . .	3	cu.	....	.....
20	29·74	29·72	53·3	71·2	75·5	53 4	97	78	N.	2	S.W.	12	....	....	....	.....	....	.....	....	.....	....	.....
21	29 82	29 83	55·2	68·2	69·2	55·1	97	83	S.W.	12	S W.	18	....	....	4	ci.cu.	....	. .	....	.....	...	.....
22	29·95	29·93	54·0	67·1	70·1	54·(	97	83	S.W.	12	S.W.	8	....	..	....	....	1	s.	5	ci.	. ..	.....
23	29·89	29·89	51·2	72·0	74·3	51·2	99	71	S.W.	4	W.	18	...	....	....	.....	....	.....	....	....	...	... ..
24	29·95	29·92	51·3	66·7	72·0	51·3	98	75	W.	6	S.W.	12	....	....	5	ci.cu.	....	.....	....	.....	....	.....
25	29·93	29·91	51·1	70·3	73·1	50·1	98	72	N.W.	4	S.W.	16	....	....	....	.....	....	.....	6	ci.	....	.....
26	29·97	29·95	55·2	69·8	73·0	55·2	97	76	S.W.	8	S.W.	16	....	....	....	.....	....	.....	..	.....	....	.....
27	29·96	29·89	54·7	70·3	74·0	54·3	93	56	S.W.	10	S.W.	16	....	....	....	.....	....	.....	....	.....	....	.....
28	29·93	29·85	50·0	69·0	73·4	50·0	99	74	C.	0	S.W.	10	...	...	....	.....	...	. ..	....	....	....	.....
29	29·93	29·91	50·4	74·1	76·8	50·3	99	67	W.	0	S.	5	....	....	....	.....	....	.....	....	.. ..	....	.....
30	29·96	29·87	57·0	81·0	87 1	55·3	95	56	N.W.	2	S.	4	....	....	....	... ..	....	. ...	....	.....	...	.....
31	29·90	29·80	60·0	73·0	78·2	58·0	88	58	N.W.	4	N.W.	6	....	....	4	ci.cu.	....	... ..	4	ci.cu.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·86	29·71	55·0	70·3	75·0	54·2	95	65	S.	12	S.W.	8	....	....	....	.....	10	cu.n.	8	ci.cu.	....	.....
2	29·78	29·78	55·8	62·0	67·0	54·8	95	77	S.W.	16	S.E.	12	....	....	....	.....	....	.....	....	.....	....	.....
3	29·87	29·94	57·0	67·0	70·1	56·2	90	65	S.W.	12	W.	20	....	....	9	ci.cu.	....	.....	1	ci.cu.	..	.. .
4	29·98	29·95	55·8	58·2	67·4	55·1	90	84	S.W.	12	S.W.	26	...	T.	....	.....	9	cu.n.	....	.....	9	cu.n.
5	29·93	29·86	55·0	66·8	70·6	54·8	89	69	S.W.	10	S.	12	..	....	1	ci.	10	cu.n.	4	ci.	....	... .
6	29·75	29·74	53·0	61·1	66·0	53·0	99	84	S.W.	2	N.W.	6	·01	T.	....	.....	10	cu.n.	....	.....	10	cu.n.
7	29·78	29·88	53·7	63·0	64·0	52·7	98	78	S.E.	4	S.	8	·01	·03	....	.....	10	cu.n.	....	.....	6	cu.n.
8	29·95	29·92	49·0	65·8	68·2	48·6	99	70	N.	6	S.W.	4	....	.. .	....	.....	4	cu.n.	....	.....	....	.... .
9	29·95	29·97	46·0	66·1	70·7	46·0	100	61	C.	0	S.W.	24	....	....	....	....	4	cu.n.	....	.....	4	cu.
10	30·05	30·03	56·8	59·8	62·4	55·2	87	89	S.W.	8	E.	4	·03	·01	....	... .	9	cu.n.	....	.....	10	cu.
11	30·04	30·05	53·0	65·0	69·2	52·0	95	89	S.	4	E.	4	·01	....	....	.....	10	cu.n.	....	.....	6	cu.
12	30·04	29·96	44·0	67·0	69·8	43·7	100	64	N.W.	2	S.	8	..	....	1	ci.	....	.....	....	.....	....	.....
13	29·93	29·86	50·9	61·0	67·7	51·0	97	82	C.	0	S.	4	·01	....	....	.... .	....	....	....	.....	10	cu.n.
14	29·97	30·11	54·2	67·0	70·2	54·1	95	73	S.W.	20	S.E.	8	....	....	....	.... .	6	cu.n.	....	.....	1	cu.
15	30·14	30·05	49·0	65·0	72·0	49·0	99	72	C.	0	S.W.	8	....	.. .	....	.....	....	....	3	ci-cu.	....	.....
16	29·93	29·78	52·2	71·8	73·8	49·2	99	65	S.W.	8	S.W.	10	....	....	1	ci.cu.	....	.....	8	ci.cu.	8	cu.n.
17	29·83	29·94	54·8	62·5	65·3	54·1	89	54	S.W.	16	S.W.	24	....	....	...	.....	8	cu.n.	....	... ..	5	cu.
18	30·10	30·14	51·8	69·0	70·4	50·1	87	59	S.	2	S.	5	....	....	....	...	3	cu.	....	.....	....	.....
19	30·16	30·08	48·2	58·1	75·4	47·5	96	67	C.	0	S.W.	4	....	....	...	.....	....	.....	....	..	....	.....
20	30·06	29·97	48·2	71·0	78·1	48·3	91	53	N.W.	2	S.W.	4	....	...	....	.....	....	.....	4	ci.	...	.....
21	29·96	29·93	50·4	67·5	72·2	50·3	97	69	C.	0	N.W.	4	....	....	1	ci.	2	fog.	....	.....	10	cu.
22	29·95	29·97	58·0	71·0	74·2	57·0	89	56	S.W.	10	S.W.	16	....	....	6	ci.cu.	....	.....	3	c.s.	....	.... .
23	29·99	29·85	53·2	70·6	75·1	52·7	94	64	C.	0	S.	4	...	....	....	....	....	....	3	ci.	....	.... .
24	29·80	29·77	53·1	66·9	74·3	53·1	94	65	C.	0	S.W.	20	....	....	4	ci.s.	....	.....	...	.....	9	cu.
25	29·84	29·82	56·0	62·2	66·0	55·7	89	79	S.W.	12	S.	8	·11	....	....	.....	4	cu.n.	....	.....	5	cu.n.
26	29·91	29·96	52·9	61·4	63·8	52·2	87	75	S.	2	S.E.	6	·01	....	...	.....	10	cu.n.	....	.....	...	.....
27	29·99	29·99	48·0	61·0	69·0	47·3	98	61	N.W.	2	S.W.	8	.. .	...	4	ci.cu.	...	....	....	.....	....	.....
28	30·02	29·91	47·2	63·8	67·7	47·0	97	61	C.	0	S.W.	12	....	....	..	.....	....	.....	10	ci.s.	....	.....
29	29·77	29·75	57·8	61·4	64·9	47·2	83	63	S.W.	20	W.	10	T.	....	....	.....	5	cu.n.	....	....	9	cu.n.
30	29·86	29·86	44·7	64·0	65·7	43·7	94	57	N.W.	4	S.W.	4	....	.. .	...	....	....	.....	...	....	....	.. ..
31	29·89	29·79	47·2	66·2	75·0	46·2	97	61	N.	4	S.	4	....	....	....	... .	....	....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·82	29·93	53·8	66·6	70·2	53·8	86	56	S.W.	2	S.W.	16	T.	T.	....	.....	10	cu.n.	....	.....	10	cu.n.
2	30·03	30·13	57·0	57·1	66·6	55·1	90	93	S.E.	4	S.E.	4	·78	·03	....	.....	10	n.	....	.....	10	cu.n.
3	30·13	30·02	54·0	66·0	68·0	53·3	99	69	S.	2	S.	6	·02	....	..	.....	10	fog.	....	.....	....	....
4	29·92	29·73	50·8	68·7	74·2	49·9	95	66	N.W.	1	S.W.	4	....	....	....	.....	....	.....	....	.....	....	.....
5	29·73	29·87	55·0	61·8	68·8	53·2	93	78	S.	12	S.W.	12	....	·01	9	ci.cu.	....	.....	....	.....	10	cu.n.
6	30·00	30·11	52·5	67·0	68·4	52·5	95	60	S.	4	S.	6	·02	....	..	.....	6	cu.n.	....	.....	....	.....
7	30·18	30·16	48·5	72·0	74·0	48·2	96	50	C.	0	N.	8	....	....	....	.....	....	.....	1	ci.	....	.....
8	30·16	30·00	52·2	75·6	78·0	52·2	92	52	C.	0	S.	6	....	....	....	.....	....	.....	....	.....	....	.....
9	29·97	29·83	56·0	73·0	84·7	55·1	89	56	E.	4	S.W.	5	....	....	....	.....	....	.....	1	ci.	....	....
10	29·81	29·83	53·0	67·9	74·2	52·8	97	61	C.	0	S.W.	12	....	....	1	ci.	....	.....	....	.....	....	.....
11	29·83	29·88	55·0	55·0	67·2	53·9	85	57	N.	4	N.E.	10	·36	·01	....	.....	10	n.	....	.....	10	n.
12	29·96	29·99	46·1	61·9	65·9	43·2	90	53	S.	4	S.E.	6	....	....	....	.....	....	.....	....	.....	....	.....
13	29·98	29·86	42·8	56·0	66·0	40·2	91	28	C.	0	S.W.	16	....	....	....	.....	....	.....	....	.....	7	cu.
14	29·75	29·73	50·4	56·9	56·4	50·4	93	75	W.	8	S.E.	2	....	T.	....	.....	10	cu.n.	....	.....	10	cu.n.
15	29·65	29·58	51·8	57·0	59·1	51·8	95	48	N.E.	4	S.W.	4	·07	T.	....	.....	10	cu.n.	....	.....	10	cu.n.
16	29·58	29·72	52·0	55·8	57·1	51·2	96	88	S.E.	4	S.E.	4	·08	·18	....	.....	10	cu.n.	....	.....	9	n.
17	29·89	30·02	51·0	57·0	60·0	51·0	97	68	S.	5	S.W.	12	·08	T.	....	.....	10	n.	....	.....	9	cu.n.
18	30·06	30·03	51·2	62·0	61·4	51·2	92	55	S.W.	10	S.W.	8	....	....	....	.....	10	cu.n.	5	ci.	5	cu.n.
19	30·04	30·11	52·0	58·3	62·5	51·5	96	79	S.	2	S.	3	T.	....	....	.....	10	cu.n.	..	.....	1	cu.
20	30 12	30·06	45·0	61·8	67·2	44·0	98	72	N.	3	S.W.	4	....	....	....	.....	....	.....	....	.....	....	.....
21	30·10	30·06	44·4	63·0	69·2	44·4	98	72	C.	0	S.E.	4	....	....	....	.....	....	....	1	ci.	....	.....
22	30·07	29·99	46·0	65·2	71·2	45·7	98	67	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
23	29·94	29·77	47·8	70·8	72·5	47·5	96	59	N.	2	N.E.	6	....	....	....	.....	....	.....	1	ci.	....	....
24	29·79	29·77	48·7	64·2	68·2	47·6	96	68	C.	0	S.W.	10	....	....	1	ci.cu.	....	....	....	.....	....	.....
25	29·84	29 90	52·0	57·1	59·1	52·0	96	86	C.	0	S.E.	2	·01	....	....	....	10	cu.n.	....	.....	10	cu.n.
26	29·98	29·93	54·0	60·3	62·5	53·4	93	78	S.E.	4	S.E.	4	....	....	....	.....	10	cu.n.	8	ci.cu.	....	....
27	29·81	29·87	54·0	57 8	64·2	53·2	93	81	E.	6	S.	5	....	....	....	.....	10	cu.n.	....	.....	6	cu.n.
28	29·92	29·96	51·0	60·0	62·5	49·4	96	49	E.	2	S.W.	6	....	....	....	.....	10	cu.n.	....	.....	1	cu.
29	29·98	29·92	50·0	55·0	56·6	50·0	99	87	S.W.	10	S.E.	1	....	....	....	.....	....	.....	....	.....	10	cu.n.
30	29·73	29·78	50 3	55·0	57·8	49·9	98	62	E.	4	W.	28	·04	....	....	.....	....	.....	....	.....	10	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·75	29·88	50·0	55·9	57·1	49·2	93	79	E.	6	E.	4	·03	....	....	....	10	n.	....	.....	4	cu.n.
2....	30·07	30·13	46·2	57·0	58·9	45·2	100	74	S.W.	4	E.	6	....	....	....	.....	10	cu.n.	8	a.cu.	....	.....
3....	30·13	30·15	52·0	59·8	61·8	52·0	99	79	N.	4	S.	4	·12	....	....	.....	10	cu.n.	4	a.cu.	....	.....
4....	30·07	29·86	51·0	65·2	68·0	50·2	97	74	N.	2	N.	6	....	....	....	....	2	s.	5	ci.	....	....
5....	29·76	29·85	52·0	62·2	66·4	50·8	99	75	W.	3	S.W.	13	....	....	....	....	6	s.	....	.....	....	.....
6....	30·00	29·95	52·9	57·7	63·4	52·0	95	85	S.	1	S.W.	2	....	....	....	.....	10	s.cu.	1	ci.cu.	....	....
7....	30·03	30·10	58·0	61·5	62·8	52·9	88	80	N.	4	N.W.	4	....	....	....	....	10	cu.n.	....	.....	5	cu.n.
8....	30·23	30·26	45·8	57·0	59·9	43·7	94	75	N.	2	S.W.	4	....	....	....	.....	....	.....	....	.....	....	.....
9....	30·26	30·14	42·2	62·0	63·9	41·9	98	61	N.W.	3	E.	8	....	....	1	ci.	....	.....	....	...	....	.. ...
10....	30·07	29·93	42·9	66·0	68·0	41·5	95	64	N.	6	E.	5	....	....	....	.....	....	... ..	....	.....	....	.....
11....	29·95	29·87	42·0	57·4	62·2	41·1	94	74	C.	0	S.	4	....	....	....	.....	....	... .	....	.....	....	.....
12....	29·90	29·95	48·0	55·0	60·6	46·7	98	87	N.E.	2	S.E.	2	....	....	5	ci.s.	....	....	....	.....	10	cu.n.
13....	30·05	30·11	54·0	55·0	57·2	52·0	94	87	N.	2	C.	0	T.	....	....	.....	10	cu.n.	9	a.cu.	....	.....
14 ...	30·13	30·03	41·0	50·1	57·8	40·4	100	99	C.	0	S.E.	2	·01	....	....	....	10	fog.	....	.....	10	fog.
15....	30·03	29·99	45·1	50·1	52·6	45·0	100	99	E.	2	C.	0	·01	....	....	.....	10	fog.	....	.....	10	fog.
16....	30·04	30·04	46·0	53·3	56·6	44·3	100	88	C.	0	S.E.	8	·06	....	....	.....	10	fog.	....	.....	....	.....
17....	30·05	30·01	37·1	51·3	56·5	35·6	100	90	E.	2	S.	4	·01	....	....	....	10	fog.	....	...	....	.....
18....	30·02	29·90	37·6	52·0	53·8	35·5	100	88	N.	2	S.W.	2	T.	....	....	.....	10	fog.	....	.....	6	fog.
19....	29·94	29·92	38·0	52·1	57·2	37·0	100	92	C.	0	C.	0	....	....	....	.....	4	fog.	....	.....	....	.....
20 ...	30·01	30·01	49·8	54·0	55·1	47·0	94	87	C.	0	S.E.	5	...	....	....	.....	10	cu.n.	9	a.cu.	....	....
21....	30·07	29·96	50·0	50·1	52·1	49·2	93	96	E.	2	E.	4	....	....	....	.....	10	cu.n.	....	.....	10	fog.
22....	29·93	29·96	47·8	50·1	51·6	47·4	100	99	E.	2	S.	2	T.	·14	....	.....	10	fog.	....	.....	10	fog.
23....	29·97	29·84	50·0	54·0	55·4	47·0	100	92	N.	6	E.	4	·02	....	....	.....	10	cu.n. fog.	....	. . .	4	fog.
24....	29·97	29·83	47·0	53·0	55·0	43·7	99	90	E.	6	S.W.	8	·02	....	....	.....	5	fog.	....	.... .	7	fog.
25. ..	29·92	29·92	47·0	49·1	53·5	42·2	100	99	N.	2	C.	0	....	....	....	.....	10	fog.	....	.....	10	fog.
26...	29·97	29·92	43·8	48·9	50·2	42·2	100	98	N.	2	C.	0	·05	....	....	.....	10	fog.	....	.....	10	fog.
27....	29·86	29·78	46·0	47·2	50·1	46·0	100	98	N.	4	S.	4	·01	....	...	.....	10	fog.	...	.....	10	cu.n.
28....	29·79	29·66	46·3	52·8	53·9	46·3	99	95	N.	3	E.	4	T.	·02	....	.....	10	cu.n.	....	.....	10	cu n.
29....	29·74	29·74	47·0	52·3	55·5	47·1	100	97	C.	0	N.W.	4	·05	·06	....	.....	10	fog.	....	.....	10	n.
30....	29·79	29·71	46·2	51·1	53·5	45·9	99	94	S.	6	E.	2	·02	....	....	.....	4	cu.n.	....	.. ..	10	cu.n.
31....	29·78	29·97	49·0	51·8	56·7	47·3	93	81	S.	8	S.	8	·10	....	....	.....	10	n.	....	.....	9	cu.n

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·77	29·69	51·0	51·0	57·1	49·2	86	100	E.	16	S.W.	16	T.	·07	..	.....	10	cu.n.	....	....	10	n.
2....	30·03	30·05	45·2	48·3	50 5	42·9	79	80	S.W.	16	S.E.	6	·22	....	.	. .	5	cu.u.	....	.....	9	cu.n.
3 ...	30·04	30·08	47·0	51·0	51·5	45·8	92	86	S.	10	S.W.	8	·30	....	....	.....	10	n.	....	.....	10	cu.n.
4....	30·05	30·17	49·0	52 0	52·5	48·2	96	94	E.	4	S.E.	12	·52	·06	....	.....	10	n.	....	.....	10	n.
5....	30·12	29·96	49·0	54·7	57·4	48·2	99	89	S.	4	S.W.	14	T.	....	....	. .	4	cu.n.	....	.....	9	cu.n.
6.. .	29·90	29·98	52·0	52·3	56·8	51·1	96	87	S.	8	S.W.	8	·04	....	....	.....	10	cu.n.	....	. ..	4	cu.n.
7...	30·12	30·16	40·3	47·0	50·9	38·2	99	94	C.	0	S.W.	2	T.	....	....	.... .	....	.....	3	ci.	....	.....
8....	30·20	30·17	46·2	49·0	52·1	45·3	97	85	N.	4	N.E.	4	....	....	....	.....	10	cu.n.	....	....	....	.....
9....	30·18	30·14	43·0	52·1	58·4	42·6	93	81	N.E.	4	N.E.	4	....	....	....	.....	....	....	....	.....	....	....
10....	30·15	30·12	39·0	55·2	58·1	37·8	97	62	N.	8	N.	8	....	....	....	.....	....	.....	....	.....	....	.....
11....	30·09	30·06	46·0	48·2	55·4	40·2	81	90	N.	8	S.W.	4	....	....	....	.....	.. .	.....	....	....	....	.....
12....	30·07	30·02	40·0	47·0	50·4	38·2	95	85	C.	0	E.	5	....	....	....	....	10	cu.n.	5	a.cu.	...	.....
13....	30·04	30·08	42·1	47·0	47·3	40·2	99	92	N.	3	N.	6	....	....	....	. .	10	fog.	....	.....	10	cu.n.
14 ...	30·19	30·26	45·8	50·1	52·9	45 3	94	87	N.	2	S.	4	T.	....	..	. ...	6	cu.n.	10	a.cu.	....	.. ..
15....	30·27	30·06	47·2	49·2	50·3	41·3	98	97	E.	4	E.	6	·01	·03	....	.....	10	cu.n.	....	.. ...	10	n.
16 ...	30·05	30·13	49·0	49·2	52·3	47·0	85	82	S.W.	10	S.W.	12	·08	...	..	.....	10	cu.n.	3	ci.s.	3	cu.n.
17....	30·09	30·16	45·3	46·2	50·0	40·3	90	81	S.W.	8	W.	8	·07	...	....	....	5	cu.n.	5	ci.cu.	....	.....
18....	30·21	29·85	39·1	47·0	48·3	37·0	99	87	C.	0	E.	2	....	....	...	. .	10	cu.n.	...	. .	10	cu.n.
19....	29 45	29 74	46·0	49 0	50·3	45·4	96	81	S.E.	4	S.W.	16	·23	....	....	.....	10	n.	....	...	9	cu.n.
20....	29·60	29·78	45 0	48·2	51·1	44·2	92	84	N.	2	S.W.	16	03	....	....	.....	10	n.	....	..	7	cu.n.
21....	29·93	29·75	45·1	49·6	49·9	43·2	98	95	E.	10	S.E.	4	·08	·07	...	.....	10	cu.n.	....	....	10	n.
22....	29·56	29·82	46·9	42·9	47·0	40·4	78	85	S.W.	10	S.W.	20	·55	·04	....	.....	3	cu.n.	3	ci.	3	cu.n.
23 ...	29·91	29·59	41·2	45·2	46·9	40·0	91	97	S.E.	6	S.	8	·30	·37	....	.....	9	cu.n.	....	.....	4	cu.n.
24...	29·80	29·98	45·0	45·0	48·9	36·3	92	92	S.W.	10	S.W.	8	·06	....	....	.....	10	cu.n.	....	... .	6	cu.n.
25....	29·92	29·43	43·0	49·2	52·0	36·3	83	99	E.	12	N.W.	2	·12	·22	....	.....	10	n.	....	.. ..	10	n.
26 .	29·93	30·09	47·1	44·6	48·8	42·1	74	79	W.	12	E.	6	04	....	....	...	7	cu.n.	3	ci.	3	cu.n.
27...	29 94	29·92	41·2	43·0	45·1	38·4	81	91	E.	8	E.	8	05	....	....	.....	10	cu.n.	....	.. ..	1	cu.n.
28....	29·85	29·91	47·0	57·3	57·4	41·7	97	81	S.E.	16	S.W.	20	·31	·02	....	....	10	n.	....	..	10	cu.n.
29....	30·06	30·05	51·2	52·0	56·1	51·0	100	98	E.	4	S.	4	·63	....	...	....	10	n.	....	.....	4	cu.n.
30 ...	29·98	30·10	47·0	49·2	52·1	45·5	98	97	E.	0	S.	6	·01	·05	....	.....	4	s.cu.	....	.....	4	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Victoria, British Columbia—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·07	30·08	48·0	50·0	52·1	44·9	97	86	N.	6	N.	6	T.	....	....	.....	10	cu.n.	4	ci.cu.	....	.....
2	30·03	29·87	46·8	50·1	54·0	46·3	83	78	N.	8	N.	8	..	....	....	.....	4	cu.n.	....	.....	8	cu.n.
3	29·90	29·61	45·0	52·2	56·0	43·8	93	82	E.	4	E.	4	T.	....	..	.....	10	cu.n.	....	.....	10	cu.n,
4	29·30	29·43	52·2	44·0	56·1	43·2	85	89	S.E.	28	S.W.	36	·02	·03	....	.....	10	cu.n.	....	.....	10	n.
5	29·81	29·87	43·0	43·0	45·3	46·7	83	92	S.W.	8	N.	4	·05	·05	....	.....	4	cu.n.	....	.....	10	n.
6	29·67	29·48	43·0	45·8	46·7	39·9	92	87	E.	4	S.	4	T.	....	....	.....	10	cu.n.	...	.....	10	cu.n.
7	29·54	29·86	43·3	42·2	45·4	40·3	92	73	N.	4	W.	12	·06	....	...	.....	10	cu.n.	....	.....	3	cu.n.
8	30·09	29·80	36·1	42·8	45·4	32·1	96	69	N.	6	E.	16	....	·01	....	.....	5	cu.n.	....	.....	10	n.
9	29·90	29·91	45·2	47·4	50·1	42·2	98	90	E.	8	N.E.	8	·75	.	....	.....	10	n.	....	.....	8	cu.n.
10	29·60	29·33	46·8	47·2	49·6	44·9	79	94	E.	10	N.	8	....	·03	....	.....	10	cu.n.	....	.....	10	n.
11	29·62	29·53	47·0	44·2	47·1	44·2	85	94	S.W.	16	S.	12	·08	·21	....	.....	5	cu.n.	...	.....	10	n.
12	29·74	29·38	44·0	44·0	46·1	43·1	92	94	S.	12	E.	12	·06	·02	..	.....	10	n.	....	.....	10	n.
13	29·30	29·84	42·8	44·0	45·4	33·9	93	87	W.	24	W.	12	1·68	·01	....	.....	10	n.	....	.....	10	n.
14	30·10	30·12	36·0	43·0	43·3	33·9	98	85	W.	4	E.	8	·01	...	....	.....	1	s.	....	.....	10	cu.n.
15	30·08	30·13	35·8	38·0	41·0	33·3	92	81	N.	4	N.	5	....	....	....	.....	. .	.....	....	.....	...	.....
16	30·24	30·18	32·1	35·2	38·5	30·4	59	93	N.	10	N.E.	6	....	....	.. .	.....	....	.....	8	ci.s.	..	....
17	30·14	30·21	37·1	37·8	39·9	33·9	70	88	N.E.	10	N.	8	·03	....	....	.....	10	cu.n.	....	.....	10	cu.n.
18	30·21	29·97	35·2	37·3	41·0	33·5	85	78	N.	6	N.E.	8	....	....	....	.....	10	cu.n.	...	.....	7	cu.n.
19	29·64	29·56	38·0	42·8	43·1	36·8	72	72	N.E.	12	E.	12	T.	....	....	.....	10	cu.n.	....	.....	9	cu.n.
20	29·87	29·86	41·1	45·0	46·8	39·4	91	90	E.	6	E.	8	T.	....	....	.....	10	cu.n.	....	.....	10	cu.n.
21	29·81	29·97	47·3	45·8	48·1	42·4	83	96	W.	16	E.	8	·34	T.	....	.....	10	cu.n.	....	.....	10	cu.n.
22	29·87	30·06	46·1	47·1	50·1	44·0	99	84	S.W.	12	W.	6	·04	....	....	.....	10	n.	....	.....	10	cu.n.
23	30·07	29·71	46·0	50·1	51·2	44·7	92	72	S.E.	10	S.W.	36	·19	·07	....	.....	10	cu.n.	....	.....	10	n.
24	29·93	29·80	43·0	43·5	46·1	41·4	88	86	S.	6	E.	8	·06	....	....	.....	10	cu.n.	8	ci.s.	8	cu.n.
25	29·48	29·08	40·2	47·0	48·3	38·3	98	77	N.	4	S.W.	28	·28	·03	....	.....	10	n.	...	.....	5	cu.n.
26	29·32	29·52	41·0	42·9	43·6	38·7	87	80	W.	16	S.W.	8	·17	....	....	.....	5	cu.n.	....	.....	8	cu n.
27	29·73	29·66	41·2	41·0	44·1	40·2	90	91	S.E.	8	E.	12	·04	·01	....	.....	5	cu.n.	....	.....	10	cu.n.
28	29·58	29·76	36·0	37·1	38·6	34·4	98	100	N.	10	N.	4	·68	·09	...	.....	10	n.	....	..	10	n.
29	29·86	29·91	36·0	40·0	42·9	34·9	98	82	N.	4	E.	8	·01	....	....	.....	10	cu.n.	....	....	9	cu.n.
30	29·65	29·53	36·0	41·6	42·1	35·1	80	61	E.	8	E.	16	...	T.	....	.....	10	cu.n.	....	.....	10	cu.n.
31	29·44	29·58	39·0	36·0	38·6	36·0	91	88	N.E.	8	N.	16	·12	·05	....	.....	10	cu.n.	...	.....	10	n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia: Latitude North, 50° 41′; Longitude West, 120° 29′. Height above Sea, 1,193 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	8 a.m.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·75	28·82	4·0	7·0	18·0	1·1	74	54	C.	0	N.W.	9	....	....	10	ci.	...	... ..	....	.....	....	.....
2....	28·87	28·85	— 6·6	— 1·8	9·2	—10·0	84	94	C.	0	C.	0	....	....	2	ci.	....	.....	....	....	10	cu.
3....	28·47	28·16	4·0	17·0	17·0	— 2·0	90	84	C.	0	N.E.	15	·30	·20	....	.. ..	...	.....	10	cu.	.. .	.....
4....	28·58	28·76	10·5	9·0	21·0	5·1	90	67	W.	12	W.	10	....	...	10	ci.	....	.....	5	ci.	....	.....
5....	28·99	28·84	—11·0	— 5·8	12·0	—18·0	77	55	C.	0	C.	0	....	...	....	.....	....	.....	6	ci.	....	.....
6....	28·87	28·84	—11·0	— 3·8	6·0	—17·0	53	58	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
7....	28·98	29·27	—13·0	0·0	1·0	—16·0	53	70	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	3	cu.
8....	29·47	29·46	—10·5	3·0	3·2	—13·6	95	20	C.	0	C.	0	....	....	....	.....	....	.....	....	.... .	....	...
9....	29·40	29·26	— 7·2	3·2	3·6	—10·0	21	68	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
10....	29·10	28·68	— 2·0	1·5	10·0	— 4·6	100	91	C.	0	C.	0	....	....	....	.....	...	.....	....	....	3	cu.
11....	28·60	28·69	11·2	19·0	22·2	1·5	96	54	W.	3	W.	12	....	....	.. .	.....	....	... .	....	.....	8	cu.
12....	28·86	28·99	3·1	2·5	22·3	— 5·0	66	100	C.	0	C.	0	....	....	....	.....	...	.....	....	....	....	. . .
13....	29·13	29·12	—11·0	— 6·4	3·0	—16·5	62	77	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
14....	29·24	29·14	—20·0	—13·0	— 5·8	—23·5	100	100	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
15....	28·99	28·89	—25·0	—13·0	—11·5	—25·5	19	75	C.	0	C.	0	....	...	....	.....	...	.....	....	.....	....	.....
16....	29·01	28·90	—20·0	—10·0	— 8·0	—21·0	100	72	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
17....	28·86	28·60	—20·0	— 6·8	— 6·8	—21·0	86	73	C.	0	C.	0	....	·01	....	.....	....	.....	....	.....	10	cu.
18....	28·39	28·61	— 3·0	4·0	5·5	—11·0	94	87	C.	0	C.	0	·02	..	6	ci.	....	.....	....	....	....	.....
19....	28·88	29·02	5·0	13·0	14·0	— 2 5	80	66	C.	0	C.	0	·03	·15	....	.....	10	cu.	....	.....	10	cu.
20....	28·77	28·62	12·0	19·0	21·2	10·0	81	79	C.	0	C.	0	·15	....	....	.....	10	cu.	4	ci.	....	.....
21....	28·84	29·04	14·5	23·2	24·0	13·5	91	84	C.	0	C.	0	....	....	10	ci.	....	.....	10	ci.	....	.....
22....	29·08	28·97	24·5	33·1	34·0	22·0	91	88	C.	0	C.	0	....	....	10	ci.	...	. .	10	ci.	....	.....
23....	28·97	29·19	29·0	34·0	40 2	26·0	94	95	C.	0	N.	15	....	....	10	ci.	....	.....	....	....	....	. ...
24....	29·35	29·29	14·0	11·3	35·8	11·0	85	94	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
25....	29·26	29·12	— 4·0	3·0	13·0	—10·0	93	86	C.	0	C.	0	....	....	....	... ..	....	.....	....	.....	....	.....
26....	29·06	29·07	— 5·0	5·2	5·5	—10·0	93	85	C.	0	C.	0	.. .	....	...	.....	....	.....	5	ci.	....	.... .
27....	29·10	29·01	— 9·0	5·0	5·5	—10·0	100	87	C.	0	C.	0	....	....	8	ci.	....	.....	....	.....	10	cu.
28....	28·88	28·76	4·5	8·0	10·5	2·2	92	82	C.	0	C.	0	.. .	....	10	ci.	....	.....	10	ci.	....	.....
29....	28·85	28·80	6·2	12·5	13·5	5·5	95	90	C.	0	C.	0	·10	....	10	ci.	....	.....	10	ci.	....	.....
30....	28·79	28·60	10·5	11·0	13·0	7·5	82	76	C.	0	C.	0	·10	....	....	.....	10	ou.	5	ci.	....	.....
31....	28·30	28 49	10·6	14·0	14·5	4·5	98	85	C.	0	W.	16	T.	·04	....	.....	10	cu.	....	.....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·76	29·11	9·2	5·6	16·5	4·5	79	73	N.	12	C.	0	·06	..	10	ci.	....	....	...	....	....	.....
2	29·20	29·10	−12·5	− 7·8	7·0	−12·5	34	92	C.	0	C.	0	....	....	....	....	....	....	....	...	....	. ..
3	29·10	28·92	−24·0	−10·5	− 6·0	−25·0	100	86	C.	0	C.	0	....	...	..	...	....	...	..	....	....	.....
4	28·94	28·87	−10·0	− 2·0	1·8	−19·0	91	94	C.	0	C.	0	....	...	10	ci.	....	.....	....	.....	....	.....
5	28·56	28·67	− 0·8	8·0	8·0	− 8·0	94	89	C.	0	C.	0	·20	·30	....	.....	10	cu.	10	ci.	....	.....
6	28·74	28·97	9·0	18·2	19·0	4·0	83	81	C.	0	C.	0	....	....	...	...	10	cu.	8	ci.	....	.....
7	28·72	28·72	31·0	38·2	38·2	17·9	87	73	S.E.	12	E.	12	....	....	10	ci.	....	.....	....	.....	10	cu.
8	28·71	28·98	37·0	38·0	41·2	33·8	81	81	S.E.	10	C.	0	....	....	....	.....	10	cu.	10	ci.	....	.....
9	29·21	29·22	35·0	37·0	38·0	32·5	83	81	C.	0	C.	0	....	....	10	ci.	....	.....	...	...	10	ci.
10	29·24	29·11	35·0	36·0	38·8	31·0	82	80	C.	0	C.	0	....	....	10	ci.	....	.....	....	.....	....	.....
11	29·06	28·93	26·0	33·0	36·5	21·6	75	80	C.	0	C.	0	....	....	10	ci.	....	.....	3	ci.	....	.....
12	28·86	29·03	33·0	34·2	36·5	27·0	80	77	N.E.	8	C.	0	..	...	10	ci.	....	.....	....	.....	....	.....
13	29·26	29·24	28·2	35·0	35·8	23·0	80	72	C.	0	C.	0	....	....	10	ci.	....	.....	10	ci.	....	.....
14	29·17	29·19	28·0	32·0	35·6	25·5	74	75	N.	16	C.	0	....	....	10	ci.	....	.....	5	ci.	...	.....
15	29·22	29·06	24·0	30·0	34·0	24·0	74	74	C.	0	C.	0	...	.. .	10	ci.	...	.....	8	ci.	....	.....
16	28·97	28·73	25·0	29·2	32·6	23·0	75	77	C.	0	C.	0	....	....	10	ci.	....	.....	10	ci.	....	.....
17	28·76	28·87	29·0	38·0	39·4	27·0	79	54	C.	0	C.	0	....	....	10	ci.	....	.....	10	ci.	....	.....
18	28·81	28·79	34·2	35·8	38·0	26·5	81	80	C.	0	C.	0	....	..	....	....	...	....	10	ci.	....	.....
19	28·79	28·76	33·2	40·0	41·5	29·8	85	73	S.W.	2	C.	0	....	....	...	.....	....	. .	7	ci.	....	.....
20	28·72	28·70	33·2	40·0	41·6	31·0	68	82	C.	0	C.	0	....	....	....	.....	....	.. ...	10	ci.	....	.....
21	28·59	28·46	34·2	36·0	40·0	32·5	83	80	C.	0	C.	0	..	....	....	.....	10	cu.	10	ci.	...	.....
22	28·40	28·26	29·2	41·0	41·0	28·0	82	81	C.	0	C.	0	....	....	....	.....	....	.....	8	ci.	....	.....
23	28·71	28·80	34·0	43·0	45·0	31·0	69	64	C.	0	C.	0	....	....	....	.....	....	....	10	ci.	....	.....
24	28·58	28·43	37·8	42·6	45·0	36·0	74	88	C.	0	C.	0	..	....	10	ci.	....	.....	....	....	...	.....
25	28·55	28·78	36·2	31·0	42·8	29·0	52	61	C.	0	N.	16	....	....	10	ci.	....	. .	8	ci.	....	....
26	28·86	28·75	27·0	33·3	33·3	26·0	63	61	C.	0	C.	0	...	....	10	ci.	....	.....	6	ci.	...	.....
27	28·78	28·76	29·0	37·0	37·0	26·0	68	66	C.	0	C.	0	....	....	10	ci.	....	.	7	ci.	. .	.....
28	28·65	28·53	26·0	38·5	39·4	24·0	75	77	C.	0	C.	0	....	....	7	ci.	....	.....	10	ci.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·62	28·74	32·2	37·2	40·0	31·0	79	71	C.	0	C.	0			7	ci.						
2	28·96	28·92	25·0	35·0	39·0	24·0	75	63	C.	0	C.	0			4	ci.			8	ci.		
3	28·91	28·99	29·2	40·2	40·5	28·0	73	59	C.	0	C.	0			10	ci.			7	ci.		
4	29·03	28·89	24·0	35·0	40·2	20·0	74	63	C.	0	C.	0										
5	28·75	28·47	21·0	36·0	36·0	19·0	88	61	C.	0	C.	0							6	ci.		
6	28·83	28·91	33·0	41·0	43·6	24·0	50	55	N.W.	12	C.	0										
7	28·90	28·85	24·2	34·0	43·0	23·0	74	61	C.	0	C.	0							10	ci.		
8	28·88	28·85	26·0	41·0	42·8	26·0	75	65	C.	0	C.	0			6	ci.			6	ci.		
9	28·91	28·59	38·5	40·0	41·0	36·0	50	73	W.	10	C.	0			10	ci.						
10	28·44	28·44	27·0	35·2	41·5	26·0	78	78	C.	0	C.	0		·04					10	ci.		
11	28·68	28·77	30·8	34·0	37·3	26·0	76	79	N.	25	N.E.	18	·04		10	ci.			7	ci.		
12	28·87	28·72	18·0	31·3	35·8	16·0	71	57	C.	0	C.	0										
13	28·75	28·57	21·0	32·6	38·2	20·0	86	68	C.	0	C.	0							10	ci.		
14	28·55	28·41	31·4	44·5	45·0	30·0	76	78	C.	0	C.	0							8	ci.		
15	28·52	28·55	34·0	41·2	44·5	31·0	61	74	S.E.	12	N.	14							10	ci.		
16	28·76	28·74	24·2	40·2	42·5	21·0	71	73	C.	0	C.	0							8	ci.		
17	28·73	28·35	26·0	37·0	40·0	23·0	63	67	C.	0	C.	0							10	ci.		
18	28·36	28·51	32·4	44·0	45·0	32·0	67	68	C.	0	C.	0			10	ci.						
19	28·58	28·37	29·6	42·2	44·0	28·0	66	70	C.	0	C.	0			10	ci.			10	ci.		
20	28·33	28·23	36·0	45·5	49·8	32·0	57	47	N.E.	12	C.	0							8	ci.		
21	28·22	28·09	37·5	43·0	51·0	33·0	49	57	E.	10	S.E.	16			10	ci.			8	ci.		
22	28·16	28·10	32·2	44·0	48·0	31·0	61	60	C.	0	S.E.	16							10	ci.		
23	28·04	28·17	37·0	52·0	55·2	35·0	57	47	C.	0	C.	0			4	ci.			4	ci.		
24	28·36	28·37	34·2	45·0	52·0	32·0	77	89	C.	0	C.	0			6	ci.			10	ci.		
25	28·58	28·69	32·6	37·0	45·0	28·0	73	53	C.	0	W.	20			10	ci.						
26	28·76	28·55	23·0	40·0	40·0	19·0	60	48	C.	0	C.	0										
27	28·51	28·38	32·0	52·8	54·8	19·0	59	49	C.	0	S.W.	16			10	ci.			3	ci.		
28	28·63	28·75	31·1	37·0	52·8	30·0	62	55	C.	0	S.W.	10		·15	10	ci.			8	ci.		
29	28·94	28·84	25·0	36·0	41·0	24·0	87	72	C.	0	N.E.	8		·01	10	ci.			10	ci.		
30	28·86	28·74	33·6	46·2	50·0	33·4	77	66	N.E.	6	N.E.	20			10	ci.			8	ci.		
31	28·53	28·54	50·0	44·6	59·5	51·0	55	68	W.	18	N.E.	17					8	c.u.	3	ci.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·69	28·60	33·4	46·5	49·2	32·2	80	55	C.	0	C.	0	...	....	...	.....	....	.....	4	ci.	....	.....
2....	28·70	28·57	31·0	51·2	51·2	29·0	73	52	C.	0	C.	0	...	....	...	.....	....	.....	8	ci.	....	.....
3....	28·71	28·70	36·0	49·4	51·2	29·0	61	50	C.	0	C.	0	....	..	...	.....	....	.....	10	ci.	....	.....
4....	28·50	28·26	44·0	49·0	55·0	43·0	56	65	E.	14	N.E.	16	...	....	10	ci.	....	....	10	ci.	....	.....
5....	28·37	28·15	49·2	46·0	49·6	36·2	84	56	N.E.	14	N.E.	12	...	....	10	ci.	....	.....	10	ci.	....	.....
6....	28·30	28·38	41·2	42·4	52·6	40·8	55	71	N.E.	6	N.	9	....	...	10	ci.	....	.....	10	ci.	....	.....
7....	28·74	28·76	31·0	53·0	55·0	30·2	76	92	C.	0	C.	0	04	....	...	....	....	.....	10	ci.	....	.....
8....	28·63	28·67	41·2	52·6	56·8	39·2	68	76	N.E.	14	N.E.	20	..	....	8	ci.	....	.....	10	ci.	....	.....
9....	28·50	28·22	43·1	61·6	68·0	42·0	74	72	N.E.	14	S.	14	..	....	10	ci.	....	.....	10	ci.	....	.....
10....	28·74	28·93	40·5	57·6	67·0	37·6	41	88	S.W.	18	C.	0	....	...	....	.....	....	.....	....	.....	....	.....
11....	29·10	28·95	31·0	61·6	63·4	30·0	83	42	C.	0	C.	0	....	..	....	.....	....	.....	....	.....	....	.....
12....	28·99	28·70	33·5	69·4	70·8	32·2	74	50	C.	0	E.	10	..	....	....	.....	....	.....	....	.....	....	.....
13....	28·66	28·45	43·2	65·6	71·0	42·8	54	60	C.	0	S.	18	...	....	4	ci.	....	.....	3	ci.	....	.....
14....	28·75	28·75	39·0	59·6	66·8	37·5	90	41	C.	0	C.	0	·10	....	....	.....	....	.....	....	.....	....	.....
15....	28·84	28·67	34·6	61·0	64·5	33·8	83	74	C.	0	N.W.	6	....	...	....	.....	....	.....	8	ci.	....	.....
16....	28·59	28·65	50·0	50·0	61·8	44·0	64	61	S.E.	20	N.W.	6	..	..	10	ci.	....	.....	7	ci.	....	.....
17....	28·79	28·84	35·8	55·0	55·0	34·0	80	78	C.	0	C.	0	...	....	....	.....	....	.....	3	ci.	....	.....
18....	28·99	28·98	32·2	55·0	57·3	30·2	89	42	C.	0	C.	0	....	...	....	.....	....	.....	6	ci.	....	.....
19....	29·25	29·13	30·4	63·1	64·0	30·0	90	95	C.	0	C.	0	....	...	....	.....	....	.....	....	.....	....	.....
20....	29·13	28·85	34·0	72·0	72·0	33·6	89	29	C.	0	C.	0	....	...	....	.....	....	.....	....	.....	....	.....
21....	28·89	28·67	39·0	66·5	72·8	38·0	78	60	C.	0	N.W.	8	...	....	....	.....	....	.....	8	ci.	....	.....
22....	28·77	28·58	48·1	62·7	67·4	47·0	72	36	C.	0	N.W.	6	....	....	4	ci.	....	.....	4	ci.	....	.....
23....	28·76	28·80	44·0	58·4	66·7	45·6	55	30	N.	14	N.	12	...	·02	10	ci.	....	.....	6	ci.	....	.....
24....	29·00	28·77	32·0	63·5	64·6	32·0	77	36	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
25....	28·74	28·64	42·4	58·6	63·5	42·4	57	38	C.	0	N.W.	12	...	....	10	ci.	....	.....	6	ci.	....	.....
26....	28·79	28·73	38·2	49·5	55·0	38·0	42	26	S.W.	18	N.W.	16	...	....	....	.....	....	.....	10	ci.	....	.....
27....	28·88	28·89	28·8	51·8	54·0	26·8	64	87	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
28....	29·01	28·77	26·8	62·8	64·1	26·0	90	68	C.	0	C.	0	....	....	..	.....	....	.....	..	.....	....	.....
29....	28·95	28·72	31·0	69·5	70·1	30·8	90	37	C.	0	C.	0	....	....	....	.....	....	.....	7	ci.	....	.....
30....	28·83	28·76	39·1	64·5	71·4	30·8	78	25	C.	0	S.W.	14	....	....	..	.....	....	.....	5	ci.	...	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·96	28·83	38·0	67·0	67·6	37·8	71	17	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2....	29·00	28·81	35·0	67·5	68·6	35·0	79	23	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3....	28·97	28·83	40·0	70·7	72·8	40·0	64	18	C.	0	N.W.	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4....	28·87	28·65	45·0	73·7	75·2	44·6	66	11	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5....	28·66	28·56	48·2	69·9	74·6	48·2	80	78	C.	0	C.	0	.....	.....	8	ci.	.....	.....	3	ci.	.....	.....
6....	28·66	28·52	44·0	74·0	74·2	43·2	75	15	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7....	28·61	28·49	43·4	80·8	81·3	43·4	76	9	C.	0	C.	0	.....	.....	.....	.....	.....	.....	3	ci.	.....	.....
8....	28·65	28·49	51·1	77·0	82·3	51·5	72	8	S.E.	20	S.	18	.....	.....	.....	.....	.....	.....	10	ci.	.....	.....
9....	28·61	28·48	51·7	64·5	77·0	52·0	63	49	N.E.	20	S.E.	24	.....	.....	.....	.....	.....	.....	10	ci.	.....	.....
10....	28·31	28·39	54·6	65·5	69·0	54·6	65	38	C.	0	S.E.	20	.....	.....	10	ci.	.....	.....	5	ci.	.....	.....
11....	28·43	28·40	47·8	59·6	66·8	47·0	75	65	C.	0	W.	8	.....	.....	4	ci.	.....	.....	10	ci.	.....	.....
12....	28·62	28·68	44·0	69·7	70·9	43·0	88	69	C.	0	C.	0	.....	.....	7	ci.	.....	.....	3	ci.	.....	.....
13....	28·87	28·78	69·9	74·9	75·6	45·6	80	41	C.	0	C.	0	.....	.....	10	ci.	.....	.....	8	ci.	.....	.....
14....	28·89	28·75	52·7	68·7	69·5	52·4	76	61	C.	0	C.	0	.....	.....	.....	.....	.....	.....	10	ci.	.....	.....
15....	28·73	28·58	59·6	69·5	73·2	60·0	85	84	C.	0	C.	0	.....	.....	10	ci.	.....	.....	8	ci.	.....	.....
16....	28·71	28·66	53·8	63·8	73·0	54·2	82	74	C.	0	C.	0	T.	.....	10	ci.	.....	.....	.....	.....	10	cu.
17....	28·81	28·65	47·2	67·7	70·1	45·6	93	70	C.	0	C.	0	·01	.....	.....	.....	10	cu.	10	ci.	.....	.....
18....	28·76	28·67	45·0	64·8	74·0	45·0	85	82	C.	0	S.E.	20	.....	·01	7	ci.	.....	.....	.....	.....	.....	.....
19....	28·57	28·57	54·8	58·5	65·0	53·8	88	79	C.	0	C.	0	·03	.....	.....	.....	.....	.....	8	ci.	.....	.....
20....	28·67	28·64	47·4	64·3	65·0	45·0	89	61	C.	0	S.W.	10	.....	.....	.....	.....	10	cu.	9	ci.	.....	.....
21....	28·72	28·69	52·2	62·3	64·5	51·3	79	64	W.	16	C.	0	.....	.....	8	ci.	.....	.....	10	ci.	.....	.....
22....	28·75	28·69	48·5	70·0	70·0	47·2	89	59	C.	0	C.	0	.....	.....	.....	.....	10	cu.	3	ci.	.....	.....
23....	28·80	28·76	44·3	61·5	72·0	43·5	92	71	C.	0	C.	0	.....	.....	.....	.....	.....	.....	10	ci.	.....	.....
24....	28·85	28·85	61·4	73·0	73·0	45·0	71	32	C.	0	C.	0	·04	.....	5	ci.	.....	.....	.....	.....	.....	.....
25....	28·93	28·94	51·5	75·0	75·0	51·5	88	56	C.	0	C.	0	.....	.....	7	ci.	.....	.....	3	ci.	.....	.....
26....	29·00	28·86	54·2	70·4	75·8	54·2	91	48	C.	0	N.W.	6	.....	.....	10	ci.	.....	.....	6	ci.	.....	.....
27....	28·89	28·66	48·2	79·0	79·0	48·2	87	51	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28....	28·71	28·61	59·8	81·6	82·3	59·0	70	49	C.	0	N.W.	10	.....	.....	10	ci.	.....	.....	.....	.....	.....	.....
29....	28·72	28·69	61·2	80·0	80·6	58·0	45	59	C.	0	N.W.	6	.....	.....	.....	.....	.....	.....	8	ci.	.....	.....
30....	28·71	28·71	61·2	85·6	85·6	60·2	80	66	C.	0	N.E.	8	.....	.....	10	ci.	.....	.....	6	ci.	.....	.....
31....	28·55	28·53	64·0	84·2	85·6	63·3	83	26	E.	10	S.E.	30	.....	.....	10	ci.	.....	.....	.....	.....	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·75	28·75	57·4	69·6	84·2	56·0	81	77	S.W.	14	S.W.	8	·01	....	3	ci.	....	.....	8	ci.	...	..
2....	28·86	28·72	51·2	68·8	69·0	50·0	85	84	C.	0	N.W.	10	...	T.	10	ci.	....	.....	5	ci.	...	.....
3....	28·71	28·70	52·0	68·0	72·0	51·4	94	92	C.	0	C.	0	....	T.	10	ci.	...	.....	10	ci.	....	.....
4....	28·65	28·54	55·6	71·4	72·5	54·8	95	96	C.	0	N.E.	8	....	·01	10	ci.	....	....	....	....	10	cu.
5....	28·52	28·57	54·2	62·6	71·5	53·8	93	80	C.	0	C.	0	....	·04	....	....	....	....	....	....	....	....
6....	28·55	28·54	53·0	63·2	66·8	52·4	93	70	C.	0	S.W.	16	·01	·02	....	....	....	.....	5	ci.	....	....
7....	28·63	28·57	49·3	73·4	74·8	48·0	91	55	C.	0	C.	0	....	....	10	ci.	....	....	8	ci.	....	.....
8....	28·58	28·53	56·0	60·0	75·2	55·4	71	85	C.	0	N.E.	10	....	·10	7	ci.	....	....	8	ci.	....	.....
9....	28·69	28·56	47·2	70·8	73·4	45·0	91	80	C.	0	S.E.	20	....	...	10	ci.	....	.....	4	ci.	...	.....
10....	28·46	28·40	51·1	62·0	70·4	43·4	94	68	E.	6	N.E.	14	·12	...	10	ci.	....	.....	6	ci.	....	.....
11....	28·79	28·27	50·6	56·0	68·0	49·4	82	85	C.	0	N.E.	8	...	·13	10	ci.	....	.....	....	...	10	n.
12....	28·47	28·39	44·2	64·0	65·0	42·5	92	76	C.	0	S.E.	5	...	T.	7	ci.	....	.....	....	...	10	n.
13....	28·50	28·49	49·2	65·4	65·4	49·2	77	64	C.	0	C.	0	·04	...	....	....	10	n.	....	....	10	cu.s.
14....	28·64	28·75	53·2	60·6	61·8	52·2	72	79	S.E.	16	N.E.	2	....	·04	...	.....	10	cu.	....	....	10	cu.
15....	28·80	28·74	50·0	58·4	61·8	45·2	91	71	C.	0	C.	0	....	·01	...	.....	10	cu.	...	.....	10	cu.
16....	28·75	28·78	51·0	72·0	75·8	50·0	93	90	C.	0	S.W.	10	....	....	....	....	10	cu.	...	.....	10	cu.
17....	28·97	28·90	53·2	82·0	82·0	52·0	81	46	C.	0	N.E.	7	·02	....	...	.....	....	.....	....	.....	4	cu.
18....	29·04	28·94	55·2	81·8	83·2	51·8	79	46	C.	0	C.	0	....	....	..	....	....	.....	8	ci.	....	....
19....	28·89	28·58	53·0	79·8	85·8	52·0	82	53	C.	0	C.	0	...	T.	....	....	....	.....	....	.....	8	cu.
20....	28·62	28·47	54·2	68·8	79·8	53·4	80	66	W.	12	N.E.	10	....	....	....	.....	8	cu.	8	ci.	..	...
21....	28·53	28·57	47·4	69·0	69·0	45·5	86	61	C.	0	C.	0	..	T.	....	.....	....	.....	....	....	6	cu.
22....	28·75	28·75	47·6	80·0	80·0	47·2	81	64	C.	0	C.	0	....	....	....	.....	....	....	4	ci.	....	.....
23....	28·82	28·64	49·2	90·5	90·5	49·2	88	37	C.	0	C.	0	....	....	....	.....	....	....	....	.....	....	.....
24....	28·82	28·74	56·4	91·8	91·8	55·7	84	58	C.	0	C.	0	....	....	....	..	....	.....	....	.....	....	....
25....	28·82	28·73	59·0	93·0	93·4	54·2	51	64	C.	0	C.	0	....	....	....	.....	....	.....	6	ci.	....	.....
26....	28·74	28·61	63·4	93·0	93·6	61·7	81	99	C.	0	C.	0	....	....	....	.....	....	.....	7	ci.	....	.....
27....	28·59	28·45	63·3	84·4	93·0	62·0	66	54	C.	0	S.W.	14	....	....	....	.....	....	.....	....	.....	10	cu.
28....	28·53	28·62	59·2	65·4	85·0	57·0	88	76	C.	0	N.W.	10	·10	·04	....	.....	10	n.	....	.....	10	cu.
29....	28·61	28·68	57·2	66·0	72·4	56·3	62	80	C.	0	C.	0	28	·03	....	.....	10	n.	....	.....	10	cu.
30....	28·68	28·69	53·4	66·0	75·2	53·8	87	60	C.	0	C.	0	....	....	...	...	10	cu.	....	....	8	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·80	28·67	51·8	80·0	80·0	51·0	89	51	C.	0	C.	0									6	cu.
2	28·81	28·68	55·8	86·4	86·4	53·8	75	51	C.	0	C.	0							6	ci.cu.		
3	28·50	28·45	59·5	70·0	86·4	51·5	91	93	C.	0	N.E.	14	·06	·12							10	cu.
4	28·67	28·83	54·8	67·3	70·0	53·0	75	70	C.	0	S.W.	10	·08	·04			7	cu.			8	cu.
5	28·94	28·85	49·0	75·0	75·0	48·2	93	71	C.	0	C.	0										
6	28·92	28·84	57·0	77·2	77·2	56·0	92	72	C.	0	N.W.	6							4	ci.cu.		
7	28·84	28·66	52·8	84·2	84·2	52·8	80	35	C.	0	C.	0										
8	28·69	28·61	53·8	82·0	84·2	52·8	81	43	C.	0	C.	0										
9	28·69	28·62	60·0	92·6	72·6	60·0	48	31	C.	0	C.	0			7	ci.			8	ci.		
10	28·71	28·64	63·2	92·4	94·0	63·2	71	26	C.	0	S.W.	10					10	cu.	6	ci.		
11	28·78	28·63	61·0	83·4	92·4	61·0	67	21	C.	0	C.	0			4	ci.					8	cu.
12	28·74	28·81	61·8	69·4	84·0	56·0	61	55	C.	0	S.W.	10		·15							6	cu.
13	28·81	28·57	48·8	75·2	75·2	47·3	92	47	C.	0	S.	6									10	su.
14	28·62	28·58	55·2	71·0	76·4	54·0	61	63	C.	0	N.W.	18	·16	·02							10	cu.
15	28·63	28·60	57·3	81·8	81·8	52·0	82	31	C.	0	C.	0	·02	T.							3	cu.
16	28·69	28·81	57·3	71·0	84·0	56·0	89	62	C.	0	S.W.	20	04									
17	28·84	28·76	54·1	79·7	79·7	52·0	93	57	C.	0	N.W.	6	·13				8	cu.	6	ci.		
18	28·82	28·83	64·4	85·2	85·2	62·8	77	78	N.	6	W.	8					10	cu.	2	ci.		
19	28·88	28·62	57·0	89·8	89·8	55·2	98	46	C.	0	C.	0		·02					5	ci.		
20	28·49	28·64	61·0	79·0	89·8	60·0	94	44	C.	0	W.	6	·02									
21	28·70	28·55	59·0	80·0	81·6	58·5	88	58	C.	0	C.	0	·18				6	cu.			6	cu.
22	28·74	28·66	59·4	84·8	84·8	58·0	91	38	C.	0	C.	0	·14								6	cu.
23	28·68	28·66	58·2	81·8	85·2	57·3	92	39	C.	0	S.W.	20	T.								10	cu.
24	28·76	28·75	56·2	81·3	81·8	54·5	83	44	C.	0	C.	0										
25	28·78	28·73	55·5	90·3	90·3	54·5	88	34	C.	0	N.	6			5	c.			4	ci.		
26	28·74	28·72	64·2	85·1	90·3	62·8	67	41	C.	0	C.	0							8	ci.		
27	28·73	28·66	62·1	89·3	89·3	60·8	78	41	C.	0	C.	0										
28	28·72	28·81	61·4	93·0	93·0	61·4	75	43	C.	0	C.	0										
29	28·90	28·82	64·0	95·5	95·5	63·0	71	44	C.	0	C.	0										
30	28·93	28·92	64·2	99·0	99·0	61·8	77	45	C.	0	C.	0										
31	28·89	28·84	62·4	89·8	99·0	62·0	85	57	C.	0	C.	0										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°								in.	in.								
1	28·75	28·59	61·7	94·8	94·8	61·0	84	56	C.	0	C.	0										
2	28·59	28·53	63·0	82·4	95·0	61·0	78	48	C.	0	C.	0		T.							10	cu.
3	28·56	28·66	60·5	69·2	85·0	59·8	93	74	C.	0	C.	0		·06								
4	28·72	28·57	59·3	71·6	75·0	59·3	91	67	C.	0	S.E.	10	·18				10	cu.s.	6	ci.	10	cu.s.
5	28·67	28·75	54·6	67·2	71·6	53·8	89	72	C.	0	C.	0	·20	·09			4	cu.s.			2	cu.s.
6	28·63	28·69	54·4	58·3	74·2	51·8	92	86	E.	10	N.E.	6	·01	·14							10	cu.s.
7	28·61	28·67	53·5	64·3	67·0	52·4	90	81	C.	0	N.E.	10	·02								10	cu.s.
8	28·75	28·78	52·4	75·3	75·3	51·1	86	40	C.	0	C.	0	·01								6	cu.s.
9	28·68	28·77	52·6	68·6	75·8	51·1	85	73	C.	0	C.	0					10	cu.s.			8	cu.s.
10	28·78	28·81	51·2	71·6	76·8	50·5	93	67	C.	0	S.W.	6	·01	·04							10	cu.s.
11	28·81	28·83	52·4	62·8	71·0	50·8	91	80	C.	0	C.	0		·05							10	cu.s.
12	28·89	28·80	48·0	74·3	74·3	47·0	92	66	C.	0	N.E.	6			5	ci.					10	cu.s.
13	28·73	28·75	58·2	61·3	75·0	55·8	86	92	C.	0	N.E.	4	·03	·13			10	n.			10	n.
14	28·66	28·90	54·0	65·0	65·0	52·7	74	77	C.	0	C.	0	·14	·02			10	cu.s.			10	cu.s.
15	28·90	28·84	58·2	78·3	78·3	52·0	79	69	C.	0	C.	0					10	cu.s.			10	cu.s.
16	28·72	28·69	58·8	64·0	79·3	56·7	93	89	C.	0	C.	0	·01	·13			10	n.			10	cu.s.
17	27·53	28·79	55·2	59·0	64·0	51·2	83	53	S.W.	10	W.	8	·06	·28			10	n.			10	n.
18	28·88	29·01	59·2	70·8	70·8	53·2	82	91	W.	10	C.	0					10	cu.s.	6	ci.		
19	29·03	29·00	48·2	72·8	73·6	47·2	91	66	C.	0	C.	0			3	ci.					7	cu.s.
20	28·96	28·88	51·4	81·3	81·3	51·4	92	62	C.	0	C.	0										
21	28·80	28·67	52·2	75·8	82·6	50·8	90	72	C.	0	C.	0					10	cu.s.			10	cu.s.
22	28·63	28·71	65·0	78·0	85·2	65·0	85	78	C.	0	C.	0	T.						10	cu.s.	10	cu.s.
23	28·85	28·81	59·5	84·6	85·6	55·1	91	50	C.	0	C.	0										
24	28·67	28·54	58·2	83·2	84·8	56·7	86	13	C.	0	C.	0									10	cu.s.
25	28·56	28·54	64·0	74·2	84·2	62·5	89	76	C.	0	S.W.	12	·10				10	cu.			10	cu.
26	28·62	28·71	60·0	73·6	79·2	38·2	82	69	S.W.	16	W.	12	·02				8	cu.			6	cu.
27	28·78	28·83	46·4	72·6	73·6	45·8	91	72	C.	0	C.	0										
28	28·83	28·70	49·8	66·3	74·0	46·8	88	67	C.	0	N.E.	6					10	cu.			10	cu.
29	28·45	28·61	55·6	61·8	66·3	50·0	87	63	C.	0	u.c.	4					10	cu.			10	cu.
30	28·68	28·65	47·2	75·0	75·0	47·0	88	60	C.	0	C.	0										
31	28·88	28·82	46·4	77·2	77·2	45·5	95	59	C.	0	C.	0										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kinde
	in.	in.	°	°	°	°							in.	in.								
1	28·83	28·68	49·2	80·0	80·0	47·2	93	58	C.	0	C.	0										
2	28·81	28·94	63·0	64·4	71·5	59·7	89	76	S.E.	8	E.	11	·06	·13								
3	28·98	28·93	58·0	74·8	74·8	52·7	88	54	C.	0	E.	7					10	cu.				
4	28·84	28·73	58·0	72·4	72·4	56·0	89	60	C.	0	E.	3					10	cu.				
5	28·59	28·67	55·8	72·2	72·2	54·4	93	62	C.	0	C.	0									10	cu.
6	28·77	28·93	57·0	73·8	75·2	56·0	91	43	C.	0	W.	3					10	cu.				
7	29·04	29·13	51·0	77·2	78·2	48·0	87	45	C.	0	C.	0									10	cu.
8	29·12	28·92	54·0	83·2	83·6	54·0	96	46	C.	0	C.	0										
9	28·95	28·74	55·0	84·0	84·0	52·8	84	44	C.	0	E.	11										
10	28·82	28·99	64·0	60·6	63·2	53·6	54	56	S.W.	20	C.	0					10	cu.			10	cu.
11	28·78	28·90	53·2	60·0	60·6	53·2	48	54	W.	12	W.	5					10	cu.			10	cu.
12	28·88	28·87	46·8	64·0	64·2	41·2	64	38	S.W.	10	C.	0										
13	28·76	28·69	42·8	60·0	61·6	40·8	82	49	C.	0	N.E.	14		T.			10	cu.			10	cu.
14	28·57	28·56	52·0	53·0	53·2	50·0	82	78	C.	0	W.	2		·01			10	cu.			10	cu.
15	28·54	28·52	48·8	59·8	60·4	47·0	90	72	C.	0	N.E.	10	·09	·09								
16	28·55	28·58	51·6	50·0	58·8	49·0	85	80	C.	0	S.W.	12	·05	·26			10	cu.				
17	28·72	28·86	44·2	59·0	59·8	42·8	95	52	C.	0	C.	0	1·17				10	cu.				
18	28·89	28·82	45·2	57·3	60·6	44·0	89	68	C.	0	C.	0					10	cu.			10	cu.
19	28·80	28·93	50·8	67·6	68·0	48·8	90	50	C.	0	S.W.	4					10	cu.				
20	28·95	28·87	43·2	67·2	67·2	42·0	97	54	C.	0	C.	9					10	cu				
21	29·02	28·88	44·2	65·8	66·0	44·2	92	60	C.	0	C.	0										
22	28·92	28·76	48·0	72·0	72·2	48·0	93	59	C.	0	C.	0										
23	28·87	28·82	49·0	74·0	74·4	48·0	93	47	C.	0	C.	0										
24	28·76	28·73	49·8	69·4	69·4	48·0	79	41	C.	0	C.	0										
25	28·74	28·69	47·4	71·0	71·2	44·8	95	52	C.	0	C.	0										
26	28·84	28·69	48·7	71·8	71·8	45·5	89	49	C.	0	C.	0										
27	28·64	28·74	57·8	62·8	71·8	54·2	89	70	C.	0	C.	0	·08	·04			10	n.			10	cu.n.
28	28·75	28·78	53·0	66·4	66·4	52·2	93	57	C.	0	C.	0		·04			10	cu.n.				
29	28·70	28·61	50·5	64·0	65·8	47·4	93	55	C.	0	S.E.	8									10	cu.
30	28·70	28·38	55·4	65·6	65·6	54·0	80	49	N.E.	6	S.E.	8					10	cu.n.			10	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	28·52	28·64	47·0	61·8	66·5	46·0	98	48	C.	0	C.		·02								6	cu.
2	28·81	28·81	43·0	62·5	64·2	41·0	87	46	C.	0	S.E.	8									5	cu.
3	28·76	28·78	50·0	65·4	66·6	41·2	86	52	C.	0	N.E.	8	·02				10	cu.			3	cu.
4	28·80	28·68	53·0	59·8	63·4	52·0	86	76	S.E.	8	C.	0									10	cu.
5	28·57	28·67	55·8	62·7	66·8	53·0	88	82	C.	0	C.	0					10	cu.			5	cu.
6	28·84	28·74	50·0	66·2	68·8	47·2	93	67	C.	0	C.	0	·03									
7	28·70	28·81	54·4	72·8	72·8	54·4	87	50	S.E.	10	W.	8					10	cu.			8	cu.
8	29·15	29·14	41·3	59·4	59·4	39·0	65	63	C.	0	C.	0										
9	29·16	29·11	38·0	60·8	60·8	35·7	96	55	C.	0	C.	0										
10	29·12	29·02	37·0	60·0	61·3	34·6	94	64	C.	0	C.	0										
11	28·95	28·83	39·0	60·8	61·8	35·8	91	64	C.	0	C.	0										
12	28·76	28·76	40·0	57·0	57·0	38·7	91	74	C.	0	E.	7									7	cu.
13	28·84	28·87	44·4	59·0	63·5	41·0	92	75	C.	0	C.	0										
14	28·91	28·83	41·0	59·8	61·2	39·0	89	72	C.	0	C.	0									8	cu.
15	28·77	28·75	47·2	62·7	62·7	43·2	91	63	C.	0	C.	0										
16	28·85	28·92	40·0	59·0	63·0	40·0	88	98	C.	0	C.	0										
17	29·05	29·01	35·0	55·0	55·4	31·8	82	50	C.	0	C.	0										
18	28·93	28·91	34·2	56·0	56·5	31·3	88	70	C.	0	C.	0										
19	28·91	28·82	36·4	58·8	58·8	33·4	92	60	C.	0	C.	0										
20	28·84	28·73	42·4	57·2	61·8	38·4	83	73	C.	0	C.	0										
21	28·87	28·76	41·0	60·0	60·0	38·5	95	65	C.	0	C.	0										
22	28·76	28·75	40·6	53·3	53·6	39·0	93	79	C.	0	C.	0	·01				10	cu.			10	cu.
23	28·82	28·85	41·6	55·0	56·7	39·2	93	79	C.	0	C.	0					10	cu.				
24	28·81	28·83	45·8	50·0	50·8	40·0	73	86	C.	0	C.	0					10	cu.			10	cu.
25	28·76	28·81	43·0	52·0	52·7	42·0	92	83	C.	0	C.	0	·01				10	cu.				
26	28·86	28·84	41·6	49·2	52·6	37·2	93	84	C.	0	C.	0					10	cu.				
27	28·77	28·73	41·2	46·7	46·7	37·0	91	82	C.	0	C.	0	T.				10	cu.			10	cu.
28	28·64	28·67	43·2	50·0	50·0	40·4	83	84	C.	0	C.	0	T.	T.			10	cu.			10	cu.
29	28·55	28·60	46·3	53·0	53·0	45·0	91	81	C.	0	N.E.	10	·04				10	cu.			9	cu.
30	28·54	28·56	47·3	53·2	56·8	43·0	87	56	C.	0	S.E.	8										
31	28·49	28·72	45·2	54·2	56·8	42·0	83	55	C.	0	S.E.	10										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·77	28·41	43·0	52·3	60·0	42·0	96	61	C.	0	E.	10	....	....	....	.....	....	.....	....	.....	10	cu.
2	28·64	28·82	43·0	40·8	50·6	39·8	83	47	C.	0	E.	6	·01	....	....	.....	....	.....	....	.....	4	cu.
3	28·72	28·70	40·6	52·2	53·0	38·8	72	52	C.	0	S.	24	....	....	....	.....	....	.....	....	.....	10	cu.
4	28·68	28·82	52·6	57·8	62·4	49·8	56	55	C.	0	S.	10	....	....	....	.....	10	cu.	....	.....	....	.....
5	28·77	28·63	50·0	63·2	64·4	47·2	79	51	N.E.	10	S.E.	10	....	....	....	.....	....	.....	....	.....	10	cu.
6	28·51	28·83	57·2	49·0	59·8	47·2	65	57	C.	0	C.	0	....	·17	....	.....	....	.....	....	.....	7	cu.
7	28·89	28·94	36·8	46·0	49·7	34·4	91	78	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
8	29·06	29·13	34·2	43·0	45·0	31·8	90	85	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
9	29·28	29·27	31·0	38·2	38·2	30·0	89	89	C.	0	C.	0	....	T.	....	.....	....	.....	....	.....	10	cu.
10	29·24	29·20	34·0	37·0	38·0	32·0	92	83	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
11	29·17	29·15	35·0	38·0	38·3	33·0	88	79	C.	0	C.	0	T.	T.	....	.....	10	cu.	....	.....	10	cu.
12	29·03	29·09	35·6	38·6	40·2	34·8	86	84	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
13	29·00	29·01	36·4	39·3	40·0	34·5	86	76	C.	0	C.	0	....	T.	....	.....	10	cu.	....	.....	10	cu.
14	29·05	29·14	37·2	39·0	40·7	34·8	88	76	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
15	29·11	28·95	37·0	42·0	42·0	35·6	90	79	C.	0	C.	0	....	T.	....	.....	10	cu.	....	.....	10	cu.
16	28·71	28·87	40·9	46·0	47·4	39·2	85	80	C.	0	C.	0	....	·04	....	.....	10	cu.	....	.....	7	cu.
17	28·86	28·90	35·0	40·0	42·5	32·4	88	86	C.	0	C.	0	....	·01	....	.....	....	.....	....	.....	8	cu.
18	28·92	28·67	34·3	40·2	44·0	32·6	93	78	C.	0	C.	0	....	·01	....	.....	10	cu.	....	.....	....	.....
19	28·25	28·47	44·0	38·8	45·5	35·2	68	90	N.E.	10	C.	0	....	·08	....	.....	10	cu.	....	.....	10	cu.
20	28·49	28·57	36·0	42·2	50·7	32·3	80	87	C.	0	C.	0	·02	·01	....	.....	10	cu.	....	.....	10	cu.
21	28·67	28·56	35·2	41·2	49·0	32·0	88	80	C.	0	N.E.	14	....	·01	....	.....	10	cu.	....	.....	6	cu.
22	28·23	28·46	47·2	44·8	51·6	39·0	68	55	E.	4	S.W.	8	....	....	....	.....	7	cu.	....	.....	6	cu.
23	28·60	28·40	38·8	43·0	45·0	37·2	58	61	S.E.	6	S.E.	10	....	....	....	.....	7	cu.	....	.....	10	cu.
24	28·47	28·60	29·8	41·1	44·0	28·0	88	61	C.	0	S.E.	12	....	....	....	.....	....	.....	....	.....	....	.....
25	28·84	28·34	31·4	41·6	48·3	28·4	73	67	W.	4	C.	0	....	....	....	.....	....	.....	....	.....	10	cu.
26	28·39	28·74	44·0	40·3	46·8	34·8	92	46	S.	8	C.	0	·11	..	....	.....	5	cu.	....	.....	....	.....
27	28·85	28·74	26·0	31·0	46·3	24·0	85	94	.....	.....	C.	0	....	·10	....	....	....	.....	....	.....	....	.....
28	28·77	28·61	32·8	39·3	48·2	29·2	90	81	.....	.....	N.E.	16	....	....	....	.....	10	n.	....	.....	5	cu.
29	28·80	28·77	36·8	44·0	48·3	34·7	90	76	.....	.....	E.	10	....	....	....	.....	10	n.	....	.....	4	cu.
30	28·83	28·81	41·8	48·0	50·2	40·0	86	76	.....	.....	N.E.	6	....	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kamloops, British Columbia—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·98	28·96	36·6	39·3	47·9	33·0	90	83	C.	0	C.	0	....	....	....	....	10	cu.	....	....	4	cu.
2....	28·99	28·96	39·8	42·0	46·6	36·8	89	91	S.E.	4	C.	0	....	....	....	....	8	cu.	....	....	....	....
3....	28·74	28·57	37·4	44·0	47·3	35·4	95	73	C.	0	C.	0	....	....	....	....	....	....	....	....	10	cu.
4....	28·28	28·09	44·0	48·0	50·8	40 0	71	72	C.	0	S.E.	12	....	T.	....	....	....	....	....	....	10	cu.
5....	28·37	28·48	42·2	42·7	51·8	36·8	76	53	C.	0	S.	12	T.	....	....	....	10	cu.	....	....	10	cu.
6....	28·47	28·33	38·0	38·3	41·7	36·2	72	88	C.	0	C.	0	....	....	....	....	10	cu.	....	....	10	cu.
7....	28·23	28 51	34·8	36·0	38·0	32 5	88	61	C.	0	W.	18	....	T.	....	....	10	cu.	....	....	10	cu.
8...	28·97	28·80	26·0	33·1	37·0	24·2	93	70	C.	0	C.	0	....	....	....	....	....	....	....	....	10	cu.
9....	28·68	28 71	34·0	36·2	37·2	29·2	92	86	S.E.	6	E.	4	·03	....	....	....	10	cu.	....	....	4	cu.
10....	28·57	28·29	34·0	37·7	37·7	31·3	86	95	S.E.	2	C.	0	....	....	....	....	....	....	....	....	10	cu.
11. ..	28·26	28·35	35·0	40·2	40·8	33·3	82	93	C.	0	N.E.	6	·04	....	....	....	10	n.	....	....	10	cu.
12....	28·39	28·36	38·5	38 2	40·4	34·6	54	86	E.	8	E.	5	....	....	....	....	....	....	....	....	10	cu.
13....	27·90	28·44	34 8	37·0	37·0	32·6	94	75	C.	0	S.	4	·01	·01	....	....	10	n.	....	....	10	cu.n.
14....	28 82	28·96	29·0	27·7	29·6	22·8	77	66	S.E.	5	S.E.	8	....	....	....	....	....	....	....	....	10	cu.
15.. .	28 93	28·93	27·4	28 0	33·0	22·0	84	65	S.W.	4	C.	0	....	....	....	....	10	cu.	....	....	10	cu.
16....	29·06	29·10	27·4	27·0	32 0	23·6	85	81	C.	0	S.	4	....	....	....	....	10	cu.	....	....	10	cu.
17....	29·03	29 10	25·3	23·1	28·2	21·2	87	93	C.	0	S.E.	10	....	....	....	....	10	cu.	....	....	9	cu.
18....	29·04	28·94	17·5	18·4	23·5	13·0	84	69	C.	0	S.E.	2	....	....	....	....	10	cu.	....	....	4	cu.
19....	28·70	28 50	18·3	30·0	47·3	11·5	84	83	C.	0	N.E.	2	....	....	....	....	10	cu.	....	....	10	cu.
20....	28·64	28·64	25·7	33·7	37·8	23·0	72	82	S.E.	5	N.E.	11	....	....	....	....	....	....	....	....	10	cu.
21....	28·43	28·60	35·2	34·3	39·8	23·0	86	81	E.	10	S.	4	....	....	....	....	10	cu.	....	....	....	....
22...	28·49	28·65	35·3	29·5	38·2	28·1	75	82	E.	3	C.	0	....	....	....	....	6	cu.	....	....	....	....
23....	28·78	28·29	28·7	33·8	33·8	25·8	89	81	C.	0	C.	0	....	·01	....	....	10	cu.	....	....	10	n.
24 ...	28 40	28·56	42·0	38·7	43·1	31·0	73	86	E.	11	C.	0	....	....	....	....	10	cu.	....	....	....	....
25....	28·31	27·76	30·0	34·3	34·3	26·6	69	82	N.E.	6	C.	0	....	T.	....	....	10	cu.	....	....	10	cu.
26....	27·92	28·17	31·0	30·8	32·7	26 8	77	78	C.	0	C.	0	....	....	....	....	10	cu.	....	....	3	cu.
27....	28·36	28·48	26·0	26·8	27·3	20 8	72	78	C.	0	C.	0	....	....	....	....	10	cu.	....	....	10	cu.
28.. .	28·47	28·52	30·2	29·0	31·2	25·0	77	80	C.	0	C.	0	·01	·08	....	....	10	cu.	....	....	10	cu.
29....	28·76	28·83	20·9	25·2	33·0	19 8	84	85	W.	2	C.	0	....	....	....	....	10	cu.	....	....	10	cu.
30. ..	28·70	28·52	24·0	20 0	24·7	17·8	87	85	C.	0	C.	0	....	....	....	....	10	cu.	....	....	....	....
31....	28·47	28·46	17·0	24·2	24·6	14·4	77	46	S.W.	4	S.W.	2	....	T.	....	....	10	cu.	....	....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta: Latitude North, 53° 33′; Longitude West, 113° 30′. Height above Sea, 2,158 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Vel.	Dir.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·74	27·76	— 3·3	—25·0	—15·0	—38·0	100	100	S.	4	S.E.	4	.	....	....	....	...	.....	...	.....	6	cu.s.
2	27·74	27·72	—27·0	—22·0	—17·0	—31·0	100	100	C.	0	C.	0	.. .	....	2	ci.s.	3	s.	...	.....	....	.....
3	27·67	27·43	—41·0	—22·0	—22·0	—42·0	100	100	S.E.	4	C.	0	...	·02	2	ci.s.	..	....	....	.....	10	n.
4	27·52	27·69	—21·0	—19·0	—15·0	—26·0	100	100	N.W.	4	S.W.	0	04	....	1	ci.s.	2	s.	....	.....	....	.....
5	27·52	27·39	—28·0	— 8·0	— 5·0	—30·0	100	100	S.W.	8	S.W.	4	....	....	..	.....	....	.....	.	.....	....	.....
6	27·59	27·76	—25·0	—12·0	— 7·0	—30·0	100	100	S.W.	4	E.	8	....	...	....	.....	....	.....	..	.....	....	.....
7	28·02	28·15	—32·0	— 7·0	— 7·0	—31·0	100	100	E.	4	E.	4	....	....	4	ci.s.	...	s.	...	.....	10	n.
8	28·04	27·87	— 9·0	10·0	10·0	—11·0	100	100	S.W.	8	S.W.	4	....	....	....	.....	....	.....	....	.....	8	n.
9	27·68	27·55	8·0	36·0	36·0	7·0	100	100	S.W	4	N.W.	12	....	....	....	.. .	1	s.	....	. ..	10	n.
10	27·65	27·43	20·0	12·0	36·0	12·0	100	100	S.E.	4	N.E.	8	...	·15	....	.....	10	n.	....	.. ...	10	n.
11	27·66	27·84	4·0	—11·0	12·0	—11·0	100	100	N.	8	N.W.	4	·20	....	....	.....	10	n.	....	.....	....	....
12	27·78	27·69	—23·0	— 7·0	— 7·0	—30·0	100	100	N.W.	4	W.	16	....	...	....	.....	10	n.	....	.....	2	s.
13	27·92	28·06	—29·0	—26·0	— 7·0	—40·0	100	100	N.W.	4	N.W.	4	....	....	....	.....	....	...	....	...	....	.....
14	28·07	27·76	—45·0	—23·0	—22·0	—46·0	100	100	W.	4	S.	8	...	...	...	.....	...	.....	....	.	....	.....
15	27·54	27·63	—33·0	—18·0	—16·0	—37·0	100	100	S.W.	12	C.	0	...	....	....	....	....	.....	....	....	....	.....
16	27·62	27·59	—16·0	— 6·0	0·0	—35·0	100	100	S.	4	N.	4	....	....	....	..	10	s.	....	.....	5	cu.s.
17	27·46	27·38	—26·0	—10·0	— 5·0	—28·0	100	100	S.	4	S.E.	4	.	..	....	.....	....	. .	....	.....	2	s.
18	27·18	27·34	—32·0	—10·0	—10·0	—33·0	100	100	C.	0	N.W.	4	...	·01	....	.....	....	.....	....	....	10	n.
19	27·75	27·80	—16·0	—17·0	—10·0	—17·0	100	100	N.W.	8	S.	4	·20	....	...	.....	...	.....	....	....	....	...
20	27·70	27·60	—27·0	—11·0	—10·0	—31·0	100	100	C.	0	E.	4	....	....	....	.....	...	. .	....	.....	10	n.
21	27·89	27·93	— 8·0	2·0	3·0	—12·0	100	100	C.	0	S.E.	16	20	·20	....	.....	10	n.	....	. ..	5	cu.s.
22	27·77	27·63	8·0	26·0	31·0	8·0	100	100	S.	8	N.W.	4	....	....	.	....	10	cu.s.	....	.....	10	cu.s.
23	27·59	28·16	34·0	3·0	39·0	3·0	100	100	N.W.	24	N.W.	8	....	....	....	.....	10	cu.s.	....	.....	1	s.
24	28·22	28·01	—18·0	— 3·0	3·0	—18·0	100	100	C.	0	S.	4	..	....	....	.....	....	.....	....	.....	...	.....
25	27·85	27·99	10·0	13·0	13·0	—13·0	100	100	N.W.	16	N.W.	12	....	S.	....	.....	2	s.	....	....	1	n.
26	27·89	27·99	4·6	—10·0	13·0	—10·0	100	100	N.W.	4	N.W.	4	·01	....	...	...	10	n.	...	.....	....	.....
27	28·09	28·01	—22·0	—12·0	—10·0	—22·0	100	100	S.W.	2	W.	8	...	...	....	. ....	....	.....	....	.....	....	.....
28	28·04	27·95	—33·0	—21·0	—12·0	—33·0	100	100	C.	0	C.	0	....	....		.....	....	.....	....	. ..	2	s.
29	28·02	27·91	—42·0	—22·0	—17·0	—45·0	100	100	C.	0	C.	0	.. .	....	..	.....	....	.....	....	. ..	2	s.
30	27·85	27·65	—29·0	—17·0	—13·0	—30·0	100	100	C.	0	S.E.	4	....	...	2	s.	2	s.	...	..	4	cu.s.
31	27·34	27·50	—12·0	— 9·0	— 9·0	—19·0	100	100	S.E.	4	N.W.	4	..	·01	....	....	10	n.	....	.....	10	n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·80	28·10	—16·0	—19·0	— 9·0	—19·0	100	100	N.W.	4	C.	0	·10	..	....	.....	10	s.	....	.....	10	s.
2....	28·22	28·18	—31·0	—25·0	—19·0	—40·0	100	100	C.	0	C.	0	....	....	....	.....	....	..	...	.....	....	.. ..
3 ...	28·07	27·84	—43·0	—22·0	—18·0	—43·0	100	100	S.W.	2	S.	4	....	....	....	.....	....	.....	....	...	...	.....
4....	27·64	27·61	—36 0	—14·0	— 9·0	—36·0	100	100	S.	4	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
5....	27·60	27·46	—39·0	—11·0	— 9·0	—41·0	100	100	C.	0	E.	2	....	....	2	ci.s.	...	.....	.	.....	10	cu.n.
6 ...	27·60	27·65	— 9·0	9·0	12·0	—19·0	100	100	C.	0	S.W.	8	....	....	....	.....	10	cu.s.	2	ci.s.	6	cu.s.
7 ...	27·55	27·35	27·0	46·0	48·0	7·0	10.	100	S.E.	12	W.	12	....	....	....	.....	10	cu.n.	....	.. ..	10	cu.n.
8....	27·66	27·57	35·0	38·0	46·0	32·0	100	100	W.	8	C.	0	....	....	....	.....	10	cu.n.	1	ci.cu.	2	cu.s.
9 ...	27·76	27·88	35 0	33·0	41·0	27·0	100	100	W.	12	C.	0	....	....	...	.....	10	cu.n.	...	.....	7	cu.s.
10....	27·73	27·67	35·0	47·0	48·0	32·0	100	100	S.W.	4	N.	8	....	....	...	.....	10	cu.n.	....	.....	10	cu.s.
11....	27·64	27·55	34·0	43·0	48·0	34·0	100	100	W.	4	C.	0	....	....	....	.....	3	s.	2	ci.cu.	4	cu.s.
13 ...	27·44	27·62	37·0	39·0	46·0	36 0	100	100	C.	0	N.W.	16	....	....	....	.....	10	cu.n.	....	.....	6	cu.s.
13....	27·85	27·78	26·0	41·0	44·0	25·0	100	100	W.	8	W.	4	....	....	...	.....	.....	...	4	ci.s.	2	s.
14....	27·67	27·64	30·0	47·0	51·0	29·0	100	100	S.W.	4	W.	12	....	....	....	.....	.....	.....	....	.....	10	cu.s.
15 ...	27·68	27·64	38·0	49 0	51·0	38 0	100	100	C.	0	W.	4	....	....	..	.. .	10	cu.n.	....	.. ..	5	cu.s.
16....	27·54	27·39	33·0	45 0	52·0	32·0	100	100	C.	0	C.	0	....	....	....	. .	2	s.	....	.. ..	....	.....
17.. .	27·36	27·51	35 0	29·0	45·0	29 0	100	100	N.W.	16	N.W.	8	. .	..	....	.....	10	cu.n.	....	.....	2	s.
18 ...	27·34	27·59	27·0	27·0	29 0	19·0	100	100	S.W.	8	N.	8	....	·02	....	...	8	cu n.	....	.. ..	10	n.
19 ..	27·59	27·78	12·0	14 0	27·0	12·0	100	100	N.	4	C.	0	·02	·01	....	.....	10	n.	....	.....	8	cu.
20....	27·71	27·76	3·0	6 0	14·0	2·0	100	100	E.	12	E.	4	·02	·10	....	..	10	n.	....	....	10	cu.
21....	27·59	27·41	7·0	20·0	23·0	1·0	100	100	E.	4	S.E.	4	....	....	..	....	10	k.	2	ci.cu.	3	cu.s.
22....	27·35	27 14	3·0	26·0	33·0	2·0	100	100	C.	0	E.	4	....	....	....	. .	3	cu.s.	2	ci.cu.	4	s.
23 ...	27·24	27·73	15·0	20·0	26·0	10·0	100	100	N.W.	12	C.	9	...	....	....	....	10	cu.n.	...	.....	...	..
24....	27 77	27·67	1·0	6·0	20·0	— 1·0	100	100	N.E.	8	E.	8	..	...	....	.....	10	cu.n.	....	.....	10	cu.n.
25. ..	27·92	28·11	— 8·0	4·0	6·0	— 9·0	100	100	N.W.	8	C.	0	...	....	....	.....	....	..	.	.....	.	...
26....	27·91	27·68	—19 0	1 0	3·0	—24·0	100	100	S.	4	S.E.	12	....	....	....	.....	....	.....	....	..	8	cu.
27....	27·64	27·68	5·0	14 0	17·0	— 6 0	100	100	S.E.	4	E.	4	....	...	....	.....	....	...	....	....	...	.....
28....	27·64	27·47	—11 0	16·0	26·0	—12·0	100	100	C.	0	E.	8	....	....	...	.....	....	.....	....	. .	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·48	27·52	— 9·0	17·0	27·0	—10·0	100	100	C.	0	S.W.	4										
2	27·64	27·68	11·0	32·0	34·0	10·0	100	100	S.W.	4	C.	0					6	cu.s.	2	ci.	6	cu.
3	27·66	27·75	22·0	31·0	33·0	19·0	100	100	S.W.	4	N.W.	12					8	s.	1	ci.cu.	2	cu.
4	27·77	27·62	10·0	38·0	40·0	9·0	100	41	S.W.	4	W.	4							2	ci.s.	5	cu.s.
5	27·53	27·20	16·0	34·0	40·0	15·0	83	72	S.W.	4	S.	12										
6	27·53	27·58	24·0	29·0	34·0	22·0	100	67	N.W.	20	S.	8					8	cu.	2	ci.s.	5	s
7	27·61	27·76	28·0	31·0	34·0	23·0	100	69	W.	4	N.W.	4					10	cu.s.			10	cu.n.
8	28·00	28·07	18·0	22·0	31·0	17·0	100	58	N.	4	N.W.	4		S.	2	ci.s.	2	s.			2	s.
9	27·95	27·53	2·0	22·0	25·0	1·0	100	72	S.	4	S.E.	12										
10	27·44	27·60	11·0	19·0	22·0	9·0	109	100	W.	4	N.	12		·01			10	n.			10	n.
11	27·74	27·70	12·0	19·0	20·0	12·0	100	69	N.W.	8	N.W.	4					10	cu.n.			10	cu.n.
12	27·58	27·42	— 1·0	23·0	26·0	— 2·0	100	50	W.	4	S.E.	8							3	ci.s.	4	s.
13	27·40	27·38	18·0	24·0	30·0	17·0	84	48	W.	4	N.	8		·02			3	cu.s.			10	n.
14	27·48	27·49	— 1·0	22·0	25·0	— 2·0	100	86	C.	0	S.E.	4		01			4	s.	4	ci.s.	2	cu.s.
15	27·41	27·50	12·0	11·0	22·0	10·0	100	100	N.E.	8	N.W.	8	·05	·40			10	n.			8	cu.n.
16	27·55	27·60	1·0	23·0	25·0	— 5·0	100	86	C.	0	S.	4		01			10	cu.n.				
17	27·74	27·60	— 2·0	19·0	23·0	— 2·0	100	35	C.	0	E.	12					8	cu.s.			10	cu.n.
18	27·43	27·42	12·0	19·0	20·0	10·0	100	69	N.E.	4	N.W.	4	S.				10	cu.n.				
19	27·39	27·07	2·0	38·0	40·0	— 2·0	100	54	S.	4	S.	8										
20	27·01	27·12	25·0	40·0	46·0	23·0	100	48	S.W.	4	S.	12					4	cu.s.	2	ci.	3	s.
21	27·04	26·99	28·0	27·0	43·0	23·0	100	62	S.	8	S.E.	12					6	cu.s.	4	ci.s.	4	s.
22	26·96	27·09	24·0	36·0	38·0	20·0	100	55	W.	8	S.	12			2	ci.cu.	3	cu.s.			1	cu.s.
23	27·10	27·13	15·0	29·0	36·0	14·0	100	66	C.	0	N.W.	8					10	cu.			10	cu.n.
24	27·44	27·67	8·0	12·0	29·0	7·0	100	84	N.W.	12	N.W.	8					4	cu.s.	4	ci.s.	3	s.
25	27·95	27·90	— 2·0	5·0	12·0	— 2·0	100	100	N.E.	4	C.	0		S.			10	cu.n.				
26	27·70	27·34	—11·0	23·0	25·0	—11·0	100	60	S.E.	4	S.E.	16										
27	27·18	27·66	10·0	40·0	46·0	6·0	100	65	S.W.	4	S.E.	8					10	s.	5	ci.cu.	2	cu.s.
28	27·28	27·53	24·0	22·0	40·0	22·0	100	100	N.W.	16	N.W.	16					10	cu.n.	4	ci.cu.	2	cu.n.
29	27·77	27·87	— 2·0	16·0	22·0	— 3·0	100	66	N.W.	4	E.	4										
30	27·91	27·83	2·0	18·0	18·0	0·0	100	68	E.	4	S.E.	20									10	cu.n.
31	27·51	27·27	12·0	40·0	51·0	9·0	100	48	E.	2	N.W.	8					10	cu.n.	2	ci.	2	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									6 a.m.		6 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·60	27·67	23·0	31·0	40·0	23·0	73	58	C.	0	E.	8	....	....	0	ci.	3	cu.s.	....	.....	....	.....
2....	27·68	27·70	24·0	28·0	34·0	23·0	87	66	E.	8	E.	12	·10	·05	...	.....	10	n.	....	.. ..	...	.....
3. ..	27·69	27·72	19·0	28·0	33·0	18·0	100	77	E.	8	S.E.	12	·01	S.	...	. .	10	n.	....	.....	....	.....
4....	27·59	27·24	26·0	34·0	35·0	23·0	75	62	S.E.	16	S.E.	8	....	...	...	.....	10	cu.n.	4	ci.	4	cu.s.
5 ...	27·07	27·02	29·0	40·0	41·0	29·0	79	65	N.W.	8	C.	0	....	....	...	.....	10	cu.n.	3	ci.s.	2	cu.n.
6....	27·16	27·28	25·0	35·0	40·0	24·0	88	63	C.	0	N.	4	....	....	...	.. ..	10	cu.n.	3	ci.s.	5	cu.n.
7....	27·51	27·67	33·0	42·0	42·0	23·0	86	50	C.	0	N.W.	4	....	....	...	....	10	cu.s.	....	..	...	.. .
8....	27·50	27·53	32·0	47·0	48·0	27·0	100	55	S.	8	E.	4	....	....	...	.. .	10	cu.s.	3	ci.s.	2	cu.s.
9....	27·59	27·14	31·0	38·0	48·0	31·0	100	81	N.W.	4	S.E.	12	....	....	...	.....	10	cu.n.	....	.....	10	cu.n.
10....	27·15	27·58	37·0	33·0	38·0	31·0	81	66	N.W.	20	N.W.	20	·08	...	....	.....	10	cu.n.	....	.....	10	cu.n.
11....	27·98	28·06	25·0	36·0	37·0	22·0	87	55	C.	0	N.W.	4	....	...	....	.....	10	cu.n.	....	.....	....	.. ...
12....	28·04	27·95	16·0	39·0	41·0	15·0	100	55	C.	0	S.E.	12	...	....	....	.. ..	....	....	....	.....	....	.....
13 ..	27·81	27·56	23·0	39·0	48·0	22·0	86	55	S.E.	8	S.E.	8	....	..	....	.....	2	ci.s.	....	.....	10	c.n.
14....	27·42	27·70	27·0	42·0	44·0	26·0	88	34	N.E.	4	W.	4	....	...	...	.....	10	cu.n.	1	ci.s.	1	cu.s.
15 ...	27·87	27·89	19·0	27·0	42·0	18·0	100	76	E.	12	S.E.	16	....	....	2	ci.cu.	6	cu.s.	4	ci.s.	2	s.
16 ...	27·72	27·55	17·0	30·0	43·0	15·0	100	100	S.E.	16	S.E.	16	....	....	....	....	8	cu.s.	...	.....	10	cu.n.
17....	27·54	27·69	21·0	29·0	30·0	21·0	100	78	N.	4	N.W.	8	·10	·05	....	..	10	n.	....	.... ..	10	cu.n.
18....	27·80	27·87	26·0	37·0	41·0	26·0	88	63	C.	0	N.W.	4	·10	....	....	. ..	10	cu.n.	4	ci.s.	3	cu.s.
19....	28·06	27·99	25·0	49·0	52·0	24·0	87	24	W.	4	S.W.	8	....	....	....	.. .	...	....	1	ci.s.	....	.....
20....	27·81	27·54	30·0	58·0	64·0	29·0	78	38	S.	8	N.W.	12	..	....	5	ci.s.	3	cu.s.	4	ci.s.	2	s.
21 ...	27·71	27·59	34·0	54·0	58·0	34·0	62	38	N.W.	8	C.	0	....	....	3	ci.cu.	2	s.	4	ci.s.	2	cu.s.
22....	27·69	27·72	30·0	45·0	54·0	29·0	78	39	N.W.	8	N.	8	....	...	...	ci.s.	3	cu.s.	....	.. ..	5	ci.
23 ...	27·85	27·85	24·0	40·0	45·0	23·0	100	73	N.W.	8	N.W.	16	....	....	...	.... .	2	cu.s.	....	...	....	.. ..
24....	27·96	27·85	21·0	36·0	40·0	19·0	100	61	C.	0	N.	4	....	....	....	.... .	3	cu.	2	ci.s.	3	s.
25....	27·74	27·76	17·0	27·0	36·0	16·0	100	88	N.W.	8	N.W.	12	.. ..	S.	....	.....	6	cu.s.	....	.....	5	cu.n.
26....	27·90	27·97	11·0	25·0	27·0	10·0	100	87	S.E.	2	N.W.	4	....	....	....	.....	3	cu.s.	....	.....	3	cu.
27....	27·96	27·86	9·0	34·0	38·0	8·0	100	62	C.	0	N.W.	4	....	....	....	.....	....	.....	1	ci.s.	1	cu.s.
28.. .	27·75	27·66	13·0	50·0	50·0	11·0	100	26	S.	4	N.E.	4	....	....	....	.....	....	.....	2	ci.cu.	6	cu.
29....	27·65	27·66	33·0	53·0	54·0	32·0	89	25	N.W.	12	N.W.	8	....	....	....	.....	3	s.	1	ci.cu.	2	cu.s.
30....	27·71	27·77	30·0	43·0	53·0	27·0	89	21	N.W.	8	N.	16	....	....	1	ci.	3	cu.	1	ci.	1	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	9 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1....	28·00	28·04	17·0	36·0	43·0	15·0	100	55	C.	0	N.W.	8	....	....	....	.....	....	.....	....	.....	2	ci.
2....	28·03	27·97	16·0	42·0	42·0	15·0	100	56	S.E.	4	N.E.	4	....	....	....	.....	....	.....	....	.....	....	.....
3....	27·90	27·76	22·0	51·0	52·0	19·0	86	34	S.	4	N.W.	12	....	....	2	ci.cu.	6	ci.s.	....	.....	8	ci.n.
4....	27·78	27·63	24·0	50·0	51·0	22·0	74	32	C.	0	N.	8	....	....	6	ci.s.	....	.....	4	ci.n.	....	.....
5....	27·70	27·75	28·0	38·0	50·0	27·0	88	25	N.W.	4	N.E.	8	....	....	....	.....	10	s.	....	.....	10	ci.n.
6....	27·68	27·99	25·0	40·0	42·0	21·0	87	65	S.E.	8	E.	8	....	·01	....	.....	10	ci.n.	....	.....	10	ci.n.
7....	27·46	27·50	32·0	52·0	54·0	31·0	90	60	C.	0	N.W.	16	....	·05	7	ci.s.	2	ci.s.	....	.....	10	ci.n.
8....	27·60	27·77	32·0	33·0	52·0	32·0	79	70	N.E.	8	C.	0	·20	·10	....	.....	10	n.	....	.....	10	ci.n.
9....	27·82	27·80	24·0	29·0	33·0	23·0	87	67	S.E.	12	E.	12	·10	·12	....	.....	10	n.	....	.....	10	ci.n.
10....	27·54	27·26	25·0	38·0	39·0	22·0	75	81	S.E.	8	S.E.	8	....	....	....	.....	10	ci.n.	....	.....	10	ci.n.
11....	27·21	27·33	31·0	56·0	38·0	30·0	89	81	C.	0	N.W.	8	·30	·10	....	.....	10	n.	....	.....	8	ci.s.
12....	27·50	27·62	31·0	45·0	50·0	30·0	89	61	C.	0	E.	8	....	....	....	.....	10	c.	....	.....	....	.....
13....	27·72	27·65	32·0	62·0	64·0	30·0	80	46	S.	8	S.W.	4	....	....	....	.....	....	.....	....	.....	9	ci.
14....	27·61	27·57	42·0	64·0	66·0	41·0	83	31	S.W.	4	N.W.	12	....	....	4	ci.s.	3	ci.s.	2	ci.s.	6	ci. ci.n.
15....	27·61	27·56	44·0	54·0	57·0	42·0	92	67	N.W.	2	S.W.	12	·01	R.	....	.....	10	n.	....	.....	10	ci.n.
16....	27·60	27·59	38·0	57·0	60·0	37·0	81	31	N.W.	8	N.	12	....	....	....	.....	2	ci.s.	....	.....	8	ci.
17....	27·79	27·75	30·0	54·0	57·0	30·0	100	32	C.	0	N.W.	12	....	....	....	.....	....	.....	4	ci.cu.	2	ci.
18....	27·92	27·87	28·0	54·0	54·0	27·0	100	38	C.	0	E.	8	....	....	....	.....	....	.....	....	.....	....	.....
19....	27·90	27·77	33·0	52·0	58·0	31·0	80	41	S.E.	12	S.E.	16	....	....	....	.....	....	.....	....	.....	10	ci.n.
20....	27·73	27·75	42·0	38·0	52·0	38·0	40	91	E.	8	E.	5	....	·08	....	.....	10	ci.n.	....	.....	10	n.
21....	27·73	27·77	33·0	44·0	45·0	32·0	100	69	N.	4	N.W.	8	·03	·24	....	.....	10	n.	....	.....	10	ci.n.
22....	27·84	27·84	35·0	53·0	55·0	33·0	100	56	C.	0	S.	4	....	·08	....	ci.s.	6	s.	....	c..cu.	3	ci.s.
23....	27·91	27·74	35·0	56·0	60·0	34·0	90	51	C.	0	S.E.	8	....	....	....	.....	....	.....	....	.....	5	ci.s.
24....	27·90	27·86	32·0	60·0	64·0	30·0	90	49	S.	4	S.E.	8	....	....	....	.....	....	.....	....	ci.s.	5	ci.s.
25....	27·90	27·90	42·0	69·0	72·0	38·0	83	19	S.W.	1	N.W.	4	....	....	....	ci.s.	5	ci.s.	....	ci.cu.	6	ci.s.
26....	27·91	27·80	43·0	68·0	70·0	42·0	83	38	N.W.	4	E.	0	....	....	3	ci.s.	2	ci.s.	6	ci.s.	....	.....
27....	27·67	27·46	42·0	74·0	76·0	40·0	74	32	C.	0	N.W.	12	....	....	....	.....	....	.....	2	ci.s.	3	ci.
28....	27·50	27·50	51·0	49·0	74·0	49·0	86	78	C.	0	N.	8	....	·12	....	ci.s.	5	ci.s.	....	.....	10	ci.n.
29....	27·64	27·57	42·0	57·0	62·0	41·0	100	63	C.	0	N.W.	12	·02	R.	....	.....	10	ci.cu.	2	ci.s.	4	ci.n.
30....	27·64	27·72	45·0	43·0	57·0	43·0	92	75	N.W.	8	N.W.	12	·04	....	....	ci.s.	8	ci.cu.	....	.....	10	ci.n.
31....	27·83	27·60	34·0	52·0	56·0	32·0	90	66	N.W.	4	S.E.	12	....	....	....	ci.s.	7	ci.s.	....	.....	8	ci.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·56	27·52	38·0	52·0	56·0	37·0	100	66	N.W.	8	N.	12	·13	·01	....	.....	10	n.	....	.....	10	ci.n.
2....	27·61	27·50	40·0	56·0	58·0	39·0	91	57	N.W.	8	N.W.	8	....	....	....	.....	5	ci.n.	....	.....	9	ci.n.
3....	27·58	27·62	37·0	57·0	57·0	36·0	100	52	N.W.	12	N.	8	·16	....	....	.....	10	ci.n.	....	a.cu.	6	cu.
4....	26·65	27·50	38·0	68·0	70·0	35·0	90	51	S.W.	4	S.E.	4	....	....	....	.....	1	cu.s.	....	.....	5	cu.
5....	27·41	27·34	53·0	65·0	68·0	50·0	80	49	S.E.	8	N.E.	16	....	R.	....	ci.cu.	5	ci.n.	....	.....	10	cu.n.
6....	27·37	27·36	46·0	70·0	73·0	43·0	92	61	S.W.	4	N.	4	·01	....	....	.....	....	.....	....	.....	5	cu.
7....	27·51	27·53	46·0	67·0	70·0	42·0	100	59	C.	0	S.W.	4	....	....	....	ci.s.	7	ci.u.	....	.....	10	cu.
8....	27·41	27·29	52·0	59·0	67·0	50·0	93	82	N.W.	8	W.	4	·20	·72	....	.....	10	n.	....	.....	10	n.
9....	27·35	27·30	49·0	67·0	67·0	48·0	93	55	W.	8	N.W.	8	....	....	....	a.s.	10	ci.n.	....	.....	5	cu.
10....	27·36	27·23	12·0	66·0	70·0	41·0	92	59	C.	0	S.	12	....	....	....	.....	2	a.s.	....	ci.s.	10	cu.n.
11....	27·28	27·21	47·0	72·0	75·0	47·0	100	58	W.	4	S.E.	12	....	....	....	.....	....	.....	....	.....	7	ci.s.
12....	27·25	27·30	56·0	64·0	70·0	54·0	94	100	E.	4	N.	8	·02	·08	....	.....	10	n.	....	.....	10	ci.n.
13....	27·19	27·22	57·0	64·0	68·0	56·0	94	83	S.E.	16	S.E.	4	·36	·16	....	.....	10	cu.n.	....	.....	10	ci.n.
14....	27·31	27·46	49·0	61·0	64·0	45·0	85	71	S.E.	20	N.W.	4	....	....	....	.....	6	s. cu.n.	....	ci.s.	5	s.
15....	27·51	27·49	42·0	64·0	64·0	40·0	100	73	C.	0	S.W.	8	....	....	....	.....	....	.....	....	ci.s.	6	ci.s.
16....	27·43	27·43	49·0	55·0	64·0	47·0	100	93	N.W.	4	N.W.	12	....	·08	....	ci.s.	6	cu.n.	....	.....	10	n.
17....	27·68	27·87	51·0	70·0	71·0	50·0	93	66	N.W.	12	C.	0	·02	....	....	.....	10	cu.n.	....	.....	6	ci.n.
18....	27·89	27·80	54·0	62·0	77·0	51·0	93	72	S.E.	4	S.W.	4	·02	....	....	.....	....	.....	....	.....	10	ci.n.
19....	27·73	27·44	49·0	70·0	75·0	46·0	93	57	C.	0	N.W.	4	....	....	....	ci.s.	....	.....	....	.....	9	ci.n.
20....	27·42	27·33	45·0	51·0	70·0	44·0	92	69	C.	0	W.	12	·22	·04	....	.....	10	n.	....	.....	6	ci.n.
21....	27·49	27·63	43·0	56·0	57·0	42·0	100	94	N.W.	8	N.W.	4	S.	·09	....	.....	8	n.	....	.....	10	n.
22....	27·82	27·78	40·0	63·0	61·0	36·0	100	67	C.	0	S.	4	·15	....	....	.....	2	ci.s.	....	.....	....	....
23....	27·76	27·71	42·0	71·0	72·0	38·0	100	58	C.	0	C.	0	....	....	6	ci.cu.	2	ci.s.	....	....	5	ci.s.
24....	27·81	27·77	48·0	74·0	75·0	42·0	93	59	C.	0	N.	4	....	....	....	.....	8	ci.s.	....	....	1	s.
25....	27·79	27·65	53·0	81·0	84·0	49·0	86	55	C.	0	S.W.	12	....	....	....	.....	....	.....	....	.....	....	.....
26....	27·67	27·58	56·0	74·0	81·0	54·0	94	63	C.	0	N.	8	....	....	1	ci.s.	2	ci.s.	....	.....	10	ci.n.
27....	27·59	27·46	54·0	69·0	74·0	54·0	100	61	N.W.	4	S.W.	4	·24	·02	....	.....	8	ci.n.	....	....	8	ci.n.
28....	27·44	27·44	52·0	60·0	69·0	51·0	100	88	C.	0	N.E.	4	....	·01	....	.....	9	ci.s.	....	.....	10	n.
29....	27·49	27·56	53·0	63·0	63·0	52·0	100	78	E.	4	N.	4	·27	·08	....	.....	10	n.	....	.....	8	ci.s.
30....	27·65	27·63	42·0	64·0	67·0	40·0	91	68	N.	4	N.E.	8	....	....	....	ci.s.	3	cu.s.	....	.....	8	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·57	27·50	50·0	74·0	74·0	50·0	100	63	S.W.	4	W.	12	...	....	....	....	....	.....	....	.....	5	cu.s.
2....	27·58	27·55	50·0	74·0	76·0	50·0	100	63	S.W.	4	N.W.	4	....	....	....	.....	....	.....	....	.....	1	cu.
3....	27·58	27·36	47·0	76·0	78·0	45·0	100	64	C.	0	S.E.	12	....	....	...	.....	2	s.	3	ci.s.	2	s.
4....	27·27	27·33	58·0	65·0	76·0	56·0	82	68	W.	8	S.W.	8	....	....	2	ci.s.	2	s.	...	.....	8	cu.
5....	27·49	27·53	55·0	67·0	70·0	47·0	93	64	W.	12	N.W.	12	·11	....	4	ci.s.	5	s.cu.	....	.....	8	cu.
6....	27·59	27·56	60·0	54·0	67·0	47·0	79	87	W.	8	N.W.	20	....	·18	1	ci.s.	1	s.	....	.....	10	cu.n.
7....	27·65	27·62	48·0	68·0	69·0	46·0	100	73	N.W.	4	N.	8	·21	....	...	.....	9	cu.s.	5	ci.s.	6	cu.s.
8....	27·69	27·67	53·0	72·0	72·0	52·0	100	71	S.W.	4	S.E.	8	....	....	....	.....	10	cu.n.	....	.....	3	cu.
9....	27·73	27·67	49·0	77·0	77·0	47·0	100	65	C.	0	C.	0	....	....	....	.....	8	cu.s.	....	.....	2	cu.
10....	27·68	27·60	52·0	66·0	81·0	50·0	100	79	C.	0	N.W.	12	....	R.	1	ci.s.	1	cu.s.	....	. . .	10	n.
11....	27·59	27·56	54·0	56·0	76·0	53·0	100	100	C.	0	N.W.	20	·17	·08	3	ci.	3	cu.s.	....	.....	10	n.
12....	27·60	27·58	49·0	59·0	61·0	47·0	93	82	N.W.	4	N.W.	8	·06	....	1	ci.s.	3	cu.s.	2	ci.s.	4	cu.
13....	27·48	27·40	49·0	58·0	59·0	46·0	92	97	N.W.	4	N.W.	12	·10	·03	....	.....	7	cu.n.	....	.....	10	cu.n.
14 ...	27·38	27·51	52·0	63·0	63·0	51·0	100	79	N.W.	12	N.W.	12	·03	R.	....	....	10	cu.n.	1	ci.s.	3	cu.s.
15....	27·61	27·66	50·0	58·0	63·0	49·0	100	88	N.W.	8	N.E.	8	·06	·06	....	.....	10	n.	....	.....	10	k.n.
16....	27·71	27·66	44·0	66·0	67·0	42·0	100	79	C.	0	C.	0	·16	....	....	.....	8	cu.s.	....	.....	3	cu.
17....	27·70	27·69	52·0	66·0	66·0	50·0	100	84	C.	0	N.W.	1	·04	·70	....	.....	10	cu.n.	1	ci.s.	4	cu.
18 ...	27·71	27·68	49·0	67·0	69·0	48·0	100	74	C.	0	N.W.	4	·02	·04	....	.....	10	s.	....	ci.s.	5	cu.s.
19....	27·60	27·63	49·0	71·0	72·0	48·0	100	66	C.	0	N.W.	8	....	....	1	ci.s.	1	s.	2	ci.s.	4	cu.s.
20....	27·68	27·68	53·0	66·0	71·0	52·0	100	74	W.	4	N.W.	12	·01	·01	1	ci.	7	cu.s.	....	.... .	1	cu.
21. ..	27·79	27·68	44·0	72·0	73·0	43·0	100	71	C.	0	S.E.	8	....	....	....	.....	....	.....	1	ci.s	2	cu.
22....	27·63	27·59	48·0	73·0	73·0	49·0	100	63	C.	0	S.W.	4	....	....	3	ci.s.	4	s.	1	ci.s.	8	cu.s.
23....	27·60	27·52	66·0	77·0	78·0	45·0	100	65	S.W.	4	S.E.	4	....	...	2	ci.s.	3	s.	1	ci.	1	cu.
24....	27·49	27·60	56·0	63·0	77·0	55·0	67	83	W.	8	C.	0	·14	·40	....	.....	10	n.	....	....	9	n.
25....	27·73	27·65	50·0	75·0	76·0	49·0	100	72	C.	0	S.E.	8	18	....	....	.....	1	cu s.	....	ci.s.	2	cu.s.
26....	27·57	27·55	54·0	67·0	75·0	52·0	100	79	C.	0	W.	12	....	....	....	.....	8	cu.s.	....	ci.	6	cu.n.
27....	27·60	27·61	51·0	73·0	73·0	49·0	93	67	W.	8	N.W.	8	....	....	....	.....	3	k.	1	ci.s.	....	....
28....	27·66	27·66	54·0	73·0	75·0	51·0	100	63	C.	0	N.W.	12	....	....	....	.....	10	ci.n.	...	....	....	....
29 ...	27·81	27·85	48·0	76·0	76·0	48·0	100	73	C.	0	N.W.	4	....	....	....	.....	....	...	....	.....	1	cu.
30....	27·95	27·89	52·0	78·0	79·0	51·0	100	78	C.	0	N.W.	8	....	....	....	.....	1	s.	....	.....	1	cu.
31....	27·89	29·85	49·0	71·0	78·0	48·0	100	86	C.	0	E.	8	....	....	....	. . .	3	s.	2	ci.s.	2	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	a.m.	p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1....	27·84	27·68	53·0	76·0	78·0	51·0	100	73	C.	0	S.E.	12	...	...	....	.....	9	ci.s.	2	ci.cu.	3	cu.
2....	27·58	27·45	57·0	81·0	84·0	55·0	87	78	S.E.	12	S.E.	16	....	..	5	ci.s.	2	s.	....	.....	1	s.
3....	27·34	27·36	56·0	66·0	81·0	54·0	100	84	N.W.	4	N.W.	16	....	....	1	ci.s.	3	ci.s.	1	cu.s.	3	cu.s.
4....	27·43	27·40	53·0	66·0	66·0	52·0	100	79	N.W.	4	N.W.	8	....	·14	....	.....	8	cu.s.	....	. ..	1 7	n. n.
5....	27·39	27·45	49·0	52·0	66·0	47·0	100	93	N.W.	4	N.W.	16	·01	·29	....	.....	10	n.	....	... .	10	n.
6....	27·55	27·56	42 0	59 0	62 0	42·0	100	65	N.W.	4	C.	0	·01	....	4	ci.s.	1	s.	....	.....	10	cn.
7....	27·60	27·59	45 0	61·0	70·0	43·0	100	88	C.	0	N.E.	12	....	01	....	....	10	cu.s.	....	.....	10	cn.
8 . .	28·62	27·65	52·0	53·0	61·0	51·0	100	93	N.	8	N.E.	4	·59	·20	....	.....	10	n.	....	.....	10	cn.
9....	27·70	27·68	45·0	61·0	63·0	44·0	100	77	C.	0	C.	0	T.	....	....	.....	8	cu.s.	2	ci.s.	5	ci.s.
10....	27·69	27·65	41·0	63·0	64·0	40·0	100	89	C.	0	N.E.	4	....	....	....	.....	...	.....	1	ci.s.	1	cu.s.
11....	27·65	27 64	44·0	63·0	66·0	43·0	100	83	C.	0	C.	0	....	·02	....	. .	1	cu.s.	....	.....	3	cu.s.
12....	27·72	27·71	42·0	63·0	66·0	41·0	100	89	C.	0	C.	0	..	·05	....	....	8	cu.s.	..	.....	6	cn.
13....	27·71	27·57	41·0	71·0	73·0	41·0	100	85	C.	0	C.	0	T.	....	....	...	...	.....	4	ci.s.	1	cu.
14....	27·47	27 43	49·0	61·0	71·0	48 0	100	100	N.E.	4	N.W.	16	....	·12	2	ci.s.	4	cu s.	....	. . .	10	cu.n.
15....	27·52	27·61	53·0	67·0	70·0	52·0	100	89	N.W.	4	N.W.	8	·18	·02	...	.....	4 4	cu. cu.n.	2	ci.s.	4	cu.n. cu.
16....	27·55	27·54	48·0	61·0	67·0	47·0	100	66	W.	4	N.W.	8	·01	T.	2	ci.s.	2	cu.s.	....	.....	5	cu. cu.n.
17....	27·58	27·52	44·0	49·0	61·0	41·0	100	100	N.	4	N.W.	4	01	·41	....	.....	10	n.	....	. ....	10	n.
18....	27·69	27·84	40·0	46·0	50·0	40·0	100	92	N.W.	12	N.W.	8	·98	·03	.. .	. . .	10	n.	...	.....	9	cu.n.
19....	27·87	27·82	33·0	57·0	58·0	31·0	100	75	S.W.	4	N.W.	4	....	T.	1	ci.s.	1	cu.s.	3	ci.s.	4	cu.s.
20 ...	27·86	27·93	41·0	68·0	70 0	40·0	100	74	C.	0	S.W.	8	....	..	3	ci.	....	.....	....	.....	7	cu.s. cu.n.
21 ..	27·60	27·37	43·0	69·0	75·0	42·0	100	80	C.	0	S.W.	8	....	....	....	... .	2	cu.s.	....	.....	3	cu.s.
22....	27·35	27·34	50·0	70·0	72·0	50·0	100	53	C.	0	N.W.	16	....	....	....	ci.s.	8	cu.s.	1	ci.s.	....	.....
23 ...	27·54	27·68	45·0	71·0	72 0	44·0	92	71	W.	4	W.	4	...	...	....	.....	4	cu.s.	...	...	6	cu .
24....	27·70	27·54	52·0	74·0	77·0	48·0	100	76	C.	0	S.E.	4	..	....	....	.....	8	cu.	....	.....	10	cu.n.
25....	27·52	27 19	57·0	59·0	74·0	49·0	87	94	S.	4	N.	8	·01	53	....	. ...	10	cu.n.	....	ci.s.	7	cu.n.
26....	27·44	27 56	49·0	60 0	60·0	48·0	93	55	N.W.	16	N.W.	12	1·04	T.	...	.....	10	n.	....	.....	1	cu.
27....	27·76	27·78	39·0	58·0	60·0	38·0	100	53	N.W.	4	C.	0	....	....	....	ci.s.	2	n.s.	....	ci.cu.	6	s.
28....	27·70	27·39	39·0	63·0	67·0	37·0	91	57	S.E.	12	S.E.	16	....	...	....	. . .	1	cu.s.	....	.....	10	cu.n.
29....	27·22	27·38	49·0	53·0	63·0	48·0	93	67	S.W.	4	N.W.	4	....	....	....	.....	8	cu.s. cu.n.	....	ci.s.	9	cu.s.
30 ...	27·59	27·72	39 0	53·0	53·0	38·0	91	67	W.	4	N.W.	4	....	....	....	.....	1	s.	...	.... .	2	cu.
31....	27·76	27·75	33·0	63·0	67·0	32·0	100	62	S.W.	4	S.E.	8	...	....	....	....	...	.....	.. .	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·78	27·72	39·0	71·0	75·0	38·0	100	58	C.	0	S.E.	8	..	...	1	ci.cu.	....	.....	....	....	....	.....
2....	27·72	27·65	44·0	75·0	78·0	43·0	100	60	C.	0	S.E.	8	...	....	....	.. ..	...	.....	..	.....	...	.....
3....	27·69	27·67	52·0	70·0	76·0	51·0	93	66	N.W.	8	S.E.	8	T.	T.	....	.....	10	ci.cu.	1	ci.	7	ci.s. ci.n.
4....	27·73	27·70	51·0	64·0	70·0	50·0	100	78	N.W.	4	C.	0	T.	T.	..	.....	6	cu.s.	6	cu.	....	.. ..
5....	27·62	27·45	54·0	69·0	72·0	51·0	93	70	C.	0	S.E.	8	...	....	....	.....	10	ci.n.	4	ci.s.	3	cu,s.
6....	27·50	27·68	55·0	52·0	69·0	50·0	93	83	N.W.	8	N.W.	12	·02	·02	....	.. ..	10	ci.n.	....	... .	2	cu.
7....	27·87	27·84	39·0	61·0	63·0	38·0	91	50	N.W.	8	N.W.	12	....	....	....	.....	1	cu.s.	1	ci.s.	2	cu. cu.s.
8....	27·91	27·83	41·0	72·0	73·0	37·0	100	58	C.	0	W.	4	....	....	....	...	10	cu.s.	2	ci.s.	1	cu.s.
9....	27·76	27·61	51·0	74·0	78·0	50·0	93	68	C.	0	C.	0	....	....	....	.....	....	....	....	ci.s.	7	cu.s.
10....	27·96	28·11	41·0	38·0	74·0	38·0	100	91	N.	8	N.	8	·75	·07	....	....	10	n.	....	...	10	n.
11....	28·16	28·12	33·0	39·0	40·0	33·0	100	73	N.	8	C.	0	·06	....	....	.....	10	ci.n.	...	... .	10	ci.u.
12....	28·03	27·84	35·0	42·0	45·0	34·0	100	74	C.	0	S.W.	8	....	...	...	...	10	ci.n.	...	.. ..	5	cu.
13 ...	27·62	27·51	30·0	52·0	53·0	26·0	100	73	S.W.	8	C.	0	....	T.	....	.....	10	cu.s.	...	... .	10	ci.n.
14....	27·45	27·51	42·0	44·0	48·0	42·0	100	76	N.W.	13	N.W.	12	·11	·11	....	....	10	n.	....	.....	10	ci.n.
15.. .	27·82	27·87	30·0	37·0	44·0	30·0	100	71	N.E.	8	E.	8	T.	....	..	.....	10	ci.n.	....	.. ..	10	ci.n.
16....	27·73	27·51	32·0	38·0	38·0	32·0	100	100	E.	8	N.E.	4	·05	·07	....	....	10	n.	....	.....	10	ci.n.
17....	27·53	27·58	34·0	47·0	48·0	33·0	100	72	N.W.	4	C.	8	·02	·04	....	....	10	n.	....	.....	....	..
18...	27·57	27·41	31·0	58·0	62·0	29·0	100	58	C.	0	S.W.	8	....	....	....	.....	2	s.	2	ci.s.	6	ci.s.
19..	27·51	27·70	55·0	49·0	58·0	44·0	93	51	N.W.	12	N.W.	4	.....	.....	.....	.....	8	ci.n.	....	ci.s.	6	ci.s.
20....	27·56	27·72	40·0	53·0	57·0	34·0	82	61	W.	4	C.	0	T.	....	..	.....	10	ci.n.	..	.....	8	ci.n.
21....	27·73	27·57	35·0	56·0	60·0	34·0	100	62	C.	0	N.W.	12	...	..	....	....	10	s.	....	ci.s.	8	ci.n.
22....	27·54	27·28	49·0	74·0	77·0	43·0	85	36	S.W.	4	N.W.	20	...	....	....	...	10	cu.s.	....	.....	3	cu.
23..	27·48	27·63	52·0	60·0	74·0	48·0	73	42	N.W.	12	N.W.	4	.....	.....	...	...	6	ci.n.	3	ci.cu.	2	cu.
24....	27·70	27·80	32·0	57·0	61·0	32·0	100	41	C.	0	N.W.	8	..	..	....	....		..	....	ci.s.	3	ci.s.
25..	27·92	27·88	31·0	50·0	57·0	30·0	100	72	N.	4	E.	4	....	....	...	....	2	s.	....	ci.cu.	6	cu.
26....	27·85	27·67	41·0	52·0	60·0	39·0	91	79	E.	8	E.	8	....	....	..	..	19	ci.n.	....	...	....	.. ..
27....	27·67	27·74	35·0	51·0	58·0	33·0	100	53	N.W.	8	N.E.	8	....	....	....	ci.cu.	6	cu.	....	.....	3	cu.s.
28....	27·85	27·71	25·0	46·0	52·0	25·0	100	62	C.	0	E.	8	....	....	....	....	2	s.	....	.. ..	....	..
29....	27·53	27·41	31·0	59·0	65·0	31·0	100	57	S.	8	C.	0	..	....	....	.....	1	s.	....	...	9	cu.s.
30....	27·36	27·19	42·0	65·0	72·0	41·0	91	49	C.	8	C.	8	..	....	....	.. ..	4	cu.s.	....	.....	10	n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	5 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·30	27·51	47·0	44·0	65·0	44·0	62	60	N.W.	16	N.W.	16	....	....	.....	.....	10	n.	....	ci.	6	cu.s.
2	27·69	27·61	24·0	52 0	56·0	23·0	100	41	C.	0	S.W.	8	....	....	.....	....	1	s.	....	ci.s.	1	s.
3	27·59	27·48	42·0	57·0	60·0	37·0	58	81	C.	0	N.W.	8	..	....	.....	....	8	cu.s.	2	ci.	3	cu.
4	27·70	27·50	46·0	63·0	67·0	44·0	77	47	C.	8	S.E.	8	....	..	3	ci.s.	4	cu.s.	3	ci.s.	2	cu.s.
5	27·46	27·53	53·0	48·0	63·0	48·0	63	93	C.	0	N.W.	8	....	·02	....	.....	6	cu.	....	.....	10	n.
6	27·70	27·73	36 0	56·0	60·0	35·0	90	74	C.	0	S.W.	4	R.	....	..	.....	....	...	2	ci.	5	cu.s.
7	27·50	27·51	40·0	46·0	65 0	39·0	100	62	C.	0	N.W.	28	....	·14	....	...	8	n.	....	.....	10	n.
8	27·84	28·83	42·0	50·0	56·0	41 0	50	45	N.W.	6	N.W.	4	...	....	....	..	....	....	2	ci.s.	....	....
9	27 83	27 78	38·0	58·0	64·0	37·0	72	53	S.W.	4	C.	0	....	....	...	...	5	s.	2	ci.s.	4	cu.s.
10	27·88	27·85	48·0	63 0	64·0	48·0	100	52	C.	0	C.	0	R.	....	.....	.....	4	cu.s.	2	ci.s.	....	....
11	27·84	27·61	39 0	65·0	74·0	37·0	82	44	S.	4	S.E.	12	....	....	..	.....	....	.....	....	.....	....	.....
12	27·58	27·61	38·0	63·0	68 0	36·0	81	38	C.	0	N.	4	....	....	.	.....	....	.....	3	ci.s.	2	cu.s.
13	27·75	27·73	39 0	56·0	63·0	38·0	73	51	C.	0	S.E.	8	....	....	.....	...	3	cu.s.	....	ci.s.	2	s.
14	27·63	27 55	39·0	58·0	66·0	38·0	81	48	S.	8	S.	8	....	....	...	.....	9	cu.s.	....	.....	7	cu.s.
15	27 49	27·59	55·0	53·0	61·0	43·0	56	54	N.W.	20	S.W.	4	....	....	.....	.....	6	cu.	....	.....	9	cu.s.
16	27·64	27·71	33·0	34·0	53·0	29·0	70	52	N.W.	4	N.W.	8	....	....	....	...	1	cu.	....	...	1	s.
17	28·15	27·94	17·0	42·0	48 0	15·0	83	50	S.E.	4	C.	0	....	....	...	....	....	.....	....	....	4	s.
18	27·77	27·82	27·0	56·0	62·0	27·0	100	40	S.	4	N.W.	4	....	....	....	.....	1	s.	....	.....	2	cu.s.
19	27·89	27·79	27 0	59·0	58·0	26 0	88	57	C.	0	S.E.	8	....	....	....	.....	....	....	....	.....	....	.....
20	27 62	27·49	32·0	64·0	69 0	31·0	79	39	C.	0	C.	0	..	....	....	.....	....	.....	....	.....	2	cu.s.
21	27·71	27·67	45·0	58 0	64·0	44·0	76	58	W.	4	C.	0	...	....	2	ci.s.	2	s.	....	.. ...	2	s.
22	27·62	27·41	36 0	60·0	76·0	36·0	90	55	C.	0	C.	0	....	....	....	.....	....	..	....	.....	1	cu.s.
23	27·63	27·75	45·0	49 0	60·0	44 0	68	47	N.W.	8	N.W.	8	....	....	....	.....	1	s.	....	... .	....	.....
24	27·95	27·75	24·0	46·0	57·0	22·0	100	54	C.	0	S.E.	12	....	....	2	ci.s.	2	s.	....	.....	....	.....
25	27·49	27·57	39·0	48·0	56·0	38·0	39	49	C.	0	N.W.	8	....	....	...	.....	10	cu.s.	...	.....	3	cu.
26	27·85	27·72	26·0	38·0	48·0	26·0	100	63	N.W.	4	S.E.	12	...	....	....	..	....	..	...	.....	3	s.
27	27·59	27·61	26·0	52·0	57·0	26·0	100	66	C.	0	C.	0	....	....	....	.....	2	s.	1	ci.cu.	1	s.
28	27·59	27·52	29·0	49·0	52·0	28·0	89	70	C.	0	S.E.	12	....	....	....	...	....	.....	..	.....	....	.....
29	27·49	27·37	31·0	49·0	55·0	30·0	100	70	S.E	4	C.	0	....	....	....	.....	....	.....	....	.....	2	cu.s.
30	27·38	27 34	35 0	45·0	49·0	32·0	90	76	C.	0	C.	0	·03	..	..	.. ..	10	cu.n.	..	.....	10	cu.n.
31	27·38	27·39	31 0	43·0	52·0	30 0	100	75	C.	0	C.	0	....	....	....	.....	....	.....	..	.....	5	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									6 a.m.		6 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	6 a.m.	6 p.m.	6 a.m.	6 p.m.	Max.	Min.	6 a.m.	6 p.m.	Dir.	Vel.	Dir.	Vel.	6 a.m.	6 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·71	27·47	27·0	43·0	55·0	26·0	100	59	W.	4	S.E.	12									4	cu.s.
2	27·15	27·54	39·0	34·0	43·0	34·0	73	90	S.E.	3	W.	3		·06			8	cu.s.			2	cu.s.
3	27·33	27·52	29·0	34·0	41·0	26·0	89	89	S.W.	8	C.	8					6	cu.s.			6	s.
4	27·33	27·53	42·0	50·0	53·0	31·0	58	52	N.W.	4	N.W.	16					10	cu.n.				
5	27·61	27·45	36·0	46·0	56·0	32·0	61	77	S.W.	8	C.	0					5	cu.s.			7	cu.s.
6	27·39	27·56	40·0	36·0	46·0	34·0	100	61	N.W.	8	N.W.	8	·05	R.			10	n.				
7	27·69	27·53	21·0	36·0	45·0	19·0	100	80	C.	0	S.W.	8					1	cu.s.			8	s.
8	27·74	27·86	35·0	39·0	45·0	33·0	80	67	W.	8	C.	0					4	cu.s.			10	cu.n.
9	28·04	28·16	29·0	31·0	39·0	29·0	100	100	N.W.	8	N.W.	4										
10	28·08	27·92	28·0	37·0	46·0	22·0	100	71	S.E.	4	S.E.	8					6	cu.s.				
11	27·94	27·75	23·0	41·0	48·0	22·0	100	82	C.	0	S.W.	4							1	ci.n.		
12	27·91	28·09	24·0	27·0	41·0	24·0	100	100	N.W.	8	N.	8									10	cu.n.
13	27·93	27·79	21·0	28·0	29·0	19·0	100	100	E.	1	S.	12					10	cu.n.			10	cu.n.
14	27·74	27·84	19·0	22·0	28·0	17·0	100	100	N.W.	8	W.	5									10	cu.n.
15	27·69	27·60	28·0	41·0	49·0	22·0	100	73	S.W.	4	W.	4									10	s.
16	27·35	27·50	37·0	38·0	47·0	35·0	71	63	S.W.	4	N.W.	8					6	s.			1	cu.s.
17	27·65	27·63	21·0	34·0	38·0	20·0	100	61	C.	0	S.E.	8									9	s.
18	27·65	27·17	22·0	37·0	41·0	22·0	100	62	S.W.	4	S.	12									10	cu.n.
19	27·08	27·14	33·0	33·0	43·0	32·0	100	100	C.	0	W.	4		S.			10	cu.s.			5	cu.s.
20	27·28	27·32	23·0	34·0	42·0	22·0	100	61	C.	0	C.	0			1	ci.s.	3	cu.s.			3	cu.s.
21	27·39	27·23	23·0	24·0	44·0	21·0	100	61	C.	0	S.	8			1	ci.	1	s.			10	cu.s.
22	27·01	27·15	34·0	39·0	43·0	27·0	61	64	S.	12	W.	4					8	cu.s.			10	cu.n.
23	27·36	27·16	23·0	30·0	42·0	22·0	100	78	S.W.	4	S.E.	4					10	cu.s.			10	cu.n.
24	27·20	27·34	22·0	34·0	40·0	22·0	100	71	W.	4	S.W.	4					1	cu.			4	cu.s.
25	27·59	27·51	24·0	31·0	34·0	22·0	100	100	S.W.	4	S.E.	8			2	ci.s.	2	cu.s.			10	s.
26	26·99	27·40	31·0	36·0	40·0	30·0	100	90	C.	0	N.W.	12			1	ci.s.	2	cu.s.			8	cu.s.
27	27·59	27·68	27·0	24·0	36·0	24·0	100	100	S.W.	12	C.	0									3	k.
28	27·72	27·51	11·0	31·0	32·0	8·0	100	100	C.	0	S.E.	8					1	cu.s.			10	cu.n.
29	27·68	27·74	32·0	37·0	38·0	32·0	100	99	C.	0	S.E.	4					10	cu.n.			10	cu.n.
30	27·65	27·50	31·0	40·0	45·0	30·0	100	82	S.W.	4	C.	0					5	cu.s.			9	s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Edmonton, Alberta—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 p.m.		8 a.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·84	27·97	32·0	28·0	40·0	28·0	100	100	C.	0	C.	0	....	..	..	.....	.....	.....	.....	.....	1	s.
2	27·96	27·80	18·0	31·0	32·0	16·0	100	100	E.	4	E.	4	....	....	....	.....	....	....	.....	. ...	10	s.
3	27·58	27·52	27·0	42·0	47·0	23·0	100	66	S.W.	8	S.E.	4	....	....	....	.....	10	s.	.....	.....	9	cu.s.
4	27·57	26·99	34·0	47·0	59·0	31·0	79	62	S.E.	4	S.E.	4	....	....	....	.....	2	cu.	.....	.....	2	cu.s.
5	26·94	27·26	37·0	37·0	48·0	34·0	65	53	S.W.	4	N.W.	12	....	....	....	.....	10	n.	.....	.....	3	cu.s.
6	27·38	27·38	25·0	27·0	37·0	24·0	87	100	W.	4	C.	0	....	....	....	.....	....	....	.....	.....	2	s.
7	27·30	27·45	16·0	20·0	27·0	11·0	100	100	N.E.	4	N.	8	....	·03	....	.....	8	cu.s.	.....	.....	10	n.
8	27·87	27·88	13·0	17·0	23·0	6·0	100	100	N.W.	8	S.E.	12	12	....	....	.....	10	cu.n.	.....	.....	....	....
9	27·55	27·50	17·0	24·0	26·0	13·0	100	100	S.E.	12	S.W.	8	....	..	....	.....	...	.....	.....	.....	6	cu.s.
10	27·45	27·30	17·0	28·0	32·0	16·0	100	100	C.	0	S.E.	4	...	....	....	.....	....	.....	.....	.. ...	6	cu.s.
11	27·19	27·18	19·0	22·0	28·0	18·0	100	100	C.	0	S.	4	....	....	....	.....	3	s.	.....	.....	10	s.
12	27·21	27·36	21·0	28·0	30·0	16·0	100	100	C.	0	C.	0	....	....	....	....	2	cu.s.	.....	.....	3	cu.s.
13	27·17	27·37	10·0	22·0	28·0	9·0	100	100	C.	0	N.	4	...	...	....	.....	3	cu.s.	.....	.....	10	cu.n.
14	27·66	27·82	23·0	24·0	26·0	21·0	100	100	N.W.	4	N.	4	·01	·01	....	.....	10	k.n.	...	.....	10	cu.n.
15	27·84	27·82	21·0	21·0	24·0	20·0	100	100	C.	0	C.	0	·02	·06	....	....	10	n.	...	.....	10	n.
16	27·89	27·92	16·0	16·0	21·0	15·0	160	100	C.	0	C.	0	·04	S.	....	.....	10	n.	....	....	....	.....
17	27·74	27·65	−3·0	12·0	16·0	−4·0	100	100	S.W.	S	C.	0	....	....	....	.....	....	....	.....	.....	....	.....
18	27·58	27·55	16·0	28·0	32·0	4·0	100	100	S.W.	4	W.	12	....	..	....	....	....	.....	4	ci.s.	2	cu.s.
19	27·53	27·41	15·0	19·0	28·0	14·0	160	100	S.W.	4	S.E.	4	....	....	....	.....	2	cu.s.	.....	....	2	cu.s.
20	27·34	27·33	−1·6	28·0	33·0	−2·0	100	100	S.W.	4	S.W.	8	....	..	....	.....	2	cu.s.	2	ci.s.	3	cu.s.
21	27·10	27·28	28·0	38·0	40·0	23·0	100	63	S.	4	W.	16	....	....	...	....	*10	n.	.....	..	1	s.
22	27·37	27·33	28·0	31·0	38·0	27·0	100	100	S.W.	4	C.	0	....	....	....	.....	9	n.	.....	.....	10	cu.s.
23	27·51	27·39	29·0	23·0	31·0	23·0	100	100	W.	8	C.	0	·04	....	..	....	8	cu.s.	.....	.....	10	cu.n.
24	27·19	27·43	12·0	4·0	23·0	4·0	100	100	N.E.	8	S.	4	·04	·02	....	.....	10	n.	....	....	....	.....
25	27·21	27·01	6·0	11·0	14·0	4·0	100	100	S.E.	4	S.	8	·05	....	....	.....	2	s.	.....	...	2	cu.s.
26	26·95	27·29	7·0	3·0	11·0	3·0	100	100	N.E.	8	N.E.	4	·01	·08	....	....	10	n.	.....	..	....	.....
27	27·36	27·34	−6·0	7·0	8·0	−8·0	100	100	C.	0	S.W.	3	..	....	....	.....	10	cu.	.....	.....	4	cu.s.
28	27·28	27·44	−9·0	15·0	27·0	0·0	100	100	S.W.	8	N.E.	4	....	....	....	.....	10	s.	.....	.. ..	6	cu.s.
29	27·51	27·63	12·0	16·0	25·0	1·0	100	100	S.W.	4	W.	4	....	....	....	...	10	cu.s.	.....	....	1	cu.s.
30	27·62	27·53	2·0	7·0	16·0	−2·0	100	100	W.	4	C.	0	....	....	....	...	3	cu.	.....	.....	.....	.....
31	27·46	27·51	13·0	3·0	7·0	18·0	100	100	C.	0	C.	0	....	...	....	.....	.....	.....	.....	.....	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan: Latitude North, 50° 20′; Longitude West, 107° 45′. Height above Sea, 2,439 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·40	27·36	— 2·0	— 2·0	0·0	— 3·0	66	66	N.E.	10	E.	6	·04	·10	....	....	10	s.	....	....	10	n.
2	27·38	27·44	—12·0	—22·0	— 2·0	—22·0	50	100	N.W.	8	C.	0	·06	..	....	....	8	s.	....	....	....	....
3.	27·43	27·01	—29·0	0·0	0·0	—32·0	100	70	C.	0	S.E.	12	..	..	....	....	..	..	....	....	4	s.
4	27·10	27·32	—14·0	—14·0	0·0	—16·0	44	44	N.W.	14	N.W.	8	·20	....	....	....	10	s.	....	....	4	.
5.	27·39	27·27	—14·0	—13·0	— 9·0	—16·0	44	46	N.W.	4	W.	8	..	....	....	....	6	s	....	....	....	....
6	27·34	27·53	—19·0	—18·0	—10·0	—22·0	68	100	S.W.	4	C.	0	....	....	....	....	....	....	....	....	....	....
7	27·59	27·76	—15·0	— 9·0	— 8·0	25·0	42	56	N.E.	8	N.W.	12	....	·04	....	....	8	s.	..	....	6	s.
8	27·90	27·75	— 8·0	—10·0	— 5·0	—10·0	58	52	W.	10	S.W.	10	....	....	....	....	8	s.	....	....	1	cu.
9	27·52	27·19	3·0	17·0	19·0	10·0	72	66	N.W.	12	W.	12	....	....	....	....	....	....	..	....	1	s.
10	27·37	27·18	18·0	12·0	26·0	12·0	84	81	N.	12	S.E.	10	....	·04	....	....	8	s.	..	....	10	n.
11	27·07	27·43	6·0	0·0	12·0	0·0	76	100	N.E.	28	N.W.	8	·10	·10	....	....	10	n.	....	....	6	s.
12	27·51	27·47	—26·0	—15·0	0·0	—26·0	100	52	C.	0	C.	0	....	....	....	....	....	....	....	....	1	s.
13	27·55	27·76	—24·0	—32·0	—15·0	—32·0	100	100	N.W.	8	W.	4	....	....	....	....	....	....	....	....	....	....
14	27·86	27·70	—41·0	—30·0	—25·0	—41·0	100	100	C.	0	C.	0	..	....	..	....	....	....	....	....	....	..
15	27·25	27·37	—25·0	—23·0	—14·0	—30·0	100	100	S.W.	28	C	0	..	....	....	....	....	....	....	....	....	....
16	27·43	27·35	—34·0	—18·0	—10·0	—34·0	100	34	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
17	27·31	27·10	—23·0	— 6·0	— 5·0	—23·0	100	60	C.	0	S.W.	8	....	....	..	....	....	....	....	....	1	s.
18	26·92	26·85	1·0	0·0	10·0	— 6·0	70	70	S.W.	4	W.	4	....	....	....	....	2	s.	....	....	3	s.
19	27·32	27·55	—16·0	—21·0	0·0	21·0	40	100	N.W.	16	N.W.	14	·04	....	.	....	3	s.	....	....	....	....
20	27·58	27·33	—27·0	— 3·0	— 3·0	30·0	100	66	C.	0	S.E.	10	....	·02	....	....	....	....	....	....	8	s.
21	27·57	27·83	—10·0	— 2·0	11·0	—10·0	54	66	N.	4	S.E.	4	....	·02	....	....	3	s.	....	....	8	s.
22	27·64	27·50	6·0	23·0	23·0	5·0	76	72	S.	22	C.	0	....	....	....	....	6	s.	....	....	4	cu.
23	27·25	27·69	25·0	5·0	26·0	5·0	74	74	W.	12	N.W.	20	....	·20	....	....	3	s.	....	....	10	n.
24	27·85	27·81	—12·0	—11·0	5·0	—15·0	50	52	N.W.	16	N.W.	18	·02	....	....	....	1	s.	....	....	....	....
25	27·57	27·53	—12·0	— 5·0	3·0	—18·0	50	62	N.	4	W.	14	..	....	....	....	....	....	....	....	6	s.
26	27·52	27·51	— 2·0	—13·0	0·0	—13·0	66	46	W.	8	W.	8	·04	....	....	....	20	s.	....	....	....	....
27	27·77	27·77	—26·0	—24·0	—13·0	—28·0	100	100	W.	6	W.	4	....	....	..	....	....	....	..	....	....	....
28	27·72	27·67	—28·0	—16·0	—15·0	—30·0	100	40	C.	0	W.	6	....	....	....	....	....	....	....	....	8	s.
29	27·75	27·66	—16·0	— 9·0	— 7·0	—18·0	40	56	C.	0	S.	4	..	..	....	....	5	s.	..	....	10	s.
30	27·48	27·48	—12·0	—12·0	— 1·0	—12·0	50	50	C.	0	C.	0	..	..	....	....	3	s.	....	....	3	s.
31	27·08	26·94	— 2·0	5·0	24·0	14·0	66	74	S.	16	W.	10	....	....	....	....	6	s.	....	..	4	s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·28	27·68	— 9·0	—18·0	5·0	—18·0	56	100	N.W.	8	N.W.	16	·04	·14	....	.....	6	s.	....	.....	3	n.
2....	27·86	27·88	—34·0	—32·0	—18·0	—34·0	100	100	W.	2	W.	4	....	....	....	....	....	.....	....	.....	....	.....
3....	27·86	27·67	—41·0	—29·0	—24·0	—41·0	100	100	C.	0	C.	0	....	....	....	.....	....	....	....	.....	....	.....
4....	27·53	27·33	—28·0	—22·0	—18·0	—34·0	100	100	S.	2	S.	14	....	....	....	.....	....	.....	....	....	....	.....
5....	27·38	27·16	—28·0	— 2·0	0·0	—28·0	100	66	W.	2	E.	6	....	·02	....	.....	....	.....	....	....	10	n.
6....	27·46	27·41	— 2·0	14·0	14·0	— 5·0	66	64	W.	8	S.	14	·02	....	....	.....	10	s.	....	.....	4	cu.
7....	27·52	27·25	16·0	38·0	38·0	8·0	70	62	C.	0	W.	26	....	....	....	.....	5	s.	....	.....	8	s.
8....	27·29	27·31	35·0	34·0	40·0	34·0	80	78	C.	0	W.	12	....	....	....	.....	9	s.	....	.....	6	s.
9....	27·58	27·72	29·0	28·0	35·0	28·0	78	66	N.W.	8	W.	8	....	....	....	....	2	s.	....	.....	1	s.
10....	27·56	27·51	30·0	36·0	38·0	16·0	68	70	S.W.	16	S.W.	4	....	....	....	.....	....	.....	....	.....	4	s.
11....	27·47	27·39	32·0	29·0	37·0	26·0	78	66	N.W.	12	S.W.	4	....	....	1	ci.	1	s.	....	.....	1	s.
12....	27·37	27·22	18·0	37·0	42·0	15·0	84	70	S.W.	2	W.	12	....	....	....	.....	....	.....	....	.....	4	cu.
13....	27·65	27·64	20·0	32·0	37·0	18·0	84	68	N.W.	6	S.W.	4	....	....	....	.....	....	.....	....	.....	....	.....
14....	27·55	27·46	28·0	35·0	41·0	25·0	76	70	N.W.	8	W.	6	....	....	....	.....	....	.....	....	.....	2	s.
15....	27·50	27·45	31·0	34·0	40·0	29·0	78	70	N.W.	10	W.	6	....	....	....	.....	1	cu.	....	.....	3	s.
16....	27·43	27·25	35·0	36·0	40·0	30·0	80	62	N.W.	10	S.W.	10	....	....	....	.....	1	s.	....	....	....	.....
17....	27·14	27·32	33·0	28·0	40·0	28·0	80	88	S.W.	10	N.W.	26	....	S.	....	.....	....	.....	....	.....	10	n.
18....	27·25	27·21	18·0	32·0	35·0	16·0	84	78	N.W.	18	W.	6	....	....	....	.....	1	s.	....	.....	9	s.
19....	27·37	27·44	14·0	15·0	32·0	14·0	82	82	S.E.	6	N.	8	....	02	....	.....	10	s.	....	.....	10	s.
20....	27·41	27·52	7·0	4·0	15·0	1·0	76	74	E.	20	E.	6	·08	....	....	.....	10	n.	....	.....	4	s.
21....	27·47	27·26	3·0	18·0	20·0	— 2·0	72	68	S.	11	S.E.	8	....	....	....	.....	3	s.	....	.....	8	s.
22....	27·18	27·10	14·0	26·0	33·0	14·0	82	76	S.	6	S.	12	....	....	....	.....	2	s.	....	.....	3	s.
23....	26·95	27·49	28·0	25·0	40·0	22·0	66	86	S.W.	26	N.W.	20	....	....	....	.....	1	s.	....	.....	2	cu.
24....	27·53	27·28	12·0	22·0	25·0	8·0	60	62	S.E.	12	S.E.	30	....	....	....	.....	1	s.	....	.....	8	s.
25....	27·34	27·63	13·0	0·0	28·0	0·0	80	70	N.W.	20	N.W.	18	....	·04	....	.....	10	s.	....	.....	9	s.
26....	27·75	27·58	—12·0	— 5·0	0·0	—12·0	50	62	C.	0	S.E.	29	....	....	....	.....	3	s.	....	.....	6	cu.
27....	27·43	27·48	— 8·0	2·0	10·0	—12·0	58	72	S.E.	4	N.W.	6	....	....	....	.....	1	cu.	....	.....	2	cu.
28....	27·48	27·35	— 8·0	9·0	14·0	— 8·0	58	56	C.	0	S.	18	....	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							n.	in.								
1	27·22	27·22	6·0	12·0	19·0	4·0	52	60	S.W.	16	W.	8	....	....	...	.....	3	cu.	....	.....	1	cu.
2	27·38	27·43	6·0	20·0	24·0	2·0	76	70	W.	10	W.	12	·02	....	....	...	10	s.	....	.....	5	s.
3	27·47	27·47	6·0	24·0	30·0	6·0	76	74	N.W.	2	S.W.	2	....	....	....	.....	5	cu.	....	.....	1	cu.
4	27·58	27·51	10·0	22·0	28·0	7·0	58	72	W.	8	C.	0	....	....	....	..	1	s.	....	..	....	....
5	27·45	27·15	12·0	26·0	30·0	11·0	60	74	S.W.	8	S.	18	....	....	....	....	....	....	....	ci.	3	cu.
6	27·08	27·41	20·0	22·0	32·0	20·0	70	72	W.	6	W.	12	....	....	....	....	1	s.	....	....	6	s.
7	27·42	27·47	10·0	30·0	36·0	10·0	78	68	C.	0	C.	0	....	....	....	..	....	....	....	ci.	3	s.
8	27·61	27·76	17·0	18·0	30·0	15·0	66	68	C.	0	N.E.	10	....	....	....	.....	5	s.	....	....	8	s.
9	27·76	27·50	12·0	16·0	21·0	8·0	60	66	C.	0	S.	14	....	....	....	.....	3	s.	....	.....	....	.....
10	27·19	27·22	19·0	17·0	28·0	16·0	68	66	S.W.	20	N.W.	12	....	..	....	...	....	.....	....	.....	4	cu.
11	27·32	27·37	12·0	17·0	22·0	12·0	82	82	N.W.	12	N.W.	6	·04	·04	....	.....	10	n.	....	.....	10	n.
12	27·36	27·34	5·0	9·0	17·0	4·0	74	56	C.	0	S.	4	....	....	....	.....	8	s.	....	.. ..	1	s.
13	27·19	27·16	6·0	18·0	23·0	0·0	76	68	S.W.	4	W.	4	....	....	....	.....	5	s.	2	ci.	1	s.
14	27·24	27·29	7·0	21·0	26·0	7·0	76	70	W.	6	S.E.	10	....	....	....	.....	4	cu.s.	....	.. ..	9	s.
15	27·13	27·12	23·0	26·0	38·0	16·0	72	74	S.	2	W.	26	....	....	....	.....	8	s.	....	.. ..	5	cu.
16	27·38	27·37	0·0	18·0	26·0	0·0	70	68	C.	0	W.	2	....	....	....	.....	1	s.	....	.....	1	cu.
17	27·61	27·46	0·0	20·0	23·0	0·0	70	70	C.	0	S.E.	22	....	....	....	.....	1	s.	....	.....	6	s.
18	26·99	27·09	22·0	21·0	34·0	18·0	72	70	E.	8	N.W.	20	....	....	....	. .	8	s.	....	.....	8	cu.s.
19	27·38	27·14	2·0	28·0	31·0	2·0	72	66	C.	0	S.	10	....	....	..	.....	....	.....	....	.....	....	.....
20	26·86	26·94	36·0	37·0	45·0	26·0	72	62	S.W.	22	C.	0	....	....	....	.....	4	s.	....	.....	4	s.
21	26·76	26·90	35·0	32·0	37·0	32·0	98	78	C.	0	W.	4	·02	·60	....	.....	10	cu.n.	....	.... ..	1	s.
22	26·92	27·03	23·0	35·0	42·0	23·0	86	54	S.	4	S.	4	....	....	....	...	1	cu.	1	ci.	....	.....
23	27·05	27·60	27·0	39·0	40·0	22·0	76	90	S.W.	6	C.	0	....	....	....	....	6	cu.	....	.....	10	s.
24	27·10	27·29	30·0	22·0	39·0	22·0	88	72	W.	6	N.W.	6	R.	....	....	.. .	5	s.	.	.....	10	s.
25	27·50	27·58	8·0	6·0	25·0	6·0	78	76	N.E.	10	N.E.	6	....	·10	....	....	9	s.	....	.....	10	s.
26	27·44	27·23	8·0	10·0	14·0	6·0	78	78	N.E.	6	N.W.	4	....	·02	....	.....	10	s.	....	....	10	s.
27	27·05	26·96	9·0	26·0	29·0	3·0	78	62	C.	0	C.	0	..	....	....	.....	1	s.	....	.....	....	....
28	26·94	27·22	25·0	22·0	30·0	12·0	74	72	N.	8	N.W.	10	....	.. .	....	.....	5	cu.	2	ci.	3	s.
29	27·47	27·61	8·0	12·0	22·0	6·0	78	60	C.	0	W.	2	....	02	....	....	3	s.	....	.....	....	.....
30	27·84	27·87	0·0	12·0	14·0	0·0	70	60	C.	0	S.E.	12	....	....	3	ci.cu.	3	s.	....	....	3	s.
31	27·55	27·19	11·0	36·0	39·0	10·0	60	60	S.W.	10	S.	20	....	....	..	.....	3	s.	....	.....	8	s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·27	27·45	31·0	34·0	40·0	31·0	78	70	N.W	16	C.	0	..	....	....	.....	9	s.	....	.....	.....	...
2....	27·39	27·35	26·0	38·0	40·0	24·0	74	54	S.E.	8	C.	0	....	....	....	....	8	k.	1	ci.	2	s.
3....	27·33	27·49	28·0	26·0	38·0	26·0	88	88	C.	0	C.	0	·06	·30	....	.....	10	n.	....	....	10	n.
4....	27·50	27·25	21·0	30·0	32·0	18·0	70	78	S.E.	14	S.	18	...	...	..	.....	8	s.	..	.....	8	s.
5....	26·95	26·86	35·0	39·0	42·0	28·0	70	64	S.	20	S.W	4	....	..	....	.....	6	cu.s.	1	ci.	1	cu.
6....	26·89	27·01	26·0	33·0	41·0	26·0	74	80	S.W.	6	C.	0	....	....	....	.....	8	cu.	..	....	10	s.
7....	27·20	27·46	27·0	32·0	38·0	27·0	88	78	N.W.	8	N.W.	6	..	·02	....	.. .	9	s.	....	.....	8	cu.
8....	27·48	27·23	21·0	46·0	48·0	20·0	70	54	C.	0	C.	....	...	....	..	....	3	s.	1	ci.	1	k.
9 ...	27·46	27·16	28·0	38·0	46·0	28·0	76	80	C.	0	S.E.	18	...	....	....	....	10	s.	....	.....	5	cu.s.
10....	26·96	27·16	35·0	36·0	46·0	35·0	80	80	N.W.	16	N.W.	36	..	....	...	.....	6	cu.	...	....	8	cu.
11....	27·56	27·82	21·0	27·0	36·0	21·0	86	88	N.W.	24	N.W.	20	·04	....	....	.....	10	n.	....	....	8	cu.s.
12....	27·83	27·79	16·0	32·0	34·0	14·0	82	78	C.	0	C.	0	....	....	....	....	....	.....	....	....	..	.....
13 ...	27·69	27·44	19·0	36·0	39·0	19·0	68	60	S.	4	S.	10	....	....	..	....	1	s.	2	ci.	....	.....
14....	27·10	27·20	30·0	26·0	45·0	26·0	68	88	C.	0	N.	20	....	·10	..	.....	6	cu.	....	.....	10	cu.
15....	27·65	27·74	10·0	18·0	26·0	10·0	78	68	C.	0	E.	4	·02	....	....	.....	....	.....	....	.....	..	..
16....	27·70	27·44	10·0	28·0	30·0	8·0	78	66	S.E.	4	S.E.	14	..	....	....	.	....	.....	....	.....	8	s.
17 ...	27·24	27·27	25·0	33·0	34·0	25·0	86	80	S.E.	16	S.E.	4	·04	...	....	.....	10	n.	....	.	10	s.
18....	27·41	27·58	26·0	28·0	34·0	26·0	88	76	N.E.	4	C.	0	·10	·02	....	....	10	n.	....	....	10	s.
19....	27·75	27·80	25·0	37·0	39·0	25·0	74	70	N.W.	2	W.	6	....	....	....	.....	10	s.	....	..	1	s.
20 ...	27·75	27·45	19·0	43·0	46·0	19·0	84	66	C.	0	S.	10	..	...	....	.....	.	.....	2	ci.	2	s.
21....	27·38	27·39	37·0	45·0	50·0	32·0	80	68	N.W	8	C.	0	....	....	..	....	2	cu.	....	.....	8	s.
22....	27·37	27·41	34·0	40·0	48·0	34·0	78	64	C.	0	N.E.	6	....	....	....	....	4	s.	....	.....	5	cu.
23....	27·49	27·49	25·0	36·0	40·0	22·0	74	70	C.	0	N.W.	8	....	..	....	....	3	s.	....	.. .	5	cu.
24 ...	27·62	27·59	24·0	31·0	36·0	22·0	74	68	N.W.	6	N.	6	....	...	....	....	1	s.	3	ci	....	..
25 ...	27·50	27·36	22·0	33·0	36·0	20·0	72	80	C.	0	E.	6	....	....	...	.....	7	cu.	....	.....	10	s.
26. ..	27·47	27·68	19·0	17·0	33·0	15·0	84	66	N.W.	10	N.	6	·28	....	....	..	10	n.	....	.....	3	cu.
27 ..	27·71	27·63	14·0	24·0	28·0	12·0	82	74	C.	0	E.	4	..	...	....	.....	3	s.	....	.....	3	s.
28....	27·63	27·57	16·0	35·0	35·0	14·0	68	62	C.	0	S.W.	2	....	....	....	.....	....	.....	....	....	2	cu.
29....	27·44	27·34	23·0	52·0	53·0	21·0	72	72	C.	0	N.	2	....	....	....	.....	1	s.	....	. .	4	cu.
30....	27·45	27·40	27·0	51·0	54·0	25·0	64	64	W.	4	N.	8	....	....	....	.....	1	s.	....	....	4	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Cloud.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·66	27·72	22·0	31·0	51·0	22·0	72	78	N.E.	10	N.	10	....	....	....	.....	1	s.	....	.....	3	cu.
2	27·81	27·72	18 0	36·0	40·0	14·0	68	60	C.	0	N.	6	...	....	....	..	....	....	1	ci.	2	cu.
3	27·70	27·50	21·0	43·0	45·0	18·0	70	66	C.	0	N.W	4	....	....	....	....	....	....	....	.....	7	cu.
4	27·43	27·42	29·0	38·0	43·0	26·0	88	72	C.	0	N.	13	....	....	....	....	8	cu.	....	....	11	s.
5	27·37	27·43	23·0	36·0	46·0	19 0	72	54	S.	4	N.	18	....	....	....	.....	3	cu.	3	ci.	....	.....
6	27·55	27·40	16·0	37 0	38·0	12·0	66	70	C.	0	S.	8	....	..	....	....	7	cu.	....	.....	10	cu.s.
7	27·25	27·18	33·0	56·0	57·0	30·0	80	74	C.	0	C.	0	·02	....	....	....	8	cu.	....	.....	8	cu.
8	27·31	27·48	33·0	32 0	58·0	30·0	80	90	C.	0	N.	11	·01	·02	....	.. .	3	cu.	...	..	10	n.
9	27·61	27·63	24·0	25·0	32·0	24·0	74	86	E.	6	E.	8	....	·06	....	.....	10	s.	....	....	10	s.
10	27·45	27·12	27·0	44·0	44·0	22·0	88	84	S.E.	24	S.E.	10	....	...	....	.....	10	s.	...	...	9	s.
11	26·93	27·03	45 0	54 0	56 0	39·0	84	74	S.W.	6	N.W.	18	...	....	....	....	8	s.	....	.....	8	cu.s.
12	27·17	27·36	30·0	34·0	54·0	28·0	78	78	N.W.	10	N.	14	....	....	....	.....	9	cu.	....	.....	10	cu.
13	27·55	27·37	30·0	43·0	45·0	30·0	88	74	N.	6	C.	0	·02	....	....	.....	10	n.	...	.....	3	cu.
14	27·55	27·38	26·0	63·0	64·0	24·0	74	46	C.	0	C.	0	....	....	....	.....	1	s.	....	.....	9	s.
15	27·35	27·26	43 0	65·0	75·0	41·0	74	48	C.	0	N.	10	....	....	4	ci.	....	.....	....	.....	1	cu.
16	27·31	27·32	43·0	57·0	65·0	43·0	82	46	S.W.	2	N.W.	10	·08	...	..	....	10	s.	....	.....	4	cu.
17	27·43	27·47	44·0	53·0	58·0	40·0	84	36	C.	0	N.W.	20	....	....	....	....	8	cu.	....	.....	11	cu.
18	27·58	27·57	32·0	52·0	54·0	29 0	90	34	C.	0	N.	12	....	....	....	.....	....	.....	....	..	1	cu.
19	27·70	27·56	29·0	49·0	52·0	22 0	88	50	C	0	S.E.	16	. .	....	....	. .	....	....	....	.....	7	cu.
20	27·45	27·40	38·0	36·0	19 0	34·0	62	90	S.E.	18	S.E.	16	....	·26	....	.	9	s.	...	.....	10	cu.n.
21	27·38	27·44	40·0	46·0	49 0	36·0	82	68	W.	6	N.W.	18	·34	....	....	....	3	cu.	....	.....	8	cu.
22	27·55	27·64	39·0	42 0	46·0	34·0	90	74	C.	0	N.E.	8	....	....	....	. .	9	cu s.	....	.....	8	cu.
23	27·66	27·65	36·0	49·0	45·0	33·0	90	76	N.E.	2	S.E.	6	....	....	....	...	10	cu.n.	....	.....	10	cu.
24	27·61	27·61	39·0	45·0	46·0	37·0	90	92	N.E.	2	C.	0	·20	·06	...	.....	10	cu.n.	....	.....	10	n.
25	27 61	27·61	42·0	61·0	63·0	41·0	90	34	C.	0	N.E.	16	·10	....	....	.....	10	s.	...	.....	1	cu.
26	27·70	27·57	35·0	64·0	64·0	30·0	80	38	C.	0	C	0	....	....	..	.....	4	cu.	3	ci.	....	.. ..
27	27·46	27·26	45·0	71·0	73·0	42·0	68	40	C.	0	W.	10	....	....	....	...	5	s.	....	....	3	cu.
28	27·25	27·20	48·0	57·0	73·0	46·0	78	68	C.	0	N.	20	. .	·02	....	.....	4	s.	...	....	6	cu.
29	27·38	27·40	41·0	58·0	58 0	40·0	90	64	N.	14	C.	0	....	...	....	.....	10	s.	3	ci.	....	....
30	27·40	27 40	49·0	62·0	67 0	44·0	78	72	C.	0	W.	11	....	·01	....	.....	4	cu.	....	.....	6	cu.s.
31	27·56	27 44	40·0	55·0	62·0	39·0	90	62	N.	8	C.	0	·12	. .	....	.....	10	cu.n.	....	.....	8	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°																
1....	27·17	27·26	48·0	51·0	64·0	46·0	92	64	C.	0	N.W.	16	·02	·01	....	....	9	cu.s.	....	....	9	cu.
2....	27·32	27·28	41·0	55·0	56·0	38·0	82	44	W.	2	N.W.	14	....	R.	....	....	1	cu.n.	....	....	3	cu.
3....	27·25	27·20	42·0	44·0	55·0	40·0	82	60	N.W.	14	N.W.	24	....	R.	....	....	9	cu.	....	....	4	cu.
4....	27·46	27·42	40·0	62·0	63·0	33·0	82	40	N.W.	6	N.W.	4	....	....	....	....	1	cu.	....	....	2	cu.
5....	27·34	27·20	44·0	58·0	69·0	39·0	76	64	S.	6	E.	10	....	....	3	ci.s.	....	....	....	....	9	cu.s.
6....	27·13	27·13	51·0	75·0	76·0	47·0	78	36	S.E.	4	C.	0	....	..	....	....	1	cu.	3	cu.	....	....
7....	27·19	27·10	53·0	73·0	76·0	44·0	86	70	C.	0	E.	6	....	·02	....	....	2	s.	....	....	9	cu.n.
8....	27·18	27·12	56·0	69·0	70·0	56·0	86	56	S.	6	N.W.	4	·10	·02	....	....	9	cu.n.	....	....	9	cu.s.
9....	27·10	27·12	48·0	56·0	70·0	46·0	78	80	C.	0	W.	8	....	·50	....	ci.cu.	5	s.	....	....	9	cu.n.
10....	27·18	27·14	48·0	67·0	70·0	45·0	78	42	W.	10	S.	6	·02	....	....	....	....	....	....	cu.	3	cu.
11....	27·17	27·10	53·0	75·0	78·0	52·0	72	52	C.	0	S.E.	12	..	....	..	....	1	s.	....	ci.cu.	5	ci.s.
12....	27·12	27·06	59·0	75·0	78·0	56·0	70	56	S.	10	S.E.	18	·02	....	....	ci.s.	5	cu.s.	....	....	7	cu.s.
13....	27·07	27·19	61·0	61·0	75·0	55·0	66	58	S.E.	12	S.	12	....	R.	....	....	7	cu.n.	....	....	8	cu.s.
14....	27·35	27·34	50·0	68·0	76·0	43·0	78	60	C.	0	S.E.	8	....	..	4	ci.cu.	....	....	....	....	7	cu.s.
15....	27·23	27·16	55·0	62·0	77·0	52·0	92	88	C.	0	W.	16	·04	R.	....	....	8	cu.s.	....	....	9	cu.n.
16....	27·15	27·24	50·0	62·0	62·0	44·0	90	66	S.	8	W.	8	·06	·10	....	....	1	s.	....	....	8	cu.n.
17....	27·43	27·67	54·0	61·0	64·0	50·0	86	66	W.	16	W.	18	·02	R.	....	....	3	cu.s.	....	....	8	cu.n.
18....	27·78	27·58	48·0	73·0	78·0	42·0	84	50	C.	0	S.	10	....	R.	....	....	....	....	....	ci.s.	6	cu.
19....	27·50	27·34	54·0	72·0	74·0	49·0	86	46	W.	4	N.	4	R.	....	....	....	....	....	3	ci.s	....	....
20....	27·11	27·04	56·0	68·0	80·0	52·0	86	60	S.	8	N.W.	14	....	....	....	....	1	s.	....	....	3	cu.
21....	27·18	27·25	48·0	64·0	68·0	41·0	78	48	C.	0	N.	6	....	....	....	....	....	....	....	....	4	cu.s.
22....	27·36	27·43	52·0	59·0	64·0	50·0	86	58	N.E.	18	E.	16	....	....	....	....	7	cu.s.	....	....	7	cu.n.
23....	27·42	27·45	48·0	59·0	62·0	41·0	78	64	N.E.	10	N.	20	....	....	....	....	6	cu.	....	....	8	cu.n.
24....	27·52	27·53	43·0	68·0	72·0	38·0	92	60	C.	0	C.	0	·02	R.	....	....	5	cu.	....	....	6	cu.
25....	27·61	27·57	50·0	75·0	78·0	41·0	86	44	C.	0	S.	6	....	....	....	....	....	....	....	....	....	....
26....	27·54	27·36	55·0	80·0	84·0	48·0	80	44	C.	0	S.	4	....	....	....	....	....	....	....	....	....	....
27....	27·28	27·29	68·0	70·0	80·0	54·0	60	56	C.	0	N.	6	....	....	1	cu.	....	....	....	ci.cu.	....	....
28....	27·22	27·13	56·0	73·0	78·0	52·0	94	66	C.	0	S.	12	·42	....	....	....	2	s.	..	....	7	s.
29....	27·14	27·20	55·0	55·0	73·0	52·0	92	86	C.	0	N.	8	·02	·18	....	....	7	s.	....	....	8	cu.s.
30....	27·35	27·43	50·0	62·0	64·0	46·0	86	60	N.E.	10	C.	0	·02	..	....	....	6	cu.n.	....	....	6	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	27·48	27·35	48·0	74 0	76·0	41·0	84	56	C.	0	W.	8									6	cu.
2	27·39	27·37	60·0	80·0	82·0	48·0	70	40	W.	8	W.	12			4	ci.s.					4	cu.
3	27·38	27 24	61·0	72·0	80·0	48·0	66	66	S.	4	E.	12		·12							3	cu.s.
4	27·29	27·20	60·0	72·0	78·0	54·0	64	38	C.	0	W.	14										
5	27·41	27·38	52 0	72 0	75·0	46·0	72	38	W.	6	W.	6							4	ci.s.		
6	27·35	27·37	48·0	62.0	72·0	42·0	78	66	C.	0	W.	4		·04			2	cu.s.			7	cu.s.
7	27·35	27·43	52·0	65·0	66 0	48·0	86	62	W.	20	W.	20	·04				9	cu.s.			4	cu.
8	27·50	27·49	44·0	72·0	72 0	38·0	92	46	C.	0	C.	0							3	ci.s.		
9	27·50	27·48	53·0	73 0	76·0	50·0	86	62	C.	0	S.	10			4	ci.s.					5	cu.n.
10	27·53	27·45	52·0	78·0	80·0	48·0	86	50	S.	4	S	6					4	cu.			5	cu.s.
11	27·42	27·36	61·0	66·0	86·0	54 0	66	84	S.	18	W.	22					2	s.			10	cu.n.
12	27·35	27·29	58·0	70·0	74·0	44·0	70	52	W.	12	N.	10	02		5	ci.s.				ci.cu.	6	s.
13	27·27	27·19	54·0	60·0	70·0	52·0	86	70	C.	0	W.	6	·24								7	s.
14	27·14	27·10	54·0	65·0	70·0	50 0	86	62	W.	8	W.	12					8	cu.			10	cu.
15	27·25	27·34	52·0	56·0	66 0	50·0	86	62	C.	0	W.	11	·30	·08			10	n.			9	n.
16	27 39	27·43	50·0	64·0	66·0	48·0	86	78	N.W.	11	N.W.	10	·05				9	n.			6	cu.
17	27·50	27·45	46·0	64·0	74·0	44·0	92	78	C.	0	S.	6		·10	2	ci.					5	cu.s.
18	27·48	27·48	51·0	66·0	74·0	48 0	92	68	C.	0	E.	6		·14	4	ci.s.					7	cu.
19	27·46	27·39	54·0	72·0	80·0	51·0	86	46	C.	0	W.	6	·02		3	ci.cu.						
20	27·38	27·39	53·0	66·0	80 0	50·0	80	68	C.	0	N.E.	14		·22			2	s.			8	s.
21	27 49	27·49	50·0	71 0	74 0	48·0	86	52	C.	0	W.	10			2	ci.cu.	2	s.			7	cu.s.
22	27 41	27·29	59·0	76·0	81·0	57·0	70	56	S.	2	N.E.	2					3	cu.			2	cu.
23	27·40	27·36	53·0	77·0	79 0	53·0	86	42	C.	0	C.	0					3	s.			3	cu.
24	27·23	27·26	61·0	69·0	79·0	57 0	70	48	S.	12	N.W.	20					8	cu.			3	cu.
25	27·51	27·53	55·0	74·0	75·0	53·0	86	42	N.	6	S.W.	4					10	s.			3	cu.
26	27·47	27·22	54·0	83·0	86·0	53·0	80	36	N.	6	S.W.	4					10	s.			4	cu.
27	27·36	27 35	54·0	75 0	83·0	50 0	86	42	W.	2	N.W.	12					6	cu.			3	cu.
28	27·48	27·41	51·0	82 0	85·0	46·0	78	42	S.	11	C.	0									1	cu.
29	27·53	27·58	58·0	79 0	82 0	58 0	88	32	C.	0	N.	11	T.				3	s.			1	s.
30	27·68	27 64	52 0	78·0	81·0	49 0	86	38	C.	0	N.	8					4	cu.			3	cu.
31	27·66	27·57	53·0	76·0	81·0	50 0	86	44	W.	2	N.E.	10					1	cu.			1	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·65	27·53	47·0	72·0	76·0	46·0	84	74	C.	0	C.	0					1	s.			1	ci.
2	27·55	27·40	44·0	76·0	80·0	44·0	84	38	C.	0	S.	10					1	s.			1	s.
3	27·25	27·01	60·0	85·0	88·0	55·0	60	34	S.	6	S.W.	12				ci.	5	s.			3	cu.
4	27·11	27·21	50·0	67·0	85·0	55·0	86	50	W.	10	N.W.	10	·32				10	cu.n.			1	cu.
5	27·18	27·13	49·0	62·0	73·0	48·0	98	72	C.	0	W.	14		·26			7	cu.			4	cu.
6	27·39	27·37	48·0	70·0	73·0	44·0	78	52	W.	10	C.	0			2	ci.					8	s.
7	27·32	27·35	55·0	79·0	80·0	52·0	74	40	S.W.	2	W.	4					4	s.			2	cu.
8	27·40	27·20	53·0	86·0	94·0	52·0	80	46	S.	4	W.	16					1	cu.			1	cu.
9	27·34	27·38	55·0	63·0	86·0	55·0	92	66	N.W.	2	N.	12					3	cu.			6	cu.
10	27·41	27·40	50·0	59·0	65·0	48·0	92	70	N.W.	8	N.W.	4		T.			10	cu.s.			9	cu.
11	27·41	27·42	46·0	62·0	72·0	44·0	92	66	W.	4	W.	6	·01	·01			1	cu.			5	cu.
12	27·48	27·54	46·0	64·0	67·0	46·0	92	58	C.	0	C.	0	T.				5	cu.			2	cu.
13	27·59	27·42	41·0	80·0	82·0	40·0	92	38	C.	0	S.	10					1	cu.			3	cu.
14	27·30	27·17	56·0	68·0	87·0	54·0	74	80	S.W.	4	S.	14		·10			6	cu.			6	cu.
15	27·00	27·23	52·0	60·0	68·0	49·0	92	76	W.	10	N.W.	18	·28	·64			10	n.			4	cu.
16	27·32	27·29	48·0	72·0	73·0	48·0	92	58	W.	4	C.	0									4	cu.
17	27·29	27·04	53·0	81·0	84·0	50·0	80	48	S.E.	8	C.	0					2	cu.			2	cu.
18	27·25	27·46	47·0	44·0	81·0	44·0	92	92	W.	12	N.W	22		·02			10	cu.s.			10	cu.n.
19	27·66	27·65	38·0	59·0	60·0	36·0	82	60	C.	0	W.	4	·04				6	s.			3	cu.
20	27·65	27·63	39·0	63·0	65·0	38·0	90	52	S.W.	4	C.	0					4	cu.				
21	27·52	27·21	43·0	75·0	80·0	40·0	84	40	S.	10	W.	4										
22	27·17	27·13	46·0	77·0	79·0	44·0	84	38	S.	2	N.W.	6					8	cu.			2	cu.
23	27·39	27·49	55·0	72·0	77·0	55·0	86	62	N.W.	6	N.W.	18	·08				1	cu.				
24	27·57	27·39	48·0	77·0	83·0	45·0	78	42	S.	6	S.E.	8					1	cu.			4	cu.
25	27·22	27·03	55·0	80·0	83·0	53·0	80	44	N.E.	8	S.	10	·05				7	cu.			4	s.
26	27·15	27·27	55·0	63·0	80·0	52·0	86	46	N.	6	S.W.	20					10	cu.s.			1	cu.
27	27·48	27·53	37·0	60·0	64·0	36·0	90	50	C.	0	N.W.	10					1	s.			9	s.
28	27·56	27·40	48·0	61·0	65·0	48·0	84	66	C.	0	C.	0					10	s.			9	cu.
29	27·22	27·10	46·0	73·0	77·0	46·0	92	46	S.	12	S.W.	6									1	cu.
30	27·25	27·28	46·0	56·0	73·0	44·0	89	94	C.	0	N.	8		·54			4	s.			10	s.
31	27·46	27·59	48·0	59·0	61·0	48·0	92	70	N.W.	6	W.	4	1·08	·16			10	s.			3	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·67	27·58	42 0	70·0	73·0	40·0	92	66	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
2....	27·61	27·51	49·0	55·0	80·0	46·0	86	60	C.	0	S.E.	4	....	....	....	....	..	....	3	ci.	....	....
3....	27·52	27·48	54·0	69·0	75 0	52·0	86	70	C.	0	C.	0	....	·06	....	....	3	cu.	....	....	4	cu.
4....	27·47	27·42	51·0	69·0	72 0	50·0	92	56	C.	0	W.	8	....	....	....	....	4	cu.	....	....	2	cu.
5....	27·45	27·34	45·0	70·0	74·0	41·0	92	66	C.	0	C.	0	....	....	....	....	....	....	....	....	7	cu.
6....	27·27	27·34	57·0	66·0	74·0	57·0	94	58	C.	0	N.W.	20	....	..	....	....	4	cu.s.	....	....	7	cu.
7....	27·58	27·56	42·0	59·0	66·0	42·0	82	70	N.W.	10	N.W.	18	....	.	....	....	1	cu.	....	....	3	cu.
8....	27·61	27·64	38·0	60·0	62·0	38·0	82	64	N.W.	10	N.	12	....	....	....	..	1	cu.	....	....	1	s.
9....	27·66	27·44	39·0	73·0	75·0	33·0	72	54	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
10....	27·37	27·56	53·0	46·0	73·0	46·0	80	100	S.W.	6	N.	10	....	·02	3	ci.	....	..	....	....	10	n.
11....	27·66	27·76	37·0	40·0	46·0	37·0	90	90	N.E.	12	N.E.	8	·12	·08	....	....	10	s.	....	....	10	k.n.
12....	27·68	27·60	35·0	35·0	40·0	35·0	90	100	E.	10	N.E.	4	....	·18	....	....	8	cu.	....	....	10	n.
13....	27·46	27·28	34·0	46·0	47·0	33·0	90	76	C.	0	S.W.	2	....	·08	....	....	10	s.	....	....	6	cu.
14....	27·22	27 23	33·0	60·0	63·0	30·0	90	70	C.	0	C.	0	....	....	....	....	1	cu.	....	....	9	cu.
15....	27·42	27·55	42·0	49·0	60·0	42·0	90	70	N.	6	E.	6	·02	...	....	....	10	s.	....	....	9	s.
16....	27·49	27·27	42·0	58·0	58·0	40·0	90	82	E.	6	C.	0	·04	....	....	....	8	cu.	....	....	7	cu.
17....	27·22	27·35	46·0	54·0	63·0	44·0	92	60	C.	0	N.W.	8	·02	·04	....	. ..	10	cu.n.	....	....	....	....
18....	27·48	27·33	27·0	57·0	63·0	27·0	88	62	C.	0	S.	6	....	....	....	....	1	s.	..	....	3	cu.
19 ...	27·28	27 39	37·0	52 0	58 0	37·0	90	54	C.	0	N.W.	14	....	·02	....	....	1	s.	....	....	1	cu.
20 ...	27·45	27·50	32·0	46·0	54·0	28·0	90	62	C.	0	N.	18	...	....	....	....	8	cu.	....	....	1	s.
21 ..	27 57	27·28	31·0	62 0	68 0	31·0	80	56	C.	0	S.W.	18	....	....	....	....	1	s.	....	....	7	cu.s.
22....	27·39	27·06	40·0	71·0	73·0	40·0	90	40	W.	6	W.	16	....	...	..	....	3	s.	....	....	1	cu.
23....	27·14	27 36	46 0	58·0	71·0	46 0	92	52	W.	4	N.	16	....	...	..	....	5	cu.	....	...	1	cu.
24	27·48	27·50	33·0	62·0	66·0	32·0	88	46	C.	0	N.W.	2	....	....	....	....	....	....	....	.. ..	1	cu.
25 ..	27·57	27·59	33·0	53 0	62·0	33·0	88	66	C.	0	C.	0	....	....	....	....	3	cu.	...	....	3	cu.
26...	27·64	27·54	36·0	53·0	58 0	36·0	90	60	S.E.	6	C.	0	....	...	...	....	3	cu.	....	....	8	cu.
27....	27·35	27·31	44·0	59·0	64·0	43·0	76	54	S.	6	N.	8	...	....	....	....	8	cu.	...	....	3	cu.
28 ...	27·54	27·57	33·0	37·0	59 0	28·0	88	90	N.	6	N.	4	....	...	....	....	10	s.	....	....	....	....
29 ...	27·53	27·38	21·0	50·0	57·0	19·0	86	38	C.	0	S.W.	16	...	....	....	....	...	....	....	....	10	s.
30....	27 52	27·17	32·0	61·0	69·0	32·0	78	50	S.	1:	S.W.	14	....	....	....	..	2	s.	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	27·03	27·08	40·0	51·0	66·0	40·0	82	58	N.	18	N.W.	20	....	....	....	..	1	cu.	....	....	3	s.
2....	27·36	27·50	39·0	46·0	51·0	39·0	90	54	N.W.	12	N.W.	6	....	....	....	..	9	s.	....	....	....	....
3 ...	27·48	27·28	34·0	57·0	64·0	28·0	78	58	C.	0	C.	0	....	....	....	....	2	cu.s.	2	ci.	....	....
4....	27·48	27·40	41·0	61·0	67·0	40·0	82	66	W.	4	C.	0	....	....	....	..	1	s.	....	....	3	s.
5 ...	27·24	27·15	42·0	65·0	75·0	40·0	82	62	C.	0	W.	4	....	....	....	....	3	s.	....	....	9	cu.s.
6....	27·37	27·56	46·0	51·0	63·0	44·0	92	52	N.	4	N.	2	·01	..	....	..	10	cu.n.	....	....	....	....
7....	27·51	27·16	34·0	58·0	66·0	34·0	90	48	C.	0	S.W.	10	....	....	....	..	....	..	....	ci.s.	7	cu.s.
8....	27·49	27·63	39·0	52·0	58·0	36·0	64	30	W.	12	N.W.	16	....	....	1	ci.s.	....	....	1	ci.s.	....	....
9 ...	27·63	27·55	31·0	59·0	65·0	26·0	68	38	S.W.	12	N.W.	10	....	....	1	ci.cu.	....	..	3	ci.cu.	....	....
10....	27·63	27·68	43·0	53·0	62·0	35·0	28	60	N.W.	6	N.	4	....	....	....	....	9	s.	3	ci.s ci.cu.	....	....
11....	27·73	27·64	34·0	56·0	65·0	32·0	90	56	S.W.	4	S.E.	6	....	....	....	....	1	s.	....	....	....	....
12....	27·49	27·32	44·0	61·0	72·0	41·0	60	44	S.W	20	S.	12	..	....	....	....	....	....	1	ci.	....	....
13....	27·35	27·51	37·0	53·0	63·0	30·0	70	48	W.	2	N.E.	5	....	....	....	ci.	7	s.	....	ci.s.	4	cu.
14....	27·60	27·46	40·0	58·0	67·0	29·0	28	52	S.	8	S.	10	....	....	....	....	1	s.	....	....	8	cu.n.
15....	27·36	27·40	42·0	56·0	70·0	38·0	74	46	S.W.	8	N.	6	....	....	5	ci.	5	s.	8	ci.s.	....	....
16....	27·38	27·55	41·0	50·0	68·0	31·0	64	38	C.	0	N.	18	....	....	....	....	1	s.	....	ci.cu.	9	cu.s.
17....	27·96	27·87	16·0	39·0	50·0	13·0	82	34	C.	0	S.E.	6	..	....	....	....	....	....	....	....	9	s.
18....	27·66	27·46	29·0	48·0	61·0	24·0	88	42	C.	0	N.W.	6	..	....	....	....	1	s.	....	....	2	s.
19....	27·62	27·69	27·0	40·0	52·0	23·0	64	64	C.	0	C.	0	....	....	....	....	....	....	4	ci.s.	....	....
20....	27·57	27·35	36·0	52·0	63·0	31·0	55	58	S.W.	16	S.W.	12	....	....	....	..	....	....	....	....	....	....
21. ..	27·42	27·49	41·0	51·5	62·0	33·0	73	46	S.W.	5	C.	0	....	....	....	....	....	....	....	....	4	s.
22...	27·52	27·37	30·0	58·0	67·0	27·0	78	42	C.	0	S.	10	....	....	....	....	....	....	....	....	4	s.
23 ...	27·30	27·49	41·0	50·0	59·0	34·0	79	58	C.	0	N.W.	6	....	....	....	....	1	s.	6	ci.s.	....	....
24....	27·72	27·70	22·0	40·0	50·0	20·0	58	48	C.	0	E.	6	....	....	....	....	1	s.	....	....	1	s.
25....	27·47	27·22	36·0	54·0	66·0	32·0	55	43	S.	20	N.W.	12	....	....	....	....	1	s.	....	....	....	....
26....	27·49	27·67	34·0	31·0	54·0	30·0	62	69	N.W.	16	C.	0	....	....	....	....	....	....	....	..	9	s.
27...	27·45	27·36	30·0	44·0	59·0	22·0	78	68	S.W.	22	C.	0	....	....	....	....	1	s.	....	....	....	....
28....	27·42	27·44	21·0	41·0	49·0	20·0	70	56	C.	0	E.	6	....	....	....	....	....	....	....	....	6	s.
29...	27·42	27·31	28·0	47·0	56·0	26·0	76	54	C.	0	C.	0	....	..	....	ci.cu.	1	s.	....	....	2	s.
30...	27·23	27·14	36·0	54·0	64·0	34·0	80	54	N.	6	W.	3	..	....	....	ci.	2	s.	....	....	9	s.
31....	27·20	27·25	32·0	38·0	54·0	30·0	90	80	C.	0	C.	0	..	....	....	....	1	s.	....	....	2	s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·47	27·49	31·0	34·0	50·0	28·0	68	90	W.	10	C.	0	....	....	....	.....	1	s.	....	. ..	1	s.
2	27·21	27 31	37·0	46·0	60·0	25·0	70	40	S.	14	W.	6	....	..	....	.....	4	s.	....	.....	6	s.
3	27 44	27·38	23·0	37·0	47·0	20·0	86	52	C.	0	N.W.	6	R.	....	....	.....	1	s.	. ..	ci.cu.	9	s.
4	27·22	27·34	40·0	47·0	56·0	24·0	72	34	W.	12	N.W.	10	....	...	....	.	5	s.	....	ci.	4	s.
5	27·50	27·30	32·0	43·0	58·0	30·0	68	82	W.	3	C.	0	....	....	....	..	....	.....	....	.....	4	s.
6	27·17	27·20	37 0	42·0	60·0	33·0	80	82	C.	0	N.W.	14	....	R.	...	... .	4	s.	..	. .	10	n.
7	27·53	27·42	26·0	33·0	42·0	19·0	86	88	W.	3	S.	3	..	.. .	....	.....	....	...	....	. ...	1	s.
8	27·43	27·52	29 0	42·0	51·0	19·0	88	42	C.	0	N.W.	5	....	...	.. .	.....	1	s.	....	...	10	cu.s.
9	27·63	27·83	28 0	19 5	42·0	18·0	88	84	N.W.	1	N.	20	...	...	...	.....	8	s.	....	...	....	.....
10	27 95	27·87	3·0	17·0	27·0	2·0	72	82	C.	0	C.	0	....	....	....	.. ..	....	....	....	....	1	s.
11	27·86	27·67	6·0	25 0	37·0	4·0	76	74	C.	0	C.	0	. .	....	....	.....	...	.....	....	.....	....	.....
12	27·49	27·69	20·0	31·0	42·0	18·0	84	88	S.	4	N.	4	....	....	....	.....	....	.....	....	.. .	10	cu,s.
13	27·82	27·67	7·0	19 0	37·0	3·0	76	70	C.	0	S.W.	4	...	....	...	.....	2	s.	....	....	....	.....
14	27·44	27·62	12·0	23·0	25 0	9·0	80	86	C.	0	C.	0	....	....	...	....	10	cu.s.	...	.....	1	s.
15	27·55	27·45	23·0	32·0	46·0	8·0	100	90	W.	10	C.	0	....	....	. .	....	1	cu.s.	....	....	....	... .
16	27·27	27·22	32·0	42 0	50·0	23 0	78	82	S.W.	20	W.	8	....	....	....	.....	3	s.	....	.	10	cn.n.
17	27·43	27·50	22·0	29 0	42 0	16·0	100	76	C.	0	C.	0	R.	....	...	.....	....	.....	....	....	1	s.
18	27·52	27·29	20 0	34·0	40·0	13·0	84	78	C.	0	S.W.	16	...	....	...	.....	...	.....	...	ci.cu.	3	s.
19	27·02	26 87	33·0	36·0	50 0	30·0	80	60	S.W.	18	S.	12	....	....	...	.....	10	cu s.	....	ci.cu.	8	s.
20	27·08	27·15	30·0	25·0	41·0	22·0	100	86	C.	0	C.	0	....	....	3	ci.s.	....	.....	...	... .	2	cu.s.
21	27·23	27·23	13·0	29 0	36·0	11·0	100	76	C.	0	C.	0	...	....	7	ci.s.	....	....	....	.....	1	s.
22	27·11	26·99	28 0	44·0	45·0	21·0	76	60	S.W.	4	S.W.	20	....	....	3	ci.s.	....	....	....	.....	10	cu.s.
23	27·17	27·20	30·0	31·0	48·0	28·0	78	88	C.	0	S.W.	14	....	...	2	ci.s.	....	.....	....	.....	1	s.
24	26·95	27·20	32·0	26·0	39·0	24·0	100	74	W.	14	C.	0	....	..	1	ci.s.	....	....	....	.....	1	s.
25	27·38	27·53	23·0	26·0	38 0	17·0	72	74	S.W.	5	C.	0	....	....	....	.....	....	.....	. ..	.....	5	cu.s.
26	27·08	27 14	34·0	38·0	47·0	26·0	78	72	S W.	20	N.W.	18	....	....	....	.....	4	s.	..	.....	9	cu.s.
27	27·41	27·49	21 0	22·0	38·0	18·0	86	72	W.	12	W.	10	....	....	...	.....	....	.....	....	...	1	s.
28	27·52	27·48	24·0	28·0	36 0	13·0	60	66	W.	18	S.	3	....	....	....	.. ..	9	cu.s.	....	....	10	cu.s.
29	27·36	27 65	38·0	32 0	40·0	27·0	80	78	W.	10	C.	0	....	....	....	.....	8	s.	....	.....	8	cu.s.
30	27·57	27 45	31·0	42·0	54·0	24·0	78	58	C.	0	C.	0	....	....	1	ci.cu.	....	.....	....	.....	10	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Swift Current, Saskatchewan—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·50	27·79	36·0	28·0	43·0	27·0	60	76	N.W.	10	C.	0									2	s.
2	27·75	27·69	15 0	34·0	40·0	13·0	82	62	C.	0	C.	0									2	s.
3	27·54	27·43	27 0	34·0	48·0	24·0	88	42	S.W.	12	C.	0									2	s.
4	27·28	27·07	35·0	41 0	54·0	30·0	70	74	S.W.	5	C.	0					1	s.				
5	27·00	27·13	37·0	39·0	48·0	30 0	38	72	S.	8	W.	14					2	s.			2	s.
6	27·28	27·22	25·0	30·0	40 0	23 0	74	56	C.	0	C.	0					1	s.			1	s.
7	27·05	27·00	34 0	29·0	38·0	22·0	78	88	S.W.	10	C.	0		·02			9	cu.s.			3	
8	27·36	27·73	20·0	17·0	30·0	12·0	84	100	N.	14	N.W.	8					10	n.			4	s.
9	27·56	27·30	12·0	24·0	26·0	10 0	80	74	S.	6	S.	14	·01				2	s.				
10	27·31	27·17	20·0	27·0	38 0	16·0	84	88	C.	0	C	0									1	s.
11	27 06	27·04	15·0	31·0	34·0	14·0	82	88	C.	0	S.	12					2	s.			9	cu.s.
12	27·03	27·15	27·0	32·0	37·0	23·0	88	78	S.W.	12	C.	0					1	s.		ci.cu.	8	s.
13	27 03	26·99	19·0	31·0	33·0	18·0	70	88	C.	0	C.	0		·06			1	s.			10	n.
14	27·27	27·50	26·0	21·0	33·0	20·0	88	86	C.	0	N.W.	5	·66	·16			10	n.			10	n.
15	27·57	27·57	18·0	15·0	22·0	13·0	84	82	N.W.	10	C.	0	·12	·04			10	n.			10	n.
16	27·57	27·66	17·0	13·0	20·0	11·0	82	62	C.	0	N.W.	10	·02	·02			10	n.			10	s.
17	27·61	27·48	13·0	2·0	13·0	0·0	80	44	W.	10	S.W.	8	·02				10	n.				
18	27·41	27·36	4·0	15·0	18·0	— 7·0	48	64	S.W.	3	W.	8				ci.	7	s.				
19	27·33	27·29	9·0	14·0	20·0	6·0	56	64	W.	14	C.	0										
20	27·21	27·24	7·0	21·0	26·0	2·0	54	86	S.W.	8	W.	5			5	ci.					1	s.
21	27·08	27·15	26·0	34·0	40·0	20·0	74	78	S.W.	26	W.	12					10	s.			1	s.
22	27·27	27·01	27·0	32·0	38·0	20·0	76	90	W.	12	C.	0	·02								8	s.
23	27·25	27·25	21·0	24·0	33·0	16·0	86	86	W.	12	S.W.	10			5	ci.cu.					4	s.
24	26·77	27·22	25·0	2·0	29·0	1·0	86	44	N.E.	14	C.	0	·30	·20			10	s.			10	n.
25	27·10	26·89	9·0	15·0	19·0	—10·0	78	82	S.	18	C.	0	·02		7	ci.cu.					1	s.
26	26·47	26·93	28·0	0·0	31·0	— 1·0	88	71	W.	5	N.	5		06	5	ci.cu.					2	s.
27	27·16	27·18	— 2·0	— 5·0	6·0	—10·0	66	26	C.	0	C.	0		·04			10	s.			1	s.
28	27·14	27·17	13·0	17·0	28·0	— 7·0	80	83	S.W.	5	C.	0					2	s.				
29	27·35	27·39	2·0	18·0	18·0	— 6·0	44	84	C.	0	W.	5					10	s.			10	s.
30	27·37	27·33	6·0	0·0	18·0	0·0	76	38	C.	0	C.	0					1	s.				
31	27·30	27·32	—10·0	— 9·0	4·0	—12 0	54	56	C.	0	C.	0					2	s.			1	s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan: Latitude North, 52° 41′; Longitude West, 108° 20′. Height above Sea, 1,622 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·37	28·35	−14·0	−11·0	− 8·0	−18·0	100	100	C.	0	C.	0	·01	·09			7	cu.s.				
2	28·30	28·29	−12·0	−14·0	6·0	−14·0	100	100	N.	6	N.	7										
3	28·31	28·01	−30·0	−26·0	−11·0	−34·0	100	100	C.	0	C.	0									7	cu.s.
4	28·05	28·23	−16·0	−24·0	−14·0	−26·0	100	100	E.	6	C.	0										
5	28·26	28·11	−36·0	−24·0	−19·0	−38·0	100	100	C.	0	C.	0										
6	28·30	28·43	−38·0	−26·0	−21·0	−41·0	100	100	C.	0	C.	0										
7	28·58	28·65	−20·0	0·0	0·0	−28·0	100	100	C.	0	N.W.	8		S.			10	cu.s.			10	cu.s,
8	28·68	28·57	−11·0	− 6·0	0·0	−12·0	100	100	C.	0	C.	0					6	cu.				
9	28·30	27·90	−16·0	27·0	27·6	−18·0	100	100	C.	0	W.	18		S.							8	cu.s.
10	28·23	28·10	10·0	6·0	28·0	6·0	100	100	C.	0	C.	0	·01								7	cu.s.
11	28·14	28·34	1·0	−10·0	6·0	−10·0	100	100	C.	0	N.W.	10					10	c.s.				
12	28·39	28·30	−24·0	−14·0	−10·0	−26·0	100	100	C.	0	W.	10										
13	28·51	28·68	−33·0	−32·0	−14·0	−34·0	100	100	W.	4	C.	0										
14	28·76	28·57	−44·0	−37·0	−30·0	−50·0	100	100	C.	0	E.	4										
15	28·32	28·34	−47·0	−35·0	−32·0	−48·0	100	100	C.	0	C.	0										
16	28·31	28·22	−48·0	−34·0	−30·0	−50·0	100	100	C.	0	C.	0										
17	28·18	28·06	−42·0	−26·0	−22·0	−42·0	100	100	C.	0	C.	0										
18	27·86	27·85	−30·0	−20·0	−16·0	−32·0	100	100	C.	0	C.	0									6	cu.
19	28·24	28·46	−24·0	−24·0	−15·0	−24·0	100	100	C.	0	W.	8										
20	28·13	28·30	−12·0	−20·0	−20·0	−44·0	100	100	C.	0	C.	0										
21	28·49	28·53	−16·0	−18·0	−10·0	−22·0	100	100	C.	0	E.	6									6	cu.
22	28·49	28·34	− 8·0	6·0	6·0	−19·0	100	100	E.	10	E.	12					7	cu.s.			8	cu.s.
23	28·06	28·56	−12·0	4·0	18·0	4·0	100	100	E.	4	N.W.	20					6	cu.				
24	28·65	28·66	−18·0	− 6·0	4·0	−18·0	100	100	N.W.	16	N.W.	8										
25	28·38	28·37	−16·0	1·0	1·0	−20·0	100	100	C.	0	N.W.	8					10	cu.s.			8	cu.s.
26	28·38	28·48	− 4·0	−10·0	4·0	−10·0	100	100	N.	12	C.	0	S.				7	cu.s.				
27	28·61	28·62	−26·0	−20·0	−10·0	−29·0	100	100	N.	6	N.	8										
28	28·61	28·57	−30·0	−26·0	−19·0	−35·0	100	100	C.	0	C.	0										
29	28·64	28·58	−35·0	−26·0	−20·0	−40·0	100	100	C.	0	C.	0										
30	28·46	28·36	−29·0	−22·0	−14·0	−35·0	100	100	C.	0	C.	0										
31	28·06	27·91	−18·0	− 6·0	− 5·0	−32·0	100	100	E.	6	E.	12		·02			10	cu.s.			10	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1....	28·24	28·61	−15·0	−18·0	− 6 0	−18·0	100	100	N.W.	8	N.W.	4	·04	·01	....	.. .	8	cu.s.	6	cu.	6	cu.s.
2....	28·78	28 79	−22·0	−30·0	−18·0	−35·0	100	100	W.	10	W.	6	....	....	....	.....	....	....	....	..	....	.....
3....	28·73	28 58	−40·0	−26·0	−24·0	−42·0	100	100	C.	0	C.	0	....	...	.....	....	....	....	....	....	....	.... .
4....	28·42	28·25	−44·0	−30·0	−24·0	−46·0	100	100	C.	0	C.	0	....	...	.....	....	....	....	....	....	....	. .
5....	28·27	28·15	−44·0	−26·0	−22·0	−45·0	100	100	C.	0	C.	0	....	...	.....	....	....	....	....	....	....	....
6 ...	28·33	28·28	−42·0	−12·0	−12·0	−43 0	100	100	C.	0	E.	1	....	....	.....	....	....	....	....	.....	8	cu.s.
7....	28·32	27·97	−15·0	10·0	12·0	−20·0	100	100	C.	0	E.	6	...	....	....	....	7	cu.s.	....	....	7	cu.s.
8....	28·03	28·10	6·0	32·0	34·0	6·0	100	100	C.	0	C.	0	...	....	...	. .	7	cu.s.	....	...	7	cu.s.
9 ...	28·24	28·43	22·0	28·0	38·0	22·0	100	100	W.	26	W.	14	..	...	....	.	6	cu.	....	.....	....	.....
10....	28·40	28·22	18·0	30·0	34·0	16·0	100	100	C.	0	C.	0	...	...	..	....	....	.....	...	.....	....	.....
11....	28·17	28·13	18·0	34·0	40·0	18·0	100	100	C.	0	C.	0	...	...	6	ci.cu.	....	..	...	....	....	.....
12 ...	28 07	27 97	16 0	38·0	40 0	16·0	100	100	C.	0	W.	12	....	....	6	ci.cu.	....	.....	...	.....	7	cu.s.
13....	28·36	28·33	6·0	28·0	38·0	6·0	100	100	C.	0	C.	0	...	....	..	...	....	.....	...	...	....	.... .
14 ...	28·20	28·12	29·0	42·0	45·0	18 0	100	100	W.	6	W.	18	....	...	..	.....	....	....	...	.....	9	cu.s.
15....	28·24	28·13	18·0	39·0	43·0	18·0	100	100	C.	0	W.	6	..	....	....	.	....	.....	...	.....	....	...
16....	28 19	27·97	16·0	38·0	44·0	16·0	100	100	C.	0	C.	0	....	....	...	.....	....	.....	...	...	...	.....
17....	27 86	28·05	18·0	26·0	37·0	18 0	100	100	C.	0	N.W.	16	....	....	...	.....	....	.....	....	.....	....	.....
18....	27·97	28·01	6·0	28·0	34·0	6·0	100	100	N.W.	12	W.	16	..	...	....	....	....	....	....	..	8	cu.s.
19....	28 26	28·29	1·0	12 0	28 0	− 1·0	100	100	C.	0	W.	16	....	....	....	....	9	cu.s.	....	...	....	.....
20....	28·39	28·44	0·0	0·0	12·0	− 2·0	100	100	C.	0	E.	4	....	·02	....	.....	10	cu.s.	...	....	7	cu.s.
21....	28·35	28·14	− 1·0	5·0	5·0	− 3·0	100	100	E.	12	E.	24	....	....	...	.. .	10	cu.s	.	.....	9	c..s.
22....	28·06	27·92	−12·0	8·0	8·0	−12·0	100	100	E.	6	E.	20	....	....	....	.....	....	.....	6	ci.cu.	....	.....*
23....	27·58	28·19	26·0	20·0	27·0	6·0	100	100	C.	0	N.W.	18	....	..	....	....	10	cu.s.	....	.....	....	.....
24....	28·34	28·31	1·0	6·0	18·0	− 2 0	100	100	E.	6	E.	26	...	...	....	.....	7	cu.s.	....	...	10	cu.s.
25....	28 31	28·57	1·0	0·0	6·0	0·0	100	100	E.	8	N.W.	10	S.	....	....	... ..	10	cu.s.	. .	....	....	.....
26....	28·70	28·52	−22 0	− 9·0	0·0	−24·0	100	100	E.	2	E.	14	....	....	....	.....	....	.....	. .	.....	..	.....
27....	28 36	28·37	−20 0	− 2 0	− 1·0	−22·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	.. .	..	. . .
28 ..	28·37	28·27	−20·0	0·0	6·0	−22 0	100	100	C.	0	E.	6	...	....	....	.....	....	....	...	.....	.*	. . .

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·18	28·15	—16·0	5·0	8·0	—16·0	100	100	C.	0	C.	0										
2	28·22	28·26	—12 0	12·0	14·0	10·0	100	100	C.	0	C.	0	.									
3	28·25	28·21	0·0	26·0	29·0	0·0	100	100	C.	0	C.	0										
4	28·34	28·30	8·0	20·0	26 0	5 0	100	100	N.	8	C.	0										
5	28·25	27·99	6 0	18·0	27 0	6·0	100	100	E.	4	E.	22	.									
6	27 87	28·14	9 0	26 0	30·0	4 0	100	100	N.	18	N.	10		s.			10	cu.s.				
7	28·23	28·27	10 0	32·0	35·0	10 0	100	100	C.	0	C.	0									7	cu.s,
8	28·53	28·65	16·0	16·0	32 0	14·0	100	100	C.	0	N.	4							6	ci.cu.		
9	28·63	28·36	—2 0	18·0	22·0	—6·0	100	100	C.	0	N.	8										
10	28·22	28·05	6·0	20·0	21·0	4·0	100	100	C.	0	E.	2		·07	6	ci.cu.					10	n.
11	28·19	28·20	15·0	18·0	21 0	12·0	100	100	N.W.	8	N.W.	12	·08				10	cu.s.			7	cu.s.
12	28·19	28 13	6·0	18·0	22·0	2·0	100	100	C.	0	W.	3			6	ci.cu.					.	
13	27·98	27·90	6·0	26·0	26·0	4·0	100	100	C.	0	W.	12		·01			8	cu.s.				
14	28·05	28·15	6·0	20·0	26·0	3·0	100	100	C.	0	C.	0									7	cu.s.
15	28·07	27·91	6·0	17·0	20·0	2·0	100	100	E.	4	E.	16		·10			8	cu.s.			10	n.
16	28·23	28·23	—4·0	14·0	17·0	—4·0	100	100	C.	0	E.	10	·10									
17	28·41	28·38	—14·0	14·0	17·0	—16·0	100	100	C.	0	E.	12									7	cu.s.
18	27·98	27·86	16·0	20·0	23·0	6·0	100	100	E.	15	C.	0	·04	·12			10	n.				
19	28·15	27·82	0 0	26·0	27 0	—2·0	100	100	C.	0	S.E.	14										
20	27·52	27·72	24·0	37·0	40·0	20·0	100	100	C.	0	W.	6					10	cu.s.				
21	27·63	27·61	26·0	34·0	37·0	24·0	100	100	C	0	W.	10					10	cu s.			8	cu.s.
22	27·64	27·73	16 0	32·0	35·0	14·0	100	100	E.	14	W.	6										
23	27·88	27·73	12·0	32·0	27·0	10·0	100	100	C.	0	E.	10					7	cu.s.	7	ci.cu.		
24	27·93	28·13	20·0	16 0	26·0	16·0	100	100	S.W.	14	W.	12			6	ci.cu.						
25	28·52	28 51	—6·0	8·0	16·0	—10·0	100	100	C.	0	E.	12			6	ci.cu.					7	cu.s.
26	28·38	28·12	2·0	19·0	12·0	0·0	100	100	E.	2	E.	4					8	cu.s.				
27	27·87	27·73	—8·0	26 0	27 0	8·0	100	100	E.	6	C.	0									7	cu.s.
28	27·72	27·99	16·0	26·0	31 0	12·0	100	100	E.	10	N.W.	20					10	cu.s.				
29	28·30	28·42	—2·0	10 0	26·0	—5 0	100	100	N.W.	10	N.W.	20										
30	28·74	28·71	—18·0	8·0	10·0	—18·0	100	100	C.	0	E.	20										
31	28·31	27 88	0·0	32 0	32·0	0·0	100	100	E.	18	E.	18					6	cu.s.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·66	28·28	30·0	32·0	34·0	26·0	100	100	W.	6	W.	4	S.	....	....	.....	8	cu.s.	....	.....	....	....
2	28·34	28·31	20·0	24·0	32·0	20·0	100	100	E.	6	E.	12	....	·01	....	.. ..	10	cu.s.	....	...	....	.....
3	28·31	28·42	20·0	24·0	25·0	18·0	100	100	E.	4	E.	10	....	·02	....	.....	10	cu.s.	...	....	10	n.
4	28·40	28·12	16·0	25·0	26·0	15·0	100	100	E.	20	E.	18	·01	....	....	....	10	cu.s.	...	...	10	cu.s.
5	27·72	27·52	22·0	34·0	40·0	22·0	100	100	E.	28	C.	0	R.	02	..	..	10	cu.s.	..	..	10	n.
6	27·66	27·81	28·0	32·0	35·0	28·0	100	100	C.	0	W.	10	·02	..	....	.....	10	cu.s.	....	....	10	cu.s.
7	28·06	28·23	23·0	32·0	34·0	23·0	100	100	N.W.	10	N.W.	10	....	.	....	....	7	cu.s.	...	...	....	.....
8	28·26	28·14	18·0	32·0	32·0	15·0	100	100	C.	0	E.	10	....	....	....	..	....	....	....	....	..	.....
9	28·27	27·98	27·0	34·0	36·0	27·0	100	100	E.	6	E.	18	..	....	....	....	10	cu.s.	..	.....	8	cu.s.
10	27·40	27·78	37·0	34·0	38·0	32·0	100	100	N.W.	30	N.W.	30	....	·01	....	....	7	cu.s.	....	....	9	n.
11	28·44	28·60	20·0	26·0	34·0	13·0	100	100	N.W.	20	N.W.	10	·02	....	..	.. ..	8	cu.s	...	.....	..	...
12	28·69	28·66	4·0	28·0	30·0	4·0	100	100	C.	0	C.	0	....	....	....	.....	..	..	..	....	..	.....
13	28·54	28·32	10·0	32·0	32·0	9·0	100	100	C.	0	E.	8	...	...	....	....	....	.....	....	....	....	.....
14	28·13	28·14	20·0	34·0	36·0	20·0	100	100	E.	18	E.	18	....	....	....	.....	9	cu.s.	....	....	..	...
15	28·58	28·62	2·0	24·0	34·0	2·0	100	100	E.	1	E.	1	...	....	....	....	....	....	....	....	....	....
16	28·58	28·39	7·0	26·0	30·0	7·0	100	100	E.	2	E.	20	...	....	....	.	...	....	....	. .	....	.. ..
17	28·17	28·25	16·0	31·0	32·0	16·0	100	100	E.	18	E.	16	....	....	...	..	8	cu.s.	....	....	6	cu.s.
18	28·39	28·44	20·0	38·0	39·0	18·0	100	100	C.	0	C.	0	....	....	....	....	...	.....	....	....	....	.. ..
19	28·60	28·61	19·0	40·0	40·0	17·0	100	100	C.	0	W.	10	....	...	....	....	..	..	....	....	....	.....
20	28·50	28·10	22·0	44·0	46·0	20·0	100	100	C.	0	S.W	22	....	....	....	....	....	.....	....	.....	9	cu.s.
21	28·13	28·16	34·0	46·0	50·0	32·0	100	100	N.W.	10	N.W.	12	....	....	....	.....	...	.....	....	...	....	.....
22	28·20	28·25	32·0	40·0	44·0	30·0	100	100	C.	0	N.W.	12	....	....	....	.. ..	8	cu.s.	....	....	....	.....
23	28·39	28·31	22·0	38·0	40·0	22·0	100	100	C.	0	N.W.	20	...	....	....	....	7	cu.s.	...	.....	...	.....
24	28·49	28·42	18·0	28·0	38·0	17·0	100	100	N.W.	8	N.	10	....	..	....	....	....	....	....	....	..	
25	28·34	28·25	20·0	29·0	32·0	18·0	100	100	C.	0	E.	4	....	..	....	.....	7	cu.s.	..	..	8	cu.s.
26	28·47	28·55	8·0	22·0	29·0	7·0	100	100	N.	8	N.E.	8	·02	....	..	.....	....	.....	....	....	....	.....
27	28·61	28·51	10·0	28·0	32·0	8·0	100	100	N.	4	N.	10	....	..	....	....	..	..	....	....	....	.....
28	28·45	28·37	14·0	36·0	39·0	14·0	100	100	N.	8	N.	14	....	....	...	.....	....	.	....	....	....	.....
29	28·23	28·15	20·0	48·0	51·0	18·0	100	100	C.	0	W.	16	....	....	....	....	....	.....	....	....	....	. .
30	28·27	28·27	22·0	44·0	49·0	20·0	100	100	C.	0	N.W.	18	....	....	...	....	..	.....	. .	..	8	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1 ..	28·58	28·62	18·0	26·0	44·0	14·0	100	100	E.	1	N.W.	6	....	....	....	.....	....	.....	6	ci.cu.	..	.....
2....	28·68	28·58	14·0	34·0	36·0	10·0	100	100	C.	0	N.W.	1	....	....	....	.....	...	.....	....	.....	....	.....
3....	28·55	28·57	20·0	46·0	49·0	14·0	100	100	C.	0	W.	8	....	....	....	.....	....	.....	....	.....	8	cu s.
4....	28·38	28·26	28·0	36·0	46·0	26·0	100	100	N.W.	6	N.W.	8	....	....	....	.....	....	.....	....	.....	8	cu.s.
5....	28·25	28·32	24·0	30·0	37·0	12·0	100	100	C.	0	N.W.	28	....	....	.....	...	7	cu.s.	....	.....	....	.....
6....	28·46	28·22	14·0	38·0	40·0	14·0	100	100	C.	0	S.E.	6	....	....	....	.....	....	.....	....	.....	....	.....
7.. .	28·10	28·03	26·0	46·0	56·0	26·0	100	100	E.	6	N.E.	6	.. ..	R.	....	.....	8	cu.s.	....	.....	7	cu.s.
8 ...	28·12	28·36	34·0	34·0	46·0	33·0	100	100	E.	10	N.E.	12	....	....	....	.....	8	cu.s.	....	.....	....	.....
9....	28·54	28·50	20·0	34·0	37·0	18·0	100	100	E.	8	E.	8	....	....	....	.....	7	cu.s.	.. ..	.....	....	.....
10....	28·25	28·02	26·0	30·0	34·0	20·0	100	100	E.	30	E.	34	....	·01	.....	.. ..	7	cu.s.	....	.....	9	cu.s.
11....	27·67	27·78	30·0	38·0	40·0	28·0	100	100	E.	12	W.	16	·02	....	....	.....	8	cu.s.	....	.....	8	cu.s.
12....	28·07	28·24	32·0	36·0	38·0	32·0	100	100	N.W.	8	N.E.	8	....	·01	....	.....	9	cu.s.	....	.....	8	cu.s.
13....	28·40	28·38	32·0	48·0	48·0	30·0	100	100	C.	0	C.	0	·02	....	....	.....	7	cu.s.	....	.....	....	.....
14 ...	28·32	28·19	35·0	62·0	62·0	27·0	100	100	C.	0	S.W.	14	....	·01	6	c.k.	....	.....	....	.....	8	cu.s.
15....	28·11	28·05	36·0	60·0	60·0	34·0	100	100	C.	0	N.W.	20	R.	....	....	.....	9	n.	9	ci.cu.	....	... ..
16....	28·11	28·12	34·0	55·0	60·0	30·0	100	100	C.	0	N.W.	12	....	....	....	.....	7	cu.s.	....	.....	7	cu.s.
17....	28·29	28·27	34·0	46·0	56·0	32·0	100	100	N.W.	12	N.W.	22	....	....	....	... ..	6	cu.s.	....	.....	7	cu.s.
18....	28·41	28·44	30·0	48·0	57·0	28·0	100	100	N.W.	10	N.W.	20	....	. .	....	.. ...	....	.....	5	ci.cu.	....	.....
19....	28·53	28·44	30·0	54·0	56·0	24·0	100	100	C.	0	S.E.	12	....	....	....	.....	....	.....	....	.....	....	.....
20. ..	28·42	28·28	36·0	50·0	53·0	34·0	100	100	E.	10	E.	22	....	....	....	.....	8	cu.s.	....	.....	9	cu.s.
21....	28·22	28·29	36·0	37·0	50·0	36·0	100	100	E.	18	N.E.	6	·10	·02	....	.....	10	n.	....	.....	10	cu.s.
22....	28·41	28·50	37·0	46·0	47·0	36·0	100	100	N.E.	8	E.	10	....	....	....	.....	7	cu.s.	....	. ....	8	cu.s.
23....	28·56	28·47	30·0	56·0	58·0	26·0	100	87	C.	0	E.	10	....	....	....	.....	....	.....	....	.....	....	.. ...
24....	28·45	28·38	39·0	68·0	68·0	35·0	91	65	C.	0	C.	0	...	....	....	.....	....	.....	....	.....	....	.....
25....	28·40	28·46	42·0	64·0	68·0	38·0	83	73	C.	0	N.E.	18	....	....	....	.....	....	.....	....	.....	....	.....
26....	28·45	28·40	40·0	65·0	66·0	33·0	100	68	C.	0	C.	0	....	.. .	....	.....	....	.....	....	.....	....	.....
27 ...	28·13	27·97	48·0	70·0	76·0	42·0	93	66	S.W.	6	N.W.	16	....	....	....	.....	7	cu.s.	....	.....	7	cu.s.
28....	28·13	28·01	42·0	40·0	70·0	38·0	100	100	E.	14	E.	18	·01	·04	.. ..	.....	...	....	....	.....	9	n.
29.. .	28·19	28·13	36·0	58·0	62·0	36·0	100	90	C.	0	N.E.	4	·04	·01	....	.....	8	cu.s.	....	.....	8	cu.s.
30....	28·09	28·19	29·0	52·0	60·0	46·0	100	86	W.	14	N.W.	28	·01	....	....	.....	9	cu.s.	....	.....	8	cu.s.
31....	28·37	28·22	40·0	54·0	56·0	32·0	100	76	N.W.	6	W.	12	....	....	....	.....	7	cu.s.	....	.....	7	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·03	28·02	44·0	52·0	55·0	44·0	100	100	E.	10	N.W.	16	....	·01	....	....	10	cu.s.	....	....	8	cu.s.
2	28·02	27·99	38·0	54·0	56·0	38·0	100	100	N.W.	10	W.	28	....	....	....	....	8	cu.s.	....	....	9	cu.s.
3	28·02	28·09	40·0	52·0	54·0	40·0	100	100	N.W.	20	N.W.	18	·01	·06	....	.....	7	cu.s.	....	....	8	cu.s.
4	28·27	28·15	38·0	62·0	65·0	34·0	100	78	C.	0	W.	10	·02	....	....	....	....	....	....	....	8	cu.s.
5	28·08	27·97	50·0	68·0	74·0	48·0	86	74	C.	0	S.E.	18	....	....	6	cu.	....	.....	....	.....	8	cu.s.
6	27·94	27·89	53·0	76·0	78·0	50·0	100	60	E.	10	C.	0	·04	....	....	....	8	cu.s.	6	cu.	....	....
7	28·04	28·03	48·0	76·0	80·0	44·0	100	49	C.	0	N.W.	10	....	....	....	.....	....	.....	....	.....	7	cu.s.
8	27·98	27·83	57·0	65·0	76·0	57·0	100	100	E.	14	E.	16	·02	·04	....	....	8	n.	....	....	9	cu.s.
9	27·83	27·82	48·0	62·0	65·0	46·0	100	88	W	6	W.	14	....	....	....	.....	9	cu.s.	....	....	8	cu.s.
10	27·92	27·85	52·0	75·0	78·0	48·0	86	60	C.	0	S.W.	10	....	..	6	cu.	....	....	....	.....	7	cu.s.
11	27·90	27·89	55·0	77·0	85·0	50·0	80	69	S.E.	18	S.E.	20	....	....	....	.....	....	.....	....	.....	8	cu.s.
12	27·93	27·90	60·0	78·0	84·0	58·0	88	65	S.E.	26	S.E.	32	....	....	....	.....	7	cu.s.	....	.....	6	cu.s.
13	27·90	27·99	58·0	68·0	78·0	58·0	100	100	S.E.	22	E.	26	·01	·05	....	.....	7	cu.s.	....	.....	8	n.
14	28·13	28·12	55·0	74·0	76·0	54·0	100	47	S.W.	10	S.W.	18	·06	.	....	.....	....	.....	....	.....	....	.....
15	28·07	27·95	60·0	75·0	80·0	56·0	88	48	C.	0	C.	0	....	..	....	....	....	.....	....	.....	....	.....
16	27·89	27·86	52·0	60·0	75·0	51·0	100	100	W.	12	W.	18	·20	·12	....	.....	9	n.	....	.....	8	n.
17	27·84	28·43	44·0	58·0	60·0	44·0	100	100	N.W.	36	N.W.	20	·02	·04	....	....	10	cu.s.	....	.....	8	cu.s.
18	28·55	28·34	50·0	74·0	76·0	42·0	100	55	C.	0	S.	18	....	....	....	.....	....	.....	6	cu.	....	.....
19	28·23	28·05	52·0	74·0	76·0	48·0	100	55	C.	0	W.	12	·20	....	....	.....	7	cu.s.	6	cu.	....	.....
20	27·89	27·82	52·0	54·0	74·0	50·0	100	100	C.	0	N.W.	58	....	....	....	.....	7	cu.s.	....	.....	10	cu.s.
21	27·99	28·08	50·0	67·0	69·0	40·0	100	74	W.	6	N.E.	18	....	....	....	.....	....	....	....	.....	7	cu.s.
22	28·36	28·32	50·0	60·0	67·0	46·0	100	88	N.E.	12	N.E.	10	....	....	....	.....	7	cu.s.	....	.....	7	cu.s.
23	28·33	28·25	48·0	70·0	71·0	44·0	100	70	C.	0	E.	10	....	....	....	....	....	....	....	....	....	.....
24	28·30	28·31	50·0	73·0	74·0	46·0	100	63	C.	0	C.	0	....	....	5	cu.	....	.....	....	.....	....	.....
25	28·39	28·29	50·0	80·0	83·0	46·0	100	51	C.	0	S.W.	10	..	....	....	.....	....	.....	....	....	....	.....
26	28·24	28·11	60·0	86·0	88·0	56·0	66	48	C.	0	S.W.	12	.	....	....	....	....	....	....	....	....	..
27	28·04	27·95	60·0	76·0	86·0	58·0	100	41	C.	0	W.	18	·06	....	....	.....	....	....	5	cu.	....	.....
28	28·02	28·03	62·0	58·0	78·0	68·0	88	100	C.	0	E.	10	....	·04	....	.....	....	.....	....	.....	10	n.
29	28·04	28·08	48·0	55·0	58·0	46·0	100	100	C.	0	E.	12	·20	·34	....	.. .	8	cu.s.	....	.....	8	cu.s.
30	28·21	28·23	52·0	63·0	72·0	50·0	100	67	C.	0	S.E.	6	....	....	....	.. .	8	cu.s.	....	.....	8	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1	28·18	28·03	48·0	74·0	76·0	48·0	100	43	N.W.	14	S.W.	28					8	cu.s.				
2	28·12	28·09	56·0	74·0	80·0	50·0	87	39	C.	0	S.W.	18									6	cu.
3	28·17	28·10	60·0	68·0	80·0	56·0	65	100	C.	0	C.	0		·02							8	n.
4	27·98	27·93	54·0	74·0	78·0	54·0	87	32	S.E.	18	W.	40					10	n.			8	cu.s.
5	28·04	28·07	50·0	70·0	74·0	50·0	87	32	S.E.	20	W.	28					8	cu.s.				
6	28·13	28·02	52·0	60·0	72·0	50·0	86	100	W.	8	W.	30		·10							8	cu.s.
7	28·11	28·10	48·0	58·0	68·0	48·0	100	100	S.W.	10	N.W.	18	·08	·02			7	cu.s.			7	cu.s.
8	28·28	28·28	44·0	70·0	71·0	44·0	100	57	C.	0	C.	0	T.				8	cu.s.				
9	28·33	28·29	52·0	70·0	71·0	50·0	100	53	C.	0	C.	0		·02			8	c.us.				
10	28·31	28·20	50·0	78·0	82·0	49·0	100	65	C.	0	C.	0	·06	·01							8	cu.s.
11	28·15	28·10	62·0	78·0	80·0	58·0	88	46	C.	0	C.	0	·22	·04			10	n.	10	cu.		
12	28·09	28·06	56·0	60·0	80·0	56·0	100	60	W.	10	W.	14	·51								7	c.u.s.
13	27·99	27·91	48·0	60·0	68·0	44·0	100	78	N.W.	12	W.	14		·06							7	n.
14	27·80	27·87	61·0	61·0	62·0	51·0	77	82	E.	6	N.E.	10	·04	·06			8	cu.s.			8	cu.s.
15	28·04	28·09	56·0	58·0	62·0	50·0	87	76	N.W.	14	N.W.	14	·24	T.			9	n.			9	n.
16	28·17	28·17	57·0	64·0	67·0	52·0	94	62	W.	18	W.	12	·06				8	cu.s.			2	cu.s.
17	28·28	28·24	46·0	70·0	72·0	45·0	92	52	C.	0	C.	0									4	n.
18	28·27	28·31	55·0	72·0	73·0	54·0	93	80	C.	0	S.E.	2		·10			6	cu.s.			2	cu.s.
19	28·28	28·08	58·0	75·0	80·0	52·0	76	52	C.	0	W.	20	·01								2	cu.s.
20	28·19	28·14	55·0	72·0	75·0	53·0	77	42	W.	2	W.	10		10			6	cu.s.				
21	28·33	28·27	65·0	72·0	73·0	47·0	58	70	W.	10	C.	0										
22	28·23	28·13	66·0	71·0	73·0	46·0	74	66	C.	0	W.	4									4	cu.
23	28·18	28·10	52·0	78·0	78·0	45·0	93	57	W.	10	C.	0										
24	28·04	28·06	58·0	58·0	78·0	56·0	94	91	C.	0	W.	4		·31			2	cu.				
25	28·34	28·29	62·0	71·0	74·0	58·6	94	64	C.	0	N.W.	1	·20									
26	28·11	27·97	56·0	74·0	81·0	53·0	87	76	C.	0	N.W.	4									2	cu.
27	28·04	28·08	55·0	73·0	74·0	54·0	100	59	C.	0	W.	8										
28	28·22	28·16	74·0	78·0	79·0	51·0	55	61	N.W.	14	N.W.	6										
29	28·33	28·37	52·0	76·0	78·0	50·0	100	90	C.	0	N.W.	8										
30	28·33	28·44	54·0	76·0	78·0	51·0	100	60	C.	0	N.W.	10										
31	28·41	28·38	53·0	71·0	75·0	51·0	93	50	C.	0	N.E.	4										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·46	28·35	43·0	71·0	72·0	42·0	55	61	C.	0	C.	0										
2	28·33	28·16	49·0	75·0	79·0	45·0	100	90	C.	0	S.E.	6										
3	27·93	27·44	71·0	80·0	89·0	56·0	100	60	S.E.	8	S.E.	10									5	cu.
4	27·96	28·03	57·0	64·0	80·0	55·0	87	62	N.W.	16	N.W.	20	·02				8	cu.s.			3	cu.
5	27·90	27·91	61·0	53·0	67·0	45·0	77	100	C.	0	N.	6		·35			2	cu.			10	cu.s.
6	28·14	28·15	59·0	66·0	66·0	47·0	70	54	N.W.	10	C.	0	01									
7	28·24	28·15	54·0	73·0	75·0	53·0	74	46	C.	0	C.	0					4	cu.				
8	28·17	28·05	56·0	75·0	78·0	55·0	93	64	E.	4	C.	0					2	cu.			2	cu.
9	28·18	28·24	57·0	56·0	73·0	53·0	81	93	N.W.	8	N.W.	6		·15			10	cu.s.			10	cu.s.
10	28·22	28·18	52·0	64·0	66·0	46·0	93	57	N.W.	4	N.	4					10	cu.s.				
11	28·20	28·17	61·0	65·0	66·0	40·0	66	45	N.	4	N.	6					2	cu.				
12	28·29	28·33	40·0	63·0	67·0	39·0	100	50	C.	0	N.E.	2									2	cu.
13	28·36	28·22	45·0	75·0	77·0	44·0	100	48	C.	0	S.E.	10										
14	28·06	27·89	60·0	75·0	82·0	53·0	71	60	S.E.	6	E.	15									8	cu.s.
15	27·75	27·96	56·0	61·0	74·0	54·0	94	77	N.W.	10	N.W.	6	·01	·34			10	cu.s.				
16	28·04	28·04	59·0	67·0	71·0	47·0	64	50	C.	0	W.	10									2	cu.
17	28·13	27·97	43·0	57·0	62·0	42·0	100	75	C.	0	N.E.	15		·01			4	cu.			6	cu.
18	28·03	28·25	43·0	45·0	53·0	45·0	100	92	N.	15	N.	16	1·40	·26			10	cu.s.			10	cu.s.
19	28·44	28·37	40·0	55·0	59·0	39·0	91	68	C.	0	W.	4										
20	28·48	28·39	36·0	66·0	68·0	36·0	100	59	C.	0	S.E.	4										
21	28·23	27·96	51·0	95·0	78·0	44·0	72	44	S.W.	10	S.W.	10										
22	27·90	27·84	64·0	71·0	75·0	51·0	67	53	W.	2	W.	16					2	cu.			2	cu.
23	28·14	28·22	57·0	66·0	71·0	50·0	58	45	W.	10	N.W.	15										
24	28·30	28·16	60·0	79·0	82·0	44·0	44	67	W.	2	C.	0										
25	28·00	27·82	56·0	69·0	78·0	51·0	100	56	E.	4	S.E.	20		·01								
26	27·77	27·93	56·0	53·0	70·0	51·0	87	86	S.E.	6	N.W.	20	·01	·01								
27	28·21	28·34	43·0	57·0	60·0	43·0	100	58	N.W.	4	N.W.	10									4	cu.
28	28·37	28·16	36·0	65·0	69·0	36·0	100	58	C.	0	S.	4					2	cu.				
29	27·91	27·81	46·0	75·0	78·0	40·0	100	48	C.	0	N.W.	4										
30	28·04	28·18	50·0	62·0	75·0	50·0	100	61	N.W.	4	N.W.	4					4	cu.			4	cu.
31	28·35	28·33	49·0	64·0	67·0	46·0	93	48	N.W.	8	W.	4										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1	28·42	28 36	62·0	75 0	77·0	39·0	74	44	C.	0	C.	0										
2	28·41	28 27	43·0	76·0	81·0	43·0	100	52	C.	0	C.	0										
3	28·28	28 27	50·0	68·0	76·0	48·0	100	74	C.	0	W.	2		·03							8	cu.
4	28 27	28·19	57·0	64·0	69·0	55·0	87	70	C.	0	N.	1	·48	·91			10	cu.s.			6	cu.
5	28·22	28 15	49 0	68·0	70·0	49 0	100	70	C.	0	C.	0					10	cu.				
6	28·11	28 05	53·0	62·0	74·0	52·0	93	79	S.E.	6	N.W.	20										
7	28·30	28·31	44 0	58·0	62·0	44·0	84	42	N W.	10	N.	20										
8	28·46	28·43	49·0	63·0	60 0	33·0	78	42	N.	20	N.	4										
9	28·44	28·12	44 0	77·0	80·0	40 0	76	49	S.W.	2	W.	6										
10	28 31	28·52	48·0	44·0	76·0	42·0	100	100	N.	10	N.E.	10	·10	·28			10	cu.s.			10	cu.s.
11	28·63	28·64	36 0	44 0	44·0	36·0	100	67	C.	0	N.E.	4	·16				10	cu.s.			4	cu.
12	28·62	28·47	36·0	43·0	44 0	36·0	100	67	C.	0	C.	0					10	cu.			10	cu.
13	28·27	28 07	32·0	45·0	47·0	32·0	100	78	S.	4	S.W.	4	·04				10	cu.s.			4	cu.
14	27·96	28·09	46 0	48·0	52·0	33·0	77	49	N.W.	4	N.W.	4	·02				6	cu.			8	cu.
15	28 46	28 41	43·0	45·0	48·0	36 0	75	61	N.	4	N.	4									4	cu.
16	28·40	28·09	34·0	52·0	52·0	31·0	100	73	C.	0	E.	10		·10			4	cu.			10	cu.
17	28 04	28·10	46·0	42·0	54·0	42 0	100	100	N.W.	6	N.W.	14		·01			10	cu.s.			10	cu.s.
18	28·26	28·08	28·0	58·0	62 0	28·0	100	53	C.	0	S.W.	16										
19	27·95	28·25	44 0	48·0	54·0	36 0	100	56	C.	0	W.	20		T.							4	cu.
20	28·22	28 28	32·0	46·0	50 0	30·0	100	40	W.	4	N.W.	10					10	cu.			2	cu.
21	28·35	27·98	38 0	60·0	66·0	36·0	100	55	C.	0	W.	30		T.			10	cu.			10	cu.
22	28·01	27 68	58·0	72·0	72 0	36·0	64	70	W.	6	W.	6					8	cu.				
23	27·84	28·13	54·0	56·0	76·0	50·0	74	66	N.W.	14	N.	6										
24	28·23	28·28	36·0	58·0	64·0	36·0	61	53	C.	0	N.E.	6									4	cu.
25	28 45	28·49	36·0	50·0	58·0	34·0	100	65	C.	0	N.E.	4					2	cu.			2	cu.
26	28 54	28·36	28·0	50·0	56 0	28·0	100	72	C.	0	S.E.	4										
27	28·15	28·23	42 0	54·0	56·0	42·0	91	76	E.	4	N.	6					10	cu.s.				
28	28·45	28·41	24·0	42·0	54·0	22·0	100	50	C.	0	C.	0										
29	28 25	28 10	38·0	50·0	60 0	21·0	45	51	S.E.	4	C.	0										
30	27·95	27·85	42·0	74·0	74·0	42·0	100	81	C.	0	S.W.	6										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt	Kind	Amt.	Kind
	in.	in.											in.	in.								
1	27·76	27·84	42·0	48·0	74·0	42·0	100	100	S.E.	2	N.W.	20	...	...	..	..	...	...	...	...	5	cu.
2	28·16	28·33	38·0	50·0	52·0	38·0	100	93	N.W.	10	C.	0	R.	...	...	...	10	cu.s.	...	...	...	...
3	28·15	28·01	42·0	62·0	65·0	32·0	100	88	W.	4	W.	10	.	...	...	...	6	cu.s.	...	...	6	cu.
4	28·18	28·15	42·0	60·0	65·0	40·0	100	100	C.	0	N.W.	7	...	...	...	...	7	cu.s.	...	...	8	cu.s.
5	27·95	27·99	44·0	60·0	70·0	40·0	100	100	W.	4	C.	0	...	R.	.	...	10	cu.s.	...	...	9	n.
6	28·16	28·32	38·0	58·0	61·0	38·0	100	82	C.	0	C.	0	R.	...	...	...	8	cu.s.	...	...	...	...
7	28·24	27·83	26·0	58·0	66·0	26·0	100	88	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
8	28·19	28·36	36·0	56·0	59·0	36·0	100	100	N.W.	38	N.W.	22	01	...	...	...	7	cu.s.	...	...	...	...
9	28·33	28·30	20·0	57·0	62·0	20·0	100	87	C.	0	N.W.	16	...	...	...	...	...	...	...	...	...	...
10	28·41	28·47	28·0	54·0	60·0	28·0	100	93	N.W.	2	C.	0	...	...	...	...	5	cu.	...	...	...	...
11	28·53	28·40	36·0	58·0	67·0	28·0	100	88	C.	0	S.	14	...	...	...	...	...	...	...	...	...	...
12	28·16	28·08	28·0	66·0	76·0	27·0	100	89	S.E.	6	N.W.	10	...	...	...	...	...	...	...	...	...	...
13	28·22	28·34	27·0	57·0	66·0	27·0	100	94	C.	0	C.	0	...	...	...	...	...	...	...	...	5	cu.
14	28·30	28·15	22·0	58·0	64·0	22·0	100	100	C.	0	S.E.	6	...	...	...	...	...	...	...	...	...	...
15	28·03	28·16	38·0	54·0	63·0	32·0	100	100	C.	0	C.	0	...	...	...	...	6	cu.	...	...	7	cu.s.
16	28·17	28·44	32·0	42·0	59·0	32·0	100	100	C.	0	N.W.	38	...	...	...	...	...	...	...	...	...	...
17	28·83	28·70	10·0	36·0	42·0	10·0	100	100	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
18	28·52	28·19	12·0	38·0	43·0	12·0	100	100	E.	6	E.	8	...	...	...	...	...	...	...	...	...	...
19	28·45	28·50	8·0	40·0	47·0	8·0	100	100	E.	6	C.	0	...	...	...	...	...	...	...	...	...	...
20	28·34	28·07	18·0	58·0	68·0	18·0	100	94	C.	0	S.	14	...	...	...	...	...	...	...	...	...	...
21	28·18	28·22	30·0	52·0	60·0	27·0	100	100	C.	0	N.W.	8	...	...	...	...	...	...	...	...	...	...
22	28·25	28·09	26·0	58·0	78·0	26·0	100	88	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
23	28·14	28·25	30·0	58·0	58·0	14·0	100	100	W.	4	C.	0	...	...	...	...	7	cu.s.	...	...	...	...
24	28·53	28·55	16·0	40·0	54·0	16·0	100	100	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
25	28·08	28·00	22·0	51·0	58·0	20·0	100	93	S.E.	14	C.	0	...	...	...	...	...	...	...	...	5	cu.s.
26	28·41	28·43	30·0	38·0	51·0	28·0	100	100	N.W.	28	C.	0	...	...	...	...	7	cu.s.	...	...	...	...
27	28·35	28·15	10·0	50·0	54·0	9·0	100	100	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
28	28·28	28·27	16·0	40·0	51·0	14·0	100	100	C.	0	S.E.	12	...	...	...	...	...	...	...	...	...	...
29	28·21	28·08	20·0	41·0	48·0	20·0	100	100	S.E.	18	S.E.	16	...	...	...	...	...	...	...	...	...	...
30	27·93	27·85	32·0	52·0	54·0	30·0	100	86	S.E.	6	C.	0	...	...	6	ci.cu.	...	...	...	...	7	cu.s.
31	27·96	28·00	34·0	46·0	52·0	34·0	100	100	W.	6	C.	0	·03	...	...	...	10	n.	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·23	28·25	28·0	38·0	46·0	26·0	100	100	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2....	27·93	28·16	26·0	40·0	52·0	22·0	100	100	E.	16	N.W.	31	.....	.....	.....	.....	8	cu.s.	.....	.....	7	cu.s.
3 ...	28·07	28·10	34·0	37·0	42·0	31·0	100	100	W.	14	W.	8	.....	.....	.....	.....	7	cu.s.	.....	.....	.....	.....
4....	27·90	28·01	30·0	45·0	50·0	24·0	100	100	C.	0	W.	16	.....	.....	.....	.....	10	cu.s.	.....	.....	.....	.....
5....	28·18	28·06	32·0	50·0	58·0	32·0	100	100	C.	0	W.	4	.....	.....	.....	.....	.....	.....	.....	.....	7	cu.s.
6.. .	27·85	27·97	32·0	42·0	50·0	32·0	100	100	C.	0	N.W.	18	.....	·01	.....	.....	6	cu.s.	.....	.....	8	cu.s.
7...	23·30	28·16	18·0	38·0	43·0	16·0	100	100	C.	0	S.W.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8....	28·13	28·25	34·0	38·0	45·0	30·0	100	100	C.	0	N.W.	22	.....	.....	.....	.....	.....	.....	.....	.....	7	cu.s.
9....	28·46	28·72	22·0	18·0	38·0	18·0	100	100	N.W.	10	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10....	28·77	28·72	10·0	20·0	27·0	8·0	100	100	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11....	28·69	28·42	7·0	30·0	37·0	6·0	100	100	C.	0	S.E.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12....	28·32	28·60	21·0	22·0	32·0	20·0	100	100	W.	6	N.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13....	28·70	28·48	6·0	16·0	24·0	4·0	100	100	C.	0	C.	0	.....	.....	.....	.....	10	cu.s.	.....	.....	.....	.....
14 ...	28·32	28·41	18·0	25·0	32·0	8·0	100	100	N.W.	8	C.	0	.....	.....	.....	.....	8	cu.s.	.....	.....	.....	.....
15....	28·19	28·17	18·0	36·0	46·0	10·0	100	100	W.	6	W.	6	.....	.....	6	ci.cu.	.....	.....	.....	.....	.....	.....
16....	27·98	27·76	26·0	34·0	36·0	22·0	100	100	E.	28	C.	0	.....	.....	.....	.....	10	cu.s.	.....	.....	7	cu.s.
17....	28·16	28·34	16·0	22·0	34·0	14·0	100	100	C.	0	C.	0	.....	.....	.....	.....	.....	.....	6	ci.cu.	.....	.....
18....	28·26	27·95	12·0	34·0	38·0	8·0	100	100	C.	0	S.	16	.....	.....	.....	.....	7	cu.s.	.....	.....	8	cu.s.
19....	27·63	27·59	30·0	34·0	40·0	30·0	100	100	C.	0	C.	0	.....	.....	.....	.....	10	cu.s.	.....	.....	9	cu.s.
20....	27·91	27·92	18·0	30·0	39·0	18·0	100	100	C.	0	C.	0	S.	.....	.....	.....	.....	.....	.....	.....	.....	.....
21....	28·00	27·95	22·0	30·0	42·0	20·0	100	100	C.	0	C.	0	.....	.....	.....	.....	10	cu.s.	10	ci.cu.	.....	.....
22....	27·75	27·62	18·0	40·0	41·0	16·0	100	100	E.	4	S.	12	.....	.....	.....	.....	7	cu.s.	.....	.....	7	cu.s.
23 ...	27·99	27·88	22·0	30·0	41·0	20·0	100	100	C.	0	C.	0	.....	.....	.....	.....	8	cu.s.	.....	.....	.....	.....
24...	27·70	27·96	18·0	28·0	36·0	16·0	100	100	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25....	28·19	28·27	13·0	26·0	38·0	10·0	100	100	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26 ..	27·72	27·90	34·0	34·0	40·0	20·0	100	100	E.	28	N.W.	26	.....	.....	.....	.....	8	cu.s.	8	ci.cu.	.....	.....
27....	28·09	28·28	22·0	22·0	34·0	20·0	100	100	W.	22	W.	6	.....	S.	.....	.....	8	cu.s.	.....	.....	9	n.
28....	28·44	28·29	2·0	18·0	24·0	0·0	100	100	C.	0	E.	10	.....	.....	.....	.....	.....	.....	.....	.....	2	cu.s.
29....	28·22	28·40	15·0	26·0	34·0	14·0	100	100	C.	0	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30 ...	28·33	28·21	13·0	25·0	26·0	12·6	100	100	C.	0	E.	6	.....	.....	.....	.....	.....	.....	.....	.....	7	cu.s.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Battleford, Saskatchewan—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Amt.	Kind.
	in.	in.											in.	in.							
1	28·52	28·50	29·0	30·0	40·0	18·0	100	100	C.	0	W.	6	..	..	....	....	....	....	....	....	.....
2	28·59	28·56	12·0	22·0	30·0	10·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	....	...
3	28·32	28·16	24·0	14·0	34·0	16·0	100	100	E.	14	C.	0	....	....	....	....	6	cu.	....	....	.....
4	27·99	27·72	6·0	36·0	40·0	6·0	100	100	C.	0	S.E.	6	....	....	....	....	....	....	....	7	cu.s.
5	27·57	27·71	41·0	36·0	51·0	36·0	100	100	S.	28	W.	18	..	·01	..	....	....	....	....	7	cu.s.
6	27·94	28·01	25·0	28·0	36·0	22·0	100	100	W.	6	C.	0	....	....	....	....	....	....	....	....	...
7	27·95	27·95	11·0	24·0	28·0	8·0	100	100	C.	0	E.	14	..	·10	..	....	9	cu.s.	....	10	n.
8	28·45	28·57	10·0	1·0	24·0	4·0	100	100	C.	0	C.	0	·18	·02	..	....	8	n.	....	....	.....
9	28·39	28·11	— 7·0	18·0	18·0	—12·0	100	100	C.	0	E.	16	....	..	....	....	....	....	....	9	cu.s.
10	28·05	27·96	4·0	16·0	21·0	4·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	....	.....
11	27·90	27·85	2·0	14·0	19·0	0·0	100	100	C.	0	E.	10	....	....	....	....	....	....	....	8	cu.s.
12	27·75	27·93	12·0	23·0	26·0	12·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	7	cu.s.
13	27·84	27·90	18·0	20·0	24·0	18·0	100	100	C.	0	E.	10	..	..	..	....	8	cu.s.	....	10	cu.s.
14	28·19	28·36	16·0	22·0	25·0	16·0	100	100	C.	0	N.W.	10	..	S.	....	....	10	cu.s.	....	7	cu.s.
15	28·42	28·41	10·0	16·0	22·0	10·0	100	100	C.	0	C.	0	..	S.	....	....	7	cu.s.	....	7	cu.s.
16	28·44	28·52	16·0	6·0	18·0	6·0	100	100	C.	0	C.	0	S.	....	....	....	10	cu.s.	....	....	....
17	28·36	28·25	0·0	4·0	10·0	0·0	100	100	C.	0	W.	1	....	....	....	....	....	....	....	....	
18	28·11	28·05	—12·0	20·0	26·0	—12·0	100	100	C.	0	S.W.	10	....	....	....	....	....	....	....	....	
19	28·08	28·07	14·0	12·0	20·0	10·0	100	100	W.	1	C.	0	....	....	....	....	....	....	....	....	
20	28·09	27·96	— 8·0	5·0	12·0	— 9·0	100	100	C.	0	E.	8	....	....	....	....	....	....	....	....	
21	27·79	27·76	24·0	34·0	38·0	2·0	100	100	C.	0	W.	16	....	....	....	....	8	cu.s.	....	6	cu.
22	27·88	27·82	16·0	24·0	28·0	16·0	100	100	C.	0	W.	4	....	....	....	....	....	....	....	7	cu.s.
23	28·02	28·01	8·0	16·0	24·0	8·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	7	cu.s.
24	27·79	28·10	5·0	— 4·0	16·0	— 4·0	100	100	E.	18	C.	0	·02	·01	....	....	10	n.	....	....	..
25	27·99	27·76	— 6·0	10·0	10·0	—15·0	100	100	E.	10	C.	0	..	·01	....	....	8	cu.s.	....	10	cu.s.
26	27·50	27·87	4·0	— 4·0	10·0	4·0	100	100	E.	18	N.E.	6	·02	·02	....	....	10	n.	....	....	.....
27	28·07	27·95	16·0	—15·0	— 4·0	—21·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	....	...
28	27·90	28·99	— 8·0	6·0	8·0	18·0	100	100	E.	10	C.	0	....	....	....	....	....	....	....	8	cu.s.
29	28·13	28·16	—10·0	6·0	6·0	—10·0	100	100	C.	0	C.	0	....	·01	....	....	5	cu.	....	10	n.
30	28·15	28·16	14·0	6·0	16·0	1·0	100	100	C.	0	N.	10	....	....	....	....	7	cu.s.	....	5	cu.
31	28·21	28·22	—16·0	—14·0	6·0	—17·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba: Latitude North, 50° 15′; Longitude West, 99° 50′. Height above Sea, 1,100 feet.
February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8. a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·82	28·11	0·4	−11·8	2·0	−12·0	100	100	N.E.	10	N.	23	·03	·04			10	cu.st.			10	nb.
2	28·43	28·52	−21·0	−25·4	−8·4	−25·6	100	100	N.W.	14	N.W.	14	·06		4	ci.st.						
3	28·60	28·51	−37·1	−25·3	−19·5	−37·1	100	100	N.W.	1	N.W.	9										
4	28·40	28·33	−25·7	−21·3	−11·3	−29·0	100	100	N.W.	5	N.W.	2										
5	28·26	28·20	−29·2	−22·0	−11·2	−32·8	100	100	C.	0	C.	0							3	ci.st.		
6	28·21	28·38	−17·2	−12·8	2·3	−32·2	100	100	C.	0	C.	0			5	ci.st.						
7	28·27	28·21	−6·5	6·1	15·0	−16·6	100	95	W.	6	E.	4									10	cu.st.
8	27·97	27·99	14·0	32·8	34·0	1·0	93	87	C.	0	W.	4			3	ci.st.					10	cu.st.
9	28·11	28·14	25·0	28·7	34·5	22·5	99	94	N.W.	16	N.W.	28										
10	28·37	28·37	19·4	11·0	29·0	10·8	89	86	N.W.	11	E.	8					10	cu.st.			10	cu.st.
11	28·13	28·10	11·5	25·0	36·5	6·2	94	92	E.	7	C.	0					10	cu.st.	1 3	ci.st. ci.cu.		
12	27·99	27·93	28·0	29·8	38·5	16·0	97	89	N.W.	2	C.	0							10	ci.st.		
13	27·96	28·32	30·8	20·7	34·0	19·8	89	99	N.W.	26	N.W.	8					4	cu.st.				
14	28·22	27·96	5·2	35·8	38·0	1·2	90	100	C.	0	N.W.	16							2	ci.st.		
15	28·08	28·06	22·0	31·8	36·0	21·5	96	87	N.W.	5	N.W.	6									10	cu.st.
16	28·13	28·03	20·0	31·0	40·5	18·0	99	100	C.	0	C.	0										
17	27·85	27·71	20·7	30·6	38·2	19·8	99	91	C.	0	C.	0							4	ci.st.		
18	27·99	27·82	16·0	23·0	34·0	15·1	93	96	N.	5	N.W.	4							3 4	ci.st. ci.cu.		
19	28·06	28·08	6·1	2·2	25·0	0·2	83	95	C.	0	N.W.	8										
20	28·19	28·26	−15·2	−9·4	4·0	−17·8	100	100	C.	0	N.W.	6										
21	28·39	28·39	−26·6	−8·2	0·5	−29·1	100	100	C.	0	C.	0										
22	28·30	28·20	−5·6	11·0	11·5	−20·6	96	96	S.E.	10	E.	14					10	cu.st.			10	cu.st.
23	27·98	27·79	14·0	29·7	32·5	10·6	96	99	S.E.	18	N.W.	8		·01	7	ci.cu.					10	cu.st.
24	28·26	28·52	10·0	6·1	30·0	2·7	96	95	N.W.	18	S.	8										
25	28·33	28·25	−2·7	−0·3	6·1	−3·8	100	100	E.	28	N.E.	10		·13			10	st.			10	nb.
26	28·51	28·58	−14·8	−4·4	7·8	−15·6	100	100	N.E.	6	C.	0	·01		1	ci.st.			10	ci.st.		
27	28·45	28·39	−13·3	−3·2	6·0	−13·7	90	100	C.	0	C.	0	·01		4	ci.st.	5	st.				
28	28·47	28·38	−19·0	2·2	16·0	−19·6	100	95	C.	0	C.	0										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·21	28·12	— 7·0	14·0	25·0	—11·2	100	96	C.	0	C.	0	..	..	7	ci.st.	..	.....	.....	.....	10	st.
2	28·14	28·21	— 5·4	15·5	30·0	— 6·8	100	88	C.	0	C.	0	....	....	1	ci.cu.	....	.....	.....	.....	.....	.....
3	28·17	28·20	6·0	12·0	22·0	— 6·7	95	96	C.	0	N.W.	8	....	....	1	ci.st.	....	.....	.....	.....	.....	.....
4	28·17	28·22	11·2	17·7	24·2	1·0	92	98	N.W.	9	N.W.	20	01	....	10	ci.st.	..	.....	...	...	1	st.
5	28·50	28·39	— 7·5	6·5	17·8	— 7·7	100	96	C.	0	S.E.	6	S.	..	....	.....	..	...	...	..	.....	.....
6	28·02	28·87	12·2	30·0	32·0	0·0	92	100	S.E.	14	N.W.	9	....	....	....	.....	10	st.	.....	.....	10	cu.st.
7	28·10	28·21	14·8	25·0	30·5	14·0	100	96	N.W.	6	W.	7	....	....	....	.....	....	.....	3	ci.st.	.....	.....
																			3	ci.cu.		
8	28·35	28·45	7·1	21·1	38·4	2·2	100	99	C.	0	N.	3	....	....	....	.....	5	cu.st.	.....	.....	2	st.
9	28·50	28·44	5·0	11·8	23·2	2·2	100	96	C.	0	W.	3	....	....	....	.....	8	cu.st.	.....	.....	.....	.....
10	28·28	28·09	13·0	25·0	25·4	2·2	96	99	N.W.	6	S.	8	....	....	....	.....	10	cu.st.	.....	.....	10	cu.st.
11	27·93	27·90	29·7	20·5	33·2	20·5	99	99	C.	0	N.	16	....	11	....	.....	10	st.	.....	.....	10	nb.
12	28·00	28·09	11·0	12·6	21·2	10·1	96	100	C.	0	C.	0	02	....	....	.....	....	.....	.....	.....	.....	.....
13	28·09	27·93	— 7·2	12·0	22·5	— 7·7	100	96	C.	0	C.	0	....	....	....	.....	....	.....	8	ci.cu.	....	.....
14	27·86	28·10	14·0	19·0	21·0	2·4	96	94	N.W.	25	N.W.	14	....	....	....	.....	10	cu.st.	.....	.....	.....	.....
15	28·19	27·88	2·0	21·1	21·0	— 1·8	100	99	C.	0	S.E.	5	....	01	....	.....	10	cu.st.	.....	.....	10	cu.st.
16	27·86	28·27	16·0	15·0	27·0	14·2	97	97	W.	18	N.W.	4	....	....	....	.....	9	cu.st.	.....	.....	.....	.....
17	28·30	28·49	9·5	16·6	25·3	0·8	98	97	W.	9	N.W.	7	....	....	....	.....	....	.....	.....	.....	.....	.....
18	28·27	27·71	13·0	21·8	22·0	- 3·8	96	98	E.	12	S.E.	9	....	06	....	.....	10	cu.st.	.....	.....	10	cu.st.
19	27·96	28·17	15·0	16·0	30·0	14·1	97	97	N.W.	22	W.	2	....	....	....	.....	1	cu.st.	.....	.....	.....	.....
20	27·81	27·67	26·0	36·8	41·0	2·2	99	98	W.	12	N.W.	12	....	....	....	.....	....	.....	.....	.....	.....	.....
21	27·67	27·31	38·8	36·0	39·0	29·5	91	98	E.	3	S.E.	10	....	17	....	.....	10	cu.st.	.....	.....	10	nb.
22	27·72	27·88	32·8	33·8	40·4	30·0	92	86	N.W.	18	S.E.	4	03	....	....	.....	10	cu.st.	.....	.....	10	cu.st.
23	27·94	28·02	26·0	37·8	47·4	24·5	99	89	C.	0	S.E.	2	....	....	....	.....	....	.....	5	ci.st.	.....	.....
																			4	ci.cu.		
24	27·82	27·90	35·3	40·0	46·0	29·2	95	90	S.E.	5	S.W.	5	....	....	....	.....	8	st.	4	ci.cu.	....	...
25	28·17	28·36	15·8	11·0	40·0	9·1	100	96	N.	16	N.E.	14	....	....	....	.....	10	c.u.	.....	.....	10	cu.st.
26	28·25	27·94	9·1	15·2	15·5	7·1	96	100	E.	12	N.E.	14	....	19	....	.....	10	st.	.....	.....	10	nb.
27	27·73	27·81	14·0	24·0	30·0	13·0	96	99	N.W.	8	N.W.	16	10	....	....	.....	9	cu.st.	.....	.....	.....	.....
28	27·83	27·76	12·0	33·1	37·5	9·6	96	86	C.	0	W.	4	....	....	....	.....	7	st.	.....	.....	.....	.....
29	27·93	28·10	19·0	16·0	33·2	12·0	99	97	N.W.	26	N.W.	30	....	....	....	.....	10	cu.st.	.....	.....	2	st.
30	28·50	28·71	— 2·7	10·8	16·0	2·8	100	80	N.W.	16	N.W.	11	01	....	....	.....	....	.....	.....	.....	1	cu.
31	28·71	28·43	— 7·7	19·0	21·0	— 9·7	100	100	C.	0	S.E.	16	....	....	....	.....	....	.....	.....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba.—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°									in.	in.								
1	27·94	28·12	21 1	41·6	46·5	14·6	100	75	S.E.	4	N.W.	2	...	...	4 1	ci.st. ci.	...	.....	4	ci.st.	...	.....
2	28 31	28·31	22·0	27·7	41 6	20 0	99	92	C.	0	S.E.	10	.....	.....	1	ci.st.	...	.....	2	ci.cu.	7	cu.st.
3	28·27	28·28	22 0	22·0	27·8	21·0	99	99	E.	10	N.E.	14	....	10	.....	.....	10	cu.st.	.....	.....	10	nb.
4	28 43	28·40	13·0	29·7	26·5	13 0	96	100	C.	0	S.E.	8	12	..	.....	.....	.....	.....	5	ci.st.	.....	.....
5	28·19	27·91	12·5	31·6	32·0	9·6	96	95	C.	0	S.	24	....	·08	.....	.....	10	st.	.....	.....	10	cu.st.
6	27·75	27·69	21·0	36·0	37·8	21·0	100	96	C.	0	C.	0	....	...	.....	.....	10	st.	.....	.....	10	cu.st.
7	27·72	27·90	26·4	31 1	36·0	25·5	96	97	N.W.	8	N.W.	19	....	...	5	ci.cu.	3	cu.st.	3	ci.cu.	2	cu.st.
8	28·19	28 19	20·0	26·4	36·2	19·1	99	87	N.W.	18	S.E.	9	..	.....	.....	.....	.....	.....	9	ci.st.	.....	.....
9	28·31	28 29	10 0	27·0	35·0	9·7	100	89	C.	0	C.	0	.....	.....	1	ci.st.	.....	.....	4	ci.st.	.....	.....
10	28·01	27·71	22·1	35·3	35·5	19·1	96	100	S.E.	16	S.W.	16	.....	.....	.....	.....	10	cu.st.	4	ci.cu.	.....	.....
11	27·68	28·18	23·4	20·0	35·5	20·0	99	99	N.W.	26	N.W.	32	.....	.....	.....	.....	10	cu.st.	2	ci.cu.	6	cu.st.
12	28 49	28·56	11·4	21·1	30·8	10·1	96	81	N.W.	6	N.	7	.....	.....	1 4	ci.st. ci.cu.	.....	.....	4	ci.cu.	.....	.....
13	28 60	28·43	— 3·2	24·0	28·0	— 4·7	100	99	C.	0	C.	0	....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	28 18	27·95	10 0	30·0	36 4	4·7	100	92	C.	0	S.E.	13	...	...	.....	.....	10	st.	...	...	10	cu.st.
15	28 03	28·30	20·0	18 0	30·0	14·0	98	98	N.	24	N.	29	·20	...	...	...	10	cu.st.	.....	.....	.....	...
16	28·41	28·38	12 8	27·1	31 8	8 6	100	81	N.W.	8	S.E.	4	...	...	...	..	9	cu.st.	.....	.....	.....	.....
17	28 34	28·29	6 0	29·0	33 0	5·2	100	88	C.	0	S.E.	6	...	...	...	...	4	st.	2	ci.cu.	.....	...
18	28·31	28·31	11·8	31·8	35·0	10·0	100	88	C.	0	C.	0	...	...	...	...	...	...	10	ci.st.	...	...
19	28 13	28·52	21 0	33·4	43 7	18 5	96	94	C.	0	S.	5	...	...	5	ci.cu.	.....	.....	.....	.....	.....	.....
20	28·51	28·29	26 1	37·5	41·5	21 0	96	93	W.	5	W.	10	....	...	.....	.....	.....	.....	.....	.....	.....	.....
21	27·88	28·98	35·3	42·0	47·5	30 0	100	89	W.	18	N.W.	14	.....	.....	.....	.....	1	st.	...	...	1	cu.
22	28 03	28·06	32·0	38 8	42·5	28 0	97	85	N.W.	11	N.W.	15	.....	.....	.....	.....	2	cu.st.	....	...	4	cu.st
23	28·21	28·11	21·0	34·8	39·0	16·6	99	80	C.	0	N.W.	15	....	...	2 4	ci.cu. ci.cu.	.....	.....	5	ci.st.	.....	.....
24	28·18	28·28	24·4	21·3	35·0	21·0	92	94	N.W.	11	N.W.	13	.....	.....	2	ci.cu.	1	cu.st.	.....	.....	5	cu.
25	28·34	28·16	15·0	29·8	30 5	12·1	78	95	N.E.	2	N.W.	7	S.	....	.....	.....	8	cu.st.	5	ci.cu.	...	.....
26	28 21	28·34	20 0	23·7	30·4	17·8	99	99	C.	0	E.	9	...	....	.....	.....	10	cu.st.	1 7	ci.st. ci.cu.	...	.....
27	28 54	28·48	11·7	25·6	30·8	11·6	100	81	S.E.	5	C.	0	...	....	.....	.....	10	cu.st.	.....	...	10	cu.st.
28	28 42	28·36	21·0	28·0	32·0	20·0	99	92	S.E.	9	C.	0	·08	20	...	.....	10	cu.st.	....	.....	10	nb.
29	28 35	28·21	3·2	36·2	38·0	2·0	95	67	C.	0	W.	8	·10	....	1	ci.cu.	.....	.....	.....	.....	3	cu.
30	28·14	28·09	23 7	44·8	54·2	21·8	99	67	C.	0	N.W.	17	.....	.....	.....	.....	1	st.	....	.....	1	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	28·30	28·45	23·1	25·9	45·0	21·0	93	99	E.	10	N.	10	...	...	...	...	5	cu.st.	...	...	10	cu.st.
2	28·54	28·49	18·0	24·9	26·2	18·0	97	99	S.E.	2	N.W.	14	·08	...	...	...	10	nb.	...	...	8	cu.st.
3	28·41	28·33	19·9	34·6	37·2	16·0	99	66	C.	0	W.	6	...	...	...	...	...	...	...	...	9	cu.st.
4	28·13	28·00	24·9	34·8	44·8	22·0	86	90	S.W.	5	N.W.	17	...	S.	...	...	2	cu.st.	...	...	9	cu.st.
5	28·07	27·98	26·0	33·8	41·2	22·8	96	89	N.W.	12	N.W.	22	S.	S.	...	...	10	cu.st.	...	...	10	st.
6	28·26	28·29	15·8	28·9	34·0	14·6	83	99	N.W.	19	S.E.	8	·02	...	...	...	...	...	...	...	...	...
7	28·27	28·08	17·4	33·8	40·6	16·0	99	92	S.E.	3	S.W.	4	...	·02	...	...	...	...	...	...	10	n.b.
8	27·96	28·07	35·1	38·6	48·5	31·0	97	63	C.	0	W.	18	·06	...	...	...	8	cu.st.	...	...	...	...
9	28·34	28·44	21·9	29·8	39·0	18·5	92	100	N.	20	N.	12	...	...	...	...	1	cu.st.	...	...	...	...
10	28·52	28·29	21·3	37·8	41·5	15·1	99	95	C.	0	S.E.	12	...	...	3	ci.cu.	...	...	...	...	10	cu.st.
11	28·03	27·72	29·4	43·3	44·0	20·0	99	87	S.E.	20	S.E.	3	·06	...	...	...	10	n.b.	4	ci.st.	...	...
12	27·69	27·94	35·1	33·3	44·0	33·0	95	95	N.W.	7	N.	16	...	...	...	...	10	cu.st.	...	...	10	cu.st
13	28·17	28·26	35·7	34·3	37·3	23·5	99	96	N.	14	N.E.	14	...	...	...	...	...	...	4	ci.st.	...	...
14	28·29	28·15	25·9	46·8	48·5	21·0	96	99	N.	8	N.W.	9	...	...	1	ci.st.	...	...	...	...	...	...
15	27·99	27·89	38·8	59·7	64·5	30·0	72	44	C.	0	N.W.	25	...	...	1	ci.cu.	1	st.	...	...	10	cu st.
16	27·94	27·95	38·1	52·7	60·0	32·0	88	80	C.	0	N.W.	16	...	...	2	ci.cu.	...	...	5	ci.cu.	...	...
17	28·01	28·01	35·8	45·6	52·8	27·5	70	48	S.W.	8	N.W.	32	...	...	...	...	1	cu.	...	...	1	cu.
18	28·10	28·22	31·8	34·8	46·0	32·0	70	78	N.W.	25	N.	8	...	...	...	...	1	cu.st.	...	...	10	cu.st.
19	28·12	28·41	30·8	43·6	44·8	26·5	88	62	N.	10	N.E.	4	S.	...	...	...	10	cu.st.	...	...	...	...
20	28·50	28·36	26·9	48·8	53·8	20·0	99	56	C.	0	E.	12	...	...	...	...	...	...	4 3	ci.st. ci.cu.	...	...
21	28·28	28·16	37·8	54·7	57·0	37·5	81	65	E.	10	S.E.	14	...	...	...	...	10	cu.st.	2 2	ci.st. ci.cu.	...	...
22	28·21	28·30	37·3	42·8	60·6	33·5	90	74	C.	0	N.	13	...	...	1	ci.cu.	...	...	...	...	10	cu.st.
23	28·44	28·42	38·3	50·7	53·6	35·0	68	35	C.	0	E.	9	...	...	2	ci.st.	...	...	3 3	ci.st. ci.cu.	...	...
24	28·41	28·26	40·8	56·9	61·5	38·0	56	41	C.	0	S.E.	8	...	...	...	...	10	cu.st.	...	...	10	cu.st.
25	28·21	28·29	49·7	46·1	63·0	46·0	64	40	N.	6	N.E.	22	...	...	7	ci.cu.	...	...	...	...	...	...
26	28·42	28·32	32·8	49·6	50·8	25·0	73	45	N.E.	6	N.	11	...	...	2	ci.cu.	...	...	...	...	...	...
27	28·24	27·98	30·8	50·3	59·0	21·0	92	51	C.	0	S.E.	10	...	...	...	...	...	...	...	...	10	cu.st.
28	27·99	28·05	42·2	54·7	59·5	41·0	80	38	S.E.	5	S.E.	12	R.	...	...	...	10	cu.st.	...	...	...	...
29	28·00	28·07	39·1	41·8	55·0	38·0	79	82	E.	12	N.W.	22	R.	...	...	...	10	nb.	...	...	10	cu.st.
30	28·21	28·18	38·0	64·3	66·0	37·0	89	37	N.W.	6	W.	7	...	...	...	...	10	cu.st.	2	ci.cu.	...	...
31	28·20	28·25	49·3	42·0	65·0	39·5	60	81	C.	0	C.	0	...	·03	...	...	7	cu.	...	...	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitobia.—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·18	27·86	40·0	41·8	44·0	38·5	94	86	S.E.	6	E.	8	....	·07	....	....	10	cu.st.	....	....	10	cu.st.
2	27·83	27·88	40·8	45·8	56·5	39·5	90	87	N.W.	17	W.	8	..	·02	....	....	10	cu.st.	....	....	9	cu.st.
3	27·88	27·85	44·8	53·2	61·0	36·5	74	67	N.W.	12	N.W.	21	...	T.	....	....	...	.....	...	.....	10	cu.st.
4	28·00	28·08	42·3	57·7	59·5	39·5	86	50	N.	8	N.	6	T.	..	....	.....	10	cu.st.	....	....	6	cu.st.
5	28·16	28·08	40·6	65·3	68·6	30·0	83	46	C.	0	S.	1	..	..	....	..	...	.....	3 4	ci.cu. ci.st.	..	.....
6	28·07	28·03	52·7	65·3	74·8	44·0	66	54	E.	16	S.E.	21	...	....	7	ci.cu.	....	.....	1	ci.st.	....	....
7	28·08	28·09	51·7	65·9	69·0	51·0	93	67	S.E.	10	S.	14	·01	....	....	....	10	cu.st.	....	.....	10	cu.st.
8	28·15	28·05	51·2	65·7	66·5	47·5	96	50	S.	13	S.	22	...	...	....	....	10	cu.st.	...	.....	10	cu.st.
9	27·89	27·91	53·7	63·9	66·5	53·0	93	55	S.E.	12	W.	17	·10	·09	....	...	10	cu.	....	..	1	cu.st.
10	27·81	27·85	51·7	56·9	69·0	47·5	96	96	C.	0	C.	0	...	·46	....	.....	10	st.	....	...	10	nb.
11	27·95	28·02	51·7	67·5	72·8	49·0	93	56	C.	0	E.	9	·08	...	9	ci.st.	....	....	....	.....	.....	.....
12	28·11	28·12	53·3	62·7	67·5	46·5	97	73	C.	0	S.E.	12	..	..	....	....	10	cu.	....	..	10	cu.st.
13	28·16	28·14	58·0	72·7	75·0	56·0	88	50	S.E.	18	S.E.	18	....	..	3 5	ci.st. ci.cu.	....	..	9	ci.st.	..	....
14	28·21	28·16	62·2	75·7	79·5	58·0	88	64	S.	10	S.E.	15	·11	....	..	.....	9	cu.st.	3 3	ci.st. ci.cu.	1	cu.st.
15	28·09	27·98	61·7	78·9	80·0	58·5	72	61	C.	0	S.	15	....	..	..	....	10	cu.st.	2	ci.cu.	..	....
16	27·92	27·97	58·7	68·7	79·0	57·5	94	49	W.	8	W.	14	·78	....	....	....	10	nb.	1	ci.st.	....	.....
17	28·08	28·18	58·7	61·7	69·4	57·8	75	66	W.	21	N.W.	19	....	....	....	..	....	.....	.....	.....	5	cu.st.
18	28·52	28·43	44·8	59·5	62·0	43·5	86	65	N.	6	C.	0	..	....	.		9	cu.st.	.....	.....	..	.....
19	28·30	27·98	48·7	73·2	76·2	38·0	96	50	C.	0	N.W.	20	....	....	..	.	....	..	....	....	1	cu.
20	27·98	27·86	54·2	63·2	77·4	48·0	91	52	C.	0	C.	0	....	R.	....	...	....	.....	.....	.....	9	cu.st.
21	27·78	27·88	58·7	70·2	77·0	51·5	91	69	C.	0	N.	12	..	....	....	.....	10	st.	5	ci.cu.	.....	.....
22	28·05	28·13	58·7	55·2	70·2	55·0	78	84	N.	12	N.E.	18	....	....	..	....	10	cu.	.....	.....	10	cu.st.
23	28·15	28·09	49·7	53·5	55·5	49·0	91	95	N.E.	8	N.E	6	....	·49	..	.....	10	cu.st.	.....	.....	10	cu.st
24	28·10	28·21	46·3	51·7	55·8	46·0	95	73	N.W.	5	N.W.	18	·10	·05	....	...	10	nb.	...	.....	6	cu.st
25	28·22	28·32	45·8	68·2	68·5	44·5	84	49	N.W.	12	N.W.	9	·07	....	....	.....	....	..	.....	.....	....	..
26	28·30	28·15	54·7	75·7	76·8	44·5	87	52	N.	5	W.	10	....	....	....	....	.....		.....	...	...	...
27	28·08	27·88	60·1	74·5	79·8	53·8	86	61	C.	0	W.	3	....	..	1	ci.cu.	.....		10	ci.st.	....	
28	27·89	27·96	56·7	60·2	74·5	54·0	97	84	C.	0	N.E.	7	·11	·64	10	ci.st.	....	....	10	ci.cu.	....	...
29	28·03	28·00	49·7	50·7	60·5	46·8	85	96	C.	0	C.	0	....	·12	..	...	9	cu.st.	....	.....	10	nb.
30	28·00	28·15	44·8	60·5	62·0	45·2	94	65	C.	0	C.	0	·30	....	....	.....	10	cu.st.	2	ci.cu.	..	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°		°								in.	in.								
1	28·29	28·18	45·0	66·5	68·8	40·5	98	57	C.	0	W.	6	...	...	...	...	...	...	1	ci.cu.	...	...
2	28·07	28·10	55·7	62·7	76·0	50·0	87	88	N.W.	7	C.	0	...	·06	...	...	...	...	...	...	7	cu.st.
3	28·14	28·15	53·5	75·7	78·5	49·5	97	69	C.	0	N.W	2	·25	...	...	...	...	...	5	ci.	4	cu.
4	28·10	28·05	55·7	77·7	80·5	56·0	87	79	S.E.	8	S.	4	·05	...	...	...	10	cu.st.	...	...	9	cu.
5	28·07	28·07	60·7	69·7	77·5	58·8	96	61	W.	11	W.	3	·45	...	...	...	9	cu.st.	...	...	...	...
6	28·10	27·97	55·7	72·2	77·5	46·9	81	74	W.	1	C.	0	...	...	...	...	...	...	3	ci.st.	5	cu.st.
7	27·99	28·00	56·7	61·7	72·0	55·0	89	74	W.	3	N.W.	15	02	...	1	ci.cu.	4 3	st. cu.st.	2	ci.st.	2	cu.st.
8	28·09	28·17	52·7	66·7	68·0	49·5	90	71	N.W.	15	N.W.	10	...	...	...	...	...	...	...	...	1	cu.
9	28·26	28·20	49·7	68·2	73·5	47·5	93	69	C.	0	W.	5	...	...	...	...	...	...	...	...	8	cu.st.
10	28·22	28·22	50·7	66·7	74·0	45·0	93	76	C.	0	C.	0	...	·06	...	...	10	fog.	...	...	9	cu.st.
11	28·25	28·14	52·2	77·7	80·5	46·0	97	65	C.	0	C.	0	...	...	2	ci.cu.	...	...	...	...	1	cu.st.
12	28·05	27·86	63·7	80·0	86·5	55·0	83	70	S.W.	12	S.W.	7	...	...	...	...	9	cu.st.	6	ci.st.	...	...
13	27·89	27·80	59·7	66·7	80·0	56·5	94	86	C.	0	C.	0	...	...	...	...	9	cu.st.	...	...	10	cu.
14	27·77	27·81	55·7	67·7	69·5	54·0	93	69	W.	14	C.	0	·28	...	...	...	4 5	st. cu.	4	ci.cu.	...	...
15	27·84	27·93	53·2	60·7	71·5	47·0	93	67	C.	0	N.W.	14	...	...	...	...	3	cu.	...	...	10	ci.st.
16	27·97	28·00	50·7	59·7	67·8	47·8	93	82	N.W.	1	N.W.	9	...	...	...	...	10	cu.st.	4	ci.cu.	3	cu.st.
17	28·12	28·19	50·7	68·2	69·5	50·0	97	68	N.W.	18	N.W.	8	...	...	...	...	4	cu.st.	...	...	...	...
18	28·23	28·18	48·2	64·7	68·0	44·0	96	89	C.	0	E.	7	...	...	...	...	10	cu.st.	...	...	10	cu.st.
19	28·22	28·13	49·7	64·5	74·8	45·5	100	90	C.	0	W.	7	...	·07	...	...	5	fog.	4	ci.st.	...	...
20	28·15	28·06	53·7	66·0	81·8	48·0	93	85	C.	0	W.	17	·01	...	...	...	...	...	...	...	10	nb.
21	28·06	28·19	56·7	68·7	70·8	57·0	81	65	N.	13	N.	7	32	·10	...	...	6	cu.st.	...	...	1	cu.
22	28·26	28·12	47·8	62·7	76·0	43·0	99	91	C.	0	C.	0	...	...	...	...	1	st.	...	...	10	cu.st.
23	28·01	28·05	59·2	65·2	74·5	56·0	94	76	C.	0	N.	14	·25	·14	...	...	4	cu.st.	...	...	9	cu.st.
24	28·11	27·98	49·3	64·7	75·8	46·0	92	89	C.	0	E.	7	...	...	...	...	...	...	...	...	10	n.b.
25	28·04	28·24	56·1	66·1	68·5	53·0	91	66	N.	8	N.	6	·30	...	...	...	1	cu.	...	...	1	cu.
26	28·30	28·11	46·2	73·0	74·0	41·8	96	67	C.	0	C.	0	...	...	...	...	...	...	...	...	4	cu.
27	27·90	27·88	59·7	66·7	74·0	54·8	99	67	C.	0	N.W.	16	·04	...	3	ci.	3	cu.	3	ci.cu.	...	...
28	28·06	28·16	58·7	63·7	72·0	58·0	98	62	N.W.	21	C.	0	...	...	4	ci.st.	...	...	...	...	...	...
29	28·18	28·17	56·7	65·7	78·0	48·5	94	69	C.	0	N.W.	9	...	...	...	...	...	...	...	...	1	cu.st.
30	28·27	28·27	54·7	63·2	75·5	48·0	93	69	C.	0	N.	14	...	...	...	...	...	...	...	...	8	cu.st.
31	28·26	28·17	52·7	57·7	69·8	46·5	95	93	C.	0	N.W.	7	·02	·07	4	ci.st.	...	...	...	...	8	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	28·18	28·22	48·8	56·5	60·5	46·5	84	79	N.W.	10	N.W.	12	·01	...	...	...	1	st.	4	ci.st.	4	cu.st.
2	28·30	28·23	48·7	61·1	63·5	40·0	100	66	N.W.	12	C.	0	...	...	...	...	10	st.	...	...	...	...
3	28·25	28·12	38·3	70·7	74·0	34·0	94	67	C.	0	S.	5	...	...	...	...	...	...	...	...	...	...
4	27·75	27·70	56·9	67·7	79·8	52·5	97	79	C.	0	N.W.	18	...	...	...	...	10	cu.st.	...	...	8	cu.st.
5	27·82	27·84	51·7	68·7	72·0	48·8	85	62	N.W.	14	C.	0	...	...	...	...	...	...	...	...	10	cu.st.
6	27·89	28·14	53·7	64·7	69·0	50·0	93	68	W.	16	N.W.	9	·12	...	...	...	7	cu.st.	...	...	1	cu.st.
7	28·23	28·11	45·8	73·2	83·8	40·8	99	76	C.	0	S.E.	8	...	...	3 2	ci.st. ci.cu.	5	cu.st.	...	...	8	cu.st.
8	28·14	28·11	55·7	67·5	77·8	50·0	97	92	C.	0	E.	6	·03	...	...	...	...	...	...	...	8	cu.st.
9	28·03	27·98	60·7	78·7	86·0	58·8	100	75	S.E.	7	C.	0	·06	...	...	...	10	cu.st.	...	...	...	...
10	27·96	27·84	60·7	59·2	79·0	59·0	100	97	N.E.	9	N.E.	18	·34	·03	...	...	10	cu.st.	...	...	10	nb.
11	27·82	28·00	50·7	60·0	62·0	50·0	95	69	N.W.	25	N.W.	19	1·14	...	...	...	10	cu.st.	...	...	1	cu.st.
12	28·14	28·26	44·8	62·0	66·0	43·0	91	65	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
13	28·44	28·40	39·8	67·0	72·0	39·8	98	74	C.	0	S.	5	...	...	...	...	...	...	...	...	...	...
14	28·27	28·00	53·7	69·2	73·0	52·0	100	85	S.	10	S.E.	5	·12	...	...	...	...	...	1	ci.st.	...	...
15	27·70	27·57	59·2	62·2	69·5	59·0	100	80	E.	11	W.	14	·07	...	...	...	10	nb.	...	...	9	cu.st.
16	27·68	27·98	53·7	63·2	68·0	52·0	88	80	N.W.	30	N.E.	4	·11	...	...	...	10	cu.st.	...	...	1	cu.st.
17	28·11	28·00	52·7	75·7	77·5	46·5	100	73	C.	0	E.	5	...	...	...	...	1	st.	...	...	...	...
18	27·78	27·90	68·7	69·7	76·0	59·2	79	77	W.	5	W.	16	...	...	...	...	10	cu.st.	...	...	9	cu.st.
19	28·08	28·39	43·7	52·2	61·0	42·8	92	76	N.W.	28	N.W.	8	...	·01	...	...	10	cu.st.	...	...	8	cu.st.
20	28·38	28·36	46·0	56·9	60·0	41·0	91	86	C.	0	N.	2	·01	...	...	...	10	nb.	...	...	1	cu.
21	28·36	28·15	37·6	65·7	66·0	34·0	99	73	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
22	27·93	27·79	45·3	72·2	79·5	44·5	95	74	C.	0	C.	0	...	...	...	...	3	cu.	5	ci.st.	5	cu.
23	27·85	27·99	58·7	62·7	72·2	54·5	90	63	N.W.	14	N.W.	21	...	...	...	...	7	cu.st.	...	...	...	...
24	28·21	28·23	45·3	66·7	68·0	44·0	94	64	N.W.	3	C.	0	...	...	...	...	...	...	...	...	...	...
25	28·22	28·09	40·8	59·7	66·8	38·8	99	83	C.	0	S.E.	9	...	·02	...	...	...	...	...	...	8	cu.st.
26	27·97	27·90	53·2	55·7	60·0	53·0	97	100	E.	6	C.	0	...	·10	...	...	10	nb.	...	...	10	cu.st.
27	28·10	28·20	53·7	53·7	57·5	52·5	97	88	W.	8	N.W.	10	...	...	...	...	10	cu.st.	...	...	10	cu.st.
28	28·25	28·19	51·5	58·7	66·5	51·0	96	84	C.	0	N.W.	2	...	...	...	...	10	cu.st.	...	...	10	cu.st.
29	28·12	28·07	50·7	63·9	65·8	50·7	100	88	C.	0	C.	0	·20	...	...	...	10	cu.st.	...	...	...	...
30	28·14	28·05	52·7	62·7	67·5	51·0	100	74	C.	0	S.E.	18	...	·03	8	ci.st.	...	...	...	...	10	cu.st.
31	27·97	28·06	60·7	64·7	65·8	58·0	100	89	S.W.	5	N.W.	17	...	·01	...	...	8	cu.st.	...	...	7	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·33	28·33	48·8	61·7	66·0	48·5	99	73	N.W.	10	N.	8										
2	28·34	28·27	39·8	65·0	71·0	39·0	99	77	C.	0	N.W.	5										
3	28·35	28·33	50·2	61·2	65·3	45·5	96	80	C.	0	C.	0					10	cu.				
4	28·34	28·23	38·8	64·9	70·0	38·0	96	84	C.	0	C.	0							1	ci.st.		
5	28·19	28·08	46·8	62·7	74·0	46·8	99	88	C.	0	C.	0					1	cu.	5	ci.st.		
6	28·03	27·99	45·8	63·2	73·0	45·0	99	96	C.	0	E.	5			4	ci.st.			3	ci.cu.	5	cu.st.
7	27·96	28·06	57·2	51·7	63·0	51·7	100	86	W.	11	N.W.	16					10	cu.st.			4	cu.st.
8	28·02	28·26	43·7	51·7	56·0	38·0	100	86	W.	1	C.	0					10	cu.st.			3	cu.
9	28·38	28·25	32·2	59·7	63·0	30·0	99	91	C.	0	C.	0							3	ci.cu.		
10	28·16	28·17	42·8	58·2	75·0	41·8	99	97	C.	0	N.E.	14									10	cu.st.
11	28·24	28·38	44·1	39·8	58·0	39·8	99	95	E.	10	N.	8	·31	·05			10	cu.st.			10	cu.st.
12	28·49	28·39	35·8	42·3	46·5	35·0	100	78	C.	0	S.E.	6			4	ci.st.	5	cu.st.			10	cu.st.
13	28·21	28·07	39·8	44·8	47·0	38·0	99	91	N.E.	15	C.	0	·22				10	cu.st.			10	cu.st.
14	28·04	28·04	40·1	56·2	65·5	38·0	100	97	C.	0	C.	0	·06				10	cu.st.				
15	28·09	28·24	34·8	55·7	69·0	34·8	100	100	C.	0	N.E.	8					1	cu.			9	cu.st.
16	28·38	28·28	33·8	49·8	56·0	33·8	100	74	C.	0	S.E.	12							1	ci.cu.	3	cu.st.
17	28·10	27·95	48·8	67·7	75·5	45·5	99	74	C.	0	S.	3					10	cu.st.	3	ci.cu.	3	cu.st.
18	28·11	28·17	44·7	51·5	68·0	44·7	84	76	N.W.	15	C.	0			3	ci.cu.	4	cu.st.	1	ci.st.		
19	28·12	27·93	32·8	51·2	54·0	30·0	100	76	C.	0	C.	0					10	st.			10	cu.st.
20	28·00	28·02	38·3	42·8	52·0	30·0	81	74	N.W.	26	N.W.	20			1	ci-cu.					5	cu.st.
21	28·16	28·15	35·8	42·8	47·0	30·0	90	97	N.W.	12	C.	0							8	ci.cu.		
22	27·86	27·87	36·3	44·8	48·0	34·0	100	99	E.	14	C.	0	·26				10	nb.			10	cu.st.
23	27·51	27·89	46·8	39·8	57·0	39·8	99	99	N.W.	22	N.	20	·16		1	ci.cu.					10	cu.st.
24	28·17	28·23	30·3	45·3	47·5	30·0	100	64	N.W.	5	C.	0										
25	28·36	28·31	23·9	47·3	52·0	23·5	99	77	C.	0	C.	0									1	cu.st.
26	28·43	28·37	32·8	39·8	47·3	32·5	100	76	C.	0	C.	0					10	cu.st.				
27	28·36	28·20	22·9	43·6	49·5	20·5	99	71	C.	0	C.	0					7	cu.st.			10	cu.st.
28	28·03	28·17	33·8	32·1	43·5	32·0	100	77	N.W.	8	N.W.	8	·12				4	cu.st.	1	ci.cu.		
29	28·27	28·31	31·3	36·8	46·8	30·0	95	100	N.W.	9	C.	0			2	ci.cu.						
30	28·30	28·17	26·1	47·8	59·0	24·5	99	62	C.	0	C.	0										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	8 a.m.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	27·98	27·81	40·3	44·0	47·8	36·0	73	98	C.	0	C.	0		·10			10	st.			10	cu.
2	27·81	28·11	41·8	47·3	52·0	41·0	99	80	N. W.	8	N. W.	13		·02			10	cu.			10	cu.st.
3	28·24	28·00	28·0	47·8	56·5	27·0	99	64	C.	0	W.	5									10	cu.st.
4	28·02	28·16	44·8	50·7	60·0	43·0	75	87	C.	0	C.	0		·03			9	cu.st			4	cu.
5	28·06	27·86	38·8	58·5	75·0	34·8	100	64	C.	0	C.	0					9	cu.	4	ci.st.		
6	27·89	28·11	50·0	45·8	59·0	44·0	80	76	C.	0	N. W.	18			3	ci.cu.	2	st.			10	cu.st.
7	28·29	28·18	33·8	40·8	52·0	33·8	93	82	C.	0	C.	0									9	cu.st.
8	27·88	27·96	36·1	42·8	50·0	34·0	87	85	C.	0	N. W.	37		·06			1	st.			10	cu.st.
9	28·26	28·06	41·8	52·7	60·0	38·5	90	54	N. W.	12	N. W.	18					4	cu.st.	8	ci.cu.		
10	28·16	28·35	35·8	41·1	53·0	35·5	88	70	N. W.	10	N.	3					10	st.				
11	28·52	28·54	26·1	36·8	44·5	26·0	99	65	C.	0	C.	0										
12	28·53	28·31	14·7	40·1	52·0	14·0	98	99	C.	0	C.	0										
13	28·18	28·09	32·6	54·7	67·5	30·0	72	50	C.	0	C.	0							10	ci.st.		
14	28·27	28·30	41·2	40·6	57·0	40·0	83	78	C.	0	C.	0					9	st.			1	st.
15	28·18	28·01	34·8	56·0	68·5	26·0	90	61	C.	0	C.	0					2	st.			1	st.
16	28·17	28·06	35·0	49·7	63·8	33·5	96	55	C.	0	C.	0			3	ci.cu.	1	cu. st.			1	st.
17	28·48	28·66	29·0	30·0	50·0	27·0	76	93	N. W.	13	C.	0										
18	28·61	28·37	14·0	30·0	42·5	14·0	96	85	C.	0	C.	0							3	ci.cu.		
19	28·26	28·40	24·4	33·6	45·3	22·5	99	75	C.	0	C.	0										
20	28·49	28·28	14·0	34·8	48·0	13·6	96	65	C.	0	C.	0			1	ci.cu.						
21	28·02	28·04	33·1	51·7	64·0	26·0	97	60	C.	0	N. W.	8					1	st.				
22	28·20	28·24	33·8	42·3	56·0	31·0	71	62	N. W.	4	C.	0										
23	28·21	28·00	27·0	50·7	66·0	24·8	99	76	C.	0	C.	0									3	cu.st.
24	28·23	28·49	32·8	37·1	51·2	31·0	85	78	N. W.	9	N.E.	8										
25	28·53	28·14	13·0	36·8	45·5	12·0	96	89	C.	0	S.	4										
26	27·87	28·32	40·8	29·8	42·0	29·8	74	89	N. W.	3	N.	14			4	ci.st.					10	cu.st.
27	28·44	28·12	17·0	39·0	43·5	16·0	97	61	C.	0	W.	5					1	st.				
28	28·15	28·31	28·0	34·8	47·0	26·0	87	71	C.	0	N.E.	5			1 1	ci.cu. ci.st.						
29	28·36	28·31	28·0	33·8	40·0	27·5	99	89	S.E.	6	C.	0					1	st.			2	st.
30	28·18	28·05	33·8	37·8	38·0	32·0	89	100	C.	0	C.	0	R.				10	nb.			10	cu.st.
31	27·93	27·93	35·8	36·8	43·0	35·0	100	98	W.	4	W.	1					10	cu.st.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	n.	°	°	°	°							in.	in.								
1....	28·04	28·15	32·8	38·8	49·5	32·0	91	83	C.	0	C.	0	....	....	....	....	....	....	....	.....	....	....
2....	28·21	28·15	27·4	27·0	39·0	22·0	99	99	C.	0	C.	0	....	....	....	....	10	cu.st.	....	....	....	....
3	28·06	28·08	29·0	32·3	46·0	25·5	99	75	N.W.	15	C.	0	....	....	....	....	6	cu.st.	....	....	1	st.
4....	28·02	27·83	26·0	38·8	42·4	24·5	86	63	N.W.	6	W.	1	....	....	....	....	1	st.	....	....	8	cu.st.
5 ..	27·98	28·04	31·8	33·8	46·0	30·0	89	84	N.W.	20	C.	0	....	....	....	....	....	....	....	....	1	st.
6....	28·05	27·91	18 0	44·8	51·0	16·0	81	62	C.	0	S.	9	....	....	....	....	....	....	....	.....	10	cu.st.
7....	27·94	28·18	38·8	29 8	47·0	29·8	83	84	N.W.	21	N.W.	3	·04	....	....	.....	7	cu.st.	....	.....	....	....
8....	27·95	27·94	26·0	35·1	44·0	18·0	99	81	W.	7	N.W.	12	..	....	....	.....	10	cu.st.	....	.. .	1	cu.
9...	28·02	28·29	27·0	20·0	30·5	19·0	87	83	N.W.	8	N.	20	·02	....	....	....	3	st.	....	.. .	5	cu.st.
10....	28·54	28·62	19·7	19·0	23·5	15·6	99	91	N.W.	6	N.	66	·01	....	....	....	8	cu.st.	....	.. ..	10	cu.st.
11....	28·70	28 57	13·0	15·5	23·0	13·0	96	88	N.	7	C.	0	·01	....	....	.....	10	cu.st.	....	.....	....	.....
12....	28·14	28·25	15·0	28·8	35·5	12·0	100	72	W.	16	N.	11	....	....	....	.....	1	st.	....	.. ...	7	cu.st.
13....	28·46	28·48	7·1	12·0	30·0	6·1	96	67	N.W.	8	N.W.	6	....	..	....	.....	....	.....	....	.....	....	.....
14....	28·22	28·30	5·1	15 0	22·0	0·2	95	97	C.	0	C.	0	....	·04	....	....	1	st.	....	.....	7	cu.st.
15 ...	28·40	28·10	— 2·0	25·2	27 8	— 7·4	90	95	C.	0	W.	10	....	....	....	..	....	.....	2	ci.cu.	2	cu.st.
16 ...	28·17	27·96	19·0	32·0	32 0	17·3	98	99	C.	0	C.	0	....	....	....	....	2	st.	....	...	10	cu.st.
17. ..	27·94	28·26	28·1	22·0	33·0	22·0	99	92	C.	0	N.E.	3	....	....	....	.....	10	st.	....	.....	10	cu.st.
18....	28·46	28·34	10·0	17·4	26·0	9·5	96	87	C.	0	C.	0	....	....	....	....	....	....	....	.. ..	....	.....
19....	28·05	28 29	29·4	37·1	38·0	16·6	96	78	S.W.	14	S.W.	8	....	..	....	...	10	cu.st.	....	...	3	st.
20.. .	27·64	27·73	33·8	34·6	41·0	32·0	89	87	C.	0	N.W.	14	....	....	....	.....	10	cu.st.	....	.....	9	cu.st.
21....	27·89	28·07	28·0	22·0	34·8	22·0	99	99	W.	6	C.	0	·02	....	....	....	10	cu.st.	....	...	7	st.
22....	28·04	27·92	18·0	33·8	46 0	11·5	97	78	C.	0	C.	0	....	....	3	ci.st.	....	....	....	.....	....	.....
23 ...	27·85	27·98	28·4	34·8	42·0	26·0	82	82	C.	0	C.	0	....	....	3	ci.st.	....	...	....	.. .	10	cu.st.
24....	27·90	27·80	15·8	32·2	39 0	14·0	100	86	C.	0	W.	9	....	....	2	ci.cu.	....	.....	....	.....	....	....
25...	28·11	28·22	16·5	22·0	36·5	15·1	97	71	C.	0	C.	0	..	....	....	.....	....	.....	....	.....	....	....
26 ...	28 30	28·01	12·0	19·1	22·0	6·1	96	96	S.E.	6	S.E.	20	....	..	..	.....	....	..	....	.. ..	10	cu.st.
27....	27·95	28·09	23·0	25·0	29 7	16 6	99	86	C.	0	N.W.	13	·12	....	....	.....	10	cu.st.	....	.....	....	....
28....	28·25	28·43	17·1	4 1	26·0	4·1	95	95	N.W.	9	C.	0	....	....	....	.....	9	cu.st.	....	.....	....	.....
29....	28·21	28·25	7·1	15 1	16·0	—10 7	96	95	C.	0	C.	0	....	.. .	..	...	10	st.	....	.....	10	cu.st.
30. ..	28·45	28·39	0·2	10 1	22·0	— 5·7	100	100	C.	0	S.E.	2	....	....	....	.....	....	. ..	....	.. ..	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Minnedosa, Manitoba—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Winds.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·37	28·38	2·2	14·0	15·5	0·2	95	96	S.E.	6	C.	0					10	cu.st.			10	cu.st.
2	28·31	28·35	13·8	22·0	29·7	8·1	100	99	N.W.	17	N.E.	8									10	cu.st.
3	28·50	28·42	7·3	4·2	22·0	2·2	96	95	C.	0	C.	0										
4	28·12	27·97	17·8	20·0	40·0	4·0	84	84	W.	4	C.											
5	27·81	27·84	16·0	31·1	41·6	15·1	97	80	C.	0	C.	0										
6	27·97	28·02	23·0	27·8	34·5	19·0	99	80	C.	0	W.	1										
7	27·95	27·91	15·0	29·3	36·0	11·6	97	80	C.	0	E.	1									10	st.
8	28·04	28·34	20·1	14·8	39·5	14·0	99	84	N.E.	9	N.E.	13		·01			10	cu.st.			10	cu.st.
9	28·48	28·38	— 7·0	15·0	16·0	—10·2	88	97	C.	0	C.	0		·02							10	cu.st.
10	28·14	27·99	10·0	18·0	22·6	7·1	96	98	S.	1	C.	0					10	st.	7	ci.cu.		
11	27·89	27·98	6·1	18·0	33·2	3·2	95	98	C.	0	C.	0										
12	27·98	27·94	10·0	24·0	32·0	6·6	96	79	C.	0	C.	0							10	ci.cu.		
13	27·88	27·88	10·0	21·0	26·2	10·1	94	99	C.	0	C.	0					9	st.				
14	28·05	28·17	26·0	29·0	30·5	10·1	84	97	C.	0	C.	0					10	st.			10	cu.st.
15	28·19	28·21	21·0	21·0	29·5	16·8	99	99	C.	0	C.	0	·04	·01			10	nb.	10	ci.st.		
16	28·28	28·35	15·4	9·1	23·2	9·1	93	96	N.W.	1	N.W.	6	·01				10	nb.	5	ci.st.		
17	28·33	28·81	7·1	11·2	11·2	3·2	96	96	N.W.	5	N.W.	9									10	cu.st.
18	28·09	27·89	13·2	11·5	14·5	10·1	96	92	N.W.	16	N.W.	16	01				10	st.				
19	27·91	28·00	15·0	12·5	25·0	10·1	97	96	N.W.	18	N.W.	3										
20	28·09	28·07	1·7	7·1	21·0	1·5	94	96	C.	0	C.	0			10	ci.st.			1	ci.st.		
21	27·95	27·68	12·0	29·8	33·5	6·2	100	100	C.	0	W.	6			1	ci.st.					10	cu.st.
22	27·85	27·79	29·3	18·0	34·2	17·1	94	98	N.W.	18	C.	0									5	cu.st.
23	27·80	27·93	14·5	14·5	24·0	10·1	96	96	N.W.	4	C.	0										
24	27·71	27·89	5·1	— 7·8	17·0	— 9·1	95	92	S.E.	7	C.	0					10	cu.st.				
25	28·02	27·91	—14·2	9·6	10·0	—19·6	84	96	W.	2	S.W.	6					1	st.			10	cu.st.
26	27·49	27·44	14·2	7·6	17·8	7·1	96	89	C.	0	N.E.	10					10	cu.st.			10	st.
27	27·97	28·09	—19·2	—16·1	7·6	—20·6	100	100	C.	0	C.	0	·04		1	ci.st.			1	ci.cu.		
28	27·96	27·91	—14·2	5·3	9·2	—18·6	100	95	C.	0	C.	0									10	st.
29	28·07	28·14	— 6·0	6·5	8·0	—12·7	100	96	C.	0	C.	0					10	cu.st.			10	cu.st.
30	28·01	27·97	10·0	13·0	13·8	3·0	96	96	N.W.	5	N.W.	12					10	cu.st.			10	cu.st.
31	28·08	28·15	— 3·6	— 5·6	30·0	— 5·7	97	89	N.W.	7	N.W.	14										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba: Latitude North, 49° 53′; Longitude West, 97° 7′. Height above Sea, 760 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·47	29·36	1·8	14·5	14·5	— 6·1	100	96	N.E.	10	E.	12	. .	....	1	ci.	...	... .	...	.....	10	st.
2....	29·14	28·92	19·0	23·0	26·0	14·0	99	97	E.	18	N.E.	20	·60	·65	....	.. .	10	n.	....	.....	10	n.
3. ..	29·14	29·12	0·2	—14·5	25 1	—14·5	97	100	N.	26	W.	7	S.	...	....	....	5	st.	..	... ..	....	.....
4....	28·84	29·10	— 5·0	—14·8	— 1·0	—19·5	82	100	S.E.	12	N.	8	·05	·05	....	.....	10	n.	...	.....	4	st.
5....	29·29	29·27	—13·2	— 8·6	— 8·4	—18·0	95	96	N.	9	N.	3	....	·05	....	.....	10	st.	....	.....	10	st.
6...	29·26	29·40	—10·0	—19·4	— 5·3	—20·0	100	94	S.W.	10	C.	0	·01	....	2	ci.	....	.. ...	....	.....	....	.....
7....	29·58	29·48	—33·5	— 8·0	— 8·0	—34·8	100	96	C.	0	N.	18	....	·08	1	ci.	....	.....	. .	.....	10	n.
8....	29·58	29·65	—11·4	—11·5	— 4·0	—14·0	88	96	N.W.	14	S.W.	13	·02	...	....	. ..	8	st.	....	.....	....	.....
9....	29·53	28·85	—20·4	6·3	6·3	—24·6	93	96	S.W.	6	S.	28	....	....	....	.....	....	.....	..	.....	10	st.
10....	28·85	28·95	0·7	4·3	13·5	— 1·0	97	100	N.W.	30	N.	16	·20	...	....	....	10	st.	....	.....	....	.....
11 ...	29·05	29·16	—14·5	— 5·4	5·3	—15·0	100	94	C.	0	N.W.	9	....	....	....	.....	4	cu.st.	....	.....	8	st.
12 ...	29·33	29·46	—14·8	—15·4	— 1·7	—16·2	95	100	N.W.	9	S.W.	5	....	S.	....	.....	6	cu.st.	....	...	....	.....
13....	29·52	29·52	—19·4	—17 0	— 5·2	—29 2	94	100	C.	0	C.	0	...	·01	...	....	10	st.	...	...	....	.....
14....	29·68	29·70	—28·2	—27·1	—17·0	—31·7	100	100	N.W.	12	S.W.	16	....	....	....	.....	....	.....	....	.....	....	....
15....	29·65	29·56	—33·4	—22 0	—16·8	—38·6	100	100	S.W.	9	S.	8	....	....	....	.....	....	... ..	4	ci.	...	....
16 ...	29·49	29·38	—10·7	—10·4	— 2·0	—23·0	88	92	E.	6	W.	2	....	...	....	.....	10	st.	....	.....	....	.....
17....	29·18	29·22	—15·8	—14·4	— 4·2	—19·2	95	100	S.	15	W.	3	....	....	3	ci.	....	... ..	....	. .	. .	.
18....	29·10	28·81	—16·2	7·4	7·7	—27·6	95	93	S.E.	12	S.E.	16	....	....	1	ci.	....	.....	....	....	10	st.
19....	28·68	28·99	10·0	— 9·2	14·3	— 9·2	94	90	N.	13	N.W.	32	S.	·25	....	....	10	n.	....	.....	...	...
20 ...	29·45	29·57	—21·4	—21·2	— 9·0	—28·0	93	100	N.	18	S.W.	12	....	....	....	. .	....	...	....	....	....	.....
21....	29·46	29·77	—18·4	—25·0	—12 0	—32 7	83	100	S.	6	N.W.	11	....	....	....	...	10	st.	..	... ..	....	....
22....	29·98	29·77	—33·4	—12·0	—11·1	—37·2	100	87	N.W.	6	S.E.	19	...	....	8	ci.	.	...	..	.....	10	st.
23....	29·47	29·22	— 3·2	5·0	5·0	—12·0	92	94	S.E.	25	S.E.	20	....	·05	....	.....	10	st.	....	.....	10	n.
24....	29·32	29·32	— 7·5	—12·7	8·8	—12·8	96	95	N.W.	18	N.W.	16	·01	S.	...	.....	1	st.	4	cu.st.	..	.. ..
25....	29·42	29 37	—28·8	—14·8	—11·7	—31·6	100	90	N.	12	C.	0	....	....	....	.....	...	.....	4	si.	..	. ..
26....	29·22	29·31	—16·1	— 9·2	— 5·8	—18 0	90	92	S.	14	S.W.	18	....	....	....	.....	3	st.	..	... ..	...	.....
27...	29·47	29·55	—21·2	—19·2	— 6·1	—23·0	73	88	W.	14	W.	12	....	....	....	.....	2	st.	....	....	.	....
28....	29·56	29·45	—29·2	—23·5	—14·5	—32·2	80	78	S.W.	13	S.W.	10	....	....	....	.....	2	st.	....	.. ..	...	.....
29....	29·58	29 67	—31·0	—20·7	—16·0	—33·1	88	93	S.W.	6	S W.	11	....	....	....	.....	. .	. .	....	....	...	.. ..
30....	29·56	29·40	—21·1	— 8·8	— 6·0	—33·0	86	89	S.	9	S.	15	....	....	....	.....	2	st.	....	....	8	st.
31....	29·39	28·98	—26·1	4 0	4·0	—28·4	91	92	S.	6	S.E.	20	S.	·01	. .	. . .	....	.. .	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·76	29·06	9·4	— 6·3	12·0	— 6·3	97	93	N.E.	14	N.	14	·08	·03	....	....	10	n.	....	.....	10	st.
2....	29·45	29·61	—20·7	—26·6	— 8·3	—26·6	86	100	N.	32	N.W.	15	·03	...	7	ci.st.	..	....	....	.....	....	....
3....	29·72	29·66	—33·7	—25·6	—18·0	—38·0	100	91	W.	16	S.	10	..	..	....	....	....	.....	....	.....	....	.....
4....	29·52	29·48	—30·3	—18·2	—11·5	—31·5	100	94	S.	10	S.	15	....	....	....	....	....	.....	....	....	...	.....
5....	29·45	29·38	—28·5	—13·7	— 9·2	—31·5	89	95	S.	10	S.	16	....	....	....	....	....	.....	....	.....	....	.....
6....	29·35	29·52	—19·9	—18·2	— 9·3	—23·2	88	88	C.	0	W.	7	....	....	....	....	10	st.	....	.....	..	.....
7 ..	29·35	29·32	— 8·0	0·4	4·0	—20·5	93	93	S.	10	C.	0	....	....	3	ci.st.	....	.....	..	.....	10	st.
8....	29·00	29·01	1·7	20·0	28·0	— 0·8	98	96	S.	10	S.	2	....	...	7	ci.	...	.....	4	li.st.	....	.....
9....	29·04	29·09	19·5	25·0	33·3	13·3	97	97	S.W.	17	W.	20	....	·01	....	.....	1	st.	....	.....	....	.....
10....	29·38	29·49	14·8	2·0	24·5	1·5	95	91	N.W.	20	C.	0	....	....	....	....	10	st.	....	....	10	st.
11....	29·28	29·19	3·7	12·5	18·8	— 0·3	96	100	S.E.	16	S.E.	6	·01	....	....	.	10	n.	..	.. ...	3	st.
12...	28·97	28·92	15·3	28·5	35·6	12·0	95	100	S	14	S.W.	4	....	....	....	....	10	st.	...	.. ..	....	.....
13....	28·85	29·36	26·8	6·8	33·0	5·6	97	95	N.W.	43	N.W.	18	....	S.	...	.....	10	st.	....	.....	....	.....
14 ...	29·28	28·91	5·5	32·0	32·0	— 2·6	93	97	S.	9	S.W.	22	....	....	2	ci.	.	.....	....	.....	10	st.
15 ...	28·99	29·09	22·8	29·3	35·5	20·5	97	97	N.	20	C.	0	...	..	....	.....	....	.....	3	li.st.	...	.....
16....	29·14	29·05	9·5	32·0	35·0	8·5	95	97	N.	1	S.	20	....	.	1	ci.	....	.....	....	.....	....	.....
17....	28·85	28·70	25·0	32·9	37·5	23·2	97	98	S.	10	S.W.	10	....	....	....	....	....	...	4	ci.	....	.....
18....	28·95	28·83	20·0	26·5	36·0	20·0	97	96	N.W.	34	S.W.	18	....	....	..	....	...	.....	....	.....	15	st.
19 ...	29·06	29·14	4·0	1·2	26·5	1·1	96	95	N.W.	26	N.W.	6	....	....	....	....	....	....	....	.....	....	.....
20....	29·25	29·36	—14·6	—13·0	1·2	—16·1	95	100	N.	18	N.W.	13	....	....	....	....	....	.....	..	.....	...	.. ...
21 ...	29·47	29·52	—23·7	—10·1	— 4·5	—27·0	92	96	N.W.	15	W.	3	...	....	....	.....	....	.....	....	...	....	.....
22...	29·52	29·38	—18·7	12·5	12·5	—26·4	94	96	S.	10	S.E.	25	..	S.	8	ci.st.	....	.. .	....	.....	10	st.
23 ...	29·17	28·83	19·0	29·0	29·0	12·0	97	97	S.	29	S.	38	....	....	....	.....	10	st.	....	.....	10	st.
24....	29·25	29·61	7·8	— 1·3	31·5	— 1·4	98	97	N.W.	24	N.W.	13	....	01	..	.....	...	.....	....	.....	....	.....
25...	29·51	29·22	— 3·7	6·0	11·0	— 2·2	94	93	E.	16	N.E.	10	S.	..	...	....	10	n.	....	....	10	n.
26...	29·55	29·65	—10·1	— 7·1	9·0	—13·1	95	96	N.	21	N.	13	05	....	2	ci.	....	....	1	ci.	....	.....
27....	29·56	29·47	— 3·8	— 3·9	9·2	—10·6	94	94	E.	6	C.	0	....	..	8	ci.st.	...	....	....	.....	....	.....
28....	29·54	29·46	—18·6	2·0	7·5	—19·8	94	98	N	7	N.W	10	....	....	....	.....	....	.....	9	li.st.	....	.. .

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·27	29·13	4·0	10·5	15·0	— 0·4	92	94	N.	6	N.	6	·62	·10	..	.....	10	n.	....	....	10	n.
2....	29·16	29·25	3·7	6·0	16·6	3·7	96	96	N.W.	6	N.W.	5	....	....	....	....	10	st.	....	....	....	....
3....	29·24	29·20	— 1·8	15·8	19·7	4·4	95	96	C.	0	S.	6	....	....	10	ci.st.	....	....	4	ci.	....	....
4....	29·22	29·17	4·0	18·0	25·3	— 1·3	96	96	S.E.	6	W.	39	S.	01	....	....	10	n.	....	....	7	st.
5....	29·60	29·54	—10·9	2·0	18·0	—11·6	96	95	N.W.	14	C.	0	....	....	....	....	....	....	....	....	....	....
6....	29·18	28·97	13·0	24·0	24·0	— 2·4	95	96	S.	30	S.	40	....	S.	....	....	10	st.	....	....	10	st.
7...	29·09	29·26	21·7	18·3	25·0	17·4	95	95	N.W.	18	N.W.	16	S.	..	....	....	10	st.	....	....	10	st.
8....	29·42	29·46	—1·0	15·0	28·0	— 3·0	95	95	S.W.	6	S.W.	16	....	....	4	ci.st.	..	....	1	ci.	....	..
9....	29·60	29·51	— 5·4	12·0	18·8	— 6·2	97	93	N.W.	5	W.	9	....	....	....	....	....	....	....	....	....	....
10....	29·39	29·22	— 2·0	18·0	21·3	— 4·0	92	97	S.	15	S.E.	21	....	....	....	..	....	....	....	....	10	st.
11....	28·97	28·80	28·5	29·8	31·8	17·7	96	95	S.	21	C.	0	....	·01	....	....	10	st.	....	....	10	n.
12....	28·99	29·13	7·8	11·0	29·8	5·8	96	96	N.W.	21	N.W.	10	·25	....	..	..	....	....	....	....	....	....
13....	29·15	29·04	— 9·0	12·2	22·7	—10·8	93	93	S.	5	S.	10	....	....	....	....	....	....	....	....	10	st,
14 ...	28·89	29·11	11·0	11·2	23·3	7·0	94	94	S.W.	11	W.	12	....	....	2	ci.st.	..	....	5	ci.st.	..	....
15....	29·29	28·97	0·3	25·2	25·5	0·3	93	95	S.	5	S.E.	19	....	·20	....	....	2	st.	....	....	10	st.
16 ...	28·87	29·29	19·0	9·0	31·0	9·0	97	95	S.W.	25	N.W.	15	....	....	3	ci.	....	....	....	....	....	....
17....	29·39	29·53	4·8	16·8	21·8	— 9·5	94	97	S.	10	N.W.	18	....	....	....	....	10	st.	3	ci.	....	....
18....	29·41	28·81	5·0	25·7	25·7	— 6·2	93	93	S.E.	10	E.	26	....	·22	..	....	10	st.	....	....	10	st
19....	28·93	29·26	14·8	17·0	32·6	14·0	96	97	N.W.	46	N.W.	10	....	....	1	ci.	....	....	....	....	....	....
20....	28·92	28·72	21·5	34·5	38·1	8·0	95	92	S.	38	S.	32	....	....	....	....	8	st.	3	ci.	....	....
21 ...	28·67	28·22	28·5	38·5	44·0	26·5	94	76	E.	3	N.E.	7	....	R.	....	....	7	st.	....	....	5	st.
22....	28·74	28·94	30·5	34·8	40·0	29·5	93	89	W.	19	S.W.	3	R.	....	....	....	1	st.	....	....	10	st.
23....	28·97	29·04	36·4	36·3	47·0	33·0	84	94	E.	3	S.E.	0	R.	....	7	ci.	....	....	1	ci.st.	2	s.
24....	28·97	28·88	35·0	34·0	43·3	29·3	96	97	S.	28	S.	5	R.	..	....	....	10	st.	....	....	10	st.
25....	29·20	29·31	21·8	17·0	35·4	11·8	85	76	N.E.	31	N.	37	....	....	....	....	10	st.	10	ci.st.	....	....
26....	29·27	28·92	13·8	23·0	26·4	13·0	82	97	N.E.	16	N.E.	10	....	·05	....	....	10	st.	....	....	10	n.
27....	28·70	28·84	17·6	19·0	25·0	17·0	96	85	N.	8	W.	11	·25	S.	....	....	10	n.	....	....	6	cu.st.
28...	28·92	28·83	9·0	36·0	38·0	4·5	89	85	S.	8	S.	15	....	....	1	ci.st.	....	....	2	ci.	....	....
29....	28·84	29·13	26·0	20·8	36·0	20·5	87	86	W.	19	W.	38	....	....	....	....	5	st.	....	....	....	....
30....	28·55	28·80	— 1·2	6·4	20·8	— 3·5	95	98	N.W.	36	N.W.	20	·01	....	....	....	....	....	....	....	....	....
31 ...	29·91	29·61	— 1·0	20·0	22·5	— 3·4	97	77	S.E.	3	S.E.	20	....	....	3	ci.	....	....	5	ci.st.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	ind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·11	29·05	26·5	36·0	42 2	17·7	87	91	S.	36	C.	0		S.	5	ci.					10	st.
2	29 35	29·34	22·8	26·0	36·0	22 2	78	91	N.E.	26	N.E.	16			4	ci.			10	ci.st.		
3	29·30	29·22	24·0	32·0	38·2	22·2	89	69	N.E.	14	N.E.	21			1	ci.					10	st.
4	29·44	29·44	20·5	25 5	32 0	19·7	88	96	N.E.	24	N.E.	17	·10						1	ci.		
5	29·32	29·05	21·6	35 0	39·0	18·2	91	66	S.E.	15	S.E.	18			3	ci.					10	st.
6	28 86	28·74	31·3	31·3	35·8	29·0	92	97	S.E.	25	S.E.	14	S.	·08			10	st.			10	n.b.
7	28·66	28·83	32·6	35·5	38·5	30·0	94	79	W.	8	N.W.	22					10	st.			9	st.
8	29·12	29·21	24·0	25·6	35·5	22·6	76	87	N.	34	N.	20					10	st.			1	st.
9	29·36	29·34	15·0	27 0	29·6	12·3	90	96	N.E.	8	N.	6										
10	29·17	28·86	23·6	29·5	31·0	18·7	86	89	S.E.	24	S.	35		·17			10	st.			10	n.b.
11	28·67	29·05	29 0	32 6	33·8	28·8	98	95	W.	20	N.	31	·02	·03			10	n.b.			10	n.b.
12	29·44	29·55	16·5	21·6	32·6	16·0	88	95	N.	27	N.	15	·01		7	ci.st.			1	ci.		
13	29·67	29·51	7·2	21·0	23 0	5·2	88	100	N.	9	C.	0										
14	29·32	29·04	14·0	33·8	35·2	8·2	96	98	S.E.	12	S.E.	10			8	ci.					10	st.
15	28·93	29 22	26·5	19·8	33·8	19·8	100	92	N.	30	N.W.	38	·24				10	n.b.			2	st.
16	29·42	29·39	15·7	25·0	26·2	12·2	96	96	N.	27	N.W.	29	·01	02			10	n.b.			10	st.
17	29·40	29·42	15 0	30·0	37 0	10·0	90	89	C.	0	W.	8										
18	29·35	29·32	23·7	31·5	38·2	11·8	79	94	C.	0	W.	11							2	ci.		
19	29·41	29 51	24·0	31·7	34 2	22·5	74	88	N.	14	N.	10										
20	29·52	29·40	23·2	39·8	46·8	16·8	93	72	C.	0	S.W.	16										
21	28·88	28·92	38·0	45·0	53·0	32·3	74	68	S.	22	N.W.	28					10	st.	4	ci.st.		
22	28·99	29 07	34 0	36·2	45·8	29·0	83	59	W.	9	N.W.	23									9	st.
23	29·22	29·14	26·2	35 5	38·6	21·2	81	79	N.	5	C.	0									10	st.
24	29 15	29·31	30·2	22·8	35·5	22·8	93	96	W.	10	N.	32	S.				8	st.				
25	29·41	29·22	20·4	29·3	32·3	15·0	92	100	C.	0	S.	4					8	st.			6	st.
26	29·24	29·39	27·5	23·7	31·4	20 0	84	99	W.	11	N.E.	19			6	ci.						
27	29·56	29·55	13·0	28·5	32·2	9·7	93	100	N.E.	8	C.	0							10	ci.st.		
28	29·49	29·39	26·6	33·0	36·8	22·8	92	80	S.E.	10	S.W.	2					10	st.			10	st.
29	29·32	29 27	30·0	38·8	42·0	27·2	94	56	C.	0	S.W.	8	·06				10	st.			6	st.
30	29·17	29·09	34·0	47·7	53·8	30·0	85	55	S.	8	S.	14									1	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·33	29·46	26·6	26·5	47·8	24·3	80	90	N.	22	N.	19			1	ci.st.					3	st.
2	29·61	29·53	21·0	27·0	30·2	10·9	81	86	W.	5	N.W.	11		S.			10	st.			9	st.
3	29·56	29·40	25·8	34·9	38·6	18·3	89	89	N.	6	W.	2							4	ci.		
4	29·20	28·96	33·0	36·7	32·0	27·0	84	100	S.E.	18	S.E.	1	S.	·03	2	ci.					8	st.
5	28·06	28·03	29·5	41·3	44·2	26·6	88	47	N.W.	19	S.W.	14	S.		10	ci.st.			2	ci.		
6	29·21	29·34	22·5	24·5	42·6	20·5	89	80	W.	34	N.W.	17	·10		5	ci.			1	ci.		
7	29·36	29·17	22·2	37·8	42·6	11·5	83	66	E.	1	S.	9									10	st.
8	28·98	29·07	33·9	33·9	52·5	31·7	89	70	S.	25	W.	33	·12	R.			9	st.			9	st.
9	29·32	29·41	25·3	31·4	36·6	22·0	71	93	N.W.	42	N.	22			1	ci.			1	ci.		
10	29·54	29·38	25·6	36·7	41·2	17·6	95	55	N.	10	N.E.	6			1	ci.			2	ci.		
11	29·18	28·81	34·4	40·3	43·0	28·4	74	85	S.E.	15	E.	19					9	st.	5	ci.	4	st.
12	28·67	28·76	42·1	43·3	51·2	34·7	85	85	S.	2	N.W.	25			9	ci.st.					9	st.
13	29·11	29·20	30·5	35·1	43·7	29·2	71	80	N.	38	N.	24			2	ci.			9	ci.st.		
14	29·30	29·17	32·4	42·7	46·9	24·0	93	56	N.	20	N.E.	13			5	ci.						
15	29·05	28·84	39·4	60·3	67·0	20·8	49	53	S.W.	1	N.W.	19					1	cu.	8	ci.st.		
16	28·93	28·94	43·8	44·6	63·5	36·0	78	64	N.	20	N.	19	·23		7	ci.st.			6	ci.st.		
17	29·01	29·01	41·1	45·3	52·9	27·6	65	52	S.	3	W.	20			2	ci.					1	st.
18	29·08	29·22	38·1	36·4	45·3	36·0	67	74	N.W.	16	N.	26					9	st.	7	ci.	3	st.
19	29·43	29·47	31·8	40·4	44·5	25·6	67	57	N.	10	N.W.	16	·01				9	st.	9	ci.st.		
20	29·54	29·41	35·5	49·4	57·2	20·0	59	41	W.	5	N.	13							6	ci.		
21	29·36	29·22	42·9	51·4	54·3	32·0	61	57	E.	3	S.E.	17			10	ci.st.					8	st.
22	29·22	29·25	45·3	49·8	66·2	36·0	80	63	E.	3	N.	29			9	ci.st.			9	ci.		
23	29·41	29·40	45·8	53·0	58·8	32·5	69	39	N.	17	N.E.	21			1	ci.			1	ci.		
24	29·43	29·23	46·9	59·5	67·4	26·0	65	40	E.	4	N.	18			6	ci.			4	ci.	3	st.
25	29·16	29·19	49·8	47·9	67·5	35·6	56	39	N.	3	N.	40			8	ci.st.			1	ci.		
26	29·37	29·30	35·9	46·4	48·5	27·2	61	47	N.	17	N.W.	22					10	st.	1	ci.		
27	29·27	29·01	42·0	49·4	60·6	23·0	38	69	W.	4	E.	8									7	st.
28	28·96	29·05	48·6	56·3	62·4	40·5	64	40	N.E.	12	N.	14					6	st.	7	ci.		
29	29·02	28·99	51·9	55·4	64·2	36·0	73	97	S.E.	17	S.	11		·36			9	st.			10	
30	29·19	29·22	41·3	57·6	57·7	38·8	99	66	N.W.	15	C.	0	04				10	st.	3	ci.	3	st.
31	29·25	29·21	51·0	49·0	74·3	37·6	90	76	S.E.	3	N.W.	28	R.		2	ci.					9	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·20	28·88	40·9	52·3	52·9	38·2	89	67	N.	6	N.E.	17	·02	·03	....	....	9	st.	....	.....	9	st.
2	28·79	28·84	45·8	57·6	58·7	43·8	76	52	W.	36	N.W.	15	....	....	....	....	9	st.	....	....	4	st.
3	28·85	28·82	49·2	60·2	66·6	38·5	74	51	W.	14	N.W.	19	·05	....	1	ci.	....	....	....	.....	9	st.
4	28·95	29·05	46·8	54·2	60·2	38·3	72	55	N.	21	N.	12	....	....	7	ci.	....	.....	1	ci.	....	.....
5	29·16	29·08	50·2	67·1	70·5	32·4	62	46	C.	0	C.	0	....	....	....	.....	....	....	2	ci.	....	....
6	29·10	29·06	51·3	64·9	76·7	42·1	58	50	S.E.	6	S.	18	....	....	4	ci.	....	....	....	....	5	st.
7	29·10	29·07	56·8	72·4	77·6	52·4	73	43	S.E.	1	S.E.	9	....	....	....	.....	10	st.	3	ci.	....	.....
8	29·21	29·07	62·8	73·6	79·6	47·5	74	39	S.	5	S.E.	17	....	....	7	ci.	....	....	4	ci.	3	st.
9	28·97	28·88	59·4	61·3	73·4	55·2	64	79	E.	18	S.E.	38	....	....	....	....	10	st.	....	.....	9	st.
10	28·79	28·77	53·3	55·0	62·5	52·7	99	99	E.	8	N.	5	·47	·30	....	..	10	nb.	....	.....	10	nb.
11	28·92	29·04	54·7	58·4	59·0	52·9	97	88	N.W.	12	N.	6	·06	....	....	.....	10	nb.	....	....	10	st.
12	29·13	29·13	57·4	70·8	73·2	55·3	92	63	E.	6	S.E.	12	....	....	....	.....	10	st.	....	....	6	st.
13	29·22	29·17	62·0	74·1	79·6	52·1	80	54	S.E.	9	S.E.	18	....	....	6	ci.	....	....	....	....	3	st.
14	29·24	29·18	67·6	77·5	81·7	51·5	62	51	S.E.	12	S.E.	12	....	....	5	ci.	....	.....	5	ci.	....	.....
15	29·09	29·01	63·8	73·7	79·3	52·7	75	78	S.E.	13	S.E.	15	....	....	....	....	9	st.	....	.....	9	st.
16	28·86	28·90	72·3	83·8	90·2	66·3	86	40	S.E.	21	S.W.	31	....	....	....	.....	8	st.	8	ci.	....	.....
17	29·11	29·14	67·2	72·6	83·7	56·9	58	45	S.	21	W.	26	....	....	4	ci.	....	....	4	ci.	....	.....
18	29·49	29·42	47·4	61·9	72·6	46·4	84	61	N.	22	N.E.	1	....	....	....	..	10	st.	4	ci.	3	st.
19	29·34	29·00	54·7	72·8	77·6	38·8	66	44	S.	10	S.W.	19	....	....	..	.....	....	..	....	....	9	st.
20	28·96	28·87	63·8	66·0	84·2	52·2	76	83	S.	2	S.E.	10	·01	·02	1	ci.	....	..	....	....	9	nb.
21	28·80	28·83	71·7	75·7	86·7	57·6	72	69	S.	25	S.	19	....	T.	3	ci.	....	.....	....	....	8	st.
22	28·97	29·04	66·1	64·8	75·7	62·5	95	85	E.	8	N.	24	....	·09	....	.....	10	st.	5	ci.st.	....	.....
23	29·12	29·01	59·7	71·2	73·9	54·8	88	73	N.E.	10	E.	14	....	....	....	....	10	st.	....	....	....	.....
24	29·02	29·10	53·8	55·5	71·2	52·9	94	79	W.	22	W.	32	·02	....	....	.....	10	st.	5	ci.st.	....	.....
25	29·17	29·29	46·4	56·9	58·8	43·3	85	69	N.W.	20	N.	17	·08	....	....	....	9	st.	1	ci.	....	.....
26	29·30	29·10	55·9	79·3	83·2	42·5	75	26	S.	18	W.	15	....	....	....	....	....	.....	....	.....	....	.....
27	29·03	28·86	66·9	79·7	87·5	54·8	69	45	S.W.	14	S.W.	17	....	....	5	ci.	....	.....	3	ci.st.	....	.....
28	28·83	28·88	69·8	59·6	82·7	58·5	69	88	S.W.	5	N.	22	....	·02	4	ci.	....	....	....	.....	8	st.
29	28·94	28·96	58·0	58·7	73·0	46·2	82	67	N.	12	N.	23	....	....	6	ci.	....	.....	....	.....	8	st.
30	28·90	29·05	54·3	62·9	64·8	52·1	91	62	N.	17	N.	19	·01	....	....	....	10	st.	1	ci.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·27	29·19	54·9	69·7	69 9	90·0	82	46	N.W.	3	S.	12	....	....	3	ci.	....	.....	1	ci.	....	.....
2....	29·05	29·05	65·8	66·5	82·9	54·9	71	79	S.	23	W.	19	....	....	....	.....	....	.....	.....	.....	5	st.
3....	29·10	29·10	63 8	78 6	83·5	56·0	87	60	N.E.	5	N.W.	2	....	·04	....	.....	9	st.	2	ci.	5	st.
4....	29·10	29·02	63·8	81·9	85·0	61·3	83	57	S.E.	4	S.E.	8	·10	....	8	ci.st.	....	.....	.....	.....	.....	.....
5....	29 09	29·05	64 8	74·7	81·9	62·8	99	49	S.W.	5	W.	20	·06	....	1	ci.	....	.....	.....	.....	.....	.....
6....	29·09	28·98	63·3	75 3	84·7	51·9	72	52	S.W.	5	S.	16	·27	...	....	.....	....	.....	4	ci st.	....	.....
7....	28·94	28·94	63·6	69·0	78·1	57·8	87	52	S.	10	W.	33	·02	·06	3	ci.	2	st.	.....	.....	....	.....
8....	29·03	29·12	60·0	68·9	73·3	51·6	79	62	W.	17	N.W.	25	....	....	....	....	1	st.	3	ci.st.	....	.....
9...	29·21	29·15	62·0	71·7	76·9	49·0	89	66	N.W.	4	N.E.	2	....	....	2	ci.	....	.....	.....	.....	1	st.
10...	29·17	29·14	65·5	73·5	85·0	51·8	77	54	N.	1	N.	19	....	....	4	ci.	....	.....	4	ci.	8	st.
11...	29·21	29·13	63·6	78·0	82·7	49·5	79	57	W.	1	W.	3	T.	....	.....	.....	.....	.....	1	ci.	.....	.....
12....	29·07	28·88	67·9	79·3	87·5	59·7	73	57	S.	20	S.	25	....	....	7	ci.	....	.....	3	ci.st.	....	.....
13....	28·81	28·74	66·8	67·9	82·3	60·4	90	87	W.	12	W.	18	....	T.	9	ci.st.	....	.....	.....	.....	9	st.
14....	28 69	28·77	62·8	75·7	79·6	60·3	86	49	W.	18	S.W.	24	·01	...	7	ci.st.	....	.....	.....	.....	9	nb.
15....	28·83	28·83	65·9	76·6	85·7	53·1	73	59	S.W.	2	S.W.	14	..	....	.....	.....	.....	.....	2	ci.	.....	.....
16....	28·92	28·96	56·9	65·8	76·6	55·9	98	69	S W.	2	S.W.	15	·31	·02	5	ci.st.	4	nb.	4	ci.	4	st.
17....	29·10	29·15	60·8	70·9	75·0	52·1	80	63	S.W.	17	N.W.	10	....	....	1	ci.	....	.....	.....	.....	4	st.
18 ...	29·21	29·14	60·1	69·0	77·5	51·8	85	73	W.	6	N.	13	....	....	7	ci.	....	.....	1	ci.	.....	.....
19....	29·17	29·09	62 3	73·0	78·0	55·2	91	66	W.	11	S.	12	·48	....	3	ci.	....	.....	.....	.....	9	st.
20....	29·12	29·03	64·5	73·4	86·5	55·9	82	78	S.	3	W.	7	T.	T.	1	ci.	.....	.....	3	ci.	4	st.
21....	28·98	29·08	65 0	71·6	74·0	62·9	98	52	S.E.	4	N.W.	25	T.	·01	..	.....	10	st.	.....	.....	7	nb.
22....	29·23	29·11	60·9	74·7	79·1	47·0	77	60	W.	5	W.	8	....	....	.....	.....	.....	.....	3	ci.	.....	.....
23....	28·97	28·97	62·3	70·2	75·4	59·4	98	83	E.	6	N.W.	15	·87	...	.....	.....	9	st.	2	ci.	2	st.
24....	29·09	28·97	59·5	71·7	77·2	53·5	90	68	N.W.	3	E.	5	....	....	1	ci.	....	.....	.....	.....	6	st.
25....	28·96	29·16	59·8	65·8	70·8	55·1	93	55	N.	12	N.W.	23	1·61	....	.....	.....	7	st.	10	ci.st.	.....	.....
26 ...	29·24	29 09	61·2	73·1	77·0	49·9	75	61	W.	11	S.W.	9	..	....	2	ci.	...	.....	.....	.....	.....	.....
27....	28·89	28·79	62·7	72·5	82·7	58·4	79	63	S.	21	W.	28	T.	·03	7	ci.st.	....	.....	1	ci.	.....	.....
28. ..	28·97	29·12	61·1	68 8	72·1	56·9	88	63	N.W.	15	N.W.	16	·03	....	4	ci.st.	...	....	.....	.....	2	st.
29....	29·16	29·11	63·4	73·6	81·1	50·2	76	72	S.	19	N.W.	16	....	·05	2	ci.	....	.....	3	ci.	.....	.....
30....	29·19	29·17	65·8	70·3	76·9	54·1	82	61	W.	7	N.W.	21	....	....	1	ci.	....	.....	.....	.....	2	st.
31....	29·18	29·07	60·9	65·8	70·3	52·6	85	63	N.W.	12	W.	16	....	·01	7	ci.	....	.....	2	ci.st.	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.							
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°		°	°							in.	in.								
1	29·04	29·12	50·9	58·8	65·8	45·0	87	71	N.W.	29	N.W.	30	·02	·09	...	.....	9	nb.	4	ci.st.	....	.....
2	29·24	29·25	54·4	57·6	62·0	45·0	77	73	N.W.	13	N.W.	18	....	....	....	....	4	st.	1	ci.	....	....
3	29·28	29·05	46·1	66·8	72·0	39·4	94	67	C.	0	S.E.	63	....	....	....	.....	.....	.....	.....	.....	.....	.....
4	28·79	28·65	61·8	63·8	71·5	54·4	76	90	S.E.	20	S.E.	22	....	·40	3	ci.	....	.....	.....	.....	10	st.
5	28·75	28·83	57·0	71·5	74·1	54·7	81	65	S.W.	21	W.	29	·22	...	1	ci.	.....	.....	2	ci.	....	...
6	28·83	29·11	59·4	64·1	71·3	52·9	82	87	S.W.	20	W.	27	·18	..	....	....	....	....	6	ci.	....	....
7	29·24	29·15	55·6	71·7	78·2	47·2	96	66	S.W.	6	S.	4	....	....	6	ci.	....	....	3	ci.	2	st.
8	29·11	29·11	63·8	70·8	81·6	57·9	83	86	S.	8	N.	1	....	....	.....	.....	..	....	2	ci.	2	st.
9	29·01	28·95	65·9	80·7	85·2	62·0	93	82	E.	12	S.E.	18	·02	....	7	ci.st.	....	....	1	ci.	....	.....
10	28·92	28·78	63·7	68·8	81·5	62·6	93	89	N.	38	N.E.	3	·13	·03	.....	.	9	st.	....	.....	10	st.
11	28·65	28·91	55·9	61·4	68·6	53·9	90	78	S.W.	40	W.	40	1·56	....	.....	.....	9	st.	9	ci.st.	....	.....
12	29·10	29·23	52·7	59·5	65·2	46·5	80	73	W.	17	W.	20	....	....	.....	.....	.....	....	....	..	1	st.
13	29·48	29·12	50·0	63·8	69·7	42·2	95	77	C.	0	C.	0	....	....	0	ci.	.....	.....	.....	.....	.....	.....
14	29·32	28·91	53·0	66·6	68·9	47·5	93	86	S.E.	7	E.	18	..	·26	...	.....	9	st.	3	ci.	...	.....
15	28·78	28·65	63·7	69·8	74·9	55·9	87	64	S.	5	S.	26	....	·01	....	...	9	st.	3	ci.st.	....	.....
16	28·55	28·91	57·0	62·6	69·8	52·3	89	73	W.	36	W.	39	T.	·03	....	....	10	st.	6	ci.st.	...	..
17	29·14	29·03	55·9	71·6	78·4	47·5	88	76	S.	11	S.E.	11	....	....	3	ci.	3	st.	....	...	...	....
18	28·75	28·75	69·6	71·7	79·3	63·8	85	75	S.E.	26	W.	25	....	....	9	ci.st.	....	.....	4	ci.st.	...	...
19	29·01	29·37	49·9	52·5	71·8	46·3	96	83	W.	28	N.W.	40	·02	...	.....	.....	10	nb.	3	ci.	....	.....
20	29·39	29·34	47·6	55·9	62·7	44·0	83	75	S.W.	5	N.W.	5	....	....	9	ci.st.	...	...	.....	.....	2	st.
21	29·39	29·14	46·2	63·7	70·0	38·2	88	76	C.	0	S.W.	11	....	....	.....	.....	....	....	.....	....	.....	.....
22	28·92	28·72	55·7	72·9	79·5	47·6	89	71	S.W.	12	S.	16	....	T.	2	ci.	....	...	.....	.....	5	st.
23	28·76	28·90	60·6	61·8	73·0	57·3	95	75	W.	1	W.	41	·09	....	.....	.....	10	nb.	2	ci.	....	.....
24	29·13	29·17	56·3	62·3	68·6	48·5	78	68	W.	21	N.W.	36	....	....	.....	.....	.....	.....	.....	.....	.....	.....
25	29·24	29·12	48·6	65·1	71·5	40·8	84	63	C.	0	N.E.	9	....	....	.....	.....	.....	.....	9	ci.st.	....	.....
26	28·96	28·85	56·9	58·0	65·0	55·4	83	99	E.	18	E.	19	....	·64	....	.....	10	st.	....	.....	10	st.
27	29·05	29·16	55·0	60·9	64·7	53·2	98	87	S.W.	9	W.	12	·02	....	...	.....	10	st.	9	ci.st.	...	.....
28	29·24	29·17	58·4	60·1	65·3	55·4	92	93	W.	1	C.	2	....	T.	9	ci.st.	...	.....	.....	.....	10	st.
29	29·11	29·09	55·8	61·8	66·2	55·1	96	91	C.	0	C.	3	·12	....	....	.....	10	st.	1	ci.	..	.....
30	29·19	29·12	56·6	65·1	75·7	48·4	93	81	S.E.	5	E.	10	T.	·01	6	ci.	....	....	.....	.....	9	nb.
31	28·96	29·01	71·5	68·3	77·7	61·3	92	71	S.E.	10	S.W.	22	·05	....	9	ci.st.	....	.....	5	ci.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·26	29·26	58·9	64·8	68·3	57·3	87	62	W.	22	N.W.	22	·01	....	7	ci.st.	....	.....	.....	.....	.....	.....
2	29·27	29·20	54·8	60·1	73·0	44·7	90	71	W.	13	N.	18	.....	.....	1	ci.	....	.	2	ci.	.....	.....
3	29·28	29·27	52·7	61·1	69·0	44·0	96	77	N.	9	N.	10	....	..	8	ci.	....	.....	7	cl.	.....	..
4	29·32	29·33	48·8	63·6	72·7	42·0	95	69	C.	0	C.	0	....	..	....	....	....	.....	1	ci.	.....	.....
5	29·22	29·10	56·9	65·4	75·2	45·0	78	75	S.	4	S.E.	6	....	....	2	ci.	....	.....	.....	.....	3	st.
6	29·03	28·95	58·6	66·6	72·7	57·2	96	87	S.E.	6	S.E.	9	·04	..	10	ci.st.	....	.....	.....	.....	7	st.
7	28·92	28·99	59·7	56·2	67·1	55·9	97	83	S.E.	3	W.	15	·01	....	.....	.....	10	st.	.....	.....	10	st.
8	29·07	29·18	42·0	61·1	63·2	39·0	86	57	S.W.	6	C.	0	....	....	....	.....	.....	.....	1	ci.	.....	.....
9	29·37	29·24	42·2	58·7	67·5	38·0	94	78	W.	6	C.	0	....	....	....	.	....	.....	.....	.....	.....	.....
10	29·16	29·08	47·9	64·6	75·5	44·0	83	69	S.	2	S.E.	2	....	....	2	ci.	....	.....	....	....	2	st.
11	29·20	29·25	52·7	45·6	64·0	45·2	91	96	N.	9	N.	19	....	05	....	. .	10	st.	....	....	10	nb.
12	29·43	29·38	40·4	45·4	49·0	37·0	96	87	N.	8	N.E.	3	·02	T.	....	.....	10	nb.	....	....	9	st.
13	29·13	29·00	43·9	46·9	49·8	42·5	96	97	N.E.	11	N.W.	13	·20	·02	....	.....	10	st.	....	....	10	nb.
14	29·08	29·06	40·7	54·9	64·0	37·0	90	80	S.	7	C.	0	T.	....	3	ci.	....	.....	....	....	....	....
15	29·13	29·16	51·4	63·4	72·5	46·7	78	73	S.E.	18	S.E.	6	....	....	8	ci.	....	.....	5	ci.	....	.....
16	29·33	29·30	44·1	51·4	63·5	41·8	91	83	N.W.	5	N.	6	..	....	....	.	....	.....	....	....	2	st.
17	29·16	28·99	55·4	67·7	77·4	49·2	96	69	S.E.	10	S.E.	13	T.	....	....	.....	10	st.	....	....	1	st.
18	29·02	29·14	59·9	50·4	68·2	50·0	96	74	W.	4	N.W.	9	..	....	4	ci.	4	st.	1	ci.	1	st.
19	29·07	28·87	42·1	49·4	52·0	36·9	92	85	N.	1	N.	7	....	....	6	ci.	....	....	....	....	....	.....
20	28·92	28·94	43·9	46·9	55·0	44·8	76	60	W.	22	S.W.	28	....	....	..	.....	5	st.	....	....	5	st.
21	28·97	29·13	39·1	40·1	50·0	33·2	58	81	W.	28	C.	0	·03	·02	8	ci.	....	nb.	3	ci.	....	....
22	28·91	28·90	36·4	45·8	53·5	34·7	100	73	E.	40	N.	6	·16	·11	....	..	10	st.	....	....	8	st.
23	28·41	28·75	45·0	41·4	59·2	37·2	97	81	W.	8	N.W.	35	·02	....	....	...	9	st.	....	.....	8	st.
24	29·13	29·22	33·0	37·0	46·0	30·5	76	87	N.W.	24	N.W.	2	....	....	....	.....	8	....	....	.....	.....	.....
25	29·39	29·29	27·0	47·0	54·1	24·0	91	79	N.W.	2	C.	0	....	....	....	.....	....	....	8	ci.	....	....
26	29·42	29·37	31·0	39·0	56·2	30·0	89	73	N.	2	N.	7	....	....	9	ci.	..	nb.	....	....	....	....
27	29·39	29·25	28·5	44·4	50·3	21·8	70	63	C.	0	C.	0	R.	....	..	.....	10	st.	7	ci.	....	.....
28	29·10	29·14	38·0	32·4	48·0	32·0	91	90	S.E.	16	N.W.	12	....	....	2	ci.	2	.....	.....	.....	1	st.
29	29·19	29·32	35·0	40·0	52·0	30·0	86	73	N.W.	20	N.W.	16	....	....	....	....	....	....	....	....	1	st.
30	29·37	29·24	31·8	48·0	58·7	29·5	79	58	S.W.	12	S.	8	....	....	....	.....	....	....	....	....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·04	28·77	41·0	51·0	51·0	34·0	94	95	S.E.	12	S.E.	10	·04	15	....	...	10	nb.	....	. ...	7	st.
2	28·83	29·07	48·4	51·0	58·0	47·0	95	86	S.W.	5	N.W.	11	.....	.....	.....	.....	8	st.	.....	.....	10	st.
3	29·23	29·06	38·8	47·0	62·0	37·5	88	69	N.	13	S.W.	2	.....	.....	.....	.....	1	st.	.....	.....	3	st.
4	28·98	29·10	46·0	50·1	74·0	43·0	81	81	N.W.	12	N.	0	.....	.....	6	ci.	.....	.....	9	ci.	.....	.....
5	29·05	28·80	40·4	55·4	64·0	36·0	97	71	C.	0	S.E.	11	.....	.....	7	ci.	..	. ..	4	ci.	.	.....
6	28·80	28·95	44·7	47·7	55·4	41·8	90	85	C.	0	N.W.	29	.....	.....	4	ci.	....	..	.....	...	9	st.
7	29·22	29·23	38·6	39·1	50·7	38·0	94	77	N.	23	C.	0	R.	....	..	.....	8	st.	....	.....	.....	....
8	28·97	28·83	38·1	45·7	54·7	32·8	89	87	S.	18	N.W.	25	..	05	.....	.....	3	st.	....	. ..	10	st.
9	29·21	28·96	35·4	52·7	59·1	34·5	98	57	N.W.	12	S.W.	7	·04	....	.....	.....	9	st.	.....	.....	10	st.
10	29·09	29·29	37·1	41·7	53·5	36·0	93	73	N.W.	18	N.	23	.....	.....	4	ci.	.....	... .	.....	.....	.....	.....
11	29·49	29·56	33·1	35·7	41·8	28·5	97	65	N.	11	N.E.	17	..	....	10	ci.	....	.....	10	ci.	.....	. .
12	29·59	29·40	24·8	36·4	45·2	20·5	89	74	C.	0	S.	14	S.	....	8	ci.	.....	.....	.....	.....	.....	.....
13	29·26	29·09	31·2	57·4	62·2	30·8	77	48	S.	19	S.	22	.....	.....	.....	.....	...	.....	4	ci.	..	...
14	29·22	29·29	34·7	40·4	57·4	33·0	90	85	N.E.	7	N.E.	6	.....	.....	5	ci.	....	.	. .	....	.....	.....
15	29·23	28·99	29·8	61·0	64·5	26·2	92	44	S.W.	2	S.	24	.....	.....	8	ci.	.....	.....	.....	.....	.....	.....
16	29·12	29·04	39·7	50·7	69·0	36·8	89	68	N.	6	N.E.	4	.....	.....	8	ci.	....	.....	...	.....	.....	.....
17	29·43	29·68	31·8	27·5	50·8	24·5	66	57	N.	17	N.	8	.....	.....	.....	.....	4	st.	....	.....	..	. ...
18	29·64	29·41	18·8	36·4	42·1	17·2	86	58	W.	9	C.	0	.....	.....	...	.....	...	.....	5	ci.	.....	.....
19	29·32	29·43	30·8	28·8	45·8	26·5	71	96	S.E.	8	N.E.	7	. ...	...	.5	ci.	...	. .	.....	.....	.....	.....
20	29·55	29·36	15·2	40·6	47·0	13·6	96	54	C.	0	S.	10	.....	..	.....	.....	.....	...	.....	.....	.....	.....
21	29·04	28·96	32·0	47·7	61·4	31·7	68	68	S.	18	N.W.	11	.....	.....	1	ci.	.....	.....	.....	.....	.....	.....
22	29·18	29·26	28·2	33·4	51·0	22·5	87	87	W.	14	N.E.	4	.....	...	.....	...	. .	. .	.....	.....	.....	.....
23	29·27	29·01	29·0	53·0	59·2	24·8	78	40	S.	13	S.	17	...	....	.....	.....	.....	.....	.....	.....	.....	....
24	29·17	29·48	34·0	30·0	53·0	29·5	79	61	N.W.	22	N.E.	14	.....	.....	.....	.....	.....	.....	.....	.....	..	.....
25	29·58	29·25	15·5	31·3	40·4	14·2	40	68	C.	8	S.	18	. .	....	.....	.....	.....	.....	.....	.....	.....	.....
26	28·84	29·21	33·7	31·0	41·3	30·8	99	73	S.	24	N.	42	66	..	5	ci.	5	st.	...	.....	9	st.
27	29·48	29·21	21·2	39·0	42·4	18·5	100	50	C.	0	S.	20	. .	..	1	ci.	...	....	3	ci.	....	.....
28	29·16	29·32	25·5	31·2	45·2	25·5	95	87	S.	3	N.E.	10	....	..	5	ci.	...	....	.....	...	.....	.....
29	29·41	29·37	28·0	32·0	47·2	22·7	90	89	E.	8	S.E.	14	..	....	4	ci.	....	.....	.....	...	.....	.....
30	29·25	29·11	33·3	42·0	42·6	26·5	92	95	S.E.	8	S.E.	16	....	65	....	. .	10	st.	.....	. . .	10	st.
31	28·99	28·92	44·0	49·5	50·0	39·6	96	92	S.	18	S.	10	....	....	.....	.....	10	st.	.....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·00	29·13	39·0	42·0	51·5	31 4	91	75	W.	12	N.	16	....	....	....	....	9	st.	....	.....	4	st.
2	29 19	29·22	32·0	30·0	42·0	30·0	91	89	N.	10	E.	4	....	S.	....	..	10	nb.	....	.....	....	.. ..
3	29·11	29·09	31·6	33·0	42·6	28 0	89	99	S.	18	N.W.	8	....	....	....	....	10	st.	....	.....	....	.....
4	28·98	28·87	25·7	32 0	43·5	23·0	89	100	W.	12	C.	0	..	....	....	.....	1	st.	5	ci.	....	....
5	28·93	29·01	33·0	31·2	41·5	30·5	90	89	N.W.	14	C.	0	·02	....	....	....	3	ci.	3	st.	....	.....
6	29·07	29·01	19·0	37·0	49·2	17·2	100	68	C.	0	S.	8	....	..	....	....	1	st.	4	ci.	....	.....
7	28·86	29 15	40·0	28·0	43 3	25·0	88	100	N.W.	28	N.W.	12	·15	....	....	.....	10	st.	....	.....	....	.....
8	28·96	28·90	29·0	35·3	45·2	22·0	62	63	S.W.	12	N.W.	22	....	....	5	ci.	5	st.	8	ci.	....	.....
9	28·99	29·25	25·5	24·5	36·5	22·5	90	80	N.	8	N.E.	18	....	....	4	ci.	4	st.	5	ci.	....	....
10	29·48	29·59	22·5	24·2	27 0	18·7	96	93	N.	22	N.	12	·05	S.	....	.....	9	st.	....	....	10	st.
11	29·74	29·65	17·1	15·0	24·2	14·5	98	100	N.	12	S.W.	12	·10	S.	....	.....	10	nb.	....	.....	....	.....
12	29 21	29·22	16·0	29 5	35·0	12·5	97	92	S.W.	22	N.	30	..	....	....	.....	....	3	st.	....	....	.....
13	29 46	29·53	8·0	10·8	29·5	7·2	100	96	N.	22	N.W.	12	....	....	3	ci.	....	..	1	ci.	..	..
14	29·30	29·31	8·0	9·0	22 5	4·0	100	100	S.W.	10	N.	10	....	....	....	....	10	nb.	....	.....	....	.....
15	29·46	29·19	6·0	23·5	26·0	4·0	100	100	W.	4	S.W.	22	....	S.	....	.....	....	.....	....	.....	10	nb.
16	29·22	29·06	26·7	31·0	31·0	17·0	100	91	W.	5	S.E.	14	....	....	....	.....	10	st.	9	ci.	....	..
17	28·95	29·24	30 0	25·8	32·0	25·2	95	100	N.W.	14	N.W.	16	....	....	5	ci.	....	.....	....	.....	10	st.
18	29·54	29·46	8·0	16·6	26 0	7·5	100	91	N.	8	S.	6	....	....	....	.. ..	0	st.	....	....	....	.....
19	29·22	28·91	18·7	35·4	37·0	15·6	95	99	S.	20	S.	36	....	....	5	ci.	..	....	....	..	3	st.
20	28·76	28·66	38·0	31·8	42 0	31·0	91	97	S.	26	S.	W.	4	....	....	....	10	st.	1	ci.	....	.....
21	28·86	29 10	33·0	31·5	35·0	28·0	89	86	N.	20	N.W.	6	....	....	....	...	10	st.	....	....	10	nb.
22	29·12	28·99	19·0	37·0	43·0	17·2	100	62	S.	6	S.	22	....	....	....	....	1	st.	6	ci.	....	.....
23	28·89	28·97	28·3	36·6	44·0	17·0	83	74	S.	16	S.	6	....	....	....	.....	10	st.	....	....	10	st.
24	28·88	28·80	23·3	44·1	44·8	22·0	93	93	S.W.	12	S.	22	....	....	....	....	....	.....	....	.....	4	st.
25	29·08	29 24	19·5	23·6	44·1	18·0	91	91	N.W.	14	C.	0	....	....	....	.....	....	.....	....	.. .	....	.....
26	29 34	29·12	11·2	25·0	25·0	7·5	100	87	C.	0	E.	16	....	....	5	ci.	....	. .	....	....	10	st.
27	28·96	29·10	23·0	13·5	27·0	12·5	100	100	E.	2	N.W.	7	·10	·20	....	....	10	nb.	....	. .	....	.....
28	29·26	29·49	14·0	— 1·5	16·4	— 1·5	100	100	N.W.	18	N.W.	14	..	..	....	....	10	st.	..	.. ..	....	.. ..
29	29·34	29·32	— 0·5	13·5	15 0	—12 0	83	100	S.	4	E.	2	....	....	....	.....	10	st.	....	.....	10	st.
30	29·50	29·49	— 2·0	— 8·0	16·0	— 8·0	100	100	N.W.	8	C.	0	....	....	....	.....	10	st.	....	....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Winnipeg, Manitoba—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·53	29·49	7·0	13·8	13·8	−12·0	100	85	S.E.	8	S.	6	....	....	1	ci.	3	st.	....	.....	8	st.
2	29·30	29·31	10·2	22·0	27·0	9·5	95	98	S.W.	10	N.	24	....	....	S.	....	....	.....	....	....	4	st.
3	29·55	29·56	− 0·5	10·2	22·7	− 1·0	100	100	N.	4	S.	9	....	....	....	.....	3	st.	....	....	..	....
4	29·22	29·04	15·8	26·4	26·4	3·0	95	94	S.	30	S.	24	....	....	....	....	5	st.	....	....	....	....
5	28·91	28·88	19·0	31·0	32·5	18·0	97	95	S.	18	S.	20	....	....	....	....	....	....	....	....	....	....
6	28·99	29·06	31·0	32·0	40·8	29·2	73	88	S.W.	20	S.W.	12	....	....	....	....	1	st.	....	....	....	....
7	28·97	28·95	19·0	24·0	33·2	14·6	100	96	S.W.	3	N.	10	....	....	....	....	....	....	....	....	3	st.
8	29·05	29·30	19·5	16·5	21·5	16·0	91	88	N.E.	16	N.E.	24	....	....	....	....	4	st.	....	....	5	st.
9	29·49	29·51	− 4·5	− 1·0	17·0	− 6·0	100	100	N.	12	C.	0	....	....	....	....	....	....	....	....	....	....
10	29·35	29·10	− 0·5	13·5	15·0	−10·0	100	100	S.E.	3	S.	13	....	....	....	....	8	st.	5	ci.	....	....
11	28·97	29·03	9·5	14·8	26·8	8·0	100	100	S.	8	C.	0	....	....	5	ci.	....	....	....	....	....	....
12	29·07	29·03	11·0	23·5	30·3	10·0	100	100	S.	5	S.	9	....	....	1	ci.	....	....	....	....	....	..
13	28·98	28·97	26·0	35·0	35·3	21·0	100	100	S.	13	S.	18	....	....	5	ci.	....	....	....	....	10	st.
14	29·11	29·22	33·0	33·0	35·0	32·0	99	95	S.	3	C.	0	....	....	....	....	10	st.	....	....	10	st.
15	29·18	29·18	26·7	23·5	33·0	21·5	100	100	N.W.	12	N.	18	S.	·01	....	....	10	nb.	....	....	10	nb.
16	29·27	29·39	15·0	10·0	21·6	9·3	89	93	N.	19	N.	14	....	S.	5	ci.	....	....	5	ci.	....	....
17	19·41	29·31	9·0	− 4·0	10·7	− 4·0	94	100	C.	0	N.	3	....	....	....	....	10	st.	....	....	..	....
18	29·17	28·92	15·4	12·7	18·0	− 5·0	93	88	W.	9	S.W.	21	....	....	....	....	10	st.	....	....	....	....
19	28·90	28·98	12·0	21·0	26·1	9·0	85	95	W.	12	W.	12	....	....	....	....	....	....	....	....	10	st.
20	29·15	29·16	19·0	20·0	24·0	13·6	96	91	C.	0	S.	19	....	....	....	....	10	st.	....	....	....	....
21	28·98	28·75	18·0	33·3	33·8	15·0	88	90	S.	22	S.	30	....	....	6	ci.	....	....	....	....	9	st.
22	28·85	28·86	29·6	28·5	37·0	28·0	82	89	W.	22	W.	8	....	....	....	....	....	....	....	....	2	st.
23	28·79	29·98	11·2	15·5	30·5	10·0	100	95	N.W.	10	N.	3	....	....	....	....	....	....	....	....	7	st.
24	28·80	28·94	4·0	− 9·5	17·0	− 9·5	96	100	N.E.	3	N.E.	6	....	....	....	....	8	st.	....	....	....	....
25	29·12	28·94	−15·0	5·0	5·0	−16·5	100	100	W.	3	S.	24	....	....	....	....	....	....	....	....	10	st.
26	28·58	28·38	10·8	15·0	25·0	4·0	100	100	S.	18	N.	20	....	·03	....	....	10	st.	....	....	10	st.
27	29·01	29·26	−18·0	−15·8	15·0	−19·5	100	90	N.	20	C.	0	·05	....	....	....	....	....	....	....	....	....
28	29·10	29·01	− 5·0	1·3	7·2	−16·0	100	100	S.	17	C.	0	....	....	....	....	....	....	....	....	....	....
29	29·13	29·22	0·5	3·6	8·0	− 3·5	100	100	N.E.	14	N.	6	....	....	....	....	8	st.	....	....	10	st.
30	29·08	29·05	8·0	11·0	14·8	− 7·0	100	93	S.	10	C.	0	....	....	....	....	10	st.	....	....	10	st.
31	29·11	29·23	7·8	− 1·0	11·0	− 2·0	100	100	N.W.	6	N.W.	6	....	....	....	....	10	st.	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario: Latitude North 48° 27′; Longitude West, 89° 12′. Height above Sea, 644 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·49	29·74	14·0	18·0	23·0	9·0	100	84	N.W.	4	N.E.	6	·02	....	....	....	10	cu.st.	....	....	5	st.
2....	29·72	29·47	20·0	30·0	30·0	12·0	100	100	N.E.	12	E.	20	....	·14	....	....	....	....	....	....	....	....
3....	29·10	29·10	34·0	25·0	36·0	24·0	89	88	C.	0	S.W.	5	·35	....	....	....	....	....	....	....	....	....
4....	29·14	28·98	4·0	12·0	26·0	2·0	100	100	C.	0	C.	0	....	·06	....	....	....	....	....	....	....	....
5....	29·22	29·38	8·0	14·0	14·0	4·0	78	100	W.	2	W.	2	....	S.	....	....	....	....	....	....	....	....
6....	29·29	29·40	14·0	20·0	23·0	10·0	100	100	N.W.	2	C.	0	....	....	....	....	....	....	....	....	5	st.
7....	29·63	29·61	7·0	12·0	21·0	3·0	100	80	W.	2	E.	5	....	·04	....	....	....	....	....	....	....	....
8....	29·41	29·54	13·0	2·0	15·0	0·0	100	72	C.	1	W.	10	S.	....	....	....	....	....	....	....	....	....
9....	29·62	29·41	−8·0	2·0	2·0	−11·0	100	100	W.	8	C.	0	....	....	....	....	....	....	....	....	....	....
10....	28·62	28·90	10·0	5·0	12·0	−1·0	100	75	C.	0	W.	4	·14	....	....	....	....	....	....	....	....	....
11....	29·15	29·28	−5·0	1·0	6·0	−11·0	100	71	W.	6	C.	0	....	....	....	....	....	....	....	....	....	....
12....	29·33	29·51	2·0	2·0	10·0	−3·0	72	100	W.	2	C.	0	·02	....	....	....	....	....	....	....	....	....
13....	29·67	29·55	−1·0	6·0	10·0	−8·0	68	76	N.W.	4	N.	2	....	....	....	....	....	....	....	....	....	....
14....	29·51	29·63	2·0	1·0	7·0	−1·0	72	71	W.	2	N.W.	6	·04	....	....	....	....	....	....	....	....	....
15....	29·78	29·78	−22·0	−8·0	3·0	−24·0	100	58	W.	4	W.	2	....	....	....	....	....	....	....	....	....	....
16....	29·75	29·63	−5·0	9·0	9·0	−11·0	63	78	N.E.	2	N.E.	4	....	S.	....	....	....	....	....	....	....	....
17....	29·32	29·31	14·0	11·0	22·0	8·0	82	80	N.E.	1	S.W.	2	·02	....	....	....	....	....	....	....	....	....
18....	29·37	29·27	−2·0	14·0	14·0	−6·0	100	63	W.	2	E.	2	....	....	3	ci.cu.	....	....	....	....	....	....
19....	28·73	28·47	30·0	26·0	33·0	12·0	100	88	E.	1	N.W.	8	S.	S.	....	....	....	....	....	....	....	....
20....	28·87	29·46	−1·0	−5·0	27·0	−6·0	100	100	N.W.	8	C.	0	....	....	....	....	....	....	....	....	....	....
21....	29·72	29·68	−24·0	−13·0	−4·0	−26·0	100	100	W.	2	C.	0	....	....	....	....	....	....	....	....	....	....
22....	29·95	29·99	−22·0	−12·0	−6·0	−25·0	100	100	C.	0	W.	2	....	....	....	....	....	....	....	....	....	....
23....	29·95	29·76	−24·0	−2·0	−2·0	−26·0	100	67	N.W.	2	N.E.	4	....	....	....	....	....	....	2	ci.st.	....	....
24....	29·42	29·21	16·0	13·0	20·0	−5·0	83	81	S.E.	10	W.	6	·06	·14	....	....	....	....	....	....	....	....
25....	29·20	29·37	−9·0	−2·0	2·0	−12·0	56	100	S.W.	2	N.W.	6	S.	....	....	....	....	....	....	....	....	....
26....	29·47	29·39	−14·0	−1·0	0·0	−18·0	100	68	N.W.	2	N.W.	2	....	....	....	....	4	st.	....	....	8	st.
27....	29·50	29·60	−11·0	−5·0	2·0	14·0	100	100	W.	2	W.	2	....	·06	....	....	....	....	....	....	....	....
28....	29·70	29·63	−20·0	−7·0	−2·0	−24·0	100	59	W.	2	S.W.	1	....	....	....	....	....	....	....	....	....	....
29....	29·69	29·67	−20·0	−9·0	−3·0	−22·0	100	56	W.	1	W.	2	....	....	....	....	....	....	....	....	....	....
30....	29·81	29·68	−21·0	−6·0	−5·0	−27·0	100	61	W.	1	C.	0	....	....	....	....	....	....	....	....	....	....
31....	29·57	29·52	−1·0	−2·0	6·0	−8·0	69	67	S.	2	C'	0	S.	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 p.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·09	28·90	18·0	27·0	27·0	— 6·0	100	88	S.	1	C.	0	..	·04	....	....	....	....	....	....	....	....
2....	28·94	29·28	— 5·0	—10·0	29·0	—12·0	63	100	N.W.	10	N.W.	10	·20	..	....	....	....	....	....	....	....	....
3....	29·65	29·71	—22·0	—12·0	— 8·0	—24·0	100	100	W.	4	W.	2	..	..	....	....	....	....	....	....	....	....
4....	29·70	29·63	—24·0	— 8·0	0·0	—27·0	100	58	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
5....	29·66	29·64	—16·0	— 3·0	8·0	—20·0	39	100	W.	2	C.	0	....	....	....	....	....	....	....	....	....	....
6....	29·67	29·63	—21·0	— 2·0	7·0	—23·0	100	100	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
7....	29·62	29·47	— 2·0	14·0	16·0	—15·0	100	82	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
8....	29·41	29·21	6·0	19·0	22·0	0·0	76	100	S.W.	1	C.	0	....	·04	....	....	....	....	....	....	....	....
9....	29·12	28·97	13·0	24·0	29·0	9·0	81	100	E.	0	C.	0	....	....	....	....	....	....	....	....	....	....
10....	29·17	29·29	19·0	9·0	26·0	7·0	84	78	N.W.	4	N.W.	8	..	..	....	....	....	....	....	....	....	....
11....	29·55	29·55	—16·0	— 3·0	8·0	—19·0	100	100	W.	1	C.	0	....	....	....	....	....	....	....	....	....	....
12....	29·44	29·17	4·0	19·0	19·0	— 7·0	100	100	C.	0	C.	0	S.	·05	....	....	....	....	....	....	....	....
13....	28·85	29·08	14·0	20·0	37·0	10·0	100	85	C.	0	N.W.	14	....	....	....	....	....	....	....	....	....	....
14....	29·48	29·26	— 2·0	23·0	26·0	— 5·0	100	86	W.	6	S.W.	1	....	....	....	....	....	....	2	ci.st.	....	....
15....	28·93	29·08	23·0	36·0	40·0	12·0	86	90	S.W.	1	W.	4	....	....	....	....	....	....	....	....	....	....
16....	29·28	29·33	8·0	17·0	37·0	4·0	78	83	W.	2	C.	0	....	....	....	....	....	....	....	....	....	....
17....	29·37	29·13	6·0	27·0	27·0	14·0	83	100	N.E.	12	E.	10	....	S.	....	....	....	....	....	....	....	....
18....	28·73	28·99	32·0	28·0	37·0	23·9	150	77	C.	0	W.	2	....	....	....	....	....	....	....	....	....	....
19....	28·85	29·02	20·0	18·0	32·0	14·0	85	68	C.	0	N.W.	6	....	....	....	....	....	....	....	....	....	....
20....	29·18	29·22	— 7·0	3·0	19·0	—10·0	100	73	W.	2	N.W.	2	....	....	....	....	....	....	....	....	....	....
21....	29·37	29·54	—20·0	— 3·0	0·0	—22·9	100	66	W.	2	N.W.	2	....	....	....	....	....	....	....	....	....	....
22....	29·76	29·83	—18·0	0·0	4·0	—20·0	100	100	N.W.	4	S.W.	2	....	....	....	....	....	....	....	....	....	....
23....	29·77	29·49	7·0	21·0	22·0	— 3·0	77	85	N.W.	2	S.	2	....	S.	....	....	....	....	....	....	....	....
24....	29·03	29·32	26·0	12·0	32·0	10·0	100	80	C.	6	N.W.	18	·14	....	....	....	....	....	....	....	....	....
25....	29·78	29·68	— 7·0	1·0	14·3	— 9·0	100	71	N.W.	2	N.E.	8	..	S.	2	ci.cu.	3	cu.	....	....	....	....
26....	29·36	29·67	10·0	1·0	12·0	— 3·0	100	71	N.E.	14	N.	10	·20	....	....	....	....	....	....	....	....	....
27....	29·88	29·74	—15·0	1·0	2·0	—17·0	100	71	N.W.	2	N.E.	4	....	S.	....	....	....	....	....	....	....	....
28....	29·65	29·66	1·0	13·0	18·0	— 2·0	100	81	N.E.	4	N.E.	4	·04	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·37	29·02	18·0	24·0	25·0	10·0	100	87	N.E.	8	N.E.	6	·22	08								
2	28·97	29·26	16·0	10·0	26 0	8·0	83	79	N.W.	10	N.W.	6										
3	29·45	29·45	— 3·0	4·0	11·0	— 6 0	100	100	N.W.	4	N.W.	2			4	ci.cu. 3 ci.st.						
4	29·39	29·27	2·0	19·0	25·0	— 5·0	100	100	C.	0	S.	2	S.									
5	29·16	29·70	18·0	16·0	22·0	14·0	84	80	W.	12	N.W.	4	·04									
6	29·82	29·60	— 8·0	12·0	17·0	—10·0	100	80	N.	9	N.E.	6							10	ci.st.		
7	29·25	29·16	22·0	30·0	33 0	10·0	100	89	C.	0	W.	4	·03									
8	29·46	29·51	14·0	28·0	32 0	11·0	82	77	N.W.	2	C.	0										
9	29·60	29·59	10·0	19 0	28·0	8·0	100	84	C.	0	C.	0			7	ci.st.						
10	29 60	29·46	— 2 0	16·0	25·0	— 4·0	100	83	W.	2	E.	2										
11	29·40	29·15	6·0	28·0	29 0	— 2·0	100	88	C.	0	C.	0										
12	28 72	28·98	31·0	30 0	39·0	26•0	89	78	C.	0	N.W.	6	·06								3	cu.st.
13	29·30	29·26	9·0	20·0	31·0	7·0	78	85	N.W.	2	E.	2										
14	29·21	29·10	— 2·0	28·0	29·0	— 4·0	100	65	C.	0	W.	2		S.					2	ci.cu.		
15	29 38	29·42	18·0	27·0	32 0	16·0	84	76	W.	4	W.	4										
16	29·07	28·94	24·0	42·0	44·0	18 0	87	42	C.	0	W.	18										
17	29·59	29·53	9·0	21·0	42·0	7·0	100	100	N.W.	2	C.	0										
18	29·74	29·50	8·0	23·0	25·0	5·0	100	86	N.W.	2	N.E.	10			7	ci.st.						
19	28·74	29·17	29·0	28·0	42·0	21·0	84	65	C.	0	N.W.	12	·06									
20	29·45	29·26	6·0	33 0	35·0	4·0	76	80	N.W.	2	W.	6							6	ci.st.		
21	29·01	28 81	25·0	37 0	39·0	21·0	87	81	C.	0	N.E.	4			4	ci.cu.						
22	28·65	29·08	39·0	42·0	48 0	20·0	35	56	S.W.	6	W.	4										
23	29·28	29·29	30·0	32·0	48·0	26·0	89	90	N.E.	6	N.E.	2		12								
24	29·43	29·36	27·0	32·0	40·0	23·0	88	100	C.	0	N.E.	4	·56									
25	29·22	29·22	35·0	37·0	40·0	30·0	90	100	N.E.	4	C.	0		06								
26	29·53	29·23	16·0	25·0	38·0	14·0	83	87	N.	4	N.E.	14	·02		10	ci.st.						
27	28·91	28·93	26·0	31·0	36·0	20·0	88	79	N.E.	4	W.	8	·05								8	cu.st.
28	29·14	29·24	22 0	30 0	37·0	20·0	86	89	W.	4	E.	1			2	ci.cu.						
29	29·01	28·93	29 0	37·0	41·0	25·0	100	81	N.E.	4	W.	14		04								
30	29·26	29·68	22·0	14·0	38·0	0·0	86	82	W.	12	N.W.	12					7	cu.	2	ci.cu.		
31	29·94	29·90	5·0	18·0	23·0	2 0	75	84	W.	2	S.E.	2										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·88	29·49	5·0	25·0	27·0	1·0	75	87	W.	1	E.	6	....	....	2	ci.cu.	....	...	4	ci.st.	...	.....
2	29·33	29·40	32·0	37·0	43·0	23·0	90	81	S.	2	S.	2	....	....	2	ci.cu.	....	...	...	... .	....	.....
3	29·43	29·33	29·0	36·0	40·0	25·0	77	80	W.	2	C.	0	.	....	3	ci.cu.	....	...	.....	.....	. ..	.....
4	29·38	29·51	24·0	27·0	38·0	21·0	87	61	N.E.	10	N.W.	8	·02	....	....	. ..	...	.....	.....	.....	....	.....
5	29·69	29·62	11·0	21·0	29·0	5·0	80	86	C.	0	E.	2	..	....	...	.....	....	.....	7	ci.st.	....	.....
6	29·46	29·22	20·0	31·0	35·0	15·0	95	89	C.	0	E.	4	....	....	....	....	....	.....	.....	.....	....	.....
7	28·92	28·81	30·0	32·0	36·0	27·0	98	90	E.	4	C.	0	....	·08	....	. .	....	.....	.....	.....	....	. ....
8	28·75	28·93	34·0	33·0	40·0	30·0	89	89	C.	0	N.W.	8	·10	....	....	....	....	.....	.....	...	10	cu.st.
9	29·10	29·23	16·0	29·0	35·0	14·0	83	66	N.W.	12	N.W.	12	...	....	....	.....	...	.....	.....	.....	...	.....
10	29·39	29·28	14·0	30·0	33·0	11·0	82	78	N.W.	8	S.E.	1	....	....	....	... .	....	..	1	ci.	....	.....
11	29·15	29·04	24·0	29·0	32·0	22·0	100	89	C.	0	N.E.	10	S.	·08	...	.....	...	...	.....	.....	....	.....
12	29·21	29·36	19·0	27·0	33·0	16·0	84	76	N.W.	14	N.W.	11	S.	.. .	....	. ....	....	.....	6	ci.st.	....	... .
13	29·56	29·52	13·0	29·0	31·0	11·0	81	66	W.	4	N.W.	0	....	....	7	ci.st.	...	...	6	ci.st.	....	.....
14	29·58	29·41	10·0	28·0	33·0	7·0	79	77	C.	0	S.	4	....	...	....	.....	....	.....	9	ci.st.	...	.....
15	29·19	28·99	26·0	32·0	32·0	20·0	88	100	N.E.	10	N.E.	10	S.	·18	...	.....	....	...	...	....	....	.....
16	29·05	29·33	22·0	23·0	32·0	20·0	86	73	N.W.	18	N.W.	6	·04	..	...	....	....	....	....	.....	10	cu.st.
17	29·40	29·37	23·0	35·0	36·0	18·0	86	70	N.W.	4	N.W.	4	....	..	....	.....	....	.....	...	. ...	10	cu.st.
18	29·44	29·31	18·0	34·0	40·0	12·0	84	79	N.W.	2	N.W.	6	...	....	2	ci.cu.	....	.. ..	....	.....	....	.....
19	29·35	29·45	29·0	36·0	38·0	24·0	77	70	N.W.	2	N.W.	6	....	....	2	ci.cu.	....	.....	....	.....	...	... .
20	29·61	29·43	17·0	43·0	44·0	14·0	82	52	W.	2	W.	4	....	....	4	ci.cu.	....	.....	....	.....	....	.....
21	29·27	28·92	33·0	49·0	53·0	26·0	80	57	W.	2	S.W.	6	...	....	....	.....	....	.....	....	.....	9	cu.st.
22	29·06	29·01	36·0	42·0	50·0	30·0	70	83	W.	2	S.W.	2	....	....	....	.....	....	.....	4	ci.cu.	....	.....
23	29·15	29·20	32·0	37·0	44·0	28·0	100	71	N.W.	6	W.	4	....	....	....	.....	....	.....	....	.....	....	... .
24	29·18	29·14	26·0	39·0	43·0	19·0	100	63	W.	2	W.	6	....	....	6	ci.st.	...	.....	3	ci.cu.	....	.....
25	29·42	29·41	19·0	31·0	40·0	15·0	84	89	N.W.	4	W.	4	....	....	4	ci.cu.	....	.....	....	...	....	.....
26	29·49	29·40	21·0	33·0	39·0	14·0	86	80	W.	1	E.	4	....	....	3	ci.cu.	....	..	....	.....	10	cu.st.
27	29·50	29·68	29·0	30·0	36·0	24·0	82	78	N.W.	8	E.	6	06	....	....	.....	....	.....	....	...	....	.....
28	29·46	29·42	26·0	30·0	37·0	21·0	88	89	N.E.	4	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
29	29·41	29·41	31·0	35·0	39·0	27·0	89	90	N.W.	8	C.	0	....	...	8	ci.st.	....	.....	....	.....	....	.....
30	29·47	29·43	27·0	35·0	39·0	19·0	88	90	C.	0	S.E.	4	.. .	..	....	....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·40	29·34	32·0	39·0	49·0	26·0	90	82	W.	2	N.E.	2	S.	....	....	....	9	cu.	....	....	....	. . .
2....	29·45	29·49	31·0	36·0	40·0	30·0	89	80	N.W.	8	N.W.	4	·02	....	....	.....	....	.....	....	.....	7	cu.
3....	29·59	29·50	26·0	34·0	37·0	20·0	87	89	N.W.	2	N.W.	4	....	....	7	ci.st.	....	.....	....	....	7	cu.st.
4....	29·52	29·39	28·0	34·0	41·0	17·0	88	89	N.W.	4	S.E.	4	....	....	6	ci.st.	....	.....	....	.....	....	.....
5....	29·15	29·08	36·0	39·0	46·0	25·0	90	82	S.	6	S.W.	6	....	....	....	.. ....	10	cu.	5	ci.st.	....	....
6 ..	29·26	29·27	30·0	36·0	45·0	23·0	89	46	W.	2	N.W.	8	....	....	....	.....	....	.....	2	ci.cu.	....	.... .
7....	29·47	29·43	25·0	32·0	38·0	16·0	75	61	C.	0	S.W.	4	....	....	....	....	....	.....	....	.....	....	.....
8....	29·40	29·21	28·0	35·0	40·0	19·0	88	80	N.	2	S.E.	4	....	....	....	.....	....	....	....	.....	....	.....
9 ..	29·14	29·22	28·0	35·0	41·0	26·0	65	70	N.W.	14	N.W.	16	....	....	....	. ....	....	.....	....	.....	7	cu.
10.. .	29·47	29·46	32·0	38·0	42·0	26·0	69	54	N.W.	4	N.W.	8	....	....	....	.....	....	.....	....	....	3	st.
11 ...	29·48	29·29	30·0	37·0	42·0	20·0	67	62	C.	0	E.	2	....	....	....	. ....	....	.....	....	.....	....	.....
12....	29·04	28·90	35·0	38·0	39·0	28·0	80	90	N.E.	4	N.E.	4	·04	·01	....	. ....	....	.....	....	...	....	.....
13....	28·99	29·13	38·0	40·0	43·0	33·0	90	73	N.	6	N.	6	·02	....	....	.....	....	... .	....	.....	....	.. ..
14....	29·21	29·18	32·0	33·0	41·0	30·0	79	89	N.E.	8	N.	10	S.	....	....	.. .	....	.....	....	.....	....	.... ..
15....	28·93	28·93	33·0	39·0	40·0	30·0	89	82	N.	4	N.W.	4	·08	....	....	....	....	.....	....	.....	..	. . .
16....	28·90	28·97	35·0	55·0	56·0	30·0	90	50	N.W.	4	W.	8	....	....	....	.....	....	.....	....	.....	1	cu.
17....	29·08	29·01	44·0	51·0	59·0	35·0	60	86	W.	2	W.	14	....	....	5	ci.st.	....	.....	....	.. .	....	... ..
18....	29·10	29·15	34·0	44·0	52·0	28·0	71	60	W.	4	W.	10	....	....	....	.....	10	cu.st.	....	... .	....	.....
19....	29·27	29·41	35·0	38·0	45·0	30·0	70	72	N.W.	6	N.W.	8	....	....	....	.. .	..	....	....	.....	10	cu.st.
20 ...	29·52	29·51	37·0	48·0	49·0	31·0	62	36	N.W.	6	E.	2	....	....	....	.....	..	. .	....	.....	....	.....
21....	29·60	29·47	38·0	42·0	48·0	27·0	72	74	C.	0	W.	6	....	....	....	.....	....	.. ..	6	ci.st.	....	.....
22....	29·43	29·38	39·0	46·0	50·0	36·0	91	77	C.	0	C.	0	·07	....	....	.....	..	.....	....	.....	2	cu.st.
23 ...	29·49	29·58	39·0	40·0	48·0	32·0	90	91	C.	0	E.	2	....	....	....	.....	....	.....	....	....	4	cu.
24....	29·66	29·54	41·0	44·0	50·0	29·0	57	52	N.E.	4	N.E.	2	....	....	..	.....	....	..	2	ci.	....	.....
25.. .	29·36	29·22	42·0	41·0	49·0	33·0	66	91	N.E.	4	C.	0	....	.12	....	.....	..	..	....	.... ..	....	.....
26....	29·10	29·21	34·0	39·0	45·0	32·0	89	64	N.E.	16	N.W.	10	·43	....	....	...	..	....	....	.....	9	cu.
27 .	29·23	29·22	35·0	49·0	51·0	30·0	63	57	N.W.	4	W.	6	....	....	....	. ....	10	cu.st.	2	ci.cu.	....	. ....
28....	29·20	29·24	37·0	44·0	50·0	32·0	90	84	N.W.	2	E.	11	R.	....	....	.....	....	.....	....	.....	....	.....
29....	29·38	29·36	39·0	50·0	53·0	33·0	91	65	N.E.	4	N.E.	6	....	....	....	.....	....	.....	....	.....	....	... .
30....	29·42	29·46	46·0	52·0	55·0	39·0	62	60	N.E.	8	C.	0	....	....	....	.....	....	.....	2	ci.st	....	....
31....	29·48	29·45	49·0	53·0	60·0	37·0	57	67	N.E.	2	N.E.	2	....	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°																
1	29·35	29·19	45·0	49·0	58·0	34·0	68	73	N.E.	2	N.E.	2			2	ci.st.			8	ci.st.		
2	29·02	28·89	45·0	49·0	53·0	41·0	76	78	C.	0	E.	2							3	ci.cu.		
3	28·96	28·90	52·0	53·0	60·0	43·0	79	73	C.	0	N.E.	4							8	ci.st.		
4	28·98	28·95	42·0	49·0	54·0	34·0	83	85	N.E.	2	C.	0							4	ci.st.		
5	29·14	29·18	49·0	61·0	64·0	41·0	64	50	N.W.	8	N.W.	8	R.									
6	29·31	29·33	50·0	55·0	68·0	36·0	72	80	C.	0	C.	0										
7	29·34	29·33	52·0	62·0	68·0	49·0	73	56	C.	0	E.	2										
8	29·41	29·38	53·0	67·0	68·0	40·0	73	49	C.	0	C.	0							2	ci.		
9	29·41	29·30	54·0	59·0	68·0	43·0	67	59	N.E.	6	N.E.	2			4	ci.st.			4	ci.st.		
10	29·20	29·06	51·0	53·0	62·0	48·0	72	73	N.E.	12	N.E.	8		R.								
11	29·06	29·19	49·0	54·0	57·0	47·0	78	80	N.E.	12	N.E.	6	·16				10	cu.st.			10	cu.st.
12	29·38	29·39	54·0	67·0	67·0	44·0	80	59	N.E.	6	N.E.	4										
13	29·45	29·37	56·0	75·0	78·0	43·0	75	50	N.E.	3	N.E.	2										
14	29·45	29·36	58·0	62·0	78·0	47·0	60	61	W.	2	E.	4										
15	29·41	29·29	59·0	68·0	72·0	46·0	76	60	C.	0	E.	2										
16	29·28	29·12	55·0	66·0	79·0	48·0	68	79	C.	0	N.	4							3	ci.st.		
17	29·28	29·26	73·0	78·0	85·0	53·0	54	43	W.	2	W.	8			3	ci.						
18	29·35	29·45	68·0	64·0	79·0	60·0	69	67	C.	0	N.	4									3	cu.
19	29·47	29·22	55·0	61·0	64·0	46·0	74	61	C.	0	E.	2										
20	29·22	29·15	52·0	58·0	62·0	44·0	86	76	C.	0	E.	4										
21	29·24	29·21	53·0	56·0	63·0	44·0	86	81	E.	2	E.	2							2	ci.		
22	29·22	29·14	54·0	58·0	62·0	50·0	93	94	E.	2	N.E.	4		·05								
23	29·11	29·22	53·0	54·0	60·0	50·0	93	87	C.	0	N.	4	·04	28								
24	29·26	29·23	50·0	52·0	58·0	46·0	86	86	N.	4	E.	4			6	ci.st.						
25	29·16	29·21	55·0	60·0	66·0	48·0	87	71	C.	0	W.	8	R.								3	cu.
26	29·32	29·23	51·0	74·0	74·0	48·0	86	47	N.W.	4	W.	8			8	ci.st.						
27	29·20	29·07	66·0	66·0	86·0	51·0	68	68	W.	6	E.	2									2	cu.
28	29·10	28·99	55·0	78·0	82·0	49·0	80	57	C.	0	S.	8							8	ci.st.		
29	29·05	29·07	58·0	59·0	78·0	55·0	88	88	C.	0	E.	1									10	cu.st.
30	29·06	28·96	53·0	54·0	61·0	48·0	100	87	C.	0	C.	0	R.									

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·22	29·35	54·0	61·0	69·0	49·0	74	61	N.W.	8	E.	2	·08				4	cu.	1	ci.		
2	29·40	29·23	55·0	72·0	73·0	43·0	86	54	S.E.	2	S.	12					3	st.				
3	29·26	29·24	56·0	58·0	72·0	49·0	93	70	W.	2	N.E.	4	·05	·49	2	ci.						
4	29·32	29·32	53·0	61·0	61·0	46·0	93	82	C.	0	N.	4			4	ci.cu.					5	cu.
															3	ci.st.						
5	29·30	29·21	55·0	61·0	64·0	46·0	93	82	N.E.	8	N.E.	2			8	cu.					4	cu.st.
6	29·18	29·14	59·0	79·0	84·0	48·0	94	43	N.E.	4	W.	6									2	cu.
7	29·16	29·10	62·0	56·0	79·0	51·0	77	87	W.	2	S.E.	4		·10	8	ci.st.					10	st.
8	29·05	29·11	61·0	69·0	76·0	49·0	88	55	W.	4	W.	8	·04								2	cu.
9	29·21	29·26	61·0	56·0	72·0	52·0	82	78	W.	2	N.E.	2										
10	29·24	29·24	64·0	65·0	76·0	55·0	78	78	S.E.	2	S.	2			2	ci.						
															3	ci.st.			6	ci.st.		
11	29·20	29·29	61·0	66·0	75·0	54·0	88	79	S.	2	S.E.	2			2	ci.st.						
															4	ci.			3	ci.cu.		
12	29·31	29·23	59·0	67·0	76·0	48·0	76	79	S.	2	S.	4			2	ci.			6	ci.st.		
13	29·13	29·08	59·0	61·0	70·0	50·0	82	88	S.	2	N.E.	2		·06			1	cu.			10	nb.
14	28·90	28·97	57·0	70·0	79·0	52·0	94	80	E.	2	N.W.	2	1·27									
15	28·96	28·97	57·0	69·0	70·0	52·0	94	78	N.	2	N.W.	4	·67				6	cu.				
16	29·15	29·16	59·0	61·0	69·0	51·0	94	88	N.W.	2	C.	0										
17	29·21	29·26	60·0	73·0	83·0	52·0	88	63	W.	2	W.	4	·11		4	ci.cu.						
18	29·36	29·28	62·0	70·0	82·0	53·0	82	80	W.	2	N.E.	2									3	cu.
19	29·17	29·19	55·0	69·0	75·0	53·0	100	75	N.E.	1	S.E.	4	·38				10	cu.				
20	29·27	29·21	63·0	78·0	79·0	58·0	94	61	S.E.	2	W.	2	05								2	ci.cu.
21	29·19	29·04	60·0	61·0	79·0	54·0	88	94	W.	1	C.	0			3	ci.cu.			8	ci.st.		
22	29·18	29·23	64·0	67·0	75·0	58·0	78	74	N.W.	6	S.E.	2	·14									
23	29·26	29·06	61·0	62·0	71·0	50·0	77	88	C.	0	E.	2		R.	3	ci.						
24	29·06	29·19	61·0	64·0	76·0	52·0	94	83	W.	6	E.	2	·31						1	ci.		
25	29·07	29·08	56·0	63·0	75·0	52·0	93	62	C.	0	N.W.	6	·02						1	ci.		
26	29·26	29·23	55·0	73·0	75·0	48·0	80	50	W.	2	W.	8										
27	29·23	29·07	57·0	73·0	79·0	48·0	80	63	N.W.	2	S.E.	4			2	ci.			2	ci.cu.		
28	28·98	28·97	58·0	71·0	76·0	52·0	94	71	E.	2	N.W.	6	·18		2	ci.cu.					3	cu.
29	29·20	29·21	61·0	73·0	76·0	54·0	77	59	N.W.	2	W.	2			2	ci.st.			2	ci.st.		
30	29·18	29·12	62·0	73·0	77·0	53·0	88	59	W.	8	W.	6							4	ci.cu.		
31	29·17	29·07	59·0	70·0	77·0	52·0	82	61	N.W.	4	W.	4	·02								3	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·01	28·97	54·0	61·0	70·0	44·0	87	66	W.	6	N.E.	4	...	....	7	ci.st.	....	.....	7	ci.st.	....	.....
2....	29·06	29·21	54·0	60·0	64·0	47·0	80	60	N.W.	6	W.	4	....	R.	...	.....	10	nb.	....	.....	7	nb.
3....	29·39	29·33	54·0	60·0	66·0	49·0	80	71	N.W.	2	N.W.	4	..	....	6	ci.st.	....	.....	2	ci.st.	....	. ..
4...	29·32	29·11	50·0	57·0	63·0	42·0	86	75	S.	2	S.	4	..	. .	2	ci.st.	....	. .	6	ci.st.	....	.....
5....	28·89	28·99	40·0	67·0	71·0	50·0	100	74	E.	2	S.W.	4	·32	....	....	.....	....	.....	....	.....	....	.....
6....	29·09	29·04	57·0	77·0	83·0	50·0	94	42	W.	2	N.W.	12	·22	....	3	ci.st.	....	.....	5	ci.st.	....	...
7....	29·38	29·41	55·0	58·0	77·0	50·0	80	88	N.W.	2	S.E.	2	....	....	....	....	....	....	2	ci.st.	....	... .
8....	29·42	29·26	55·0	72·0	72·0	51·0	93	76	S.E.	2	S.E.	4	....	...	10	ci.st.	....	.. ..	4	ci.st.	....	. ...
9...	29·32	29·28	61·0	64·0	74·0	56·0	94	89	S.	2	N.E.	4	....	....	6	ci.st.	....	.. ..	3	ci.	....	.....
10....	29·27	29·18	55·0	66·0	66·0	52·0	100	94	C.	0	N.W.	8	.. .	·56	....	.....	....	.. . .	....	.....	....	.....
11....	28·86	28·96	60·0	70·0	80·0	58·0	100	57	N.E.	2	N.W.	14	·63	..	....	.....	....	.....	....	.....	....	.....
12....	29·02	29·16	60·0	64·0	71·0	54·0	71	57	N.W.	8	W.	12	...	...	....	...	....	.....	....	.....	10	cu.st.
13....	29·44	29·55	53·0	65·0	68·0	49·0	80	63	N.W.	4	C.	0	....	..	3	ci.st.	....	.....	....	.....	....	.....
14....	29·66	29·51	48·0	56·0	65·0	42·0	92	91	C.	0	N.E.	2	....	R.	....	... ..	....	... ...	....	...	....	....
15....	29·33	29·02	54·0	63·0	66·0	50·0	100	83	N.E.	2	N.E.	4	1·26	....	....	. ....	....	.....	2	ci.	....	.....
16....	28·83	28·85	58·0	65·0	70·0	55·0	100	68	C.	0	S.W.	10	·37	....	...	.....	...	.....	....	.....	10	cu.st.
17....	29·21	29·39	57·0	70·0	73·0	56·0	69	57	N.W.	4	N.W.	4	....	....	....	.....	....	....	....	....	....	.....
18....	29·41	29·15	55·0	62·0	70·0	48·0	87	88	N.E.	4	N.E.	2	...	·12	....	....	10	cu.st.	....	.....	10	cu.st.
19....	29·02	29·21	62·0	61·0	74·0	58·0	94	61	C.	0	W.	14	·18	....	..	.....	....	.....	2	ci.	4	cu.st.
20....	29·55	29·48	44·0	61·0	65·0	38·0	84	55	W.	4	W.	2	...	....	....	... .	....	.....	3	ci.st.	....	.....
21....	29·47	29·38	51·0	61·0	63·0	45·0	93	71	C.	0	E.	2	R.	....	....	.....	....	.....	2	ci.cu.	....	.....
22. ..	29·33	29·17	48·0	59·0	71·0	41·0	92	88	C.	0	C.	0	....	R.	...	.....	....	..	. ..	.....	....	.....
23....	29·00	28·82	58·0	58·0	64·0	52·0	94	94	C.	0	W.	1	·09	·75	....	.. ...	....	.....	. ..	.....	8	cu.st.
24....	28·92	29·07	55·0	63·0	66·0	48·0	87	67	W.	2	W.	4	·06	...	2	ci.st.	....	....	....	.. ...	8	cu.st.
25....	29·24	29·24	57·0	64·0	68·0	50·0	69	58	W.	4	C.	0	. ..	....	....	.....	8	cu.st.	....	.....	...	.....
26....	29·34	29·22	48·0	56·0	64·0	43·0	85	75	C.	0	S.E.	2	....	....	....	..	....	.....	....	....	10	cu.st.
27....	29·20	29·27	53·0	57·0	61·0	50·0	93	87	C.	0	S.E.	2	·16	....	....	.....	....	.....	....	.....	10	cu.st.
28....	29·32	29·34	58·0	60·0	64·0	53·0	94	88	C.	0	S.E.	2	....	....	...	.... .	....	.....	4	ci.st.	5	cu.st.
29 ...	29·30	29·22	53·0	54·0	60·0	50·0	100	87	C.	0	C.	0	...	·07	....	....	....	.....	...	.....	6	cu.st.
30.. .	29·34	29·45	52·0	61·0	64·0	46·0	100	82	C.	0	N.E.	2	..	....	....	...	....	.....	8	ci.st.	...	....
31.. .	29·52	29·33	55·0	57·0	61·0	53·0	93	87	N.E.	12	E.	6	....	....	...	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·21	29·10	52·0	66·0	71·0	48·0	93	79	C.	0	W.	8	..	....	....	.....	.....	.....	10	ci.st.	....	..
2....	29·13	29·09	51·0	55·0	66·0	47·5	86	87	W.	6	N.W.	4	....	....	....	....	10	ci.st.	....	.....	....	....
3....	27·10	29·18	57·0	57·0	62·0	52·0	88	87	N.W.	4	N.	10	R.	·02	....	.....	.....	....	....	.....	....	....
4....	29·24	29·30	53·0	59·0	62·0	50·0	93	94	N.E.	2	N.E.	2	·04	·03	....	.. .	....	....	....	. .	10	ci.st.
5....	29·38	29·33	51·0	64·0	68·0	47·0	93	78	N.E.	2	N.E.	2	....	.	4	ci st.	4	cu.	..	....	....	.....
6....	29·32	29·24	52·0	60·0	64·0	48·0	93	88	N.	2	N.E.	2	..	....	....	....	....	....	....	.....	7	st.
7....	29·21	29·19	54·0	60·0	66·0	52·0	93	82	C.	0	N.E.	2	..	....	9	ci.st.	....	....	..	. .	....	.....
8....	29·18	29·24	54·0	59·0	64·0	48·0	87	88	C.	0	N.E.	6	....	....	4	st.	....	....	5	ci.st.	....	....
9....	29·29	29·35	55·0	59·0	65·0	53·0	93	81	N.E.	4	C.	0	·22	R.	....	....	....	....	....	....	....	....
10....	29·36	29·30	53·0	57·0	65·0	50·0	93	94	N.E.	2	N.E.	4	....	.	9	ci.st.	....	....	....	.....	....	. . .
11....	29·25	29·30	52·0	61·0	70·0	48·0	100	77	C.	0	N.	6	....	....	....	....	....	....	2	ci.cu.	....	....
12....	29·32	29·48	52·0	51·0	62·0	48·0	93	79	S.W.	4	N.E.	6	....	....	....	..	....	..	....	.....	....	.....
13....	29·50	29·20	44·0	48·0	54·0	40·0	92	100	E.	12	N.E.	6	R.	....	....	.....	....	....	....	....	....	....
14....	29·05	29·27	52·0	58·0	62·0	46·0	100	93	C.	0	W.	2	·03	....	....	.....	....	....	2	ci.cu.	....	. .
15....	29·48	29·44	40·0	59·0	58·0	37·0	91	87	W.	2	E.	2	....	....	....	.....	....	....	5	ci.st.	.	....
16....	29·33	29·42	51·0	57·0	66·0	47·0	93	94	N.W.	2	N.W.	2	..	....	....	.....	....	....	....	.....	....	.....
17....	29·56	29·49	54·0	54·0	59·0	48·0	87	87	N.E.	12	N.E.	14	....	....	7	ci.st.	....	....	....	. .	10	st.
18	29·33	29·26	52·0	55·0	58·0	50·0	93	93	N.E.	6	N.E.	8	....	....	....	....	10	nb.	.	.....	10	nb.
19....	29·21	28·97	54·0	54·0	59·0	52·0	100	100	C.	0	N.E.	12	·02	·45	....	..	....	....	....	.....	10	nb.
20....	28·67	29·04	60·0	53·0	63·0	51·0	88	61	S.W.	12	W.	8	1·07	....	..	..	7	cu.	2	ci.	....	....
21....	29·99	29·14	43·0	44·0	55·0	41·0	83	76	W.	8	W.	6	R.	....	....	.....	....	.....	....	.....	....	.....
22....	29·18	29·02	34·0	48·0	64·0	33·0	89	78	W.	2	S.	4	....	R.	....	.....	....	....	....	....	....	....
23 ..	28·69	28·49	39·0	50·0	50·0	44·0	93	100	S.E.	2	S.E.	2	·16	·06	....	....	....	.....	....	.....	....	.. ..
24....	28·70	29·16	38·0	38·0	50·0	36·0	81	72	N.W.	10	W.	8	06	....	..	.....	10	nb.	....	.....		8cu.
25....	29·41	29·40	33·0	46·0	53·0	30·0	89	62	W.	2	W.	2	..	....	....	....	....	....	....	....	....	.....
26....	29·34	29·37	36·0	47·0	52·0	34·0	90	62	W.	4	N.W.	2	....	....	....	....	....	....	....	.....	....	....
27....	29·46	29·41	29·0	44·0	50·0	23·0	77	68	N.W.	4	S.W.	4	..	...	....	.....	..	....	4	ci.cu.	....	.....
28....	29·44	29·36	31·0	44·0	50·0	28·0	89	76	W.	2	E.	6	....	....	....	....	....	....	9	ci.st.	....	....
29....	29·24	29·27	44·0	38·0	47·0	38·0	92	90	N.E.	2	W.	6	R.	·03	....	....	....	....	....	.....	....	.....
30....	29·53	29·51	38·0	45·0	53·0	32·0	90	84	W.	2	C.	0	....	....	.....	.....	....	....	....	.....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario— October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·50	29·28	33·0	48·0	51 0	29·0	89	85	N.W.	4	E.	6	....	R.	....	....	....	....	....	....	....	....
2	29 06	29 11	47·0	57·0	59 0	44·0	100	81	N.E.	4	N.W.	2	·26	....	....	....	....	...	....	....	10	cu.st.
3	29·22	29·14	46·0	53·0	58·0	42·0	92	93	N.W.	6	W.	2	.	·14	3	ci.	....	....	....	....	10	cu.st.
4	29·11	29·03	36·0	53·0	58·0	33·0	90	67	C.	0	W.	2	....	....	2	ci.st.	....	....	....	....	2	cu.
5	29·25	29·16	32·0	51·0	59·0	30 0	90	79	N.W.	2	W.	2	....	....	....	..	...	..	....	....	....	....
6	29·03	29·03	46·0	47·0	53·0	43·0	92	92	N.E.	6	N.E.	4	·50	....	...	....	....	..	...	....	....	....
7	29·13	29·28	36·0	42·0	48·0	34·0	90	66	N.E.	8	W.	2	·58	....	....	....	10	cu.st.	....	....	....	....
8	29·39	20·22	30·0	46·0	50 0	27·0	89	84	N.W.	2	S.	1	....	....	....	..	....	...	....	....	8	cu.st.
9	28·95	29·15	43·0	45·0	49 0	41 0	100	76	N.	4	N.W.	4	·15	....	....	....	....	....	....	....	....	....
10	28·96	29·02	39·0	44·0	48·0	35·0	100	92	C.	0	N.W.	2	·09	·16	....	....	....	...	....	....	...	....
11	29·25	29·42	37·0	37·0	46·0	34·0	90	71	N.W.	2	N.W.	10	....	....	....	....	10	cu.	....	....	...	....
12	29·58	29·62	34·0	36·0	41·0	31 0	71	80	N.W.	4	N.W.	2	....	....	....	....	5	st.	2	ci.st.	....	....
13	29·59	29·44	29 0	41 0	50·0	24 0	89	82	N.W	6	S.	2	....	....	....	....	....	....	....	....	....	....
14	29 36	29·37	32·0	44·0	51·0	28·0	79	92	S.	2	S.E	2	....	....	....	....	....	....	....	....	....	....
15	29·45	29 34	38·0	46·0	49·0	31·0	100	92	S.E.	2	S.E.	4	....	....	....	....	....	....	....	....	....	....
16	29·27	29·22	37·0	49·0	55·0	34·0	100	85	E.	2	N.	4	....	....	....	....	....	....	....	....	....	....
17	29·08	29·48	39 0	39·0	57·0	37·0	91	46	C.	0	W.	8	....	....	....	....	....	....	....	....	....	....
18	29 66	29·52	28·0	35·0	40·0	25 0	77	90	W.	2	C.	0	....	....	....	....	....	....	....	....	....	....
19	29·52	29·48	30·0	33·0	37·0	27 0	67	89	C.	0	N.E.	1	....	....	....	.	....	....	....	....	....	....
20	29·63	29·59	18·0	32·0	39·0	16·0	54	90	N.W.	6	S.W.	2	....	....	....	....	....	....	....	....	....	....
21	29·47	29·10	31·0	45·0	54·0	21·0	99	61	W.	2	S.	2	....	....	....	....	....	....	....	....	....	....
22	29·02	29·23	37·0	45·0	52 0	34·0	81	61	W.	6	N.W.	6	....	....	....	....	....	....	....	....	....	....
23	29·51	29·46	24·0	33·0	45·0	22·0	87	90	N.W.	2	S.	2	....	....	5	ci.cu.	....	....	....	....	....	....
24	29·16	29·19	32 0	48·0	55 0	25 0	81	56	W.	1	W.	8	..	....	....	..	....	..	4	ci.st.	....	....
25	29·56	29·60	28·0	35·0	49·0	26·0	65	63	N.W.	4	C.	0	....	....	....	....	....	....	....	....	....	....
26	29·39	29·07	24·0	35·0	44 0	20·0	100	90	W.	2	C.	0	....	·06	3	ci.	....	....	....	....	....	....
27	29·30	29·50	27·0	27·0	37 0	25·0	76	88	N.W	12	N.W.	2	·08	....	....	....	10	cu.st.	....	....	4	st.
28	29·35	29·40	21·0	38·0	45 0	19·0	85	81	N.W.	2	N.W.	2	....	....	....	....	....	....	....	....	....	....
29	29·62	29·71	34·0	32·0	39·0	30·0	89	90	N.E.	4	N.E.	6	....	....	....	....	....	....	....	....	....	....
30	29·67	29 61	32·0	40 0	41·0	28·0	90	81	C.	0	E.	6	....	....	....	..	....	....	....	..	....	....
31	29·48	29·34	43·0	44·0	48·0	38·0	92	92	S.	4	S.E.	2	....	....	....	..	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·19	29·00	45·0	45·0	47·0	41·0	92	100	S.E.	2	C.	0	·06	·18								
2	28·96	29·16	42·0	35·0	47·0	33·0	83	80	N.W.	6	N.W.	8	·19				10	cu.st.				
3	29·29	28·23	27·0	34·0	41·0	25·0	88	89	N.W.	6	C.	0									3	st.
4	29·08	29·04	33·0	36·0	39·0	29·0	89	80	C.	0	N.W.	2										
5	29·01	29·11	23·0	33·0	40·0	21·0	100	89	S.W.	2	N.W.	4										
6	29·23	29·34	28·0	33·0	40·0	22·0	88	80	N.W.	4	N.E.	2					2	cu.				
7	29·28	29·03	24·0	37·0	43·0	21·0	100	90	N.W.	2	C.	0		R.								
8	29·17	28·94	27·0	34·0	40·0	25·0	88	74	N.W.	8	S.W.	2										
9	28·78	29·06	31·0	27·0	37·0	25·0	89	76	W.	8	N.W.	8	·02									
10	29·24	29·54	26·0	27·0	33·0	23·0	88	76	N.W.	4	N.W.	6										
11	29·72	29·76	21·0	22·0	27·0	19·0	85	72	N.W.	8	W.	2										
12	29·44	29·13	15·0	34·0	36·0	11·0	100	62	W.	2	S.W.	6			6	ci.st.						
13	29·22	29·42	18·0	17·0	36·0	12·0	84	67	N.W.	2	N.W.	6	R.									
14	29·47	29·37	13·0	22·0	23·0	7·0	81	72	W.	2	W.	1										
15	29·53	29·50	9·0	22·0	27·0	6·0	98	72	N.W.	4	S.	3										
16	29·25	29·42	27·0	32·0	36·0	16·0	76	69	S.W.	2	C.	0										
17	29·20	29·09	36·0	44·0	48·0	27·0	90	60	S.E.	2	W.	4										
18	29·44	29·66	26·0	20·0	44·0	18·0	88	85	N.W.	10	W.	2										
19	29·68	29·50	22·0	33·0	33·0	8·0	86	80	S.W.	2	S.	4										
20	29·32	29·04	35·0	36·0	37·0	32·0	90	90	S.E.	4	N.E.	8										
21	28·68	29·01	35·0	37·0	40·0	32·0	90	90	N.W.	2	W.	4	·20									
22	29·35	29·45	30·0	31·0	39·0	28·0	89	89	W.	4	S.	1					3	cu.				
23	29·43	29·37	31·0	40·0	43·0	26·0	89	82	S.	1	S.E.	2			1	ci.st.						
24	29·33	29·30	39·0	38·0	42·0	36·0	82	90	W.	8	S.	1		·09								
25	29·08	29·17	36·0	35·0	40·0	31·0	90	70	C.	0	W.	6	·02									
26	29·31	29·42	21·0	18·0	37·0	16·0	85	84	W.	6	N.W.	4										
27	29·23	29·12	18·0	23·0	28·0	9·0	84	86	N.E.	8	N.	4		·02								
28	29·20	29·40	18·0	19·0	25·0	16·0	84	84	N.	2	N.W.	4	·07									
29	29·52	29·45	10·0	19·0	21·0	7·0	100	84	N.W.	2	C.	0					4	st.				
30	29·47	29·46	16·0	18·0	23·0	14·0	100	84	C.	0	N.W.	4										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Arthur, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·59	29·66	7·0	6·0	19·0	5·0	77	100	N.W.	2	S.W.	4	....	....	...	.....	..	.....	....	.. ..	....	.....
2....	29·52	29·35	5·0	18·0	19·0	2·0	100	84	C.	0	N.W.	2	....	....	....	.. ..	...	..	....	.....	....	.....
3....	29·50	29·77	15·0	10·0	18·0	9·0	100	79	N.E.	4	N.	2	·02	....	....	.....	....	....	....	....	....	.....
4 ...	29·70	29·39	4·0	27·0	29·0	— 2·0	100	76	C.	0	S.W.	5	....	....	....	. ..	....	....	....	.....	....	.....
5....	29·25	29·14	20·0	25·0	32·0	17·0	85	87	C.	0	C.	0	....	....	....	.....	....	....	...	.. ..	....	. ..
6....	29·14	29·34	17·0	35·0	39·0	14·0	100	80	C.	0	S.W.	2	....	....	....	.....	....	....	....	.....	....	. ....
7...	29·27	29·13	24 0	33·0	37·0	22·0	100	89	W.	2	C.	0	....	....	2	ci.st.	...	....	10	ci.st.	....	... .
8 ...	29·14	29·27	35·0	33·0	38·0	30·0	90	89	C.	0	N.	4	....	....	....	... ..	....	....	....	.....	....	. . .
9....	29·28	29·42	22·0	16·0	36·0	15·0	86	83	N.	6	N.W.	8	S.	...	....	.....	....	. .	....	.....	....	.. .
10....	29·51	29·42	0·0	6·0	18·0	— 3·0	100	76	N.W.	2	N.W.	4	....	....	. ..	.....	....	.....	...	.....	....	.....
11....	29·31	29·31	1·0	14·0	22·0	— 3·0	100	100	W.	2	C.	0	....	....	2	ci.st.	..	.....	....	....	....	. ...
12....	29·34	29·42	20·0	27 0	34·0	10·0	85	88	C.	0	C.	0	....	....	....	.....	....	.....	2	ci.st.	....	....
13....	29·38	29·39	19·0	33·0	34·0	16·0	84	89	W.	2	N.E.	6	..	....	..	....	3	st.	...	.....	....	.....
14....	29·36	29·36	31·0	25·0	34·0	22·0	89	87	N.E.	8	N.E.	6	....	...	....	....	....	. ....	...	.....	....	.....
15....	29·17	29·14	14·0	19·0	26·0	10·0	82	84	N.W.	6	W.	4	...	....	....	.....	4	cu.	....	.....	8	cu.st.
16....	29·24	29·34	12·0	13·0	20·0	6·0	80	81	N.W.	2	W.	2	....	...	....	.....	8	ci.st.	2	ci.st.	....	... ..
17 ...	29·44	29·38	7·0	18·0	20·0	3·0	100	84	W.	2	W.	4	..	....	....	... .	....	.....	...	....	....	.. ..
18...	29·26	29·24	13·0	12·0	22·0	8·0	100	80	W.	2	W.	4	....	....	....	.....	....	.....	....	.....	....	.....
19....	29·02	29·03	12·0	23·0	28·0	3·0	80	73	W.	4	W.	2	....	....	...	....	....	....	....	.....	...	....
20....	29·16	29·41	24·0	20·0	28·0	18·0	74	85	W.	4	W.	2	....	...	....	.....	....	....	....	...	..	.....
21....	29·38	29·18	14·0	28·0	38·0	9·0	100	65	W.	2	S.W.	4	....	...	2	ci.st.	....	....	....	.....	....	.....
22....	28·97	28·96	24 0	33·0	41·0	16·0	86	89	C.	0	S.W.	4	...	...	9	ci.s.	....	... .	....	.....	....	. ....
23 ...	28·87	28·76	20·0	32·0	34·0	19·0	100	90	W.	2	W.	10	...	S.	2	ci.	....	.....	..	.....	....	.....
24....	28·90	28·92	7·0	8·0	34·0	1·0	76	55	W.	4	W.	2	....	....	....	....	....	.. .	....	.....	....	.....
25. ..	29·12	29·31	— 4·0	2·0	9·0	— 7·0	100	72	W.	2	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
26....	29·09	28·69	14 0	34·0	35·0	— 4·0	100	79	W.	1	S.	4	S.	....	....	. ....	....	.....	....	.. ..	....	....
27....	28·56	29·20	35·0	7·0	37·0	5·0	80	77	S.W.	2	N.W.	6	....	....	....	.....	....	...	....	.....	....	.....
28....	29·38	29·22	— 4·0	9·0	9·0	—14·0	100	78	N.W.	2	S.W.	2	....	....	3	ci.st.	....	.....	....	.....	....	.....
29....	29·19	29·15	7·0	15·0	22·0	3 0	100	100	W.	2	N.W.	2	....	....	....	. ....	....	...	....	.....	....	... .
30 ...	29·19	29·17	0·0	9·0	16 0	— 4 0	69	78	W.	2	C.	0	....	....	....	.....	....	.....	....	.....	.	.... .
31 ...	29·10	29·20	15·0	11·0	16·0	7·0	82	80	W.	10	W.	6	. .	....	...	.....	...	.....	..	.. ..	...	.. ..

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario: Latitude North, 48° 35′; Longitude West, 85° 16′. Height above Sea, 1,252 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	.....	.....	...	...	20·0	10·0	....	...	.....	....	.....	....	....	....	...	.....	....	....	....	.....	....	.....
2 ..	....	.....	.....	.....	24·0	10·0	....	...	....	...	.....	....	....	....	....	.....	....	....	....	.....	....	.....
3 ...	....	28·36	....	28·7	28·8	20·0	....	91	.....	....	S.W.	2	...	S.	....	....	...	...	...	.....	....	.....
4....	28·33	28·33	21·0	19·0	30·5	16·5	100	84	S.W.	3	C.	0	·01	·03	....	.....	10	st.	....	...	10	st.
5....	28·56	28·69	15·0	14·5	20 5	6·5	100	91	C.	0	C.	0	·03	....	....	.....	10	st.	...	.....	1 0	st.
6....	28·56	28·67	16·0	21·0	25·0	11 0	100	100	C.	0	C.	0	·03	S.	....	.....	10	nb.	.. .	.....	10	nb.
7....	28·90	28·91	3·5	9·5	23 0	1·0	87	89	C.	0	C.	0	....	...	5	ci.st.	....	.....	....	.....	....	.....
8....	28·67	28·66	9·5	1·0	10·0	0·0	100	86	C.	0	N.W.	6	S.	·10	....	.....	10	nb.	....	.....	10	st.
9....	28·78	28·65	—21·5	—11·5	2·5	—24·5	100	100	C.	0	C.	0	S.	....	....	.....	...	.....	....	....	7	cu.st.
10....	27·87	28·06	12·5	1·0	13·0	—12·5	90	100	C.	0	N.W.	8	·05	·03	...	.....	10	st.	....	. ..	10	nb.
11....	28·34	28·57	— 8·0	— 1·0	1·0	—12·5	100	100	C.	0	C.	0	S.	....	....	.....	5	cu.st.	....	.....	....	.....
12....	28·61	28·76	— 2·0	2 0	11·0	—16·5	84	100	C.	0	C.	0	·03	·03	...	.....	10	st.	. ..	.....	10	st.
13. ..	28·97	28·93	— 3·0	0·5	4·0	— 6·0	100	85	C.	0	N.E.	2	S.	·07	....	....	....	... ..	....	...	10	st.
14 ...	28·68	28·71	2·0	—12·0	3 0	—14·0	86	100	C.	0	C.	0	·40	·10	....	.....	10	nb.	5	ci.st.	....	.....
15....	28·91	28·99	— 4 4	—20·0	—10·5	—49·0	95	100	C.	0	C.	0	S.	....	....	....	8	cu.	....	.....	....	.....
16 ...	29·08	29·03	—36·5	— 8·0	— 2·0	— 4·2	91	58	C.	0	C.	0	....	...	4	ci.st.	....	.....	....	.. ....	....	.....
17 ...	28·79	28·54	2·5	24 0	24·0	— 8·0	86	87	C.	0	W.	6	·05	·20	...	....	10	st.	....	... .	10	nb.
18....	28·63	28·67	7·0	0·5	24·5	— 2·0	100	85	N.	2	C.	0	S.	....	....	.....	10	st.	....	.....	....	.....
19...	28·17	27·69	25·0	23·0	30·5	— 7·0	87	86	S.E.	4	C.	0	·03	·25	....	.....	10	nb.	....	.....	10	nb.
20....	27·84	28·61	— 4·0	— 9·0	29·5	—11·0	100	100	N.W.	7	W.	6	·50	S.	...	...	10	nb.	....	.....	....	.....
21....	28·93	28·92	—42·0	—29·0	— 9·0	—48·0	94	49	C.	0	C.	0	....	....	....	...	....	.....	....	.....	....	.....
22....	29·07	28·19	—53·0	—29·0	—17·0	—56·0	96	100	C.	0	C.	0	....	....	...	.....	....	. .	1	ci.	....	.....
23....	29·21	29·12	—54·0	—22·0	— 4·5	—57·5	90	27	C.	0	S.W.	4	....	....	...	..	...	. .	....	. ..	....	.....
24....	28·97	28·67	—29·0	— 1·5	— 0·5	—41·0	100	84	C.	0	S.E.	6	. ..	·03	2	ci.	....	.... .	...	....	10	nb.
25....	28·51	28·60	0 0	1·0	2·0	— 3·0	70	100	C.	0	N.E.	4	·03	....	....	.....	10	st.	....	.. .	....	.. .
26....	28·75	28·67	—32·0	4·0	4·5	—36·0	89	87	C.	0	S.	2	....	·08	....	.....	....	.....	....	. . .	10	st.
27....	28·71	28·76	—15·0	0·0	5·0	—18·0	47	100	C.	0	W.	2	·10	S.	....	.....	10	nb.	....	...	10	st.
28....	28·89	28·80	—41·0	—15·0	1·5	—46·0	100	100	C.	0	C.	0	S.	S.	....	....	..	....	....	.....	10	nb.
29....	28·88	28·84	—46·0	—23·0	— 8·5	—50·0	95	96	C.	0	C.	0	S.	....	....	.....	....	.....	..	.....	....	.....
30....	29·02	28·97	—51·0	— 2·0	— 2·0	—53·0	98	100	C.	0	S.E.	4	....	....	....	....	....	.....	....	.....	10	st.
31 ...	28·79	28·81	1·0	— 8·5	7·0	—11·0	100	100	S.W.	2	C.	0	·05	·03	....	.....	10	nb.	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·57	28·23	2·0	26·0	26·8	— 8·5	86	88	C.	0	S.E.	4	....	·01	..	.....	10	nb.	....	....	10	nb.
2....	28·13	28·26	— 4·0	—11·0	26·5	—18·0	100	100	N.E.	4	N.	5	·05	·60	....	.....	10	nb.	....	.....	10	nb.
3....	28·73	28·86	— 22·0	—17·0	—10·0	—25·0	100	100	W.	2	N.W.	2	·05	..	....	....	....	.. ..	....	.....	....	.....
4 ...	28·91	28·87	—50·5	— 6·0	— 0·5	—54·0	100	100	C.	0	W.	1	....	....	....	.....	10	st.	....	.....	....	.....
5....	28·86	28·87	—16 0	— 5·0	6·0	—28·0	100	100	C.	0	W.	1	....	....	....	....	8	cu.st.	..	.....	1	ci.
6 ...	28·93	28 92	—40·0	— 2·0	12 0	—42·0	100	100	C.	0	W.	2	....	....	....	.....	....	.....	....	.....	....	... ..
7....	28·89	28·76	—21·0	9·0	13·0	—28 0	100	89	C.	0	W.	1	..	S.	....	....	....	.....	....	... .	10	st.
8....	28·74	28·56	—13·0	15·0	18·0	—17·0	100	82	C.	0	C.	0	·03	S.	..	.....	...	.....	....	.... .	10	st.
9....	28·40	28·29	20·5	21·0	25·5	13·0	93	86	C.	0	W.	2	·01	S.	....	.....	10	nb.	....	. .	6	cu.
10....	28·33	28 50	11·0	— 1·5	22·0	— 3·5	90	84	N.W.	6	N.W.	4	·01	S.	...	..	10	nb.	10	nb.	....	.
11....	28·70	28·77	—29·0	—15·0	— 1·0	—32·5	100	100	W.	1	C.	0	S.	....	....	.....	....	.....	....	.. ...	....	.....
12....	28·80	28·55	—16·0	9·0	10·8	—31·0	100	78	C.	0	S.E.	4	....	·05	....	.....	...	. ....	10	st.	....	...
13 ...	28·23	28·09	22·0	21·0	31·8	7·0	86	86	C.	0	N.	4	S.	·03	....	.....	10	st.	....	....	1	nb.
14....	28·61	28·60	— 6·0	10·0	21·0	—10·0	100	79	N.	8	N.W.	4	·03	...	....	...	....	..	....	. ....	10	nb.
15....	28·19	28·34	23·0	25·0	32·0	7·0	86	87	W.	2	N.	8	·03	·03	....	.....	10	st.	....	.....	10	st.
16 ...	28·58	28 60	— 5·5	7·0	25·0	— 8·0	82	77	C.	0	C.	0	·01	....	....	... ..	....	.....	....	.....	8	cu.
17....	28·77	28·62	11·0	14·0	20·0	—17·0	56	64	C.	0	S.E.	4	....	....	....	.....	....	.....	....	.....	10	st.
18....	28·22	28·21	22·0	24·0	30·0	11·0	86	74	E.	10	N.W.	6	·20	·10	....	.....	10	nb.	....	....	....	..... .
19....	28·25	28·22	—12·0	15·0	28·0	—15·0	100	82	C.	8	N.W.	10	....	·20	2	ci.	....	.....	10	nb.	....	.....
20....	28·40	28·43	—27·0	— 1·0	15·0	—32·0	100	68	W.	1	C.	0	·01	....	....	.....	....	..	....	.....	....	.....
21....	28·61	28·72	—27·0	—16·0	— 0·5	—33·0	100	100	C.	0	C.	0	....	..	....	.....	....	.. ....	....	.....	....	.....
22....	28·96	29·11	—48·0	— 9·0	— 1·0	—51·0	100	56	C.	0	C.	0	.. ..	....	....	.....	....	....	....	.....	....	.....
23....	29·17	28·95	—29·0	—12·0	16·0	—35·0	100	54	C.	0	N.E.	4	..	S.	..	..	8	cu.	....	.....	8	cu.
24 ...	28·47	28·41	15·0	10·0	22·0	8·0	82	58	S.E.	2	N.W.	4	·03	·20	....	.....	10	st.	....	...	4	st.
25....	28 97	28·98	—17 0	— 1·0	12·0	—19·0	100	68	W.	2	N.	2	....	....	1	ci.	....	....	....	.....	8	nb.
26....	28·80	28·91	— 4·0	— 8 0	2·0	—10·0	100	100	E.	2	N.	2	·40	·20	....	.....	10	st.	1	ci.	....	.....
27.. .	29·15	29·04	—42 0	— 2·0	0·0	—45·0	100	67	C.	0	C.	0	....	....	2	ci.st.	....	....	....	....	10	st.
28.. .	28·96	28·95	—12·0	8 0	19·0	—15·0	100	78	C.	0	C.	0	S.	....	....	.... .	4	cu.st.	2	cu.st.	...	

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							n.	in.								
1	28·79	28·33	9·0	24·0	24·5	−17·0	100	100	C.	0	C.	0	....	·25	...	.....	10	st.	....	.....	10	st.
2	28·15	28·39	14·0	1·0	25·0	− 1·0	100	100	N.E.	1	N.	4	·20	·80	..	.....	10	st.	....	.....	10	st.
3	28·68	28·74	−17 0	4·0	11·0	−19·0	100	74	N.	2	C.	0	·03	....	....	.....	....	....	3	ci.st.	....	.....
4	28·69	28·62	−12·0	18·0	22·5	−17·0	100	84	C.	0	C.	0	....	R.	2	ci.cu.	....	.....	....	.....	10	st.
5	28·42	28·93	13·0	2·0	19·0	− 5·5	100	72	N.E.	2	N.	6	·15	·05	....	..	10	nb.	....	.....	.....	.....
6	29·13	28·93	−32·0	13·0	19 0	−36·0	95	44	C.	0	C.	0	....	....	2	ci.st.	....	.....	4	ci.cu.	...	.....
7	28·65	28·46	14·0	21·0	23·0	3·0	82	86	S.W.	4	S.W.	2	....	·20	....	... .	8	cu.	....	..	10	nb.
8	28·60	28·77	14·0	16·0	22·0	11 0	82	83	N.W.	3	W.	2	·25	·08	3	ci.st.	....	.....	....	....	....	.....
9	28·86	28·84	6·0	18·0	25·0	− 3·0	100	84	C.	0	W.	1	....	....	....	.....	4	cu.	....	.....	....	.....
10	28·86	28·78	−23·0	20·0	26·0	−25·0	100	85	C.	0	W.	3	....	....	3	ci.cu.	....	.. .	....	....	....	.....
11	28·79	28·56	−19·0	32·0	34·0	−22·0	100	100	C.	0	S.E.	6	....	..	....	....	10	st.	....	.....	9	st.
12	28·15	28·21	32·0	32·0	34·8	29·0	90	100	S.E.	4	W.	5	S.	S.	2	ci.st.	....	.....	....	.....	9	st.
13	28·53	28·53	10·0	18·0	32·0	8·0	89	92	N.	4	C.	0	S.	S.	....	.....	...	.....	....	.....	....	.....
14	28·57	28·47	−18·0	21·0	28·0	−20·5	100	71	C.	0	S.W.	4	. .	....	....	.. .	10	nb.	....	.....	9	nb.
15	28·55	28·79	19·0	21·0	26·0	12·6	84	100	C.	0	W.	2	·05	·05	....	... .	9	nb.	....	.....	....	.....
16	28·53	28·22	23·0	34·0	36·5	− 7·0	73	100	S.E.	3	C.	0	....	S.	....	. ...	10	nb.	....	.....	9	st.
17	28·79	28·86	7·0	19·0	34·0	4 0	100	85	N.W.	2	W.	1	·03	S.	2	ci.st.	....	....	2	ci.st.	....	.....
18	28·99	28·87	− 6·0	24·0	27·6	− 8·0	100	87	C.	0	C.	0	S.	....	....	.....	10	st.	.. .	.....	10	nb.
19	28·14	28·24	27·0	19·0	34 0	17·0	100	100	S.E.	9	N.W.	9	·08	·35	...	.....	....	.....	....	.....	10	nb.
20	28 76	28·56	1·0	27·0	32·0	0·0	100	88	W.	1	S.E.	3	·03	....	....	.....	7	cu.	....	.....	....	.....
21	28·42	28·28	26·0	37·0	44·5	22·0	88	100	S.W.	2	C.	0	....	S.	....	.....	...	.....	....	....	10	st.
22	27·98	28·37	39·0	39 5	44·5	33 0	100	100	W.	4	W.	2	....	.. .	3	ci.cu.	....	.....	2	ci.st.	....	....
23	28·68	28·63	21·0	32·0	52·0	21·0	100	100	C.	0	C.	0	....	·01	..	.....	...	.....	....	.....	10	st.
24	28·72	28·76	20 0	39·5	44·0	16·0	100	100	C.	0	C.	0	....	....	....	.....	10	st.	....	. .	....	. ....
25	28·60	28·58	37·0	35·0	43·5	31·0	100	100	W.	4	N.W.	2	....	....	....	.....	10	st.	....	....	10	st.
26	28·85	28·74	10·0	19·0	35·0	7·5	100	100	N.E.	6	E.	4	·05	·01	....	.....	10	st.	...	.... .	8	cu.
27	28·30	28·24	22 0	34·0	39·0	14·7	100	90	E.	2	W.	8	·30	....	...	.....	8	cu.st.	....	.....	....	.....
28	28·36	28·59	21·0	30·5	36·2	22·0	100	94	W.	2	C.	0	S.	..	....	.. ..	10	nb.	....	.....	....	. .
29	28·41	28·10	28·0	28 0	30·5	25 0	77	100	C.	0	W.	5	...	·53	...	....	..	.....	....	. ..	10	st.
30	28 56	28·78	18·0	12·0	32·0	10·0	84	80	C.	0	N.W.	6	·17	·23	....	.....	10	st.	....	.....	10	st.
31	29·01	29·13	− 1·5	11·0	18·0	− 4·0	84	100	N.	2	C.	0	·01	....	2	ci.	....	.. ...	...	.....	....	. ..

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·24	28·98	−25·0	18·0	24·0	−30·0	100	100	C	0	S.W.	2	....	....	....	....	....	....	....	....	....	....
1....	28·75	28·73	23·5	35·0	37·8	12·0	93	100	S.W.	2	C.	0	·02	..	....	....	10	st.	....	....	10	st.
3....	28·78	28·66	23·0	38·0	46 0	13·5	100	100	N.E.	1	N.W.	1	....	....	....	....	8	nb.	3	ci.cu.	....	....
4....	28·74	28·78	15·0	16 0	38·8	13·0	100	83	N.E.	6	N.E.	6	S.	·10	5	ci.cu.	....	....	....	....	....	....
5....	29·00	28·93	− 1·0	22·0	28·0	−12·0	100	86	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
6....	28·90	28·64	− 3·0	30·0	38·5	−11·0	100	100	C.	0	C.	0	....	....	....	....	....	....	8	ci.st.	....	....
7....	28·37	28·14	19·0	39·0	44·0	12·0	100	100	C.	0	S.E.	6	..	S.	....	....	....	....	....	....	10	ss.
8....	27·97	28·07	32·0	33·0	39·0	30·0	100	89	N.E.	7	N.	8	·18	·45	....	....	10	st.	....	....	10	st.
9....	28·26	28 45	11·0	9·0	33·0	4·5	100	100	N.	7	N.	9	·23	·18	....	....	10	st.	....	....	10	st.
10....	28·58	28·56	9·0	23·0	24·0	8·0	100	86	N.	0	N.E.	2	·13	·03	....	....	10	st.	....	....	10	st.
11....	28·52	28 42	20·0	26·0	29 0	18·0	85	100	C.	0	N.E.	2	....	....	....	....	10	st.	....	....	10	st.
12....	28·47	28·64	17·0	16·0	26·2	15·0	100	100	N.E.	6	N.E.	4	S.	·01	....	....	10	st.	....	....	10	st.
13....	28·73	28·75	7·0	18·0	22·0	4·0	77	100	N.E.	6	N.E.	5	S.	....	4	ci.cu.	....	....	3	ci.st.	....	....
14....	28·81	28 72	2 0	29·0	32·0	−10·0	100	89	N.W.	1	C.	0	....	....	....	....	....	....	....	....	....	....
15....	28·67	28·43	− 2·0	27·0	29 0	−11·0	100	100	C.	0	E.	2	....	·08	....	....	5	cu.	..	....	10	nb.
16....	28·31	28·51	24·0	28·0	32·0	22·0	100	88	N.E.	4	N.	8	·23	·05	....	....	10	nb.	....	....	....	....
17....	28·62	28·63	19·0	28·0	30·0	5·0	100	100	N.W.	2	N.E.	4	·01	·03	....	....	10	nb.	....	....	10	nb.
18....	28·71	28·63	18·0	34·0	36·5	11·0	100	89	C	0	W.	5	·01	....	....	....	10	nb.	....	....	3	ci.cu.
19....	28·61	28·70	23 0	26·0	34·0	8·0	100	100	N.	8	W.	3	·13	S.	....	....	10	nb.	....	....	....	....
20....	28·83	28·72	4 0	31·0	37·8	− 8·0	74	100	C.	0	W.	3	....	....	....	....	....	.	5	ci.cu.	....	....
21....	28·60	28·36	24 0	42·0	42·8	7·0	87	100	C.	0	S.W.	12	....	....	....	....	....	....	....	....	10	nb.
22....	28·29	28 41	36 0	37·0	43·0	34·0	100	100	W.	2	W.	6	....	....	3	ci.st.	....	....	4	ci.st.	....	....
23....	28·40	28·45	30 0	35·0	39·0	23 0	100	100	C.	0	N.W.	4	....	S.	....	....	9	st.	....	....	....	....
24....	28·59	28·48	17·0	34·5	39·5	5·0	100	100	C.	0	W.	2	....	....	..	....	....	....	4	ci.st.	....	....
25....	28·68	28·72	13·0	25·0	38·5	10·0	100	100	N.W.	8	S.W.	4	S.	..	....	....	....	....	....	....	....	....
26....	28·84	28·81	16·0	32·0	36·0	− 5 0	83	100	C.	0	S.W.	2	....	S.	....	....	....	....	....	....	....	....
27....	28·71	29·00	27·0	25·0	32·0	21·0	100	87	S.E.	8	N.E.	4	·08	·20	....	....	10	st.	....	....	10	st.
28....	28·95	28·76	17 0	34·0	37·8	13·0	100	100	E.	2	N.E.	2	....	....	....	.	10	st.	....	....	10	st.
29....	28·62	28·72	23·5	33·0	36·0	22 0	93	100	N.E.	6	N.E.	2	·23	·15	....	....	10	st.	....	....	10	st.
30....	28·81	28·74	16·0	38·0	44·0	1·0	83	100	C.	0	N.W.	5	....	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·84	28·77	19·5	43·0	46·0	7·0	84	95	C.	0	S.W.	6	...	...	...	...	...	...	...	...	...	...
2	28·70	28·81	38·0	24·0	44·0	22·0	100	100	S.W.	2	N.E.	2	...	·55	...	...	10	st.	...	...	10	st.
3	28·85	28·80	12·0	31·0	33·0	2·0	100	100	C.	0	N.W.	3	1·25	S.	...	...	10	st.	...	...	5	ci.cu.
4	28·82	28·73	12·0	33·0	36·5	0·0	100	100	C.	0	W.	6	...	...	...	...	...	...	...	...	...	...
5	28·65	28·43	25·0	37·0	44·8	9·0	87	100	S.E.	2	S.E.	8	...	·01	...	...	...	...	...	...	10	st.
6	28·58	28·55	30·0	32·0	42·5	28·0	89	100	W.	2	S.W.	2	·03	02	...	...	10	nb.	...	...	10	st.
7	28·75	28·73	20·0	34·0	38·5	16·0	85	100	N.E.	4	W.	5	·01	...	...	...	...	...	...	...	...	...
8	28·76	28·58	19·0	40·0	45·0	9·0	69	100	C.	0	W.	2	...	..	...	...	...	...	...	...	...	...
9	28·35	28·41	33·0	28·0	41·0	22·0	100	88	S.W.	2	N.W.	6	·01	·03	..	...	8	cu.	...	...	5	ci.st.
10	28·67	28·73	26·0	28·0	36·0	22·0	100	100	N.W.	8	N.	6	..	...	...	...	...	...	...	...	10	nb.
11	28·76	28·65	26·0	37·0	43·0	19·8	88	100	N.W.	2	W.	2	...	...	...	...	...	...	...	...	5	st.
12	28·53	29·34	32·0	33·0	37·5	27·0	90	100	S.	1	C.	0	·13	·58	...	...	10	st.	...	...	10	nb.
13	28·30	28·52	34·0	38·0	38·0	31·5	89	81	N.E.	4	E.	1	·03	...	...	...	10	st.	...	...	10	nb.
14	28·54	28·49	30·0	33·0	38·0	26·0	89	89	N.E.	8	N.E.	2	·10	·13	...	...	10	st.	...	...	10	nb.
15	28·24	28·21	33·0	35·0	41·2	31·0	94	90	W.	3	W.	2	·61	·20	...	...	10	st.	...	...	10	st.
16	28·20	28·32	33·0	36·0	38·0	31·0	100	90	W.	2	S.W.	4	·08	·04	...	...	10	st.	...	...	10	st.
17	28·39	28·39	36·0	46·0	52·0	27·0	90	100	C.	0	W.	2	...	...	5	ci.cu.	...	...	...	...	...	...
18	29·39	28·43	36·0	39·5	46·0	30·5	100	100	W.	3	W.	2	...	...	...	...	...	...	...	...	10	st.
19	28·51	28·63	32·0	34·5	43·0	28·0	100	100	W.	3	N.W.	6	...	·01	...	...	8	cu.	...	...	10	st.
20	28·75	28·81	30·0	37·0	40·0	27·0	100	100	W.	6	N.W.	8	·01	...	...	...	10	st.	...	...	10	st.
21	28·96	28·81	36·0	51·0	53·0	26·0	90	100	W.	2	W.	1	...	...	...	...	...	...	...	...	...	...
22	28·75	28·71	38·0	48·0	51·0	31·0	100	100	C.	0	N.E.	2	...	...	...	...	10	nb.	...	...	10	nb.
23	28·84	28·86	35·0	47·0	48·0	30·0	100	100	C.	0	N.	1	...	...	...	...	10	nb.	...	...	...	...
24	29·62	28·88	36·0	52·0	57·0	19·0	100	100	N.	1	C.	0	...	...	...	...	...	...	...	...	...	...
25	28·77	28·51	40·0	54·0	62·0	26·0	100	100	C.	0	W.	1	...	...	...	...	10	st.	...	...	10	st.
26	28·36	28·42	36·0	31·0	54·0	29·0	100	89	N.	1	N.	10	·54	·05	...	...	10	st.	...	...	10	st.
27	28·40	28·47	27·0	39·0	41·0	25·0	88	100	N.W.	12	N.W.	8	·10	·01	...	...	10	st.	...	...	8	cu.
28	28·60	28·59	34·0	50·5	55·0	19·0	100	100	C.	0	S.W.	1	...	..	...	...	...	...	...	...	...	...
29	28·73	28·75	42·0	56·0	58·0	24·0	74	29	C.	0	N.E.	2	...	...	...	...	...	...	...	...	...	...
30	28·83	28·80	48·0	58·0	61·5	25·0	16	37	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
31	28·87	28·76	44·0	61·0	64·5	28·0	68	56	C.	0	E.	2	...	...	...	...	...	...	2	ci.cu.	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	28·70	28·51	48·0	62·0	67·5	31·0	56	51	C.	0	C.	0	....	..	....	.....	10	st.	....	.....	8	st.
2....	28·45	28·32	44·0	61·0	68·0	30·5	84	55	C.	0	C.	0	....	R.	....	.....	....	....	....	.....	10	st.
3....	28·31	28·32	48·0	52·0	61·0	46·5	100	93	C.	0	S.E.	2	10	R.	....	.....	10	nb.	....	..	10	nb.
4. ..	28·34	28·27	48·0	62·0	66·0	44·5	92	65	C.	0	C.	0	R.	....	....	.....	10	nb.	....	.....	10	nb.
5 ...	28·34	28·45	46·0	55·0	62·0	44·0	69	56	N.	6	N.W.	8	....	..	....	.....	....	.....	....	.....	8	st.
6....	28·59	28·63	47·0	64·0	66·0	36·0	70	48	N.W.	6	N.	4	....	....	....	.....	....	.....	....	.....	....	.....
7 ...	28·70	28·61	45·0	69·0	73·5	31·0	84	43	C.	0	W.	2	....	....	....	.....	....	.....	....	.....	4	cu.
8....	28·72	28·72	49·0	72·0	77·0	34·0	78	46	C.	0	W.	2	....	....	....	.....	....	.....	....	.....	....	. . .
9....	28·80	28·70	54·0	76·0	79·8	37·0	80	38	C.	0	W.	3	....	....	....	.....	....	.....	....	.....	....	.....
10....	28·70	28·52	59·0	69·5	78·0	46·0	54	52	S.E.	4	S.E.	5	....	....	....	.....	....	.....	....	.....	....	.....
11....	28·54	28·57	59·0	70·0	78·0	47·0	65	52	S.E.	2	N.W.	2	....	....	....	.....	....	.....	....	.....	....	.....
12 ...	28·76	28·71	53·0	72·0	80·0	39·0	93	46	C.	0	W.	6	....	....	....	...	....	.....	....	.....	....	.....
13....	28·76	23·69	50·0	76·0	82·0	38·0	85	41	C.	0	S.W.	6	....	....	....	..	....	.....	....	.....	8	st.
14....	28·77	28·72	59·0	72·0	80·4	43·2	76	71	C.	0	N.	2	....	....	....	.....	....	...	2	ci.st.	....	.....
15 ...	28·78	28·64	56·0	75·4	84·5	46·0	87	48	C.	0	W.	2	....	....	2	ci.st.	....	.....	....	.....	....	.....
16....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	....	.....	....	.....
17. ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	....	.....	....	.....
18....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	.....	....	.....	....	.....	....	.....
19....	....	....	....	....	84·5	42·0	....	....	....	....	....	....	....	....	....	.....	....	.....	....	.....	....	.....
20....	28·59	28·53	54·0	75·0	78·2	39·0	87	56	C.	0	W.	6	....	....	....	.....	....	.....	....	.....	....	.....
21....	38·61	28·75	60·0	79·0	85·0	44·0	88	58	S.	2	S.E.	2	....	....	....	.....	....	.....	....	.....	....	.....
22 ...	28·65	28·57	62·5	76·0	81·0	52·0	94	73	C.	0	N.W.	4	R.	R.	..	.....	8	nb.	....	.....	6	cu.st.
23....	28·55	28·53	65·0	58·0	76·0	57·0	89	94	S.W.	6	N.	8	....	R.	....	.....	8	nb.	....	.....	10	st.
24....	28·71	28·57	45·0	65·0	67·3	42·0	92	73	S.E.	2	N.W.	2	R.	·05	....	.....	10	nb.	....	.....	....	.....
25 ...	28·47	28·48	61·0	60·0	69·5	50·0	88	60	C.	0	W.	6	....	·03	6	ci.cu.	....	.....	....	..	....	.....
26....	28·53	28·56	47·0	60·0	63·0	39·0	92	65	N.W.	10	W.	8	·03	....	..	.....	10	st.	....	..	6	cu.
27....	28·49	28·51	56·5	71·0	75·5	44·0	81	66	C.	6	W.	2	....	....	....	....	7	cu.	4	ci.cu.	....	.....
28....	28·48	28·43	62·1	71·0	80·2	48·0	83	71	W.	2	W.	2	·05	....	4	ci.cu.	....	.....	2	ci.cu.	....	.....
29....	28·44	28·46	61·0	73·0	82·0	52·0	82	63	C.	0	W.	4	....	R.	....	.....	....	....	4	ci.st.	....	.....
30 ..	28·48	28·39	64·0	67·0	81·0	52·0	78	89	C.	0	S.W.	6	....	R.	....	.....	....	.....	....	....	8	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·47	28·65	48·0	56·0	68·0	40·5	92	63	N.	8	N.E.	6	·72	R.			10	nb.			10	nb.
2	28·77	28·65	46·0	63·0	67·0	31·0	92	52	C.	0	W.	6										
3	28·64	28·61	51·0	63·0	69·7	41·0	79	89	C.	0	C.	0		·43			10	nb.			8	cu.
4	28·69	28·67	54·5	74·0	77·0	46·0	100	55	C.	0	W.	1					10	nb.	2	ci.cu.		
5	28·70	28·56	58·0	71·0	77·0	45·0	87	66	E.	2	C.	0			3	ci.st.					8	st.
6	28·49	28·46	63·0	71·5	77·0	56·0	78	58	C.	0	W.	2	R.						2	ci.		
7	28·51	28·46	56·0	70·0	79·0	45·0	93	57	C.	0	C.	0	R.								10	st.
8	28·38	28·40	58·0	65·0	70·5	46·0	88	63	W.	2	W.	4					10	st.				
9	28·54	28·57	56·0	64·5	71·0	49·0	94	65	N.	4	W.	3	R.				8	cu.	5	ci.st.		
10	28·56	28·52	54·0	70·5	75·5	41·0	83	55	C.	0	W.	2					8	cu.			7	cu.
11	28·48	28·54	53·0	60·6	70·5	41·0	93	88	C.	0	N.W.	3	·05		5	ci.cu.					8	cu.
12	28·62	28·57	49·0	71·0	74·5	41·0	100	53	C.	0	W.	2	R.						5	ci.cu.		
13	28·51	28·44	62·0	71·0	78·5	52·0	72	62	S.W.	4	C.	0		R.							7	cu.st.
14	28·42	28·64	62·0	67·0	74·0	55·0	83	74	W.	4	W.	10		R.			10	nb.	5	ci.st.		
15	28·44	28·23	64·0	66·0	70·0	54·5	83	94	S.E.	2	S.E.	6		·79			10	nb.			10	st.
16	28·49	28·53	57·0	71·0	79·0	50·0	87	71	W.	3	W.	2	R.				10	nb.			7	cu.
17	28·52	28·59	60·0	67·0	72·0	52·0	94	64	W.	2	W.	4	R.				10	nb.				
18	28·64	28·70	60·0	71·0	74·5	46·0	76	58	C.	0	W.	3										
19	28·59	28·49	57·0	58·0	71·0	48·0	94	100	C.	0	N.	3		·31			10	st.			10	st.
20	28·61	28·59	56·0	70·0	74·0	48·0	100	66	C.	0	C.	0	R.				5	cu.				
21	28·58	28·41	62·0	73·0	80·0	47·0	88	59	W.	2	W.	3									7	cu.st.
22	28·43	28·53	63·0	69·0	75·0	59·5	83	56	N.	6	N.E.	2					9	st.				
23	28·61	28·49	50·0	67·0	74·0	39·0	100	67	C.	0	C.	0			2	ci.					8	st.
24	28·33	28·46	55·0	68·0	71·0	50·0	93	56	C.	0	N.W.	3	·55				10	st.				
25	28·49	28·11	51·0	61·0	68·0	38·5	96	82	C.	0	S.W.	8		·01							10	st.
26	28·41	28·54	52·0	65·0	69·0	48·0	79	58	N.W.	4	W.	2	·03	R.					2	ci.cu.		
27	28·58	28·47	53·0	68·0	72·5	37·0	86	51	C.	0	W.	8										
28	28·38	28·31	60·0	63·0	68·0	42·0	82	83	W.	4	W.	6		·06	4	ci.cu.					8	cu.st.
29	28·44	28·54	55·0	59·5	63·0	53·0	93	88	W.	8	W.	4	01	R			10	nb.			10	st.
30	28·52	28·44	52·0	64·0	73·5	47·0	100	73	C.	0	W.	6					6	cu.			8	cu.
31	28·13	28·38	56·0	62·0	68·0	47·0	87	72	W.	2	W.	6	01		5	ci.cu.			5	ci.cu.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·31	28·25	50·0	53·0	64·6	36·5	93	95	C.	0	C.	0	....	·31	....	....	4	nb.	....	....	10	nb.
2	28·25	28·42	49·0	53·0	56·0	47·5	93	80	N.W.	6	W.	6	·01	05	....	....	10	nb.	5	ci.cu.	....	....
3	28·59	28·65	48·0	59·0	62·0	45·0	78	88	N.W.	8	W.	6	·05	....	....	....	10	nb.	2	ci.	....	....
4	28·71	28·62	48·0	61·6	64·0	42·0	93	40	C.	0	S.W.	2	....	....	....	....	10	nb.	....	....	....	....
5	28·43	28·40	53·0	57·5	61·5	43·0	86	97	S.	2	S.	2	....	·09	5	ci.cu.	....	....	....	....	10	st.
6	28·59	28·38	55·0	69·0	74·0	45·0	93	75	C.	0	W.	2	....	....	....	....	10	st.	....	....	6	cu.st.
7	28·68	28·73	51·0	64·0	69·0	45·0	79	53	N.	4	W.	3	....	....	....	....	....	....	....	....	....	....
8	28·80	28·70	50·0	65·0	73·0	37·5	93	73	C.	0	C.	0	....	T.	2	ci.	....	....	4	ci.cu.	....	....
9	28·71	28·69	62·0	69·0	72·0	53·5	94	85	W.	6	C.	0	·21	18	....	....	10	nb.	....	....	5	cu.
10	28·66	28·54	59·0	70·0	80·0	48·0	88	85	C.	0	W.	6	....	....	....	....	....	....	....	....	10	st.
11	28·40	28·26	61·0	74·0	76·0	58·0	100	76	C.	0	W.	5	·62	·22	....	....	10	nb.	....	....	6	cu.st.
12	28·35	28·41	56·0	58·0	74·5	49·5	75	64	S.W.	2	W.	2	....	....	....	....	....	....	....	....	8	cu.st.
13	28·63	28·84	48·0	60·0	62·0	46·0	85	55	N.W.	3	C.	0	·02	....	....	....	10	st.	....	....	6	cu.
14	28·99	28·92	42·0	62·0	72·0	33·0	91	100	C.	0	W.	2	....	....	....	....	....	....	3	ci.cu.	....	....
15	28·71	28·51	53·0	66·0	69·1	48·0	93	79	S.W.	2	S.W.	4	·04	·08	....	....	10	nb.	....	....	6	cu.
16	28·19	28·25	63·0	59·0	69·0	58·2	94	70	S.W.	2	W.	5	·61	·14	....	....	10	nb.	....	....	6	cu.st.
17	28·41	28·75	53·5	58·2	65·5	51·8	69	82	W.	8	C.	0	....	R.	....	....	7	cu.st.	....	....	....	....
18	28·91	28·68	47·0	64·3	71·8	35·1	92	77	C.	0	S.	6	....	....	....	....	....	....	....	....	10	st.
19	28·51	28·51	60·0	58·0	69·8	56·2	88	76	S.	6	S.	3	·12	02	....	....	10	st.	....	....	7	cu.st.
20	28·82	28·84	42·5	51·0	61·5	39·0	75	72	W.	3	W.	3	....	....	....	....	....	....	....	....	....	....
21	28·83	28·74	44·5	53·8	64·2	34·0	92	80	C.	0	W.	1	....	....	7	ci.st.	....	....	....	....	....	....
22	28·75	28·61	43·7	61·8	68·2	33·2	100	73	C.	0	S.	3	....	R.	....	....	....	....	....	....	10	nb.
23	28·52	28·18	55·0	57·6	70·0	42·8	80	94	S.	2	C.	0	R.	·08	....	....	....	....	....	....	10	nb.
24	28·18	28·27	51·0	55·0	57·8	49·0	100	93	S.W.	3	W.	4	·90	·03	....	....	10	st.	....	....	10	nb.
25	28·43	28·54	53·8	56·0	63·0	52·0	82	73	W.	6	C.	0	....	....	....	....	10	st.	....	....	....	....
26	28·64	28·57	40·0	54·0	60·2	31·0	100	80	C.	0	C.	0	....	....	....	....	....	....	4	ci.st.	....	....
27	28·59	28·62	39·0	54·0	64·5	30·8	91	87	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
28	28·70	28·59	41·0	56·0	69·0	32·2	91	81	C.	0	C.	0	....	....	....	....	....	....	....	....	....	....
29	28·72	28·61	45·0	53·0	69·8	34·5	100	100	C.	0	C.	0	....	15	....	....	7	cu.st.	....	....	19	st.
30	28·70	28·83	50·2	56·0	62·8	46·0	100	87	C.	0	N.E.	2	·04	R.	....	....	10	nb.	....	....	10	nb.
31	28·95	28·77	51·6	59·0	66·8	43·0	93	94	C.	0	C.	0	R.	·11	....	....	10	nb.	....	....	7	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°									in.	in.								
1	28·56	28·43	60 0	58·5	68·0	56·0	100	91	W.	2	W.	3	·13	...	....	....	20	nb.	...	...		nb.
2	28·36	28·39	50·0	50·0	58·5	48·0	93	93	W.	3	C.	0	·16	·05	...	.....	10	nb.	...	.....	10	nb.
3	28·40	28·54	48 0	52·5	61·0	45·5	100	89	W.	2	C.	0	·33	·16	....	...	10	nb.	...	.....	10	nb.
4	28·63	28·65	46 0	57·0	63·0	38·0	100	87	C.	0	C.	0	·18	....	....	.....	6	cu.	....	....	10	st.
5	28·70	28 67	55 0	60·5	66·0	51·0	97	91	C.	0	C.	0	·31	·01	....	...	10	s.	....	.....	10	nb.
6	28·69	28·62	46·0	60·0	70·5	42·0	92	82	C.	0	C.	0	...	..	4	ci.st.	....	.	....	. .	....	.
7	28·60	28·59	54·0	60·0	66·0	51·0	93	88	C.	0	C.	0	R.	R.	...	....	10	nb.	9	ci.st.	...	. .
8	28·62	28 64	51·0	59·5	67 0	43·0	100	85	C.	0	E.	2	R.	R.	..	....	8	cu.	4	nb.	....	...
9	28·71	28·73	49 0	56·0	62·8	44·0	93	87	C.	0	C.	0	....	R.	...	.....	10	st.	...	....	.	..
10	28·72	28·86	52·0	56·5	66·0	45·0	100	90	C.	0	C.	0	R.	....	...	.....	10	nb.	....	.....	....	.
11	28·52	28·60	55·0	48·0	58·5	46·0	93	92	N.E.	3	N.E.	5	·02	·19	..	.....	10	nb.	.	.....	10	nb.
12	28·71	28·83	43 0	40·0	49·0	40·0	94	100	C.	0	NW.	2	·01	·05	...	.....	10	nb.	...	.....	10	nb.
13	28·93	28·66	36·0	48·0	48·0	32·0	90	96	S.E.	2	C.	0	R.	·40	...	.....	10	st.	...		10	nb.
14	28·52	28·65	58·5	56·0	65·5	41·5	97	93	S.	3	C.	0	·17	·20	....	.....	10	n-b.	...	.....	10	st.
15	28 85	28·80	39·0	58·0	64 0	36·0	100	88	C.	0	C.	0	·02	....	...	...	.....	...	...	.....	10	nb.
16	28·39	28·79	52·5	53·0	65·0	49·0	100	93	S.W.	2	C.	0	·02	·11	...	.....	10	nb.	...	...	....	. .
17	29 01	28·95	44·0	47·0	58·0	36 0	92	92	E.	2	C.	0	....	....	2	ci.	...	.	2	ci.cu.	.	..
18	28·80	28·68	43·0	56·0	58·0	38·0	92	93	C.	0	C.	0	...	R.	.	.	....	.....	....	.. .	10	st.
19	28·68	28·41	57·0	63·0	69·0	55·0	100	94	C.	0	S.E.	2	..	R.	..	.. .	10	st	....	.....	10	nb.
20	28·08	28·33	61·0	52·0	63·0	50·0	100	79	S.E.	6	N.W.	6	1·40	·01	..	.....	10	nb.	.	....	8	cu.
21	28·30	28·41	45·0	39·0	52·0	37·0	84	91	N.W.	6	W.	3	·01	·06	...	...	8	st.	....	...	6	cu.st.
22	28 50	28·44	36·0	38·0	49·0	33·0	90	82	S.W.	3	C.	0	·02	....	...	. .	10	st.	3	ci.st.	....	.....
23	28·20	27·91	44·0	48·0	50·5	35·0	92	92	C.	0	C.	0	·03	·03	. .	.....	10	nb.	...	....	10	nb.
24	27·79	28·32	47·0	35·0	50·0	33·0	100	90	N.W.	3	N.W.	6	·36	·09	....	.....	10	nb.	..	.....	10	nb.
25	28·65	28·72	33·0	37 0	41·0	31·0	89	90	W.	2	C.	0	·02	·01	...	.....	10	nb.	....	.....	10	nb.
26	28 60	28·69	34·6	38·0	46·0	28·0	90	63	C.	0	N.W.	3	.....	.....	....	. .	40	nb.	. .	....	6	cu.
27	28·46	28·75	23·0	33·0	44·0	20·0	100	80	C.	0	C.	0	.....	.....	...	.....	...	...	...	.....	...	.. .
28	28·79	28·75	22·0	35·0	50·0	18·0	160	80	C.	0	C.	0	.....	....	....	.....	....	.....	...	.....	....	....
29	28·66	28·52	31 0	42·0	49·0	24·0	89	83	C.	0	W.	2	....	R.	....	.....	10	st	....	.	10	st,
30	28·77	28·89	35·0	37·0	47·0	32·0	100	90	N.W.	6	C.	0	R.	. .	....	.....	10	st.	....	.....	..	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt	Kind.	Amt.	Kind.
	m.	in.	°			°							in.	in.								
1	28·89	28·73	31·0	49·0	59·0	28·0	90	71	C.	0	S.W.	2	..	....	.....		10	st.	....	.....	8	st.
2	28·53	28·50	45·0	50·0	52·5	41·0	92	93	C.	0	S.W.	2	·25	R.	....	..	10	nb.	....	.....	10	nb.
3	28·58	28·47	41·0	50·0	52·6	37·0	100	93	C.	0	S.W.	2	...	·23	....	....	10	nb.	....	....	10	nb.
4	28·49	28·39	43·0	39·0	50·0	37·0	92	100	C.	0	C.	0	·13	·10	5	ci.cu.	.....	...	....	.....	10	nb.
5	28·53	28·52	34·0	42·0	50·0	31·0	100	74	C.	0	W.	2	.....	..	5	ci.cu.	.....	.....	....	.....	10	nb.
6	28·44	28·45	37·0	40·0	50·0	30·0	90	73	C.	0	C.	0	....	...	....	....	10	st.	....	.....	10	nb.
7	28·47	28·56	31·0	31·0	40·0	30·0	79	79	N.E.	6	N.W.	2	....	....	.....	..	10	st.	...	..	..	.....
8	28·71	28·65	19·0	34·0	46·0	16·0	100	79	C.	0	W.	2	....	...	.....	.....	.....	.....	4	ci.st.	....	....
9	28·42	28·41	41·0	39·0	42·0	23·0	91	95	N.E.	3	N.E.	4	...	·09	.....	.....	10	nb.	...	...	10	st.
10	28·33	28·34	34·0	38·0	43·8	32·0	100	90	C.	0	C.	0	..	R.	.....	.....	10	nb.	.....	.....	10	nb.
11	28·34	28·61	33·0	33·0	39·0	31·0	95	89	N.E.	6	N.E.	8	·08	·18	.....	.....	10	nb.	.....	.....	10	nb.
12	28·81	28·89	29·0	31·0	35·0	26·0	100	89	N.W.	5	N.W.	2	·05	·09	.....	.....	10	n.b	...	.....	10	nb.
13	28·93	28·82	31·0	34·0	43·0	26·0	89	89	C.	0	W.	2	....	....	.....	.....	.....	.....	.....	.....	.....	.....
14	28·76	28·77	30·0	37·0	50·5	25·0	100	81	C.	0	C.	0	.....	..	..	.....	6	cu.	.....	.....	.....	.....
15	28·84	28·75	24·0	46·0	57·0	21·0	87	77	C.	0	S.	2	..	...	..	....	...	....	.....	.....	7	st.
16	28·69	28·67	41·0	45·0	51·0	40·0	100	92	S.W.	2	C.	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	28·49	28·65	47·0	40·0	57·0	37·0	96	48	S.W.	2	N.W.	6	.....	.....	.....	.....	.....	.....	....	..	....	.....
18	28·87	28·81	24·0	25·0	40·0	21·0	87	87	N.W.	4	C.	0	.....	...	.....		6	cu.st.	.....	.....	.....	.....
19	28·85	27·80	18·0	21·0	33·0	16·0	100	100	N.	2	N.	2	..	....	4	ci.st.	...	...	...	.....	.....	.....
20	28·93	28·90	3·0	22·0	31·0	0·0	100	100	C.	0	C	0	..	...	.....	.....	.....	.....	.....	.	.....	.....
21	28·83	28·47	17·0	39·0	46·5	11·0	100	91	C.	0	S.W.	2	.....	....	.....	...	.....	..	.....	..	..	.....
22	28·26	28·55	39·0	33·0	47·0	30·0	100	89	C.	0	N.W.	6	.....	....	.....	.....	.....	.....	...	....	10	st.
23	28·78	28·81	25·0	24·0	36·0	22·0	87	100	N.W.	2	C.	0	S.	S.	....	....	10	st.	.....	.....	.....	..
24	28·58	28·46	31·0	39·0	48·5	12·0	91	100	S.W.	4	C.	0	....	·01	4	ci.cu.	....	..	...	.....	.....	.....
25	28·76	28·92	25·0	21·0	39·0	19·0	100	100	N.W.	6	S.W.	2	S.	S	....	....	10	nb.	.....	.....	...	.....
26	28·83	28·47	11·0	34·0	39·5	5·0	100	95	C.	0	S.W.	6	...	..	...	.....	.....	.....	.....	....	.....	.....
27	28·40	28·72	34·0	27·0	36·0	24·0	89	88	N.W.	6	N.	5	·01	·01	.....	.....	10	nb.	...	.....	10	nb.
28	28·72	28·79	28·0	36·0	39·5	23·0	88	100	W.	2	C.	0	S.	S.	.....	.....	10	nb.	...	....	10	nb.
29	28·98	29·03	34·0	17·0	37·0	15·0	100	100	W.	4	C.	0	·01	·01	.....	.....	10	nb.	.....	.....	.....	.....
30	29·05	29·00	7·0	29·0	39·0	4·0	100	100	C.	0	C.	0	....	....	.....	.....	.....	....	.....	.....	.....	.....
31	28·97	28·83	35·0	38·0	41·8	17·0	90	100	C.	0	S.W.	3	.....	.....	.....	.....	1	st.	4	ci.st.	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—November, 1907

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·69	28·42	41·0	44·0	44·8	37·6	100	100	S.E.	4	S.E.	2	...	....	.....	.....	10	st.	....	....	10	st.
2	28·17	28·32	41·0	32·5	45·0	31·0	100	95	C.	0	N.W.	6	2·80	·04	.....	.....	10	nb.	.....	.....	10	st.
3	28·51	28·61	24·0	25·5	32·0	22·0	100	100	W.	6	C.	0	S.	..	.....	.....	10	nb.	.....	.....	....	...
4	28·48	28·37	24·0	32·0	35·5	16·0	100	100	C.	0	W.	1	...	·01	.....	.....	10	nb.	.....	.....	10	st.
5	28·33	28·44	26·0	28·0	32·0	25·0	100	100	W.	2	N.W.	2	·05	...	.....	.....	10	nb.	.....	.....	10	st.
6	28·58	28·67	26·0	30·0	33·0	24·0	100	100	N.	2	C.	0	.....	.....	.....	.....	10	st.	..	.....	10	st.
7	28·63	28·41	21·0	27·5	34·0	19·0	100	100	C.	0	C.	0	..	....	....	..	10	st.	..	.....	.....	.....
8	28·33	28·37	31·0	24·5	33·0	22·0	100	94	N.W.	4	N.W.	2	·05	S.	..	.....	10	st.	....	....	....	.....
9	28·04	28·26	31·5	21·0	35·0	18·0	100	86	W.	2	N.W.	6	·20	·10	....	....	10	nb.	....	....	10	nb.
10	28·48	28·66	20·0	23·0	27·0	16·0	100	86	N.W.	2	N.	6	·05	·10	...	.....	10	nb.	...	.....	10	nb.
11	28·94	29·01	17·0	18·0	23·0	15·0	100	92	N.	4	W.	2	·03	....	....	.....	10	nb.	....	....	10	nb.
12	28·73	28·42	22·0	30·0	30·8	14·0	100	97	N.	3	S.	10	·03	....	....	....	10	nb.	...		10	nb.
13	28·41	28·66	17·0	8·0	30·0	5·0	83	89	N.W.	6	N.W.	4	·05	·01	....	.	10	nb.	....	.	8	cu.
14	28·70	28·68	7·0	13·0	15·0	0·0	89	100	N.W.	4	N.W.	2	....	·05	..	.....	10	nb.	....	....	10	st.
15	28·84	28·82	1·0	21·0	21·0	— 6·0	100	93	C.	0	W.	4	·03	·01	....	...	10	nb.	.....	.....	10	st.
16	28·53	28·74	30·0	24·0	31·0	19·0	100	100	S.W.	6	C.	0	..	·20	....	.	10	nb.	...	....	10	st.
17	28·66	28·43	19·0	36·0	40·0	7·0	84	100	S.W.	2	W.	4	...	...	....	.....	10	st.	....	..	6	cu.
18	28·76	28·97	18·0	7·5	36·0	6·0	84	88	W.	2	W.	2	.....	.....	.....	....	10	st.	....	.....	.....	..
19	29·04	28·91	— 8·0	18·0	28·0	— 9·0	100	100	C.	0	S.W.	2	....	..	.....	.....	.	.....	....	.	8	st.
20	28·77	28·43	31·0	33·0	33·5	17·0	100	100	S.W.	6	C.	0	..	...	.....	.....	10	st.	....	.....	10	st.
21	27·93	28·34	33·0	34·0	35·0	30·0	100	95	S.W.	2	S.W.	6	·20	·03	....	...	10	st.	.....	....	10	st.
22	28·60	28·83	32·0	26·0	35·0	24·0	90	100	W.	2	W.	2	·01	S.	....	...	10	nb.	....	.....	.....	...
23	28·88	28·85	12·0	36·0	38·0	7·0	100	100	C.	0	S.	6	....	..	....	.....	10	nb.	....	.	....	...
24	28·83	28·76	34·0	37·0	40·0	31·0	84	100	S.	6	S.	8	....	...	.....	.....	10	st.	....	..	.....	...
25	28·54	28·39	34·5	35·0	38·0	31·0	95	90	S.	8	S.W.	1	....	S.	....	..	10	st.	.....	.....	10	st.
26	28·51	28·66	24·0	18·0	35·0	17·0	94	92	N.W.	6	N.W.	4	·02	·02	....	..	10	nb.	.....	...	10	st.
27	28·62	28·45	4·0	15·0	19·0	2·0	100	82	C.	0	N.	2	·02	·01	....	.	10	nb.	....	.....	10	st.
28	28·48	28·67	16·0	13·0	19·0	12·0	83	100	N.E.	3	N.	6	S.	·02	....	.	10	nb.	....	...	10	nb.
29	28·80	28·80	8·0	4·0	14·0	4·0	100	74	N.	2	N.	2	.....	.....	.....	.....	10	st.	....	...	....	.
30	28·75	28·70	12·0	12·0	22·0	— 4·0	100	90	C.	0	N.	6	·17	·30	....	.	10	st.	....	.	1	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

White River, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	28·78	28·90	3·0	9·0	12·0	2·0	100	100	N.	8	N.	8	·03	·01							10	st.
2	28·81	28·71	7·8	8·0	12·0	6·0	82	100	N.E.	6	C.	0	S.	S.			10	nb.			10	nb.
3	28·87	29·03	4·0	3·0	9·0	1·0	74	78	N.E.	4	W.	2	.	S.			10	nb.				
4	29·03	28·76	4·0	23·0	23·0	— 4·0	100	86	N.E.	1	S.	6	..				10	nb.				
5	28·55	28·54	28·0	31·0	32·0	21·0	88	100	C.	0	S.	3					10	st.			10	st.
6	28·47	28·54	27·0	27·0	34·8	23·0	88	100	C.	0	C.	0					10	st.				
7	28·61	28·52	8·5	29·0	40·0	7·0	89	89	W.	2	C.	0					10	st.			10	st.
8	28·43	28·66	34·8	29·0	35·0	28·0	91	89	E.	2	N.E.	4	·01	·03			10	nb.			10	st.
9	28·58	28·52	15·0	10·0	29·0	10·0	82	79	N.	4	N.	8	·08	·12			10	nb.			10	st.
10	28·65	28·70	— 3·0	— 7·0	10·0	— 7·0	100	100	N.E.	10	N.	2	·03				10	nb.				
11	28·60	28·63	—22·0	—10·0	— 7·0	—24·0	100	100	N.	2	C.	0			..							
12	28·70	28·68	—17·0	20·5	22·8	— 2·1	100	53	C.	0	S.W.	4		·03	2	ci.st.					10	nb.
13	28·76	28·83	21·0	17·5	28·8	17·0	61	56	N.W.	2	C.	0	·10				10	st.				
14	28·71	28·65	10·0	10·0	17·8	8·0	26	34	C.	0	N.	6					10	st.				
15	28·45	28·42	4·0	6·0	10·8	0·0	100	76	N.	6	N.	4		S.			10	st.			10	st.
16	28·46	28·60	6·0	6·0	10·8	4·0	100	100	N.W.	6	N.W.	2	20	·03			10	nb.			10	st.
17	28·68	28·67	6·0	11·0	15·8	4·0	100	100	W.	2	W.	2		·03			10	nb.			10	st.
18	28·59	28·49	13·5	13·0	16·8	8·0	90	81	W.	2	C	0	·03	·03			10	nb.			10	nb.
19	28·32	23·33	25·0	27·0	27·8	10·0	87	88	S.	10	S.	8		S.			10	nb.			10	nb.
20	28·44	28·71	21·0	6·0	27·8	6·0	86	100	W.	2	W.	1		S.			10	st.			6	st.
21	28·71	28·53	6·0	29·0	33·8	—13·0	100	100	S.W.	2	S.W.	6					10	st.			6	cu.st.
22	28·33	28·31	30·0	32·0	33·8	25·0	100	100	S.W.	10	S.W.	10					10	st.			10	st.
23	28·25	28·04	4·0	22·0	32·8	3·0	100	86	N.	2	N.	2									10	st.
24	28·16	28·24	2·0	— 1·0	28·8	— 2·0	100	100	N.W.	2	N.W.	2	S.									
25	28·33	28·58	— 4·0	—14·0	2·0	—14·0	100	100	N.W.	2	N.W.	2	S.									
26	28·51	28·15	12·0	28·0	28·0	—21·0	100	100	S.W.	5	S.W.	10		S.			10	nb.			10	nb.
27	27·98	28·42	34·0	2·0	34·0	2·0	89	85	S.	2	W.	6	S.	·07			10	nb.			10	nb.
28	28·68	28·53	24·0	8·0	9·0	—27·0	100	100	C.	0	W.	2	S.	S.							10	nb.
29	28·51	28·46	19·0	19·0	22·0	7·0	100	84	S.	1	C.	0	·01				10	st.			10	.
30	28·39	28·16	2·5	—11·0	19·0	—11·0	86	100	N.E.	4	C.	0	S.									
31	28·38	28·48	2·0	3·5	9·8	—14·0	100	87	W.	2	W.	6	·05	·03			10	nb.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario: Latitude North, 5° 19′; Longitude West, 80° 0′. Height above Sea, 635 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in								
1	29·32	29·65	33·0	23·8	37·0	23·0	89	73	S.W.	20	N.W.	6	S.	....	10	ci.st.	....	.....	.....	.....	6	cu.st.
2	29·83	29·78	20 0	24·2	25·0	19·0	85	84	N.E.	10	S.E.	10	.....	....	10	ci.st.	....	.....	.....	.....	.....	.....
3	29·42	29·13	29·0	35·0	35·0	20·0	94	98	S.E.	18	S.E.	6	R.	·20	.....	.....	10	nb.	.....	.....	10	nb.
4	29 05	29·24	32·0	29·2	35·0	29·0	94	86	N.W.	14	S.W.	14	·12	S.	10	ci.st.	....	.....	.....	.....	10	st.
5	29·28	29·41	34·0	32·2	35·0	27·0	84	88	S.W.	13	W.	2	.....	....	10	ci.st.	....	.....	10	ci.st.	.....	.....
6	29·33	29·38	30·0	36 0	40·0	29·0	89	90	S.E.	6	W.	6	.....	....	10	ci.cu.	.....	.....	.....	.....	10	st.
7	29·50	29·55	33·0	31·0	36·0	31·0	100	78	W.	2	N.E.	10	.....	..	.....	.....	10	st.	.....	.....	10	st.
8	29·47	29·22	27 0	33·0	33·0	25 0	88	89	E.	6	W.	8	S.	R.	.....	.....	10	st.	....	....	10	st.
9	29 43	29·40	4·0	5·0	33·0	3·0	74	61	N.W.	16	N.	6	S.	...	.....	.....	.....	.....	.....	.....	.....	.....
10	29·00	28·70	18·2	27·0	28·0	4·0	84	94	S.W.	22	S.W.	22	·20	·60	.....	.....	10	st.	.....	.....	10	nb.
11	29 07	29·37	12 0	6 5	27·0	6·0	65	64	N.	3	N.	5	·05	S.	10	ci.st.	.....	.....	.....	.....	.....	.....
12	29·22	29·41	13·0	15·0	21·0	4·0	90	64	N.E.	12	N.	4	S.	....	.....	.....	10	st.	.....	.....	10	st.
13	29·70	29·58	5·0	18·0	22·0	3 0	50	68	N.E.	6	E.	8	.....	..	.....	.....	10	st.	.....	.....	.....	.....
14	29·27	29·34	18·0	26·0	26·0	15·0	91	87	N.	4	W.	0	.....	....	.....	.....	10	st.	.....	.....	10	st.
15	29·58	29·69	5·0	— 5·0	26·0	— 5·0	75	25	N.W.	7	N.	0	.....	....	.....	.....	8	cu.st.	.....	.....	.....	.....
16	29·81	29·83	— 8·0	— 1·0	6·0	—14·0	38	68	N.	6	N.	6	.....	....	5	ci.st.	.....	.....	.....	.....	.....	.....
17	29·63	29·50	— 4·0	10·0	11 0	— 8·0	64	89	N.E.	8	S.E.	5	.....	....	.....	.....	10	cu.st.	.....	.....	10	st.
18	29·39	29·46	12·0	27·0	30·0	6 0	90	91	S.E.	8	E.	0	S.	·05	10	ci.st.	.....	.....	.....	.....	10	cu.st.
19	29 06	28·55	29·0	48·0	48 0	22·0	100	100	S.E.	27	S.	22	R.	·73	.....	.....	10	nb.	.....	.....	10	nb.
20	28·39	29·15	36·0	6·0	52·0	6 0	98	76	S.W.	26	S.W	16	·04	30	.....	.....	10	st.	3	ci.st.	.....	.....
21	29·61	29·67	— 4·0	2·0	8·0	— 5·0	64	85	N.	2	N.	6	.....	..	1	ci.st.	.....	.....	.....	.....	8	cu.st.
22	29·61	29 83	1·2	— 4·0	6·0	— 4·0	66	58	N.E.	8	N.	6	.....	·05	10	ci.st.	.....	.....	.....	.....	.....	.....
23	29·93	29·89	—18·5	—10·0	— 4 0	—20·0	30	53	N.	6	N.	5	.....	....	.....	.....	.....	.....	.....	.....	.....	.....
24	29·84	29·56	—21·0	— 2·2	— 1·0	—22 0	62	43	N.E.	4	E.	8	..	S.	.....	.....	.....	.....	.....	.....	10	st.
25	29·28	29·24	1·0	7 0	10 0	— 5·0	77	76	N.E.	10	N.E.	10	·01	·05	.....	.....	10	st.	.....	.....	10	st.
26	29·33	29 60	7·2	— 2·0	10 0	— 3·0	72	67	N.E.	3	N.	6	·30	....	.....	.....	.....	.....	.....	.....	.....	.....
27	29 58	29·59	10·0	13·2	21 0	— 8·0	89	78	S.E.	6	N.W.	2	S.	30	.....	.....	10	st.	.....	.....	10	st.
28	29·63	29·63	8 0	3·0	14·0	3·0	77	46	N.W.	4	N.W.	0	S.	....	.....	.....	10	st.	.....	.....	9	cu.st.
29	29·61	29·56	5·2	5·0	13·0	0·0	71	75	N.W.	2	C.	0	S.	·05	.....	.....	10	cu.st.	2	ci.	.....	.....
30	29·71	29·85	0 5	— 5 0	9 0	— 5·0	55	62	N.	2	C.	0	.....	....	2	ci.st.	.....	.....	.....	.....	.....	.....
31	29·69	29·53	4·0	15·0	18·0	—12·0	80	86	S.E.	9	S.E.	3	....	20	.....	.....	10	st.	.....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·49	29·15	19·2	26·5	27·0	15·0	82	94	E.	6	S.E.	10			8	ci.st.						
2	28·86	28·68	21·0	24·0	40·0	21·0	98	90	S.E.	10	S.W.	28	S.	·34			10	st.				
3	29·37	29·59	−12·0	− 4·5	24·0	−13·0	49	64	N.W.	16	W.	2	S.									
4	29·68	29·66	−22·0	3·0	10·0	−23·0	61	73	N.	2	W.	4										
5	29·55	29·50	− 1·0	4·0	8·0	− 3·0	68	80	N.	10	N.	10		S.	10	ci.st.						
6	29·60	29·71	3·0	2·0	15·0	− 5·0	65	71	N.W.	3	C.	0	S.		2	ci.						
7	29·75	29·62	− 2·0	17·0	22·0	−12·0	67	87	E.	5	S.W.	10		·05	10	ci.st.						
8	29·50	29·40	17·2	23·5	26·0	12·0	93	93	S.	5	S.	10	·10	·30			10	nb.				
9	29·29	29·12	18·2	28·0	28·0	15·0	97	91	S.E.	6	S.	8	·05	·20			10	st.				
10	28·69	29·00	28·2	15·0	29·0	15·0	98	82	S.E.	12	N.W.	16	·30	·25			10	st.				
11	29·21	29·40	−14·0	−12·0	15·0	−15·0	45	49	N.W.	12	W.	4										
12	29·57	29·54	−23·0	− 5·0	5·0	−25·0	59	56	C.	0	S.	2										
13	29·25	28·76	13·0	33·0	34·0	− 7·0	81	94	S.E.	6	S.	10	05				10	st.				
14	28·82	29·30	24·0	11·0	33·0	11·0	90	79	N.	18	N.W.	4	S.	S.			10	st.				
15	29·19	28·96	14·0	30·0	30·0	6·0	86	98	S.	9	S.W.	4		·60	10	ci.st.						
16	29·13	29·21	25·0	21·2	31·0	27·0	93	96	C.	0	N.W.	6	·10	·50			10	st.				
17	29·35	29·53	6·0	5·0	22·0	5·0	76	50	N.W.	10	N.	5					9	cu.				
18	29·40	29·03	3·0	18·0	24·0	−10·0	73	84	S.E.	12	S.E.	20			10	ci.st.						
19	28·71	28·91	22·2	20·0	25·0	15·0	98	70	N.W.	8	N.W.	5	·35	·40			10	ci.st.				
20	29·01	28·99	14·5	15·0	25·0	12·0	45	64	W.	4	N.W.	8	S.	·05			5	cu.st.				
21	29·19	29·32	−11·0	− 4·0	15·0	−12·0	52	38	N.W.	2	C.	0	·05									
22	29·69	29·81	−21·0	− 7·0	1·0	−21·0	41	19	C.	0	W.	2										
23	30·03	29·94	−30·5	− 1·0	10·0	−31·0	36	45	N.	4	S.E.	4										
24	29·52	29·13	7·0	22·0	22·0	− 5·0	82	93	S.E.	18	S.W.	10		·10	8	ci.st.						
25	29·49	29·69	4·0	2·0	22·0	2·0	74	43	N.W.	16	S.W.	6										
26	29·68	29·42	− 2·0	11·0	16·0	− 5·0	67	84	E.	5	S.E.	6			8	ci.st.						
27	29·72	29·78	− 5·0	4·0	13·0	− 5·0	25	60	N.E.	12	N.E.	8										
28	29·73	29·71	5·0	14·2	2·0	0·0	80	81	S.E.	10	S.W.	2							10	st.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·64	29·16	11·5	30·0	32·0	5·0	90	98	S.E.	14	S.E.	20			9	ci.cu.					10	st.
2	28·61	28·78	32·2	25·0	34·0	25·0	98	90	S.W.	18	S.W.	20	·40	·30			10	st.			10	st.
3	29·03	29·32	7·0	11·0	25·0	7·0	74	79	N.W.	10	N.E.	7			3	ci.st.					10	cu.st.
4	29·45	29·40	9·0	10·0	20·0	7·0	56	58	C.	0	S.W.	2		·10			10	nb.				
5	29·24	29·33	13·0	23·2	29·0	4·0	81	86	S.E.	4	N.	14	·05	·35			10	cu.			1	cu.
6	29·71	29·74	0·0	9·0	23·2	−1·0	55	56	N.	8	N.W.	3										
7	29·60	29·27	2·0	21·0	25·0	−5·0	43	55	S.E.	5	S.E.	10							10	ci.st.		
8	29·23	29·41	17·0	24·0	32·0	15·0	79	86	C.	0	N.W.	6	S.	·10			10	nb.				
9	29·68	29·65	0·0	18·2	30·0	−3·0	39	66	N.	4	W.	5										
10	29·58	29·52	8·8	25·0	37·0	6·0	61	68	N.E.	4	W.	0			2	ci.						
11	29·62	29·52	10·0	29·0	37·0	5·0	58	77	E.	2	S.	4										
12	29·16	28·91	30·0	37·0	37·0	25·0	89	93	S.E.	16	S.W.	8	·03	·15			10	nb.			10	st.
13	29·04	29·17	33·0	31·0	40·0	30·0	89	78	N.	5	N.E.	6					10	st.	5	ci.st.		
14	29·14	29·33	23·0	21·0	34·0	21·0	86	71	N.E.	10	W.	2	·10	S.			10	st.				
15	29·34	29·54	26·0	24·0	39·0	17·0	91	80	S.W.	16	N.W.	16		·10			8	cu.st.			8	cu.st.
16	29·63	29·21	19·0	42·0	44·0	10·0	88	93	E.	12	S.W.	24		·05			10	st.			10	st.
17	29·29	29·59	31·0	28·0	42·0	28·0	89	76	S.W.	26	W.	5	·44									
18	29·70	29·67	15·0	27·2	35·0	10·0	64	74	W.	2	S.W.	3							6	ci.st.		
19	29·13	28·64	27·0	35·0	35·0	23·0	88	89	S.E.	18	S.W.	20	S.	·14			10	st.			8	st.
20	29·35	29·49	19·0	23·0	35·0	16·0	69	70	N.W.	11	W.	2										
21	29·35	29·10	17·0	37·5	43·0	13·0	67	85	S.E.	5	E.	10			10	ci.st.			9	ci.st.		
22	28·85	29·06	40·0	43·0	51·0	35·0	82	67	S.E.	4	S.W.	14			8	ci.st.			6	ci.cu.		
23	29·36	29·24	35·0	40·0	44·0	33·0	84	73	N.W.	2	E.	8		·07	8	ci.cu.			10	ci.st.		
24	29·03	29·51	35·0	40·0	45·0	35·0	94	73	N.E.	12	N.E.	8	·67				10	st.				
25	29·61	29·33	33·0	36·0	43·0	30·0	82	75	S.E.	12	S.E.	8			10	ci.st.			7	ci.		
26	29·16	29·34	38·0	43·0	48·0	35·0	90	75	N.E.	12	N.E.	12	·03				10	st.			8	cu.st.
27	29·07	29·02	40·5	50·0	55·0	37·0	95	100	S.E.	10	S.W.	12	·21	R.			10	st.			10	nb.
28	29·14	29·29	35·0	34·0	56·0	34·0	100	89	S.	6	W.	0					10	nb.			7	cu.
29	29·17	28·93	36·0	52·0	52·0	30·0	90	72	N.E.	10	S.W.	26	·39	R.			10	nb.			10	st.
30	29·45	29·48	33·0	34·0	52·0	32·0	70	71	N.W.	16	S.W.	10					1	cu.				
31	29·68	29·74	20·0	20·0	35·0	18·0	62	70	N.	5	N.W.	10			10	ci.st.						

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·85	29·78	12·0	21·0	25·0	7·0	61	71	N.W.	10	N.	5	....	....	....	....	....	....	....	....	....	....
2.	29·72	29·55	19·2	26·0	34·0	7·0	67	85	N.E.	2	E.	2	....	·05	....	....	....	....	10	ci.st.	....	....
3.	29·48	29·37	31·5	40·0	48·0	25·0	89	73	C.	0	S.	0	....	....	....	....	10	ci.st.	....	....	10	st.
4	29·25	29·07	39·0	37·5	49·5	35·0	81	95	N.E.	10	N.E.	12	·06	·22	....	....	10	st.	....	....	10	nb.
5	29·34	29·53	19·5	25·0	39·0	17·0	77	74	N.E.	18	N.E.	14	·35	S.	....	....	10	ci.st.	....	....	....	....
6	29·64	29·48	17·0	35·0	41·0	10·0	67	69	N.E.	11	S.E.	8	....	....	....	....	....	....	....	....	....	....
7	29·21	28·89	32·5	35·0	44·0	25·0	77	89	S.E.	20	S.E.	34	....	R.	5	ci.st.	....	....	....	....	10	nb.
8	28·66	28·70	36·0	35·0	44·0	33·0	73	94	S.E.	20	S.E.	13	·12	·08	....	....	10	cu.st.	....	....	10	cu.st.
9	28·69	28·75	34·2	38·0	44·0	33·0	96	81	S.E.	12	E.	0	·02	·03	....	....	10	st.	....	....	10	st.
10	28·79	28·92	32·0	37·0	43·0	31·0	79	56	N.W.	18	N.	8	....	....	....	....	10	st.	....	....	....	....
11	29·11	29·07	25·0	31·2	40·0	21·0	74	88	N.W.	4	S.W.	6	....	....	....	....	....	....	....	....	10	cu.st.
12	29·06	29·04	31·5	35·0	45·0	29·0	84	94	S.E.	0	C.	0	....	02	....	....	10	cu.st.	....	....	10	cu.st.
13	29·07	29·14	28·5	33·0	41·0	26·0	82	70	N.	14	N.W.	12	·02	....	....	....	8	cu.st.	10	ci.st.	....	....
14	29·25	29·29	18·0	31·5	37·0	16·0	68	84	N.W.	12	W.	10	....	....	10	ci.st.	....	....	....	....	3	cu.
15	29·39	29·24	26·2	31·0	43·0	20·0	73	48	N.W.	5	W.	0	....	....	....	....	....	....	....	....	....	....
16	29·00	28·89	28·0	31·0	34·0	25·0	88	89	S.E.	14	S.W.	8	·05	40	10	ci.st.	....	....	....	....	10	n.b.
17	29·14	29·23	28·0	30·0	38·0	26·0	76	78	W.	5	S.W.	6	S.	....	....	....	....	....	....	....	2	cu.st.
18	29·29	29·28	30·0	31·5	41·0	26·0	92	84	W.	6	W.	6	·20	S.	10	ci.st.	....	....	....	....	1	cu.st.
19	29·25	29·22	31·5	33·5	47·0	21·0	84	75	E.	4	S.W.	12	....	....	3	ci.st.	....	....	....	....	2	cu.st.
20	29·43	29·41	20·0	30·0	35·0	17·0	70	78	N.W.	14	S.W.	14	....	....	....	....	....	....	....	....	....	....
21	29·45	29·30	34·0	38·0	51·0	25·0	84	62	S.W.	14	S.W.	2	....	....	....	....	....	....	....	....	....	....
22	29·16	29·12	42·0	41·0	59·0	32·0	66	56	S.W.	22	W.	3	....	....	10	ci.st.	....	....	....	....	8	cu.st.
23	29·11	28·94	38·0	52·0	58·0	34·0	71	72	S.E.	3	N.W.	10	....	....	....	....	....	....	....	....	9	cu.
24	29·24	29·25	38·5	37·0	52·0	32·0	62	61	N.	10	C.	0	....	....	....	....	....	....	....	....	....	....
25	29·12	29·29	34·0	35·0	14·0	32·0	89	89	N.	8	W.	2	·40	....	....	....	10	st.	10	ci.st.	....	....
26	29·45	29·54	32·0	39·0	49·0	25·0	59	46	N.E.	12	N.W.	3	....	....	....	....	....	....	....	....	....	....
27	29·67	29·60	39·0	43·0	56·0	34·0	20	67	S.	10	N.W.	4	....	S.	....	....	....	....	10	ci.st.	....	....
28	29·50	29·32	42·0	50·0	60·0	37·0	66	58	E.	5	N.E.	5	1·03	....	10	ci.st.	....	....	9	ci.st.	....	....
29	29·11	29·22	50·0	38·0	57·0	38·0	96	100	S.	14	S.W.	2	·45	·13	....	....	10	st.	....	....	10	nb.
30	29·25	29·38	27·5	31·0	40·0	26·0	94	89	N.E.	16	N.	8	....	·40	10	ci.st.	....	....	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·58	29·60	29·0	35·0	45·0	16·0	88	65	C.	0	C.	0										
2....	29·63	29·49	31·0	40·0	50·0	25·0	78	55	N.E.	2	W.	2										
3....	29·42	29·40	45·0	40·0	50·0	31·0	60	55	S.	6	E.	6							8	ci.st.		
4....	29·31	29·47	32·0	35·2	45·0	28·0	79	68	N.	16	S.W.	10		·05	10	ci.st.			7	ci.st.		
5....	29·53	29·41	42·0	38·0	53·0	32·0	66	90	S.W.	2	S.W.	10		R.							10	n.b.
6....	29·33	29·28	42·0	41·0	55·0	36·0	91	73	S.	6	C.	0	·09		9	ci.cu.						
7....	29·31	29·31	39·2	41·0	56·0	31·0	72	65	S.E.	2	W.	4					10	ci.st.	4	ci.st.		
8....	29·43	29·31	36·8	38·0	41·0	33·0	68	90	N.	6	N.E.	7		R. S.	10	ci.st.					10	ci.st.
9....	29·19	29·06	47·0	46·0	60·0	36·0	69	84	S.	6	N.W.	12			6	ci.st.					10	cu.st.
10....	29·24	29·22	36·0	36·8	46·0	33·0	61	73	N.W.	14	S.W.	8	·10								8	cu.st.
11....	29·36	29·39	31·5	34·0	44·0	26·0	84	79	N.	16	S.W.	6					3	cu.				
12....	29·41	29·15	42·0	45·8	47·0	27·0	57	60	S.	10	E.	10					10	cu.st.	10	ci.st.		
13....	28·98	29·01	56·0	57·0	45·0	41·0	62	80	S.W.	16	W.	8			9	ci.cu.			10	ci.st.		
14....	29·15	29·11	53·5	67·2	83·0	49·0	83	64	N.E.	10	S.	7	·02		10	ci.st.			2	ci.		
15....	29·00	28·94	60·5	55·5	70·0	53·0	70	96	S.E.	14	S.	7		·20	10	ci.st.					10	nb.
16....	29·17	29·17	46·0	47·0	57·0	40·0	76	77	S.W.	20	S.W.	12	·05						10	ci.st.		
17....	29·24	29·18	47·2	45·0	52·0	37·0	76	92	S.	10	N.W.	4		·04	8	ci.st.			9	ci.st.		
18....	29·09	29·15	53·0	46·0	67·0	41·0	73	69	S.E.	6	W.	6									2	cu.
19....	29·20	29·22	45·5	41·0	56·0	36·0	74	63	W.	10	S.W.	10			10	ci.cu.					10	cu.st.
20....	29·34	29·38	38·0	39·0	45·0	33·0	71	72	N.W.	0	W.	9									9	st.
21....	29·54	29·51	36·0	40·0	49·0	32·0	70	55	N.W.	10	W.	2	R.				10	cu.st.	2	ci.st.		
22....	29·48	29·41	40·0	44·0	56·0	30·0	82	67	S.W.	10	C.	10			10	ci.cu.			10	ci.st.		
23....	29·44	29·44	47·0	47·0	60·0	34·0	69	69	C.	0	W.	2									2	cu.
24....	29·56	29·51	48·0	54·5	63·0	38·0	63	52	N.E.	9	N.E.	2					9	cu.	2	ci.st.		
25....	29·52	29·24	49·0	56·0	63·0	36·0	44	34	S.E.	5	S.E.	10			5	ci.cu.			10	ci.st.		
26....	29·10	28·86	48·2	50·0	56·0	45·0	99	99	S.E.	12	S.E.	12	·07	·40			10	st.			10	st.
27....	28·66	28·95	54·2	33·0	54·0	33·0	100	98	S.E.	12	N.W.	22	16	17			10	st.	10	ci.st.		
28....	29·25	29·30	37·2	43·0	50·0	32·0	80	75	N.W.	20	S.W.	14	08						1	ci.st.		
29....	29·36	29·23	43·2	48·5	59·0	31·0	75	70	N.	8	W.	5										
30....	29·45	29·42	47·8	57·0	60·0	35·0	64	20	N.E.	12	N.	8					9	cu.s.				
31....	29·48	29·38	51·8	57·0	70·0	38·0	52	75	N.E.	6	W.	2							10	ci.st.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·30	29·16	59 0	59·0	73·0	42·0	78	59	N.E.	10	S.E.	12	....	....	2	ci.cu.	....	.....	8	ci.st.	...	...
2	29·12	29·06	53·2	57·0	67·0	50·0	78	81	N.E.	3	C.	0	....	...	.....		10	st.	6	ci.st.	....	..
3	29·12	29·14	51·0	57·0	70 0	42·0	86	69	C.	0	W.	2	....	...	4	ci.cu.	...	....	1	ci.	..	...
4	29·12	28·92	58·0	55·0	70 0	50·0	75	93	S.E.	7	N.E.	10	....	·04	5	ci.st.	5	cu st.	....	..	10	st.
5	28·64	28·84	47·0	49·0	57·0	45·0	84	100	S.	2	N.W.	16	1·37	·54	.....	....	10	st.	..	....	10	nb.
6	29·03	29·22	47·5	52·0	53·0	45·0	100	86	N.W.	8	N.W.	10	...	·01	...	....	10	nb.	10	ci.st.	...	..
7	29·29	29·28	51·0	55·0	70·0	42·0	79	69	N.W.	5	W.	3	....	.	.....		8	cu.	....	....	4	cu.st.
8	29·38	29·34	56·8	55·0	70·0	46·0	70	74	C.	0	C.	0	....	....	....	..	.	.	2	ci.	....	.....
9	29·44	29·40	58·5	59·5	72 0	43·0	61	76	N.E.	5	C.	0	....	....	.....		...	. .	....	. .	....	... .
10	29·42	29·28	63·0	65·0	76·0	45·0	62	68	E.	5	S.E.	12	....	....	....	. .	....	. .	....	. .	.....	
11	29·25	29·26	57·2	65·0	75·0	48·0	69	58	E.	20	S.E.	8	....	....	.....		....	.	..	..	....	.....
12	29·40	26·37	62 0	65·0	76·0	49·0	56	58	E.	10	S.E.	8	....	....	.		...		.....		....	...
13	29·37	29·27	63·5	64·0	80·0	50·0	54	62	N.E.	8	W.	4	....	....	....		....		...	.	4	cu.
14	29·26	29 20	59·5	65·0	80·0	47·0	96	73	W.	2	W.	2	....	....	....		9	cu.	.	.	.....	
15	29·34	29·36	61·0	62·2	76 0	51·0	60	66	N.	8	W.	5	....	....	....		....		.....		..	.....
16	29·48	29·40	63·0	66·0	75·0	48·0	56	68	S.W.	4	C.	0	....	....	....		....		4	ci.	....	..
17	29·43	29 38	68·5	72·0	80·0	50·0	67	80	S.W.	5	W.	8	....	....	5	ci.cu.	....	.....	3	ci.cu.	..	....
18	29·40	29 34	69·0	72·0	84·0	59·0	76	75	S.	8	W.	3	....	..	....		....		8	ci.st.	....	....
19	28·34	29 25	64·0	66·0	78·0	60·0	78	81	C.	0	N.	8	....	·12	....		10	cu.st.	9	ci.cu.	....	.
20	29·39	29 28	62·0	66·0	75·0	54·0	88	83	C.	0	C.	0	....	....	....		....		....		....	.
21	29 40	29·39	66·0	73·0	89 0	53·0	78	76	S.E.	4	S.	5	....	....	4	ci.cu.	....	.....	10	ci.	...	..
22	29·45	29·39	75·0	78·0	89·0	63·0	81	81	S.	5	E.	10	....	·06	4	ci.	....	....	....	....	10	st.
23	29·39	29 26	74·0	75·2	91 0	63 0	85	81	S.E.	8	S.E.	6	R.	....	..	....	1	cu.st.	10	ci st.	....	.....
24	29·27	29·22	74·0	70·0	86·0	65·0	78	94	S.	8	W.	4	....	·03	....		7	cu.	....	....	8	st.
25	29·24	29·15	63·5	72·0	82 0	62·0	97	90	C.	0	W.	2	R.	....	....		10	st.	3	ci.st.	....	....
26	29·17	29·08	56·0	58·0	72 0	56·0	100	86	N.W.	10	S.W.	16	1·42	....	....	....	10	cu.st.	....	....	9	st.
27	29·19	29·17	60·0	60 0	71·0	50·0	82	76	S.W.	8	S.W.	10	·10	....	....	....	3	cu.	....	....	....	....
28	29·27	29·21	62·0	70·0	80 0	51·0	82	75	W.	2	N.W.	2	....	....	....	....	....	.....	....	....	....	...
29	29·22	29·18	70·2	70·2	86·0	53·0	79	76	N.E.	4	S.W.	5	....	.	3	ci.cu.	..	....	8	ci.	....	..
30	29·17	29·12	70·0	68·0	81 0	57·0	75	84	W.	6	W.	6	..	....	..	..	....	.....	....	...	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·08	29·07	69·5	66·0	79·0	50·0	77	94	S.	5	S.W.	6	....	R.	....	....	10	cu st.	....	....	10	cu.st.
2	29·23	29·30	52·0	60·0	73·0	49·0	86	54	N.E.	12	W.	10	·02	....	....	....	10	cu.	....	....	....	....
3	29·42	29·39	57·0	62·0	75·0	40·0	86	71	S.W.	3	W.	3	....	....	....	....	....	....	....	....	....	....
4	29·43	29·36	64·0	68·0	84·0	48·0	67	69	S.	5	W.	2	....	....	....	....	....	....	4	ci.st.	....	....
5	29·32	29·22	66·0	73·0	83·0	52·0	68	67	N.E.	2	S.W.	2	....	....	3	ci.cu.	....	....	....	....	....	....
6	29·16	29·07	68·0	70·0	85·0	58·0	69	79	S.E.	3	W.	4	....	....	....	....	5	cu.	....	....	1	cu.st.
7	29·15	29·19	67·0	67·5	84·0	56·0	80	76	W.	2	S.W.	2	....	....	....	....	1	cu.	....	....	....	....
8	29·12	29·18	66·0	67·0	80·0	55·0	83	79	S.W.	4	S.W.	6	R.	R.	....	....	10	nb.	1	ci.cu.	....	....
9	29·24	29·16	66·0	65·2	80·0	50·0	72	82	W.	12	W.	5	....	....	1	ci.cu.	....	....	....	....	....	....
10	29·23	29·21	69·0	70·0	82·0	55·0	88	65	S.W.	2	W.	3	....	....	2	ci.cu.	....	....	3	ci.st.	....	....
11	29·21	29·13	61·0	66·0	75·0	55·0	94	78	N.	2	W.	2	....	....	10	ci.st.	....	....	10	ci.st.	....	....
12	29·14	29·25	62·0	65·0	72·0	57·0	99	78	W.	2	W.	4	·26	·04	....	....	9	cu.st.	....	....	....	....
13	29·36	29·29	61·0	68·0	83·0	55·0	83	64	S.W.	3	S.W.	6	....	....	....	....	....	....	....	....	....	....
14	29·33	29·30	70·0	71·0	90·0	55·0	67	75	S.	6	S.	7	....	....	....	....	4	cu.st.	8	ci.st.	....	....
15	29·29	29·13	70·0	77·0	92·0	60·0	75	81	S.E.	5	S.E.	14	....	R.	....	....	....	....	10	ci.st.	....	....
16	29·19	29·25	67·8	65·8	80·0	59·0	99	79	S.W.	6	S.W.	4	·24	....	....	....	10	st.	2	ci.	....	....
17	29·31	29·29	69·5	72·0	89·0	55·0	72	75	S.	3	S.W.	5	....	....	....	....	....	....	....	....	....	....
18	29·42	29·39	71·0	71·0	85·0	57·0	70	75	W.	4	S.W.	8	....	....	....	....	....	....	....	....	....	....
19	29·38	29·18	70·0	77·0	92·0	58·0	75	68	S.W.	2	S.W.	5	....	....	....	....	....	....	10	ci.st.	....	....
20	29·13	29·25	70·0	69·0	83·0	55·0	84	65	N.W.	3	N.W.	6	....	....	....	....	8	cu.st.	....	....	....	....
21	29·34	29·22	71·0	70·0	81·0	56·0	70	75	W.	2	W.	1	....	....	....	....	....	....	10	ci.st.	....	....
22	29·03	29·10	63·5	68·0	73·0	62·0	98	92	S.E.	12	S.W.	4	·40	·09	....	....	10	st.	....	....	6	cu.st.
23	29·22	29·20	65·0	66·0	82·0	58·0	73	79	N.E.	2	W.	5	....	....	....	....	1	cu.	2	ci.cu.	....	....
24	29·07	29·02	65·0	67·0	84·0	55·0	89	91	S.	8	S.W.	5	....	....	....	....	10	cu.st.	....	....	....	....
25	29·21	29·04	64·8	68·0	80·0	55·0	69	69	N.E.	6	S.W.	5	....	....	....	....	....	....	2	ci.st.	....	....
26	28·89	29·11	65·0	65·0	71·0	58·0	63	53	N.W.	18	N.W.	12	·16	....	....	....	5	cu.st.	....	....	....	....
27	29·21	29·17	65·0	67·0	78·0	58·0	65	64	W.	6	S.W.	6	....	....	....	....	....	....	....	....	....	....
28	29·19	29·09	67·0	70·0	83·0	58·0	75	70	S.W.	4	S.W.	3	....	....	....	....	....	....	....	....	10	cu.
29	29·05	29·08	63·2	62·0	78·0	60·0	87	88	S.	4	S.W.	6	R.	....	....	....	10	cu.st.	2	ci.st.	....	....
30	29·14	29·15	63·0	64·0	75·0	60·0	88	78	W.	7	S.W.	8	....	....	....	....	10	st.	....	....	....	....
31	29·10	29·07	66·0	66·0	82·0	64·0	83	73	S.	6	S.W.	10	....	....	....	....	2	cu.st.	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·10	28·93	65·5	61·0	85·0	55·0	75	94	W.	4	S.E.	8	..	·04	....	..	....	....	....	....	10	st.
2	28·95	29·11	57·0	58·0	67·0	52·0	69	81	S.W.	14	S.W.	12	·16	....	....	....	8	st.	..	..	3	cu st.
3	29·28	29·33	57·0	56·8	68·0	51·0	69	83	S.W.	10	S.W.	6	....	....	....	....	....	....	....	....	....	....
4	29·43	29·39	55·0	57·0	73·0	54·0	90	69	N.E.	3	S.W.	2	....	....	....	....	10	cu.	....	....	....	....
5	29·35	29·25	61·0	68·0	75·0	45·0	65	69	S.E.	9	S.E.	12	....	R.	....	....	....	....	....	....	10	st.
6	29·29	29·32	63·2	66·0	77·0	60·0	87	83	S.W.	2	S.W.	5	R.	....	....	....	10	cu.st.	....	....	....	....
7	29·25	29·32	63·2	70·0	83·0	60·0	99	75	S.	7	N.W.	8	·40	....	5	ci.	....	....	....	....	....	....
8	29·49	29·44	60·0	64·5	76·0	52·0	77	72	N.	5	W.	3	....	....	....	....	....	....	8	ci.cu.	....	....
9	29·48	29·41	62·0	70·0	82·0	50·0	77	70	E.	1	W.	2	....	....	....	....	....	....	....	....	....	....
10	29·42	29·30	67·0	76·0	84·0	53·0	79	60	C.	0	W.	2	....	....	....	....	....	....	1	ci.	....	....
11	29·23	29·16	68·5	77·0	90·0	61·0	84	77	S.E.	6	S.W.	4	....	....	....	....	8	cu.	10	ci.st.	....	....
12	29·10	29·14	69·0	65·0	80·0	64·0	94	78	S.W.	5	S.W.	12	·10	....	....	....	10	cu.st.	....	....	....	....
13	29·26	29·41	66·8	63·0	72·0	58·0	65	62	S.W.	14	N.	12	....	....	....	....	....	....	....	....	10	st.
14	29·62	29·59	58·0	62·0	74·0	50·0	81	74	N.W.	5	W.	8	....	....	....	....	....	....	....	....	....	....
15	29·63	29·44	53·2	65·5	72·0	49·0	99	65	S.E.	4	S.E.	10	....	R.	....	....	10	nb.	2	ci.	....	....
16	29·20	29·11	66·0	70·0	77·0	55·0	68	89	S.E.	20	N.W.	9	....	·38	8	ci.st.	....	....	1	ci.	....	....
17	29·22	29·36	66·0	62·0	78·0	58·0	78	77	S.W.	12	W.	12	....	....	....	....	....	....	....	....	....	....
18	29·65	29·60	54·0	63·0	74·0	47·0	80	72	N.E.	7	S.W.	3	....	....	....	....	....	....	....	....	....	....
19	29·54	29·31	61·8	72·0	84·0	51·0	73	62	S.E.	12	S.E.	12	....	....	....	....	....	....	5	ci.cu.	....	....
20	29·34	29·41	60·0	62·0	75·0	57·0	94	77	N.W.	6	W.	8	·07	....	....	....	10	st.	....	....	....	....
21	29·49	29·45	53·0	59·0	73·0	45·0	83	76	N.E.	4	W.	7	....	....	8	ci.st.	....	....	....	....	....	....
22	29·52	29·54	54·0	63·0	77·0	44·0	93	83	S.	4	W.	4	....	....	4	ci.	....	....	....	....	....	....
23	29·43	29·13	58·2	72·0	85·0	51·0	86	66	S.E.	4	S.E.	14	....	....	....	....	....	....	....	....	....	....
24	28·94	29·10	62·0	60·0	72·0	58·0	88	82	S.W.	5	S.W.	10	·09	..	....	....	....	....	10	ci.st.	....	....
25	29·01	29·09	60·0	60·0	68·0	57·0	82	85	N.W.	16	S.W.	12	....	....	....	....	10	st.	....	....	....	....
26	29·23	29·20	56·8	59·0	70·0	47·0	71	64	N.W.	4	S.W.	6	....	....	....	....	....	....	1	ci.	....	....
27	29·20	29·21	55·0	56·0	67·0	50·0	93	87	E.	3	W.	6	....	·11	10	ci.st.	....	....	....	....	....	....
28	29·30	29·32	50·8	61·5	73·0	42·0	80	79	N.	3	W.	8	....	....	....	....	....	....	....	....	....	....
29	29·39	29·30	57·0	60·0	75·0	47·0	75	82	N.E.	2	S.W.	2	....	....	8	ci.cu.	....	....	1	ci.	....	....
30	29·29	29·37	55·0	62·0	72·0	54·0	100	77	N.	4	N.E.	8	·04	·08	....	....	10	st.	....	....	....	....
31	29·53	29·47	55·0	62·0	71·0	50·0	80	66	N.	8	W.	5	....	....	9	ci.st.	....	....	6	ci.cu.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	8 a.m.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·41	29·11	56·0	61·0	72·0	50·0	93	88	S.E.	5	S.E.	10	.	·06	10	ci.st.	..	..	10	ci.st.	..	..
2	28·98	29·13	60·0	60·0	73·0	57·0	100	88	S.	4	S.W.	6	·02	T.	..	..	10	cu.st.	..	..	10	st.
3	29·10	29·19	56·0	60·0	75·0	51·0	74	82	S.W.	5	W.	3	..	..	..	..	1	cu.	8	ci.st.	..	..
4	29·24	29·25	54·0	64·0	74·0	50·0	93	88	N.E.	6	C.	0	..	..	2	ci.	3	cu.	..	..	..	..
5	29·25	29·19	58·0	58·0	68·0	53·0	100	100	E.	5	N.	2	..	·33	..	..	10	cu.st.	..	..	10	nb.
6	29·20	29·26	58·5	63·2	74·0	50·0	96	87	N.W.	8	N.W.	4	·04	T.	..	..	10	nb.	..	..	9	st.
7	29·25	29·20	61·2	63·0	72·0	56·0	99	88	S.W.	3	C.	0	..	..	..	..	5	st.	..	..	10	nb.
8	29·23	29·26	57·5	64·0	78·0	52·0	98	78	N.E.	4	E.	8	·01	..	..	..	..	..	4	ci.cu.	..	..
9	29·31	29·39	60·0	60·0	70·0	57·0	88	94	E.	10	S.W.	3	·01	·03	..	..	10	st.	..	..	2	cu.
10	29·44	29·24	56·0	64·0	72·0	50·0	99	94	E.	2	N.E.	8	T.	T.	..	..	3	cu.	..	..	10	nb.
11	29·10	29·10	67·0	57·5	71·0	57·0	96	93	S.	6	S.	8	·04	·02	..	..	10	nb.	..	..	7	cu.st.
12	29·24	29·47	55·0	58·0	68·0	50·0	100	100	N.W.	10	S.W.	6	·07	..	..	..	10	st.	..	..	..	..
13	29·54	29·51	59·0	64·0	75·0	53·0	100	94	C.	0	W.	3	..	..	10	ci.st.	..	..	..	..	1	cu.
14	29·50	29·44	66·0	67·0	83·0	58·0	82	79	S.	4	S.W.	7	..	..	..	..	..	..	..	..	..	..
15	29·53	29·53	69·0	67·5	84·0	55·0	79	89	S.W.	4	C.	0	..	..	..	..	..	..	..	..	..	..
16	29·47	29·27	67·0	70·0	74·0	60·0	100	92	S.W.	12	S.W.	18	·33	·54	..	..	10	nb.	..	..	9	cu.st.
17	29·55	29·57	56·2	55·0	70·0	54·0	92	77	N.E.	12	N.E.	12	.	..	..	..	2	cu.	2	ci.cu.	..	..
18	29·57	29·48	52·0	63·0	69·0	46·0	79	77	E.	12	S.E.	8	..	.	9	ci.st.	..	..	..	..	9	cu.
19	29·44	29·30	59·0	61·0	64·0	52·0	87	94	S.E.	6	S.E.	10	..	R.	..	..	10	cu.st.	..	..	9	cu.st.
20	29·12	29·08	68·0	64·0	77·0	60·0	94	83	S.E.	12	S.W.	10	·14	..	7	ci.cu.	..	..	..	..	..	..
21	29·21	29·07	57·0	51·0	69·0	52·0	69	93	W.	3	S.W.	20	..	·03	..	..	4	cu.	..	..	9	st.
22	29·30	29·24	45·0	47·0	58·0	38·0	76	84	C.	0	S.W.	5	·01	R.	..	..	5	cu.st.	..	..	2	cu
23	29·04	28·67	47·5	59·0	65·0	39·0	81	87	S.E.	7	S.E.	16	..	R.	9	ci.st.	..	..	..	..	10	st.
24	28·57	28·83	55·0	51·0	63·0	40·0	86	92	S.W.	20	S.W.	20	·43	·14	..	..	10	st.	..	..	10	cu.st.
25	29·16	29·39	41·5	43·0	53·0	39·0	82	91	N.W.	14	N.W.	10	10	·03	..	..	10	st.	..	..	10	nb.
26	29·44	29·31	42·0	52·0	56·0	38·0	91	86	S.W.	8	S.W.	16	·03	R.	..	..	4	cu.st.	..	..	10	cu st.
27	29·39	29·36	40·0	45·0	57·0	34·0	90	84	N.	2	N.W.	4	..	..	..	..	1	ci.	3	ci.st.	..	..
28	29·38	29·32	42·0	40·0	46·0	38·0	82	82	S.E.	12	N.E.	10	..	·13	10	ci.st.	..	..	..	..	10	st.
29	29·19	29·26	40·2	46·0	48·0	39·0	91	99	N.E.	8	C.	0	·20	R.	..	..	10	st.	..	..	10	st.
30	29·35	29·54	46·0	45·0	58·0	40·0	76	76	S.W.	12	N.W.	5	..	..	..	..	6	cu.	..	..	1	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·62	29·49	35·0	43·0	62·0	31·0	89	75	N.E.	4	C.	0					1	cu.				
2	29·41	29·26	47·0	57·2	65·0	37·0	91	86	S.E.	10	S.E.	12			9	ci.st.			5	ci.st.		
3	29·31	29·08	48·0	62·0	68·0	45·0	96	81	E.	2	S.E.	6			10	ci.st.					01	st.
4	28·92	28·99	56·0	51·0	65·0	51·0	93	83	N.W.	16	S.W.	8	·05				9	cu.st.			2	cu.
5	29·02	29·19	44·0	45·2	55·0	40·0	83	75	N.W.	7	N.W.	10		·06			10	cu.				
6	29·22	29·02	42·0	45·0	55·0	33·0	91	100	S.E.	2	S.E.	14	R.	·61			8	cu.st.			10	nb.
7	28·92	28·80	50·0	44·0	60·0	42·0	100	91	E.	8	N.W.	12	·32	·28			10	st.			10	st.
8	29·27	29·43	32·0	44·0	50·0	30·0	89	83	N.W.	12	S.W.	10	R.									
9	29·40	29·14	44·0	45·5	53·0	33·0	91	96	S.	12	S.	12		·20	5	ci.st.					10	st.
10	29·03	29·08	48·0	45·2	55·0	43·0	92	99	S.W.	10	S.W.	10	13	14			9	st.			10	st.
11	28·95	29·11	44·0	41·0	53·0	41·0	100	91	S.W.	12	S.W.	2	·40	12			8	cu.st.			3	cu.st.
12	29·18	29·39	38·2	40·0	48·0	34·0	99	91	N.	5	N.W.	6	01	07			10	cu.st.			10	cu.st.
13	29·52	29·55	36·8	40·0	45·0	34·0	90	82	N.W.	5	N.E.	3					10	st.			10	cu.st.
14	29·56	29·51	38·2	40·0	50·0	32·0	99	81	E.	3	S.W.	6		R.			9	st.			4	cu.
15	29·55	29·56	33·0	43·0	56·0	30·0	80	91	N.E.	4	W.	2										
16	29·60	29·52	48·5	55·0	58·0	36·0	96	86	S.	10	S.W.	10					10	st.			9	st.
17	29·47	29·21	53·5	59·0	65·0	48·0	85	87	W.	8	S.W.	15	R.				10	st.				
18	29·43	29·48	36·0	38·0	59·0	32·0	80	71	N.W.	8	W.	5					1	cu.			7	cu.st.
19	29·47	29·40	35·0	41·0	45·0	30·0	92	73	S.E.	5	N.W.	10	S.	·08	10	ci.st.					9	cu.st.
20	29·49	29·53	27·0	30·0	40·0	24·0	88	78	N.E.	4	N.W.	5			1	ci.cu.						
21	29·65	29·43	21·0	39·0	44·0	17·0	85	81	N.E.	3	S.W.	10									1	cu.
22	29·18	29·02	47·0	48·2	56·0	37·0	84	77	S.W.	12	S.W.	10					10	cu.st				
23	29·29	29·50	32·0	32·0	48·2	29·0	69	79	N.W.	10	N.W.	6					7	cu.				
24	29·53	29·27	25·0	42·0	50·0	20·0	74	82	S.E.	2	S.W.	12			4	ci.cu.						
25	29·21	29·52	40·0	34·0	44·0	34·0	75	79	W.	10	N.W.	10	·03				1	cu.st.				
26	29·67	29·44	22·0	34·0	41·0	18·0	72	79	C.	0	S.E.	10									1	cu.st.
27	29·09	29·12	36·2	34·0	40·0	31·0	88	79	S.E.	8	N.	6	R.	·08			10	st.			01	st.
28	29·33	29·26	36·2	34·2	41·0	32·0	79	79	N.	10	N.W.	5	R.				10	cu.				
29	29·42	29·57	32·0	33·0	40·0	26·0	94	64	N.	6	N.	12			8	ci.st.					10	cu.st.
30	29·73	29·77	31·2	30·0	40·0	20·0	85	78	N.W.	4	N.W.	4										
31	29·85	29·73	28·0	40·8	52·0	23·0	76	58	E.	4	S.E.	10			4	ci.						

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·61	29·32	36 8	46·0	46·5	34·0	83	69	S.E.	5	S.E.	16	....	....	6	ci.cu.	....	....	....	....	6	st.
2....	28 89	28·71	43·0	49 0	51·0	42 0	98	100	S.E.	18	S.E.	2	·37	·23	..	.....	10	nb.	....	.....	10	nb.
3....	28·74	29 09	38·0	32·0	49·0	32·0	95	79	W.	12	N. W.	12	·17	....	....	.....	10	nb.	....	.....	....	.. .
4 ..	29·25	29·10	25 0	37·0	45·0	23·0	87	100	N.	2	S.E.	10	....	·06	1	ci.st.	....	... .	....	.....	10	nb.
5....	28·99	29 07	40·0	35 0	47·0	35·0	100	98	S.W.	6	N.E.	5	·50	·09	....	.....	10	st.	....	.. ..	10	cu.st.
6....	29·09	29 04	39·0	37·0	45·0	34·0	90	80	E.	9	N.E.	12	R.	R.	..	....	8	cu.st.	....	.....	10	nb.
7....	28 83	29 00	31 0	32·0	39·0	30·0	92	79	N. W.	12	N. W.	12	S.	·05	10	ci.st.	....	..	....	..	10	st.
8....	29·07	29 11	31·0	39 0	45 0	25·0	89	81	E.	5	S.W.	14	....	R.	10	ci.st.	....	.....	....	.....	....	... .
9....	29·12	28·97	39 0	39·0	42·0	30·0	89	81	S.	20	S.W.	12	....	·03	10	ci.st.	...	....	....	..	10	nb.
10....	29·09	29·27	33 0	35·0	39·0	30 0	92	69	W.	10	N. W.	3	·05	·08	....	.....	10	cu.st.	....	.....	10	cu.st.
11....	29·43	29·60	29 0	29·0	35·0	26·0	77	77	N. W.	8	N.	8	S.	....	....	.....	10	cu.	....	...	10	st.
12....	29·62	29·30	21·0	33·0	35·0	20·0	86	80	N.E.	2	S.W.	10	S.	S.	....	.....	10	st.	....	.....	10	cu st.
13....	29·15	29·12	34·0	28·0	35·0	28 0	79	76	S.	16	N. W.	10	....	·10	....	.....	10	cu.	....	.....	10	st.
14....	29·44	29·43	10·0	24·0	30·0	8·0	58	86	N. W.	9	E.	2	..	·30	....	.....	5	cu.	....	...	10	nb.
15....	29·44	29·59	31·0	26·0	35·0	24·0	92	75	S.W.	8	W.	3	·30	....	10	ci.st.	....	.....	7	ci.cu.	....	.....
16....	29·55	29·45	33·0	36·0	37·0	20 0	80	80	S.W.	8	S.W.	12	....	...	10	ci.st.	....	.....	....	.. .	10	cu.st.
17....	29·53	29 44	35·0	38·0	43·0	35 0	79	81	E.	4	S.W.	12	....	....	10	ci.st.	....	.....	....	.....	....	....
18....	29·39	29·43	38·0	36·5	48·0	35·0	81	75	S.W.	5	C.	0	....	....	....	.....	10	st.	..	.....	1	cu.
20....	29·65	29·69	37·0	27·5	37·0	25 0	78	76	N.	10	N.	5	....	..	....	.....	10	cu.st.	....	....	....	.....
19....	29·65	29·28	26·0	35·0	40·0	22·0	75	69	E.	8	S.E.	14	....	. .	2	ci.st.	....	.....	..	..	10	st.
21....	28·93	29·23	45·0	42·0	47·0	35·0	99	90	S.	16	S.	12	·29	·06	....	.....	10	nb.	....	....	10	cu.st.
22....	29·37	29·50	42·0	40·0	45·0	37·0	86	73	S.W.	10	S.W.	10	R.	....	....	.....	10	st.	....	.....	9	st.
23....	29·68	29·71	27·0	32·0	42·0	25 0	68	79	N.	2	N.	8	·01	....	....	.....	....	.....	....	.....	....	.....
24....	29·76	29·66	22·0	27·0	40·0	20·0	72	74	N.E.	2	S.W.	2	....	....	....	.....	....	.....	....	.....	....	.....
25....	29·49	29·19	21·0	29·0	35·0	17·0	71	77	E.	6	E.	8	....	....	....	.....	6	cu.st.	....	....	....	.....
26....	28·93	29·21	33·0	34·5	35·0	26·0	97	94	E.	6	N. W.	8	S.	·40	10	ci.st.	....	....	....	....	10	st.
27 ...	29·32	29·05	26·0	30·0	35·0	25·0	78	98	N.	6	E.	10	....	S.	....	.....	10	cu.	10	ci.st.	....	.....
28....	28·97	29·23	26·0	22·0	30·0	22·0	87	89	E.	8	N. W.	6	·30	20	10	ci.st.	....	..	....	.....	10	nb.
29...	29·46	29·48	15·5	21·0	27·0	15·0	73	85	E.	5	N.E.	6	05	·05	.0	ci.st.	....	....	...	..	10	st.
30....	29·50	29·40	23·0	26·0	29·0	19·0	86	93	E.	6	S.E.	10	S.	S.	10	ci.st.	....	....	....	.....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Parry Sound, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 p.m.	8 a.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·26	29·20	28·0	26·0	30·0	19·0	90	87	S.E.	10	E.	5	·20	·80	10	ci.st.	....	.....	....	.....	10	nb.
2....	29·33	29·39	16·0	13·0	26·0	13·0	65	81	N.W.	10	N.E.	6	....	S.	10	ci.st.	....	.....	....	.....	10	st.
3....	29·47	29·64	7·0	6·0	17·0	4·0	53	52	E.	8	N.	5	S.	....	10	ci.st.	....	.....	....	.....	....	.....
4....	29·72	29·67	6·0	8·0	16·0	4·0	71	55	N.	8	N.W.	2	....	....	....	.....	10	st.	....	.....	....	.....
5....	29·48	29·30	25·0	34·0	34·0	1·0	87	89	S.W.	8	S.W.	12	....	....	....	.....	8	cu.	....	.....	10	st.
6....	29·31	29·32	35·0	33·0	38·0	33·0	79	80	S.W.	6	S.	8	....	....	....	.....	10	st.	....	.....	10	st.
7....	29·43	29·40	36·0	34·0	38·0	31·0	90	81	S.W.	6	S.	10	....	....	10	ci.st.	....	.....	....	.....	10	st.
8....	29·34	29·36	35·0	38·0	40·0	33·0	98	100	S.E.	5	S.E.	3	·37	....	....	.....	10	nb.	....	.....	10	st.
9....	29·20	28·88	37·0	40·0	43·0	34·0	95	91	S.E.	8	S.E.	6	....	T.	....	.....	10	st.	....	.....	10	st.
10....	28·74	28·92	26·0	21·0	45·0	21·0	98	85	N.W.	10	N.	16	·24	....	....	.....	10	nb.	....	.....	10	cu.st.
11....	28·99	29·12	13·0	12·5	22·0	12·0	91	71	N.W	8	N.	8	·05	....	10	ci.st.	....	.....	5	cu.st.	....	....
12....	29·36	29·47	0·0	10·0	18·0	— 2·0	39	58	N.W.	7	N.W.	2	....	....	....	.....	1	cu.	....	.....	....	.....
13....	29·54	29·51	10·0	25·5	26·0	3·0	58	81	E.	2	N.E.	6	....	....	....	.....	8	cu.st.	....	.....	10	st.
14....	29·39	29·06	24·0	18·0	26·0	18·0	86	88	N.E.	16	N.E.	16	....	·20	....	.....	10	st.	....	.....	....	.....
15....	28·91	28·84	20·0	26·5	27·0	18·0	70	81	N.E.	8	N.E.	4	·40	·40	10	ci.st.	....	.....	....	.....	10	st.
16....	28·95	29·10	23·5	21·0	27·0	21·0	91	85	N.W.	6	N.W.	5	S.	·10	....	.....	10	st.	....	.....	10	cu.st.
17....	29·30	29·37	13·0	13·0	22·0	12·0	81	62	N.W.	5	W.	5	....	....	4	ci.st.	....	.....	....	.....	3	cu.
18....	29·32	29·26	14·0	21·0	25·0	7·0	86	92	E.	2	E.	1	....	·20	....	.....	10	st.	....	.....	10	cu.st.
19....	29·30	29·28	25·0	31·0	31·0	17·0	87	89	W.	6	S.W.	10	·30	·10	....	.....	10	st.	....	.....	10	cu.st.
20....	29·24	29·31	32·0	33·0	34·0	28·0	94	94	S.W.	12	S.W.	14	....	....	....	.....	10	cu.st.	....	.....	10	cu.st.
21....	29·64	29·54	18·0	35·0	35·0	16·0	68	92	N.W.	2	S.W.	12	....	....	....	.....	....	.....	....	.....	10	cu.st.
22....	29·46	29·22	32·0	30·0	35·0	30·0	89	89	S.W.	10	S.	10	....	....	....	.....	10	st.	....	.....	10	st.
23....	28·84	28·50	30·0	32·0	34·0	28·0	89	94	N.E.	10	N.W.	10	S.	·30	10	ci.st.	....	.....	....	.....	10	st.
24....	28·72	29·00	28·0	26·0	34·0	26·0	86	87	S.W.	9	N.W.	9	·10	..	..	.....	9	cu.st.	....	.....	9	cu.st.
25....	29·03	29·07	25·0	33·0	34·0	14·0	87	89	S.E.	10	W.	10	....	R. ·05	10	ci.st.	....	.....	....	.....	10	st.
26....	29·43	29·30	40·0	24·0	33·0	4·0	74	86	N.E.	9	S.E.	10	..	....	9	ci.st.	....	.....	....	.....	10	cu.st.
27....	28·94	28·96	40·0	42·0	43·0	24·0	95	100	S.	10	S.W.	10	....	R.	10	ci.st.	....	.....	....	.....	10	st.
28....	29·09	29·42	33·5	14·0	42·0	14·0	94	63	N.W.	10	N.W.	0	R.	....	....	.....	10	st.	....	.....	....	.....
29....	29·31	29·29	29·0	32·0	35·0	10·0	88	87	S.W.	10	S.E.	8	....	....	....	.....	10	st.	....	.....	10	cu.st.
30....	28·70	28·92	30·0	21·0	33·0	21·0	92	85	N.E.	9	N.W.	12	·10	·20	....	.....	10	st.	....	.....	10	st.
31....	29·19	29·19	4·0	29·0	31·0	— 3·0	74	88	S.E.	6	N.W.	16	....	·60	10	ci.st.	....	.....	....	.....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario: Latitude North, 44° 30′; Longitude West, 81° 21′. Height above Sea, 656 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·37	29·66	33·0	30·0	37·0	28·6	90	80	W.	12	W.	12	·10	..	....	....	10	cu.	...	...	10	cu.
2.	29·78	29·66	26·0	30·0	32·0	24·1	89	79	E.	6	E.	6	S.	....	..	....	10	cu.	....	.....	10	cu.
3.	29·33	29·14	35·0	37 0	39·0	28·3	71	99	E.	14	S.	4	·05	·06	....	.....	10	cu.	....	.. ..	10	fog.
4.	29·12	29·27	32·0	32·0	37·1	27 6	90	71	N.	20	W.	18	....	....	...	.. ..	10	cu.	....	....	10	cu.
5.	29·33	29·39	35·0	30 0	38·0	28·3	71	92	W.	10	C.	0	....	....	....	....	10	st.	....	.....	...	.....
6 .	29·28	29·39	32·0	36·0	40·8	29 1	90	90	C.	0	S.	3	..	....	...	.....	....	.....	....	.....	....	.....
7.	29·50	29·50	34·0	34 0	37·4	32·1	89	89	C.	0	E.	10	....	·02	..	....	10	fog.	..	....	10	cu.
8.	29·36	29·30	34·0	35 0	37·1	32·1	89	78	E.	4	W.	18	·03	....	...	.....	10	cu.	....	.....	10	cu.
9.	29·39	29·45	19·0	18·0	38·0	12·0	100	89	N.W.	28	W.	19	05	·02	...	....	10	cu.	....	....	10	cu.
10	28·99	28·78	19·0	29·1	31 0	15·2	89	79	S.E.	20	S.W.	32	...	·10	...	.....	10	cu.	....	.....	10	cu.
11.	29·10	29·34	25·0	19·5	31·0	18·0	88	82	W.	25	E.	8	·02	...	8	ci.cu.	....	.. ..	4	ci.	...	.....
12.	29 07	29·40	19·0	24·0	25 5	17·1	91	88	S.E.	18	C.	0	·05	....	....	.. ..	10	cu.	....	.....	10	cu.
13.	29·61	29·48	24·0	25·0	30·0	20·1	95	88	E.	4	E.	10	....	....	....	.....	10	cu.	....	.....	10	cu.
14.	29·33	29·40	30·5	33·0	37·0	23·1	95	91	C.	0	W.	18	·04	....	....	.....	10	st.	....	.....	10	st.
15.	29·57	29·68	16·5	11 0	33 0	10·1	88	93	N.	20	N.E.	10	....	S.	....	.. ..	10	cu.	....	....	10	nb.
16.	29·74	29·74	11·0	10·0	14·0	10·0	92	94	E.	18	E.	10	....	....	..	.....	10	nb.	....	....	10	cu.
17.	29·52	29·42	10·0	20 0	20·0	8·1	98	88	E.	12	E.	0	..	....	..	....	10	cu.	...	.. ..	10	cu.
18.	29·38	29·44	25·5	31·0	32·5	20·0	95	90	S.E.	6	S.	5	S.	S.	....	..	10	nb.	....	.....	10	cu.
19	28·93	28·46	36·0	55·0	55·2	28·1	80	82	E.	15	E.	30	·06	·06	..	....	10	cu.	....	.....	10	cu.
20.	28·52	29·30	32·0	18·0	57·8	16·1	90	95	W.	38	W.	40	07	·15	....	.....	10	cu.	....	....	10	cu.
21	29·57	29·63	6·4	14·1	2 0	6·1	95	95	E.	10	W.	12	·20	05	....	....	10	cu.	....	.....	10	cu.
22.	29·52	29·80	10·4	3·0	14·2	2·1	93	92	E.	10	E.	18	1 0	·05	....	...	10	cu.	....	.....	10	nb.
23.	29·89	29·91	— 1·2	— 5·2	3·0	— 7·1	94	93	E.	6	E.	12	·02	....	....	.....	10	cu.	....	.....	10	cu.
24.	29·81	29·48	— 8·2	5 4	5·5	—16 1	99	93	E.	10	E.	12	....	·05	....	.....	10	cu.	....	.....	10	cu.
25.	29·20	29·20	9·0	19·0	22·2	3·6	94	89	E.	14	W.	15	·10	·01	....	.....	10	cu.	....	.....	10	cu.
26.	29·40	29·59	14·5	7·0	21·0	5·1	87	93	N.W.	18	E.	12	·05	...	....	.....	10	st.	..	.....	10	cu.
27.	29·58	29·59	12·0	20 0	20·0	5·2	98	97	E.	4	E.	18	S.	·02	..	....	10	st.	....	....	10	cu.
28	29·65	29·65	17·1	16 1	21·0	13·1	87	86	W.	16	W.	18	....	....	....	.....	10	nb.	....	....	10	nb.
29.	29 71	29·55	16·0	18·0	20 0	12·1	88	87	W.	16	W.	12	...	·05	....	...	10	cu.	....	.....	10	st.
30.	29·71	29·84	8·0	— 3·2	20·0	— 3·2	98	57	E.	6	E.	6	·02	....	..	.....	10	cu.	....	..	...	.....
31.	29·66	29·49	13·0	19·0	22·0	— 5·1	83	87	E.	4	C.	0	S.	·01	....	.....	10	st.	..	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·43	29·10	23·0	30·0	31·5	9·1	91	90	S.E.	4	E.	10	....	....	....	.....	10	st.	....	.....	10	st.
2	28·83	28·83	34·0	20·0	36·0	17·2	88	90	E.	14	W.	35	....	·02	....	.....	10	st.	...	.....	10	st.
3	29·37	29·58	10·1	11·1	36·1	8·1	100	96	N.W.	38	N.W.	14	·05	·05	....	.....	10	st.	....	... .	10	nb.
4	29·72	29·61	6·7	8·0	26·0	— 9·0	76	96	W.	8	E.	14	·02	S.	6	ci.cu.	....	.....	....	.....	10	cu.
5	29·49	29·51	7·0	7·1	12·0	4·1	96	98	E.	8	S.E.	12	....	·01	....	.....	10	st.	...	.....	8	cu.
6	29·59	28·74	4·9	15·0	18·0	2·1	95	81	E.	6	W.	8	·01	....	1	ci.cu.	....	.....	1	ci.cu.	....	.....
7	29·77	29·63	18·0	9·0	22·0	6·3	90	83	E.	6	E.	10	....	....	....	.....	10	cu.	....	.. ..	....	.....
8	29·52	29·50	18·0	23·0	26·0	7·1	90	77	S.E.	14	E.	12	·02	....	....	.....	10	st.	....	.....	10	cu.
9	29·26	29·13	24·0	29·0	34·0	19·1	88	84	E.	8	S.E.	8	·02	....	..	.....	10	st.	...	.....	10	cu.
10	28·67	29·05	31·0	23·0	34·1	21·6	91	88	S.W.	10	N.W.	25	·05	·01	...	.....	10	st.	....	.....	10	cu.
11	29·25	29·43	— 4·2	— 5·2	26·0	— 6·6	99	86	E.	14	E.	14	·05	....	....	.....	10	cu.	....	.....	....	.....
13	29·56	29·52	— 1·7	8·0	13·0	— 7·1	79	98	E.	10	E.	10	·01	....	....	.....	10	cu.	4	ci.cu.	...	.....
13	29·26	28·75	22·1	41·5	41·5	6·6	89	37	S.E.	15	S.E.	25	·05	....	...	.....	10	st.	....	.....	....	....
14	28·88	29·34	24·5	15·5	42·0	12·1	95	79	N.W.	20	W.	18	·01	....	....	.....	10	st.	....	.....	....	..
15	29·31	28·98	20·0	33·0	33·0	14·1	89	90	S.	15	W.	8	....	·20	...	... .	10	cu.	....	.....	10	st.
16	29·13	29·21	31·1	24·5	36·0	22·0	90	94	S.E.	6	S.W.	10	·01	S.	....	. ..	10	cu.	....	.. ...	10	st.
17	29·34	29·63	15·0	3·6	36·1	3·6	89	92	N.E.	16	C.	0	S.	...	....	.....	10	cu.	....	.....	....	.....
18	29·34	28·94	14·5	31·0	32·2	14·5	87	80	E.	12	E.	26	....	...	....	...	10	st.	....	... ..	10	nb.
19	28·64	28·93	33·0	29·0	35·0	21·1	90	60	C.	0	S.E.	4	·02	....	....	.....	10	st.	....	.....	10	cu.
20	29·04	29·03	25·0	15·0	30·0	12·2	77	89	S.W.	6	W.	14	S.	·02	...	.....	10	nb.	....	....	10	cu.
21	29·11	29·32	— 6·2	— 9·4	16·0	— 7·7	100	94	C.	0	N.	20	....	·10	..	....	....	.....	....	... .	10	nb.
22	29·70	29·84	— 8·2	8·0	11·0	—10·1	100	93	E.	8	E.	10	·05	·03	....	....	....	....	....	.....	10	nb.
23	30·01	29·88	—12·9	5·0	18·0	—13·1	95	92	C.	0	C.	0	·02	....	....	.....	....	.....	....	.....	...	.....
24	29·44	29·18	17·0	29·0	29·0	2·1	88	90	E.	14	W.	18	...	·02	...	.....	10	cu.	....	.....	10	cu.
25	29·54	29·69	11·6	10·4	29·0	10·4	88	64	S.W.	21	N.W.	10	....	....	....	.....	10	nb	9	ci.cu.	....	.....
26	29·62	29·34	8·4	20·0	26·5	1·6	94	96	E.	12	S.E.	14	....	....	8	ci.cu.	....	.....	....	.....	9	cu.
27	29·69	29·72	2·3	3·4	20·0	0·0	99	95	E.	10	E.	10	....	...	....	.....	....	...	....	....	....	....
28	29·66	29·68	11·1	17·1	24·0	2·0	98	88	E.	6	E.	14	S.	....	...	.....	10	st.	....	.. ..	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·54	28·99	18·5	35·0	37·0	16·1	89	80	E.	15	S.E	18	..	·02	...	.. .	9	cu.	....	....	10	nb.
2 ...	28·81	28·86	33·0	26·0	37·0	24·6	89	95	W.	14	W.	25	·60	...	....	.....	10	st.	...	...	10	cu.
3....	29·05	29·34	11·0	9·0	26·0	8·1	94	89	E.	15	N.W.	6	....	....	...	.....	10	st.	....	.....	9	ci.
4 ..	29·46	29 41	4·0	20·0	24·0	7·6	93	90	C.	0	E.	10	....	....	4	ci.	4	st.	...	.. ..	10	cu.
5....	29·12	29·19	16·0	24 5	30 0	10·1	95	95	E.	6	N.W.	20	....	....	10	ci.cu.	....	....	..	....	10	nb.
6 ...	29·73	29·76	6·0	5·0	25 2	4·2	98	97	N.	8	E.	4	....	....	1	ci.cu.	....	.....	1	ci.	....	.....
7....	29·52	29·22	10·0	24·0	30·0	— 1·2	92	88	E.	12	S.E.	10	....	....	10	ci.cu.	....	....	...	.....	10	cu.
8....	29·37	29·48	26·0	24·2	31·2	19·6	89	88	W.	6	W.	14	....	....	....	.....	10	st.	....	.. .	.. .	.....
9 ..	29·60	29·64	10·0	19·0	30 0	8·1	83	89	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	..	....
10....	29·58	29·55	15·5	24 2	37·0	12·2	81	99	E.	6	C.	0	....	....	8	ci.	....	...	...	...	...	. .
11....	29 68	29·49	20·0	14·0	39·5	10·2	75	89	C.	0	S.	8	....	....	....	.....	....	.....	5	ci.	....	.. ..
12....	29·08	29·01	34·5	36·1	40·0	29·1	75	99	E.	15	S.	8	·02	....	....	.....	10	st.	....	.....	10	cu.
13 ...	29·07	29·13	33·0	33·0	37·0	30·1	90	91	N.W.	12	C.	0	...	..	....	.....	10	cu.	....	. ...	4	cu.
14....	29·15	29·34	26·0	27·0	33·1	24·1	89	90	S.E.	6	E.	10	....	....	....	... .	10	cu.	1	ci.cu.	....	.....
15....	29·40	29·61	31·5	27·0	38·0	20·1	85	90	S.	18	W.	6	....	....	....	.....	10	cu.	...	.	....	.... .
16....	29·57	29·22	30·0	45·1	46 8	20·0	79	62	E.	12	E.	20	....	....	....	.....	10	cu.	....	.... .	10	cu.
17....	29·36	29 60	32·0	28·0	45·4	26·1	96	95	N.W.	15	C.	0	...	...	5	ci.cu.	...	.....	...	. . .	...	.....
18....	29·75	29·65	28·0	30·0	35·0	16·1	77	81	C.	0	E.	10	..	....	....	.....	....	.....	..	.. ..	10	cu.
19....	29·00	28·79	31·5	34·0	42·0	30·0	88	90	E.	18	N.W.	30	...	·01	...	.....	10	nb.	5	ci.cu.	....	.....
20....	29·43	29·51	22·2	21·0	35·0	19·3	84	91	W.	18	E.	4	...	....	....	... .	....	.....	1	ci.cu.	....	.....
21....	29·31	29 04	30·0	40·0	46·0	20·1	95	64	E.	12	S.E.	10	....	....	....	... .	10	cu.	....	.....	10	cu.
22 ...	28·91	29·11	46·0	40·0	56·0	39·0	77	81	E.	14	E.	8	...	....	6	ci.cu.	....	.....	3	ci.cu.	....	.....
23....	29·35	29·11	35·0	44·0	48·0	30·1	80	68	E.	4	S.W.	15	....	R.	....	.....	10	cu.	...	.....	10	cu.
24. ..	29·08	29·48	34·1	35·0	44·3	32·6	94	91	N.W.	10	C.	0	·45	....	....	.....	10	st.	...	.....	....	. ...
25....	29·56	29·25	35·0	45·0	53·8	35·0	80	76	C.	0	S.	10	....	...	....	.....	10	cu.	10	ci.	....	....
26 ...	29·24	29·23	42·0	42·0	46·3	38·3	91	91	N.	6	E.	15	·24	·11	....		10	st.	...	. .	10	nb.
27 ..	29·01	29·04	58·1	50·1	60·2	40·1	79	91	S.	12	S.W.	10	·05	·02	....	.....	....	... ..	...	....	10	fog.
28 ..	29·18	29·40	41·2	36·0	53·8	34·2	90	89	N.	6	E.	6	·01	...	4	ci.cu.	..	.....	....	.....	.....	. .
29...	29·05	29·04	40·0	41·0	60·3	34·1	82	91	E.	10	W.	18	·39	·02	....	....	10	nb.	....	.....	5	cu.
30....	29·52	29·49	35·5	38 0	45·8	33·6	66	64	W.	18	W.	20	....	....	1	ci.cu.	...	.....	1	ci.cu.	..	.....
31 ...	29·73	29 76	20·0	22·0	37·0	20·1	89	90	N.W.	20	W.	25	....	....	...	.....	10	cu.	...	.....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	3 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·89	29·78	17·8	17·0	25·2	14·3	99	97	N.	18	C.	0	·01	....	1	ci.cu.	....	.....	....	.....	....	.....
2	29·71	29·49	24·0	33·0	36·0	12·1	77	90	N.	10	S.W.	10	....	....	....	.....	....	.....	....	....	10	cu.
3	29·48	29·33	37·0	42·0	48·0	32·0	55	91	E.	8	N.	8	....	·08	3	ci.st.	4	st.	....	.....	10	st.
4	29·16	29·03	40·0	36·0	48·2	36·1	92	90	E.	6	N.E.	10	R.	·19	....	.....	10	cu.	....	....	10	nb.
5	29·38	29·53	22·1	26·1	37·0	20·1	89	77	N.	18	W.	12	·05	....	....	.....	10	nb.	....	.....	....	.....
6	29·57	29·40	26·2	31·0	43·0	22·1	74	80	E.	18	E.	15	....	....	....	.....	....	.....	....	.....	....	.....
7	29·13	28·63	35·0	37·0	41·0	27·3	71	80	E.	16	E.	25	....	·05	3	ci.cu.	....	....	....	.....	10	cu.
8	28·57	28·62	36·0	35·0	40·0	32·0	90	90	E.	8	E.	14	·05	·02	....	.....	10	fog.	....	....	10	nb.
9	28·66	28·74	34·0	35·0	37·0	32·1	89	81	S.E.	10	E.	4	·17	....	....	.....	10	nb.	....	.....	10	nb.
10	28·82	29·00	30·0	34·0	37·0	20·1	90	80	S.	15	W.	24	·03	....	....	.....	10	nb.	....	.....	....	.....
11	29·16	29·12	30·0	30·0	35·0	27·3	79	91	N.W.	8	W.	6	....	....	....	.....	10	cu.	....	....	3	ci.cu.
12	28·96	29·01	34·0	36·0	43·8	28·1	81	90	S.	3	C.	0	....	S.	....	.....	10	cu.	....	..	10	cu.
13	29·10	29·19	31·0	31·0	38·0	29·2	82	90	N.W.	8	N.W.	18	S.	....	....	....	10	cu.	....	.....	10	cu.
14	29·30	29·34	23·0	30·0	34·0	22·1	91	90	W.	12	W.	18	S.	....	....	....	10	nb.	....	.....	10	cu.
15	29·42	29·21	29·8	31·0	35·0	22·6	81	90	S.W.	10	C.	0	....	S.	....	....	....	.....	....	.....	10	st.
16	28·92	28·87	32·0	32·0	32·0	28·1	90	90	S.	12	W.	18	·12	·01	....	.....	10	cu.	....	....	10	nb.
17	29·22	29·29	31·0	31·0	36·0	29·1	80	81	W.	8	W.	15	·01	....	....	....	....	.....	1	ci.cu.	....	.....
18	29·34	29·31	22·5	32·0	33·0	29·1	96	80	N.	15	W.	5	S.	....	5	ci.cu.	....	.....	....	....	....	.....
19	29·26	29·29	33·0	33·0	39·0	27·1	81	79	N.	8	W.	16	....	....	3	ci.cu.	....	.....	2	ci.cu.	....	....
20	29·46	29·59	26·0	31·0	35·0	25·0	89	70	E.	16	N.	8	....	....	....	..	....	.. ..	....	.. .	....	.....
21	29·67	29·40	37·0	41·0	48·8	28·6	61	37	W.	10	S.W.	20	....	....	....	. ..	....	.....	....	.....	....	.....
22	29·17	29·16	46·0	38·0	59·8	37·1	47	90	S.W.	28	S.	8	....	....	5	ci.cu.	....	....	8	ci.	....	....
23	29·08	28·98	46·0	38·0	54·8	30·1	41	67	S.E.	10	W.	15	....	....	....	....	....	.....	8	ci.cu.	....	.....
24	29·28	29·22	37·0	41·0	43·8	32·1	71	74	E.	10	S.	4	....	....	....	. .	....	.....	....	.....	10	nb.
25	29·13	29·33	35·0	33·0	42·0	31·1	89	71	N.	16	W.	16	·48	....	....	....	10	st.	....	.....	9	cu.
26	29·39	29·56	37·0	34·0	41·0	25·1	62	90	E.	14	C.	0	....	..	....	.....	....	.....	....	.....	....	....
27	29·69	29·59	37·5	39·1	50·8	22·1	52	61	S.E.	8	E.	8	....	....	.	.. ..	....	.....	4	ci.cu.	....	.....
28	29·41	29·26	45·1	52·1	61·8	34·1	60	61	E.	14	E.	9	....	....	....	.....	8	cu.	....	.....	10	cu.
29	29·16	29·26	53·1	36·0	53·8	34·6	92	89	S.W.	16	E.	6	·25	·02	....	. .	10	cu.	....	.. ..	10	cu.
30	29·18	29·39	31·5	31·0	36·0	29·1	85	90	E.	16	E.	2	·53	S.	....	. ..	10	nb.	....	.....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1....	29·60	29·58	35·5	34·1	42·8	26·6	66	88	W.	6	E.	1	....	....	....	....	....	.....	3	ci.cu.	....	.. .
2....	29 61	29·47	42 5	40·0	49·8	27·1	19	64	E.	4	S.	1	....	....	....	....	....	. ..	1	ci.	....	.....
3....	29·45	29 36	45·1	34·0	45·3	34·0	67	80	S.	8	W.	10	....	....	....	....	....	...	....	..	10	nh.
4....	29·31	29·49	34·0	35·0	40·0	29·1	84	79	E.	15	W.	8	....	·04	....	.....	10	nb.	....	.....	....	. ..
5....	29·55	29·36	40·0	38 1	44·9	28·6	66	89	E.	6	W.	4	·12	..	....	.. .	....	...	10	ci.	..	. . .
6....	29·33	29·30	46·1	42·0	47·8	35·6	74	68	E.	10	C.	0	R.	....	....	.....	9	cu.	....	.....	....	.....
7....	29·30	29·35	45·1	38·0	47·0	34·1	77	73	S.	4	W.	6	....	....	10	ci.	....	.....	6	ci.	....	.....
8....	29·37	29·26	41·0	40·0	52·1	30·2	65	82	E.	5	E.	16	....	..	....	... .	10	cu.	....	....	9	cu.
9....	29·23	29·14	48·1	40·0	61·1	35·6	75	72	S.	12	W.	15	....	....	4	ci.st.	...	.....	...	...	10	cu.
10....	29·32	29·27	32·1	35·0	40·2	28·1	78	70	W.	20	C.	0	·05	....	....	.....	10	cu.	1	ci.	....	.....
11....	29·39	29·42	34·8	32·1	36·4	29·3	56	88	E.	12	E.	4	..	..	....	....	. .	...	1	ci.cu.	....	..... .
12....	29·38	29·05	35·0	46·1	48 8	24·1	79	82	S.	10	S.	10	....	.. .	.	.....	10	cu.	....	....	10	cu.
13 ...	28·99	29·01	54·3	56·2	78·0	45·2	58	73	S.	21	W.	6	....	....	.	.....	10	cu.	....	...	10	cu.
14....	29·09	29·02	59·2	70·4	79·2	54·3	68	66	S.	4	S.	10	....	....	7	ci.cu.	..	... ..	3	ci.	....	. . .
15....	28·96	28·98	64·6	49·1	70·7	49·0	67	91	S.E.	18	S.W.	12	....	·26	....	....	10	cu.	..	.....	10	cu.
16....	29 16	29·16	47·1	47·1	54·8	40·1	67	82	S.	22	S.	16	....	....	2	ci.	...	.....	5	ci.cu.	...	..
17....	29·26	29 17	49·2	55·1	56·1	40·1	77	79	S.E.	13	S.	6	..	...	....	.....	9	cu.	4	ci.cu.	....	....
18....	29·10	29 15	58·1	44·1	61·8	44 1	72	51	S.	5	E.	8	....	....	8	ci.cu.	....	....	....	.....	....	.....
19...	29·20	29·29	50·1	38·0	54·8	36·6	39	71	E.	6	W.	18	....	..	7	ci.	....	.....	9	ci.cu.	....	....
20....	29·41	29·43	40·0	37·0	41·8	33·4	55	71	E.	6	W.	26	....	....	5	ci.	....	.....	....	.....	....	.....
21....	29·59	29·13	39·1	39·0	44 0	35·1	62	62	E.	16	W.	18	...	....	1	ci.	....	....	....	.....	....	.....
22....	29 49	29·40	46·0	44·6	48·8	29·1	61	86	S.	5	C.	0	...	·02	....	....	10	cu.	10	cu.	....	.....
23. ..	29·44	29·45	49·2	42·2	52·8	37·9	69	85	E.	6	W.	6	·02	....	7	ci.	....	.....	7	ci.	..	. . .
24....	29·53	29·50	52·1	50·1	60·3	32·1	32	34	E.	6	E.	10	....	....	....	.. ..	....	....	10	ci.	....	...
25....	29·48	29·16	51·1	49·1	64·1	39·1	39	63	S.E.	16	S.E.	14	....	·02	6	ci.	....	.. ..	....	.....	10	cu.
26....	28·95	28·81	50·9	52·6	70·5	48·2	93	92	S.	6	E.	4	·18	·39	....	....	....	.....	....	.....	....	.....
27....	28·76	29·13	39·1	34·0	52·6	32·2	90	89	W.	14	W.	45	07	·25	....	.....	10	cu.	....	. .	10	cu.
28....	29·33	29·31	40·0	43·1	46·8	32·1	73	70	W.	22	W.	2	·05	R.	10	ci.st.	....	.....	10	ci.	....	.....
29....	29·35	29·33	47·1	43·1	59·8	40·6	83	83	S.	7	C.	0	·07	....	..	.....	10	cu.	....	....	....	.....
30....	29·44	29·41	52·6	44·1	59·8	32·6	55	84	E.	8	C.	0	...	.. ..	....	....	....	.....	....	.. ..	....	.....
31....	29·47	29·36	51·1	57·1	66·2	35·0	65	57	E.	10	E.	7	...	....	....	.....	..	.....	...	.. ..	2	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·23	29·07	57·1	55·1	66·0	46·2	62	79	E.	4	S.E.	14	....	....	....	...	9	cu.	..	.....	10	cu.
2....	29·10	29·05	55·1	59·2	70·2	49·2	67	68	E.	10	E.	5	....	....	8	ci.cu.	....	.....	1	ci.cu.	....	.....
3....	29·15	29·12	53·1	58·1	67·1	40·1	78	64	C.	0	C.	0	....	....	....	.....	....	....	...	....	10	cu.
4....	29·11	28·78	60·1	55·2	66·0	54·3	69	91	S.E.	8	S.E.	16	....	·22	...	...	10	cu.	....	....	10	cu.
5....	29·67	28·95	45·6	43·1	55·0	42·1	94	83	S.W.	20	W.	18	·22	·14	...	....	10	fog.	....	....	10	st.
6....	29·14	29·25	44·1	47·1	49·8	40·3	83	77	N.W.	20	N.	6	·01	....	1	ci.cu.	....	.....	8	ci.cu.	....	.....
7....	29·29	29·29	51·6	48·1	55·8	35·1	71	83	S.	3	C.	0	....	....	....	.....	....	.....	....	....	....	.....
8....	29·37	29·37	57·1	55·1	61·9	37·1	69	76	E.	4	N.	6	....	....	....	..	....	..	1	ci.cu.	....	.....
9....	29·42	29·37	60·1	60·1	66·0	38·1	58	56	E.	8	E.	6	....	....	1	ci.	....	.....	....	.....	....	.....
10....	29·50	29·23	64·2	64·3	74·2	43·0	56	86	S.E.	9	S.E.	16	....	....	....	.....	....	....	6	ci.cu.	....	.....
11....	29·14	29·21	64·2	60·1	74·0	50·3	70	88	S.E.	17	S.E.	10	....	....	5	ci.cu.	....	....	5	ci.cu.	....	....
12....	29·35	29·33	62·1	62·1	74·0	48·2	56	59	S.E.	14	S.E.	14	....	....	....	....	....	.....	....	.....	....	.....
13....	29·30	29·24	60·1	63·2	76·0	48·2	74	88	E.	9	E.	6	....	....	10	ci.cu.	....	.....	....	.....	....	....
14....	29·31	29·23	55·1	53·2	67·2	45·4	67	78	S.	6	E.	9	....	....	2	ci.cu.	....	..	....	.....	....	.....
15....	29·36	29·37	57·1	54·1	63·2	40·1	68	85	E.	8	C.	0	....	....	....	....	....	.....	....	.....	....	.....
16....	29·57	29·42	61·2	70·2	78·0	43·1	48	55	S.W.	12	S.	10	....	....	....	.....	....	.....	....	.....	....	....
17....	29·42	29·40	73·1	68·2	89·2	64·3	53	56	S.W.	14	S.W.	14	....	....	....	.....	8	cu.	....	.....	....	....
18....	29·42	29·35	74·1	64·2	78·0	59·1	67	87	S.	10	N.	8	....	....	....	.....	....	.....	....	.....	9	st.
19....	29·88	29·26	52·1	62·1	70·0	52·3	51	88	W.	3	E.	6	....	....	....	.....	10	fog.	....	.....	....	.....
20....	29·23	29·30	61·1	62·1	67·0	50·2	81	92	S.	4	C.	0	....	....	....	.....	....	.....	3	ci.cu.	....	....
21....	29·36	29·34	73·1	73·1	78·0	52·3	77	75	S.	8	S.	6	....	....	....	.....	....	.....	....	.....	10	cu.
22....	29·45	29·35	74·1	73·2	62·5	65·3	76	84	S.	8	S.	4	....	....	....	....	8	cu.	....	....	10	cu.
23....	29·34	29·23	74·1	71·2	85·0	62·3	77	71	S.	8	S.	12	R.	....	....	.....	10	cu.	....	.....	9	cu.
24....	29·29	29·22	74·5	61·3	78·0	61·4	76	92	S.	9	W.	4	....	....	6	ci.cu.	....	.....	....	....	....	.....
25....	29·27	29·17	59·2	69·2	80·0	56·3	91	93	C.	0	C.	0	....	....	....	....	10	fog.	....	.....	10	st.
26....	29·17	29·18	51·1	51·1	69·2	49·2	84	78	W.	12	W.	25	·25	....	1	ci.cu.	....	.....	....	....	....	.....
27....	29·25	29·19	55·1	62·6	68·3	44·7	70	78	S.	10	S.	8	....	....	....	....	....	.....	....	.....	....	.....
28....	29·31	29·22	66·2	66·2	72·0	50·0	72	82	S.	4	S.	4	....	....	....	.....	....	.....	1	ci.cu.	....	.....
29....	29·26	29·14	63·2	63·8	72·0	54·3	70	92	S.	2	S.E.	4	....	....	....	.....	....	.....	....	....	9	cu.
30....	29·21	29·12	67·2	72·7	77·2	58·2	77	68	S.W.	6	S.	4	....	....	6	ci.cu.	....	....	....	....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario – July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·10	29·12	72·1	57·1	75·5	57·3	75	92	S.	8	W.	2	....	....	4	ci.cu.	....	....	....	....	10	f.o.g.
2 ...	29·28	29·35	52·1	52·1	57·8	49·2	78	72	S.E.	25	N.W.	10	....	....	..	.....	10	cu.	....	.....	....	.....
3....	29·45	29·38	59·1	59·1	67·2	38·6	58	80	W.	6	C.	0	....	....	....	.	....	..	5	ci.cu.	....	. .
4....	29·43	29·34	62·1	65·2	72·0	51·5	60	71	S.	8	W.	4	....	..	....	. .	....	.....	....	.....	10	cu.
5....	29·33	29·20	69·2	70·0	80·1	55·4	68	89	S.	4	C.	0	....	....	10	ci.cu.	3	....	5	ci.	....	.....
6 ...	29·17	29·09	70·7	65·2	75·0	59·3	81	87	S.	3	C.	0	....	....	6	ci.cu.	....	.....	3	ci.	....	.....
7...	29·20	29·17	60·1	69·2	75·3	55·3	80	83	C.	0	C.	0	....	....	....	.....	....	....	....	. ...	....	. ..
8....	29·15	29·10	69·4	68·2	76·0	61·3	77	77	S.	8	S.	6	·03	....	....	.....	....	.....	6	ci.cu.	....	.....
9...	29·20	29·19	63·2	66·2	69·0	58·3	70	67	W.	8	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
10....	29·28	29·23	57·1	60·2	66·2	54·8	85	86	W.	4	W.	4	....	....	....	.....	....	.....	3	ci.cu.	....	.....
11....	29·19	29·10	62·1	61·1	66·0	54·3	87	86	S.	1	C.	0	R.	....	....	.. ..	10	n.b.	....	.	10	cu.
12....	29·24	29·28	55·1	61·1	63·9	52·4	92	87	W.	10	W.	4	·13	...	....	....	10	st.	....	....	....	.. ..
13...	29·26	29·26	66·2	68·2	76·5	48·8	71	78	S.	1	S.	1	....	....	....	.....	....	....	....	...	....	.....
14....	29·32	29·27	67·4	70·1	81·0	56·3	57	74	S.E.	8	S.	4	....	....	....	.....	....	....	8	ci.cu.	....	....
15....	29·26	29·08	73·1	75·1	85·9	58·3	52	76	S.	8	S.	18	....	....	1	ci.cu.	....	....	5	ci.cu.	....	.....
16....	29·23	29·29	59·6	66·2	75·0	58·3	88	82	W.	2	C.	0	....	....	....	.. ..	10	cu.	....	....	....	....
17....	29·29	29·36	74·6	72·2	78·5	60·3	73	60	S.	2	C.	0	....	....	5	ci.cu.	....	....	..	. ...	1	cu.
18 ...	29·46	29·40	61·2	67·3	77·0	52·5	79	88	S.E.	3	C.	0	....	....	....	....	....	....	....	....	7	cu.
19....	29·38	29·17	75·1	74·1	84·0	57·3	63	59	S.	6	S.	4	....	....	....	....	....	.....	....	.....	10	cu.
20....	29·21	29·28	62·1	62·2	65·0	55·8	87	88	N.	6	N.W.	6	....	....	....	...	10	cu.	....	.....	....	.....
21 ..	29·37	29·19	67·2	70·2	75·5	56·3	72	69	W.	1	S.	6	....	R.	9	ci.cu.	....	....	....	.....	10	cu.
22....	29·03	29·13	69·2	63·3	72·0	62·2	95	91	S.W.	12	W.	4	·13	....	....	....	10	cu.	1	ci.cu.	....	.....
23 ..	29·25	29·20	60·1	65·2	75·0	56·3	80	87	W.	8	S.	1	.. .	. .	..	.....	....	....	1	.....	..	.....
24....	29·11	29·07	68·4	63·3	79·8	57·3	87	85	S.	6	W.	16	R.	....	....	. . .	10	st.	3	ci.cu.	....	.....
25....	29·18	28·96	58·1	66·2	71·5	58·3	92	76	C.	0	S.	10	..	....	....	.....	....	.....	8	ci.cu.	....	.....
26....	29·05	29·17	54·3	58·2	68·0	52·9	84	73	W.	20	W.	35	·18	...	3	ci.cu.	....	.....	..	.....	....	.....
27....	29·26	29·20	59·1	62·1	70·0	53·0	75	86	W.	14	C.	0	...	...	...	.....	....	....	....	.....	....	.....
28....	29·23	29·07	63·3	67·7	76·0	53·3	76	65	S.	6	S.	6	....	....	8	ci.cu.	....	.....	7	ci.cu.	....	....
29 ...	29·07	29·13	66·2	60·1	67·5	58·3	74	86	W.	2	W.	20	..	....	....	.....	5	cu.	...	.....	10	cu.
30...	29·21	29·17	58·1	64·2	70·0	51·8	86	76	W.	6	C.	0	...	....	....	. . .	10	st.	....	.....	...	..
31....	29·10	29·10	67·2	62·1	72·0	60·3	83	81	S.	2	C.	0	·07	....	....	.....	10	st.	.	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·11	28·99	54·8	61·9	78·0	45·1	70	83	E.	8	S.	14	..	·08	1	ci.	....	.....	....	.....	7	cu.
2	28·99	29·14	54·8	57·8	68·0	53·3	78	92	S.W.	12	S.W.	10	·01	R.	9	ci.cu.	....	.....	....	. ..	10	cu.
3	29·33	29·34	53·8	53·3	63·0	53·2	79	79	W.	6	W.	4	...	...	1	ci.cu.	....	.....	....	.....	..	.....
4	29·42	29·36	60·1	55·1	66·0	38·8	56	52	W.	6	C.	0	....	..	.....		10	cu.	....	.....	10	cu.
5	29·33	29·18	59·6	66·2	70·0	51·1	72	67	S.E.	8	S.E.	12	....	...	.....		10	cu.	10	ci.st.	....	.....
6	29·29	29·26	67·2	65·2	75·5	60·3	87	82	S.	2	C.	0	....	....	10	ci.	....	.....	....	. ....	...	.....
7	29·28	29·34	68·3	63·2	71·5	62·3	82	83	S.W.	16	N.	10	....	..	6	ci.	....	....	....	....	...	.....
8	29·46	29·41	64·2	62·1	72·0	46·2	76	86	S.	1	C.	0	....	....	5	ci.	....	.....	....	...	8	cu.
9	29·47	29·40	67·2	68·2	77·0	49·3	59	92	E.	4	C.	0	....	....	....		....	.....	....	. .	....	.....
10	29·38	29·28	74·1	68·2	82·0	54·3	45	67	S.	4	E.	4	....	....	....	.....	....	.....	....	.....	...	.... .
11	29·21	29·00	72·2	81·4	87·9	62·8	70	59	S.	7	S.W.	14	..	....	1	ci.st.	..	.....	...	.....	10	cu.
12	29·14	29·16	65·2	62·1	81·4	61·3	76	81	N.	3	C.	0	·01	....	...	.....	10	cu.	....	.....	...	.....
13	29·34	29·46	65·2	59·1	68·0	52·1	56	68	W.	15	N.W.	35	..	....	....	.....	....	.....	1	ci.	....	.....
14	29·63	29·60	62·1	56·1	68·8	50·3	69	73	C.	0	C.	0	....	...	.	.. ..	....	.....	....	.....	....	.....
15	29·64	29·40	57·3	72·2	79·0	45·7	66	52	S.E.	12	S.E.	10	....	....	....	....	10	st.	1	ci.cv.	...	.....
16	29·11	29·11	67·2	71·2	80·0	67·2	82	87	S.	18	S.W.	12	·01	...	....	....	10	st.	6	ci.cu.	....	.....
17	29·29	29·42	67·2	60·1	76·0	59·3	74	68	W.	16	W.	25	....	...	7	ci.	....	.....	....	.....	....	. .
18	29·61	29·56	62·1	60·6	71·2	47·2	76	67	E.	6	E.	6	....	..	....	....	....	....	....	.....	....	.. .
19	29·53	29·31	63·2	74·6	84·5	54·4	65	52	S.E.	16	W.	10	....	....	3	ci.	....	.... .	2	ci.cu.	....	....
20	29·42	29·42	57·1	57·2	74·5	57·3	85	85	S.	12	S.	15	·02	....	....	.....	10	cn.	....	.....	....	.....
21	29·51	29·47	57·1	57·1	67·2	52·3	85	69	C.	0	W.	8	....	....	8	ci.cu.	....	.. ..	....	.....	..	.....
22	29·66	29·47	60·6	60·1	74·0	42·1	66	69	S.	6	C.	0	....	...	9	ci.cu.	....	.....	..	.....	...	.....
23	29·41	29·11	59·1	69·3	82·0	49·7	57	58	S.E.	8	S.	8	....	....	6	ci.cu.	..	.... ..	....	....	...	.....
24	28·99	29·03	65·1	62·2	70·0	62·2	93	86	W.	8	W.	12	....	....	....	.	....	.....	...	.....	10	cu.
25	29·13	29·17	60·1	59·2	66·0	58·3	69	74	W.	25	W.	26	....	....	8	ci.cu.	....	....	...	.. ..	....	.....
26	29·27	29·21	59·1	56·1	68·5	50·3	74	79	W.	9	C.	0	....	....	....	....	....	.....	....	.....	....	.. ..
27	29·23	29·23	59·1	56·1	59·2	52·3	86	91	C.	0	S.E.	4	·02	·01	....	.....	10	st.	6	ci.cu.	...	.....
28	29·32	29·34	58·1	55·1	66·2	42·1	80	91	W.	4	W.	3	...	....	....	....	10	cu.	....	.....	....	.....
29	29·43	29·29	57·1	57·6	69·0	43·9	85	82	E.	3	E.	5	....	....	....	.....	....	....	1	ci.	....	....
30	29·29	29·38	66·2	60·0	71·5	54·3	82	98	W.	2	E.	2	....	....	....	.....	9	cu.	...	.....	9	cu.
31	29·55	29·49	57·2	57·1	69·0	55·3	91	80	N.	6	N.	6	....	....	....	.....	10	st.	3	ci.cu.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·35	29·07	58·1	67·7	81·0	44·7	74	93	S.	4	S.E.	6	R.	·27	..	.....	10	cu.	....	....	10	cu.
2....	29·05	29·07	62 2	59·1	68 0	57·6	86	92	W.	6	W.	8	R.	....	7	ci.cu.	...	.....	..	.....	8	cu.
3....	29·10	29·15	55·2	60·2	69·0	41·2	92	74	S.	8	C.	0	....	...	....	.....	....	.....	1	ci.	10	cu.
4....	29·23	29 24	59·0	60 1	73·0	48·4	74	78	S.E.	6	E.	6	....	....	1	ci.cu.	...	.....	7	ci.cu.	.....	.....
5 ...	29 22	29·29	57·1	60·1	67·0	57·3	92	62	S.	2	W.	8	·27	·01	10	ci.st.	....	.....	...	.....	10	cu.
6....	29·27	29·39	60·1	58·1	66·0	58·3	88	98	N.W.	14	E.	4	..	....	10	ci.st.	...	..	....	..	....	.....
7....	29·26	29 17	58·1	61·1	67·0	53·3	92	92	S.	4	S.	4	·20	....	10	ci.st.	....	.....	...	.....	10	cu.
8....	29·22	29·21	63 7	63·3	69·8	56·8	78	91	E.	6	E.	8	....	·02	7	ci.cu.	....	...	....	.....	10	cu.
9....	29·25	29·36	62·1	57·1	66·0	57·3	87	92	S.	8	C.	0	·08	....	...	.....	10	cu.	....	.. ..	....	....
10....	29·41	29·19	58·1	64·2	72 0	53·1	86	84	S.E.	6	S.E.	9	....	R.	....	....	10	cu.	....	...	10	cu.
11....	29·10	29·04	59·1	57·1	66·0	56·3	86	92	S.W.	14	S.	8	·10	·12	....	.....	9	cu.	...	...	10	cu.
12....	29·32	29·46	59·1	58·1	61·8	56·1	80	92	W.	15	S.	8	·21	...	10	ci.st.	..	...	...	.. ..	....	....
13....	29·54	29·48	65·2	66·2	75·0	54·3	81	76	S.	5	S.	4	....	....	....	.....	9	cu.	...	.. ..	...	.....
14 ...	29·50	29·42	65·2	70·2	80·0	59·3	66	62	S.E.	10	S.	6	..	..	....	....	....	....	....	.....	...	.....
15....	29·52	29·52	71·2	68·2	80·2	58 3	64	63	S.W.	5	C.	0	..	....	....	.....	...	.. .	1	ci.cu.	...	.. ..
16....	29·47	29·53	71·7	67·2	80·2	65·5	64	64	S.	10	W.	18	....	·11	....	....	9	cu.	....	.....	10	cu.
17....	29·53	29 49	62·1	58·1	68·2	57·3	54	53	S.E.	15	E.	6	·05	..	8	ci.	....	.. .	....	.....	9	cu.
18...	29·53	29·44	56·6	66·2	72·5	54·3	47	57	E.	6	E.	11	....	....	8	ci.cu.	....	.. .	....	.....	10	cu.
19....	29·41	29·24	60·1	68·2	68·2	56·3	58	66	S.	6	S.	4	....	....	..	.....	10	cu.	....	.....	10	cu.
20....	29·12	29 12	73·6	67·2	75·1	66·3	64	68	S.W.	18	W.	18	....	...	7	ci.cu.	....	.....	7	ci.cu.	....	..
21....	29 22	29·09	58·1	64·2	68·0	49·2	52	54	S.E.	3	W.	22	...	..	5	ci.cu.	....	.....	5	ci.cu.	.. .	.....
22....	29·34	29·24	51·1	46·1	64·0	46·2	54	90	W.	8	S.E.	8	·02	....	9	ci.cu.	....	. ...	....	.....	....	.....
23....	28·99	28·67	49·2	62·2	68·0	40·1	68	70	S.	9	W.	12	....	....	6	ci.cu.	...	...	5	ci.cu.	...	.....
24....	28·66	28·61	57·1	49·6	61·8	48 7	69	73	S.W.	30	W.	36	·13	·01	....	.....	10	st.	....	....	10	cu.
25...	29 21	29·44	45·1	45·1	60·0	41·2	76	79	N.	25	W.	15	·01	·02	...	.....	10	st.	....	.....	10	cu.
26....	29 49	29·35	50·1	54·2	56·8	43 9	58	78	W.	15	S.W.	14	R.	R.	6	ci.cu.	....	. .	....	. .	10	cu.
27....	29·35	29·34	48·1	49·1	54·3	45·2	91	84	E.	3	C.	0	R.	R.	....	.. ..	10	cu.	....	.....	10	cu.
28....	29·31	29·22	47·1	45·1	47·3	44·3	92	91	E.	9	E.	19	·23	·01	....	....	10	cu.	....	.. ..	....	cu.
29....	29·14	29 26	46·1	49·1	50·3	43·1	90	87	E.	2	C.	0	·05	....	....	.....	10	cu.	....	...	10	cu.
30 ...	29·44	29 36	48·2	49·1	54·3	47·2	70	69	W.	14	W.	15	..	....	6	.. ..	....	.....	6	ci.cu.	10	..

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·60	29·48	49·1	44·1	57·8	44·0	76	90	C.	0	C.	0	....	....	8	ci.	....	. . .	....	.....	10	cu.
2....	29·38	29·25	49·1	63·3	72·2	41·0	77	80	S.E.	10	S.	5	. ..	....	1	ci.cu.	3	st.	....	.....	....	. . .
3....	29·33	29·03	55·6	62·1	70·0	53·3	82	92	C.	0	S.	2	....	·02	....	.....	8	cu.	....	.....	10	cu.
4 ...	29·05	29·04	53 1	53·1	62 2	52·1	79	66	N.W.	20	W.	8	·16	....	....	....	10	nb.	....	.....	10	cu.
5....	29 02	29·22	48 1	50·1	53·8	47·2	91	63	W.	18	W.	16	.. ..	....	....	.....	10	cu.	..	.....	.....	.....
6....	29·25	28·97	48·1	57·6	57·3	40·1	80	71	S.	4	S.W.	15	....	·04	...	.....	10	cu.	....	.....	10	cu.
7....	28·90	28·81	57·1	45·1	67·2	45·2	86	90	S.	8	E.	28	·02	·01	....	.....	8	cu.	....	...	10	cu.
8....	29·35	29·46	37 5	42·0	46·3	35·6	67	82	N.	30	S.	6	....	...	7	ci.cu.	....	.....	...	.....	.....	...
9....	29·35	29·05	45·1	47·1	52·1	34·1	76	83	S.	14	S.	10	....	R.	8	ci.cu.	....	.... .	....	.....	10	cu.
10....	29·07	28·92	49·1	46·6	50·8	45·2	77	87	W.	18	S.	16	·30	·14	....	.....	10	nb.	....	.....	10	nb.
11....	29·01	29·16	45·5	43·1	49·1	42·0	82	85	W.	15	W.	10	·08	·01	....	.....	9	nb.	. ..	. .	10	nb.
12...	29·20	29 49	43·1	43·2	41·8	37·3	83	74	W.	15	N.E.	18	·39	·01	....	... ..	10	nb.	....	...	10	nb.
13....	29·52	29·54	42·0	42 0	41·8	40 1	83	83	N.E.	12	E.	12	R.	·01	....	.....	10	nb.	...	.....	10	nb.
14....	29·59	29·51	43·3	39·0	48·8	38·1	73	40	W.	12	W.	7	·03	....	....	.....	10	nb.	....	.....	.....	.....
15....	29·54	29·54	40·0	41·0	55·8	32 1	91	91	W.	2	S	4	....	....	1	ci.	....	.....	....	.....	.....	.....
16....	29·64	29·52	44·1	55·1	62·2	41·0	90	61	S.W.	6	S.	12	.....	...	8	ci.cu.	....	.....	...	.. ..	....	. ..
17....	29·47	29·21	54·1	60 6	66·5	51·3	76	72	S.	12	S.	18	....	....	.	.....	7	cu.	....	....	....	.....
18....	29·47	29·54	43·2	40 1	61·0	39·1	66	55	N.W.	27	N.W.	28	.....	....	6	ci.cu.	....	.. ..	.....	...	10	nb,
19....	29·48	29 41	40·0	42 5	43·8	38·1	56	74	W.	12	W.	20	....	...	...	.....	10	cu.	....	.....	10	cu.
20....	29·46	29·56	35 0	29·5	43·8	29·3	71	84	E.	4	E.	5	....	...	.. ..	.....	10	nb.	....	.....	...	.....
21 ...	29·67	29·41	37·0	35·0	46·0	25·1	62	80	N.W.	10	S.	10	.. ..	...	...	...	....	. ..	...	.....	...	.....
22....	29 24	29·08	46·1	51 1	54·2	35·1	68	72	S.W.	22	N.	16	....	....	..	....	....	.....	6	ci.	....	.....
23....	29·29	29·49	39·0	35·0	51·2	33·1	55	80	N.	20	E.	6	....	....	..	.....	10	cu.	..	.....	8	cu.
24 ...	29 57	29·25	31·0	42·2	47·8	22·1	100	74	S.	8	S.W.	10	..	....	....	.....	10	cu.	1	ci.	....	.....
25 ...	29·26	29·51	46·1	40·0	48·8	38·0	54	56	N.W.	20	N.	16	....	....	8	ci.	....	...	. ..	.....	10	cu
26....	29 66	29·37	25·2	37·0	46·3	21·1	99	62	E.	4	S.E.	7	....	....	....	.....	...	... .	....	.....	10	st.
27....	29·05	29·11	38·0	43·1	44·8	34 1	72	91	S.E.	8	N.	16	·08	·02	....	.. ..	10	cu.	....	.....	10	cu.
28.. .	29·33	29·50	40·0	41·0	43·8	38 1	92	69	N.	24	W.	10	·01	...	...	....	10	nb.	....	.....	.....	.....
29....	29·40	29·56	40·0	38·0	43·8	38·0	91	63	N.E.	10	N.E.	14	....	....	1	ci cu.	....	.....	.. ..	...	10	cu.
30....	29·72	29·74	29·2	30·0	42·0	27·6	77	90	N.	6	E.	5	....	....	1	ci.cu.	.	.....	....	....	....	.....
31....	29·81	29·67	24·0	39·0	51·8	22 1	81	73	S.E.	2	S.E.	8	....	....	. .	.....	....	....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				3 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°			.				in.	in.								
1....	29·56	29·22	42·1	49·1	54·0	32·3	82	56	S.E.	7	S.E.	16	R.	R.	10	ci.cu.	....	.....	....	.....	10	cu.
2....	28·82	28·74	48·1	47·1	50·8	42·6	83	91	S.	14	N.W.	16	·25	·01	....	.....	10	nb.	....	.....	10	nb.
3....	28·83	29·13	41·0	40·0	46·8	37·1	81	64	N.W.	29	N.	22	....	R.	....	.....	10	nb.	2	ci.cu.	....	.....
4....	29·24	29·04	39·0	40·0	40·4	28·1	76	91	W.	10	S.W.	20	....	·11	....	.....	10	cu.	....	.....	10	nb.
5....	29·00	29·04	41·5	40·0	45·8	38·1	82	92	W.	16	S.	6	·10	·08	6	ci.cu.	....	.....	....	.....	10	cu.
6....	29·02	29·02	41·0	41·0	48·8	38·1	91	82	E.	6	N.E.	22	·05	....	....	.....	10	cu.	....	.....	10	cu.
7....	28·97	29·07	37·0	40·0	41·4	35·1	76	64	N.	30	N.W.	23	....	....	....	.....	10	nb.	2	ci.cu.	....	.....
8....	29·08	29·12	43·0	41·0	46·8	38·1	83	73	W.	16	W.	16	....	..	....	.....	10	cu.	....	.....	...	.....
9 ..	29·03	28·98	35·0	43·0	44·8	31·6	79	66	S.	12	S.W.	18	....	...	....	.....	9	st.	....	.....	10	cu.
10....	29·11	29·27	38·0	35·0	43·8	35·0	53	80	N.	8	W.	8	·04	R.	7	ci.cu.	....	.....	....	.....	8	cu.
11....	29·34	29·62	33·0	32·0	38·1	28·2	90	80	N.	12	N.	6	·01	S.	....	.....	9	cu.	....	.....	9	nb.
12....	29·62	29·43	29·0	33·0	35·4	25·1	90	81	S.	2	S.W.	18	10	....	....	.....	10	cu.	....	.....	10	cu.
13....	29·19	29·18	34·5	32·5	39·0	29·1	76	86	N.W.	26	N.	26	....	·01	....	.....	10	nb.	....	.....	10	nb.
14....	29·43	29·44	27·0	33·0	34·0	23·1	74	65	N.	15	S.W.	16	·05	....	....	.....	10	nb.	....	.....	10	nb.
15 ..	29·47	29·58	32·0	31·0	36·3	29·6	78	90	W.	14	W.	4	....	....	....	.....	10	cu.	....	.....	10	nb.
16....	29·57	29·46	28·0	38·0	38·0	24·1	79	63	S.	10	S.W.	18	....	....	....	.....	10	cu.	5	ci.cu.	....	.....
17....	29·55	29·42	31·0	35·0	43·3	30·1	90	73	S.	8	S.	11	....	....	6	ci.cu.	....	.....	....	.....	....	.....
18....	29·40	29·43	35·0	35·0	46·0	32·1	90	90	S.	10	S.	4	....	....	....	.....	10	cu.	....	.....	....	.....
19....	29·63	29·71	34·0	31·0	38·0	29·6	89	80	N.	5	E.	4	....	....	....	.....	10	nb.	....	.....	10	cu.
20 ..	29·57	29·12	32·0	38·0	42·4	22·1	49	86	S.	10	S.E.	21	....	·05	....	.....	10	cu.	....	.....	10	cu.
21....	28·89	29·25	47·2	42·0	48·0	36·2	82	79	S.W.	26	S.W.	20	·38	R.	....	..	10	nb.	....	....	10	cu.
22...	29·40	29·53	43·0	40·0	45·3	38·1	91	56	S.W.	14	W.	12	....	....	....	.....	9	cu.	..	.....	10	cu.
23....	29·70	29·71	29·5	30·0	42·0	29·1	96	90	E.	5	E.	6	..	....	....	. .	....	.....	....	.....	....	.....
24....	29·73	29·60	22·0	26·0	39·0	20·1	90	89	E.	2	E.	8	....	....	....	.....	....	.....	....	.....	....	.....
25....	29·46	29·12	25·0	35·0	43·8	18·1	82	87	S.E.	6	S.	12	....	....	....	.....	10	cu.	2	ci.cu.	....	.....
26....	28·94	29·26	35·0	35·0	39·0	32·0	90	80	N.	22	N.	12	·32	R.	....	.....	10	nb.	....	.....	10	nb.
27....	29·35	29·01	33·0	35·0	40·0	32·0	79	89	W.	8	S.	14	....	·02	....	.....	8	cu.	....	.....	10	cu.
28...	28·94	29·21	33·0	31·0	40·0	28·1	81	85	N.	10	N.	4	·10	·02	....	.....	10	nb.	....	.....	10	nb.
29....	29·40	29·43	26·1	30·5	34·0	24·2	99	89	S.	4	N.E.	15	·20	·02	..	....	10	nb.	....	.....	10	st.
30.. .	29·45	29·34	25·0	26·0	32·0	19·6	87	89	S.E.	8	S.	10	·02	·05	....	.....	10	cu.	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Southampton, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·25	29·23	31·1	25·1	33·0	23·0	69	86	S.	2	S.	12	·20	·01	..	..	10	st.	2	ci.cu.	..	..
2	29·36	29·37	23·0	19·0	30·0	17·0	90	92	N.	22	S.E.	6	·02	·10	..	..	10	st.	..	..	10	st.
3	29·38	29·59	19·0	20·8	33·5	15·0	92	93	E.	6	N.	10	·02	..	..	..	10	st.	..	..	10	st.
4	29·69	29·66	17·5	19·0	22·0	15·0	87	89	N.	10	E.	4	·02	..	..	..	10	nb.	..	..	10	cu.
5	29·53	29·36	29·2	34·0	34·0	17·6	89	88	S.W.	11	S.W.	20	..	..	..	..	10	cu.	..	..	10	st.
6	29·34	29·33	34·0	34·0	39·0	32·1	88	89	S.	10	S.	12	..	..	..	..	10	nb.	..	..	..	..
7	29·43	29·36	35·0	33·0	38·0	30·6	89	90	S.	4	S.	6	..	..	..	..	10	st.	..	..	10	st.
8	29·29	29·30	38·0	40·0	42·0	30 1	90	91	S.	12	S.	6	·10	..	..	..	10	nb.	..	..	10	cu.
9	29·13	28·81	40·0	45·0	37·6	81·6	81	90	S.	9	S	8	·04	·01	..	..	10	st.	..	..	10	st.
10	28·80	28·97	28·0	22 0	49·8	22·0	89	90	N.	28	N.	28	·14	·06	..	..	10	cu.	..	..	6	nb.
11	29·03	29·13	21·0	21·0	24 0	18·6	90	88	N.	20	N.	14	·10	·01	..	..	10	st.	..	..	10	cu.
12	29·34	29·47	15·0	26 0	27·5	14·0	97	89	N.	10	W.	10	·61	..	..	..	10	cu.	..	..	10	cu.
13	29·53	29·46	30 0	27 0	33·0	24·0	90	87	W.	10	S.E.	9	..	..	..	..	10	cu.	..	..	10	st.
14	29·19	28·83	29 0	22 0	30·0	22·0	90	90	E.	20	S.	24	..	·20	..	..	10	cu.	..	..	10	nb.
15	28·83	28·84	23·0	30·0	30·0	20·0	90	90	E.	8	N.	16	·15	·02	..	..	10	st.	..	..	10	st.
16	28·97	29·12	29·0	29·0	30·0	26·0	92	84	W.	18	W.	20	·05	·05	..	..	10	cu.	..	..	10	cu.
17	29·31	29·35	28·0	28·0	31 0	26·0	79	88	N.W.	20	N.	16	·02	·02	..	..	10	cu.	..	..	10	st.
18	29·28	29 25	23 0	27 0	30·0	20·0	90	95	E.	4	N.	18	..	·02	..	..	10	cu.	..	..	10	nb.
19	29·36	29·33	28·0	28·0	31·0	25·0	88	89	W.	21	S.W.	32	·65	..	..	..	10	cu.	..	..	10	nb.
20	29·28	29·35	32·0	36·0	36·0	26·1	88	62	S.W.	24	N.	22	..	..	..	..	10	cu.	..	..	10	nb.
21	29·62	29·59	31·0	34·0	37·0	29·0	91	88	N.	5	S.W.	26	..	..	..	..	9	cu.	..	..	10	st.
22	29·43	29·22	32·0	31·0	36·0	30·0	88	90	S.	20	S.	12	..	..	..	..	10	cu.	..	..	10	cu.
23	28·88	28·52	33·0	33·0	37·0	29·3	90	100	N.	4	N.	24	..	·20	..	..	10	st.	..	..	10	st.
24	28·76	29·01	34·0	32·0	35·0	32·1	89	90	S.W.	10	W.	16	·05	S.	6	ci.cu.	..	..	..	..	..	..
25	28·93	29·18	29·0	34·0	36·0	27 6	86	88	S.	16	N.W.	22	S.	·01	..	.	10	st.	..	..	10	cu.
26	29·50	29·19	21 0	31·0	35·0	20 0	90	79	S.	4	S.	24	..	..	5	ci.	..	..	..	..	10	cu.
27	28·93	28·96	42·0	45·0	48·0	29·0	82	95	S.	20	S.W.	18	·01	·02	..	..	10	cu.	..	..	10	cu.
28	29·15	29·43	31·0	27·0	45 0	25·0	90	78	N.	14	C.	0	..	..	..	..	10	cu.	..	..	..	..
29	29·44	29·25	28·0	32·0	36·0	24·0	79	91	S.	10	S.	8	..	..	..	..	8	st.	..	..	10	st.
30	28·64	28·96	33·0	30·0	35·0	30·0	90	84	E.	4	N.	20	·40	·05	..	..	10	cu.	..	..	10	cu.
31	29·31	29·26	25·0	29·0	38·0	21·6	77	79	S.	18	N.	26	..	..	..	..	9	cu.	..	..	8	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario: Latitude North, 42° 40′; Longitude West, 81° 13′. Height above Sea, 592 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Vel.	Dir.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·52	29·72	33·2	31·2	36·4	29·8	87	88	W.	10	N.W.	6	.	....	....	....	10	cu.st.	....	.....	10	cu.st.
2	29·78	29·70	31·2	32·4	35·0	29·0	88	86	N.	10	E.	20	..	....	....	....	10	cu.st.	....	.....	10	cu.st.
3	29·44	29·27	40·2	41·2	44·2	31·0	89	98	S.E.	16	W.	10	·42	·20	..	.....	10	fog.	....	.....	10	fog.
4	29·25	29·48	32·2	31·5	41·2	29·6	88	94	N.W.	20	W.	16	20	....	....	.....	10	cu.st.	.....	.....	.....	.....
5	29·47	29·45	32·5	36·2	39·2	30·2	88	86	W.	16	S.	16	..	....	..	.....	4	cu.	.	.....	10	fog.
6	29·41	29·48	35·6	41·0	47·0	33·1	94	91	W.	10	W.	16	....	...	4	ci.st.	....	.....	..	.....	10	fog.
7	29·54	29·50	40·4	38·2	44·4	35·2	96	98	S.W.	6	N.	8	·01	·19	....	.....	10	fog.	....	.....	10	fog.
8	29·40	29·17	40·2	36·2	43·0	33·7	98	88	F.	2	W.	12	·72	....	....	.....	10	fog.	.....	.....	10	cu.st.
9	29·54	29·59	22·2	19·2	36·5	17·5	73	57	N.W	28	N.W.	20	S	....	....	..	10	cu.st.	....	..	8	fog.
10	29·24	28·99	23·2	32·2	32·8	13·7	86	78	S.W.	36	W.	28	...	S.	....	.....	8	cu.st.	.....	..	10	nb.
11	29·23	29·39	28·1	25·2	33·2	25·8	76	76	W.	12	N.W.	8	....	....	....	.....	8	cu.st.	.....	.	8	cu.st.
12	29·07	29·46	29·3	25·4	33·2	19·1	98	96	N.	16	N.W.	8	·16	...	....	.....	10	cu.st.	.....	.....	.....	.....
13	29·65	29·54	22·2	30·2	33·2	19·7	87	87	N.E.	12	E.	10	....	....	....	.....	10	cu.st.	.....	..	10	cu.
14	29·38	29·49	35·2	36·2	36·8	28·0	98	90	E.	10	N.W.	10	·07	...	....	.....	10	fog.	....	.	10	cu.st.
15	29·55	29·73	27·2	19·8	36·8	18·0	87	91	N.W.	8	N.	6	·02	....	....	....	10	cu.st.	...	...	10	cu.st.
16	29·77	29·73	19·2	18·2	22·2	17·0	84	84	E.	6	E.	20	....	....	....	..	10	cu.st.	.....	.....	10	cu.st.
17	29·51	29·52	14·4	23·1	24·0	13·0	98	86	N.E.	16	N.E.	2	30	..	....	.....	10	nb.	.....	.....	10	cu.st.
18	29·45	29·49	26·2	32·2	34·6	20·0	87	98	C.	0	E.	6	·02	...	....	.....	10	cu.st.	...	..	.....	.....
19	29·11	28·75	36·4	48·1	48·4	30·0	96	93	N.E.	20	S.W.	40	·24	....	....	.....	10	fog.	....	....	10	cu.st.
20	28·87	29·40	32·5	15·2	48·8	14·1	89	65	S.W.	44	S.W.	32	·13	S.	....	.....	10	cu.st.	.....	.....	4	cu.st.
21	29·76	29·74	11·2	16·2	17·2	9·8	82	82	W.	20	W.	10	01	S.	....	.....	....	....	.....	..	10	nb.
22	29·42	29·90	14·4	3·8	17·2	2·3	98	89	N.	16	C.	0	·28	....	..	....	10	cu.st.	...	.....	.....	..
23	29·91	29·92	— 5·6	1·0	9·4	— 7·4	100	88	C.	0	N.	8	....	....	....	.....	4	cu.st.	.....	.....	...	.....
24	29·84	29·49	— 2·5	9·1	14·0	— 5·5	97	100	N.E.	10	E.	16	...	·14	4	ci.st.	....	.....	.....	.....	10	nb.
25	29·29	29·36	13·2	15·2	23·0	7·4	100	82	N.	2	N.W.	8	·02	S.	....	.....	10	fog.	.....	.....	10	cu.st.
26	29·57	29·70	— 1·7	1·4	15·2	— 3·5	78	100	W.	12	C.	0	....	....	...	...	....	.....	.....	.....	.....	.....
27	29·69	29·71	11·2	12·2	18·4	— 4·7	82	81	C.	0	S.W.	12	..	...	....	....	10	cu.st.	.....	....	10	cu.st.
28	29·80	29·79	11·4	11·0	20·0	48·0	84	88	W.	12	C.	0	01	...	....	.....	10	cu.st.	.....	..	10	cu.st.
29	29·75	29·62	13·4	16·3	21·2	9·8	93	98	C.	0	C.	0	·01	·04	..	.....	10	nb.	.....	.	10	nb.
30	29·75	29·89	7·1	7·1	19·0	4·5	100	100	N.W.	8	C.	0	·02	...	....	.....	10	cu.st.	.....	..	.....	.....
31	29·71	29·53	12·2	27·2	27·2	— 0·7	84	91	N.E.	8	E.	12	..	·06	....	....	10	cu.st.	.....	.....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·47	29·19	27 2	33·0	33·0	23·7	89	87	E.	10	E.	12	. ..	....	....	....	10	cu.st.	....	.....	10	cu.st.
2....	29·06	29·13	33·8	18·2	35·0	16·7	91	71	E.	12	W.	36	·02	....	.. .	. ....	10	fog.	....	.....	10	nb.
3....	29·58	29·71	4·4	10 4	35·0	3·0	79	75	N. W.	24	W.	12	....	....	5	ci.st.	....	.....	....	. ..	10	cu.st.
4....	29·71	29·57	4·3	12·2	15·5	3·0	100	81	C.	0	N.	6	....	....	2	ci.st.	....	..	....	..	...	.....
5.. .	29 45	29·53	11·2	8·2	15·2	6·7	80	84	N.	16	N.W.	6	·02	....	....	....	10	nb.	....	.. .	. .	.....
6....	29·68	29·84	3·2	11·2	18·4	—1·3	78	79	N.W.	8	N.W.	8	....	....	....	.....	8	cu.st.	....	.....	....	.....
7....	29·88	29·76	6·2	12 2	21·2	3·2	100	81	N.	2	C.	0	....	...	....	..	4	cu.st.	....	....	....	.....
8....	29 64	29·53	1·0	22 4	26·2	—0 6	88	86	N W.	2	W.	12	...	....	2	ci.st.	....	.....	.	.....	....	.....
9 ...	29·39	29·27	25 2	29·2	30·8	20 1	86	88	S.	12	S.	12	·01	..	5	ci.st.	5	cu.st.	....	.....	10	cu.st.
10....	28 93	29·15	30·3	26·2	35·0	24 3	98	71	S.W.	16	N.W.	28	...	·02	2	ci.st.	....	.....	....	.....	...	...
11 ..	29·23	29 53	13·0	2 8	26·2	1·2	85	89	N. W.	20	N.W.	12	·04	...	....	....	10	nb.	..	.....	...	... ..
12....	29·62	29·66	2·2	13·2	16·2	—0·8	80	81	N. W.	6	C.	0	.....	...	....	....	10	cu.st.	....	.....	8	cu.st.
13....	29·46	28·97	24·2	37 8	37 8	10·0	75	74	S.	16	S.W.	16	....	....	....	.	8	.....	....	.. .	8	cu.st.
14....	28·97	29·43	31·3	19·4	38·8	17·1	100	91	N.W.	24	N. W.	16	·01	·06	....	....	10	nb.	...	.....	10	nb.
15....	29·44	29·16	22·2	34·2	34·2	11·8	86	78	S.W.	28	S.W.	28	·01	....	....	.....	10	cu.st.	...	.....	10	cu.st.
16....	29·22	29·28	25·5	32·8	36·0	22·7	88	91	C.	0	N.W.	6	....	·01	....	.. ..	10	fog.	...	..	10	nb.
17 ...	29·36	29·52	27 3	20 0	33·0	18 7	86	70	N. W.	12	N.W.	10	...	....	....	....	5	cu.st.	...	.....	.. .	.....
18...	29·46	29·09	19·2	30·2	30·6	11·0	83	88	E.	16	E.	24	.	....	....	.....	10	cu.st.	..	.....	10	cu.st.
19....	28·72	29·08	37·2	30 2	40·0	28·2	88	99	N. W.	16	S.W.	8	·15	....	....	.....	10	cu.st.	....	....	....	.....
20....	29 09	28·94	26·2	24·7	32·6	23·3	86	95	N.	6	N.E.	24	...	·20	..	.. .	10	cu.st.	....	.....	10	nb.
21....	29·31	29·39	8·3	12·4	25·0	4·6	100	96	N. W.	6	N.W.	8	0 2	S.	....	....	4	cu.st.	..	.....	8	cu.st.
22....	29·74	29·97	—1·7	5·2	13·0	—3·6	100	80	N. W.	14	N.	8	....	....	....	.....	....	.....	....	.. ..	6	cu.st.
23....	30·06	29·97	—2·5	12·6	19·2	—6·5	100	73	N.	4	E.	16	....	....	..	.....	8	cu.st.	....	.....	....	.....
24....	29·54	29·33	21·2	30·2	30·2	9·0	77	88	S.E.	28	S.W.	12	....	·08	....	.. ..	10	cu.st.	....	.....	10	cu.st.
25....	29·62	29·76	16·4	13·8	30·2	8·6	82	74	N.W.	12	N.W.	8	. ..	....	....	. .	...	.....	....	.....	....	... .
26....	29·66	29 38	10·2	17·8	27·0	3·0	81	90	E.	12	E.	12	...	....	5	ci.cu.	...	.....	....	.....	....	.....
27....	29·65	29·77	14·2	13·2	20·0	11 6	81	81	E.	12	N.E.	10	....	....	1	.....	....	.....	....	.....	...	.....
28....	29·68	29 68	8·4	19·4	26·2	6·0	80	94	N.E.	10	E.	12	....	..	1	ci.cu.	....	.....	4	ci.st.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Amt. Kind.
	in.	in.	°	°	°	°							in.	in.						
1	29·60	29·16	21·4	37·2	39·0	17·7	83	88	E.	12	E.	34	....	·03	....	.....	8	cu.st.	....	10 nb.
2	28·97	29·07	33·2	28·2	42·0	25·6	89	76	W.	36	W.	32	·34	S.	....	.....	10	cu.st.	....	10 nb.
3	29·13	29·39	17·0	15·2	19·8	13·6	87	83	W.	18	W.	8	·08	....	....	.....	10	nb.	....	10 st.
4	29·56	29·51	13·4	27·8	29·2	12·1	81	80	W.	8	S.W.	6	....	S.	....	.....	....	.....	....	10 nb.
5	29·39	29·30	26·8	26·0	35·2	23·8	91	76	W.	6	N.W.	36	....	·02	....	.....	8	cu.st.	....	8 .....
6	29·74	29·79	16·2	19·2	26·0	14·4	97	84	W.	10	N.	6	·02	....	....	.....	....	.....	....	.....
7	29·58	29·26	22·2	25·8	28·2	17·7	86	91	E.	28	E.	24	....	12	....	....	10	cu.st.	....	10 nb.
8	29·34	29·58	26·4	29·2	34·6	24·1	86	76	C.	0	N.W.	12	·14	..	....	....	10	nb.	..	10 cu.st.
9	29·75	29·71	16·2	24·2	31·2	13·7	82	86	N.	8	E.	6	....	....	....	.....	....	.....	....	4 cu.st.
10	29·53	29·56	28·2	33·2	37·2	23·1	76	87	E.	12	N.E.	4	....	....	....	....	10	cu.st.	....	.....
11	29·72	29·61	19·1	31·0	33·2	17·0	89	78	S.W.	6	E.	12	....	....	....	.....	....	.....	....	10 cu.st.
12	29·24	29·11	33·2	37·0	37·4	29·8	88	96	E.	24	C.	0	·24	·11	....	.....	10	fog.	....	10 fog.
13	29·07	29·47	37·4	34·2	40·2	33·0	96	88	N.	12	N.	12	·04	·01	....	....	10	fog.	..	10 nb.
14	29·11	29·46	33·4	33·0	35·2	31·2	96	81	N.	6	N.	8	·13	..	....	....	10	fog.	....	10 cu.st.
15	29·59	29·70	31·4	37·2	41·8	28·2	90	78	S.W.	16	W.	20	....	....	2	ci.st.	....	.	....	.....
16	29·72	29·48	34·2	36·2	43·2	27·2	81	78	E.	16	W.	8	·01	....	8	ci.st.	....	.....	....	.... ..
17	29·42	29·61	36·6	34·2	43·0	32·5	86	71	W.	18	N.W.	10	·02	..	....	..	10	cu.st.	....	10 cu.st.
18	29·76	29·72	35·2	32·2	37·2	22·5	88	89	N.	8	E.	10	....	....	....	....	....	.....	....	10 cu.st.
19	29·13	28·87	34·4	47·1	48·0	27·6	96	93	E.	32	W.	24	·36	..	....	....	10	nb.	....	8 cu.st.
20	29·47	29·58	28·5	50·2	48·8	27·1	84	88	N.W.	24	N.W.	6	....	..	....	....	4	cu.st.	....	.....
21	29·42	29·15	32·2	38·4	46·8	25·3	86	77	E.	20	E.	22	R.	....	....	....	10	cu.st.	....	10 cu.st.
22	29·03	29·19	42·1	45·1	52·4	37·2	91	92	W.	20	W.	8	....	.	....	....	8	cu.st.	....	.....
23	29·37	29·16	43·1	46·1	55·8	39·0	68	69	E.	8	E.	12	....	....	....	....	8	cu.st.	....	10 cu.st.
24	29·15	29·50	41·2	40·2	46·2	37·1	84	82	N.W.	32	N.	12	·01	..	....	....	10	cu.st.	....	10 cu.st.
25	29·62	29·39	45·2	40·3	47·2	31·2	88	88	E.	16	E.	20	....	....	....	....	....	.....	....	10 cu.st.
26	29·26	29·27	46·0	52·3	52·3	39·4	86	93	N.E.	8	S.	8	·16	....	..	....	10	nb.	....	10 cu.st.
27	29·23	29·19	45·1	44·3	52·3	42·7	100	99	S.	12	W.	8	·36	·02	....	....	10	fog.	....	10 fog.
28	29·25	29·33	53·1	47·1	60·1	43·0	93	78	N.W.	8	C.	0	03	·02	....	....	10	fog.	....	10 cu.st.
29	29·15	29·17	48·1	47·1	53·7	41·4	93	87	E.	06	N.W.	24	....	·01	....	..	10	fog	....	4 cu.st.
30	29·58	29·65	40·3	38·2	49·2	35·8	72	79	N.W.	16	W.	10	....	....	....	....	....	.....	....	.....
31	29·77	29·87	27·2	24·2	38·8	24·7	76	86	N.W.	16	W.	16	....	..	....	.....	8	cu.st.	....	10 cu.st

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	ind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·87	29·84	24·2	21·2	28 2	20·0	86	85	N.W.	20	N.	8					10	cu.st.				
2	29 80	29·63	22·2	31·2	32·0	13·2	85	77	E.	6	W.	6									10	cu.st.
3	29·55	29·43	36·3	39·2	45·1	30·0	87	88	S.W.	6	C.	6					10	fog.			10	cu.st.
4	29·28	29·04	43·3	42 2	52 8	38·0	65	98	E.	8	S.W.	6		·08			10	fog.			10	fog.
5	29·30	29·51	30·3	31·2	42·2	28·0	87	87	N.W.	16	N.	8	·04				10	cu.st.				
6	29 56	29·49	27·2	31·2	41·5	22·8	87	67	E.	18	E.	22			2	ci.st.						
7	29·17	28·83	37·2	39 2	39·2	28·5	69	88	S.E.	30	S.E.	36		·19			10	cu.st.			10	nb.
8	28 79	28·84	39 0	38·4	41·0	36·0	75	77	S.W.	16	S.W.	22	·13				10	cu.st.			10	cu.st.
9	28·78	28·84	36·1	34 1	41·5	32·2	90	89	S.W.	14	W.	12	R.	S.			10	cu.st.			10	cu.st.
10	28·86	29·07	34·1	33·3	36·0	28·2	79	86	N.W.	6	N.W.	36	·02				10	n.b.			10	cu.st.
11	29·19	29·20	33 0	35·0	37 0	30·0	89	80	N.W.	20	S.W.	12	S.				10	cu.st.			10	cu st.
12	29·07	29·03	35·4	37·1	42·2	33·0	96	90	S.E.	12	S.E.	4	·02				10	fog.			10	fog.
13	29·08	29·25	36·2	29·4	45 0	27·8	88	85	N.	10	N.W.	16	·02				8	cu.st.				
14	29·32	29·41	28 4	29·4	32·0	26·1	87	85	N.W.	24	N.W.	16					10	cu.st.				
15	29·48	29·30	29·4	35·2	37·0	22·3	85	63	N.W.	8	E.	8									10	cu.st.
16	29·07	29·14	37·3	34·2	41·7	32·5	88	72	S.W.	8	W.	20					10	fog.			10	nb.
17	29·26	29·36	35 2	37·2	42·8	31·6	74	60	N.W.	20	N.	6	S.				8	cu.st.			10	cu.st.
18	29·43	29·39	32·2	34 2	40·0	27·1	78	61	N.	8	N.	6					8	cu.st.				
19	29·32	29 38	32·3	33·2	43·0	27·5	77	69	W.	8	N.W.	6					10	cu.				
20	29·51	29·59	32·5	33·2	40 0	27·0	77	80	N.W.	12	N.W.	6										
21	29·64	29·45	36·2	40·4	44·0	24·5	70	74	W.	10	S.W.	14										
22	29·43	29·27	41·2	44·1	50·0	35·0	82	67	W.	12	W.	12										
23	29·16	28·99	42·3	48·1	55·0	29·2	74	71	E.	6	N.W.	6		·01			8	cu.st.			10	cu.st.
24	29 35	29·32	36·6	40·2	49·0	35·2	88	63	N.	20	S.E.	4		·01							10	nb.
25	29·16	29·36	47·1	36·4	49·2	34 4	93	96	N.W.	20	N.	6	·07	·08			10	cu.st.			10	nb.
26	29·43	29·60	34·2	39·2	48·8	31 3	78	54	N.	6	N.	10	·04				10	cu st.				
27	29·73	29·62	35·3	43·1	50·2	25 1	77	75	E.	6	S.	8					5	fog.				
28	29·48	29·34	47·3	48·1	56·0	36·0	70	88	S.	12	E.	4					8	cu.st.			10	cu.st.
29	29·32	29 22	58·1	54·4	60·8	45·7	93	92	W.	8	N.	12	·12	·17			10	nb.			10	cu.st.
30	29 14	29·39	45·3	38·2	54 4	36·5	92	88	N.E.	16	N.W.	8	10				10	cu.st.			10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·63	29·65	37·0	37·4	47·8	29·8	58	78	E.	10	W.	6										
2	29·67	29·54	41·0	43·1	49·8	28·8	72	75	N.E.	6	S.W.	6									8	cu. st.
3	29·54	29·34	42·1	49·1	52·5	30·0	82	78	W.	6	N.	10									10	cu. st.
4	29·34	29·59	36·2	38·2	49·2	34·0	88	86	N.W.	18	N.	4	·12				10	nb.			8	cu. st.
5	29·59	28·29	42·6	47·1	48·5	34·0	78	89	W.	6	S.E.	4					8	cu. st.			10	cu. st.
6	29·41	29·36	44·2	42·3	55·1	41·1	92	98	N.	4	W.	2	·04				10	fog.				
7	29·33	29·40	43·1	44·5	55·2	42·0	91	79	N.	8	W.	6					10	cu. st.			2	cu. st.
8	29·44	29·30	44·1	53·1	56·0	34·5	94	73	E.	6	E.	4			5	ci.st.					5	fog.
9	29·29	29·22	48·1	49·3	55·2	37·0	78	90	N.	2	S.W	16										
10	29·40	29·35	38·2	31·5	50·2	29·8	48	97	N.	6	N.	2		·14			10	cu. st.			6	cu. st.
11	29·40	29·48	34·2	36·2	46·8	26·8	79	63	N.W.	4	N.W.	8									2	cu. st.
12	29·48	29·21	40·2	44·6	48·0	26·3	80	80	S.E.	12	S.E.	24					10	cu. st				
13	29·20	29·13	51·8	54·3	61·6	48·0	81	86	W.	12	W.	8			2	ci.st.			2	ci.st.		
14	29·23	29·19	57·3	61·1	68·1	50·0	78	71	S.	6	S.E.	12			1	ci.st.			2	ci.st.		
15	29·06	29·11	55·1	56·1	62·1	50·0	80	80	S.E.	12	W.	12		·41			10	cu. st.			10	cu.
16	29·32	29·32	47·1	47·1	56·1	42·0	78	87	S.W.	16	W.	8			2	ci cu.						
17	29·37	29·25	48·3	52·1	54·0	41·3	92	73	W.	8	S.	10		·02							10	cu. st.
18	29·21	29·2	51·3	57·4	63·8	48·0	97	81	W.	10	W.	8	·17				8	cu. st.			3	cu. st.
19	29·25	29·27	51·1	58·1	64·4	43·8	93	40	S.W.	12	N.W.	16	·02				10	cu. st.			4	cu. st.
20	29·45	29·53	40·2	40·2	58·1	33·0	63	63	N.W.	20	N.W.	10	R.				2	cu. st.			8	cu.
21	29·63	29·62	40·5	45·1	54·0	31·0	69	84	N.W.	12	W.	12									2	cu. st.
22	29·58	29·40	49·1	49·1	52·0	31·5	81	80	W.	8	S.E.	6					10	cu. st.			10	cu. st.
23	29·44	29·47	49·1	52·1	59·1	40·0	79	79	E.	8	C.	0	·02				10	cu. st.			8	cu. st.
24	29·52	29·46	54·3	55·0	63·1	38·4	86	76	S.	12	E.	10					8	cu. st.			5	cu. st.
25	29·46	29·22	51·2	51·1	58·0	47·4	80	92	E.	8	S.E.	24		·05			10	cu. st.			10	nb.
26	29·05	28·91	53·3	56·1	67·3	48·0	99	98	E.	4	S.W.	6	·64	·35			10	fog.			10	fog.
27	28·93	29·28	45·9	40·4	56·1	38·0	86	64	W.	32	N.W.	24	·07	·03			10	cu. st.			10	cu. st.
28	29·43	29·41	41·2	48·1	58·1	31·6	64	78	N.W.	10	W.	4									8	cu. st.
29	29·38	29·35	51·0	55·1	60·8	39·4	87	74	E.	4	E.	6									8	cu. st.
30	29·46	29·45	50·1	51·1	58·0	42·2	64	73	E.	12	W.	4										
31	29·44	29·33	52·1	56·1	64·0	38·9	60	63	E.	8	S.E.	26									10	cu. st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°		°								in.	in.								
1....	29·20	29 11	53·4	51·1	56·1	48·0	73	88	N.E.	16	E.	20	....	·28	....		10	cu.st.	....		10	nb.
2....	29·08	29·12	48·2	52·1	60·0	46·0	88	86	E.	16	E.	8	·33	....	....	....	10	nb.	....	....	....	.....
3....	29 18	29·22	52·1	56·3	61·0	39·9	80	78	N.	6	W.	8	.....	.....	....	.....	.....	.....	.....	.....	10	cu.st.
4....	29·19	28·86	54·9	54·1	56·9	49·0	83	96	E.	8	S.E.	16	....	·50	....	....	10	cu.st.	....	....	10	nb.
5....	28·86	29 08	53·1	56·1	58·0	50·0	87	75	S.W.	12	N.W.	16	·02	·02	....	....	10	fog.	....	....	8	cu.
6....	29·23	29·33	50 1	54·1	64·0	43·0	73	75	N.W.	20	N.W.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7....	29 35	29·32	52·3	56·1	62·8	58·1	79	70	N.W.	4	W.	2	....	....	....	....	....	....	....	....	8	cu.
8....	29·36	29·41	59 1	60·2	68·7	44 0	64	65	N.E.	8	W.	6	.....	.....	.....	.....	.....	.....	.....	.....	2	cu.st.
9....	29·44	29·41	58·1	59·1	70·1	41·7	64	74	N.	2	S.E.	16	.....	.....	.....	.....	2	st.	.....	....	2	cu.st.
10....	29·45	29·26	58·1	64·0	69·1	44·4	69	62	S.E.	16	S.E.	16	.....	.....	2	cu.st.	.....		.....	.....	10	cu.st.
11....	29·19	29·23	55·1	58·1	64·1	53·5	81	71	N.E.	12	S.E.	24	....	T.	.....	.....	10	cu.st.	....	....	10	cu.st.
12....	29 33	29·33	56 1	60·1	63·7	53·0	76	70	S.E.	20	E.	12	.....	T.	.....	.....	10	cu.st.	.....	.....	10	nb.
13....	29·28	29 28	53·1	57 9	60·1	51·8	93	83	E.	16	E.	6	·52	T.	.....	.....	10	nb.	.....	.....	10	cu.st.
14....	29·34	29·28	56·1	66·0	72·0	44·5	80	61	N.	4	N.W.	12	.....	.....	.....	.....	.....	.....	.....	.....	1	cu.st.
15....	29·37	29·42	60·3	65·1	75·9	51·5	59	53	N.W.	10	N.W.	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16....	29·55	29·51	57·1	61·0	69·6	45·8	75	82	N.	4	S.	6	.....	.....	.....	.....	2	cu.st.	.....	.....	.....	.....
17....	29·60	29·51	61·1	72 0	72·3	52·8	88	63	W.	8	S.W.	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18....	29·57	29·62	63·5	68 0	75·2	58·3	88	79	W.	4	W.	10	.....	.....	.....	.....	.....	.....	.....	.....	10	cu.st.
19....	29 36	29·27	65·5	68·0	78·2	39·3	92	84	N.E.	4	N.W.	4	02	.....	.....	.....	.....	.....	.....	.....	.....	.....
20....	29·32	29·32	61·3	65·0	73·4	57·8	91	86	N.	4	W.	8	.....	.....	.....	.....	10	cu.st.	.....	.....	.....	.....
21....	29·42	29·42	65·5	71·0	78·2	55·3	91	80	S.	16	S.	12	.....	.....	.....	.....	.....	.....	.....	.....	2	ci.st.
22....	29·44	29·43	69·5	72·9	80·4	61·3	92	81	S.E.	4	S.E.	4	.....	.....	5	ci.	5	cu.st.	.....	.....	10	cu.st.
23....	29·43	29·35	70·2	72·0	80·2	66·3	75	80	S.E.	8	E.	4	.....	.....	4	ci.	.....	.....	.....	.....	2	cu.st.
24....	29·36	29·29	69·0	72·0	77·4	65·3	89	85	S.W.	6	S.W.	8	.....	.....	.....	.....	.....	.....	.....	.....	7	cu.st.
25....	29·29	29·21	71·0	72·9	80·0	64·8	89	82	W.	4	S.W.	4	.....	.....	2	ci.	3	cu.	.....	.....	2	cu.st.
26....	29·17	29·22	57·1	64·0	73·2	49·8	93	67	W.	18	N.W.	16	·47	....	3	ci.	4	cu.st.	.....	.....	7	cu.st.
27....	29·37	29·41	56·3	60·1	69 1	49·8	78	88	W.	20	W.	20	.....	.....	2	ci.	.....	.....	.....	.....	.....	.....
28....	29·34	29·25	62·1	70·0	73 4	51·6	77	71	W.	2	E.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29....	29 23	29·19	67·2	66·5	70·1	59·8	79	76	S.E.	20	E.	12	·01	....	3	ci.	4	cu.st.	.....	.....	10	cu.st.
30....	29·25	29 23	61·1	64·0	70·1	58·8	90	88	E.	4	W.	6	·03	....	.....	.....	10	cu.st.	.....	.....	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·24	29·18	67·0	67·0	75·2	57·8	85	89	W.	6	W.	12	·61	T.	3	ci.					10	nb.
2	29·26	29·38	58·1	55·1	67·1	53·8	75	68	N.W.	20	W.	10					10	cu.st.				
3	29·48	29·46	54·1	59·1	68·8	53·2	68	81	N.	10	N.	8									3	cu.st.
4	29·46	29·42	57·0	64·0	70·1	42·8	87	88	S.E.	12	C.	0					4	3 cu.st. cu.			10	cu.st.
5	29·38	29·25	63·0	69·0	75·0	50·8	87	79	E.	6	S.E.	4			3	ci.	4	cu.st.	5	ci.		
6	29·24	29·05	67·0	72·9	77·2	60·3	89	90	S.E.	12	W.	6					10	nb.	5	ci st.		
7	29·22	29·28	70·5	72·0	79·6	63·3	68	85	N.	8	W.	8										
8	29·27	29·22	68·8	70·0	81·7	62·8	90	89	S.E.	16	W.	12					10	cu.st.			1	cu.st.
9	29·29	29·26	66·0	70·2	76·2	60·8	83	84	W.	8	C.	0							5	ci.st.		
10	29·29	29·28	67·0	72·0	79·8	55·3	69	66	N.	8	W.	8			2	ci.	3	cu.			8	cu.st.
11	29·24	29·14	59·1	60·1	72·1	57·5	93	94	E.	4	N.E.	8	·35	·23			10	nb.			10	nb.
12	29·26	29·37	63·0	64·2	74·0	56·8	83	71	N.W.	12	N.W.	8	·04									
13	29·43	29·38	56·3	65·0	73·9	46·8	98	86	W.	4	S.	4										
14	29·38	29·42	63·0	67·0	76·2	48·8	88	74	E.	8	S.W.	4			2	ci.	2	cu.	2	ci.cu.		
15	29·32	29·26	69·0	70·0	75·3	55·8	92	94	S.W.	10	S.E.	20		·15	3	ci.	3	cu.st.			10	nb.
16	29·41	29·34	70·2	73·9	80·2	66·8	99	90	W.	10	W.	8	·03		2	ci.cu.					6	cu.st.
17	29·37	29·38	71·2	73·9	81·1	68·4	92	95	W.	8	N.E.	4		·38			10	fog.			4	cu st.
18	29·50	29·44	70·0	72·9	84·2	65·6	84	76	N.W.	4	N.	4			4	ci.cu.			2	ci.		
19	29·45	29·27	68·0	72·9	81·8	60·2	89	90	E.	4	S.E.	4							5	ci.cu.	5	cu.st.
20	29·27	29·34	71·0	67·0	79·8	65·8	94	99	W.	6	N.W.	10	R.		2	ci.						
21	29·45	29·32	65·0	68·0	76·0	54·3	82	94	N.	4	S.	4			2	ci.st.					8	cu.st.
22	29·15	29·15	70·0	74·9	80·0	65·6	98	79	W.	2	N.W.	8	·36				10	fog.	2	ci.	2	cu.st.
23	29·31	29·31	66·2	70·0	80·9	56·8	78	84	N.	4	W.	12	·01				4	cu.			6	cu.st.
24	29·24	29·12	70·0	68·0	76·0	63·0	89	89	W.	8	W.	20					10	cu.st.			10	cu.st.
25	29·27	29·09	64·0	67·0	73·4	54·4	82	79	N.	6	S.E.	14	·80								10	cu.st.
26	29·05	29·25	63·0	61·6	70·0	61·2	83	68	N.W.	20	W.	6	·30				10	cu.st.				
27	28·38	29·31	60·0	69·6	78·0	58·8	76	62	N.W.	12	S.W.	8							2	ci.		
28	29·34	29·19	63·0	65·0	72·0	56·3	83	89	C.	0	W.	14					10	cu.st.			10	cu.st
29	29·19	29·15	64·0	71·0	77·2	56·2	94	70	C.	0	W.	14										
30	29·29	29·28	60·8	66·0	75·1	52·7	94	83	W.	6	W.	6					10	cu.st.				
31	29·24	29·18	66·0	68·0	77·0	57·5	89	84	W.	8	C.	0					8	cu.st.			2	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·20	29·06	59·1	68·2	74·8	52·3	93	79	C.	0	S.W.	16	....	....	4	ci.st.	....	.....	....	.....	10	cu.st.
2....	29·12	29·24	58·1	63·0	72·1	53·0	92	72	W.	6	W.	16	·20	....	....	.....	....	.....	....	....	10	cu.st.
3....	29·39	29·38	56·3	59·1	67·9	47·6	86	81	W.	6	N.	10	·02	·02	....	.....	....	.....	....	.....	10	cu.st.
4....	29·48	29·47	54·1	60·0	68·1	45·6	93	88	E.	4	S.	4	....	....	....	.....	....	.....	....	.....	....	.....
5....	29·36	29·27	64·0	62·0	66·5	54·3	88	94	S.E.	8	S.E.	12	....	·08	....	.....	10	cu.st.	....	.....	10	nb.
6....	29·38	29·40	66·0	68·0	81·4	60·8	94	84	W.	4	W.	8	·02	....	....	.....	10	fog.	....	....	....	.....
7....	29·39	29·34	67·0	75·1	78·0	91·8	94	66	W.	6	N.	8	T.	....	....	.....	10	cu.st.	....	....	7	cu.st.
8....	29·49	29·42	65·0	68·5	75·4	57·4	82	88	N.E.	6	W.	8	....	....	4	ci.st.	....	.....	2	ci.	2	cu.st.
9....	29·47	29·41	64·2	67·0	78·2	59·8	71	79	E.	8	N.	4	....	....	4	ci.st.	....	.....	....	.....	....	.....
10....	29·55	29·26	63·0	71·0	75·2	52·8	83	84	E.	4	S.	4	....	....	....	.....	....	.....	....	.....	....	.....
11....	29·35	29·20	70·0	72·8	79·2	57·8	98	86	E.	8	W.	4	....	....	....	.....	....	.....	....	.....	....	.....
12....	29·23	29·22	72·0	70·2	81·7	68·6	95	74	S.W.	8	W.	4	....	....	3	ci.st.	3	cu.st.	....	.....	....	.....
13....	29·42	29·53	59·3	65·0	79·0	50·8	87	58	W.	8	N.W.	6	....	....	....	.....	....	.....	....	.....	....	.....
14....	29·69	29·63	57·1	63·5	70·1	45·2	81	75	N.	8	W.	4	....	....	....	.....	....	.....	....	.....	....	.....
15....	29·68	29·56	56·1	68·0	73·0	46·0	93	79	E.	4	S.W.	10	....	....	....	.....	....	.....	....	.....	....	.....
16....	29·32	29·26	69·0	70·3	75·1	66·2	84	92	S.E.	22	N.W.	10	T.	·01	....	.....	10	cu.st.	....	.....	2	st.
17....	29·40	29·41	70·1	70·0	79·4	65·2	90	75	W.	6	N.W.	12	....	....	....	.....	10	cu.st.	3	ci.	1	cu.st.
18....	29·65	29·62	58·1	63·0	71·3	48·0	81	77	N.E.	8	S.E.	4	....	....	....	.....	....	.....	....	.....	....	.....
19....	29·58	29·42	64·0	69·0	71·2	46·3	72	76	S.E.	12	E.	12	....	....	2	ci.	....	.....	....	.....	4	cu.st.
20....	29·43	29·48	71·0	59·1	72·6	57·8	91	82	S.W.	12	N.W.	12	....	·02	....	.....	8	cu.st.	....	.....	7	cu.st.
21....	29·50	29·48	54·1	61·1	71·6	49·5	86	71	N.	10	N.W.	12	....	....	4	ci.st.	4	cu.st.	....	.....	....	.....
22....	29·62	29·53	51·0	60·1	68·6	43·4	92	82	E.	4	S.E.	4	....	....	....	.....	....	.....	....	.....	....	.....
23....	29·49	29·28	54·1	68·0	72·6	45·4	93	89	E.	8	S.E.	20	....	....	....	.....	....	.....	....	.....	10	cu.st.
24....	29·14	29·10	70·0	66·0	79·2	64·6	94	58	W.	20	N.W.	12	....	....	....	.....	8	cu.st.	....	.....	10	cu.st.
25....	29·22	29·21	61·1	64·0	74·2	53·2	71	72	N.W.	16	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
26....	29·33	29·41	53·1	65·0	73·0	46·8	86	78	W.	4	S.W.	20	....	....	1	ci.	....	.....	....	.....	4	cu.st.
27....	29·29	29·22	63·0	64·5	70·0	60·8	89	86	W.	2	N.	6	04	....	....	.....	10	cu.st.	....	.....	10	cu.st.
28....	29·38	29·39	60·1	61·3	74·3	54·8	76	59	N.	6	C.	0	....	....	....	.....	10	cu.st.	....	.....	....	.....
29....	29·44	29·38	53·1	64·0	69·0	45·1	88	83	N.E.	4	C.	0	....	....	....	.....	....	.....	3	ci.st.	3	cu.st.
30....	29·35	29·39	65·0	67·8	74·3	59·5	94	76	C.	0	W.	4	·02	....	....	.....	10	fog.	....	.....	4	cu.st.
31....	29·55	29·17	56·0	63·0	70·0	51·0	93	83	E.	1	C.	0	....	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°		°	°							in.	in.								
1	29·49	29·23	57·1	70·0	72·0	47·7	87	89	E.	2	W.	4	....	....	....	....	6	cu.st	....	.....	10	nb.
2	29 11	29·09	67·0	63·0	74·8	61·8	96	88	W.	16	N.	8	·26	....	....	....	10	cu.st.	4	ci.	4	cu.st.
3	29·15	29·23	60·1	63·2	69·0	55·7	70	71	N.	8	S.	6	....	....	....	....	10	cu.st.	....	...	4	cu.st.
4	29·28	29·24	53·1	65·0	70 0	47·9	93	79	N.	4	S.E.	12	....	....	....	....	....	....	....	...	10	cu.st.
5	29·28	24·28	66·0	60·8	68·8	58·8	84	83	S.W.	20	W.	8	·17	·02	....	....	10	cu.st.	....	.....	4	cu.st.
6	29·36	29·37	60·6	59·1	71·1	55·8	94	82	N.W.	12	N.W.	2	....	....	....	....	2	cu.st.	....	.....	....	....
7	29·34	29·26	58·0	65·6	68·6	52·0	93	86	E.	6	E.	2	....	·01	....	....	10	cu.st.	....	.....	10	cu.st
8	29·23	29·26	61·1	55·0	71 1	56·4	91	89	N.E.	6	E.	4	·07	....	....	....	6	cu.st.	....	...	8	cu.st.
9	29·34	29·48	63·0	66·0	72·1	57·0	96	89	N.W.	4	W.	4	·01	....	3	ci.	3	cu.st.	....	...	2	cu.st.
10	29 40	29·25	62·0	68·0	68·0	57·6	88	94	E.	12	S.E.	8	·01	·20	....	....	10	nb.	....	.....	10	cu.st.
11	29·27	29·26	60·0	62·8	68·2	57·6	83	73	W.	16	S.W.	36	·01	·02	....	....	8	cu.st.	....	...	10	cu.st.
12	29·38	29·59	64·1	58·1	67 0	56·2	82	87	W.	34	C.	0	01	..	5	ci.cu.	5	cu.st.	....	.....	....	...
13	29·66	29·60	55·1	59·1	70·3	51·3	93	87	C.	0	S.W.	4	....	....	....	....	....	....	....	.....	....	....
14	20 62	29·58	64·0	66·6	72·9	50·1	94	87	S.W.	6	S.	4	..	....	..	.....	....	.....	....	.....	....	....
15	29 65	29·63	68·0	70·0	75 1	64·0	94	79	W.	12	W.	8	....	....	....	ci.cu.	2	cu.st	4	ci.st.	....	.....
16	29·60	29·46	67·0	70·2	75·1	54 2	96	89	W.	6	W.	8	....	....	3	ci.st.	3	nb.	..	.....	10	nb.
17	29 50	29·53	67·0	63 0	71·0	62·2	94	78	C.	0	E.	8	·76	....	....	....	10	cu.st.	....	...	10	cu.st.
18	29·51	29·50	60·0	62·0	66·7	58 1	83	88	E.	10	E.	10	·22	....	....	....	10	cu.st.	....	.....	10	cu.st.
19	29·47	29·38	61·0	67·2	69·9	57·8	89	98	E.	6	E	4	....	....	....	....	10	cu.st.	....	..	....	.....
20	29·30	29·24	68·0	69·2	76·4	65·3	98	89	S.	6	W.	4	....	·18	..	....	....	..	....	.....	10	cu.st.
21	29·33	29·30	57 1	63·0	69·2	54·8	87	83	W.	12	W.	10	....	....	5	ci.	5	cu.st	....	.....	8	cu.st.
22	29·41	29·33	52·1	48·7	63·3	45·0	68	89	E.	6	C.	0	....	....	4	ci.st.	....	.....	2	ci.st.	....	.....
23	29·06	28·84	50·1	63·0	67·2	42·3	95	77	E.	6	W.	12	....	....	....	....	8	cu.st.	....	.....	....	..
24	28·82	29·04	61·1	54·1	68·0	52·3	76	68	S.W.	20	W.	32	·10	·01	....	....	8	cu.st.	....	.....	2	cu.
25	29·36	29·56	44·1	46·2	54·0	39·9	75	76	W.	20	W.	20	....	..	....	....	10	cu.st.	....	.....	10	cu.st.
26	29·62	29·50	43·1	52·1	54·1	41·7	75	66	N.W.	10	W.	8	....	....	....	....	....	....	....	.....	....	..
27	29·45	29·37	50·1	53·6	58·8	48·0	80	95	C.	0	C.	0	....	·19	....	....	10	cu.st.	..	.....	10	nb.
28	29·28	29·17	54·2	47·3	54·2	47·2	92	97	E.	12	E.	24	·38	·56	....	....	10	fog	....	.....	10	nb.
29	29·15	29·36	46·3	52·1	55·0	44·2	99	86	N.E.	12	N.W.	8	·30	....	....	....	10	cu.st.	....	.....	10	cu.st.
30	29·48	29·64	51·3	42·2	55·2	41 0	93	90	W.	10	C.	0	·02	....	....	....	10	nb.	....	.	..	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·69	29·56	38 2	50·1	55·2	32·3	90	86	W.	4	S.E.	4										
2	29·15	29·38	50·3	62 1	63·7	40 0	92	88	S.E.	6	E.	6										
3	29 41	29·15	49·1	64·0	65·0	44·7	93	94	C.	0	S.	12		·78							10	nb.
4	29 09	29·16	60·1	53·1	65·3	51·8	83	87	N.W.	16	W.	8	·34				10	cu.st.			10	cu.st.
5	29·15	29·34	48 1	42 1	56·8	40·4	93	91	W.	12	N.W.	10	·01				10	cu.st.				
6	29·35	29·18	45·3	60·1	60 0	34·0	97	77	W.	8	S.W.	12		·01			8	cu.st.			16	st.
7	29·09	28·87	60·1	61·1	65·3	57·8	89	94	W.	12	S.W.	10		·90			2	cu.st.			10	nb.
8	29·33	29·56	42·3	38·2	61·2	36·3	72	88	N.W.	20	N.	6					10	cu.st.				
9	29·52	29·26	50·1	56·1	57·1	31·3	72	77	S.W.	16	W.	8					2	cu.st.			10	cu.st.
10	29·23	29·14	47 3	56·1	57·0	45·0	88	68	W.	16	S.W.	36	·19	S.			10	u.st.			10	cu.st.
11	29·12	29·20	44·3	43·1	56·2	41·3	82	83	S.W.	12	S.W.	12		·01			10	cu.st.				
12	29·31	29·46	40·2	42·2	48·0	36·0	90	90	W.	12	W.	12		·10			10	cu.st.			10	cu.st.
13	29·54	29·62	39·2	42·1	47·0	36·1	88	82	N.W.	10	N.	6	·01				8	cu.st.			10	cu.st.
14	29·72	29 64	39·4	42·1	49·5	38.0	87	82	N.W.	6	S.W.	6					8	cu.st.				
15	29·65	29·68	36·2	49·1	58·2	34·1	88	85	W.	6	W.	8										
16	29·70	29·69	55·1	55·1	61·0	44 4	77	86	S.W.	20	W.	4					10	cu.st.			10	cu.st.
17	29·62	29·47	56·1	58·1	61·2	51·8	85	87	S.W.	16	W.	12			5	ci.st.					6	cu.st.
18	29 52	29·65	43·1	34·2	58 2	32·4	75	87	W.	10	W.	4										
19	29·68	29·57	33·2	39·2	51·0	27·3	85	89	W.	8	N.W.	10		R.			8	cu.			10	nb.
20	29 50	29·62	36·2	35·2	43 0	33·3	88	68	E.	6	N.W.	10	36				10	nb.				
21	29·74	29·62	26·2	37·2	45·2	23·8	98	70	N.W.	12	W.	10										
22	29·42	29·21	46·1	54·3	54·4	31·2	79	71	W.	16	W.	16									4	cu.st.
23	29·33	29·54	39·4	36·2	54·3	34·7	86	59	N.W.	12	N.	6										
24	29·62	29·44	25 2	47·1	47·2	22·8	87	78	N.	6	S.W.	16										
25	29 35	29·60	42·1	39·2	53·2	36·3	84	71	W.	12	N.	6					6	cu.st.			10	cu.st.
26	29 70	29·46	26·0	41 2	44·0	22·1	96	63	N.	8	E.	16									10	cu.st.
27	29·14	29·18	47·3	43·1	48·0	37·2	99	91	S.E.	12	N.W.	8	·34	·02			10	fog.			10	fog.
28	29·33	29·46	41·2	10·2	44·2	38 5	72	78	N.W.	16	N.W.	12					8	cu.st.			4	cu.st.
29	29 45	29·70	34·2	41·2	50·0	31·2	87	65	N.W.	12	N.	6					6	cu.st.			10	cu.st.
30	29 74	29·78	25·4	30·2	41·2	24·0	100	100	N.	6	N.	6										
31	29·83	29 78	31·2	45·8	49 2	25·3	89	63	E.	10	S.E.	12			4	ci.st.					10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·66	29·33	49·0	51·0	52·8	38·4	76	87	S.E.	16	S.E.	20	...	R.	....	.....	10	cu.st.	....	.....	10	cu.st.
2	28·92	28·79	51·1	50·1	52·2	48·0	93	93	S.E.	36	N.W.	16	·32	·28	....		10	nb.	...	.....	10	nb.
3	28·96	29·24	41·2	39·2	50·2	37·1	90	89	W.	16	N.W.	16	·04	...	...	..	10	nb.	...	.....	10	cu.st.
4	29·39	29·23	37·2	43·0	45·5	32·1	78	91	W.	8	W.	6	·01	·06	....	...	10	cu.st.	....	.....	10	cu.st.
5	29·19	29·16	39·2	45·2	50·8	35·7	89	92	W.	16	S.W.	12	....	·06	2	ci.st.	....	..	....	..	10	nb.
6	29·03	29·05	42·5	45·0	47·2	40·0	89	76	N.	6	N.W.	10	·07	01	....	.....	10	nb.	....	....	10	cu.st.
7	29·04	29·22	41·1	37·4	45·0	36·0	73	67	N.W.	32	W.	16	....	....	....	.....	10	cu.st.	....	....	....	....
8	29·26	29·28	41·4	36·2	50·0	33·5	79	90	W.	12	W.	6	..	....	....	.....	10	cu.st.	....	.....	....	.....
9	29·22	29·12	39·2	46·2	48·2	30·0	71	60	S.W.	20	W.	12	....	..	2	ci.st.	....	....	...	..	10	cu.st.
10	29·19	29·36	36·2	33·2	45·2	32·0	78	96	W.	8	N.	6	·01	·01	....	....	4	cu.st.	...	.....	10	cu.st.
11	29·48	29·66	31·2	32·2	40·0	29·3	89	89	N.W.	12	N.W.	6	·01	....	4	ci.st.	....	.....	..	....	10	cu.st.
12	29·71	29·63	24·2	30·2	36·7	23·0	100	89	W.	6	W.	6	....	....	....	.....	...	..	....	.	8	cu.st.
13	29·43	29·35	31·2	36·2	36·2	29·0	86	82	W.	28	W.	32	....	....	...	...	5	cu.st.	....	..	10	cu..s.
14	29·57	29·60	23·4	27·2	36·2	21·5	96	87	W.	16	W.	10	..	....	....	.....	....	.....	....	....	....	....
15	29·57	29·65	29·2	25·2	38·0	21·7	76	100	W.	6	N.	6	....	....	....	..	10	cu.st.	...	.....	....	...
16	29·68	29·62	18·4	32·2	41·0	17·0	97	77	N.W.	6	W.	10	....	....	....	....	....	....	....	....	....	.....
17	29·66	29·55	24·3	42·2	44·0	22·8	97	72	W.	6	S.W.	12	....	....	....	..	10	fog.	....	..	....	...
18	29·48	29·52	34·2	33·2	47·6	31·5	88	89	S.W.	4	C.	0	....	....	....	..	10	fog.	....	....	....	....
19	29·63	29·72	29·3	35·0	38·0	23·3	98	89	N.	6	N.E.	8	....	....	....	..	10	fog.	....	..	10	fog.
20	29·62	29·23	36·0	43·1	44·2	32·7	89	83	E.	16	S.E.	40	..	·11	....	....	10	cu.st.	....	...	10	nb.
21	29·14	29·41	48·1	45·3	49·0	40·0	85	90	S.W.	30	S.W.	18	·36	....	....	..	10	cu.st.	...	..	10	cu.st.
22	29·51	29·64	43·1	34·0	47·2	32·2	91	79	W.	8	W.	8	...	....	....	..	2	cu.st	..	...	....	....
23	29·72	29·69	25·2	32·8	40·3	23·3	100	90	N.E.	12	S.E.	8	....	....	....	..	....	....	....	....	10	cu.st.
24	29·71	29·69	28·4	27·2	39·5	25·3	96	99	E.	6	E.	2	....	....	....	..	6	cu.st.	....	....	...	....
25	29·55	29·28	20·4	43·5	43·6	19·1	97	79	N.	6	S.	16	.	....	....	..	8	cu.st.	....	.	10	nb.
26	29·12	29·39	36·4	36·2	43·5	34·3	78	66	N.W.	20	N.W.	21	....	S.	3	ci.st.	3	cu.st.	....	.	10	cu.st.
27	29·45	29·12	31·2	43·1	45·0	29·0	89	83	W.	12	S.W.	40	..	·02	4	ci.cu.	...	..	..	....	10	nb.
28	29·18	29·35	40·2	34·2	45·0	34·2	72	69	W.	20	W.	10	·01	S.	...	..	10	cu..t.	..	...	....	.....
29	29·49	29·55	28·2	31·2	35·0	26·6	78	87	W.	10	W.	8	....	S.	10	ci.st.	...	..	..	...	10	cu.st.
30	29·56	29·45	22·2	30·4	31·2	18·7	87	97	E.	10	N.E.	6	...	·02	...	.....	10	cu.st.	....	.....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Port Stanley, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·38	29·37	29·4	27·2	33·0	25·5	97	87	W.	4	W.	12	·02	..	....	.....	10	cu.st.	....	.....	10	cu.st.
2	29·40	29·47	25·2	23·0	27·2	20·5	96	74	W.	10	W.	6	·04	....	...	.....	10	nb.	....	..	10	cu.st.
3	29·42	29·68	18·2	22·2	30·2	16·0	97	65	E.	8	E.	10	....	....	2	ci.st.	.....	....	.....	..	..	....
4	29·71	29·74	13·4	13·2	25·2	12·0	93	96	N.	14	E.	6	....	....	...	....	4	cu.st.	....	..	....	. .
5	29·69	29·51	18·4	30·2	30·2	11·0	97	77	W.	10	W.	21	....	....	4	ci.st.	. .	.....	.....	...	.....	.....
6	29·50	29·52	27·2	38·2	38·2	25·3	87	79	W.	16	S.W.	20	....	....	....	.....	10	cu.st.	.....	.....	.....	.....
7	29·53	29·49	31·2	37·4	42·2	27·7	99	94	W.	10	S.	10	..	....	....	.....	....	...	.....	.....	....	.....
8	29·46	29·40	40·2	41·4	41·0	36·3	82	79	S.	8	S.E.	10	·03	....	....	. .	10	fog.	....	. .	....	.....
9	29·24	28·92	41·2	44·4	45·2	35·5	59	99	E.	12	S.E.	12	02	·06	...	.....	10	cu.st.	....	.....	10	fog.
10	28·88	29·03	36·2	26·6	47·0	25·2	89	84	W.	12	N.W.	16	·14	·04	....	. .	10	cu.st.	....	....	10	nb.
11	28·12	29·26	21·0	19·2	27·2	17·3	88	84	N.W.	24	N.W.	20	·28	....	....	.....	10	cu.st.	....	.....	10	nb.
12	29·43	29·61	17·2	12·2	23·8	10·8	87	96	W.	16	N.W.	6	....	....	...	....	10	cu.st.	....	....	10	cu.st.
13	29·63	29·48	10·0	25·2	29·0	5·4	87	76	N.	2	E.	12	....	....	...	....	10	fog.	.....	.....	10	cu.st.
14	29·14	28·94	28·2	29·2	30·4	23·3	88	96	E.	32	E.	20	·02	·12	....	....	10	nb.	.....	.....	10	nb.
15	28·88	28·94	33·2	33·2	35·2	28·0	89	98	S.W.	6	W.	16	·06	·06	....	.....	...	. .	.....	.....	10	nb.
16	29·14	29·31	30·2	29·2	33·6	25·4	88	89	W.	12	W.	12	·02	R.	....		10	cu.st.	.....	.....	10	cu.st.
17	29·45	29·48	26·4	24·2	30·6	23·3	84	86	W.	14	W.	10	..	....	....	.....	10	cu.st.	.....	....	10	cu.st.
18	29·43	29·41	20·6	25·2	28·0	15·1	94	91	W.	12	W.	6	...	·01	....	....	10	cu.st.	.....	....	10	nb.
19	29·56	29·58	24·2	29·2	29·2	22·3	86	76	S.W.	18	S.W.	40	·01	..	....	..	10	nb.	.....	.....	8	cu.st.
20	29·50	29·52	30·2	31·2	35·4	27·3	88	77	S.W.	32	S.W.	20	.	....	....	...	6	cu.st.	.....	.....	.....	.....
21	29·77	29·77	28·2	34·2	34·2	25·9	88	79	W.	8	S.W.	20	....	....	....	..	...	.....	....	....	10	cu.st.
22	29·61	29·25	31·2	34·0	34·0	29·0	97	79	S.W.	14	S.	4	....	....	....	..	10	cu.st.	....	.....	10	cu.st.
23	28·74	28·50	34·6	33·2	36·0	32·0	94	98	E.	20	W.	16	·42	·04	.....	....	10	nb.	. .	.....	10	nb.
24	28·93	29·15	27·4	29·4	35·0	25·2	96	92	W.	10	W.	8	·03	....	....	.....	10	cu.	.....	.....	. .	.....
25	29·11	29·32	35·0	36·2	37·2	19·3	79	78	S.E.	30	S.W.	20	·06	....	....	..	10	nb.	.....	.....	10	cu.st.
26	29·62	29·37	24·2	36·2	36·2	22·3	86	88	N.	4	S.E.	24	....	....	....	....	..	.....	. .	.....	10	cu.st.
27	29·16	29·13	42·4	43·1	45·2	35·0	80	91	S.E.	28	S.W.	12	·03	·01	....	..	10	cu.st.	.....	....	10	nb.
28	29·17	29·52	39·2	28·2	44·0	26·0	90	67	N.W.	8	W.	12	·60	....	....	...	10	nb.	.....	.....	10	cu.st.
29	29·57	29·26	22·4	34·2	34·0	20·7	96	78	S.W.	4	E.	12	....	....	....	....	....	....	.....	.....	10	cu.st.
30	28·71	29·04	40·2	33·4	41·6	32·0	98	96	S.W.	10	N.W.	20	·94	·02	.....	.....	10	fog.	.....	.....	10	nb.
31	29·46	29·45	24·2	33·2	34·3	19·5	73	87	S.W.	20	S.W.	28	·02	....	....	.....	4	cu.st.	.....	.....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario: Latitude North, 43° 40′; Longitude West, 79° 24′. Height above Sea, 350 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·72	29·98	36·0	33 4	39·8	32 8	78	82	S.W.	16	W.	6	....	....	....	....	10	cu.st.	....	....	10	cu.st.
2....	30·10	30·09	28·0	32·8	33·5	27·3	86	82	N.	14	E.	20	....	....	....	....	10	cu.st.	....	....	10	ub.
3 ...	29·78	29·46	36·0	37·8	40·2	31·3	98	100	E.	20	C.	0	·40	·41	....	....	10	nb.	....	....	10	nb.
4 ...	29·40	29·66	36·2	31·2	40·4	30·9	90	79	N.W.	22	W.	14	·34	....	....	....	10	cu.st.	....	....	10	cu.st.
5....	29·68	29·75	33·0	31·6	39·0	30·3	89	86	S.W.	8	E.	4	....	....	....	....	8	cu.st.	....	....	....	....
6....	29·67	29·74	30·2	38 0	43·6	30·0	99	97	C.	0	S.W.	6	....	....	....	....	....	....	....	....	10	nb.
7...	29·80	29·81	36·4	35 6	41·0	34·8	96	96	C.	0	E.	6	·02	·75	....	....	....	fog.	....	....	10	cu.st.
8....	29·71	29·63	34·2	36·6	37·2	31·8	96	87	N.E.	16	W.	6	·04	R.	....	....	10	nb.	....	....	10	nb.
9....	29·67	29·80	24·8	15·6	37·2	15·1	77	80	N.W.	26	W.	8	....	·02	....	....	10	cu.st.	....	....	10	nb.
10....	29·49	29·14	16·6	33·2	33·2	15·0	80	74	S.W.	16	W.	18	....	S.	....	....	9	cu.st.	....	....	6	nb.
11....	29·46	29·71	26·2	24·0	33·3	23·8	83	78	W.	16	N.	6	S.	....	7	ci.st.	....	....	....	....	10	nb.
12....	29·37	29 72	25·0	24·5	29·3	22·3	97	87	E.	26	C.	0	·20	·15	....	....	10	nb.	....	....	10	nb.
13....	30 02	29·87	23·0	22·8	27 4	18·8	89	94	N.E.	6	E.	20	....	R.	....	....	10	nb.	....	....	10	nb.
14....	29·66	29·69	26·6	34·1	35·0	21·7	96	78	E.	4	C.	0	R.	04	....	....	10	fog.	....	....	10	cu.st.
15 ...	29·84	30·04	20·8	13·1	35·2	13·0	74	89	N.	12	C.	0	·01	....	....	....	10	cu.st.	....	....	10	nb.
16 ...	30·10	30·15	14·0	7 0	17·2	4·9	77	96	N.	6	N.E.	10	....	·03	....	....	10	cu.st.	....	....	10	nb.
17 ..	29 89	29·81	4·7	14·8	15 0	−0 8	90	91	N.	16	N.	14	·30	·17	....	....	10	nb.	....	....	10	nb.
18....	29 73	29·80	19 0	27 6	28·0	13·2	97	98	E.	6	N.	4	·03	S.	....	....	10	nb.	....	....	10	nb.
19....	29·44	29·03	35·2	47·4	48·2	27·0	100	87	E.	20	S.	4	·19	·13	....	....	10	nb.	....	....	6	cu.st.
20. ..	28·95	29·52	38·2	20·3	51·0	20 0	57	81	S.W	34	W.	40	S.	....	....	....	10	cu.st.	....	....	....	....
21....	29·95	30·03	12·0	13·0	21·0	10 5	92	80	W.	8	W.	4	02	..	....	....	1	cu.	....	....	....	....
22 ...	29·82	30·15	11·8	3·9	16·0	3·8	88	87	N.	14	N.	8	·20	02	....	....	10	nb.	....	..	....	....
23....	30·24	30·23	−7·6	− 4·9	4·0	— 7·6	93	90	N.	4	N.	2	....	....	..	....	....	....	....	....	....	....
24 ...	30·18	29·85	−9·1	2·9	6·8	— 9·7	96	97	N.	6	N.E.	10	....	·24	5	cu.st.	....	....	....	....	10	nb.
25....	29·57	29 61	5·7	9 8	13·0	2·5	98	87	N.	14	N.	4	·20	·14	..	....	10	nb.	....	....	10	nb.
26 ...	29·78	29·96	1·9	6·3	14·0	1·5	86	76	W.	14	W.	12	....	....	....	....	....	....	....	....	....	....
27....	29·98	29·98	7·7	13·2	20 0	6·3	98	91	C.	0	W.	4	....	....	....	....	10	cu.st.	....	....	....	....
28....	30·01	30 04	12·8	18·8	22·6	11·0	90	72	S.W.	12	W.	10	....	S.	....	....	8	cu.st.	1	ci.cu.	2	st.
29. ..	30·01	29·90	14 0	17·0	20·2	10·2	79	88	W.	8	W.	4	....	·02	....	....	10	st.	....	....	10	c u.st.
30....	30·04	30·20	6·3	10·0	17·9	6·1	98	90	N.	2	N.	8	....	....	....	....	1	cu.	....	....	....	....
31. ..	30·03	29·83	21·8	26·8	27·0	7·8	75	89	E.	8	E.	4	·01	·04	..	....	10	nb.	....	....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 p.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·79	29·46	27·8	35·6	35·8	25·0	90	67	E.	10	E.	4	..	...	....	...	10	nb.	....	...	10	nb.
2	29·26	29·16	34·4	25·5	37·6	25·5	99	69	S.	10	N.W	30	·04	·03	....	.....	10	nb.	....	..	10	nb.
3	29·70	29·96	11·3	11·3	86·0	8·0	74	79	S.W.	12	N.	6	..	S.	2	ci.cu.	1	st.	....		5	cu.st.
4	30·00	29·91	5·0	11·0	17·0	4·4	78	77	N.	4	N.	18	..	..	2	ci.st.	....	.....	..	..	10	nb.
5	29·79	29·78	6·7	6·7	12·2	6·2	88	95	N.	18	N.	8	·01	·06	....	.....	10	nb.	....	....	....	....
6	29·93	30·07	1·5	10·2	17·2	0·4	97	92	N.	6	N.	4	....	....	2	ci.st.	....	....	....	....	1	st.
7	30·16	29·99	4·0	17·8	24·2	2·0	86	74	W.	4	C.	0	....	....	....	.....	3	cu.st.	....	....	10	cu.st.
8	29·91	29·80	14·0	24·8	27·6	13·6	91	75	W.	6	S.W.	4	....	....	6	ci.	....	.....	....	....	....	.....
9	29·69	29·49	26·0	31·0	32·0	22·0	83	89	S.	10	S.W.	8	·01	·01	....	.....	10	cu.st.	....	....	....	....
10	29·10	29·31	31·8	23·8	37·2	23·4	91	73	S.	18	N.W	28	S.	·02	....	.....	10	nb.	....	....	10	cu.st.
11	29·47	29·77	1·4	— 5·7	24·4	— 5·7	94	96	N.	24	N.W.	12	....	....	1	ci.	....	....	....	....	....	.....
12	29·90	29·93	— 6·1	10·2	12·0	— 8·0	96	81	N.W.	6	W.	4	....	....	....	.....	....	.....	....	....	....	....
13	29·70	29·18	22·0	36·6	38·0	9·2	83	80	S.W.	20	S.W.	22	·01	....	....	..	10	nb.	....	..	3	st.
14	29·41	29·61	35·6	17·1	40·3	16·2	97	76	W.	16	N.W.	16	R.	·01	....	....	10	nb.	....	....	10	nb.
15	29·67	29·36	19·4	32·8	33·0	11·6	73	87	S.W.	22	S.W.	16	....	·02	....	....	8	cu.st.	....	....	10	cu.st.
16	29·47	29·47	32·0	35·0	39·2	31·8	85	70	W.	4	S.W.	10	....	..	....	...	10	cu.st.	....	..	10	nb.
17	29·60	29·83	21·0	12·0	36·1	11·7	83	73	N.W.	18	N.W.	12	S.	S.	....	....	10	nb.	....	..	....	....
18	29·78	29·41	14·0	27·8	27·8	7·6	87	79	N.E.	4	E.	20	....	....	....	...	10	nb.	....	..	10	nb.
19	28·96	29·28	34·6	29·0	38·0	27·5	92	74	E.	10	S.W.	16	·07	·02	....	....	10	nb.	....	..	..	..
20	29·34	29·17	22·8	22·6	33·3	22·4	90	100	N.W.	4	N.W.	18	....	·15	2	ci.cu.	....	.....	....	....	10	nb.
21	29·54	29·69	4·8	9·0	24·4	3·5	80	71	N.W.	18	W.	4	·15	....	....	....	....	.....	....	....	6	cu.st.
22	30·01	30·20	— 5·0	4·0	9·0	— 5·1	90	87	N.	14	N.W.	8	..	....	....	....	....	.....	....	....	....	....
23	30·37	30·32	1·0	7·5	15·0	0·8	93	89	N.	6	C.	0	....	....	....	....	....	.....	....	....	....	..
24	29·92	29·54	20·0	28·0	28·0	5·6	70	88	E.	22	S.W.	10	..	12	....	.....	10	cu.st.	....	....	10	nb.
25	29·83	30·03	15·0	8·0	32·5	7·0	78	76	W.	14	N.	8	....	....	....	.....	2	cu.st.	....	....	....	..
26	30·01	29·71	7·0	9·8	18·8	4·2	86	92	N.	10	N.E.	12	S.	05	....	.....	10	nb.	....	..	10	nb.
27	30·01	30·10	7·5	11·2	14·8	6·1	80	69	N.	12	N.	8	....	....	....	....	....	....	....	....	9	cu.st.
28	30·01	30·03	9·3	16·8	19·2	8·8	78	75	N.	22	N.E.	8	....	....	....	.....	10	cu.st.	....	..	8	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Winds.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°										in.	in.								
1....	29·99	29·50	18·4	31·8	32·2	16·0	91	87	E.	16	N.E.	16	....	R.	....	....	6	cu.st.	....	....	10	nb.
2....	29·07	29·23	37·7	29·8	38·4	28·0	82	87	S.W.	24	S.W.	24	·44	·02	....	....	10	nb.	....	....	10	nb.
3....	29·32	29·64	19·8	12·0	31·0	11·0	92	78	N.W.	8	N.W.	16	·01	·01	....	....	10	nb.	....	....	1	cu.st.
4....	29·80	29·76	16·5	21·2	27·1	11·0	78	70	W.	6	S.	8	S.	S.	....	....	10	nb.	....	....	....	....
5....	29·62	29·43	23·8	25·2	32·0	20·3	86	90	C.	0	N.W.	18	S.	·16	....	....	8	cu.st.	....	....	10	nb.
6....	29·99	30·06	12·0	11·0	26·8	10·2	82	78	N.	24	N.W.	14	·09	....	....	....	....	....	....	....	....	....
7....	29·94	29·57	12·8	27·0	28·2	4·8	87	75	N.E.	6	E.	8	....	....	....	....	8	cu.st.	....	....	10	cu.st.
8....	29·58	29·77	22·8	28·1	36·2	20·7	79	79	N.W.	10	N.W.	16	S.	....	....	....	10	cu.st.	....	....	....	....
9....	30·00	30·00	18·2	26·6	31·0	16·2	77	88	N.	18	W.	8	....	....	....	....	....	....	....	....	....	....
10....	29·88	29·86	29·0	27·8	35·2	18·2	84	89	E.	10	E.	2	....	....	....	....	10	cu.st.	....	....	....	....
11....	29·98	29·90	23·8	33·8	40·0	21·0	95	78	C.	0	S.W.	8	....	....	....	....	....	....	....	....	....	....
12....	29·57	29·35	34·6	40·0	40·3	31·0	73	98	S.E.	18	S.W.	10	·06	·04	....	....	10	cu.st.	....	....	10	nb.
13....	29·34	29·47	36·8	36·2	41·0	34·8	90	72	N.W.	14	N.W.	8	R. S.	....	....	....	10	nb.	....	....	10	nb.
14....	29·35	29·67	29·8	31·8	37·2	28·0	94	70	N.	14	N.W.	8	·04	·01	....	....	10	nb.	....	....	....	....
15....	29·78	29·91	31·8	34·0	42·8	28·7	81	70	S.W.	20	N.W.	24	....	....	....	....	8	cu.st.	....	....	....	....
16....	30·05	29·69	31·7	43·8	50·0	25·0	71	92	S.	6	S.W.	20	....	S.	....	....	10	cu.st.	....	....	....	....
17....	29·62	29·91	43·0	33·2	44·5	32·0	86	86	N.W.	18	N	12	·08	....	....	....	10	cu.st.	....	....	10	cu.st.
18....	30·02	29·99	28·8	32·8	38·2	26·2	88	77	N.E.	8	C.	0	....	....	2	ci.st.	....	....	....	....	8	nb.
19....	29·46	28·99	31·0	42·2	42·7	29·1	96	83	E.	18	W.	12	·04	·02	....	....	10	nb.	....	....	10	nb.
20....	29·69	29·82	25·2	30·2	43·0	23·2	69	76	N.W.	30	N.W.	6	S.	....	....	....	2	cu.st.	....	....	....	....
21....	29·71	29·46	30·8	35·0	41·4	22·8	87	74	E.	6	C.	0	....	....	2	ci.st.	2	cu.	....	....	6	cu.st.
22....	29·24	29·39	38·2	49·7	59·0	34·0	96	94	C.	0	S.W.	6	....	....	5	ci.cu.	5	cu.st.	2	ci.	....	....
23....	29·68	29·52	41·8	11·8	50·2	38·4	71	66	C.	0	E.	24	....	R.	5	ci.cu.	5	cu.st.	....	....	10	cu.st.
24....	29·26	29·80	37·8	40·2	44·2	37·8	88	72	S.W.	6	N.E.	10	·09	....	....	....	10	nb.	....	....	7	cu.st.
25....	29·95	29·69	32·8	36·8	42·0	31·6	90	86	E.	6	E.	4	....	....	....	....	10	cu.st.	2	ci.cu.	....	....
26....	29·55	29·65	38·6	42·4	49·2	32·6	91	86	S.E.	4	N.E.	8	·22	·01	....	....	10	nb.	....	....	10	nb.
27....	29·47	29·39	37·8	50·2	50·8	36·0	96	97	C.	0	S.W.	4	·49	·31	....	....	10	fog.	....	....	10	fog.
28....	29·48	29·59	52·4	51·8	64·1	48·4	94	62	N.W.	6	N.	12	....	..	3	ci.cu.	....	....	9	ci.cu.	....	....
29....	29·48	29·32	40·8	40·8	52·0	39·6	68	82	E.	26	S.	8	....	....	....	....	10	nb.	4	ci.	3	cu.st.
30....	29·79	29·86	40·8	40·8	49·8	36·2	73	50	N.W.	8	N.	4	....	....	....	....	1	cu.	2	ci.st.	....	....
31....	30·00	30·07	29·0	23·4	42·0	23·2	67	68	N.W.	8	N.W.	16	....	S.	....	....	9	cu.st.	....	....	2	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	n.											in.	in.								
1	30·15	30·11	21·0	20·4	28·2	19·2	74	91	N.	16	N.W.	18	....	....	1	ci.st.	....	....	....	.....	....	....
2	30·07	29·87	22·6	34·2	35·8	17·6	72	76	N.W.	6	S.W.	12	....	....	....	.....	....	.....	....	.....	10	nb.
3	29·81	29·70	35·1	38·0	47·1	32·8	76	70	S.W.	6	S.E.	4	....	R.	10	....	10	cu.st.	....	.....	10	cu.st.
4	29·55	29·35	39·5	38·8	45·2	33·5	76	93	S.E.	6	N.E.	8	....	·08	4	ci.st.	4	cu.st.	....	....	10	st.
5	29·54	29·78	30·6	30·8	41·2	29·3	89	83	N.W.	18	N.	8	·08	....	....	....	10	cu.st.	....	.....	....	.....
6	29·93	29·80	24·4	31·6	33·0	21·3	84	73	E.	12	S.E.	14	....	....	....	.....	....	.....	....	....	....	....
7	29·55	29·24	34·8	35·5	37·8	29·8	75	96	S.E.	22	S.E.	16	·24	S.	2	ct.st.	5	cu.st.	....	....	10	nb.
8	29·02	29·06	40·0	38·0	43·8	35·2	89	81	S.E.	20	W.	6	·18	....	....	....	10	cu.st.	....	.....	10	cu.st.
9	29·04	29·04	36·1	36·2	48·8	33·6	90	88	S.	4	S.E.	2	....	R.	....	.....	10	cu.st.	....	....	10	cu.st.
10	28·99	29·20	37·4	34·8	38·0	34·3	79	70	N.W.	22	N.W.	25	·02	....	....	....	10	st.	2	ci.st.	2	cu.st.
11	29·40	29·42	32·8	35·8	46·3	29·8	78	71	N.W.	20	W.	14	....	....	....	....	4	cu.st.	....	....	5	cu.st.
12	29·32	29·31	33·8	34·8	38 1	31·2	97	90	S.W.	4	S.E.	2	·02	·08	....	.....	10	nb.	....	.....	10	nb.
13	29·30	29 42	35·4	33·1	41·2	32·2	91	90	N.W.	20	N.W.	22	·02	S.	....	....	10	st.	4	ci.st.	4	cu.st.
14	29·51	29·63	27·8	29 8	38·0	27·2	87	69	N.W.	24	N.W.	14	....	....	....	....	7	cu.st.	....	.....	10	cu.st.
15	29·70	29·55	33·0	39·4	44·5	28·4	69	58	N.W.	18	W.	8	....	....	1	ci.cu.	....	.....	....	....	10	cu.st.
16	29·36	29·27	32·1	33·1	40·0	31 6	97	89	S.E.	8	W.	18	·04	S. ·12	....	....	10	cu.st.	3	ci.st.	3	cu.st.
17	29·44	29 60	36·6	32·8	46·0	32·0	53	64	W.	20	N.W.	8	....	....	....	....	....	....	....	.....	....	....
18	29 63	29·62	33·4	35·8	43·8	26·0	66	59	N.W.	14	N.	10	....	S.	....	....	....	....	....	.....	10	cu.st.
19	29·55	29·58	34·8	35·4	44·2	30·5	68	58	N.	10	N.W.	8	....	....	6	ci.st.	4	cu.st.	....	....	....	....
20	29·73	29·80	30·2	31·8	42·0	27·6	65	59	N.W.	20	W.	6	....	....	....	....	....	....	....	.....	....	.....
21	29·87	29·69	34·1	44·4	53·8	25·6	87	56	W.	12	S.W.	16	....	....	....	....	....	....	....	.....	....	....
22	29·63	29·49	43·0	47·5	58 5	35·5	62	57	S.W.	12	S.W.	14	....	....	1	ci.st.	....	.....	1	ci.st.	....	....
23	29·43	29·40	41·0	48·3	56·0	34 0	75	61	E.	8	N.W.	4	....	....	4	ci.st.	....	.....	....	.....	10	nb.
24	29·48	29·58	42·4	48·6	57·0	34·0	68	47	N.W.	24	N.W.	8	....	....	....	.....	....	.....	5	ci.st.	5	cu.st.
25	29·32	29·59	51·7	38·1	53·3	36·6	78	79	S.W.	10	N.	10	·13	S. ·09	....	....	7	cu.st.	....	.....	10	nb.
26	29·70	29·87	37 8	38·6	43·8	34·7	80	78	N.E.	4	S.W.	4	R.	....	....	....	10	cu.st.	....	.....	3	cu.st.
27	30·03	29·91	37·8	41·7	50·0	26 7	58	53	S.W.	4	E.	10	....	....	....	....	....	....	....	.....	....	.....
28	29·81	29·63	44·2	53 7	61·2	33·8	66	65	E.	10	E.	6	....	....	....	....	....	...	....	.....	8	cu.st.
29	29·52	29·45	49·1	52·6	70·0	44 1	93	86	S.W.	10	N.	10	·06	R.	....	....	10	cu.st.	....	....	10	cu.st.
30	29·44	29·63	41·7	36 8	53·0	36·3	93	81	N.E.	16	N.	16	·71	·19	....	....	10	nb.	....	....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·89	29·92	37·6	39·6	46·8	29·8	55	62	N.	12	S.W.	4							7	ci.st.		
2	29·95	29·81	43·0	40·8	52·2	30·3	52	64	N.E.	4	C.	0			1	ci.st.	3	st.			7	s.
3	29·76	29·59	45·0	45·1	60·3	33·7	60	73	W.	2	N.W.	16									10	cu.st.
4	29·52	29·82	33·2	37·8	45·2	32·7	90	59	N.W.	26	N.W.	6	·37	·37			10	st.			6	cu.st.
5	29·88	29·72	42·4	41·0	50·8	32·2	70	71	C.	0	W.	8									10	st.
6	29·67	29·61	43·0	47·0	54·1	40·3	88	76	W.	4	S.	2	R.	R.			10	n.			8	cu.st.
7	29·60	29·62	45·6	45·1	54·4	37·6	69	76	N.W.	6	S.	6					9	st.			7	cu'st.
8	29·72	29·60	48·0	45·0	52·5	34·3	47	61	C.	0	N.E.	1					4	cu.st.			5	st.
9	29·52	29·39	50·4	60·0	69·3	40·1	63	54	N.E.	2	S.	10										
10	29·61	29·54	38·4	37·0	60·1	34·8	56	66	W.	8	S.W.	12	·06	·06			10	cu.st.			3	cu st.
11	29·62	29·72	40·0	36·0	46·8	31·0	54	55	N.W.	16	N.	4										
12	29·78	29·51	36·3	39·2	47·8	26·0	57	71	S.	4	N.E.	10					10	cu.st.	7	ci.cu.		
13	29·40	29·35	54·2	68·7	74·2	34·4	58	61	S.	10	S.	10					7	st.	2	ci.st.		
14	29·46	29·46	67·2	57·5	75·2	53·0	67	73	S.	4	N.E.	16							3	ci.st.		
15	29·36	29·28	54·6	56·6	68·0	48·0	79	94	N.D.	12	E.	6		·26			8	cu.st.	5	ci.st.	5	nb.
16	29·56	29·54	49·0	51·4	57·0	44·4	71	63	S.	16	S.	12	·03	·03			6	cu.st.	2	ci.st.		
17	29·62	29·51	50·2	57·0	59·4	39·3	72	71	S.	6	S.	4									10	cu.st.
18	29·43	29·41	51·0	64·7	76·3	48·0	91	58	S.E.	22	W.	6					10	n.				
19	29·49	29·51	49·0	49·0	69·8	42·3	64	54	N.W.	6	N.W.	16	R.	·04			10	cu.st.			9	cu.st.
20	29·66	29·72	44·1	40·8	52·2	35·0	59	52	W.	22	N.W.	16	S.	S.							1	cu.st.
21	29·85	29·81	41·6	46·0	55·3	33·0	60	61	W.	16	N.W.	10			5	st.			4	ci.st.		
22	29·83	29·70	45·2	48·2	55·0	33·1	53	67	S.	8	S.	4			6	ci.st.					10	cu.st
23	29·74	29·73	50·0	52·0	59·0	44·5	58	61	C.	0	C.	0	·06	·06			10	cu.st.				
24	29·81	29·79	57·2	52·1	61·0	43·5	49	52	N.	8	E.	12							6	ci.st.		
25	29·84	29·58	48·3	45·0	56·0	43·1	44	67	E.	22	E.	18			5	ci.st.					10	nb.
26	29·32	29·14	44·4	54·4	54·8	43·2	97	91	N.E.	6	N.E.	10	·70	·02			10	fog.			10	cu.st.
27	29·06	29·43	55·8	37·5	58·0	37·2	94	69	S.	14	S.W.	22	·01	·01	4	ci.					10	cu.st.
28	29·61	29·64	44·6	48·0	57·0	35·0	56	56	W.	23	N.W.	10					3	cu.			10	cu.st.
29	29·66	29·61	45·0	52·8	60·3	43·0	91	43	S.W.	4	N.	16	·08	·08			10	nb.				
30	29·73	29·71	51·7	50·3	57·3	36·3	56	34	N.	16	S.W.	4										
31	29·74	29·67	55·0	54·3	59·8	38·7	62	52	E.	10	N.E.	8							2	ci.st.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1.	29·56	29·47	52·7	48·1	54·8	47·8	74	93	E.	12	E.	8	....	·01	7	ci.st.	....	.....	.....	.....	10	nb.
2 ...	29·41	29·36	52·3	53·4	62·7	46·8	74	69	E.	6	E.	4	·02	....	8	ci.cu.	....	.....	1	ci.	....	....
3...	29·40	29·44	62·8	60·8	73·0	44·7	80	53	N.	14	S.	6	....	....	1	ci.st.	....	....	6	ci.st.	....	....
4...	29·46	29·19	53·2	52·2	61·2	50·2	85	93	E.	4	E.	18	....	·32	..	..	10	cu.st.	....	..	10	nb.
5 ...	29·10	29·20	52·3	52·4	64·0	49·2	86	86	S.	16	W.	18	·27	·68	....	..	10	cu.st.	....	.....	10	cu.st.
6....	29·35	29·52	55·2	54·7	60·0	48·7	71	67	N.W	16	N.W	18	·05	..	....	....	4	cu.st.	....	.. ..	10	cu.st.
7. .	29·60	29·56	58·8	58·7	69·4	44·0	62	74	N.W.	10	S.E,	4	....	....	....	....	....	.....	3	ci.st.	4	cu.st.
8 ...	29·67	29·62	58·0	62·0	65·8	48·0	56	49	E.	6	N.E.	10	....	....	....	.. ..	....	.....	....	.....	....	.....
9...	29·69	29·69	63·0	57·8	71·4	51·8	52	71	N.E.	16	S.	2	....	.. ..	..	.. ..	....	....	1	ci.	....	.....
10 ...	29·73	29·60	59·8	54·2	65·8	46·0	59	66	N.E.	8	E.	14	....	....	....	..	....	.....	....	.....	....	.. ..
11....	29·55	29·57	55·0	53·0	60·7	49·0	73	73	E.	18	E.	16	....	....	6	ci.cu.	..	.....	....	.....	6	cu.st.
12 ...	29·67	29·67	58·6	58·2	63·7	49·0	67	59	E.	16	E.	12	....	..	6	ci.	....	.....	....	.....	6	cu.st.
13....	29·63	29·56	55·0	53·5	65·0	49·6	66	76	E.	14	E.	6	....	....	8	ci.cu.	....	.....	....	.....	..	.....
14....	29·56	29·46	57·0	71·3	82·0	44·4	73	53	N.	4	N.W.	12	....	.	2	ci.	. .	.....	2	ci.st.	....	.....
15 ...	29·59	29·65	65·7	65·7	77·0	56·5	49	55	N.W	18	N.W.	12	....	....	2	ci.	....	. .	2	ci.st.	....	...
16....	29·78	29·72	66·2	71·0	81·3	52·2	53	62	C.	0	S.W.	10	....	.	....	....	....	. .	3	ci.st.	....	.....
17....	29·81	29·72	63·7	74·4	85·1	57·1	64	62	S.W.	10	S.W.	10	....	....	2	ci.cu.	....	....	....	.....	..	.....
18 ...	29·75	29·62	72·6	76·7	86·8	62·4	69	89	S.W.	6	S.W.	4	..	..	....	.. ..	....	.....	5	ci.st.	....	...
19....	29·62	29·51	76·2	65·0	82·8	63·3	68	92	E.	3	N.	8	..	·90	4	ci.st.	....	.....	..	.....	5	cu.st.
20 ...	29·57	29·60	70·0	70·0	79·2	59·5	80	83	N.W	4	S.	4	....	....	3	ci.st.	....	.....	....	.....	4	cu st.
21. ..	29·73	29·70	68·3	68·3	80·3	58·3	82	82	S.W.	4	S.	4	....	....	..	.....	....	.....	2	ci.st.	3	cu.st.
22....	29·78	29·71	71·2	72·1	83·4	60·4	77	75	C.	0	S.	6	....	R.	5	ci.st.	....	.....	....	.....	....	.....
23 ..	29·74	29·63	65·8	70·0	80·1	60·4	89	77	E.	6	S.E.	6	R.	·01	..	.. ..	8	nb.	8	ci.cu	....	.. ..
24 ..	29·62	29·51	69·2	74·2	86·0	62·2	87	73	S.	8	S.	8	....	....	....	.. .	7	cu.st.	6	ci.st.	....	.....
25....	29·53	29·44	74·7	74·8	86·0	66·2	77	77	N.W.	8	S.	4	...	....	8	ci.cu.	....	....	....	.....	....	.....
26....	29·36	29·42	67·7	61·0	75·0	59·1	77	70	W.	8	N.W.	18	14	R.	....	....	10	cu.st.	....	.. ..	....	.. ..
27....	29·53	29·50	63·1	70·0	78·2	52·0	63	63	W.	12	S.W.	8	....	....	....	....	....	....	....	....	....	....
28....	29·58	29·52	71·4	68·4	82·7	54·7	64	70	W.	8	S.	2	....	....	....	....	....	.	4	ci.st.	..	.. ..
29....	29·51	29·48	68·2	65·6	78·0	59·3	70	84	S.	10	E.	4	...	R.	10	ci.st.	....	....	....	...	10	cu.st.
30....	29·48	29·43	60·7	67·7	72·4	59·5	96	91	S.W.	10	S.W.	8	·30	·02	....	....	....	....	4	ci.st.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·44	29·38	64·8	67·8	79·0	57·1	86	86	S.W.	4	W.	6	·05	R.			10	cu.st.			10	cu.st.
2	29·46	29·59	60·3	58·6	66·7	57·7	78	54	N.W.	22	N.W.	10					6	cu.st				
3	29·74	29·71	66·2	63·1	74·0	50·0	57	62	N.	8	S.	2									4	cu.st.
4	29·76	29·67	63·7	65·2	78·3	48·1	65	54	W.	4	E.	4			2	ci.			8	ci.st.		
5	29·63	29·52	67·2	66·6	80·0	49·4	63	64	S.	2	E.	4			5	ci.					5	cu.st.
6	29·48	29·39	69·3	66·2	78·3	60·1	69	89	C.	0	N.E.	2		·31			9	cu.st.	4	ci.s.	4	cu.st.
7	29·45	29·49	72·3	73·0	85·8	59·0	65	63	N.W.	6	N.W.	6							1	ci.st.		
8	29·47	29·42	71·2	75·0	87·6	58·5	77	66	S.	6	N.W.	4	R.	R.	3	ci.st.	2	cu.st.			7	cu.st.
9	29·47	29·49	71·4	70·4	82·2	60·5	57	56	N.W.	12	N.W.	12										
10	29·51	29·50	69·2	70·4	80·8	56·4	61	66	N.W.	8	N.W.	6			2	ci.st.			2	ci.cu.		
11	29·49	29·39	62·1	59·8	71·0	58·8	91	94	C.	0	N.	6	·06	·18			10	nb.			10	nb.
12	29·46	29·57	64·0	66·2	78·2	59·5	89	64	N.W.	12	N.W.	10	·12	R.	3	ci.st.	3	cu.st.				
13	29·68	29·62	69·2	66·6	79·8	55·8	59	67	W.	10	S.W.	10							1	ci.st.		
14	29·67	29·61	67·7	69·3	79·2	52·4	67	58	E.	2	N.E.	10							6	ci.st.		
15	29·61	29·47	68·0	74·7	80·1	60·0	83	72	E.	6	S.	4			5	ci.cu.					10	cu.st.
16	29·52	29·54	72·3	78·3	90·0	66·8	92	69	S.	12	W.	6	30				9	cu.st.	4	ci.st.		
17	29·60	29·58	74·0	77·6	84·1	63·8	71	82	E.	4	S.E.	2			4	ci.cu.					3	cu.st.
18	29·73	29·69	73·4	72·6	83·8	66·4	63	70	W.	4	S.	2					6	cu.st.	2	ci.st.		
19	29·69	29·48	76·5	74·0	86·0	59·0	54	54	E.	4	E.	8			3	ci.st.					8	cu.st.
20	29·45	29·53	75·2	68·6	85·0	63·3	76	62	N.W.	6	N.W.	16					7	cu.st.				
21	29·65	29·55	71·0	69·8	81·5	57·2	64	70	N.W.	8	S.W.	12			6	ci.cu.					10	cu.st.
22	29·37	29·40	64·7	72·4	85·0	64·0	95	68	S.	8	N.W.	10	·47				10	nb.			7	cu.st.
23	29·53	29·50	70·4	70·3	82·0	61·4	83	81	N.	4	S.	4		R.			4	cu.st.	2	ci.		
24	29·45	29·35	66·8	72·0	84·0	56·4	87	72	S.	8	S.W.	10	R.	R.			8	cu.st.	1 2	ci.st. ci.cu.	2	cu.st.
25	29·48	29·34	71·8	71·0	81·0	57·8	71	69	N.W.	2	S.W.	8							1	ci.st.	3	st.
26	29·24	29·43	62·2	63·2	73·3	57·8	74	61	N.W.	26	N.W.	16	·50				5	cu.st.				
27	29·53	29·51	65·2	68·6	80·4	52·7	61	51	N.W.	16	N.W.	12										
28	29·53	29·41	65·0	73·4	81·0	57·2	75	56	N.W.	10	S.W.	14					8	cu.st.			10	cu.st.
29	29·39	29·38	68·1	71·0	85·5	57·6	70	59	S.W.	2	N.W.	16		R.	2	ci.cu.						
30	29·48	29·48	65·4	67·7	76·3	54·4	75	71	W.	10	W.	8										
31	29·44	29·38	67·0	65·5	82·2	54·4	76	90	S.W.	16	E.	4		·09								

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·43	29·27	63·8	65·0	77·0	56·7	64	74	N.W.	6	S.W.	4	...	R.	2	ci.st.	...	...	...	...	10	nb.
2	29·32	29·45	63·2	64·0	72·5	58·0	73	57	W.	14	W.	10	48	.	...	...	...	...	...	...	1	cu.
3	29·62	29·64	60·0	58·5	71·0	50·8	77	82	W.	14	N.	14	.	....	...	...	3	cu.st.	...	...	3	cu.
4	29·73	29·69	61·2	62·1	71·0	49·2	64	71	N.W.	6	W.	4	...	...	...	...	...	...	4	ci.	...	...
5	29·55	29·55	61·0	63·0	70·0	49·0	72	74	N.E.	6	S.E.	8	...	...	...	...	8	cu.st.	...	...	10	cu.st.
6	29·61	29·62	65·0	71·5	80·2	60·0	85	74	S.W.	8	N.	4	...	...	...	...	10	cu.st.	...	...	...	...
7	29·59	29·60	66·1	73·3	86·4	57·0	83	50	S.	6	N.W.	16	...	...	6	ci.cu.	...	...	...	...	...	...
8	29·76	29·73	68·4	65·7	74·2	60·4	60	71	N.E.	4	S.E.	4	...	...	1	ci.st.	...	...	4	ci.st.	4	cu.st.
9	29·76	29·71	68·5	67·2	78·3	60·0	61	59	N.E.	4	E.	2	...	...	...	...	...	...	...	...	...	...
10	29·73	29·63	65·6	70·7	84·4	56·4	70	68	S.	2	S.	4	...	...	...	...	...	...	4	ci.st.	...	...
11	29·58	29·40	70·0	75·2	87·0	57·5	70	72	S.	4	S.W.	16	...	...	...	...	...	...	4	ci.st.	4	cu.st.
12	29·42	29·46	73·0	77·5	87·0	64·7	80	57	S.W.	10	N.W.	6	...	...	3	ci.st.	3	cu.st.	...	...	...	...
13	29·60	29·72	67·7	63·7	80·8	53·8	62	53	W.	8	N.W.	12	...	...	...	...	...	...	...	...	...	...
14	29·93	29·90	60·6	62·4	75·6	52·1	64	66	N.W.	6	C.	0	...	...	...	...	...	...	1	ci.st.	...	...
15	29·96	29·81	62·6	63·2	73·0	48·0	67	68	N.	8	E.	4	...	...	...	...	...	...	...	...	...	...
16	29·63	29·48	65·8	68·4	72·4	54·8	74	92	E.	6	S.W.	12	...	·44	...	...	10	cu.st.	...	...	10	cu.st.
17	29·59	29·65	71·0	73·0	85·9	62·2	75	53	W.	12	N.W.	10	...	...	4	ci.cu.	...	...	...	...	...	...
18	29·94	29·92	60·8	58·0	73·8	54·8	65	78	N.	8	S.	2	...	...	...	...	...	...	...	...	...	...
19	29·90	29·71	61·3	63·7	74·7	48·5	66	76	E.	8	E.	6	...	...	2	ci.st.	...	...	6	ci.st.	...	...
20	29·63	29·71	69·8	63·7	76·4	57·2	83	75	S.W.	8	N.W	6	.	03	6	ci.st.	...	...	1	ci.st.	3	cu.st.
21	29·76	29·74	59·3	63·0	71·2	54·7	73	42	N.	8	N.W.	4	...	...	4	ci.st.	3	cu.st.	2	ci.st.	2	cu.st.
22	29·87	29·79	58·4	63·8	73·0	48·0	77	68	S.	2	S.	8	...	...	...	...	...	...	...	...	...	...
23	29·78	29·52	61·7	66·4	76·6	47·8	74	82	E.	8	S.	16	...	...	2	ci.st.	...	...	...	...	...	...
24	29·30	29·33	67·2	67·5	80·3	61·2	91	52	S.W.	10	W.	4	...	...	...	...	10	cu.st.	...	...	10	cu.st.
25	29·37	29·46	63·6	60·6	74·8	56·3	67	66	W.	16	N.W.	12	...	...	1	ci.cu.	...	...	...	...	1	cu.st.
26	29·56	29·53	58·0	62·8	76·2	50·7	76	50	N.W.	10	N.W.	8	...	...	...	...	...	...	3	ci.st.	...	...
27	29·54	29·53	57·0	58·0	63·8	55·2	85	93	W.	4	C.	0	R.	·10	...	...	10	nb.	...	...	10	nb.
28	29·59	29·60	55·5	62·0	73·3	48·0	95	55	N.	4	N.	10	...	·04	...	...	...	...	4	ci.st.	...	...
29	29·70	29·60	56·7	64·3	73·7	48·4	84	65	N.	4	S.	12	...	...	...	...	5	cu.st.	5	ci.st.	...	...
30	29·60	29·64	61·2	67·8	76·1	51·6	74	67	C.	0	N.	6	...	...	...	...	8	cu.st.	4	ci.st.	...	...
31	29·80	29·77	58·8	60·8	72·2	50·0	71	66	N.	8	N.	7	...	...	1	ci.	...	...	2	ci.st.	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·73	29·49	57·6	63·0	70·8	52·0	83	94	C.	0	E.	6	....	·08	....	....	10	cu.st.	....	....	10	nb.
2	29·26	29·34	67·0	65·2	78·3	60·0	95	71	S.	2	N.W.	4	·03	....	....	....	8	cu.st.	....	....	6	cu.st.
3	29·41	29·48	58·1	61·0	68·4	56·7	75	71	N.	4	E.	4	R.	....	....	....	10	cu.st.	....	....	8	cu.st.
4	29·51	29·55	61·0	63·2	74·7	57·4	81	90	N.	4	C.	0	....	....	....	....	10	nb.	....	....	3	st.
5	29·56	29·47	59·7	59·0	67·9	57·0	97	89	N.W.	8	W	16	·42	·54	....	....	10	nb.	....	....	10	nb.
6	29·51	29·57	60·2	61·9	72·0	54·2	88	73	W.	6	N.W.	6	·10	....	....	....	....	....	....	....	3	cu.st.
7	29·57	29·50	60·7	61·8	71·2	54·7	81	92	C.	0	C.	0	....	R.	....	....	10	cu.st.	....	....	10	nb.
8	29·51	29·55	62·5	62·0	70·8	59·5	90	93	N.E.	4	E.	6	....	....	....	....	10	cu.st.	....	....	6	cu.st.
9	29·58	29·69	64·0	66·0	73·8	61·4	94	68	E.	10	N.W.	6	R.	....	....	....	8	cu.st.	4	ci.st.	....	....
10	29·73	29·49	62·0	67·0	68·0	57·2	93	98	E.	8	E.	6	....	1·74	....	....	10	nb.	....	....	10	nb.
11	29·45	29·47	65·0	60·0	71·5	59·8	98	86	S.	6	S.W.	12	·14	·06	....	....	10	nb.	....	....	10	nb.
12	29·57	29·81	61·0	63·0	73·0	57·0	78	76	W.	20	W.	6	·15	....	....	....	8	cu.st.	....	....	....	....
13	29·89	29·86	60·0	66·3	77·7	54·2	87	78	S.W.	4	S.	10	....	....	....	....	....	....	....	....	....	....
14	29·87	29·82	57·8	68·2	78·0	53·5	94	77	C.	0	S.	4	....	....	....	....	....	....	....	....	....	....
15	29·88	29·86	67·6	68·2	82·0	59·1	88	83	W.	8	S.	6	....	....	....	....	8	cu.st.	....	....	....	....
16	29·82	29·62	68·0	71·2	80·1	64·2	88	78	S.	10	S.W.	14	·04	R	....	....	9	cu.st.	....	....	10	cu.st.
17	29·79	29·81	63·3	61·5	74·8	61·3	75	84	N.	12	S.	4	....	....	....	....	....	....	....	....	....	....
18	29·84	29·79	57·2	61·0	63·3	54·8	76	83	E.	16	E.	18	....	....	....	....	8	cu.st.	....	....	8	cu.st.
19	29·74	29·64	61·5	63·0	68·0	59·3	90	93	E.	4	E.	8	....	·04	....	....	10	cu.st.	....	....	10	nb.
20	29·52	29·42	62·2	72·0	82·7	59·8	98	77	C.	0	S.W.	2	·02	·11	....	....	10	cu.st.	....	....	1	cu.st.
21	29·54	29·46	60·3	62·0	74·2	55·7	91	71	N.W.	8	S.W.	10	....	....	1	ci.	....	....	4	ci.st.	....	....
22	29·65	29·56	50·2	53·0	62·4	45·8	71	76	W.	6	S.E.	2	....	....	4	ci.st.	....	....	....	....	4	cu.st.
23	29·34	29·05	55·0	62·0	65·9	44·0	86	86	S.E.	8	E.	8	....	....	2	ci.	....	....	....	....	10	cu.st.
24	29·00	29·22	57·2	56·0	70·0	55·2	76	69	S.W.	12	S.W.	22	·02	....	....	....	....	....	....	....	8	cu.st.
25	29·50	29·76	48·1	47·0	56·9	46·3	69	66	W.	20	W.	12	....	R.	....	....	8	cu.st.	4	ci.	....	....
26	29·84	29·70	46·0	51·2	59·5	40·3	69	64	S.W.	8	S.W.	4	....	....	....	....	....	....	....	....	7	cu.st.
27	29·70	29·66	50·0	53·2	61·7	46·1	81	92	S.W.	4	N.W.	8	....	·06	....	....	10	cu.st.	....	....	10	nb.
28	29·65	29·54	43·1	44·6	53·8	42·3	94	91	N.E.	22	N.E.	18	·35	·40	....	....	....	....	....	....	10	cu.st.
29	29·43	29·60	46·2	50·2	52·2	43·1	91	86	N.	12	N.W.	4	·48	....	....	....	10	cu.st.	....	....	10	nb.
30	29·68	29·85	51·3	47·1	58·8	47·2	94	75	S.W.	6	W.	10	·02	....	....	....	10	nb.	8	ci.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·95	29·82	42·8	44·0	55·7	38·5	86	93	N.W.	6	S.E.	4	R.	....	..	..	....	....	....	....	..	....
2	29·76	29·62	48·0	51·8	59·0	41·3	91	88	N.E.	8	N.E.	4	....	..	..	..	2	cu.st.	....	..	..	.....
3	29·62	29·43	51·8	58·8	71·0	44·7	93	94	W.	2	S.	4	....	·08	..	....	6	cu.st.	....	..	10	nb.
4	29·27	29·35	60·3	53·0	64·3	52·4	79	76	N.W.	20	W.	6	·26	....	..	..	8	cu.st.	....	..	9	cu.st.
5	29·35	29·53	47·5	46·2	54·7	45·2	79	74	W.	6	W.	4	....	·21	....	....	9	cu.st.	....	..	....	..
6	29·59	29·37	42·1	51·7	57·3	36·0	90	88	S.W.	4	S.W.	12	....	11	..	..	9	cu.st.	....	..	10	nb.
7	29·29	29·06	55·8	58·3	66·0	51·8	89	97	S.W.	8	S.W.	10	·01	·35	5	ci.st.	....	..	....	..	10	nb.
8	29·54	29·79	40·2	40·8	58·8	38·0	72	74	N.W.	24	N.W.	6	·01	....	..	..	3	cu.st.	....	....	....	....
9	29·81	29·51	34·7	53·0	56·8	31·0	92	72	S.W.	4	S.E.	8	....	....	....	..	6	cu.st.	....	....	10	cu.st.
10	29·43	29·38	46·0	48·7	57·0	44·4	90	87	S.W.	10	S.	8	·07	R.	....	..	....	..	..	....	10	cu.st.
11	29·33	29·41	42·0	45·2	53·2	38·0	90	81	S.W.	4	W.	2	·22	R.	....	..	....	..	....	....	4	cu.
12	29·49	29·67	42·0	44·5	51·0	40·0	89	79	S.W.	6	N.W.	10	....	....	1	ci.	....	..	....	..	10	cu.st.
13	29·80	29·85	40·0	43·0	48·8	37·4	82	76	N.W.	8	N.	8	....	R.	....	..	8	cu.st.	....	..	6	cu.st.
14	29·94	29·87	38·2	42·8	51·0	33·0	90	92	N.W.	6	C.	0	....	....	....	..	10	cu.st.	....	..	....	....
15	29·88	29·91	39·8	42·6	56·1	35·7	91	94	N.W.	8	S.	4	....	....	....	..	....	..	2	ci.st.	....	..
16	29·99	29·90	38·7	51·6	58·2	36·3	95	79	S.W.	4	S.W.	8	....	....	....	..	2	cu.st.	1	ci.st.	....	....
17	29·84	29·65	49·4	54·0	63·0	41·0	88	79	S.	4	S.W.	4	....	....	3	ci.cu.	....	..	....	..	....	....
18	29·73	29·85	44·8	38·8	58·2	38·4	60	65	N.W.	20	N.W.	4	....	....	....	..	2	cu.st.	1	ci.st.	2	cu.st.
19	29·86	29·77	37·7	43·4	48·2	33·4	69	64	W.	8	W.	10	....	....	....	..	8	cu.st.	....	..	8	cu.st.
20	29·74	29·84	39·4	33·3	47·0	33·0	85	63	N.W.	4	N.W.	12	....	....	....	..	10	nb.	....	..	....	....
21	30·01	29·83	28·8	39·5	49·0	24·3	78	64	N.W.	4	W.	8	....	....	....	..	....	..	....	..	....	....
22	29·64	29·40	38·6	50·2	60·0	32·4	81	68	S.W.	8	S.W.	16	....	....	2	ci.st.	....	..	....	..	....	..
23	29·55	29·78	41·6	37·8	51·0	37·0	65	55	N.W.	20	N.	8	....	....	....	..	3	cu.st.	....	..	3	cu.st.
24	29·89	29·67	28·5	41·6	44·4	24·2	81	85	N.W.	6	S.W.	10	....	....	....	..	....	..	....	..	....	....
25	29·54	29·81	45·8	39·7	51·7	39·4	67	54	W.	12	N.W.	12	....	....	....	..	....	..	....	..	10	cu.st.
26	30·01	29·81	27·1	36·8	45·5	24·0	85	55	W.	4	E.	12	....	....	....	..	....	..	....	..	....	..
27	29·41	29·39	44·1	43·4	48·7	37·1	98	95	S.E.	8	N.W.	6	·40	·24	....	..	10	nb.	....	..	10	nb.
28	29·55	29·64	38·8	37·4	44·2	37·0	81	84	N.W.	16	N.W.	10	·01	....	....	..	9	cu.st.	....	..	....	....
29	29·69	29·83	36·0	38·7	46·3	31·0	90	63	N.W.	4	N.W.	16	....	....	....	..	1	st.	....	..	10	cu.st.
30	30·03	30·09	27·0	29·8	39·0	25·3	84	73	N.W.	6	C.	0	....	....	....	..	....	..	....	..	....	..
31	30·17	30·06	31·8	42·8	46·2	25·7	82	83	N.E.	8	E.	12	....	....	....	..	....	..	....	..	....	..

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·96	29·64	39·8	47·0	50·0	34·0	78	72	C.	0	N.E.	8	R.	....	....	....	10	cu.st.	....	....	....	....
2	29·26	28·98	46·6	49·0	49·2	44·8	94	95	S.E.	8	S.E.	4	·66	56	....	....	10	nb.	....	....	10	nb.
3	29·05	29·38	46·0	39·2	49·5	39·2	79	83	N.W	20	N.W.	20	·71	R.	....	....	10	cu.st.	....	....	10	cu.st.
4	29·60	29·48	32·6	41·8	46·2	31·0	81	91	W.	4	S.	8	....	R.	....	....	6	cu.st.	....	....	10	nb.
5	29·39	29·41	38·0	42·8	50·1	37·0	90	88	S.W.	8	S.W.	2	·10	R.	2	ci.	....	....	....	....	10	cu.st.
6	29·33	29·20	45·3	41·6	46·7	40·8	88	88	E.	10	N.	20	R.	·05	....	....	10	st.	....	....	10	nb.
7	29·05	29·31	38·8	39·0	42·2	37·0	82	78	N.W.	32	N.W.	16	·11	....	....	....	10	cu.st.	....	....	10	cu.st.
8	29·47	29·47	37·3	36·5	45·1	35·0	84	93	S.W.	10	W.	6	....	....	....	....	10	cu.st.	....	....	....	.....
9	29·44	29·36	31·5	43·1	47·2	28·0	94	73	S.W.	10	W.	12	....	R.	1	ci.st.	....	....	....	....	10	nb.
10	29·44	29·62	35·8	35·8	45·2	35·2	90	88	W.	6	N.W.	4	·08	·05	....	....	1	ci.st.	....	....	10	nb.
11	29·71	29·90	30·8	31·6	40·0	26·3	87	81	N.W.	8	N.W.	12	....	S.	2	ci.cu.	....	....	....	....	....	.....
12	29·93	29·86	28·8	31·5	38·0	24·0	85	75	N.	4	S.W.	16	....	S.	....	....	8	cu.st.	....	....	9	cu.st.
13	29·61	29·49	31·8	33·0	37·0	30·4	79	93	S.W.	12	S.W.	20	....	·01	....	....	10	cu.st.	....	....	9	cu.st.
14	29·78	29·81	23·8	27·3	34·0	23·5	72	79	N.W.	10	S.W.	8	·01	S.	....	....	....	....	2	ci.st.	....	....
15	29·85	29·96	28·6	32·2	38·2	25·8	83	93	W.	8	W.	6	....	....	5	ci.st.	5	st.	....	....	....	....
16	29·93	29·85	25·6	32·6	40·2	22·3	81	81	W.	1	W.	1	....	....	....	....	....	....	....	....	....	....
17	29·92	29·83	27·7	37·8	43·7	27·0	91	91	W.	1	S.W.	8	....	....	....	....	....	....	2	ci.cu.	....	....
18	29·78	29·77	32·0	34·5	45·7	31·0	95	96	S.E.	4	N.E.	4	....	....	....	....	10	st.	....	....	....	....
19	29·89	30·01	38·0	30·0	46·0	29·0	90	87	N.	20	N.W.	4	....	....	....	....	3	cu.st.	....	....	....	....
20	29·98	29·64	35·0	41·0	42·0	26·2	90	89	E.	12	E.	20	....	·03	....	....	10	cu.st.	....	....	10	nb.
21	29·38	29·62	47·0	47·2	51·0	40·2	93	81	S.W.	24	S.W.	10	·49	R.	....	....	10	cu.s.	....	....	10	cu.st.
22	29·75	29·85	43·1	40·1	49·2	39·8	89	70	S.W.	4	W.	6	R.	....	....	....	10	cu.st.	....	....	10	cu.s.
23	30·06	30·01	31·0	33·2	42·0	30·1	89	88	N.W.	6	N.E.	6	....	....	4	ci.st.	....	....	....	....	....	....
24	30·04	29·97	27·1	33·2	35·3	26·7	96	80	N.E.	10	N.	10	....	....	4	ci.st.	....	....	....	....	9	cu.st.
25	29·80	29·56	31·8	32·0	38·4	29·6	81	87	N.E.	6	S.W.	2	....	....	....	....	10	cu.st.	....	....	10	cu.st.
26	29·23	29·53	38·2	35·8	40·0	31·7	95	90	S.W.	4	N.W.	20	30	·06	....	....	10	nb.	....	....	10	n.
27	29·69	29·37	33·5	37·6	38·5	32·2	81	94	W.	10	S.E.	12	....	·12	....	....	8	cu.st.	....	....	10	n.
28	29·29	29·53	40·0	33·7	43·0	33·2	85	75	S.W.	16	N.W.	12	·09	·01	....	....	10	cu.st.	....	....	10	cu.st.
29	29·76	29·81	28·7	28·1	34·1	26·1	89	94	N.E.	6	N.	2	....	·04	....	....	9	cu.st.	....	....	10	nb.
30	29·84	29·72	25·8	28·2	33·3	18·5	94	96	N.	6	N.E.	10	·02	·01	4	ci.st.	1	cu.st.	....	....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Toronto, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·64	29·58	28·1	29·0	35·0	24·3	92	75	C.	0	N.W.	8	·01	·02			10	cu.st.			10	nb.
2	29·59	29·71	23·5	23·0	30·2	21·8	81	84	N.W.	12	N.W.	6		S.	4	ci.cu.					8	cu.st.
3	29·74	29·90	17·8	20·4	24·1	17·5	95	81	N.E.	12	N.	10	·03	·10	8	ci.st.	2	cu.st.			10	cu.st.
4	30·04	30·00	11·7	18·8	21·0	7·2	92	84	N.	10	N.W.	2	S.	·01			10	cu.st.			10	nb.
5	29·92	29·73	21·6	29·5	30·7	16·0	86	74	S.W.	8	S.W.	12					10	cu.st.			10	cu.st.
6	29·76	29·73	30·1	35·0	35·2	28·7	92	84	S.W.	10	S.W.	12					10	cu.st.				
7	29·78	29·74	33·3	30·6	38·0	29·3	84	91	S.W.	10	W.	2					10	nb.				
8	29·71	29·69	36·8	39·6	45·0	30·1	93	84	S.	4	E.	4		·01			10	cu.st.			10	nb.
9	29·53	29·21	38·1	43·5	45·3	34·6	84	97	N.E.	10	E.	4		·14			10	cu.st.			10	nb.
10	29·04	29·17	43·8	29·1	47·2	28·8	90	89	S.W.	8	N.W.	10		·02			10	st.			10	nb.
11	29·28	29·40	21·8	22·5	30·1	20·3	96	86	N.W.	6	N.W.	14	·08	·12			10	nb.			10	nb.
12	29·63	29·82	17·3	15·5	23·7	15·2	85	99	W.	16	W.	6	·02	·01			6	cu.st.				
13	29·92	29·83	24·0	28·8	30·8	13·0	82	83	S.W.	6	N.E.	1					10	st.			10	st.
14	29·62	29·30	31·5	23·0	33·3	22·1	92	99	E.	30	N.E.	22	·01	·59			10	nb.			10	nb.
15	29·16	29·16	33·4	34·1	35·8	22·5	85	99	E.	10	S.W.	12	·30	·20			10	nb.			10	nb.
16	29·31	29·18	27·6	29·8	35·8	27·2	93	81	S.W.	12	S.W.	10	·04	·02			10	nb.			10	cu.st.
17	29·63	29·70	28·4	28·8	32·1	25·0	83	87	W.	12	S.W.	8		S.			10	nb.			10	cu.st.
18	29·66	29·63	25·6	26·0	30·2	25·5	89	82	N.W.	10	W.	8		S.			9	cu.st.	5	ci.st.		
19	29·76	29·76	24·6	21·0	29·0	21·7	80	82	S.W.	12	S.W.	20					10	cu.st.			5	cu.st.
20	29·72	29·71	27·7	33·4	35·0	24·1	84	84	S.W.	18	S.W.	12					10	cu.st.			10	cu.st.
21	29·99	29·97	30·5	32·5	35·3	30·1	89	85	W.	8	S.W.	20					9	cu.st.			10	st.
22	29·86	29·57	31·6	30·8	34·7	30·3	86	89	S.W.	8	C.	0					10	cu.st.			9	nb.
23	29·08	28·70	33·6	33·5	35·8	29·7	97	95	N.E.	16	N.	8	·50	·62			10	nb.			10	nb.
24	29·11	29·37	28·5	30·5	36·0	27·8	85	85	W.	10	S.W.	8	·02		5	ci.cu.						
25	29·40	29·44	33·1	36·5	37·2	21·3	86	85	S.	16	S.W.	12	S.	·08			10	nb.			6	cu.st.
26	29·90	29·71	22·4	33·5	37·0	22·0	79	80	W.	6	E.	14			2	ci.st.			5	ci.st.		
27	29·43	29·33	41·3	44·0	46·0	33·4	78	94	S.	16	S.W.	6	01	R.			10	cu.st.			10	cu.st.
28	29·39	29·77	36·6	24·8	45·0	24·6	95	80	N.W.	10	N.W.	8	·48				10	st.	1	ci.st.		
29	29·84	29·63	26·3	35·3	35·5	21·1	84	70	S.W.	6	E.	4					7	cu.st.			10	nb.
30	28·93	29·11	36·5	32·5	39·0	31·9	96	92	N.E.	8	N.W.	26	·91	·04			10	nb.			6	cu.st.
31	29·65	28·61	22·3	33·0	33·3	20·0	82	86	S.W.	6	W.	8					1	cu.st.			10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario: Latitude North, 44° 13′; Longitude West, 76° 29′. Height above Sea, 285 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·73	29·99	35·1	34·1	39·5	31·5	89	77	W.	16	W.	10	·01	....	....	....	10	cu.	....	....	10	st.
2	30·19	30·25	28·1	27·5	34·2	26·1	77	88	N.E.	8	N.E.	9	....	....	....	....	10	st.	....	....	10	st.
3	30·05	29·60	26·2	37·3	40·0	22·7	86	94	N.E.	8	S.E.	24	·01	·09	....	....	10	nb.	....	....	10	nb.
4	29·35	29·68	36·4	33·0	39·0	31·7	95	71	W.	8	W.	16	·32	....	....	....	10	nb	....	....	10	cu.
5	29·74	29·86	33·7	33·1	41·5	29·0	76	87	W.	12	W.	1	....	....	....	....	9	cu.	....	....	9	cu.
6	29·83	29·78	30·4	36·0	40·0	27·3	89	91	N.E.	5	W.	4	....	....	3	ci.st.	....	....	3	ci.st.	....	....
7	29·88	29·92	33·2	33·4	40·0	32·0	98	91	W.	5	N.E.	8	....	·15	....	....	10	st.	....	....	10	st.
8	29·87	29·70	24·1	23·7	33·5	19·2	73	100	N.E.	10	S.	1	·03	·01	....	....	10	st.	....	....	10	st.
9	29·60	29·86	24·1	10·1	25·0	9·0	75	74	N.W.	25	N.W.	12	·03	....	....	....	8	cu.	....	....	3	ci.st.
10	29·61	29·19	14·3	31·1	34·0	7·3	95	97	S.E.	11	S.W.	25	·01	·02	....	....	10	nb.	....	....	10	nb.
11	29·50	29·82	20·8	16·2	32·0	14·0	95	82	W.	5	N.E.	9	·01	....	7	ci.st.	....	....	2	ci.st.	....	....
12	29·65	29·78	16·0	13·7	16·2	11·0	95	94	N.E.	12	N.E.	5	·01	....	....	....	10	nb.	....	....	10	st.
13	30·16	30·06	11·4	14·0	15·0	10·0	86	89	N.E.	5	N.E.	11	....	....	6	ci.st.	....	....	....	....	10	st
14	29·81	29·74	19·1	24·4	25·0	12·6	95	97	N.E.	12	W.	4	·06	....	....	....	10	nb.	....	....	10	st.
15	29·83	30·07	21·6	7·5	25·0	6·4	83	75	N.E.	12	E.	3	·01	....	....	....	10	st.	10	ci.st.	....	....
16	30·25	30·35	— 2·3	— 8·5	13·0	— 9·0	87	78	N.E.	11	N.E.	5	....	....	10	ci.st.	....	....	3	ci.st.	....	....
17	30·15	30·00	—10·0	— 4·0	0·0	—12·6	82	100	N.E.	4	N.E.	10	....	....	....	....	10	st.	....	....	10	st.
18	29·91	29·93	2·7	14·1	14·5	— 5·2	95	89	N.E.	10	N.E.	12	....	R.	....	....	10	st.	....	....	10	st.
19	29·73	29·23	21·1	39·0	39·0	9·1	100	87	N.E.	10	S.	32	R.	....	....	....	10	nb.	....	....	10	cu.
20	28·93	29·44	41·7	23·1	42·0	22·0	75	73	S.W.	40	W.	32	·42	S.	....	....	10	cu.	....	....	4	cu.
21	29·99	30·13	6·1	10·4	23·1	5·3	79	71	N.W.	10	N.W.	4	....	....	....	....	5	cu.	1	ci.st.	....	....
22	29·95	30·16	8·4	3·5	20·0	2·2	96	84	N.E.	12	N.	8	·01	01	....	....	10	nb.	10	ci.st.	....	....
23	30·31	30·33	— 9·8	— 4·8	3·5	—10·2	86	86	N.	5	N.E.	5	....	....	....	....	....	....	....	....	....	....
24	30·32	30·09	—11·8	— 2·6	0·0	—12·3	75	61	N.E.	6	N.E.	6	....	....	....	....	....	....	....	....	9	cu.
25	29·74	29·76	— 3·2	— 0·7	1·8	— 4·2	72	73	N.E.	16	N.E.	6	·08	08	....	....	10	nb.	....	....	10	cu.
26	29·82	30·07	— 0·5	— 1·3	12·0	—5·0	70	36	N.E.	4	S.W.	6	·02	....	....	....	5	st.	....	....	....	....
27	30·11	30·04	3·8	10·3	12·5	— 7·0	87	81	N.E.	6	E.	3	....	....	10	ci.st.	....	....	9	ci.cu.	....	....
28	30·05	30·06	11·2	13·2	22·3	— 0·2	86	84	S.W.	2	N.W.	8	....	....	....	....	10	cu.	....	....	....	....
29	29·95	29·98	8·7	16·0	20·5	3·0	87	92	N.W.	6	W.	4	....	S.	....	....	10	cu.	....	....	10	nb.
30	30·08	30·30	8·0	3·7	16·2	3·0	87	84	N.E.	8	N.E.	6	·03	....	....	....	9	ci.st.	....	....	....	....
31	30·25	30·01	1·0	17·7	18·5	— 3·0	80	97	N.E.	6	N.E.	6	....	10	....	....	10	nb.	....	....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·97	29·66	13·3	23·1	25·2	10·6	89	86	N.E.	14	N.E.	10	·05	....	..	.....	10	st.	....	.....	10	st.
2	29·41	29·13	33·8	33·1	36·0	22·0	93	98	S.E.	14	S.W.	12	R.	·02	...	.....	10	nb.	....	.....	10	nb.
3	29·64	29·99	8·4	6·4	33·1	2·0	78	76	W.	20	W.	8	·02	....	....	....	10	cu.st.	...	.....	....	.....
4	30·14	30·09	— 0·5	6·1	9·0	— 1·6	82	81	N.E.	1	N.E.	12	....	...	4	ci.st.	....	.....	5	ci.st.	....	.. ...
5	29·87	29·81	2·0	5·4	6·8	1·0	83	83	N.E.	14	N.E.	14	·01	·03	....	.....	10	nb.	....	.....	10	nb.
6	29·92	30·10	3·2	9·2	15·6	2·2	84	87	N.W.	8	S.W.	8	·03	....	8	ci.st.	....	.....	....	.....	....	.....
7	30·24	30·09	— 3·0	15·4	20·5	— 5·1	88	80	S.W.	1	S.W.	2	....	....	....	.....	....	.. .	....	.. .	10	cu.
8	29·99	29·91	14·3	16·0	27·0	12·7	86	88	E.	4	C.	0	·04	....	....	.....	10	cu.	3	ci.st.	....	.....
9	29·83	29·62	16·4	26·1	27·8	13·7	95	83	S.E.	12	S.	10	....	S.	3	ci.	....	.....	....	.....	10	st.
10	29·29	29·16	27·7	28·0	34·0	25·0	95	75	S.	18	N.W.	20	S.	....	....	....	10	nb.	...	.. ...	10	cu.
11	29·49	29·72	1·0	3·0	28·0	— 3·8	77	77	N.	14	W.	16	....	....	7	ci.	....	.....	...	.....	10	st.
12	29·91	29·98	—12·2	3·3	5·3	—12·6	81	78	W.	5	S.W.	10	..	...	....	.....	....	.....	....	.....	...	.. ...
13	29·87	29·31	10·4	26·7	26·8	3·3	94	77	S.E.	15	S.W.	22	S.	....	....	.....	10	nb.	4	ci.st.	....	.....
14	29·08	29·57	38·0	29·0	38·1	18·6	79	88	S.W.	24	N.	10	..	·01	...	..	10	st.	....	....	10	nb.
15	29·77	29·19	8·1	28·3	28·7	1·5	91	96	W.	8	S.W.	22	·01	·04	...	....	9	cu.	....	.. .	10	nb.
16	29·52	29·55	30·7	28·1	32·0	27·5	96	96	N.W.	4	N.E.	4	·22	·02	..	.. .	10	st.	...	.. .	10	nb.
17	29·62	29·57	12·5	8·1	28·4	6·0	88	62	N.E.	18	N.	10	·10	....	....	.....	10	cu.st.	....	.....	....	.. .
18	29·93	29·66	— 3·2	12·3	13·8	— 1·0	84	76	N.E.	6	E.	10	....	....	3	ci.cu.	....	.....	10	ci.st.	..	..
19	29·21	29·29	25·1	20·7	31·0	10·0	75	85	S.E.	8	N.W.	14	....	S.	....	.. ...	10	st.	....	.....	9	cu
20	29·43	29·28	17·3	30·1	36·4	12·8	95	67	S.E.	2	E.	8	...	...	....	.....	10	cu.	....	.....	10	cu.
21	29·40	29·72	10·1	6·4	30·1	5·6	86	74	N.W.	21	W.	10	S.	....	.	. ....	10	nb.	. ..	....	....	.. ..
22	30·01	30·32	— 7·3	— 2·0	6·4	— 7·6	88	93	N.	16	N.W.	10	..	....	7	ci.cu.	....	.....	...	.....	...	.....
23	30·44	30·46	— 9·5	0·5	11·2	—11·6	74	74	N.	8	S.E.	2	....	....	....	....	....	.....	....	.....	....	.. .
24	30·20	29·63	— 3·5	21·8	22·2	— 8·0	66	98	N.E.	4	S.	30	....	·09	6	ci.cu. ci.st.	....	.....	....	.....	10	nb.
25	29·70	30·06	18·1	8·2	19·5	7·0	87	64	N.W.	16	N.	7	·04	....	....	.....	10	nb.	....	....	....	.....
26	30·12	29·87	3·5	5·7	8·4	— 4·7	80	66	N.E.	12	N.E.	10	...	....	6	ci.st.	....	.....	10	ci.st.	....	.....
27	30·14	30·25	3·2	2·7	9·6	2·3	76	80	N.E.	14	N.E.	8	...	..	...	.....	..	.....	...	.....	....	.....
28	30·19	29·17	2·1	9·8	14·2	— 5·0	72	85	N.E.	10	N.E.	4	...	....	....	.....	9	cu.	9	ci.st.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—March 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.		°	°	°							in.	in.								
1	30·19	29·76	3·3	21·0	26·6	— 1·8	73	81	N.E.	10	N.E.	7	...	...	3	ci.cu.	.	.	...	...	8	st.
2	29·06	29·18	35·0	32·0	36·0	19·5	96	89	S.W.	26	W.	22	·12	...	..	....	10	nb.	...	...	10	nb.
3	29·30	29·71	24·7	22·4	31·3	22·2	93	77	S.W.	8	N.	10	S.	·02	...	....	10	st.	...	...	10	st.
4	29·83	29·92	17·0	19·3	24·2	15·1	93	94	S.W.	4	S.W.	10	S.	...	..	..	10	nb.	...	..	...	..
5	29·75	29·54	14·0	21·4	25·0	8·4	95	93	N.W.	1	N.E.	18	...	·01	2	ci.cu.	...	..	...	...	10	nb.
6	29·95	30·10	14·0	17·0	24·0	12·5	85	94	N.E.	18	N.E	4	..	...	...	...	...	...	...	...	...	...
7	30·08	29·74	7·6	19·5	24·5	4·4	79	99	N.E.	5	N.E.	8	...	...	1	ci.	...	...	...	...	4	st.
8	29·60	29·75	18·1	29·5	23·2	16·8	90	75	N.E.	4	W.	8	S.	...	...	...	10	st.	3	ci.cu.	...	...
9	30·07	30·09	18·1	23·3	29·6	15·2	78	88	N.	4	W.	8	...	..	1	ci.	...	...	1	ci.st.	...	...
10	30·05	29·94	21·1	25·2	31·8	17·3	75	79	S.E.	4	N.W.	2	...	...	10	ci.st.	.	...	10	ci.	...	..
11	30·06	29·99	21·1	30·3	37·2	17·7	88	87	S.	3	S.W.	5	...	...	6	ci.	...	...	6	ci.	..	...
12	29·82	29·48	29·1	35·0	35·0	25·7	75	92	S.E.	14	S.E.	24	...	·06	...	...	10	st.	...	...	10	nb.
13	29·38	29·53	35·0	33·7	39·4	32·3	94	92	W.	6	S.E.	5	04	...	...	...	10	st.	...	...	9	st.
14	29·37	29·72	28·1	30·0	33·8	23·1	96	86	N.E.	26	S.W.	10	·02	..	...	..	10	nb.	...	...	10	st.
15	29·86	29·87	25·6	33·7	39·0	20·2	88	59	S.W.	10	S.W.	20	...	...	...	..	...	...	...	...	5	cu.
16	30·19	29·81	24·1	40·1	40·1	20·4	85	66	S.	5	S.E.	28	...	...	8	ci.st.	...	...	...	.	8	cu.
17	29·63	29·96	38·1	35·5	39·7	34·0	87	85	S.W.	16	N.E.	8	·01	..	..	....	10	nb.	...	...	10	st.
18	30·09	30·06	26·1	31·1	36·8	21·6	69	85	E.	6	S.W.	10	..	...	1	ci.st.	...	...	1	ci.st.	..	.
19	29·75	28·95	29·0	36·0	36·0	26·5	85	93	S.E.	6	S.W.	25	...	·10	..	..	10	st.	...	...	10	nb.
20	29·50	29·81	28·6	31·0	36·0	26·5	76	69	N.W.	30	N.W.	5	...	...	...	...	2	cu.	...	...	...	...
21	29·84	29·57	26·4	37·0	38·0	20·5	88	67	S.	2	N.W.	4	...	..	...	...	...	...	...	...	8	cu.
22	29·32	29·36	40·6	39·1	40·6	35·8	80	93	E.	7	S.	10	...	...	...	..	10	st.	10	ci.	...	...
23	29·69	29·73	43·1	40·4	47·1	35·4	68	68	W.	6	N.E.	20	...	R.	3	ci.st.	...	...	...	...	3	cu.
24	29·32	29·86	40·1	33·3	42·8	32·3	92	87	S.	22	E.	18	·08	R.	..	...	10	cu.	...	...	10	cu.
25	30·10	29·84	29·7	42·1	47·7	28·6	81	70	N.E.	4	E.	11	...	...	...	...	10	st.	...	...	10	cu.
26	29·69	29·75	37·6	39·5	42·5	35·6	84	80	S.W.	12	N.E.	12	...	...	...	...	10	st.	...	..	10	cu.
27	29·61	29·50	39·5	47·3	47·3	36·6	88	96	N.E.	8	S.W.	9	R.	·11	...	...	10	cu.	...	...	10	nb.
28	29·51	29·64	41·8	48·3	48·3	40·5	95	73	S.W.	12	W.	12	·15	...	...	...	...	...	10	ci.st.	...	...
29	29·67	29·42	40·1	47·5	51·0	38·1	72	96	N.E.	11	N.E.	4	...	·01	...	..	10	st.	...	...	10	nb.
30	29·82	29·93	42·1	37·3	49·8	36·2	70	87	W.	10	S.W.	8	R.	...	...	...	1	cu.	1	ci.	...	...
31	29·99	30·03	34·1	28·8	37·6	28·0	65	65	N.W.	12	W.	10	...	...	1	ci.	.	.	...	...	1	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario.—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·14	30·11	22·5	23·4	29·0	21·0	81	72	N.	16	N.	4	....	....	5	ci.	....	....	....	....	2	st.
2	30·11	29·95	21·1	30·3	34·4	17·4	81	78	N.E.	4	S.W.	12	....	....	3	ci.	....	....	....	....	9	st.
3	29·91	29·81	34·3	33·8	34·5	28·4	76	92	S.W.	12	S.W.	1	....	....	....	....	9	cu.	....	....	....	....
4	29·71	29·45	37·8	40·0	50·0	30·2	93	72	N.E.	6	N.	18	....	R.	....	....	10	cu.	....	....	10	nb.
5	29·51	29·80	32·0	31·0	40·0	26·1	89	70	N.	14	N.	10	·06	....	....	....	10	nb.	....	....	9	st.
6	30·04	29·94	21·1	29·5	34·8	17·3	77	93	N.E.	8	N.E.	12	....	....	....	....	....	....	....	....	....	....
7	29·84	29·52	32·1	37·1	46·8	23·0	71	72	N.E.	8	S.E.	10	....	·02	6	ci.	....	....	....	....	10	nb.
8	29·28	29·25	33·3	37·1	40·0	31·8	95	84	S.E.	16	S.E.	16	·12	·04	....	....	10	nb.	....	....	10	st.
9	29·16	29·06	32·3	34·1	37·2	30·2	90	79	N.E.	10	N.	12	....	....	....	....	10	st.	....	....	10	cu.st.
10	28·93	29·22	32·8	34·1	36·3	30·1	93	88	N.	14	N.	5	12	R.	....	....	10	nb.	....	....	10	st.
11	29·37	29·42	37·1	36·8	40·8	31·0	56	76	N.E.	12	S.W.	14	....	....	7	ci.cu.	....	....	....	....	....	....
12	29·42	29·40	35·0	35·7	40·2	37·0	76	83	W.	9	C.	0	....	....	....	....	9	cu.	....	....	7	st.
13	29·34	29·37	35·1	40·1	46·0	32·0	89	68	N.	6	N.	10	S.	..	....	....	10	nb.	....	....	10	st.
14	29·46	29·54	32·0	40·2	40·8	29·1	65	66	N.	10	N.	8	S.	....	....	....	10	cu.	....	....	8	cu.
15	29·70	29·59	32·1	36·0	40·2	29·0	69	61	N.W.	12	S.W.	10	....	....	7	ci.cu.	....	....	....	....	6	st.
16	29·50	29·24	35·3	34·8	40·2	28·2	75	84	S.W.	8	W.	12	....	·08	....	....	10	cu.	....	....	10	nb.
17	29·39	29·55	34·0	38·0	45·0	30·2	73	64	N.W.	14	N.W.	12	12	....	3	ci.	....	....	....	....	7	st.
18	29·63	29·65	32·2	36·1	38·0	29·1	79	86	N.W.	8	W.	8	S.	·01	..	....	10	nb.	....	....	10	nb.
19	29·59	29·57	34·8	35·8	42·0	28·6	71	72	N.	8	S.W.	8	03	....	....	....	10	cu.	3	ci.cu.	....	....
20	29·70	29·78	27·5	30·1	40·0	23·7	60	78	N.	16	N.W.	1	....	....	....	....	....	....	....	....	....	....
21	29·85	29·76	33·1	40·6	43·0	25·2	82	59	N.W.	12	W.	16	....	....	2	ci.	....	....	....	....	....	....
22	29·71	29·57	40·4	42·0	48·3	34·6	70	65	W.	16	W.	12	....	....	8	ci.	....	....	3	ci.st.	....	....
23	29·54	29·27	42·1	54·4	60·2	32·6	72	42	S.W.	4	S.	4	....	R.	3	ci.st.	....	....	....	....	10	nb.
24	29·44	29·64	43·1	45·5	56·2	40·3	64	40	N.	18	W.	12	·06	....	....	....	....	....	1	ci.st.	....	....
25	29·46	29·65	38·4	40·1	47·0	36·1	89	81	S.	5	N.E.	6	·21	R.	....	....	10	nb.	....	....	10	nb.
26	29·80	29·91	37·8	39·2	45·0	36·0	83	86	N.E.	12	N.E.	6	R.	....	....	....	10	cu.	....	....	10	cu.
27	30·13	30·03	39·0	42·4	51·0	25·8	82	65	S.E.	4	N.W.	2	....	....	....	....	1	cu.	1	ci.st.	....	....
28	29·94	29·74	48·0	56·0	63·8	33·8	61	56	E.	6	E.	6	....	....	....	....	....	....	6	ci.st.	....	....
29	29·64	29·56	49·1	51·5	55·0	46·8	84	89	S.	18	S.W.	8	....	·02	....	....	10	cu.	....	....	10	nb.
30	29·55	29·64	41·8	31·5	41·8	33·4	86	95	N.E.	18	N.E.	10	·01	....	....	....	10	st.	....	....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·92	29·98	36·8	38·9	48·3	29·7	62	77	N.E.	8	S.W.	10	·01	...	...	...	...	...	1	ci.	...	...
2	30·03	29·89	43·5	39·9	51·0	30·6	82	70	N.E.	8	C.	0	...	...	8	ci.st.	...	...	1	ci.st.	...	...
3	29·85	29·74	44·4	44·1	50·0	32·6	81	64	S.W.	4	C.	0	...	...	...	...	...	...	3	ci.st.	...	...
4	29·42	29·83	34·1	34·3	46·7	31·9	93	77	N.E.	16	S.E.	1	·48	...	...	...	10	cu.	1	ci.cu.	...	...
5	30·00	29·86	37·8	42·9	44·8	34·1	64	65	W.	6	E.	4	...	...	...	...	10	st.	...	...	10	st.
6	29·71	29·69	43·1	41·5	49·0	40·4	81	85	N.	3	S.	4	R.	...	...	...	10	st.	1	ci.	...	...
7	29·68	29·67	41·6	43·5	50·0	40·3	89	77	C.	0	W.	10	...	...	...	...	10	st.	10	ci.cu.	...	...
8	27·79	29·70	45·1	48·1	50·0	32·7	57	72	N.E.	11	C.	0	...	...	...	...	...	...	3	ci.cu.	...	...
9	29·59	29·45	52·1	47·1	56·0	40·4	71	71	E.	2	S.W.	9	...	...	...	...	...	...	...	...	...	...
10	29·61	29·58	40·1	37·1	47·1	35·9	53	81	W.	12	W.	16	...	...	...	...	9	st.	...	...	10	st.
11	29·62	29·74	38·1	37·6	42·0	34·6	41	57	N.	11	N.W.	2	...	...	...	...	...	...	...	...	8	st.
12	29·86	29·66	40·1	41·0	46·0	27·6	72	48	N.W.	4	N.E.	5	...	...	9	ci.	...	...	9	ci.st.	...	...
13	29·48	29·41	51·1	56·2	56·9	42·9	61	70	S.W.	18	W.	10	...	...	...	...	2	st.	...	...	5	st.
14	29·64	29·62	54·1	59·4	69·0	47·2	72	64	N.E.	14	N.E.	16	...	...	3	ci.	...	...	...	...	4	st.
15	29·54	29·43	60·8	59·5	66·2	51·0	64	91	N.W.	18	S.W.	8	...	·04	...	...	8	cu.	...	...	10	cu.
16	29·63	29·65	48·0	47·5	61·1	45·9	92	69	S.W.	12	S.W.	6	·58	...	...	...	7	cu.	...	...	10	st.
17	29·71	29·60	47·5	51·1	56·2	41·3	81	82	S.W.	8	S.E.	2	...	...	...	...	...	...	...	...	10	cu.
18	29·55	29·47	51·2	51·5	59·9	46·1	90	96	S.E.	1	S.W.	8	·05	R.	...	...	10	cu.	...	...	3	cu.
19	29·55	29·51	50·9	55·5	55·8	43·7	77	44	S.E.	1	W.	11	...	·02	6	ci.	...	...	6	ci.cu.	...	...
20	29·62	29·70	43·1	40·4	55·8	38·7	62	51	N.W.	14	N.W.	6	...	...	...	...	5	cu.	...	...	4	st.
21	29·83	29·82	40·1	46·1	48·0	31·8	55	50	N.W.	14	N.W.	8	...	...	...	...	8	cu.	...	...	9	cu.
22	29·86	29·76	43·5	47·2	49·1	31·2	53	55	N.E.	8	W.	6	...	...	5	ci.	...	...	...	...	10	cu.
23	29·81	29·81	52·5	49·5	55·2	44·0	52	64	S.E.	4	W.	4	...	...	3	ci.	...	...	3	ci.cu.	...	...
24	29·89	29·88	49·8	53·8	62·0	38·1	36	31	N.E.	10	N.E.	2	...	...	7	ci.	...	...	8	ci.cu.	...	...
25	29·98	29·73	48·8	56·5	61·1	38·7	35	33	E.	2	E.	4	...	...	6	ci.st.	...	...	...	...	10	st.
26	29·56	29·39	45·8	49·8	56·4	44·1	89	85	S.E.	12	S.E.	6	·17	...	...	...	10	cu.	...	...	10	st.
27	29·22	29·42	53·3	41·9	55·7	40·9	84	59	S.	10	W.	28	...	...	...	...	10	cu.	...	...	2	cu.
28	29·54	29·62	39·2	45·6	53·3	34·1	61	50	W.	12	W.	14	...	...	...	...	10	cu.	7	ci.cu.	...	...
29	29·68	29·66	44·0	51·6	61·4	33·7	58	49	N.	12	N.	9	...	...	...	...	...	...	...	...	...	...
30	29·78	29·77	47·8	48·6	54·8	37·1	61	76	N.E.	8	S.W.	1	...	...	...	...	...	...	...	...	10	st.
31	29·82	29·76	54·1	59·0	64·7	44·6	75	53	N.E.	12	N.E.	9	·02	...	...	...	...	...	9	ci.	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario.—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in	°	°	°	°							in.	in.								
1	29·72	29·57	57·2	56·1	66·1	43·8	68	72	E.	4	S.W.	8	....	....	4	ci.st.	....	.....	....	.....	8	cu.
2	29·50	29·41	55·6	55·1	62·0	50·4	62	75	S.	8	W.	8	....	....	....	....	10	st.	....	.....	9	cu.
3	29·44	29·50	59·3	65·3	70·7	43·4	62	53	N.E.	9	S.W.	2	....	....	5	ci.	....	.....	....	....	5	st.
4	29·61	29·41	55·8	60·8	65·8	48·8	76	63	S.	2	S.E.	14	....	·01	9	ci.st.	....	.....	....	....	10	cu.
5	29·27	29·26	58·7	50·1	61·0	49·1	60	92	S.	16	S.	12	·27	·01	....	....	10	cu.	....	.....	10	ci.st.
6	29·28	29·49	52·3	53·1	56·0	47·0	96	83	W.	4	W.	1	·01	R.	....	.....	10	st.	....	....	10	st.
7	29·63	29·63	52·0	51·8	57·2	47·6	76	85	N.W.	4	S.	1	....	....	....	.....	10	cu.	....	.....	10	cu.st.
8	29·72	29·60	55·2	55·1	67·0	45·7	71	74	N.	3	W.	2	....	....	3	ci.	....	....	....	....	8	cu.
9	29·77	29·78	57·1	58·2	65·2	45·1	64	70	N.E.	8	E.	1	....	....	....	.....	9	cu.	1	ci.	....	....
10	29·84	29·75	57·1	57·4	64·3	44·9	83	56	N.E.	14	N.E.	12	....	....	....	.....	9	cu.	....	...	....	....
11	29·72	29·69	56·9	64·0	68·2	47·1	57	46	N.E.	12	N.E.	4	....	....	....	.....	....	.....	....	.....	5	cu.
12	29·92	29·78	60·0	66·5	70·5	45·1	70	62	S.W.	4	S.W.	1	....	....	....	....	....	....	....	....	1	cu.
13	29·80	29·65	60·7	58·5	72·2	55·5	70	63	S.W.	2	S.W.	8	....	....	....	....	....	....	....	.....	9	st.
14	29·60	29·16	55·1	60·8	65·1	47·2	85	78	S.W.	1	N.E.	4	....	....	7	ci.	....	....	....	...	7	cu.
15	29·59	29·66	63·4	61·0	72·2	54·6	49	59	N.E.	14	W.	2	....	....	2	ci.st.	....	....	2	ci.cu.	....	....
16	29·80	29·76	58·0	68·0	69·0	49·5	78	55	S.E.	6	W.	6	....	....	7	ci.cu.	....	....	10	ci.cu.	....	....
17	29·86	29·77	57·4	63·3	70·4	55·9	83	72	S.W.	10	S.W.	10	....	....	....	....	8	cu.	3	ci.	....	....
18	29·80	29·69	62·0	63·0	74·2	57·4	81	82	S.E.	8	S.W.	6	....	.	4	ci.	....	....	1	ci.cu.	....	....
19	29·68	29·64	69·8	66·7	75·2	58·1	80	85	N.E.	10	S.W.	8	..	·13	4	ci.cu.	....	....	....	.....	10	cu.
20	29·93	29·74	63·2	63·3	67·4	58·9	91	88	S.E.	4	S.W.	2	....	....	9	ci.cu.	....	....	....	.....	2	st.
21	29·81	29·81	60·7	68·1	74·2	56·0	91	78	S.E.	2	S.W.	4	....	....	10	ci.cu.	....	.....	....	.....	7	st.
22	29·88	29·81	71·2	69·7	82·1	59·7	67	78	N.E.	2	N.E.	7	....	R.	5	ci.cu.	..	.....	....	.....	10	cu.
23	29·84	29·73	68·2	73·8	78·0	63·1	83	76	S.W.	4	S.W.	14	....	R.	....	.....	....	.....	....	.....	10	cu.
24	29·71	29·60	68·3	71·0	76·0	63·1	82	78	S.W.	3	W.	4	....	....	8	ci.cu.	....	....	6	cu.st.	....	....
25	29·60	29·49	66·0	70·3	75·6	64·3	94	86	S.W.	12	S.	5	....	....	....	....	10	cu.	2	ci.	....	....
26	29·41	29·38	65·6	64·0	74·8	62·8	92	57	S.W.	8	W.	12	....	....	....	....	10	cu.	....	...	3	cu.
27	29·45	29·51	59·2	62·7	75·3	55·5	61	75	N.W.	24	W.	8	....	....	6	ci.cu.	....	....	1	ci.	....	....
28	29·64	29·61	59·0	63·3	70·3	54·7	87	80	S.W.	6	S.W.	1	....	....	2	ci.	....	....	2	ci.cu.	....	....
29	29·62	29·57	69·8	64·0	80·0	54·7	70	86	S.E.	2	W.	6	....	R.	7	ci.st.	....	....	....	.....	10	cu.
30	29·19	29·47	63·6	62·1	66·0	58·2	95	93	N.W.	6	S.E.	6	·14	·12	....	.....	10	cu.	....	....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							n.	in.								
1	29·52	29·42	61·2	64·6	70·4	56·9	92	84	S.W.	8	S.W.	8	·22								10	cu.
2	29·47	29·63	61·0	62·0	65·2	58·7	84	72	N.	10	N.	4					10	cu.			3	cu.
3	29·79	29·77	58·0	60·0	66·3	46·9	71	69	N.	2	S.W.	8			2	ci.cu.			8	ci.cu.		
4	29·82	29·74	59·0	63·1	68·4	55·9	76	67	S.W.	5	S.W.	9			9	ci.cu.					3	st.
5	29·73	29·59	62·2	65·0	71·2	56·1	81	70	S.W.	6	S.W.	6			2	ci.cu.					5	cu.
6	29·57	29·48	64·0	67·7	69·9	56·0	82	74	W.	2	S.W.	8					9	cu.			7	st.
7	29·50	29·52	65·0	72·0	73·0	57·6	88	65	S.W.	10	W.	8			1	ci.					2	cu.
8	29·57	29·45	64·9	64·4	72·0	56·8	83	88	S.W.	8	S.W.	10		·04	8	ci.cu.			1	ci.st.		
9	29·46	29·49	68·0	70·5	78·2	61·2	62	68	N.W.	10	N.W.	4			1	ci.st.			5	ci.st.		
10	29·57	29·57	66·2	67·4	71·4	58·7	75	74	N.W.	5	N.W.	3			3	ci.cu.					7	st.
11	29·60	29·49	67·5	64·8	57·4	57·8	52	77	C.	0	N.E.	5		T.			10	cu.				
12	29·39	29·55	62·0	63·3	69·9	58·7	91	88	N.W.	9	N.E.	5	·22	·09	10	ci.cu.			8	ci.cu.		
13	29·73	29·71	63·9	63·9	69·5	54·9	74	80	N.W.	6	S.W.	8			3	ci.st.					3	st.
14	29·80	29·72	64·6	69·4	77·4	59·2	83	65	S.W.	8	S.W.	3									3	st.
15	29·76	29·63	70·0	73·0	79·5	61·9	71	53	S.E.	10	S.W.	10			4	ci.st.					7	st.
16	29·64	29·61	68·2	72·4	76·9	65·4	84	86	S.W.	20	S.W.	6	·18				10	cu.			6	st.
17	29·66	29·64	71·0	70·0	77·4	62·7	74	84	S.W.	8	S.W.	9			4	ci.st.			2	ci.st.		
18	29·75	29·71	72·9	74·2	84·0	72·7	61	65	N.W.	3	S.W.	4	·04		1	ci.st.					2	st.
19	29·75	29·59	67·3	71·0	76·0	66·9	76	72	S.W.	6	S.E.	1									10	cu.
20	29·50	29·50	68·9	68·0	75·8	66·1	88	86	S.W.	9	S.W.	9		·01	8	ci.					9	cu.
21	29·68	29·60	66·7	72·4	73·5	55·2	68	54	N.W.	9	W.	9			1	ci.					1	st.
22	29·52	24·41	65·9	68·2	74·2	63·5	89	93	E.	5	N.W.	6	·02				10	st.			10	cu.
23	29·55	29·58	67·4	68·0	74·0	62·7	81	82	N.E.	9	S.W.	7					7	cu.	1	ci.		
24	29·57	29·40	67·5	68·9	70·3	63·6	87	84	S.W.	13	S.	14			1	ci.st.			6	ci.st.		
25	29·52	26·47	67·0	68·7	73·6	61·6	87	87	W.	4	C.	0			6	ci.					8	st.
26	29·19	29·42	68·3	63·3	73·6	62·3	90	55	S.W.	15	N.W.	11	·08				1	cu.			8	st.
27	29·49	29·49	63·3	73·3	80·4	55·3	65	44	W.	18	W.	12									1	st.
28	29·57	29·49	68·8	70·6	73·8	58·5	59	66	W.	8	N.W.	7			1	ci.	1	st.			9	st.
29	29·49	29·44	66·1	65·0	74·2	61·4	77	86	S.W.	9	S.W.	1		·23	5	ci.st.					10	cu.
30	29·49	29·60	64·9	68·2	70·2	58·5	87	71	S.W.	7	W.	10	·03				10	st.			5	st.
31	29·53	29·47	65·3	65·8	72·2	59·4	76	87	S.W.	2	S.	4		·24			1	st.			8	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·48	29·42	65·2	67·2	72·5	62·9	90	77	S.W.	2	S.	4					2	st.			9	st.
2	29·38	29·50	68·3	66·0	72·2	63·2	84	58	S.	17	W.	10	·05				5	st.	10	ci.cu.		
3	29·66	29·69	62·1	64·0	68·4	55·8	67	64	W.	12	W.	5			1	ci.cu.					2	st.
4	29·76	29·77	59·0	63·7	71·7	49·0	72	58	W.	8	N.W.	8			1	ci.cu.			6	ci.st.		
5	29·81	29·68	61·2	69·4	72·8	49·7	79	77	S.E.	9	S.E.	5					1	st.	2	ci.st.		
6	29·68	29·71	64·8	68·9	72·8	62·3	92	85	S.W.	2	S.W.	5	·03				10	st.			1	st.
7	29·69	29·61	66·9	70·2	77·7	64·5	93	87	S.	10	S.W.	4		·02			10	st.			2	st.
8	29·80	29·82	61·8	67·0	75·2	57·6	64	57	N.E.	14	N.E.	1					1	st.			6	cu.
9	29·86	29·78	68·2	71·8	76·2	54·7	60	59	C.	0	C.	0							10	ci.cu.		
10	29·80	29·68	69·6	74·0	78·9	60·1	87	56	S.W.	8	S.W.	3			10	ci.st.			10	ci.cu.		
11	29·66	29·51	71·2	74·1	79·0	60·1	91	81	S.W.	6	S.W.	4										
12	29·51	29·45	71·8	79·7	80·6	70·2	83	57	S.W.	11	S.W.	10					5	st.	3	ci.cu.		
13	29·63	29·70	67·3	64·7	79·5	58·1	59	56	S.W.	14	N.W.	6									1	st.
14	29·98	29·93	58·3	61·9	71·8	50·8	66	62	N.W.	13	N.W.	3			1	ci.					3	st.
15	30·04	29·93	60·1	63·0	70·2	52·3	70	69	C.	0	C.	0			7	ci.st.					1	st.
16	29·82	29·63	67·5	67·9	73·3	58·6	65	88	S.	15	S.	22		·16	6	ci.st.					10	st.
17	29·61	29·66	69·1	69·0	76·2	66·5	90	79	S.W.	11	C.	0	01		1	ci.st.						
18	29·97	29·99	58·7	61·7	71·8	53·3	61	81	N.	9	S.W.	1										
19	30·01	29·82	63·0	64·7	72·8	51·6	85	61	S.	21	C.	0			1	ci.st.			2	ci.cu.		
20	29·73	29·71	69·0	68·1	72·3	62·1	73	83	S.W.	16	S.W.	5			9	ci.st.					10	st.
21	29·80	29·78	60·6	62·9	68·2	53·1	70	60	W.	9	C.	0					5	cu.			10	cu.
22	29·91	29·87	61·3	66·8	70·4	52·2	65	61	W.	9	S.W.	9			1	ci.st.					1	st.
23	29·91	29·66	64·0	70·2	75·9	58·9	71	65	S.	10	S.W.	21			2	ci.cu.					9	cu.
24	29·44	29·37	64·0	65·0	75·2	62·7	84	55	S.	22	N.W.	2					10	cu.			9	cu.
25	29·36	29·43	63·0	63·0	70·0	59·1	69	66	W.	15	N.W.	2			3	ci.			7	ci.		
26	29·57	29·55	57·0	66·0	71·3	49·3	60	44	W.	12	W.	10			6	ci.st.					9	cu.
27	29·61	29·56	55·1	59·7	68·0	52·8	78	89	N.E.	1	S.W.	4		·13	9	ci.st.					10	st.
28	29·64	29·64	54·1	58·3	67·8	47·4	82	74	N.E.	1	N.W.	4	·01				2	st.	1	ci.cu.		
29	29·74	29·76	54·3	64·3	73·8	45·1	80	70	N.W.	4	S.W.	6			2	ci.cu.					1	st.
30	29·66	29·72	56·0	57·2	64·7	55·7	89	81	N.W.	1	N.W.	4	·03	R.			9	st.			1	st.
31	29·92	29·79	54·1	60·0	70·2	53·3	81	62	N.	8	N.E.	5					1	st.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·78	29·59	56·4	63·7	68·2	48·0	73	74	N.E.	4	S.W.	8	...	T.	7	ci.cu.	...	...	...	...	10	cu.
2	29·40	29·40	63·0	63·0	71·2	61·6	90	89	S.E.	10	N.E.	8	...	...	..	..	10	cu.	...	.	9	cu.
3	29·47	29·55	61·0	67·0	72·0	58·1	96	83	N.E.	2	N.E.	4	...	T.	...	...	10	fog.	...	...	5	cu.
4	29·59	29·65	62·8	63·2	67·0	60·8	95	92	N.E.	1	N.E.	2	...	...	10	ci.st.	10	cu.	..	...	10	fog.
5	29·65	29·54	61·2	63·1	69·2	59·8	97	92	N.E.	2	S.	4	·05	...	...	...	10	fog.	...		9	cu.
6	29·57	29·56	59·0	60·0	68·8	57·5	91	87	W.	10	N.	2	·23	...	...	...	10	cu.	4	ci.st.	...	...
7	29·52	29·60	57·8	62·7	68·8	51·7	90	86	N.W.	4	N.	2	·10	...	10	ci.cu.	...	...	4	ci.st.	...	...
8	29·61	29·66	62 2	65·5	70·0	59·7	91	82	E.	1	N.E.	6	...	...	...	...	10	cu.	5	ci.cu.	...	...
9	29·73	29·76	62·4	67 2	73·8	57·9	85	89	E.	4	S.	16	...	T.	10	ci.st.	...	...	...	...	9	st.
10	29·86	29·73	65·0	67·8	72 0	61·8	92	93	S.E.	4	S.E.	6	...	·15	9	ci.cu.	...	..	10	ci.st.	..	..
11	29·54	29·58	67·9	64·5	68·4	62·2	89	82	S.	16	S.W.	16	·05	...	...	...	10	cu.	..	...	10	cu.
12	29·54	29·82	61·0	64·2	71·0	59·5	87	73	W.	16	W.	6	·20	...	...	...	7	cu.	6	ci.cu.	...	...
13	29·96	30·05	62 0	63·2	71·7	54·0	88	78	W.	8	N.E.	12	...	...	5	ci.cu.	...	...	...	...	1	st.
14	29·98	29·89	65·0	69·0	74·7	55·3	87	79	S.W.	10	S.W.	5	...	...	...	...	...	...	...	...	...	...
15	29·96	29 93	67·2	69·4	75·4	65·5	87	88	S.W.	8	S.W.	6	...	...	8	ci.st.	...	...	8	ci.st.	...	...
16	29·89	29·78	67·2	70·3	74·6	64·1	92	74	S.W.	10	S.W.	12	...	..	...	...	9	cu.	...	..	10	cu.
17	29·83	29·92	62·3	61·4	70·8	59·1	69	62	N.E.	16	N.E.	7	·02	..	...	...	...	...	...	.	4	st.
18	29·99	29·94	51·5	58·4	64·5	49·9	64	67	N.E.	12	N.E.	4	...	...	...	...	10	cu.	...	.	1	st.
19	29·98	29·77	58·7	61·6	62·0	56·3	89	84	S.W.	4	S.W.	1	...	...	...	...	10	cu.	.	...	10	cu.
20	29·75	29·57	62·8	70·8	74·0	59·9	94	87	S.	10	S.W.	6	·23	...	..	. .	10	cu.	...		10	cu.
21	29·60	29·51	62·4	65·2	70·8	59·5	77	74	S.W.	12	S.W.	14	...	...	...	...	8	cu.	. .	.	1	st.
22	29·68	29·67	52 0	54·8	64·9	49·9	62	67	N.W.	12	S.W.	4	...	...	3	ci.	...	...	...	...	2	st.
23	29·49	29·21	52·9	61·4	65·5	47·5	66	88	N.E.	3	S.W.	4	...	...	...	...	10	cu.	5	ci.st.	...	.
24	29·09	29·20	63·0	58·9	67·8	56·9	76	84	S.W.	24	S.W.	16	·13	...	...	...	16	cu.	...	.	2	st.
25	29·45	29·75	51·0	46 5	59·4	45·1	77	96	N.W.	20	N.W.	8	...	...	...	...	10	cu.	..	.	.	...
26	29·86	29·76	45·2	54·5	54·6	37·0	96	94	N.W.	6	S.W.	14	...	...	...	...	8	st.	...	...	10	cu.
27	29·78	29·78	52·1	54·4	58 2	49·8	86	83	N.W.	3	N.W.	4	...	...	...	...	10	cu.	...	.	1	st.
28	29·83	29·70	41 1	41·1	54·4	37·6	86	79	N.E.	7	N.E.	8	·12	·08	...	...	10	nb.	...	.	10	cu.
29	29·48	29 61	47·2	47 1	50 0	39·7	97	96	N.E.	10	N.E.	10	1·11	·03	...	...	10	nb.	...	.	10	nb.
30	29·71	29 80	50 1	48·1	58 8	44·0	93	60	W.	8	W.	12	·01	...	...	...	10	nb.	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°																
1	29·96	29·90	40·7	51·1	57·7	34·1	73	51	N.W.	6	W.	6					1	cu.			1	cu.
2	29·90	29·76	45·1	53·3	61·5	38·3	90	58	N.W.	4	N.E.	6			9	ci.cu.						
3	29·69	29·56	58·0	59·1	64·0	46·1	80	85	S.W.	10	S.W.	3					8	cu.			9	st.
4	29·20	29·33	62·0	56 8	68·0	55·5	94	51	W.	12	W.	14	·28				10	cu.			9	cu.
5	29·32	29·63	50·8	44·8	57 0	44·5	79	60	W.	14	N.W.	8			8	ci.cu.						
6	29·66	29·53	41·8	51·1	55·2	35·6	82	61	W.	8	S.E.	20		·26	7	ci.					10	nb.
7	29 41	29 16	57·7	60·2	64·5	50·0	89	76	S.W.	18	S.E.	20	·34	·22	5	ci.	4	cu.			10	nb.
8	29·41	29·81	40·5	38 1	60·2	37·0	82	46	N.W.	16	N.E.	8	·72				10	nb.				
9	29·92	29 69	45·5	51·2	53·2	30·0	70	61	S.W.	12	S.E.	14					2	cu.			9	cu.
10	29·53	29·62	51·7	50·8	53·5	49·6	80	63	S.W.	28	S.W.	20	·01	R.			10	cu.			10	nb.
11	29 43	29·49	53·6	46 3	54 1	41 7	68	72	S.W	21	S.W.	4	·15				10	cu.				
12	29·57	29·79	45 3	46·0	50·0	43·2	87	80	S.W.	6	N.W.	8	·10				9	st.			3	cu.
13	29·80	29·86	40 1	43·5	49·1	36·2	89	67	S.W.	10	N.E.	8		R.			10	nb.	10	ci.cu.		
14	29·98	29·93	36·2	47·8	50·8	32·4	91	60	N.	7	W.	10					10	cu.			10	cu.
15	29·95	29·97	42·8	50·5	58 6	36·4	83	55	W.	4	N. W.	8					9	cu.				
16	30·06	29 98	50·5	58·2	58·2	3o·4	88	80	S.W.	14	S.W.	14					2	cu.			9	cu.
17	29·95	29·71	56·0	58·0	60·0	53·0	80	73	S.W.	12	S.W.	14			3	ci.st.			5	ci.cu.	4	st.
18	29·71	29·74	44 3	39 1	58 2	37·6	53	37	N.	20	N. W.	10					4	cu.				
19	29·93	29·80	34·0	43·1	46·7	30 6	66	63	S.E.	4	W.	8		R.			9	cu.			10	cu.
20	29·83	29·87	38·8	32 1	43·8	31 0	86	71	N.	6	N.E.	12					10	cu.	10	ci.		
21	30·07	29·89	25·8	41·2	45·6	21·0	75	41	N.	6	W.	16									1	cu.
22	29·71	29·46	47·4	53·0	54·3	33·1	73	61	S.W.	24	S.W.	20					3	cu.	2	ci.cu.	7	st.
23	29·54	29·79	40·1	35·1	54·0	33·6	58	58	N.	16	N.W.	8	R.				10	st.				
24	29·93	29 76	30·3	40·4	45·6	25·5	75	88	N.E.	6	N.E.	12			1	ci.cu.						
25	29·52	29·80	49·0	38·7	54·0	38·1	73	83	S.W.	22	N.W.	12			10	ci.cu.					3	st.
26	30·05	29·96	27·8	35·1	40·2	23·7	69	55	N.	8	S.W.	10			1	ci.cu.						
27	29 64	29·46	42·1	49·0	49·0	33 6	88	91	S.	28	S.W.	18	·04	·09			10	nb.			10	nb.
28	29·51	29·61	42·1	39·5	49·0	38·1	90	81	N.	24	N.E.	14	·06				10	st.			10	st.
29	29·70	29·89	31·1	37·5	43 5	27·8	91	63	N.W	10	N.E.	16					8	cu.			4	st.
30	30 06	30·18	27·1	32·1	41·7	24·2	80	51	N.	14	N.W.	8			1	cu.n.						
31	30 29	30·21	37·5	40·5	50·0	26·4	96	65	S.E.	6	S.W.	5					3	st.			3	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·12	29·85	46·0	50·0	53·5	34·1	61	60	S.W.	12	S.E.	12	....	....	...	.....	5	st.	....	.....	6	st.
2....	29·51	29·36	46·1	51·7	52·3	45·4	78	65	S.W.	24	N.E.	14	R.	·30	..	.... .	10	nb.	....	.....	10	nb.
3....	28·91	29·29	48·1	40·1	52·1	39·0	96	73	W.	20	N.W.	14	·16	R.	....	.....	10	nb.	....	.....	10	cu.
4....	29·61	29·59	29·7	39·0	42·8	27·7	94	79	W.	8	W.	4	....	....	1	ci.cu.	....	....	....	.....	7	cu.
5....	29·50	29·56	45·8	45·6	50·4	36·2	74	76	S.W.	24	S.W.	5	....	....	....	. .	10	cu.	....	.....	8	st.
6....	29·50	29·17	44·2	44·1	45·6	39·0	89	92	N.E.	16	N.E.	18	·12	·13	....	.....	10	nb.	....	. ..	10	nb.
7...	28·83	29·23	36·1	36·1	44·1	32·6	90	73	N.W.	20	W.	16	·45	·01	....	... .	10	nb.	...	.....	10	st.
8....	29·53	29·63	35·7	42·5	44·3	32·0	78	68	W.	14	S.W.	12	....	R.	....	.....	10	st.	....	.....	2	st.
9....	29·55	29·43	36·8	47·4	50·6	32·0	84	66	W.	8	S.W.	14	....	....	3	ci.st.	....	....	....	.....	10	st.
10....	29·50	29·66	37·1	40·3	47·7	35·7	90	72	W.	8	W.	6	·01	....	....	.....	10	st.	....	.....	9	cu.
11....	29·77	29·94	34·1	32·5	44·0	31·2	87	76	N.W.	4	N.E.	10	·04	S.	8	ci.cu.	.. .	....	....	....	10	cu.
12....	30·07	29·88	22·3	34·5	36·0	19·6	91	85	N.	4	W.	8	....	....	10	ci.st.	....	.....	...	.. ..	10	cu.
13....	29·67	29·61	35·4	36·0	37·6	30·2	74	77	W.	18	S.	24	....	....	5	ci.cu.	5	cu.	....	.....	10	cu.
14 ...	29·90	29·92	20·1	26·5	36·0	18·3	85	95	N.W.	8	N.W.	4	....	....	..	...	10	st.	....	.....	9	st.
15....	29·93	30·00	32·0	34·3	34·3	22·7	95	38	S.W.	6	N.W.	4	S.	....	...	.....	10	cu.	....	.. ...	...	. ...
16....	30·01	29·90	30·0	36·0	42·0	24·4	93	75	N.W.	4	S.W.	12	...	...	.. .	.....	8	st.	....	.....	....	.....
17....	29·98	29·93	35·0	43·0	43·7	28·4	72	67	W.	7	S.	20	....	....	....	....	10	cu.	3	ci.st.	....	.....
18....	29·88	29·95	43·0	43·0	45·1	40·6	74	89	S.W.	22	S.W.	8	....	....	...	... .	10	st.	...	. ..	....	.....
19....	29·95	30·20	30·4	30·1	43·8	27·6	97	91	N.	8	C.	0	....	....	7	ci.cu.	....	.. ...	....	....	....	....
20....	30·17	29·93	26·4	38·0	38·8	23·7	97	86	N.E.	8	E.	10	....	....	....	.....	10	st.	....	...	1	st.
21....	29·63	29·70	42·1	47·2	49·5	36·8	89	83	S.W.	32	S.W.	20	·24	R.	...	.....	10	st.	....	.....	10	cu.
22....	29·84	29·86	44·0	44·0	47·8	42·6	85	74	W.	8	W.	4	....	....	....	.....	4	st.	8	ci.cu.	....	.....
23 ...	30·06	30·12	32·1	32·1	43·8	30·2	89	79	N.W.	12	N.E.	8	....	....	1	ci.cu.	....	.....	3	ci.	....	.....
24...	30·13	30·05	27·0	33·0	35·8	25·2	84	80	N.E.	6	N.E.	8	....	....	1	ci.	1	cu.	2	ci.cu.	8	st.
25....	29·85	29·65	32·5	33·1	34·0	30·7	93	86	N.E.	16	N.	2	...	....	....	.....	10	st.	....	....	10	st.
26 ..	29·36	29·51	36·1	32·3	37·8	28·5	80	96	S.E.	10	N.	4	....	·01	....	.... .	10	st.	....	.....	10	nb.
27....	29·70	29·53	32·3	32·4	35·5	30·2	67	67	N.W.	6	N.E.	1	·01	....	....	.....	10	cu.	8	ci.cu.	....	.... .
28....	29·40	29·54	27·0	26·5	36·2	25·5	96	93	N.E.	14	N.	10	·12	·02	....	....	10	st.	....	.... .	10	nb.
29....	29·86	29·92	14·7	25·1	30·2	12·8	93	87	N.	7	N.E.	6	S.	....	....	...	1	cu.	...	.....	10	st.
30....	29·95	29·83	19·8	22·5	26·2	18·8	88	90	N.E.	14	N.E.	14	...	..	...	.....	10	cu.	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Kingston, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·72	29·67	21·2	24·1	29·1	19·2	92	94	N.E.	10	N.	11	S.	·01	..	.....	10	nb.	....	.	10	st.
2	29·62	29·77	21·7	19·1	26·7	17·1	91	84	N.E.	8	N.W.	10	·03	S.	....	.....	10	nb.	....	.. .	10	st.
3	29·88	30·00	14·1	12·1	19·8	10·8	83	86	N.E.	10	N.E.	10	....	....	....	.....	10	st.	....	.....	2	ci.st.
4	30·09	30·08	9·4	10·4	15·3	6·3	89	88	N.E.	12	N.E.	4	S.	....	....	.. ..	10	su.	....	....	....	.....
5	29·99	29·77	3·7	29 0	29·6	1·7	87	84	N.W.	8	W.	12	....	S.	....	.....	1	st.	....	.....	10	nb.
6	29·79	29·91	31 0	37·8	38·0	27·7	88	81	W.	5	S.W.	16	·01	....	....	.....	10	cu.	....	.....	10	cu.
7	29·84	29·84	36·3	36·5	37·8	34·5	81	90	S.W.	12	S.W.	4	....	....	....	.....	10	st.	....	.. .	10	st.
8	29·83	29·80	40·0	41·5	42·6	32·7	88	89	S.	14	S.W.	8	R.	R.	....	....	10	nb.	....	.....	10	st.
9	29·71	29 39	36 1	46·1	47·4	32·1	73	85	E.	8	S.W.	16	....	....	4	ci.cu.	6	st.	....	.....	10	cu.
10	29·09	29·14	47·1	33·2	48·3	32·0	92	90	S.E.	18	N.E.	16	·10	·06	....	. .	10	st.	....	.....	10	nb.
11	29·27	29·40	25·3	18·3	33·5	17·2	97	98	N.W.	8	N.W.	6	34	·03	....	.....	10	nb.	....	.....	10	nb.
12	29·62	29·82	15·2	11·7	18·3	10·3	82	78	W.	4	S.W.	8	·02	....	5	ci.cu.	5	cu.	....	.....	....	.....
13	29·98	29·96	5·5	23·8	28·3	2·3	80	88	N.W.	5	N.E.	2	....	....	1	ci.cu.	....	....	10	ci.st.	....	.....
14	29·86	29·51	18·8	15·0	26·3	13·2	89	96	N.E.	8	N.E.	14	....	·20	....	.....	10	st.	10	nb.	....	....
15	29·36	29·28	23·8	27·7	28·2	14·2	91	92	N.E.	14	N.E.	10	·20	·01	....	.....	10	nb.	....	....	10	nb.
16	29·34	29·48	29·2	29·7	31·2	26·6	94	87	W.	10	S.W.	12	01	S.	....	.....	10	cu.st.	....	.....	10	st.
17	29·66	29·75	22·3	19·6	29·8	18·8	89	90	N.W.	8	N.W.	8	....	....	8	ci.cu.	....	....	5	ci.st.	2	st.
18	29·76	29·69	19·1	23·2	27·2	15·0	88	87	N.	7	N.	4	....	·03	....	....	10	st.	....	.....	10	nb.
19	29·75	29·79	24·1	30·6	30·8	13·8	86	84	W.	9	W.	20	·03	....	....	.....	2	st.	....	.....	10	st.
20	29·79	29·79	28·1	34·2	34·8	25·1	84	79	S.W.	14	W.	10	..	....	....	.....	10	cu.	....	.....	10	cu.
21	29·99	30·02	29·3	35·1	35·8	26·8	88	69	N.W.	4	S.W.	16	S.	....	....	...	10	cu.	....	.....	9	cu.
22	29·94	29·69	34·8	35·8	36·0	32 0	82	75	S.W.	30	S.W.	14	....	....	....	.....	10	cu.	....	.....	8	cu.
23	29 29	28·69	33·3	34·0	37·6	31·6	95	92	N.E.	10	N.E.	6	·12	08	....	.....	10	nb.	....	.....	10	nb.
24	29·05	29·39	30·1	33·8	36·8	27·8	84	91	W.	10	W.	12	·02	....	10	ci.cu.	....	.....	....	.....	4	st.
25	29·59	29·50	28·1	37·3	37·8	20·7	88	88	N.E.	8	S.W.	18	....	07	....	.....	10	st.	....	.....	....	.....
26	29·96	29·90	25·5	27·1	37·7	22·4	70	82	N.W.	9	N.W.	12	R.	....	....	.....	7	ou.	....	....	....	. . .
27	29·58	29·53	39·8	44·0	44·0	26·0	73	92	S.W.	20	S.W.	24	..	R.	....	.....	10	cu.	....	.....	10	nb.
28	29·39	29·73	41·1	32·4	44·0	31·0	95	78	S.W.	8	N.	7	·35	.. .	....	.....	10	nb.	....	....	8	cu.
29	29·95	29·81	21 0	34·4	35·8	17·0	88	84	S.E.	6	S.E.	12	....	....	2	ci.st.	....	.....	....	....	10	st.
30	29·14	29·04	34·8	36·0	42·0	32·0	92	89	S.E.	12	N.W.	10	·36	R.	....	....	10	nb.	....	.....	10	st.
31	29·69	29·73	15·2	32·3	36·0	14·1	79	74	N.	10	S.W.	20	·02	·01	1	ci.cu.	....	.....	....	.....	2	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario: Latitude North, 46° 12′; Longitude West, 77° 55′. Height above Sea, ——feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8. a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1. .	29·30	29·69	34·0	24·0	36·0	24·0	100	100	C.	0	W.	3	....	...	....	...	10	cu.	....	....	10	cu.
2....	29·99	29·97	16·0	14·0	24·0	13·0	83	100	W.	2	C.	0	....	....	..	....	6	cu.	..	.....	....	....
3 ...	29·71	29·28	18 0	22·0	22·0	8·0	68	100	E.	4	C.	0	....	...	....	....	10	cu.	....	....	10	cu.st.
4....	29·02	29·24	28·0	26·0	31·0	21·0	100	100	E.	1	W.	3	....	....	....	.....	10	st.	..	.....	10	cu.
5....	29·41	29·55	25·0	28·0	30·0	24·0	100	100	C.	0	C.	0	·04	....	....	.....	10	cu.	....	.....	10	cu.
6....	29·51	29·43	28·0	29·0	30·0	26·0	88	89	C.	0	C.	0	·02	....	....	...	10	cu.	....	.. .	10	cu.
7....	29·54	29·71	28·0	18 0	29·0	17·0	100	84	C.	0	C.	0	....	....	...	....	10	st.	..	.....	....	.....
8....	29·60	29·29	14·0	18·0	20·0	13·0	100	100	C.	0	C.	0	....	·01	....	.....	....	.....	....	.....	10	st.
9....	29·42	29·52	1·0	—12·0	21·0	—16·0	71	100	W.	6	C.	0	....	....	4	ci.	....	.....	....	.....	....	.....
10....	29·19	28·65	— 7·0	16·0	16·0	—22·0	100	100	W.	2	E.	2	....	·10	....	. . .	10	cu.st.	....	....	10	cu.st.
11....	29·17	29·50	4·0	16·0	23 0	— 7·0	100	100	C.	0	C.	0	....	....	....	.....	10	cu.	....	...	....	.....
12....	29·49	29·48	— 2·0	8·0	16·0	—15·0	100	100	C.	0	C.	0	·01	....	....	.....	10	st.	....	....	....	.....
13....	29·89	29 79	—12·0	— 3·0	13·0	—16·0	100	100	C.	0	C.	0	....	....	....	....	4	cu.	....	...	....	.....
14....	29·55	29 35	8·0	16·0	16·0	— 7·0	100	100	C.	0	C.	0	....	....	....	....	10	cu.st.	....	.....	10	st.
15....	29·65	29·74	— 1·0	—11·0	21·0	—15·0	100	100	W.	3	C.	0	..	....	10	ci.	....	.....	....	.....	....	.....
16....	29·98	30·06	—14·0	—19·0	— 7·0	—25·0	100	100	W.	2	C.	0	....	....	10	ci.	....	. .	....	.....	....	.....
17....	29·93	29·66	—22·0	— 7·0	— 5·0	—30·0	100	100	C.	0	W.	2	...	·02	10	ci.	....	.....	....	.....	10	cu.st.
18....	29·58	29·61	17·0	10 0	17·0	—10 0	83	100	C.	0	C.	0	·01	...	....	. .	10	cu.st.	....	.....	10	cu.
19....	29·39	28·71	15·0	32·0	32·0	9·0	100	100	E.	3	E.	3	....	....	....	.....	10	cu.	....	....	10	st.
20....	28·35	29·09	40·0	4·0	50·0	4·0	64	100	S.W.	4	W.	4	·18	....	....	.....	10	n.b.	...	.....	6	cu.
21....	29·69	29·82	— 7·0	—16·0	5·0	—20·0	100	100	W.	3	C.	0	....	....	3	ci.	....	....	....	.....	...	....
22...	29·77	29·93	—14·0	— 8·0	2·0	—26·0	100	100	C.	0	C.	0	....	....	..	. .....	10	cu.	..	.....	...	.....
23....	30·05	30·02	—27·0	—17·0	— 6·0	—30·0	100	100	C.	0	C.	0	..	....	....	.....	....	.....	....	....	....	.....
24 ...	30·03	29·74	—34·0	— 8·0	— 8·0	—38·0	100	100	C.	0	C.	0	....	...	....	....	....	.....	....	...	10	cu.
25....	29·49	29·43	— 8·0	—13·0	1·0	-19·0	100	100	C.	0	C.	0	·01	....	....	.....	10	cu.st.	....	.....	10	cu.st.
26 ...	29·51	29·74	— 6·0	—10·0	8·0	—21·0	100	100	C.	0	C.	0	·02	....	....	.....	10	cu.st.	...	.....	....	....
27....	29·77	29·66	— 6·0	5·0	10·0	—18·0	100	100	C.	0	W.	2	....	....	....	....	10	cu.	....	.....	10	st.
28....	29·71	29·68	— 7·0	2·0	14·6	—15·0	100	100	C.	0	C.	0	·04	....	....	....	6	cu.	....	.	10	cu.
29....	29·68	29·63	— 5·0	7·0	15·0	—14·0	100	100	C.	0	C.	0	....	....	10	ci.	....	.....	....	....	10	cu.
30 ...	29·80	29·97	—19·0	— 9 0	8·0	—23·0	100	100	C.	0	C.	0	...	...	....	.....	....	.....	....	.....	....	. .
31...	29·88	29·69	— 8·0	5·0	7·0	—25 0	100	100	C.	0	E.	1	....	....	10	ci.	....	.....	....	....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·68	29·33	7·0	18·0	18·0	4·0	100	100	C.	0	E.	3	....	....	....	.....	10	st.	...	.....	10	cu.
2	29·04	28·59	20·0	33·0	35·0	18·0	100	100	E.	2	W.	3	·08	....	....	.....	10	st.	....	. .	10	cu.st.
3	29·30	29·65	−10·0	−10·0	34·0	−19·0	100	100	S.W.	6	C.	0	...	....	....	.....	...	. .	...	.....	....	....
4	29·81	29·79	−30·0	−13·0	6·0	−35·0	100	100	C.	0	C.	0	....	....	....	....	....	.....	....	.....	....	....
5	29·72	29·58	−13·0	5·0	15·0	−20·0	100	75	C.	0	C.	0	....	....	....	. .	....	.....	....	.....	10	cu.
6	29·62	29·76	− 1·0	0·0	14·0	− 5·0	100	100	C.	0	C.	0	·02	...	...	.....	4	st.	....	.....	....	....
7	29·86	29·66	−23·0	18·0	20·0	−25·0	100	100	C.	0	C.	0	....	....	....	.....	....	....	....	.....	10	st.
8	25·60	29·51	16·0	18·0	22·0	10·0	83	84	C.	0	C.	0	·01	·04	....	.....	10	cu.	....	. .	10	st.
9	29·43	29·18	10·0	25·0	27·0	10·0	100	100	C.	0	C.	0	·02	·01	..	.. ...	10	cu.	....	.....	10	cu.
10	28·84	28·93	26·0	14·0	27·0	12·0	88	100	E.	2	W.	4	·01	·08	....	.... .	10	cu.st.	....	.....	10	cu.
11	29·27	29·41	−15·0	−12·0	14·0	−18·0	100	100	W.	3	C.	0	....	....	...	.....	4	cu.	....	.....	....	.....
12	29·56	29·61	−20·0	− 8·0	3·0	−20·5	100	100	C.	0	C.	0	....	...	...	. .	..	.....	....	.....	..	.. .
13	29·42	28·91	− 1·0	15·0	16·0	−20·0	71	82	E.	1	C.	0	·08	....	....	.....	10	cu.st.	....	.....	....	.. ...
14	28·83	29·32	24·0	8·0	24·0	7·0	100	78	S.W.	2	C.	0	·02	....	...	.....	10	cu.st.	....	.... .	4	cu.
15	29·32	29·06	1·0	19·0	21·0	− 5·0	100	100	C.	0	C.	0	...	....	..	.....	10	cu.	....	.. ...	10	cu.
16	29·33	29·32	18·0	16·0	26·0	14·0	100	100	C.	0	N.	2	·02	....	....	.....	10	cu.	....	.. ..	10	cu.
17	29·44	29·63	2·0	2·0	16·0	0·0	100	100	N.	2	C.	0	....	..	...	.....	....	.....	....	.. ...	....	.....
18	29·59	29·25	−15·0	11·0	12·0	−25·0	100	100	C.	0	N.	3	....	....	....	.. ..	10	cu.	....	....	10	cu.
19	28·94	29·00	11·0	12·0	17·0	− 7·0	100	100	E.	2	C.	0	·70	06	....	.....	10	n.b.	....	. ...	....	.....
20	29·07	29·05	0·0	17·0	26·0	− 8·0	100	100	C.	0	N.	2	·02	....	....	.....	10	n.b.	....	.....	10	n.b
21	29·15	29·40	− 2·0	6·0	18·0	−10·0	100	76	S.W.	3	C.	0	....	....	....	.....	10	cu.	...	....	....	...
22	29·75	29·86	−30·0	−14·0	6·0	−35·0	100	100	C.	0	C.	0	....	...	....	.....	...	.....	....	....	...	.....
23	30·12	30·05	−35·0	− 9·0	8·0	−39·0	100	100	C.	0	C.	0	....	...	....	.....	..	....	....	. .	....	.....
24	29·82	29·22	−12·0	11·0	12·0	−23·0	100	100	E.	2	E.	2	....	14	....	. ..	10	st.	....	.....	10	st.
25	29·47	29·74	1·0	− 5·0	17·0	− 5·0	100	100	N.	4	C.	0	·06	....	4	ci.	....	.....	....	.....	....	....
26	29·84	29·60	− 8·0	3·0	5·0	−11·0	100	100	C.	0	C.	0	....	06	....	.....	10	cu.	....	....	10	cu.
27	29·86	29·82	−10·0	− 1·0	9·0	−18·0	100	100	C.	0	N.	2	·04	....	....	.....	....	.....	....	....	..	.. ..
28	29·80	29·85	− 2·0	− 2·0	13·0	−10·0	100	100	C.	0	C.	0	....	...	10	ci.	....	.....	..	.....	...	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·86	29·42	—23·0	16·0	19·0	—28·0	100	100	C.	0	E.	3	...	...	....	..	....	.....	....	.....	10	cu.
2....	28·70	28·76	26·0	26·0	30·0	15 0	100	75	E.	3	W.	3	·10	·10	....	.....	10	nb.	...	.....	10	cu.
3 ...	29·05	29·36	13·0	16·0	26·0	10·0	100	100	W.	3	N.	3	·10	....	....	.....	10	nb.	....	.....	10	st.
4....	29·50	29·48	13·0	16·0	22·0	— 4·0	100	100	N.W.	2	C.	0	·02	....	....	.....	10	st.	...	.....	2	cu.
5....	29·39	29·34	— 1·0	22·0	25·0	—12·0	100	100	C.	0	C.	0	·01	·02	....	.....	10	st.	....	.....	10	cu.
6....	29·82	29·85	— 2·0	17·0	23·0	— 5·0	100	83	W.	3	C.	0	....	....	....	.. .	....	.. ..	....	.....	....	.....
7....	29·78	29·42	—21·0	16·0	22·0	—26·0	100	100	C.	0	C.	0	....	....	....	.....	....	....	10	cu.	...	.... .
8 ...	29·31	29·43	11·0	21·0	30·0	5·0	100	86	C.	0	W.	2	....	·08	....	.....	10	cu.	....	.....	...	... ..
9...	29·75	29·68	— 6·0	19·0	29 0	—26·0	100	85	C.	0	C.	0	....	....	....	.....	....	....	....	....	...	.....
10....	29·70	29·56	—11·0	24·0	37·0	—13·0	100	87	C.	0	C.	0	·01	....	....	.....	....	.....	....	.....	....	.. ...
11....	29·68	29 59	0·0	27·0	40·0	— 7·0	100	88	N.	2	C.	0	....	....	....	.....	4	cu.	....	.....	....	... ..
12....	29·42	29·10	23·0	31·0	31·0	9·0	100	100	E.	2	C.	0	....	....	....	.....	10	cu.	...	.....	10	cu.
13...	29·06	29·29	32·0	29·0	40·0	27·0	100	78	C.	0	C.	0	....	....	....	.....	10	cu.st.	....	.....	10	cu
14. ..	29·27	29·23	19·0	26·0	32·0	18 0	85	75	C.	0	C.	0	....	....	....	....	10	cu.st.	...	.....	10	cu.
15....	29·43	29·49	12·0	28·0	36·0	4·0	100	67	C.	0	W.	3	....	....	...	.....	10	cu.	....	.....	6	cu.
16....	29·78	29·33	6·0	28·0	30·0	4·0	100	100	C.	0	E.	3	....	...	....	. .	...	.....	...	.....	10	cu.
17 ...	29·13	29·69	39·0	24 0	40 0	22·0	46	100	W.	3	C.	0	·04	....	....	.....	10	nb.	....	.. .	...	.....
18....	29·74	29·73	3·0	29·0	46·0	— 5·0	100	89	C.	0	C.	0	....	....	....	..	....	....	....	....	....	.....
19....	29·38	28·56	23·0	26·0	29·0	18·0	100	100	E.	3	C.	0	....	·02	....	.....	10	cu.	....	.....	10	st.
20 ...	29·32	29·51	22·0	22 0	33·0	20·0	86	100	W.	4	C.	0	·10	....	....	.....	10	cu.	....	....	....	.....
21....	29·46	29·19	5·0	37·0	48·0	— 3·0	100	100	C.	0	C.	0	....	...	....	.....	8	st.	....	.....	6	cu.
22....	28·90	28·94	35·0	46·0	61·0	34·0	100	100	N.E.	2	C.	0	...	....	....	.....	10	cu.	...	.....	10	cu.
23....	29·40	29·44	36·0	37·0	47·0	32 0	100	81	C.	0	C.	0	....	....	....	..	10	cu.	....	.....	10	cu.
24...	29·20	29·51	35·0	39·0	43·0	34·0	100	86	E.	3	C.	0	·54	....	....	...	10	st.	....	.....	3	cu.
25....	29·71	29·34	27·0	32·0	44·0	22·0	100	100	C.	0	C.	0	....	....	10	ci.	...	.....	...	.....	10	cu.
26. ..	29·41	29·48	34·0	42·0	48·0	30·0	100	83	C.	0	N.	2	·26	....	....	.....	10	st.	4	ci.	....	.....
27 ...	29·26	29·11	33 0	36·0	42 0	32·0	100	100	E.	3	C.	0	·17	....	....	.....	10	nb.	...	.....	10	st.
28. ..	29·15	29·30	35·0	43·0	54·0	33·0	100	100	C.	0	W.	2	·04	....	....	....	10	cu.st.	10	ci.	....	.....
29....	29·41	29·00	33·0	34·0	43·0	30·0	100	100	E.	2	E.	3	...	....	....	.....	10	nb.	....	.	10	cu.
30....	29·38	29·51	39·0	32·0	42·0	32·0	64	100	W.	3	C.	0	....	....	....	. ..	10	cu.	....	.....	....	.....
31 ...	29·73	29·83	22·0	20 0	35·0	17·0	100	100	N.W.	3	N.W.	4	...	...	....	....	6	cu.	....	.....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·95	29·83	10·0	20·0	25·0	7·0	100	70	N.W.	3	C.	0					10	cu.				
2	29·78	29·58	10·0	28·0	36·0	4·0	79	70	C.	0	S.W.	3									10	cu.
3	29·56	29·42	30·0	30·0	47·0	28·0	100	70	C.	0	C.	0					10	cu.				
4	29·45	29·85	30·0	30·0	32·0	26·0	100	70	E.	3	E.	3	·06	·06			10	st.			10	st.
5	29·41	29·61	13·0	24·0	30·0	18·0	100	70	N.	3	N.W.	2	·04				6	cu.			4	cu.
6	29·81	29·63	10·0	25·0	37·0	2·0	100	100	C.	0	C.	0										
7	29·61	29·14	26·0	35·0	40·0	15·0	63	100	E.	3	E.	3									10	st.
8	28·92	28·90	33·0	33·0	35·0	32·0	100	100	E.	3	E.	3	10				10	cu.			10	cu.st.
9	28·89	28·85	33·0	33·0	40·0	32·0	100	100	E.	2	C.	0			5	ci.					10	cu.
10	28·76	29·02	37·0	42·0	48·0	33·0	100	100	N.W.	3	C.	0					10	cu.	3	ci.		
11	29·15	29·07	27·0	36·0	48·0	23·0	100	61	W.	2	C.	0					3	cu.			10	cu.
12	29·11	29·16	32·0	38·0	48·0	25·0	100	72	C.	0	C.	0									10	cu.
13	29·15	29·18	30·0	33·0	42·0	30·0	100	100	W.	2	W.	2					10	cu.			10	cu.
14	29·27	29·29	20·0	33·0	40·0	16·0	100	100	W.	4	C.	0					10	cu.st.				
15	29·40	29·29	24·0	33·0	41·0	18·0	100		W.	3	C.	0							3	ci.		
16	29·16	28·96	31·0	34·0	43·0	24·0	89		C.	0	C.	0					10	cu.			10	cu.
17	29·14	29·22	32·0	32·0	46·0	30·0	100		W.	2	C.	0					10	cu.			10	cu.
18	29·32	29·34	33·0	30·0	38·0	27·0	100	78	W.	3	C.	0					10	st.	8			
19	29·51	29·21	30·0	37·0	45·0	22·0	100	81	W.	2	S.W.	3									10	cu.
20	29·41	29·44	17·0	27·0	37·0	15·0	100	100	W.	4	C.	0										
21	29·45	29·32	28·0	37·0	49·0	14·0	100	100	C.	0	C.	0							2	ci.		
22	29·19	29·12	36·0	49·0	60·0	24·0	100	100	C.	0	C.	0						cu.			10	cu.
23	29·21	29·04	37·0	45·0	55·0	27·0	100	92	C.	0	W.	2					10	st.			10	st.
24	29·26	29·29	37·0	36·0	49·0	33·0	100	100	W.	3	C.	0										
25	29·19	29·32	33·0	39·0	44·6	29·0	100	82	C.	0	C.	0	10				10	nb.	10	ci.		
26	29·51	29·62	28·0	38·0	47·0	24·0	100	91	C.	0	C.	0			6	ci.			4	ci.		
27	29·82	29·67	30·0	47·0	57·0	17·0	100	100	C.	0	C.	0							2	ci.		
28	29·64	29·45	41·0	48·0	61·0	30·0	100	100	C.	0	C.	0			10	ci.					10	cu.
29	29·25	29·30	42·0	41·0	55·0	28·0	100	82	C.	0	W.	2	·36	·02			10	st.			10	nb.
30	29·12	29·44	28·0	30·0	41·0	28·0	100	100	C.	0	C.	0	·30				10	st.			10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·65	29·64	22·0	34·0	46·0	14·0	100	79	C.	0	C.	0	....	....	....	.....	..	.....	....	..	....	.....
2	29·72	29·54	30·0	40·0	54·0	20·0	89	73	C.	0	C.	0	....	....	4	ci.	....	..	3	ci.	....	.....
3	29·50	29·51	34·0	37·0	50·0	26·0	79	81	C.	0	C.	0	....	....	....	.....	....	....	....	....	10	cu.
4	29·36	29·48	31·0	36·0	43·0	27·0	68	100	C.	0	C.	0	....	....	....	..	7	cu.	....	.....	....	.....
5	29·62	29·46	37·0	46·0	54·0	21·0	90	100	C.	0	C.	0	....	....	....	.....	....	.....	4	ci.	....	.. ..
6	29·40	29·33	40·0	46·0	60·0	34·0	100	84	C.	0	C.	0	·01	....	....	.....	3	cu.	....	.....	....	. ....
7	29·36	29·35	38·0	47·0	60·0	27·0	90	92	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
8	29·57	29·44	36·0	35·0	48·0	32·0	100	100	W.	2	C.	0	....	....	....	.. ..	4	st.	....	.....	10	st.
9	29·30	28·91	34·0	54·0	68·0	34·0	100	87	C.	0	C.	0	·42	....	....	.....	10	cu.	....	.....	10	cu.
10	29·24	29·27	35·0	36·0	57·0	27·0	100	80	W.	4	W.	2	·02	....	..	.....	3	st.	....	.....	2	cu.
11	29·37	29·41	31·0	36·0	40·0	30·0	100	100	E.	2	C.	0	....	....	....	...	10	cu.	....	....	6	cu.
12	29·49	29·21	33·0	33·0	51·0	22·0	89	100	C.	0	C.	0	....	·10	....	.....	10	cu.	....	..	10	st.
13	29·07	29·18	36·0	42·0	60·0	32·0	100	100	C.	0	C.	0	·35	·04	..	....	10	st.	...	....	10	nb.
14	29·35	29·32	43·0	52·0	55·0	40·0	92	79	N.E.	2	C.	0	·52	..	....	....	10	nb.	....	.....	....	.....
15	29·21	29·04	52·0	61·0	76·0	43·0	73	94	E.	2	C.	0	....	·02	....	.....	10	cu.	....	....	10	st.
16	29·21	29·23	48·0	49·0	61·0	44·0	93	93	C.	0	C.	0	·34	...	....	.....	10	cu.	....	.....	10	cu.
17	29·34	29·24	46·0	48·0	58·0	33·0	92	100	C.	0	C.	0	..	....	....	.....	....	.....	...	....	10	cu.
18	29·21	29·11	47·0	56·0	70·0	42·0	100	100	E.	2	C.	0	....	....	....	.....	10	cu.	....	.....	....	.....
19	29·26	29·20	43·0	44·0	56·0	32·0	92	100	C.	0	W.	2	....	....	...	.....	10	st.	....	.....	10	st.
20	29·32	29·41	37·0	36·0	44·0	34·0	100	80	W.	4	C.	0	....	...	....	.....	10	st.	....	.....	8	cu.st.
21	29·53	29·55	38·0	39·0	44·0	31·0	68	64	W.	3	W.	3	....	..	....	.....	6	cu.st.	....	.....	10	cu.st.
22	29·53	29·42	35·0	47·0	57·0	26·0	70	70	C.	0	C.	0	...	..	....	.....	10	st.	....	....	....	.....
23	29·51	29·50	44·0	52·0	62·0	34·0	76	41	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	4	cu.
24	29·66	29·64	46·0	48·0	57·0	37·0	47	49	W.	2	C.	0	....	....	....	.....	....	.. .	....	....	....	.....
25	29·70	29·30	42·0	52·0	62·0	26·0	34	48	C.	0	C.	0	....	..	....	.....	....	.....	....	.....	10	cu.
26	29·17	29·09	45·0	46·0	53·0	43·0	84	100	E.	3	C.	0	·06	....	....	.....	10	nb.	....	.. ..	10	nb.
27	28·84	28·92	47·0	41·0	54·0	40·0	100	65	E.	3	C.	0	24	....	....	.....	10	st.	....	.....	10	cu.
28	29·14	29·33	34·0	37·0	41·0	32·0	100	71	W.	3	W.	2	·10	....	....	.....	10	st.	10	ci.cu.	....	.....
29	29·41	29·44	39·0	46·0	54·0	34·0	64	100	W.	3	C.	0	....	....	....	....	....	.....	....	.....	2	cu.
30	29·53	29·53	42·0	50·0	57·0	36·0	74	72	C.	0	C.	0	....	....	....	.....	10	cu.	6	ci.cu.	....	.... .
31	29·56	29·49	51·0	54·0	66·0	40·0	46	94	C.	0	C.	0	.. .	·01	....	.....	....	.....	....	.....	8	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·44	29·24	51·0	59·5	70·0	44·0	83	59	C.	0	C.	0	....	..	....	....	10	cu.	....	.....	10	cu.
2	29·22	29·13	53·0	55·0	74·0	44·0	73	74	C.	0	C.	0	....	...	....	....	10	st.	6	ci.	....	....
3	29·18	29·12	54·0	67·0	75·0	51·0	67	64	C.	0	C.	0	....	....	....	.....	....	.....	....	..	6	cu.
4	29·26	29·20	52·0	59·0	70·0	47·0	86	76	C.	0	C.	0	...	....	10	ci.	....	....	....	....	10	nb.
5	28·72	28·86	51·0	54·0	59·0	50·0	100	93	C.	0	C.	0	·33	·02	....	.....	10	nb.	....	...	10	nb.
6	28·99	29·22	48·0	47·0	54·0	46·0	100	92	C.	0	C.	0	·19	....	....	....	10	nb.	....	.....	10	cu.
7	29·32	29·38	48·0	52·0	55·0	45·0	85	79	C.	0	C.	0	...	....	....	.. ..	10	cu.	....	. ..	10	cu.
8	29·44	29·40	46·0	61·0	69·0	38·0	100	76	C.	0	C.	0	..	....	....	....	10	cu.	....	....	10	st.
9	29·52	29·49	56·0	63·0	69·0	42·0	69	57	E.	3	C.	0	..	....	..	.....	10	st.	....	.....	10	cu.
10	29·55	29·43	51·0	61·0	73·0	39·0	79	66	C.	0	C.	0	...	....	....	.....	....	.....	....	.....	10	cu.
11	29·46	29·40	54·0	57·0	73·0	40·0	67	69	E.	2	C.	0	....	....	....	...	....	.....	....	.. ..	....	.....
12	29·53	29·45	52·0	62·0	79·0	35·0	73	61	C.	0	C.	0	...	...	....	..	....	.....	....	.....	....	....
13	29·47	29·29	53·0	63·0	82·0	38·0	73	62	C.	0	C.	0	....	..	....	....	....	.	....	.....	....	....
14	29·39	29·32	65·0	64·0	83·0	47·0	58	29	W.	3	C.	0	...	...	.....	.....	....	.....	....	.....	10	cu.
15	29·38	29·37	61·0	65·0	81·0	52·0	55	58	C.	0	C.	0	. .	...	....	....	....	.....	....	.....	....	.....
16	29·50	29·38	60·0	69·0	85·0	46·0	65	100	W.	2	C.	0	....	....	....	...	10	st.	....	... .	10	cu.
17	29·44	29·36	61·0	80·0	91·0	54·0	83	66	C.	0	C.	0	....	....	...	.....	.....	.....	4	ci.	....	... ..
18	29·33	29·38	71·0	67·0	88·0	63·0	75	95	C.	0	C.	0	....	·01	....	.....	.	. .	.....	.....	10	nb.
19	29·35	29·34	63·0	64·0	78·0	60·0	73	89	C.	0	N.	3	....	·33	2	ci.	....	....	...	.....	10	nb.
20	29·33	29·33	61·0	66·0	80·0	59·0	88	89	C.	0	C.	0	....	....	. .	.....	10	nb.	....	.....	...	....
21	29·49	29·42	58·0	76·0	89·0	49·0	100	82	C.	6	C.	0	..	....	....	...	....	.....	....	.....	10	cu.
22	29·55	29·48	63·0	69·0	84·0	56·0	94	95	C.	0	C.	0	....	·02	...	.....	....	.....	....	.....	10	cu.
23	29·47	29·35	70·0	67·0	80·0	61·0	90	95	C.	0	C.	0	....	....	....	.....	....	....	6	ci.	....	.....
24	29·35	29·28	67·0	72·0	85·0	67·0	100	90	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
25	29·18	29·17	68·0	76·0	83·0	64·0	100	86	C.	0	C.	0	....	....	....	....	10	cu.	....	.....	6	cu.
26	29·08	29·02	62·0	61·0	77·0	58·0	94	82	C.	0	W.	2	·46	.	....	.....	10	nb.	....	.....	10	nb.
27	29·16	29·13	56·0	65·0	75·0	51·0	79	64	W.	3	C.	0	·03	·03	....	.. ..	6	nb.	....	.. .	4	cu.
28	29·33	29·24	56·0	72·0	84·0	51·0	100	76	C.	0	C.	0	....	....	....	.....	...	.... ..	....	.....	4	cu.
29	29·34	29·26	58·0	78·0	86·0	52·0	100	78	C.	0	C.	0	....	....	....	.....	...	.....	...	.....	4	cu.
30	29·31	29·12	65·0	67·0	83·0	57·0	89	95	C.	0	C.	0	....	·26	4	ci.	....	.....	....	. ..	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·14	29·08	54·0	68·0	78·0	52·0	89	89	C.	0	C.	0	....	·46	....	....	....	....	....	....	10	cu.st.
2	29·25	29·34	51·0	54·0	68·0	50·0	85	87	S.W.	3	S.W.	1	....	....	..	.....	10	cu.	....	....	....	.....
3	29·49	29·41	46·0	63·0	76·0	38·0	92	89	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	4	cu.
4	29·50	29·39	58·0	68·0	80·0	51·0	82	84	C.	0	C.	0	....	....	....	.....	....	.. .	....	.....	10	cu.
5	29·42	29·32	58·0	66·0	79·0	53·0	94	79	W.	3	C.	0	....	....	....	.....	10	cu.	....	.. .	..	.....
6	29·27	29·17	58·0	65·0	74·0	46·0	82	84	C.	0	C.	0	....	....	....	.....	10	cu.	....	....	10	cu.st.
7	29·19	29·22	58·0	69·0	79·0	51·0	100	85	C.	0	C.	0	....	....	....	.....	8	fog	.. .	.....	10	cu.st.
8	29·22	29·06	58·0	66·0	75 0	52·0	94	84	C.	9	C.	0	....	....	...	.....	10	cu.	....	.....	2	cu.st.
9	29·12	29·12	61·0	59·0	72·0	54·0	77	88	W.	2	C.	0	...	....	....	.....	10	cu.st.	...	....	2	cu.
10	29·28	29·17	60·0	61·0	78·0	49·0	82	89	W.	3	C.	0	....	....	....	.. .	8	cu.	....	.....	10	cu.
11	29·28	29·21	60·0	66·0	80·0	49·0	88	100	C.	0	C.	0	....	....	....	....	10	cu.	...	.....	10	cu.st.
12	29·20	29·30	60·0	61·0	66·0	58·0	100	100	C.	0	C.	0	·38	·05	....	.....	10	n.b.	....	.....	10	n.b.
13	29·42	29·21	55·0	65·0	80·0	51·0	100	83	C.	0	C.	0	..	....	...	.....	2	cu.	...	.....	....	....
14	29·44	29·38	58·0	66·0	82·0	48·0	100	89	C.	0	C.	0	....	....	....	.....	....	....	....	.....	4	cu.
15	29·41	29·28	62·0	72·0	83·0	53·0	94	90	C.	0	C.	0	...	....	....	.....	....	..	....	....	10	cu.
16	29·21	29·27	71·0	69 0	86·0	64·0	95	89	C.	0	C.	0	·10	....	....	.....	10	cu.st.	....	.....	3	cu.
17	29·35	29·29	66·0	74·0	85·0	57·0	79	90	C.	0	C.	0	...	....	....	.....	6	cu.	....	.....	.. .	.....
18	29·45	29·38	66·0	83·0	88·0	59·0	78	37	C.	0	C.	0	....	....	....	.....	....	.....	....	.....	2	cu.
19	29·35	29·24	65·0	72·0	84·0	55·0	84	62	C.	0	C.	0	....	....	....	.....	....	.. .	....	.....	6	cu.st.
20	29·17	29·29	67·0	61·0	77·0	61·0	95	88	W.	8	C.	0	·04	....	..	.....	8	cu.	....	.....	....	....
21	29·38	29·25	62·0	71·0	82 0	51·0	83	75	W.	3	C.	0	....	...	....	...	...	.....	....	.. ...	6	cu.
22	29·18	29·18	63·0	64·0	71·0	59·0	94	94	C.	0	C.	0	·06	....	....	.....	10	cu.st.	....	...	10	cu.st.
23	29·27	29·25	66·0	68·0	80·0	58·0	89	90	C.	0	C.	0	...	....	....	.....	10	cu.st.	....	.....	2	cu.
24	29·15	29·03	63·0	69·0	80·0	58·0	94	95	C.	0	C.	0	....	·10	....	.....	10	cu.	....	.....	10	n.b.
25	29·24	29·12	60·0	59·0	76 0	57·0	77	94	C.	0	C.	0	..	....	....	.....	...	.....	....	....	10	cu.st.
26	28·79	29·26	59·0	56·0	69·0	55·0	94	81	W.	3	W.	3	·52	02	....	.....	10	n.b.	....	.....	6	cu.
27	29·14	29·16	61·0	66 0	78·0	50·0	77	95	W.	3	C.	0	....	..	..	.....	6	cu.	....	.....	4	cu.
28	29·23	29·21	62 0	67 0	79·0	55·0	77	84	W.	3	C.	0	...	....	....	.....	8	cu.	....	.....	6	cu.
29	29·11	29·10	61·0	62·0	72·0	60·0	100	100	C.	0	C.	0	·08	·38	....	.....	10	cu.st.	....	.....	6	cu.st.
30	29·14	29·17	65·0	62·0	70·0	59·0	89	100	W.	2	C.	0	....	·04	....	.....	10	cu.st.	...	....	10	cu.st.
31	29·16	29·10	59·0	64 0	77·0	55 0	94	89	C.	0	C	0	....	....	....	.....	....	.....	....	.. .	8	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·15	29·01	58·0	65·0	78·0	52·0	77	84	C.	0	C.	0								10		cu.st.
2	29·98	29·11	61·0	61·0	69·0	54·0	100	100	C.	0	C.	0	·08				10	nb.		10		cu.st.
3	29·28	29·34	57·0	58·0	67·0	52·0	89	100	C.	0	C.	0					10	cu.st.		10		cu.
4	29·51	29·46	55·0	56·0	68·0	47·0	87	93	C.	0	C.	0					10	cu.st.		3		cu.
5	29·50	29·34	48·0	63·0	75·0	43·0	100	100	C.	0	C.	0								10		cu.st.
6	29·35	29·35	61·0	63·0	73·0	55·0	94	100	C.	0	C.	0					10	st.		10		st.
7	29·28	29·38	61·0	62·0	74·0	35·0	100	100	C.	0	C.	0	·13				10	nb.				
8	29·55	29·49	52·0	60·0	75·0	47·0	100	100	C.	0	C.	0										
9	29·53	29·43	55·0	67·0	84·0	49·0	100	100	C.	0	C.	0					6	cu.		10		cu.
10	29·49	29·35	64·0	68·0	85·0	54·0	83	100	C.	0	C.	0								2		cu.
11	29·30	29·11	62·0	68·0	82·0	55·0	94	100	C.	0	C.	0					10	st.		10		cu.
12	29·11	29·12	69·0	64·0	83·0	64·0	100	100	C.	0	C.	0	·01									
13	29·22	29·42	58·0	59·0	65·0	45·0	82	70	C.	0	W.	3								10		cu.st.
14	29·55	29·65	55·0	55·0	70·0	46·0	80	100	W.	3	C.	0					10	cu.st.				
15	29·74	29·58	57·0	61·0	72·0	42·0	100	94	C.	0	C.	0					7	cu.		10		cu.st.
16	29·40	29·21	60·0	66·0	72·0	53·0	76	94	E.	3	E.	2					10	cu.st.		10		cu.st.
17	29·24	29·34	63·0	66·0	80·0	57·0	94	100	C.	0	N.	3					8	st.		10		cu.st.
18	29·70	29·69	53·0	52·0	72·0	45·0	74	86	N.W.	3	C.	0					10	cu.st.				
19	29·69	29·43	52·0	63·0	82·0	42·0	86	83	C.	0	C.	0					4	cu.		10		cu.st.
20	29·37	29·46	62·0	64·0	74·0	54·0	100	48	C.	0	N.	2	·04				10	nb.				
21	29·57	29·59	15·0	53·0	69·0	40·0	100	86	C.	0	C.	0					6	cu.				
22	29·59	29·58	48·0	58·0	75·0	44·0	100	81	C.	0	C.	0					10	cu.				
23	29·53	29·26	51·0	61·0	81·0	46·0	100	77	C.	0	C.	0					8	st.				
24	29·03	29·02	62·0	54·0	71·8	54·0	94	100	C.	0	C.	0	·28	·24			10	nb.		10		nb.
25	28·97	29·08	57·0	54·0	65·0	52·0	94	100	W.	3	C.	0	·02	·07			10	nb.		10		nb.
26	29·20	29·25	53·0	52·0	64·0	53·0	80	93	W.	3	C.	0					10	cu.st.		4		cu.st.
27	29·31	29·29	48·0	57·0	67·0	41·0	92	63	C.	0	N.	2								2		cu.st.
28	29·35	29·40	51·0	53·0	66·0	43·0	93	93	C.	0	C.	0					10	st.				
29	29·42	29·35	48·0	52·0	70·0	44·0	100	100	W.	2	C.	0					10	st.				
30	29·35	29·47	52·0	56·0	64·0	45·0	93	81	C.	0	C.	0					10	st.				
31	29·56	29·53	53·0	53·0	68·0	44·0	80	93	W.	2	C.	0										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	8 a.m.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·50	29·24	48·0	58·0	68·0	45·0	100	100	C.	0	C.	0	.	....	....	....	10	fog.	....	.....	10	cu.st.
2	29·10	29·08	57·0	58·0	62·0	51·0	94	100	E.	2	C.	0	·12	·23	....	.....	10	cu.st.	....	....	10	nb.
3	29·19	29·30	54·0	58·0	70·0	51·0	100	100	C.	0	C.	0	·20	·02	....	.....	10	cu.st.	....	.....	10	nb.
4	29·33	29·32	59·0	63·0	69·0	57·0	100	100	C.	0	C.	0	·15	....	....	.....	10	nb,	....	.....	10	cu.st.
5	29·36	29·24	59·0	61·0	69·0	57·0	100	94	C.	0	C.	0	....	·20	....	...	10	fog.	....	.....	10	nb.
6	29·16	29·28	61·0	60·0	72·0	58·0	94	94	C.	0	C.	0	·44	....	...	.....	10	cu.st.	....	.....	10	cu.
7	29·31	29·29	56·0	57·0	72·0	57·0	100	100	C.	0	C.	0	....	·14	....	.....	10	cu.	....	.....	10	cu.st.
8	29·34	29·48	56·0	57·0	74·0	52·0	100	94	C.	0	C.	0	....	....	....	....	10	cu.st.	....	.....	4	cu.
9	29·49	29·49	52·0	58·0	67·0	46·0	93	100	C.	0	C.	0	....	·12	....	.....	10	cu.st.	....	.....	10	nb.
10	29·65	29·43	58·0	63·0	69·0	56·0	100	89	C.	0	C.	0	....	..	...	.....	10	cu.st.	....	.....	10	cu.st.
11	29·19	29·18	66·0	56·0	72·0	56·0	100	100	C.	0	C.	0	·40	·06	...	.....	10	nb.	....	.....	10	fog.
12	29·23	29·49	56·0	57·0	73·0	50·0	100	100	C.	0	C.	0	....	...	....	.....	10	cu.st.	...	.	...	.....
13	29·69	29·67	50·0	53·0	54·0	48·0	86	100	C.	0	C.	0	....	....	.....	.....	10	cu.st.	..	.....	10	cu.st.
14	29·60	29·50	55·0	66·0	80·0	54·0	100	95	S.E.	3	C.	0	.....	....	.....	...	10	fog.	..	....	....	.....
15	29·57	29·70	57·0	63·0	79·0	53·0	100	100	C.	0	C.	0	....	....	.....	.....	10	cu.	..	.....	....	.....
16	29·51	29·21	60·0	68·0	68·0	59·0	100	100	C.	0	C.	0	....	·30	....	.....	10	fog.	....	.....	10	nb.
17	29·61	29·72	57·0	47·0	69·0	47·0	75	92	N.	3	C.	0	·11	....	.....	..	17	cu.st.	....	....	10	cu.
18	29·74	29·63	43·0	45·0	66·0	38·0	100	100	C.	0	C.	0	...	..	.....	.....	.....	.....	.....	.....	.....	.....
19	29·59	29·44	46·0	58·0	60·0	41·0	92	94	E.	2	C.	0	...	....	.....	...	10	cu.st.	..	.....	10	cu.st.
20	29·24	29·08	58·0	66·0	78·0	57·0	100	84	E.	3	C.	0	·38	....	.....	.....	10	fog.	....	.....	6	cu.
21	29·26	29·09	48·0	55·0	68·0	44·0	100	87	C.	0	C.	0	....	....	.....	.....	6	st.	....	.....	10	cu.st.
22	29·35	29·30	42·0	43·0	56·0	35·0	83	100	W.	2	C.	0	....	....	.....	.....	4	cu.	....	.....	....	.....
23	29·21	28·88	41·0	52·0	62·0	37·0	100	100	C.	0	E.	3	....	...	.....	.....	....	.	....	.....	10	nb.
24	28·60	28·79	54·0	53·0	63·0	52·0	93	80	E.	0	S.W.	8	·10	....	....	...	10	nb.	....	.....	10	cu.
25	29·13	29·42	40·0	38·0	58·0	38·0	100	100	S.W.	2	C.	0	·02	....	....	.....	10	nb.	....	.....	....	.....
26	29·49	29·36	36·0	45·0	51·0	30·0	100	100	C.	0	C.	0	....	....	..	.....	10	cu.	....	.....	10	cu.
27	29·45	29·49	40·0	42·0	52·0	38·0	100	100	C.	0	C.	0	....	....	.....	.....	10	cu.	....	.....	....	.....
28	29·59	29·51	34·0	42·0	46·0	31·0	100	66	E.	2	E.	3	....	...	.....	.....	10	cu.	....	.....	10	cu.
29	29·36	29·35	38·0	44·0	46·0	38·0	100	100	E.	2	C.	0	·12	....	.....	.....	16	nb.	....	.....	10	cu.
30	29·30	29·51	47·0	42·0	52·0	43·0	92	100	S.W.	3	S.W.	4	·01	....	....	...	10	cu.	....	..	2	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.
	in.	in.	°		°	°							in.	in.								
1	29·70	29·57	36·0	38·0	57·0	33·0	100	100	W.	2	C.	0	...	....	...	..	10	cu.	....	.....	....	....
2	29·56	29·39	37·0	50·0	65·0	33·0	100	100	C.	0	C.	0	....	...	3	ci.	...	.....	....	.....	5	cu.
3	29·42	29·21	44·0	56·0	68·0	40·0	100	100	C.	0	C.	0	...	....	....	.....	....	.....	8	ci.	....	....
4	28·83	29·01	57·0	51·0	60·0	46·0	100	72	W.	2	W.	2	25	....	....	.....	40	nb.	....	.....	....	.....
5	29·08	29·22	42·0	40·0	51·0	40·0	83	100	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	8	cu.
6	29·28	29·19	38·0	46·0	58·0	33·0	100	92	W.	2	C.	0	....	·14	....	.....	10	cu.	....	.....	10	nb.
7	29·12	28·88	45·0	42·0	46·0	42·0	100	91	S.	2	N.	3	.. .	·68	....	.....	10	cu.	....	. ....	10	nb.
8	29·23	29·49	32·0	33·0	42·0	28·0	100	61	W.	4	C.	0	....	...	....	... ..	10	cu.	....	.....	....	... ..
9	29·53	29·35	30·0	44·0	48·0	25·0	100	84	C.	0	C.	0	....	....	....	. ...	10	cu.	....	.....	10	cu.
10	29·11	29·11	42·0	45·0	54·0	42·0	100	100	C.	0	C.	0	·20	·04	....	.....	10	cu.	....	... .	10	nb.
11	28·98	29·14	42·0	46·0	52·0	35·0	100	100	C.	0	C.	0	·04	....	....	.....	10	cu.	....	.....	4	cu.
12	29·26	29·41	35·0	40·0	47·0	33·0	100	100	C.	0	W.	2	....	....	10	ci.	....	.....	....	.....	10	nb.
13	29·56	29·60	40·0	41·0	44·0	38·0	82	100	W.	2	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
14	29·62	29·59	37·0	38·0	50·0	36·0	100	100	C.	0	C.	9	....	....	....	.....	10	cu.	....	.....	10	cu.
15	29·61	29·63	38·0	36·0	50·0	29·0	100	100	C.	0	C.	0	...	....	....	.....	10	cu.	....	.....	....	.....
16	29·68	29·59	33·0	50·0	50·0	30·0	100	100	C.	0	C.	0	...	....	....	.....	4	cu.st.	....	.....	10	cu.
17	29·53	29·23	50·0	51·0	58·0	48·0	100	100	C.	0	C.	0	....	....	....	.....	10	cu.	...	.....	10	cu.
18	29·65	29·56	32·0	37·0	52·0	27·0	100	100	W.	3	C.	0	·01	....	....	. ....	4	cu.	....	.....	....	... ..
19	29·55	29·51	27·0	28·0	39·0	22·0	100	100	C.	0	C.	0	.. .	....	....	.....	10	cu.	....	.....	10	cu.
20	29·61	29·59	21·0	27·0	36·0	17·0	100	88	C.	0	C.	0	....	....	....	.....	....	.....	..	.. ..	....	.....
21	29·84	29·49	16·0	30·0	42·0	13·0	100	89	C.	0	C.	0	....	....	....	....	....	.....	....	....	10	cu.
22	29·22	29·01	33·0	41·0	53·0	17·0	89	91	C.	0	C.	0	...	....	....	.....	10	cu.	....	.....	....	.... .
23	29·29	29·54	34·0	33·0	45·0	33·0	100	100	W.	2	C.	0	....	...	....	....	10	cu.	....	.....	7	cu.
24	29·61	29·31	22·0	32·0	47·0	20·0	100	100	C.	0	C.	0	....	....	. ..	.....	.	.....	....	....	....	. . .
25	29·18	29·55	39·0	31·0	39·0	30·0	91	100	W.	3	W.	3	...	....	....	.....	10	cu.	....	.....	19	cu.
26	29·74	29·57	22·0	30·0	37·0	19·0	100	100	C.	0	C.	0	....	....	....	.....	....	.....	...	.....	....	.....
27	29·28	29·21	31·0	36·0	37·0	29·0	89	100	E.	3	C.	0	....	·06	....	.....	10	cu.	....	... .	....	.....
28	29·36	29·41	35·0	35·0	40·0	34·0	90	100	C.	0	C.	0	....	...	....	.....	10	cu.	....	.....	10	cu.
29	29·46	29·61	35·0	32·0	38·0	28·0	100	100	W.	2	W.	3	....	....	. ..	....	10	cu.	..	.....	....	.....
30	29·78	29·80	22·0	28·0	40·0	20·0	100	77	C.	0	C.	0	....	....	....	.....	....	.. ..	....	....	....	. ..
31	29·97	29·86	19·0	32·0	18·0	13·0	100	94	C.	0	C.	0	....	....	....	. ..	10	st.	....	.....	...	... .

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·77	29·49	31·0	44·0	48·0	27·0	100	84	C.	0	E.	2	....	....	....	....	....	.....	....	..	10	cu.
2	29·13	28·84	44·0	47·0	47 0	28·0	100	100	C.	0	C.	0	·54	·30	....	....	10	nb.	....	....	10	nb.
3	28·58	29·03	45·0	35·0	40·0	30·0	92	90	W.	2	W.	3	·86	·12	....	....	10	nb.	....	.....	10	cu.
4	29·30	29·23	28·0	32·0	38·0	27·0	88	100	N.E.	3	C.	0	....	....	....	....	10	cu.	....	.....	10	cu.
5	29·10	29·27	34·0	36·0	40·0	32·0	100	100	E.	2	C.	0	·20	....	....	....	10	cu.	....	....	10	st.
6	29·26	29·11	36·0	38·0	41·0	35·0	80	100	C.	0	E.	4	·04	·14	....	....	10	cu.	....	.....	10	nb.
7	28·69	29·02	34·0	30·0	38·0	30·0	100	100	W.	5	W.	4	·10	·40	....	....	10	st.	....	.....	10	cu.
8	29·48	29·13	26·0	28·0	32·0	25·0	100	77	C.	0	C.	0	....	....	....	....	10	cu.	....	....	10	cu.
9	29·16	29·03	25·0	34·0	38·0	20·0	100	100	C.	0	C.	0	....	....	....	.....	10	st.	....	.....	10	cu.
10	29·16	29·33	31·0	32·0	38·0	26·0	100	89	C.	0	C.	0	....	....	....	....	.....	..	10	fog.	10	cu.
11	29·48	29·67	30·0	21·0	32·0	20·0	89	100	E.	2	C.	0	·01	....	....	.....	10	cu.	....	.....	10	cu.
12	29·69	29·46	21·0	29·0	30 0	20·0	100	89	C.	0	W.	3	....	.	....	....	6	cu.	....	....	10	cu.
13	29·18	29·14	33·0	25·0	35 0	22·0	80	100	C.	0	W.	1	....	·10	....	....	10	cu.	....	.....	10	nb.
14	29·43	29·52	16·0	13·0	25·0	12·0	83	100	W.	4	C.	0	·06	....	....	.....	10	cu.	....	.....	....	.....
15	29·55	29·68	20·0	17·0	31·0	12·0	100	100	C.	0	C.	0	....	....	....	.....	10	cu.	....	....	....	....
16	29·67	29·48	15·0	31·0	36·0	12·0	82	89	C.	0	C.	0	....	....	....	.....	10	cu.	....	....	....	.....
17	29 17	29·51	28·0	34 0	36·0	24·0	100	100	C.	0	C.	0	....	....	....	.....	10	cu.	....	....	4	cu.
18	29·49	29·42	22·0	32·0	37·0	21·0	72	100	C.	0	C.	0	....	....	....	.....	10	cu.	....	....	10	cu.
19	29·74	29·82	25·0	20 0	35·0	17·0	100	100	C.	0	C.	0	....	....	....	....	10	st.	....	.....	....	.....
20	29 87	29·57	18·0	28·0	42·0	6·0	84	100	C.	0	E.	3	....	....	....	.....	....	.....	....	.....	10	cu.
21	29·17	29·23	32·0	40 0	42·0	28·0	100	100	E.	2	C.	0	·12	·04	....	.....	10	nb.	....	.....	10	cu.
22	29·44	29·51	37·0	36·0	41·0	30·0	90	100	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	10	cu.
23	29·75	29·83	32·0	26·0	36·0	26·0	90	75	C.	0	C.	0	....	....	....	.....	10	cu.	....	.....	....	....
24	29·90	29·70	15·0	21·0	30·0	14·0	100	86	C.	0	C.	0	....	....	....	...	6	cu.	....	.....	....	.....
25	29·70	29·32	16·0	30·0	32·0	14·0	100	100	C.	0	C.	0	....	....	....	.....	8	cu.	....	....	10	cu.
26	29·11	29·21	27·0	33·0	36·0	23·0	100	89	C.	0	C.	0	....	·08	....	...	10	cu.	....	.....	10	cu.
27	29·37	29·24	26·0	20·0	33·0	20·0	88	100	N.	3	C.	0	....	....	....	.....	10	cu.	....	....	10	cu.
28	29·17	29·27	21·0	22·0	25·0	20·0	86	100	E.	3	C.	0	....	·30	....	.....	10	cu.	....	.....	10	cu.
29	29·54	29·62	9·0	18·0	24·0	1 0	100	100	C.	0	C.	0	....	S.	....	.....	10	cu.	....	.....	10	st.
30	29·67	29·67	14·0	19·0	21·0	10·0	82	100	C.	0	C.	0	·04	....	....	.....	10	cu.	....	.....	10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Stonecliffe, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·48	29·49	16·0	20·0	27·0	14·0	100	100	C.	0	C.	0	·10	·14			10	cu.				
2	29·39	29·46	13·0	14·0	21·0	12·0	100	82	W.	3	E.	2					10	cu.			10	cu.
3	29·61	29·75	5·0	10·0	16·0	2·0	75	58	C.	0	W.	2					6	st.			10	st.
4	29·83	29·72	12·0	4·0	18·0	2·0	100	100	C.	0	C.	0					10	cu.				
5	29·60	29·40	5·0	19·0	19·0	— 4·0	75	85	C.	0	C.	0		·04			10	cu.			10	cu.
6	29·43	29·36	24·0	27·0	34·0	18·0	100	100	C.	0	C.	0					10	cu.				
7	29·48	29·50	34·0	28·0	40·0	26·0	79	100	C.	0	C.	0					10	cu.			10	cu.
8	29·42	29·45	32·0	34·0	34·0	16·0	90	89	C.	0	C.	0	·06				10	st.			10	st.
9	29·39	28·99	35·0	36·0	37·0	33·0	100	80	C.	0	E.	2		·08			10	cu.			10	nb.
10	28·75	29·03	39·0	22·0	41·0	20·0	100	86	N.	3	N.	4	·12				10	nb.			10	cu.
11	29·03	29·16	14·0	11·0	22·0	10·0	100	100	N.	3	N.	4	·10	·02			10	st.			10	cu.
12	29·36	29·15	2·0	10·0	15·0	0·0	100	79	N.	4	W.	3									10	st.
13	29·62	29·64	3·0	24·0	25·0	0·0	100	100	C.	0	C.	0					10	cu.			10	st.
14	29·58	29·30	10·0	20·0	25·0	6·0	100	70	E.	2	E.	3					10	cu.			10	cu.
15	29·13	29·00	21·0	26·0	26·0	17·0	86	77	E.	3	C.	0	·18	·10			10	st.			10	cu.st.
16	29·02	29·13	24·0	21·0	28·0	21·0	100	86	C.	0	C.	0	·10	·10			10	st.			10	cu.st.
17	29·34	29·42	12·0	16·0	25·0	10·0	100	100	C.	0	C.	0	·04				10	cu.			10	cu.st.
18	29·43	29·34	12·0	10·0	18·0	6·0	100	79	C.	0	C.	0					10	cu.			10	cu.
19	29·38	29·27	7·0	30·0	30·0	2·0	100	89	C.	0	C.	0					10	cu.			10	cu.
20	29·29	29·34	32·0	32·0	35·0	30·0	79	90	S.	3	C.	0					10	cu.			10	cu.
21	29·68	29·53	15·0	31·0	32·0	13·0	100	79	C.	0	C.	0									10	cu.
22	29·47	29·25	18·0	30·0	36·0	17·0	100	89	C.	0	C.	0					10	cu.			10	cu.
23	29·03	28·55	30·0	32·0	34·0	28·0	89	100	C.	0	C.	0		·06			10	cu.			10	st.
24	28·74	29·04	24·0	22·0	32·0	22·0	100	86	W.	3	W.	4	·06				10	cu.			10	cu.
25	29·34	29·11	15·0	24·0	24·0	10·0	100	100	E.	4	E.	3	·02	·10			10	st.			10	cu.st.
26	29·66	29·56	0·0	10·0	25·0	— 4·0	100	100	C.	0	E.	2										
27	29·11	28·96	24·0	37·0	39·0	10·0	100	81	E.	3	C.	0	·06				10	cu.			10	cu.
28	29·13	29·49	33·0	10·0	40·0	10·0	89	100	W.	3	C.	0	·04				10	cu.				
29	29·52	29·53	9·0	23·0	25·0	— 3·0	100	86	C.	0	C.	0					10	cu,			10	cu.
30	28·87	28·89	30·0	22·0	30·0	21·0	100	100	W.	3	W.	5	·14	·08			10	nb.			10	st.
31	29·32	29·23	8·0	9·0	22·0	— 8·0	100	100	C.	0	W.	2		·12							8	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario: Latitude North, 45° 26′; Longitude West, 75° 42′. Height above Sea, 294 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·60	29·85	36·0	33·0	38·0	33·0	100	100	S.W.	2	W.	2	·02	R.	....	.....	10	nb.	....	.....	10	st.
2	30·14	30·24	26·0	21·0	33·0	21·0	100	100	S.W.	2	N.W.	1	..	....	....	.....	10	st.	...	.....	1	st.
3	30·17	29·60	17·0	25·0	25·0	16·0	100	100	E.	3	E.	2	....	·25	....	...	10	st.	.....	...	10	nb.
4	29·24	29·51	33·0	31·0	33·0	25·0	100	100	S.E.	3	W.	3	·01	·05	....	.....	10	nb.	....	..	9	st.
5	29·62	29·81	30·0	32·0	32·0	29·0	100	100	W.	2	N.	1	....	....	....	...	10	st.	....	.....	10	st.
6	29·82	29·70	27·0	22·0	32·0	22·0	100	100	E.	2	N.E.	2	....	....	....	.....	10	st.	..	.....	2	st.
7	29·80	29·90	23·0	30·0	31·0	18·0	100	100	S.W.	1	N.W.	3	....	....	....	.....	10	st.	....	.....	8	st.
8	29·91	29·64	15·0	14·0	30·0	13·0	100	100	N.E.	3	S.E.	2	...	....	....	.....	10	st.	....	.....	10	st.
9	29·97	29·76	15·0	— 2·0	24·0	— 2·0	100	70	W.	4	N.W.	5	·01	....	7	ci.cu.	....	.....	...	.....	....	....
10	29·61	29·06	— 7·0	25·0	25·0	—10·0	100	100	N.	1	S.	5	....	·05	...	.....	10	st.	....	.....	10	st.
11	29·44	29·76	12·0	12·0	27·0	12·0	82	80	W.	2	W.	2	....	S.	5	ci.cu.	....	.....	3	ci.st.	....	.....
12	29·79	29·68	— 6·0	12·0	17·0	— 2·0	100	80	E.	3	N.W.	2	S.	·15	...	.....	10	nb.	....	.....	10	st.
13	30·11	30·11	4·0	11·0	17·0	4·0	100	80	N.W.	1	N.	2	....	....	6	ci.cu.	....	.....	.....	....	2	st.
14	29·82	29·62	14·0	18·0	18·0	9·0	100	100	N.E.	2	W.	2	·01	·02	....	.....	10	nb.	....	.....	9	st.
15	29·77	29·98	14·0	— 2·0	20·0	— 2·0	82	67	N.W.	3	W.	2	....	...	....	.....	10	st.	....	.....	....	.....
16	30·21	30·35	—12·0	—15·0	— 2·0	—15·0	100	100	N.W.	2	W.	1	....	...	8	ci.st.	....	.....	....	..	....	....
17	30·24	30·06	—20·0	— 4·0	— 4·0	—20·0	100	100	N.E.	2	N.E.	1	....	....	....	....	10	cu.st.	....	...	....	....
18	29·88	29·90	— 2·0	0·0	9·0	— 2·0	100	100	N.E.	1	W.	1	·03	·01	....	.....	10	nb.	1	ci.	....	.....
19	29·76	29·19	8·0	33·0	33·0	— 2·0	100	100	N.E.	3	E.	2	....	·45	....	.....	10	st.	....	.....	10	st.
20	28·74	29·12	41·0	26·0	46·0	26·0	97	100	S.W.	3	W.	4	·17	S.	...	.....	8	st.	....	.....	10	st.
21	29·87	30·06	— 1·0	— 3·0	26·0	— 3·0	100	100	W.	2	W.	1	·05	....	3	ci.st.	....	.....	....	.....	....	.....
22	29·98	30·08	— 5·0	— 1·0	4·0	—12·0	100	100	N.E.	3	W.	1	S.	S.	....	..	10	nb.	1	ci.	....	.....
23	30·24	30·26	—16·0	—10·0	— 1·0	—16·0	100	100	N.W.	2	W.	1	....	....	2	ci.	...	..	....	..	....	.....
24	30·26	30·05	—20·0	— 6·0	— 6·0	—20·0	100	100	N.W.	1	W.	1	....	....	....	.....	....	....	8	ci.st.	....	....
25	29·78	29·73	— 8·0	— 3·0	0·0	— 8·0	100	100	N.E.	2	E.	2	S.	·10	....	....	10	nb.	3	ci.st.	....	....
26	29·79	30·00	— 2·0	0·0	5·0	— 5·0	100	100	N.E.	1	W.	1	S.	S.	....	....	10	st.	....	....	....	.....
27	30·09	30·00	— 7·0	5·0	5·0	—12·0	100	100	N.E.	2	N.E.	2	....	....	9	ci.st.	....	...	....	.....	10	cu.st.
28	29·96	29·97	3·0	11·0	17·0	3·0	100	80	C.	0	W.	2	S.	....	....	....	10	st.	....	.....	1	st.
29	29·97	29·91	5·0	12·0	17·0	5·0	100	80	W.	1	W.	1	....	S.	....	....	10	cu.st.	....	.....	10	st.
30	30·04	30·22	0·0	2·0	12·0	0·0	100	80	N.W.	2	W.	2	S.	....	1	ci.st.	....	....	....	....	....	.....
31	30·25	30·00	—10·0	4·0	6·0	—15·0	100	80	N.E.	2	N.E.	1	....	·15	....	.....	10	cu.st.	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·99	29·67	10·0	19·0	19·0	1·0	100	100	N.W.	2	E.	2	....	....	....	.....	10	st.	....	....	10	st.
2	29·36	29·00	24·0	37·0	38·0	19·0	100	90	E.	2	W.	2	·03	·03	....	.....	10	st.	....	.....	10	st.
3	29·44	29·81	— 4·0	— 2·0	37·0	— 6·0	100	100	N.W.	5	W.	2	S.	S.	3	ci.st.	..	....	....	....	1	st.
4	30·06	30·08	—13·0	— 6·0	3·0	—13·0	52	100	N.W.	1	W.	1	....	....	1	ci.st.	....	....	....	.....	1	st.
5	29·92	29·80	— 2·0	6·0	8·0	—12·0	100	100	N.	1	N.	2	..	·02	....	.....	10	st.	....	....	10	nb.
6	29·83	29·97	3·0	5·0	10·0	2·0	100	100	N.W.	2	W.	2	·03	·03	7	ci.	....	..	....	.....	....	.....
7	30·14	30·02	— 5·0	11·0	16·0	— 5·0	100	100	W.	2	S.	2	....	....	2	ci.	....	....	2	ci.	....	....
8	29·92	29·84	— 7·0	14·0	23·0	7·0	100	100	N.	1	S.E.	1	S.	S.	9	ci.cu.	....	....	..	.....	5	s.
9	29·80	29·57	10·0	20·0	21·5	5·0	100	100	E.	2	E.	2	....	S.	....	.....	10	st.	....	....	10	nb.
10	29·21	28·88	21·0	32·0	32·0	18·0	100	100	E.	2	S.W.	2	·65	·20	....	.....	10	nb.	....	.....	10	st.
11	29·37	29·60	— 4·0	— 7·0	32·0	— 7·0	100	100	W.	3	W.	3	....	....	4	ci.cu.	....	.....	....	.....	1	st.
12	29·80	29·86	—16·0	— 2·0	0·0	—16·0	100	67	W.	2	W.	1	..	....	....	....	..	..	....	.....	....	.....
13	29·82	29·42	— 3·0	5·0	5·0	—12·0	100	100	N.	1	N.E.	1	S.	·01	....	....	10	nb.	....	....	10	st.
14	29·03	29·45	20·0	18·0	26·0	18·0	100	84	N.E.	1	N.W.	2	S.	S.	....	....	10	st.	..	.....	10	nb.
15	29·65	29·46	2·0	24·0	24·0	0·0	100	100	S.E.	1	S.E.	1	S.	10	3	ci.cu.	....	.....	....	....	10	nb.
16	29·45	29·51	23·0	25·0	30·0	20·0	100	87	W.	1	N.	1	·20	....	....	....	10	st.	....	.....	10	st.
17	29·56	29·74	8·0	8·0	30·0	8·0	100	100	N.	1	N.W.	2	·02	S.	....	.....	10	st.	....	.....	....	.....
18	29·88	29·68	— 7·0	8·0	10·0	— 9·0	63	100	N.W.	1	S.E.	2	....	....	2	ci.	..	....	....	..	9	cu.st.
19	29·28	29·11	8·0	15·0	17·0	8·0	100	100	E.	3	W.	3	·03	·20	....	.....	10	nb.	....	.....	2	st.
20	29·36	29·28	10·0	24·0	26·0	6·0	100	100	E.	1	E.	2	....	....	3	ci.cu.	....	.....	....	....	7	st.
21	29·20	29·61	10·0	2·0	24·0	2·0	100	100	N.W.	2	N.W.	2	·10	S.	....	....	10	st.	....	.....	....	.....
22	29·95	30·13	—13·0	— 6·0	2·0	—15·0	100	100	N.W.	1	W.	1	..	....	1	cu.st.	....	.....	....	.....	....	....
23	30·35	30·36	—17·0	0·0	4·0	—19·0	100	100	W.	1	S.	2	....	....	1	ci.cu.	....	.....	....	.....	....	.....
24	30·20	29·65	—11·0	10·0	10·0	—18·0	100	100	E.	2	E.	2	....	·10	5	ci.cu.	....	....	....	.....	10	nb.
25	29·55	29·94	12·0	1·0	12·0	1·0	72	100	W.	3	W.	1	·20	....	2	ci.	....	.....	....	.....	....	.....
26	30·09	29·87	— 5·0	3·0	6·0	— 8·0	100	100	N.W.	1	N.W.	1	....	....	....	.....	9	st.	....	....	9	st.
27	30·02	30·09	— 3·0	1·0	8·0	— 4·0	100	71	N.W.	2	W.	2	·08	....	1	ci.	....	.....	....	....	....	.....
28	30·21	30·13	— 2·0	1·0	7·0	— 6·0	67	72	E.	2	C.	0	....	....	....	....	10	st.	....	.	1	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Winds.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·18	29·77	−11·0	14·0	16·0	−15·0	100	80	N.	1	N.	2	....	....	....	....	....	....	....	....	10	st.
2	29·06	28·97	29·0	32·0	36·0	14·0	100	100	E.	2	W.	3	·01	·20	....	....	10	n.b.	....	....	10	n.b.
3	29·18	29·47	22·0	21·0	32·0	21·0	100	100	W.	3	N.W.	2	·25	·10	....	....	9	st.	....	....	10	cu.
4	29·77	29·73	14·0	20·0	22·0	14·0	100	100	N.E.	1	S.E.	2	·14	S.	....	....	10	n.b.	....	....	10	st.
5	29·65	29·57	10·0	18·0	22·0	9·0	100	100	W.	2	N.E.	2	S.	....	7	ci.cu.	....	....	....	....	2	st.
6	29·89	30·00	10·0	14·0	22·0	8·0	100	100	W.	2	W.	1	....	....	....	....	....	....	....	....	....	....
7	30·01	29·73	0·0	15·0	19·0	−2·0	100	100	N.W.	1	E.	2	....	....	1	ci.	....	....	2	ci.st	....	....
8	29·56	29·61	15·0	24·0	28·0	10·0	100	100	N.E.	1	S.W.	2	....	....	10	ci.st.	....	....	....	....	1	st.
9	29·97	29·99	12·0	20·0	24·0	9·0	100	100	N.W.	2	S.E.	2	....	....	....	....	....	....	....	....	1	st.
10	29·97	29·85	4·0	28·0	32·0	0·0	100	100	N.	1	S.E.	2	....	....	1	ci.	....	....	1	ci.st.	....	....
11	29·95	29·89	15·0	33·0	38·0	9·0	100	100	S.W.	1	S.E.	2	....	....	1	ci.	....	....	....	....	2	st.
12	29·82	29·43	14·0	35·0	36·0	11·0	100	100	S.E.	1	S.E.	2	....	R.	5	ci.st.	....	....	....	....	10	n.b.
13	29·32	29·44	34·0	36·0	40·0	34·0	100	100	C.	0	W.	2	R.	....	....	....	10	n.b.	....	....	9	st
14	29·45	29·63	24·0	26·0	36·0	24·0	100	100	N.E.	3	S.W.	1	·10	·02	....	....	10	n.b.	....	....	10	st.
15	29·75	29·72	20·0	29·0	45·0	18·0	100	100	S.W.	0	W.	3	.	·03	....	....	....	....	....	....	1	st.
16	30·09	29·75	22·0	32·0	32·0	17·0	100	100	S.W.	2	E.	2	.	·01	2	ci.	....	....	....	....	9	st.
17	29·44	29·83	40·0	30·0	43·0	26·0	100	100	S.W.	2	N.W.	2	·12	....	....	....	10	st.	2	ci.st.	....	....
18	30·03	29·99	16·0	30·0	34·0	10·0	100	100	N.	1	S.	1	....	....	1	ci.st.	....	....	....	....	5	st.
19	29·74	28·94	22·0	29·0	30·0	20·0	100	100	E.	3	E.	2	....	·20	....	....	10	st.	....	....	10	n.b.
20	29·39	29·76	26·0	28·0	34·0	26·0	100	100	N.W.	2	N.W.	2	·10	....	....	....	6	ci.st.	....	....	8	cu.st.
21	29·76	29·51	20·0	35·0	37·0	15·0	100	100	S.W.	1	S.	2	....	....	1	ci.cu.	....	....	....	....	9	cu.st.
22	29·32	29·18	34·0	45·0	45·0	31·0	100	100	N.E.	2	S.	3	....	....	....	....	10	st.	....	....	10	st.
23	29·59	29·73	37·0	40·0	45·0	36·0	100	100	W.	2	E.	2	....	....	3	ci.cu.	....	....	....	....	8	st.
24	29·44	29·80	33·0	33·0	40·0	33·0	100	100	E.	4	N.E.	2	·25	·29	....	....	10	n.b.	....	....	8	cu.st.
25	30·04	29·78	24·0	32·0	37·0	21·0	100	100	E.	2	E.	1	..	....	1	ci.	....	....	....	....	....	....
26	29·65	29·75	35·0	38·0	45·0	24·0	100	100	S.W.	1	S.W.	1	·02	....	....	....	10	n.b.	5	ci.	.	....
27	29·59	29·46	32·0	35·0	38·0	30·0	100	100	N.E.	3	E.	1	R.	R.	....	....	10	fog	1	ci.	....	....
28	29·40	29·51	35·0	48·0	55·0	34·0	100	100	C.	0	W.	1	·26	....	....	....	10	cu.st.	....	....	10	n.b.
29	29·68	29·37	36·0	35·0	48·0	35·0	100	100	N.	1	E.	2	....	·24	1	ci.	....	....	3	ci.st.	....	....
30	29·68	29·78	37·0	37·0	43·0	32·0	92	71	W.	2	W.	2	R.	....	1	ci.	....	....	....	....	....	....
31	29·91	29·94	29·0	28·0	37·0	28·0	100	100	N.W.	3	W.	3	....	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	n.	°	°	°	°							in.	in.								
1	30·09	30·02	17·0	23·0	28·0	16·0	100	100	N.W.	2	N.W.	2	...	...	5	ci.st.	...	...	5	ci.st.	...	...
1	30·01	29 87	19·0	30·0	33 0	14·0	100	100	N.W.	2	W.	1	...	...	8	ci.st.	...	...	5	ci.st.	...	...
3	29·80	29 74	32·0	39·0	43·0	28·0	100	100	W.	2	W.	1	...	...	...	...	10	st.	...	...	1	st.
4	29·71	29·50	32·0	33·0	39·0	28·0	100	100	N.W.	1	N.E.	2	S.	·06	...	...	10	nb.	...	...	10	nb.
5	29·47	29·73	25·0	28·0	33·0	25·0	100	100	N.E.	2	N.W.	3	·13	S.	...	...	10	nb.	...	...	...	...
6	30·01	29 94	18·0	28·0	32·0	14·0	100	100	N.W.	2	N.W.	2	...	...	...	...	...	...	1	ci.st.	...	...
7	29·85	29·54	26·0	34·0	37·0	19·0	100	100	N.E.	3	E.	3	...	...	1	ci.	...	...	...	...	10	st.
8	29·31	29·24	31·0	32·0	34·0	30·0	100	100	E.	2	E.	3	·10	·10	...	...	10	nb.	...	..	10	nb.
9	29 19	29 04	30·0	35·0	38·0	29·0	100	100	E.	3	E.	2	S.	...	...	...	10	st.	...	...	10	st.
10	28·81	29·12	33·0	36·0	38·0	31·0	100	100	N.	3	W.	2	·10	S.	...	...	10	nb.	...	...	10	st.
11	29·30	29·31	34·0	40·0	47·0	31·0	100	100	N.W.	2	W.	1	...	...	3	ci.	...	...	3	ci.st.	...	...
12	29·37	29·36	32·0	37 0	43·0	26·0	100	100	S.	2	S.	1	...	R.	7	ci.cu.	...	...	...	...	10	nb.
13	29·31	29·29	36·0	41·0	49 0	33·0	100	74	N.	1	N.W.	1	·06	R.	...	...	9	ss.	5	st.	...	...
14	29·36	29·39	28·0	40·0	43·0	27·0	89	73	N.W.	2	N.W.	3	...	...	...	...	7	cu.st.	1	ci.st.	...	...
15	29·60	29·52	28·0	35·0	41 0	24 0	89	63	N.W.	3	W.	2	...	...	2	ci.	...	...	2	ci.	...	...
16	29·46	29·42	34 0	37·0	44·0	25·0	79	90	E.	2	E.	2	...	·02	2	ci.	...	...	...	...	10	nb.
17	29·28	29·42	36·0	39·0	45·0	31·0	100	82	N.W.	2	W.	2	·10	R.	5	ci.cu.	...	...	...	...	8	st.
18	29·52	29·54	36·0	35·0	42 0	33·0	80	80	N.W.	2	W.	2	...	...	8	ci.st.	...	...	1	ci.st.	...	...
19	29·54	29·48	34·0	36 0	43·0	28·0	79	80	S.W.	1	W.	1	...	...	8	ci.cu.	...	...	2	ci.st.	...	...
20	29·56	29·67	24·0	29 0	46·0	22·0	88	100	N.W.	3	W.	3	...	...	2	ci.	...	...	...	...	...	...
21	29·71	29·62	32·0	41·0	41·0	24·0	90	57	S.W.	2	S.	2	...	...	5	ci.	...	...	...	...	2	st.
22	29·58	29·40	42·0	52·0	59·0	33·0	83	86	S.	2	S.	3	...	...	...	...	8	cu.	...	...	2	st.
23	29·46	29·25	43·0	52·0	58·0	38·0	75	66	W.	2	N.W.	1	...	...	1	ci.	...	...	7	ci st.	...	...
24	29·37	29·56	51·0	42 0	58·0	38·0	79	83	N.	3	W.	2	·01	...	1	ci.	...	...	1	ci.	...	...
25	29·47	29·58	33·0	37·0	42·0	32·0	100	81	E.	2	N.W.	3	10	·24	...	...	10	nb.	5	ci.st.	...	...
26	29·77	29·82	36 0	39·0	46·0	31 0	70	82	N.	2	S.W.	2	...	R.	2	ci.	...	...	...	...	8	st.
27	30·07	29·96	38·0	50·0	56·0	28·0	63	86	N.W.	1	E.	2	...	...	...	...	...	...	...	...	1	st.
28	29·91	29·71	44·0	60·0	64·0	33·0	68	77	N.	2	E.	2	...	...	2	ci.	...	...	3	ci.st.	...	...
29	29·58	29·46	56 0	62·0	68·0	45 0	87	88	S.	2	W.	3	...	12	...	...	10	cu.st.	...	...	10	st.
30	29·57	29·57	36 0	33·0	62·0	33·0	100	100	N.W.	2	N.W.	2	·98	·73	...	...	10	nb.	...	...	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·83	29·91	34·0	41·0	49·0	29·0	90	100	N.W.	2	N.W.	2							2	ci.		
2	29·98	29·84	41·0	50·0	71·0	30·0	74	93	E.	2	S.	1			1	ci.			3	ci.		
3	29·78	29·65	44·0	52·0	64·0	35·0	76	86	E.	2	S.	2			5	ci.						
4	29·44	29·72	32·0	28·0	52·0	28·0	100	61	N.	2	N.W.	2	·30	·10			10	nb.	1	ci.		
5	29·87	29·81	34·0	42·0	48·0	21·0	78	100	S.W.	2	S.	2			2	ci.					10	st.
6	29·68	29·60	44·0	54·0	61·5	38·0	84	93	N.E.	1	S.E	2	·01		4	ci.cu.			7	ci.st.		
7	29·61	29·56	44·0	52·0	57·0	44·0	84	93	W.	1	S.	1					9	cu.	4	ci.st.		
8	29·74	29·73	41·0	42·0	52·0	36·0	82	86	N.E.	1	C.	0			1	ci.			3	ci.		
9	29·57	29·32	46·0	62·0	68·0	41·0	84	88	E.	1	S.	2			1	ci.			6	ci.st.		
10	29·47	29·46	39·0	45·0	62·0	36·0	82	92	W.	3	N.W.	1			3	ci.cu.			9	ci.st.		
11	29·56	29·63	33·0	36·0	45·0	31·0	80	90	N.W.	1	N.W.	1			2	ci.cu.					2	cu.
12	29·76	29·66	38·0	37·0	52·0	30·0	81	100	W.	1	W.	1		·04	4	ci.					10	cu.
13	29·39	29·35	42·0	55·0	76·0	36·0	91	93	N.E.	1	N.	1	R.	R.			9	cu.st.			9	cu.
14	29·61	29·64	48·0	53·0	59·0	45·0	93	86	N.E.	2	N.E.	2	·01				10	st.	3	ci.st.		
15	29·58	29·39	55·0	70·0	82·0	48·0	87	90	E.	2	E.	2		R.							10	nb.
16	29·52	29·53	50·0	53·0	70·0	50·0	100	86	W.	1	S.W.	2	·15		8	ci.st.					9	cu.st.
17	29·60	29·55	52·0	52·0	63·0	44·0	86	100	W.	1	S.W.	1		·06							10	nb.
18	29·50	29·35	52·0	60·0	66·0	48·0	93	77	S.W.	1	S.W.	2	·02				10	cu.st.			4	cu.st.
19	29·51	29·41	54·0	50·0	62·0	46·0	74	93	C.	0	N.E.	1		·11			10	cu.st.			8	nb.
20	29·48	29·57	42·0	41·0	50·0	39·0	83	82	W.	3	N.W.	2	R.				5	cu.			5	cu.st.
21	29·70	29·72	39·0	45·0	54·0	32·0	82	84	N.W.	3	N.W.	2					10	st.			10	st.
22	29·85	29·77	42·0	52·0	55·0	38·0	83	86	W.	1	W.	1			2	ci.st.			2	ci.st.		
23	29·82	29·80	48·0	56·0	65·0	38·0	78	100	W.	1	W.	1			3	ci.st.			2	ci.st.		
24	29·95	29·92	48·0	54·0	61·0	44·0	85	100	N.E.	2	N.W.	2			3	ci.cu.			2	ci.		
25	30·05	29·82	46·0	53·0	54·0	35·0	77	100	S.W.	1	S.E.	1			1	ci.			5	ci.st.		
26	29·65	29·53	45·0	50·0	55·0	45·0	100	93	E.	1	E.	1	·11	·16			8	nb.			10	st.
27	29·41	29·35	48·0	47·0	57·0	46·0	93	100	E.	1	W.	2		·08			10	st.			8	st.
28	29·46	29·61	40·0	37·0	47·0	36·0	91	100	W.	2	W.	2	R.	·01			10	nb.			8	st.
29	29·66	29·72	42·0	47·0	57·0	34·0	83	100	N.W.	2	N.W.	2			2	ci.			5	ci.		
30	29·79	29·81	50·0	56·0	61·0	40·0	79	100	N.W.	2	W.	1			2	ci.					9	st.
31	29·88	29·83	54·0	58·0	66·0	48·0	87	82	W.	1	E.	1	·27		8	ci.st.			5	ci.st.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°								in.	in.								
1	29·81	29·62	54·0	63·0	69·0	45·0	87	83	E.	1	E.	1	....	....	1	ci	..	....	....	....	7	ci.st.
2	29·56	29·45	58·0	66·0	71·0	53·0	82	84	E.	1	E.	1	....	R.	..	..	8	ci.st.	....	..	7	ci.st.
3	29·47	29·51	60·0	65·0	75·0	51·0	76	84	E.	1	E.	1	....	....	3	ci.	..	....	....	....	2	cu.
4	29·61	29·50	61·0	62·0	76·0	56·0	83	94	S.W.	1	S.W.	1	..	R.	....	..	8	cu.	....	....	8	cu.
5	29·33	29·44	54·0	57·0	67·0	54·0	81	94	S.	1	W.	1	·20	·13	..	..	10	cu.	..	..	7	ci.st.
6	29·28	29·58	53·0	52·0	67·0	52·0	93	100	C.	0	N.W.	2	·02	·13	10	ci.cu.	10	cu.	10	ci.cu.	....	....
7	29·60	29·73	53·0	58·0	63·0	49·0	86	88	N.W.	2	W.	1	....	....	....	.. ..	10	cu.	10	ci.cu.	....	....
8	29·71	29·80	54·0	52·0	68·0	50·0	87	93	N.W.	1	W.	1	....	....	3	ci.	....	....	2	ci.	....	..
9	29·79	29·94	57·0	59·0	65·0	47·0	81	88	N.	2	N.W.	1	....	R.	4	ci.cu.	....	..	1	ci.	..	..
10	29·91	29·94	54·0	57·0	66·0	48·0	80	87	E.	2	E.	2	....	....	7	ci.cu.	..	....	5	ci.st.	....	....
11	29·81	29·78	56·0	60·0	71·0	45·0	69	82	E.	2	E.	2	..	....	1	ci.	10	cu.st.	2	ci.st.	....	..
12	29·88	29·81	60·0	68·0	78·0	45·0	88	74	E.	2	E.	2	....		1	ci	..	....	2	ci.st.	....	..
13	29·82	29·64	62·0	72·0	81·0	49·0	72	76	E.	1	S.W.	1	....	....	3	ci.	....	..	2	ci.	....	..
14	29·57	29·57	64·0	76·0	88·0	55·0	73	79	S.W.	1	S.W.	1	..	....	1	ci.	..	....	....	....	4	cu.
15	29·63	29·66	64·0	66·0	81·0	56·0	73	79	E.	1	N.W.	1	....	....	2	ci	..	....	2	ci.st.	....	....
16	29·79	29·72	66·0	74·0	84·0	55·0	79	81	N.W.	1	S.W.	1	....	..	1	ci.	....	..	3	ci.st.	....	....
17	29·79	29·69	67·0	81·0	92·0	60·0	84	78	W.	2	S.W.	2	....	....	8	ci.cu.	....	..	3	ci.cu.	....	....
18	29·76	29·68	66·0	78·0	94·0	66·0	82	100	S.W.	2	E.	1	....	1·03	1	ci.	....	..	....	....	10	nb.
19	29·75	29·69	69·0	70·0	78·0	61·0	90	90	E.	1	E.	2	·13	..	8	ci.st.	..		..	....	8	st.
20	29·65	29·66	62·0	71·0	78·0	61·0	100	90	E.	1	W.	2	·43	....	..	..	10	st.	3	ci.	....	....
21	29·82	29·78	65·0	79·0	86·0	58·0	89	87	W.	1	S.W.	1	..	....	3	ci.	....	....	1	ci.	....	....
22	29·91	29·83	68·0	78·0	88·0	62·0	90	91	E.	1	S.E.	1	....		1	ci.	....	....	5	ci.st.	....	..
23	29·84	29·73	75·0	79·0	91·0	64·0	81	87	S.W.	1	S.W.	2	....	..	1	ci.	..	..	....	..	10	st.
24	29·71	29·61	73·0	76·0	89·0	68·0	85	95	S.W.	2	W.	2	..	·13	....	....	10	st.	....	..	7	st.
25	29·59	29·51	74·0	77·0	83·0	70·0	90	91	W.	1	S.W.	2		....	8	ci.	....	....	5	ci.	....	....
26	29·43	29·33	69·0	67·0	77·0	67·0	95	89	C.	0	W.	2	R.	·20	....	.	10	nb.	3	ci	....	....
27	29·38	29·40	57·0	71·0	75·0	56·0	87	80	W.	2	W.	2	..		....	....	9	st.	9	ci.	....	....
28	29·64	29·61	67·0	72·0	82·0	59·0	84	85	W.	1	S.W.	1	....	..	2	ci	....	....	2	ci.	....	....
29	29·65	29·60	70·0	74·0	85·0	61·0	85	81	E.	1	S.E.	1	..	.	1	ci.	....	....	1	ci.	.	....
30	29·64	29·47	71·0	64·0	74·0	64·0	95	94	E.	1	N.E.	1	..	·07	10	ci.	....	....	....	. .	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation.		Clouds. 8 a.m. Upper.		Clouds. 8 a.m. Lower.		Clouds. 8 p.m. Upper.		Clouds. 8 p.m. Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.											in.	in.								
1	29·49	29·44	65·0	58·0	84·0	58·0	89	100	S.W.	2	S.W.	2	...	·10	3	ci.	....	.....	....	.....	5	st.
2	29·48	29·65	59·0	59·0	68·0	59·0	88	88	W.	2	N.W.	2	·22	...	9	ci.st.	....	.....	3	ci.st.	...	....
3	29·80	29·78	58·0	64·0	74·0	48·0	82	89	N.W.	1	S.W.	1	.....	.....	1	ci.	.....	.....	1	ci.	.....	.....
4	29·82	29·73	60·0	70·0	80·0	52·0	88	85	S.E.	1	S.W.	1	.....	.....	1	ci.	....	.	1	ci.	...	....
5	29·71	29·61	67·0	70·0	81·0	60·0	79	90	W.	2	C.	2	....	·18	1	ci.	.....	.....	2	ci.cu.	....	.....
6	29·62	29·54	62·0	65·0	75·0	54·0	83	89	E.	2	E.	1	...	R.	2	ci.	....	. .	2	ci,	...	.....
7	29·53	29·50	65·0	75·0	82·0	59·0	89	86	E.	1	S.W.	1	16	...	2	ci.cu.	....	..	3	ci.cu.	....	.....
8	29·57	29·41	70·0	67·0	76·0	60·0	80	100	S.W.	1	E.	1	...	·82	2	ci.st.	...	...	....	....	10	nb.
9	29·41	29·51	65·0	68·0	76·0	60·0	89	84	W.	2	N.W.	2	·11	R.	2	ci.st.	...	....	3	ci.st.	....	.....
10	29·58	29·60	64·0	68·0	78·0	54·0	83	79	S.E.	1	W.	1	.....	.....	3	ci.st.	.....	.	2	ci.st.	....	.....
11	29·65	29·56	63·0	68·0	76·0	56·0	89	90	N.W.	2	N.W.	1	..	....	8	ci.st.	....	..	....	..	10	st.
12	29·45	29·58	62·0	62·0	68·0	60·0	94	100	N.	3	W.	1	·04	·14	..	....	10	st	...	...	8	st.
13	29·72	29·70	65·0	70·0	79·0	58·0	89	85	N.W.	2	W.	1		.	3	ci.st.	.	....	3	ci.st.	..	...
14	29·78	29·75	66·0	75·0	83·0	56·0	84	90	S.	2	S.	1	..	...	1	ci.st.	...	..	4	ci.cu.	..	.
15	29·79	29·68	66·0	77·0	87·0	58·0	84	86	S.E.		S.	1	..	..	2	ci.cu.	.	.	8	ci.st.	....	....
16	29·64	29·59	70·0	77·0	83·0	65·0	90	91	W.	2	S.	2	·10	....	3	ci.cu.	...	..	5	ci.cu.	.....	.....
17	29·67	29·64	70·0	77·0	85·0	65·0	85	86	W.	2	S.	1	.....	.....	1	ci.st.	.	..	3	ci.st.	.	..
18	29·73	29·72	72·0	75·0	84·0	67·0	85	81	W.	2	W.	1	..	....	1	ci.st.	.	...	3	ci.st.	..	..
19	29·73	29·62	70·0	75·0	85·0	63·0	85	86	S.E.	1	W.	1	.....	.....	2	ci.st.	...	.....	1	ci.st.	....	..
20	29·50	29·51	71·0	68·0	85·0	64·0	75	90	C.	0	S.E.	2	·13	....	7	ci.cu.	....	...	5	ci.st.	....	
21	29·65	29·60	66·0	75·0	83·0	57·0	84	77	W.	2	W.	2	.....	.....	....	.....	...	...	2	ci.st.	..	..
22	29·56	29·47	67·0	63·0	75·0	63·0	89	100	S.W.	2	E.	2		·62	10	ci.st.	....	..	....	.....	10	nb.
23	29·56	29·60	67·0	73·0	79·0	63·0	89	90	N.W.	1	W.	1	·03	....	8	ci.st.	....		3	ci.st.	...	....
24	29·55	29·44	68·0	70·0	77·0	62·0	90	90	S.	2	S.E.	2	·11	·01	7	ci.cu.	....	. .	....	. ..	10	st.
25	29·51	29·43	65·0	71·0	79·0	62·0	94	85	E.	2	W.	1	·16	...	5	ci.cu.	....		5	ci.st.	....	.....
26	29·17	29·25	64·0	60·0	76·0	60·0	94	88	S.	1	W.	4	·02	R.	.....	.....	.....	...	.....	.. ..	10	st.
27	29·38	29·46	60·0	70·0	77·0	54·0	82	85	W.	3	N.W.	2	R.	...	3	ci.st.	....	.....	1	ci.st.	...	...
28	29·52	29·46	68·0	74·0	82·0	60·0	84	81	W.	2	S.W.	2	.....	.....	2	ci.st.	...	...	2	ci.st.	....	.. ...
29	29·47	29·45	69·0	64·0	81·0	63·0	85	100	S.W.	2	N.	2	....	·15	8	ci.cu.	.	.	.....	.....	10	nb.
30	29·46	29·48	64·0	67·0	77·0	59·0	94	100	S.W.	2	S.W.	1		·13	10	ci.	....	...	10	ci.	.	.....
31	29·52	29·45	64·0	70·0	81·0	60·0	89	85	S.W.	2	S.	2	...	. .	10	ci.	....	.....	....	. . .	2	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·18	29·43	64·0	70·0	79·0	58·0	89	80	S.W.	1	S.	1			10	ci.st.			2	ci.st.		
2	29·38	29·46	64·0	67·0	76·0	62·0	94	79	W.	3	S.W.	3		R.			10	st.	10	ci.st.		
3	29·62	29·66	60·0	67·0	72·0	54·0	82	84	S.W.	2	W.	2									3	cu.
4	29·77	29·74	60·0	65·0	72·0	51·0	88	84	N.W.	2	W.	2					8	cu.			4	st.
5	29·84	29·73	58·0	67·0	76·0	49·0	82	89	S.E.	1	S.E.	1			8	ci.					2	st.
6	29·69	29·71	61·0	68·0	71·0	58·0	94	85	E.	1	S.E.	1	·10	R.			10	nb.			8	st.
7	29·68	29·64	60·0	69·0	76·0	59·0	100	95	S.E.	2	S.E.	1	R.	R.			10	nb.			10	st.
8	29·85	29·84	62·0	66·0	75·0	57·0	83	84	N.	2	N.W.	1			3	ci.			3	ci.st.		
9	29·86	29·77	62·0	75·0	83·0	52·0	83	77	S.E.	1	S.W.	1			2	ci.st.			2	ci.st.		
10	29·79	29·70	70·0	76·0	87·0	68·0	85	86	S.W.	1	S.W.	1			4	ci.st.			4	ci.st.		
11	29·64	29·51	72·0	78·0	89·0	63·0	85	82	S.W.	2	S.E.	2			7	ci.st.					7	st.
12	29·50	29·40	72·0	80·0	86·0	71·0	95	82	S.	2	S.W.	2	·13	R.			8	st.			8	st.
13	29·54	29·68	66·0	63·0	80·0	59·0	74	83	W.	3	W.	3			1	ci.st.					3	cu.
14	29·87	29·94	58·0	62·0	71·0	53·0	82	88	N.W.	3	N.W.	2			2	ci.st.			3	ci.cu.		
15	30·06	29·96	57·0	61·0	74·0	50·0	87	78	E.	1	S.W.	1					9	cu.			5	st.
16	29·89	29·67	62·0	66·0	83·0	58·0	83	95	E.	1	S.E.	1		·16	7	ci.					10	nb.
17	29·60	29·60	71·0	72·0	79·0	66·0	90	80	W.	2	S.W.	2	·07		3	ci.cu.			3	ci.		
18	29·97	30·07	59·0	60·0	72·0	54·0	76	77	S.E.	2	W.	1			1	ci.st.			1	ci.st.		
19	30·06	29·86	53·0	66·0	77·0	47·0	86	79	E.	1	S.E.	1			1	ci.			3	ci.cu.		
20	29·69	29·62	69·0	66·0	72·0	57·0	80	95	S.W.	3	W.	1		·08	3	ci.st.			3	ci.st.		
21	29·85	29·84	56·0	60·0	68·0	52·0	87	88	N.E.	1	N.W.	1			2	ci.st.			3	ci.st.		
22	29·92	29·85	58·0	63·0	73·0	49·0	82	89	W.	2	S.W.	1			1	ci.st.			2	ci.st.		
23	29·91	29·67	60·0	65·0	78·0	51·0	77	84	S.W.	1	S.W.	1			2	ci.st.			3	ci.st.		
24	29·50	29·30	65·0	66·0	72·0	62·0	89	89	S.E.	2	S.W.	2		·07			10	st.			5	cu.
25	29·32	29·39	60·0	60·0	70·0	54·0	82	100	S.W.	2	S.W.	2		·05			10	st.				
26	29·52	29·57	53·0	57·0	62·0	48·0	80	94	W.	2	N.W.	1	R.	R.	3	ci.cu.					10	st.
27	29·62	29·57	54·0	58·0	67·0	50·0	87	94	N.W.	2	W.	1			1	ci.			1	ci.st.		
28	29·65	29·65	53·0	61·0	66·0	48·0	86	88	S.E.	1	S.E.	2					10	st.				
29	29·70	29·70	57·0	58·0	66·0	50·0	81	94	S.E.	1	W.	1			1	ci.st.			1	ci.st.		
30	29·69	29·74	52·0	54·0	58·0	48·0	93	94	E.	1	W.	1	·03	·01	10	ci.			2	ci.st.		
31	29·83	29·81	55·0	58·0	57·0	48·0	93	94	N.W.	2	W.	1			1	ci.			1	ci.st.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·79	29·61	57·0	63·0	70·0	50·0	81	83	W.	2	C.	0	....	..	1	ci	....	....	....	....	10	st.
2	29·49	29·42	58·0	59·0	63·0	56·0	100	100	E.	2	E.	1	·04	·68	....	.....	10	st.	....	.....	10	st.
3	29·52	29·63	60·0	63·0	68·0	58·0	100	100	E.	1	E.	1	·01	....	....	....	10	st.	....	....	2	st.
4	29·64	29·67	59·0	64·0	67·0	59·0	100	100	E.	1	S.	1	·05	R.	....	....	10	st.	..	....	10	st.
5	29·70	29·51	60·0	61·0	65·0	59·0	100	100	E.	1	E.	1	R.	....	....	.....	10	st.	..	....	10	st.
6	29·49	29·53	59·0	63·0	68·0	58·0	100	94	C.	0	W.	1	·01	....	.....	.....	10	st.	....	....	2	st.
7	29·61	29·60	58·0	65·0	73·0	54·0	94	89	W.	0	W.	1	....	....	2	ci..t.	..	....	....	.....	3	cu.st.
8	29·54	29·71	62·0	62·0	74·0	58·0	88	100	W.	1	W.	1	....	....	1	ci.cu.	....	.....	1	ci.st.	....	....
9	29·82	29·83	58·0	58·0	69·0	54·0	88	100	E.	1	N.W.	1	....	·03	1	ci.	....	.....	....	.....	10	cu.
10	29·91	29·82	60·0	65·0	66·0	57·0	94	94	N.W.	1	N.E.	1	·05	R.	9	ci.	....	.....	.....	.....	10	nb.
11	29·60	29·56	65·0	62·0	66·0	54·0	100	94	S.E.	2	S.E.	3	·21	·07	....	.....	10	nb.	....	....	3	cu.
12	29·53	29·80	59·0	61·0	68·0	57·0	88	94	S.W.	1	W.	2	05	R.	....	....	10	nb.	2	ci.	....	.....
13	29·99	30·02	55·0	58·0	61·0	51·0	93	94	N.W.	2	W.	1	....	....	....	....	10	cu.	.....	.....	8	cu.
14	29·59	29·88	57·0	69·0	76·0	51·0	94	90	N.	4	W.	3	....	....	2	ci.	....	.....	1	ci.	..	....
15	29·93	29·93	65·0	70·0	81·0	60·0	89	95	W.	2	N.W.	3	....	....	6	ci.	....	.....	1	ci.	....	..
16	29·93	29·65	62·0	71·0	73·0	60·0	100	90	W.	1	N.W.	3	R.	·16	....	..	10	cu.	.....	.....	7	cu.
17	29·86	30·00	60·0	55·0	71·0	55·0	88	93	N.W.	2	N.W.	1	·06	....	2	ci	....	.....	1	ci.	.....	.....
18	30·10	30·05	15·0	52·0	60·0	45·0	100	86	N.	2	N.	1	....	....	2	ci.	....	....	1	ci.	....	.....
19	29·96	29·83	49·0	61·0	63·0	42·0	85	91	N.W.	2	E.	1	....	....	..	..	9	cu.	....	....	10	cu.
20	29·69	29·42	57·0	71·0	75·0	55·0	100	100	E.	1	S.E.	1	·09	14	.....	..	10	nb.	..	..	8	st.
21	29·60	29·47	59·0	63·0	71·0	57·0	88	83	S.W.	2	W.	2	....	....	2	ci.	....	.....	1	ci.st.	.....	....
22	29·67	29·67	50·0	48·0	63·0	47·0	79	100	W.	2	W.	1	....	....	1	ci.	....	....	1	ci.st.	....	..
23	29·58	29·29	44·0	54·0	58·0	40·0	92	100	N.E.	1	S.E.	1	....	....	..	..	9	st.	.....	..	10	st.
24	29·07	29·15	58·0	57·0	68·0	53·0	100	87	S.	2	S.W.	2	·05	R.	6	ci..t.	.....	.....	.....	.....	3	st.
25	29·38	29·69	51·0	45·0	57·0	45·0	93	100	W.	2	W.	2	....	....	....	.....	10	st.	.....	.....	8	st.
26	29·86	29·74	40·0	48·0	54·0	36·0	91	100	W.	1	W.	1	..	·10	1	ci.st.	....	.....	.....	....	10	nb.
27	29·78	29·78	44·0	51·0	56·0	42·0	100	93	W.	2	N.W.	1	·07	....	2	ci.	..	.....	8	ci.cu.	.....	..
28	29·94	29·83	39·0	43·0	51·0	38·0	82	83	N.E.	2	E.	2	..	....	....	.....	8	st.	.....	.....	10	st.
29	29·64	29·69	43·0	42·0	46·0	40·0	100	100	E.	1	E.	1	·86	1·02	.....	.....	10	nb.	....	..	10	nb.
30	29·71	29·74	43·0	46·0	54·0	41·0	100	92	S.	1	W.	2	·02	13	.....	....	10	st.	...	.....	3	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1	29·98	29·91	43·0	44·0	54·0	38·0	83	100	W.	1	W.	1	...	...	1	ci.	...	...	2	ci.st.	...	...
2	29·89	29·78	37·0	48·0	58·0	34·0	100	100	C.	0	S.E.	1	...	...	...	...	10	fog.	3	ci.st.	...	...
3	29·74	29·58	47·0	56·0	61·0	45·0	100	100	S.E.	1	S.W.	1	R.	...	3	ci.cu.	...	...	...	...	3	st.
4	29·18	29·31	52·0	63·0	64·0	51·0	100	100	S.W.	1	W.	1	·37	...	...	...	10	nb.	...	...	2	st.
5	29·32	29·51	46·0	41·0	53·0	44·0	100	100	N.W.	1	N.W.	1	·04	·05	...	...	10	nb.	...	...	3	st.
6	29·63	29·57	41·0	47·0	55·0	38·0	91	100	W.	2	N.E.	1	...	·09	8	ci.st.	...	...	...	...	10	nb.
7	29·46	29·18	47·0	56·0	56·0	46·0	100	94	N.E.	1	N.E.	1	·36	35	...	...	10	nb.	...	...	10	nb.
8	29·35	29·79	40·0	37·0	56·0	37·0	91	87	N.W.	3	N.W.	2	·57	...	...	...	10	st.	...	...	3	st.
9	29·94	29·74	32·0	43·0	52·0	29·0	90	92	W.	1	S.E.	1	...	...	3	ci.st.	...	...	...	...	2	st.
10	29·55	29·48	40·0	50·0	53·0	40·0	100	100	E.	1	S.	1	R.	·24	...	...	10	nb.	...	...	10	nb.
11	29·42	29·49	48·0	48·0	56·0	46·0	100	100	S.	1	S.	1	·12	R.	...	...	8	cu.st.	...	...	10	nb.
12	29·58	29·69	37·0	44·0	54·0	36·0	100	100	W.	1	W.	1	R.	·05	...	...	10	fog.	...	...	10	st.
13	29·81	29·86	43·0	41·0	51·0	40·0	100	100	N.W.	2	E.	1	·02	15	8	ci.st.	...	...	...	...	3	st.
14	29·96	29·91	38·0	46·0	52·0	34·0	91	84	W.	1	W.	1	...	...	2	ci.cu.	...	...	...	...	10	st.
15	29·91	29·96	43·0	51·0	53·0	40·0	92	100	S.W.	1	W.	1	...	...	9	ci.cu.	...	...	1	ci.st.	...	...
16	30·01	29·95	34·0	55·0	60·0	32·0	100	87	S.E.	1	S	2	...	...	7	ci.cu.	...	...	...	...	10	st.
17	29·94	29·67	52·0	57·0	64·0	51·0	86	87	W.	1	S.W.	2	...	...	2	ci.	...	...	...	...	3	st.
18	29·69	29·84	40·0	35·0	57·0	35·0	82	90	N.W.	3	N.W.	2	...	...	3	ci.	...	...	4	ci.st.	...	...
19	29·92	29·83	31·0	36·0	41·0	28·0	79	100	S.	2	W.	2	...	...	3	ci.cu.	...	...	...	...	10	nb.
20	29·89	29·87	31·0	31·0	39·0	31·0	100	89	N.	2	W.	1	...	...	...	...	7	cu.	1	ci.	...	...
21	30·06	29·89	26·0	36·0	38·0	24·0	78	61	N.W.	2	S.	1	...	...	1	ci.	...	...	...	...	9	cu.
22	29·69	29·40	32·0	48·0	54·0	30·0	100	85	S.W.	2	S.W.	2	...	...	3	ci.cu.	...	...	...	...	3	cu.st.
23	29·54	29·79	39·0	37·0	48·0	37·0	82	81	N.W.	2	N.W.	3	...	...	...	...	10	st.	...	...	10	st.
24	29·93	29·75	30·0	36·0	41·0	27·0	79	90	N.W.	2	S.W.	2	...	...	3	ci.	...	...	1	ci.	...	...
25	29·50	29·75	40·0	36·0	46·0	32·0	100	90	W.	2	N.W.	3	·11	...	3	ci.cu.	...	...	1	ci.st.	...	...
26	30·06	30·00	30·0	31·0	39·0	29·0	79	80	N.W.	1	E.	1	...	...	...	...	9	cu.st.	...	...	2	st.
27	29·73	29·55	32·0	35·0	34·0	27·0	100	100	N.E.	1	E.	1	...	...	...	...	10	nb.	...	...	10	nb.
28	29·55	29·64	38·0	39·0	44·0	35·0	100	82	N.W.	2	N.W.	1	·09	...	...	...	10	nb.	...	...	10	st.
29	29·67	29·78	34·0	37·0	43·0	33·0	100	81	N.W.	2	N.W.	3	...	...	3	ci.cu.	...	...	...	...	10	st.
30	30·05	30·19	26·0	32·0	37·0	25·0	69	100	N.E.	2	N.W.	1	...	...	2	ci.cu.	...	...	...	...	1	st.
31	30·32	30·28	26·0	37·0	44·0	23·0	88	90	N.W.	2	S.	1	...	...	4	ci.st.	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·21	29·93	30·0	42·0	50·0	28·0	90	100	N.E.	1	N.E.	1	..	....	1	ci.	..	..	..	..	1	st.
2	29·63	29·26	36·0	47·0	47·0	34·0	100	100	E.	2	E.	2	....	·33	....	..	10	nb.	..	..	10	nb.
3	28·83	29·20	48·0	39·0	49·0	39·0	100	100	S.E.	2	W.	3	·58	·03	..	.	10	nb.	..	..	10	nb.
4	29·56	29·62	31·0	31·0	39·0	30·0	89	89	N.W.	2	W.	1	..	....	4	ci.cu.	..	..	..	....	9	st.
5	29·55	29·58	32·0	34·0	36·0	30·0	100	100	N.E.	1	E.	1	·14	·30	..	.....	10	nb.	8	ci.st.	....	.....
6	29·62	29·32	35·0	43·0	43·0	32·0	90	100	E.	2	E.	1	..	·38	....	..	10	st.	..	.....	10	nb.
7	29·77	29·08	38·0	37·0	43·0	35·0	100	100	N.	1	N.E.	2	1·44	·14	....	..	10	nb.	..	..	10	nb.
8	29·45	29·47	31·0	49·0	49·0	33·0	90	91	W.	2	W.	2	..	R.	..	....	7	cu,st.	..	....	10	st.
9	29·55	29·43	33·0	44·0	47·0	31·0	100	92	S.W.	2	S.E.	2	..	..	....	..	8	st.	....	..	10	st.
10	29·53	29·66	36·0	37·0	44·0	36·0	100	100	S.W.	1	W.	2	·14	R.	..	.....	10	nb.	..	....	9	cu.
11	29·79	29·93	34·0	30·0	37·0	30·0	100	89	N.W.	1	N.W.	2	..	....	....	.....	9	st.	.....	..	2	st.
12	30·06	29·87	24·0	32·0	33·0	22·0	52	100	W.	2	W.	2	....	....	3	ci.cu.	..	.....	....	..	2	st.
13	29·61	29·45	34·0	34·0	36·0	31·0	90	79	S.W.	2	S.W.	2	..	S.	..	.	9	cu.st.	..	..	10	st.
14	29·71	29·89	20·0	22·0	34·0	18·0	100	100	W.	2	W.	2	S.	..	7	ci.cu.	..	..	1	ci.	..	..
15	29·91	30·01	26·0	31·0	35·0	20·0	100	89	E.	2	N.W.	1	S.	S.	....	..	10	st.	....	..	7	cu.st.
16	30·04	29·87	24·0	32·0	32·0	22·0	100	100	N.W.	1	W.	1	..	..	....	.	10	st.	..	..	9	cu.
17	30·01	29·93	32·0	31·0	36·0	30·0	90	79	E.	2	S.E.	1	..	..	.		9	cu.	1	ci.	....	.
18	29·88	29·87	32·0	34·0	41·0	30·0	100	79	S.W.	1	W.	1	....	..	.	..	10	st.	3	ci.cu.	....	..
19	29·97	30·14	32·0	29·0	35·0	29·0	90	78	N.W.	2	N.	2	....	..	....	..	10	st.	....	.	..	.....
20	30·24	30·04	24·0	28·0	34·0	24·0	87	88	N.E.	2	N.E.	2	.	..	5	ci.cu.	.	.....	8	ci.st.	....	.....
21	29·70	29·64	34·0	44·0	45·0	28·0	90	84	E.	2	S.	2	·19	·03	..	....	10	st.	....	....	10	st.
22	29·80	29·82	42·0	42·0	46·0	42·0	100	100	S.	2	W.	2	R	.	....	...	10	st.	....	.....	8	st.
23	30·04	30·17	34·0	30·0	42·0	30·0	100	100	W.	2	N.E.	2	R	..	....	..	....	..	....	..	1	st.
24	30·27	30·14	25·0	32·0	36·0	24·0	87	79	N.E.	2	E.	2	....	..	1	ci	....	..	1	ci.st.	....	.....
25	29·96	29·68	31·0	30·0	32·0	30·0	100	100	N.E.	1	E.	1	S.	·15	....	..	10	nb.	....	..	10	st.
26	29·46	29·52	27·0	31·0	33·0	27·0	100	89	N.E.	1	E.	1	....	·03	....	..	10	st.	....	..	10	st.
27	29·62	29·60	32·0	28·0	33·0	28·0	100	100	W.	2	N.E.	2	....	..	....	.	10	st.	....	..	10	st.
28	29·49	29·55	24·0	24·0	28·0	24·0	100	100	E.	2	N.W.	2	..	·35	....	.	10	st.	....	..	10	nb.
29	29·86	29·98	17·0	21·0	25·0	17·0	100	86	S.W.	2	N.W.	1	·05	....	3	ci.cu.	..	..	3	ci.st.	....	..
30	30·02	29·99	14·0	18·0	22·0	14·0	100	100	N.E.	1	E.	2	..	..	5	ci.cu.	.	..	..	..	1	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Ottawa, Ontario—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·82	29·73	18·0	21·0	21·0	16·0	100	100	N.E.	2	N.E.	2	·02	·25	.....	.....	10	126	....	.....	10	st.
2	29·67	29·75	21·0	20·0	24·0	20·0	100	100	N.E.	1	W.	3	....	S.	..	.....	10	st.	....	.....	10	nb.
3	29·90	30·05	9·0	11·0	20·0	9·0	100	100	W.	2	W.	2	....	...	4	ci.cu.	....	.....	1	ci.cu.	....	
4	30·13	30·08	10·0	10·0	14·0	9·0	100	100	N.W.	2	W.	1	..	...	3	ci.cu.	....	.....	.....	.....	.....	
5	30·01	29·78	5·0	17·0	17·0	3·0	100	83	W.	2	N.E.	1	....	S.	3	ci.	....	.....	.....	.....	10	st.
6	29·78	29·78	22·0	33·0	33·0	17·0	100	84	S.W.	1	S.	1	S.	....	.....	.....	10	st.	...	.....	10	st.
7	29·82	29·84	33·0	34·0	36·0	32·0	89	79	S.W.	2	S.W.	1	..	...	....	....	10	st.	...	.....	10	st.
8	29·82	29·78	33·0	35·0	35·0	32·0	100	100	S.	1	S.	1	R.	·10	...	.....	10	nb.	...	.....	10	st.
9	29·77	29·41	34·0	38·0	39·0	34·0	100	91	S.	1	S.	1	....	·02	....	..	10	st.	...	.....	10	st.
10	29·15	29·44	40·0	31·0	44·0	30·0	100	89	E.	1	N.	3	·35	R.	...	.....	10	st.	...	.....	10	....
11	29·25	29·38	24·0	19·0	31·0	19·0	100	100	N.	2	N.W.	2	R.	·50	..	...	10	st.	....	....	10	st.
12	29·58	29·82	12·0	11·5	19·0	9·0	100	100	N.W.	2	N.W.	1	....	....	.....	.....	10	st.	3	ci.	....	...
13	29·96	29·99	8·0	19·0	19·0	6·0	100	85	W.	1	W.	1	....	....	2	ci.	.....	.....	7	ci.st.	.....	.....
14	30·03	29·65	11·0	17·0	19·0	11·0	100	100	N.E.	2	E.	3	..	·20	....	..	10	st.	....	.....	10	nb.
15	29·48	29·86	24·0	26·0	26·0	17·0	100	100	E.	2	E.	2	·50	·03	.....	.....	10	st.	....	...	10	st.
16	24·36	29·47	25·0	26·0	26·0	25·0	100	100	N.E.	1	S.E.	1	·17	·05	...	...	10	nb.	....	...	10	st.
17	29·60	29·75	23·0	20·0	26·0	20·0	100	100	S.W.	2	S.W.	2	·03	....	7	ci.st.	...	.....	9	ci.st.	...	...
18	29·75	29·71	11·0	16·0	20·0	11·0	100	83	W.	2	W.	1	....	....	2	ci.	...	.....	9	ci.cu.	...	
19	29·73	29·71	11·0	28·0	28·0	10·0	100	77	E.	1	S.W.	2	....	....	....	.. ..	9	st.	....	.. ..	10	st.
20	29·75	29·73	25·0	31·0	31·0	25·0	87	89	W.	2	S.W.	2	....	....	10	ci. st.	....	..	7	ci. st.	.....	
21	29·97	29·98	23·0	25·0	31·0	20·0	86	100	W.	2	S.E.	1	....	....	4	ci.	..	...	....	.....	9	cu.st.
22	29·88	29·66	27·0	31·0	34·0	24·0	88	100	W.	2	S.W.	2	....	....	3	ci.	...	...	....	.....	10	st.
23	29·38	28·77	30·0	33·0	33·0	30·0	100	90	E.	2	E.	1	S.	·45	.....	.....	10	nb.	....	...	10	nb.
24	28·95	29·31	31·0	31·0	34·0	28·0	79	89	W.	2	S.W.	1	·03	·01	4	ci.st.	....	.....	7	ci.cu.	...	.....
25	29·64	29·47	18·0	25·0	31·0	18·0	100	100	N.E.	2	N.E.	1	·02	·32	.....	.....	9	ci.	....	...	10	nb.
26	29·96	30·00	16·0	10·0	30·0	10·0	100	100	W.	2	N.W.	1	03	....	3	....	.....	.....	.....	.....	.....	.....
27	29·61	29·41	22·0	40·0	40·0	8·0	100	100	N.E.	2	S.	2	S.	·18	....	.....	10	st.	....	.....	10	nb.
28	29·37	29·74	38·0	22·0	40·0	22·0	100	86	C.	0	N.W.	2	·58	R.	....	.....	10	n.b.	9	ci.	....	.....
29	29·98	29·87	11·0	20·0	26·0	8·0	100	100	W.	1	S.E.	1	...	....	8	ci.st.	....	....	....	.....	9	st.
30	28·29	29·02	29·0	31·0	33·0	20·0	100	89	N.E.	1	N.W.	2	·60	·25	....	.....	10	nb.	8	ci.st.	...	.....
31	29·65	29·30	5·0	13·0	31·0	4·0	100	100	W.	2	N.W.	1	....	·05	3	ci.	...	.....	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec: Latitude North, 45° 30′; Longitude West, 73° 35′. Height above Sea, 187 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·74	29·98	36·3	35·0	38·3	34·4	85	76	S.W.	22	W.	12	·02	....	....	....	....	....	....	....	....	....
2	30·25	30·40	30·5	22·1	35·8	22·1	80	76	N.W.	10	N.E.	6	....	....	....	....	....	....	....	....	....	....
3	30·31	29·77	11·0	33·0	33·0	10·8	79	87	N.E.	12	S.	8	....	·29	....	....	....	....	....	....	....	....
4	29·33	29·61	33·0	32·0	36·1	32·1	97	73	W.	16	W.	26	·37	....	....	....	....	....	5	ci.cu.	....	....
5	29·75	29·93	29·1	31·1	31·0	28·5	84	84	W.	20	N.W.	10	·04	S.	....	....	....	....	7	ci.cu.	....	....
6	30·05	29·85	22·1	19·2	32·0	18·7	89	80	N.E.	12	N.E.	8	....	....	....	....	....	....	....	....	....	....
7	29·93	30·01	29·0	32·0	33·1	17·1	83	83	W.	14	N.W.	12	....	....	....	....	....	....	....	....	....	....
8	30·09	29·77	8·0	12·0	32·5	8·0	92	96	N.E.	20	N.W.	8	....	·03	4	ci.st.	....	....	....	....	....	....
9	29·47	29·87	23·0	−1·6	23·5	−1·6	89	77	N.W.	24	N.W.	20	·05	....	....	....	....	....	2	ci.cu.	....	....
10	29·81	29·26	−4·3	20·2	20·2	−8·2	76	95	S.	10	S.	20	....	·45	5	ci.cu.	....	....	....	....	....	....
11	29·52	29·90	17·0	9·8	30·0	9·8	70	90	W.	28	N.W.	12	·07	....	10	ci.st.	....	....	....	....	....	....
12	30·02	29·80	1·7	9·3	10·8	1·7	68	90	N.E.	16	N.E.	20	....	·16	....	....	....	....	....	....	....	....
13	30·23	30·30	12·0	9·0	13·8	9·0	90	80	N.W.	12	N.E.	12	....	....	4	ci.st.	....	....	....	....	....	....
14	30·00	29·72	10·5	17·0	17·0	6·3	88	92	N.E.	16	W.	12	·08	·02	....	....	....	....	....	....	....	....
15	29·83	30·09	19·0	−1·7	21·8	−1·7	69	73	N.W.	14	N.W.	20	....	....	....	....	....	....	....	....	....	....
16	30·31	30·52	−11·5	−15·2	−1·3	−15·2	95	95	N.W.	16	S.E.	6	....	....	2	ci.st.	....	....	....	....	....	....
17	30·11	30·11	−22·8	−11·0	−11·0	−24·0	93	87	N.E.	16	N.E.	12	....	....	6	ci.cu.	....	....	....	....	....	....
18	30·03	30·01	−2·2	4·3	8·3	−11·0	100	97	S.	12	S.W.	12	·06	·06	....	....	....	....	....	....	2	cu.
19	30·01	29·38	4·8	36·8	36·8	0·1	97	88	N.E.	8	S.	32	....	·19	....	....	....	....	....	....	....	....
20	28·90	29·29	38·8	27·2	43·0	27·0	87	76	S.	12	S.W.	44	·05	....	....	....	....	....	3	ci.cu.	....	....
21	29·96	30·23	1·7	−1·4	27·2	−1·7	78	75	W.	24	N.W.	14	·01	....	....	....	....	....	....	....	....	....
22	30·20	30·17	−8·5	−1·7	−0·8	−8·7	72	85	N.E.	10	N.	22	....	·01	....	....	....	....	6	ci.cu.	....	....
23	30·32	30·36	−10·7	−8·7	−1·6	−11·6	77	79	N.W.	16	N.W.	16	....	....	....	....	....	....	....	....	....	....
24	30·37	30·18	−15·7	−10·0	−7·4	−16·7	60	78	N.W.	8	W.	22	....	....	....	....	....	....	....	....	8	cu.
25	29·96	29·89	−7·0	−6·0	−4·7	−10·6	73	79	N.E.	8	N.E.	10	....	·02	....	....	....	....	....	....	8	cu.
26	29·92	30·17	−3·0	−0·5	2·8	−6·4	69	85	N.E.	14	S.W.	8	....	....	....	....	....	....	....	....	....	....
27	30·28	30·16	−6·7	3·5	3·5	−8·0	96	82	S.E.	10	E.	10	....	....	4	ci.st.	....	....	8	ci.cu.	....	....
28	30·11	30·09	5·0	9·3	15·8	0·4	95	94	S.W.	16	N.W.	16	·01	....	9	ci.cu.	....	....	....	....	....	....
29	30·13	30·07	8·6	13·6	14·8	5·2	82	75	S.W.	14	W.	12	....	....	8	ci.cu.	....	....	....	....	....	....
30	30·13	30·37	1·6	1·7	11·0	1·7	85	75	N.W.	8	W.	16	·08	....	7	ci.cu.	....	....	....	....	....	....
31	30·41	30·16	−3·1	4·3	7·0	−5·0	88	87	S.	12	E.	6	....	·08	2	ci.st.	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 p.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	30·16	29·87	8·5	15·8	15·8	2·0	85	83	N.E.	10	N.E.	12	...	...	...	...	...	...	...	...	...	...
2	29·54	29·19	25·8	34·6	34·6	15·8	88	83	S.E.	8	S.W.	16	·06	...	...	...	...	...	...	...	...	...
3	29·38	29·97	10·8	— 0·4	35·7	— 3·0	80	64	W.	38	W.	30	·21	...	...	...	...	...	...	...	...	...
4	30·21	30·24	— 6·8	2·7	1·7	— 7·6	80	77	W.	18	W.	2	...	...	3	ci.cu.	...	...	...	...	...	...
5	30·04	29·93	— 3·6	2·7	4·5	— 6·6	74	92	N.E.	11	N.E.	20	...	·10	...	...	...	...	...	...	...	...
6	29·92	30·12	— 3·0	5·1	10·2	2·4	92	85	N.E.	12	W.	20	·05	...	...	...	...	...	...	...	...	...
7	30·27	30·19	1·6	9·7	11·0	— 1·2	74	77	W.	10	S.W.	10	...	...	...	...	...	...	...	...	...	...
8	30·08	30·02	11·0	13·0	19·8	7·0	94	85	S.W.	5	S.	8	S.	·02	...	...	...	...	...	...	...	...
9	29·97	29·74	7·0	17·0	18·2	6·1	84	83	S.	10	S.E.	8	...	...	8	ci.cu.	...	...	...	...	...	...
10	29·46	29·08	22·0	29·0	29·0	17·0	80	91	S.	10	S.	16	·06	·10	...	...	...	...	...	...	...	...
11	29·43	29·63	1·7	— 5·6	29·1	— 5·6	80	96	W.	12	N.W.	26	·20	·04	...	...	...	...	...	...	...	...
12	29·83	29·98	—12·5	— 4·7	— 4·2	—13·6	85	78	W.	24	W.	34	·02	...	...	...	...	...	...	...	...	...
13	30·00	29·50	1·0	15·4	15·4	6·5	88	78	S.W.	12	S.	12	...	·03	...	...	...	...	...	...	...	...
14	29·19	29·52	25·8	21·3	26·0	15·0	84	88	S.E.	10	N.	16	...	·07	...	...	...	...	...	...	...	...
15	29·78	29·62	10·7	21·5	21·5	9·0	84	89	W.	12	S.W.	8	...	·11	8	ci.cu.	...	...	...	...	...	...
16	29·57	29·62	23·8	27·2	30·8	22·0	87	87	W.	5	S.W.	12	·13	...	...	...	...	...	...	...	...	...
17	29·63	29·86	14·0	13·4	28·0	13·4	97	71	N.	12	E.	16	·08	...	...	...	...	...	5	ci.cu.	...	...
18	30·01	29·84	1·8	6·6	14·2	0·5	83	84	N.	12	E.	8	...	...	...	...	...	...	...	...	...	...
19	29·50	29·15	5·7	29·7	29·7	1·4	78	90	E.	16	S.	18	...	·30	...	...	...	...	...	...	...	...
20	29·54	29·47	16·1	23·7	31·1	11·8	91	80	S.W.	16	N.E.	19	S	...	...	...	...	...	...	...	8	cu.
21	29·22	29·69	19·8	3·7	23·7	3·7	85	76	S.W.	14	N.W.	22	·09	...	...	...	...	...	6	ci.cu.	...	...
22	30·00	30·26	— 9·3	— 7·2	— 4·2	— 9·7	86	58	N.W.	25	W.	26	...	...	...	...	...	...	...	...	...	...
23	30·44	30·52	— 9·5	— 2·4	— 1·2	—10·2	78	77	N.W.	20	W.	24	...	...	...	...	...	...	...	...	...	...
24	30·41	29·80	— 2·0	16·5	17·8	— 5·8	70	85	S.E.	16	S.	24	...	·48	6	ci.st.	...	...	...	...	...	...
25	29·52	30·02	21·4	0·5	27·2	— 0·5	79	76	N.W.	24	N.W.	24	·20	...	...	...	...	...	...	...	...	...
26	30·21	30·01	— 7·7	1·0	1·3	—10·7	69	67	N.W.	8	W.	6	...	...	2	ci.st.	...	...	...	...	2	cu.
27	30·11	30·28	— 2·2	2·1	5·0	— 2·7	87	60	W.	16	W.	12	·09	...	...	...	...	...	...	...	...	...
28	30·37	30·29	— 2·8	0·4	5·2	— 3·7	77	88	N.E.	12	N.E.	3	...	...	...	...	...	...	...	...	5	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1.	30·35	29·98	— 4·8	10·1	14·8	— 5·8	87	68	S.	4	N.E.	12										
2.	29·26	29·08	24·0	33·6	38·5	10·0	96	89	S.E.	12	S.W.	32		·17	S.							
3.	29·29	29·68	26·1	20·0	33·2	20·0	85	91	S.	16	N.E.	16		·26	·01						8	cu.st.
4.	29·88	29·86	12·6	18·0	21·2	10·8	87	92	N.E.	14	W.	16		·01	·02	8	ci.cu.					
5.	29·77	29·71	16·6	15·0	22·0	15·0	85	82	N.W.	20	S.W.	4		·02								
6.	29·94	30·10	14·7	19·7	24·4	9·0	70	70	N.W.	16	N.W.	16										
7.	29·15	29·89	7·5	11·7	19·8	6·2	84	88	N.W.	2	S.	8										
8.	29·69	29·76	8·2	20·2	24·2	7·3	87	76	E.	8	W.	26				3	cu.st.					
9.	30·08	30·15	12·8	15·8	22·0	12·8	85	79	N.W.	16	W.	22				3	ci.cu.					
10.	30·14	30·03	16·0	22·6	28·7	10·6	66	72	S.W.	16	S.W.	12										
11.	30·07	30·04	21·8	30·6	34·0	16·8	72	85	S.W.	22	S.W.	26										
12.	29·99	29·62	24·5	34·0	35·8	20·0	87	95	S.W.	12	W.	20				1	ci.st.					
13.	29·46	29·58	33·6	36·6	37·8	32·3	95	87	S.	10	S.W.	18		·15							3	cu.
14.	29·61	29·75	22·8	24·0	36·2	21·0	86	85	N.E.	26	N.W.	4		·08	·01							
15.	29·88	29·81	25·0	31·5	34·1	23·5	82	91	S.W.	16	S.W.	16		·03	·05	5	ci.cu.			3	ci.cu.	
16.	30·22	29·92	24·0	33·6	34·0	20·0	72	89	W.	20	S.	28										
17.	29·58	30·01	37·2	30·7	42·5	30·5	75	58	S.W.	28	N.W.	20				10	ci.cu.					
18.	30·18	30·14	19·0	24·3	31·0	14·7	84	75	N.E.	8	W.	8										
19.	29·97	29·05	20·0	30·8	32·1	16·1	77	89	S.E.	10	S.	28		·37								
20.	29·27	29·81	29·3	28·0	34·5	28·0	79	86	N.W.	40	N.W.	14		·08								
21.	29·90	29·66	26·2	35·0	36·0	19·8	71	70	S.W.	12	S.W.	16								9	ci.cu.	
22.	29·49	29·29	35·2	46·1	46·8	30·6	66	81	S.E.	16	S.W.	40			·01	10	ci.st.			8	ci.cu.	
23.	29·65	29·88	47·2	40·0	47·2	38·8	34	72	W.	26	W.	4						10	st.			
24.	29·79	30·01	33·0	28·1	40·5	27·3	97	91	S.E.	24	N.E.	16		·68	·02							
25.	30·19	29·97	19·7	32·2	34·0	16·0	85	88	N.E.	8	S.	16										
26.	29·79	29·89	34·2	36·1	40·8	31·5	75	80	N.W.	18	S.	10		·01								
27.	29·82	29·64	30·0	32·5	36·8	27·6	95	93	N.E.	12	E.	8		·18								
28.	29·54	29·61	41·4	48·0	49·6	32·1	96	76	S.	22	S.W.	24		·38								
29.	29·84	29·53	37·7	34·3	48·0	34·0	63	83	N.E.	10	N.E.	18			·20	4	ci.cu.					
30.	29·79	29·88	40·0	38·0	44·2	34·1	71	63	S.W.	24	S.	20		·01		1	ci.st.			1	ci.st.	
31.	29·99	30·05	36·0	30·3	38·1	30·3	57	60	W.	16	W.	16										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	ind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·17	30·14	24·0	25·2	30·3	21·6	87	81	N.W.	8	W.	6			2							
2	30·14	29·97	24·0	30·0	32·8	21·8	74	69	N.	10	S.W.	20			7							
3	29·91	29·86	31·2	37·0	40·3	26·7	84	69	W.	16	W.	16										
4	29·86	29·67	35·8	31·8	40·0	31·8	77	94	N.W.	4	N.E.	20			10							
5	29·51	29·83	26·7	27·6	32·0	25·8	91	86	N.	20	N.	18	·26	·02								
6	30·10	30·10	18·0	23·6	28·0	13·0	84	78	N.	16	S.W.	4										
7	30·04	29·75	27·2	33·0	38·5	19·0	71	75	E.	8	E.	12										
8	29·57	29·46	30·0	32·0	36·3	28·6	91	84	S.E.	16	S.E.	16	·10	·02								
9	29·32	29·09	31·2	30·0	37·8	27·4	84	97	N.E.	16	N.E.	36		·06	8							
10	28·97	29·22	29·7	32·2	35·0	26·7	80	87	N.E.	38	N.E.	6	·04	S.								
11	29·37	29·42	39·2	40·0	43·7	30·3	29	59	N.	8	W.	24	S.									
12	29·52	29·50	35·0	37·8	43·0	31·4	70	71	S.W.	18	N.E.	10							6	ci.cu.		
13	29·51	29·41	36·7	39·0	48·1	33·1	75	59	N.E.	8	W.	20			9	ci.st.						
14	29·40	29·46	38·5	39·0	43·0	35·6	68	70	W.	12	W.	20							6	ci.cu.		
15	29·67	29·63	28·2	33·0	39·0	27·2	61	60	N.W.	16	W.	18			9	ci.						
16	29·58	29·36	33·0	39·2	41·3	28·5	85	86	W.	5	S.E.	6										
17	29·39	29·48	34·0	41·2	47·8	31·7	75	61	N.W.	12	N.W.	16	·13						2	ci.st.		
18	29·60	29·62	36·1	38·0	45·7	35·1	80	86	N.W.	16	W.	20							8	ci.cu.		
19	29·64	29·59	35·5	35·2	42·2	31·4	63	55	W.	8	N.W.	14			8	ci.cu.						
20	29·56	29·76	30·0	28·0	35·5	28·0	75	77	W.	20	N.W.	24			10	ci.						
21	29·82	29·76	33·0	38·7	45·4	23·6	41	63	W.	5	W.	16										
22	29·73	29·58	42·0	49·4	57·3	34·4	60	45	S.W.	18	S.W.	26							3	ci.st.		
23	29·59	29·37	48·0	50·0	60·0	41·0	55	55	S.W.	16	N.E.	16							9	ci.cu.		
24	29·39	29·64	39·1	43·0	52·0	38·8	83	40	N.E.	24	N.W.	20	·23									
25	29·65	29·72	34·1	35·0	43·4	32·3	75	90	S.E.	12	N.	6										
26	29·91	29·95	37·7	38·0	44·8	33·1	72	87	N.E.	16	N.E.	8		·03								
27	30·22	30·12	37·1	45·0	51·1	32·4	51	72	N.E.	8	S.	8										
28	30·05	29·86	46·1	57·2	63·0	35·6	70	56	S.	4	S.E.	3										
29	29·75	29·59	55·8	62·0	64·0	48·2	77	72	S.W.	20	S.W.	20									8	ci.cu.
30	29·69	29·64	41·5	37·1	62·0	36·3	93	93	N.E.	20	N.E.	18	·12	·82								

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°		°	°							in.	in.								
1. . .	29·91	30·02	37·1	42·2	46·8	35·0	79	77	N.W.	8	W.	4	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	4	ci.cu.	. . . .	. . . . .
2. . . .	30·13	29·98	43·0	47·3	54·0	35·0	70	61	S.E.	8	N.E.	12	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
3. . . .	29·91	29·82	45·3	48·6	54·0	37·4	78	81	S.	8	S.W.	16	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
4 . . .	29·60	29·78	37·5	32·5	48·6	32·3	94	82	N.E.	20	N.W.	16	·47	·01	. .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	10	st.
5. . . .	30·03	29·98	35·4	43·8	49·0	28·1	78	54	W.	12	W.	12	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
6. . . .	29·81	29·75	43·0	47·6	55·1	41·7	84	73	E.	8	S.W.	8	. . . .	. . . .	10	ci.	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
7 . .	29·74	29·67	50·6	52·1	59·1	40·2	66	66	W.	8	S.W.	16	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
8 . . .	29·88	29·85	43·5	47·1	52·2	41·1	58	65	N.E.	20	S.E.	8	. . . .	. . . .	3	ci.st.	. . . .	. . . . .	. . . .	. . . . .	1	st.
9. . . .	29·72	29·51	46·1	57·2	66·8	39·8	59	72	N.E.	12	S.	18	. . . .	. . . .	7	ci.cu.	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
10. . . .	29·53	29·59	45·4	42·0	57·1	40·1	53	70	S.W.	36	S.W.	24	. . . .	. . . .	. . . .	. . . . .	5	cu.	2	ci.st.	. . . .	. . . . .
11. . . .	29·64	29·71	34·0	36·0	42·0	32·8	49	59	N.	20	N.W.	16	. . . .	S.	. . . .	. . . . .	. . . .	. . . . .	4	ci.cu.	4	st.
12 . . .	29·88	29·75	39·7	45·2	50·7	31·1	51	40	W.	12	S.W.	20	. . . .	. . . .	. . . .	. . . . .	3	cu.st.	. . . .	. . . . .	. . . .	. . . . .
13. . . .	29·53	29·53	45·5	46·0	59·6	38·3	75	84	S.E.	12	N.E.	18	R.	. . . .	4	ci.cu.	. . . .	. . . . .	. . . .	. . . . .	8	cu.st.
14. . . .	29·70	29·81	42·0	51·2	56·1	42·0	91	70	S.E.	24	N.E.	16	·10	. . . .	10	cu.st.	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
15. . . .	29·75	29·57	58·7	66·0	74·0	43·7	48	56	S.E.	28	S.E.	22	. . . .	. . . .	2	ci.st.	. . . .	. . . . .	2	ci.st.	. . . .	. . . .
16. . . .	29·64	29·68	61·0	52·0	66·0	52·0	92	58	S.W.	24	S.W.	22	·09	. . . .	. . . .	. . . . .	. . . .	. . . . .	10	ci.cu.	. . . .	. . . .
17. . . .	29·74	29·69	54·3	58·1	65·2	46·3	66	57	W.	16	W.	12	. . . .	R.	9	ci.st.	. . . .	. . . . .	10	ci.cu.	. . . .	. . . .
18 . . .	29·62	29·48	58·8	57·2	62·0	53·2	73	86	S.W.	8	S.W.	16	R.	R.	8	ci.st.	. . . .	. . . . .	. . . .	. . . . .	4	cu.st.
19. . .	29·63	29·52	54·7	52·0	58·5	49·4	60	72	W.	12	S.E.	8	R.	R.	. . . .	. . . .	10	cu.st.	4	ci.cu.	4	st.
20. .	29·53	29·65	44·4	42·0	52·0	42·0	79	65	S.W.	20	N.W.	20	·20	. .	5	ci.cu.	5	st.	1	ci.st.	. . . .	. . . .
21. . .	29·76	29·78	40·1	46·1	57·7	43·4	61	53	N.W.	20	N.W.	20	. . . .	. . . .	10	ci.cu.	. . . .	. . . . .	3	ci.st.	4	st.
22. . . .	29·87	29·78	40·5	47·1	51·1	38·1	55	58	N.W.	12	W,	14	. . . .	. . . .	10	ci.cu.	. . . .	. . . . .	1	ci.st.	. . . .	. . . .
23. . . .	29·88	29·83	47·1	54·2	59·8	38·3	58	51	E.	6	W.	16	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	1	ci.
24 . . .	29·98	29·96	45·3	49·7	57·7	41·1	45	30	S.E.	12	N.E.	16	. . . .	. . . .	3	ci.st.	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
25. . . .	30·10	29·89	44·8	53·1	59·0	35·1	51	51	N.E.	8	N.E.	8	. . . .	. . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .
26. . . .	29·75	29·64	56·3	48·1	56·6	41·2	40	80	S.E.	12	S.E.	16	. . . .	·01	. . . .	. . . . .	. . . .	. . . . .	. . . .	. . . . .	10	cu.st.
27 . . .	29·42	29·43	51·0	45·1	62·9	45·1	79	83	S.E.	20	S.W.	36	. . . .	14	. . . .	. . . . .	10	cu.st.	. . . .	. . . . .	10	cu.st.
28 . . .	29·53	29·57	39·5	40·2	46·3	37·0	69	82	S.W.	20	N.W.	26	R.	. . .	7	ci.	. . . .	. . . . .	. . . .	. . . . .	8	cu st.
29. . .	29·62	29·67	42·5	50·6	55·2	35·9	69	58	N.W.	20	N.W.	20	·01	R.	. . . .	. . . . .	7	cu.st.	. . . .	. . . . .	10	cu.st.
30 . . .	29·80	29·85	49·1	56·2	60·8	42·5	68	65	N.E.	8	N.E.	8	. .	R.	. . . .	. . . . .	10	cu.st.	. . . .	. . . . .	10	ci.cu.
31. . . .	29·92	29·86	50·5	57·2	62·9	47·8	76	61	N.E.	12	N.E.	8	R.	. . . .	. . . .	. . . . .	. . . .	. . . . .	1	ci.st.	. . . .	. . . . .

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1.	29·85	29·67	57·0	62·1	69·2	46·7	67	58	E.	4	E.	8	R.	...	...	...	9	cu.st	...	...	...	...
2.	29·60	29·51	54·1	62·0	72·0	51·2	75	60	S.	4	S.	3	...	...	10	ci.cu.	...	...	...	...	8	st.
3.	29·51	29·55	57·2	62·5	72·7	51·3	66	63	S.E.	4	E.	2	...	...	3	ci.st.	...	...	...	...	...	...
4.	29·70	29·57	60·5	65·0	72·1	55·6	71	58	W.	12	S.E.	12	...	...	...	...	10	nb.	10	ci.cu.	...	...
5.	29·49	29·41	52·7	54·0	65·0	51·1	67	72	S.E.	24	S.E.	16	·20	R.	...	...	10	cu.st.	...	...	10	cu.
6.	29·37	29·48	54·0	53·1	59·2	48·6	84	97	S.	5	W.	4	·01	·11	6	ci.st.	...	...	10	ci.cu.	...	...
7.	29·61	29·66	51·5	56·9	63·5	50·1	92	79	N.W	6	W.	16	·28	R.	...	...	10	nb.	10	ci.cu.	10	cu.st
8.	29·72	29·74	52·0	54·1	63·3	50·0	87	84	W.	12	W.	8	·06	·09	...	...	10	nb.	3	ci.	...	...
9.	29·82	29·86	50·8	57·2	60·8	48·7	80	72	E.	12	E.	6	·09	...	...	...	10	cu.st.	...	...	...	...
10.	29·98	29·88	48·0	59·9	60·0	46·1	80	72	E.	10	E.	8	...	...	...	...	10	cu.st.	...	...	...	...
11.	29·87	29·79	54·0	61·0	68·1	44·2	59	55	E.	10	E.	8	...	...	3	ci.cu.	...	...	...	...	...	...
12.	29·91	29·85	58·5	64·2	72·4	49·2	55	49	E.	8	N.W.	4	...	...	...	...	...	...	...	...	...	...
13.	29·87	29·66	65·4	69·8	79·3	51·1	60	42	S.W.	12	S.W.	12	...	...	...	...	...	...	3	ci.	...	...
14.	29·59	29·45	62·3	70·2	80·8	55·2	69	48	S.W.	20	S.W.	26	...	·14	4	ci.cu.	...	...	1	ci.	...	...
15.	29·65	29·65	60·8	69·0	75·8	56·5	56	46	N.	16	S.W.	12	R.	...	4	ci.st.	...	...	...	...	...	...
16.	29·80	29·75	67·3	72·9	80·5	63·5	48	55	N.	8	S.W.	24	...	...	5	ci.st.	...	...	5	ci.st.	...	...
17.	29·83	29·73	64·7	76·2	82·3	63·8	65	55	S.W.	26	S.W.	24	...	...	4	ci.st.	...	...	...	...	...	...
18.	29·78	29·70	72·8	73·0	87·4	69·2	69	67	S.W.	26	N.W.	15	...	·05	3	ci.st.	...	...	...	...	10	cu.st.
19.	29·82	29·80	66·2	69·0	73·0	65·1	78	73	E.	12	N.E.	6	R.	...	...	...	10	nb.	...	...	9	st.
20.	29·71	29·68	62·3	70·3	77·2	60·6	85	67	N.E.	4	S.W.	16	...	...	...	...	10	nb.	...	...	8	cu.
21.	29·88	29·88	61·8	73·5	80·0	59·8	94	77	S.E.	5	E.	8	·01	...	...	...	10	nb.	...	...	5	st.
22.	29·95	29·89	74·0	75·2	86·7	64·4	69	66	S.W.	16	S.	10	...	...	3	ci.cu.	...	...	...	...	...	...
23.	29·91	29·76	77·1	75·7	86·3	66·6	66	73	S.W.	12	S.W.	16	...	...	...	...	...	...	7	ci.cu.	...	...
24.	29·75	29·64	75·4	79·2	85·8	70·2	70	69	S.W.	22	S.W.	12	...	...	3	ci.cu.	...	...	...	...	...	...
25.	29·65	29·55	77·4	74·1	78·6	70·2	78	88	S.W.	6	S.W.	6	...	R.	9	ci.cu.	...	...	...	...	4	cu.st.
26.	29·49	39·30	66·0	68·0	77·2	63·2	90	93	W.	4	S.W.	16	...	·42	...	...	...	...	...	...	9	cu.st.
27.	29·26	29·45	59·0	67·5	71·8	57·3	87	70	N.W.	20	S.W.	10	R.	...	...	...	...	...	...	...	4	cu.st
28.	29·67	29·66	68·1	71·0	68·1	60·7	76	55	W.	8	S.W.	10	...	...	...	...	...	...	...	...	...	...
29.	29·73	29·66	72·6	75·6	80·8	61·8	69	84	S.W.	8	S.	5	...	...	7	ci.st.	...	...	...	...	8	cu.
30.	29·56	29·46	66·3	61·4	75·3	61·0	82	96	N.E.	20	N.	2	R.	·38	...	...	10	nb.	...	...	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·54	29·47	62·9	74·0	77·8	60·8	97	80	W.	16	W.	14	·14	....	....	.....	10	cu st.	....	....	6	cu.st.
2....	29·45	29·64	67·0	62·5	74·0	62·5	96	84	S.W.	16	N.W.	16	·03	....	....	....	10	nb.	....	.....	8	cu.st.
3....	29·82	29·80	61·5	65·0	71·2	54·4	78	86	W.	4	W.	16	....	....	5	ci.st.	....	....	....	..	....	.....
4....	29·86	29·76	65·4	69·3	76·4	57·1	87	90	S.W.	12	S.W.	14	....	....	....	.....	8	cu.st.	2	ci.st.	....	.....
5....	29·74	29·63	63·0	69·0	78·8	60·6	92	92	S.W.	18	W.	16	....	·09	8	ci.	....	....	....	.....	10	st.
6....	29·69	29·59	62·8	62·7	74·4	56·4	89	96	N.E.	2	S.	10	....	·06	....	....	10	cu.st.	....	.....	10	st.
7....	29·58	29·57	63·6	72·8	79·4	60·2	97	94	S.W.	4	W.	12	....	·12	....	.	1	cu.	....	.....	4	cu.st.
8....	29·63	29·44	72·2	66·0	78·8	61·8	93	94	S.W.	8	S.E.	4	..	·01	4	ci.st.	10	nb.	..	....	8	cu.st.
9....	29·40	29·50	69·3	66·2	77·2	62·1	92	92	W.	24	N.W.	20	...	·06	....	..	....	.....	2	ci.st.	....	....
10....	29·59	29·64	66·4	66·1	74·1	57·1	92	92	W.	8	N.W.	12	....	..	4	ci.st.	4	cu.st.	....	....	....	.....
11....	29·73	29·62	64·6	65·5	74·1	56·9	94	94	S.E.	8	S.	12	....	..	....	.. ..	....	....	....	....	..	....
12....	29·50	29·54	59·1	58·7	65·7	58·7	98	94	E.	12	W.	16	·35	·69	....	.	6	cu.st.	....	....	10	cu.
13....	29·72	29·74	64·7	69·3	76·2	57·1	84	93	W.	12	S.W.	12	·01	....	....	.....	....	.....	3	ci.st.	....	.....
14....	29·84	29·81	68·7	71·2	80·1	59·5	92	97	S.W.	12	S.W.	4	..	....	7	ci.st.	....	....	....	.....	....	.....
15....	29·87	29·74	73·3	72·9	82·9	61·1	74	76	S.W.	4	S.	16	....	....	....	.. ..	9	cu.st.	....	.....	....	.....
16....	29·73	29·64	69·0	73·9	77·8	64·2	80	88	S.	16	S.	14	..	·02	....	.....	....	.....	....	..	10	ci.st.
17....	29·70	29·67	77·2	74·9	83·4	71·1	76	75	W.	12	W.	14	....	....	....	.. ..	....	..	....	.....	....	....
18....	29·74	29·73	75·3	73·3	84·8	68·6	78	66	W.	12	S.W.	18	....	....	....	.....	....	.....	....	....	5	ci.st.
19....	29·75	29·65	71·3	75·1	83·7	67·1	77	57	S.W.	14	W.	16	....	....	....	.. ..	....	.....	....	.....	....	.....
20....	29·54	29·50	73·7	66·9	83·8	66·9	68	93	S.W.	12	W.	14	....	·09	4	ci.st.	5	cu.st.	....	.....	....	.....
21....	29·65	29·62	67·9	71·1	77·9	61·4	68	67	N.W.	16	N.W.	16	....	..	....	....	....	.....	....	.....	....	.....
22....	29·62	29·53	68·3	63·5	76·2	62·3	79	94	S.W.	12	N.E.	12	....	·12	....	....	8	cu.st.	....	.....	....	.....
23....	29·56	29·61	62·9	71·1	75·6	62·5	95	78	N.E.	12	S.W.	16	·11	....	....	....	10	nb.	....	.....	4	cu.st.
24....	29·64	29·45	70·4	70·0	78·2	62·1	77	86	S.W.	8	S.W.	16	....	·10	....	.....	6	cu.st.	....	.....	10	st.
25....	29·52	29·52	67·7	70·2	79·2	60·6	85	78	N.W.	8	S.W.	12	·03	....	....	.....	3	cu.st.	7	ci.st.	....	....
26....	29·24	29·22	65·3	60·5	78·7	60·5	94	73	S.	16	W.	28	·01	....	..	.....	....	.....	....	....	8	cu.st.
27....	29·28	29·43	53·5	63·7	71·0	51·5	89	65	N.W.	28	N.W.	20	·09	....	....	....	....	.....	....	....	....	.....
28....	29·56	29·51	67·3	69·0	79·2	60·3	74	69	S.W.	8	W.	16	....	....	....	.....	..	....	....	....	1	cu.st.
29....	29·54	29·47	66·2	71·8	80·6	64·0	80	78	S.W.	14	S.E.	8	....	·01	..	....	10	cu.st.	....	....	10	cu.st.
30....	29·50	29·49	67·0	67·2	76·2	62·6	91	84	S.W.	8	S.W.	20	·03	....	..	.....	9	cu.st.	....	.....	8	cu.st.
31....	29·46	29·49	65·1	70·8	78·7	61·0	89	79	W.	8	S.W.	10	....	....	....	.. ..	10	st.	3	ci.st.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·54	29·53	71·0	66·0	75·2	62·0	76	91	S.W.	8	S.	10	..	·03	....	..	4	st.	....	.....	....	.....
2....	29·48	29·52	69·3	64·1	78·8	60·7	86	58	S.W.	8	S.W.	20	....	·02	4	ci.st.	....	.....	1	ci.	....	.....
3....	29·69	29·73	64·1	64·3	71·8	53·4	68	70	S.W.	12	S.W.	10	...	...	....	.. ...	....	.....	7	ci.st.	....	.....
4....	29·79	29·79	59·0	59·0	68·8	57·0	75	74	N.E.	10	W.	10	....	·01	....	.....	10	cu.st.	9	ci.st.	....	....
5....	29·89	29·81	62·5	66·1	74·0	55·0	63	68	S.W.	8	S.E.	8	....	...	....	. ....	....	.....	...	....	7	st.
6....	29·77	29·77	62·5	62·0	66·7	58·5	92	92	S.E.	8	N.W.	6	....	·04	. .	.....	10	cu.st.	..	.....	5	cu.st.
7....	29·78	29·67	63·0	66·2	66·7	56·5	80	94	S.W.	6	N.	12	..	·24	....	.....	9	cu.st.	....	.....	3	st.
8....	29·88	29·87	62·5	65·1	71·1	56·5	58	64	E.	12	W.	12	....	....	....	.....	....	.....	....	.....	....	.....
9....	29·94	29·82	67·0	70·3	78·0	56·1	70	66	S.	8	S.W.	16	....	....	....	.....	....	.....	....	.....	....	.....
10....	29·87	29·72	70·8	76·0	82·3	63·3	64	65	N.E.	4	S.W.	14	..	....	....	....	....	....	....	.....	....	.....
11....	29·68	29·55	73·0	79·1	87·9	69·5	66	52	S.W.	20	S.W.	14	...	...	....	....	....	.....	10	ci.cu.	....	.....
12....	29·57	29·43	71·3	79·2	86·8	70·6	88	74	S.W.	12	S.W.	10	·04	....	....	.....	....	....	10	ci.cu.	....	....
13....	29·58	29·65	67·5	64·3	79·2	59·0	57	60	S.W.	18	N.W.	20	·01	....	...	.....	....	.. ..	....	. ...	....	.... .
14....	29·83	29·96	60·6	61·8	68·2	56·2	64	64	N.W.	16	N.W.	16	....	...	. ..	.....	2	st.	....	.....	....	. ....
15....	30·12	30·01	61·7	63·0	70·7	54·8	63	66	N.E.	4	S.W.	6	....	...	...	....	.7	st.	....	.....	....	.....
16....	29·97	29·77	64·0	70·0	77·8	54·9	77	64	S.W.	12	S.W.	16	....	·10	....	....	3	st.	....	. ....	....	.....
17 ...	29·69	29·64	64·2	71·8	81·7	60·8	91	69	S.	16	S.W.	20	·15	....	....	.....	....	.. .	....	....	....	.....
18....	29·95	30·06	61·0	63·0	71·8	57·1	63	52	N.W.	12	N.W.	14	...	....	...	.....	....	.....	...	.....	....	.....
19....	30·11	29·93	60·0	63·6	71·5	50·5	64	61	S.E.	8	S.E.	10	....	....	....	....	....	....	6	ci.st.	....	.....
20....	29·76	29·75	66·6	67·8	82·8	57·4	74	83	S.W.	18	W.	12	....	....	2	ci.	....	.. ..	....	.....	...	.....
21 ...	29·90	29·84	57·1	57·3	67·8	52·9	58	68	N.E.	14	S.	8	....	....	6	ci.st.	....	.....	....	.....	....	.....
22....	29·96	29·92	63·8	62·3	71·9	55·0	56	73	C.	0	S.W.	10	....	....	...	.....	....	....	....	.....	....	.....
23....	29·98	29·77	65·3	67·1	76·9	58·5	77	81	S.W.	18	S.E.	12	....	....	....	. ..	....	.....	4	ci.cu.	....	.....
24....	29·61	29·37	62·8	61·0	69·5	59·0	67	94	S.	16	S.	18	....	·21	....	.....	....	.....	5	ci.st.	....	.....
25....	29·38	29·39	62·6	61·8	66·2	56·8	73	82	S.W.	16	W.	18	...	·03	2	ci.cu.	....	....	...	.... .	....	.....
26....	29·50	29·60	58·0	54·8	61·8	53·0	74	78	N.W.	18	N.W.	12	...	....	2	ci.st.	...	.....	8	ci.cu.	....	.... .
27....	29·66	29·64	54·8	56·0	62·5	48·8	71	67	N.W.	12	N.E.	12	....	...	2	.....	....	.....	....	.... .	....	. ....
28....	29·69	29·66	54·0	60·0	66·3	49·0	69	65	N.W.	10	N.W.	18	....	....	....	....	..	.....	....	....	....	.....
29....	29·69	29·74	56·8	57·1	65·7	51·4	73	69	W.	12	N.W.	16	....	....	....	.....	....	.....	...	.....	....	.....
30 ...	29·74	29·74	55·2	64·1	58·8	49·8	77	91	N.W.	1	W.	12	....	·03	10	ci.cu.	....	.....	2	ci.cu.	....	....
31....	29·80	29·79	58·2	62·0	67·6	53·8	78	56	N.W.	12	N.W.	16	....	....	3	ci.cu.	....	.....	....	.....	...	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	8 a.m.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·81	29·69	60·1	61·6	67·2	57·8	67	71	N.	8	S.E.	6	..	..	....	....	10	cu.st.	....	....	....	.....
2	29·58	29·50	58·4	58·4	65·2	55·5	81	97	S.E.	8	S.E.	10	....	·44	....	.....	..	.. ..	....	....	....	.....
3	29·60	29·70	62 0	61·3	65·7	58·4	98	98	S.W.	4	N.E.	10	....	·06	....	.....	7	st.	....	.....	....	.....
4	29·80	29·77	57·4	60·0	62·0	57·0	98	92	N.E.	8	N.E.	10	·52	..	....	.....	..	..	....	.....	....	.....
5	29·77	29·62	57·8	61·6	62·8	57·6	98	96	N.E.	8	N.E.	12	·01	....	....	.....	..	....	....	.....	....	.....
6	29·57	29·57	62·0	62·1	65·8	58·0	87	86	S.W.	12	N.W.	12	....	·04	....	.....	6	cu.st.	9	ci.cu.	....	.....
7	29·64	29·66	62·1	63·0	71·0	56·8	87	70	W.	8	N.W.	10	....	....	....	...	7	cu.st.	....	...	....	.....
8	29·71	29·77	63·0	63·3	69·3	57·0	84	85	W.	3	S.E.	6	....	....	....	.....	8	cu.st.	....	....	....	.....
9	29·92	29·93	56·0	61·8	70·0	51·7	73	77	N.E.	12	N.E.	8	....	·22	3	ci.st.	....	.....	7	ci.st.	....	.....
10	29·96	29·92	61·1	66·5	72·7	57·0	97	87	S.	8	S.E.	16	·26	..	7	ci.cu.	..	.....	9	ci.cu.	....	....
11	29·72	29·60	66·0	65·0	70·2	63·4	94	97	S.	16	S.W.	16	·35	·10	....	.....	10	cu.	6	ci.cu.	....	.....
12	29·60	29·82	58·2	69·9	67·2	54·0	91	85	S.W.	18	N.W.	12	R.	....	10	ci.cu.	....	.....	....	.....	....	.....
13	30·03	30·07	54·7	54·7	59·9	53·0	93	93	N.W.	12	S.W.	8	..	....	....	.....	....	.....	8	ci.cu.	....	....
14	30·09	29·95	57·3	66·1	75·1	54·4	90	84	S.E.	12	S.W.	18	....	....	....	.....	10	st.	....	.....	....	....
15	29·99	29·98	69·9	71·1	79·6	59·5	79	79	S.W.	16	N.W.	8	R.	....	...	....	7	st.	....	...	....	.....
16	29·98	29·72	62·8	68·2	76 5	59·8	85	97	S.	4	S.	12	....	R.	....	.....	....	.....	7	ci.cu.	....	.....
17	29·86	30·05	63·0	56·0	71·4	56·0	66	57	N.W.	16	N.E.	20	R.	....	3	ci.cu.	....	.....	....	....	3	st.
18	30·18	30·09	45·8	51·7	59·0	43·0	62	73	N.E.	18	N.E.	12	.. ..	...	3	ci.st.	....	.....	....	..	....	....
19	30·02	29·87	48·7	55·1	65·1	42·8	78	84	S.E.	8	S.	12	....	....	....	....	....	....	....	..	....	.....
20	29·79	29·49	56·8	66·0	69·5	50·2	94	87	S.	10	S.	14	....	·02	10	ci.cu	....	....	....	..	....	.....
21	29·59	29·54	64 9	62 3	69·5	62·0	82	78	W.	16	S.W.	16	....	....	....	.....	....	.....	5	ci.cu.	....	.....
22	29·67	29·73	56·0	53·0	62·3	51·0	60	56	N.W.	16	N.W.	16	....	....	....	....	....	....	....	.....	3	st.
23	29·65	29·37	48·0	44·8	55·3	44·8	81	93	E.	6	E.	6	....	....	10	ci.st.	....	..	....	...	....	.....
24	29·17	29·21	58·0	56·8	65·1	44·8	97	76	S.	16	S.W.	26	·08	·04	10	ci.cu.	....	.....	3	ci.cu.	....	.....
25	29·38	29 66	52·1	46·7	56·7	46·7	84	85	S.W.	20	N.W.	24	01	·01	10	ci.cu.	....	.....	....	..	....	.....
26	29·90	29·79	41·8	48·7	50·1	37·3	80	74	N.W.	12	S.W.	24	·01	...	....	.....	....	.....	....	.....	....	.....
27	29·83	29·80	46·3	51·7	55·0	44·3	83	71	N.W.	8	N.W.	10	R.	..	8	ci.cu.	....	.....	8	ci.cu.	....	....
28	30·02	29·94	38·0	44·0	51 7	35·2	34	58	N.E.	12	E.	12	....	....	10	ci.cu.	....	.....	10	ci.cu.	....	.....
29	29·76	29 75	41·6	41 8	44·0	41·6	92	91	N.E.	12	E.	12	·10	·08	....	.....	....	.....	10	ci.cu.	....	.. ..
30	29 75	29·73	42 0	40·7	51·4	39 4	96	91	W.	4	N.W.	20	·03	·03	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind	Amt.	Kind
	in.	in.	°		°	°							in.	in.								
1	29·94	29·96	44·6	48·0	53·0	39·7	77	70	N.W.	16	W.	10	·01				6	st.				
2	29·98	29·90	44·8	48·0	56·0	39·8	88	89	W.	5	S.	8							3	ci.st.		
3	29·81	29·68	47·1	54·0	60·7	43·1	88	88	S.E.	6	N.	1										
4	29·25	29·35	53·3	52·0	67·7	50·0	100	73	S.E.	22	N.W.	16	·33									
5	29·37	29·49	46·0	46·0	52·0	45·6	74	74	N.W.	16	N.W.	12			9	cu.st.			8	ci.cu.		
6	29·67	29·65	44·7	47·2	52·2	39·2	77	89	W.	12	S.W.	12		·02	5	ci.st.			8	ci.cu.		
7	29·56	29·26	48·3	60·0	60·0	45·8	99	82	S.E.	12	S.	20	·18	·06								
8	29·24	29·82	43·0	37·2	61·3	37·5	81	58	N.	20	W.	19	·90		10	ci.cu.						
9	30·02	29·87	36·2	43·0	47·3	32·3	67	74	W.	20	S.E.	14							3	ci.cu.		
10	29·69	29·62	46·2	49·5	52·5	39·0	78	82	S.E.	16	S.W.	12									10	cu.
11	29·56	29·57	48·7	48·1	52·4	47·3	92	92	S.W.	12	S.	12	·06	·03							10	cu.
12	29·66	29·78	45·6	44·5	51·5	42·3	87	86	W.	12	S.W.	12		·01			9	cu.				
13	29·87	29·89	42·0	45·8	49·0	40·2	94	83	W.	1	W.	12	R.				9	cu.st.	8	ci.st.		
14	29·98	29·97	39·1	43·2	47·5	35·5	94	81	S.W.	12	S.W.	14										
15	29·99	30·01	44·0	44·7	53·0	41·0	75	68	W.	10	N.W.	14					8	cu.				
16	30·11	30·01	44·0	53·2	59·7	40·8	92	78	S.W.	20	S.W.	24							3	ci.		
17	29·99	29·74	55·8	58·1	66·7	52·6	69	63	S.W.	20	S.W.	20					10	cu.st.	8	ci.cu.		
18	29·63	29·88	44·1	34·0	61·0	34·0	75	66	N.W.	20	N.W.	18	·07									
19	29·98	29·90	30·1	36·8	39·1	25·4	85	56	S.W.	12	N.W.	5			7	ci.st.						
20	29·96	29·90	29·3	32·0	37·2	28·4	74	95	N.E.	8	S.W.	4					8	cu.st.	4	ci.st.		
21	30·06	29·95	26·0	34·0	34·3	25·5	87	79	N.W.	12	W.	12									10	st.
22	29·77	29·47	35·3	50·8	52·6	30·8	76	55	S.W.	20	S.W.	24					6	st.			10	cu.st.
23	29·53	29·76	41·3	38·0	52·0	38·0	71	66	N.W.	16	N.W.	1		R.			10	cu.st.			10	cu.st.
24	29·94	29·82	32·2	36·0	39·5	31·0	65	61	N.	12	S.W.	16			4	ci.st.						
25	29·55	29·75	36·0	36·0	49·0	31·4	92	70	S.W.	20	N.W.	20	05				10	cu.st.				
26	30·08	30·08	30·0	30·2	36·0	28·5	67	78	N.W.	12	S.W.	8					7	cu.st.				
27	29·88	29·67	36·8	41·7	43·0	28·2	56	93	S.E.	16	S.E.	16		·15								
28	29·57	29·58	40·1	42·4	44·2	39·6	97	87	N.E.	10	N.W.	16	·60	·19								
29	29·67	29·71	37·0	37·7	43·0	36·7	80	63	N.	12	N.W.	22	01				8	st.				
30	30·03	30·21	27·1	35·0	38·0	25·0	56	60	N.W.	8	N.W.	8										
31	30·39	30·36	31·0	35·3	42·5	27·6	76	74	W.	8	S.	12										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·29	30·12	31·0	42·6	50·5	28·7	82	70	S.	12	S.E.	12	....	....	8	ci.st.	....	.....	....	... ..	....	.. ...
2	29·76	29·44	43·2	47·4	49·7	40·4	71	96	S.E.	24	S.E.	12	....	·24	9	ci.st.	....	.....	10	ci.cu.	....	.....
3	28·95	29·10	50·0	40·2	57·8	40·2	89	88	S.	13	S.W.	32	·38	·01	....	.....	....	.....	....	.....	....	.... .
4	29·55	29·69	31·5	30·8	40·2	30·6	68	79	N.W.	24	W.	12	R.	....	....	.....	6	st.	....	....	....	. .
5	29·67	29·67	32·1	35·8	38·8	28·7	77	90	S.E.	14	S.	10	....	...	....	.. ..	10	cu.st.	5	ci.cu.	....	.....
6	29·78	29·42	35·0	42·1	43·5	33·1	97	96	N.E.	10	N.E.	28	....	·61	..	.....	....	.	....	. .	....	.. ..
7	28·84	29·06	47·3	38·2	49·0	38·0	92	91	S.E.	8	S.W.	20	·17	·06	...	....	....	. .	....	.....	9	cu.
8	29·47	29·52	33·5	41·4	41·4	33·2	86	86	W.	20	S.W.	14	·37	..	...	...	....	. .	8	ci.cu.	....	.....
9	29·64	29·52	34·2	43·3	47·7	33·3	88	79	S.W.	10	S.W.	18	....	....	....	.....	....	.....	4	ci.st.	....	.....
10	29·55	29·73	40·0	36·8	45·0	36·8	89	89	W.	12	S.W.	13	....	....	....	.....	....	.....	....	.....	....	...
11	29·82	29·96	33·0	30·2	36·8	30·2	96	78	N.	6	N.E.	14	....	....	....	.....	....	....	10	ci.cu.	....	.....
12	30·11	29·96	25·0	28·0	30·5	23·0	86	88	N.W.	4	S.W.	16	....	..	....	.....	....	.....	8	ci.cu.	....	.....
13	29·71	29·51	32·1	34·7	38·0	27·4	86	80	S.W.	20	S.W.	28	....	....	....	.....	10	cu.st.	....	. .	...	.. ..
14	29·74	29·95	18·3	20·1	34·7	16·6	81	78	N.W.	16	W.	16	....	...	....	.....	10	st.	....	.....	....	.....
15	30·04	30·09	24·4	28·1	32·8	18·4	78	88	S.E.	12	S.W.	12	....	....	....	.....	....	.. ..	6	ci.cu.	..	.....
16	30·13	29·90	26·0	32·3	34·1	21·1	75	75	S.W.	4	S.W.	20	....	..	10	ci.cu.	....	....	....	....	7	cu.
17	30·04	30·02	31·2	34·0	35·0	30·5	88	76	N.W.	12	S.	12	....	....	....	.....	....	....	10	ci.cu.	..	.....
18	29·96	29·95	33·0	36·0	40·6	31·8	87	74	S.	22	W.	10	....	....	...	...	4	st.	8	ci.st.	....	.. ..
19	30·02	30·20	34·3	28·5	36·0	28·5	76	77	W.	8	N.E.	16	....	....	8	st	....	.....	....	.. .	....	.....
20	30·32	30·17	22·4	26·8	30·1	19·2	91	88	N.E.	4	N.E.	12	...	....	....	.....	.. .	.... .	10	ci.st.	....	.....
21	29·89	29·75	35·3	42·1	42·3	26·2	84	96	S.W.	20	S.W.	20	·06	....	....	...	...	.....	....	.....	....	.. ...
22	29·89	29·88	43·0	44·0	46·1	42·2	96	81	S.W.	14	W.	12	·02	....	...	. ..	...	.....	....	....	....	.....
23	30·05	30·20	34·5	32·4	44·0	32·4	85	67	W.	22	W.	13	....	...	. .	.....	....	....	....	....	...	.....
24	30·30	30·22	26·4	32·3	35·0	24·8	80	75	E.	12	E.	18	....	....	3	ci.	....	.....	.. .	.....	10	st.
25	30·00	29·67	29·8	29·0	32·3	29·0	90	83	E.	20	N.	10	....	....	...	.....	....	.....	...	.....	....	.....
26	29·53	29·55	29·4	30·0	33·0	28·0	81	75	W.	4	N.	8	....	....	....	. .	....	.....	....	.....	10	st.
27	29·64	29·64	31·0	27·1	34·3	27·1	84	82	W.	14	W.	14	....	....	...	.....	...	. ...	...	.....	8	cu.
28	29·56	29·53	23·0	22·0	27·3	21·2	83	93	E.	8	N.E.	14	....	....	....	.....	8	cu.st.	...	.....	....	.....
29	29·89	30·02	20·0	21·7	24·7	19·0	78	91	W.	12	W.	12	....	....	....	....	8	cu.st.	....	...	...	.....
30	30·12	30·06	19·0	16·0	22·0	15·8	80	83	E.	14	N.E.	12	...	....	....	.....	9	cu.st.	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Montreal, Quebec—December 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·95	29·81	15·0	20·4	20·4	12·2	91	93	E.	10	N.E.	12	·02	·02								
2	29·69	29·76	20·0	22·3	22·5	17·0	69	86	E	12	W.	12	·06	·05			10	cu.st.				
3	29·95	30·10	16·7	12·3	22·8	12·3	81	81	W.	16	W.	8										
4	30·17	30·10	6·2	11·2	13·2	5·8	89	80	N.	8	W.	16					4	st.				
5	30·02	29·80	5·5	18·7	18·7	3.5	81	85	W.	16	W.	24							9	ci.cu.		
6	29·81	29·84	25·6	33·0	33·0	17·7	86	89	W.	20	W.	16										
7	29·88	29·92	34·4	35·5	35·8	32·5	84	79	W.	12	W.	18									9	st.
8	29·93	29·88	33·0	37·6	37·6	32·8	89	81	S.	13	W.	16		R.					10	ci.cu.		
9	29·86	29·54	37·0	41·0	42·6	36·2	88	87	S.	6	S.	20		·10	9	ci.cu.						
10	29·26	29·19	45·5	47·2	49·1	40·8	96	96	S.	16	S.	5	·30	·05								
11	29·24	29·37	32·5	23·0	47·3	23·0	85	86	W.	20	W.	20	·11	S.								
12	29·57	29·80	14·0	11·0	23·0	11·0	85	73	W.	16	W.	24	·21				7	st.				
13	30·01	30·07	9·0	16·7	18·0	6·1	72	57	W.	20	W.	16					8	cu.st.				
14	30·16	29·80	7·0	18·0	18·0	6·0	79	79	N.E.	12	N.E.	24										
15	29·63	29·43	23·0	25·8	27·3	17·3	91	92	N.E.	14	N.E.	12	·70	·06								
16	29·43	29·53	23·7	25·8	26·0	23·4	92	87	N.E.	12	N.E.	4	·03	·01								
17	29·65	29·79	24·8	19·1	27·0	18·5	87	81	W.	6	W.	28	·11	S.								
18	29·80	29·76	17·0	14·3	21·0	14·3	83	81	W.	16	W.	16							4	ci.cu.	4	st.
19	29·82	29·80	17·3	24·2	25·8	12·3	87	80	W.	9	W.	16	S.						3	ci.		
20	29·82	29·79	25·8	30·6	30·6	23·6	84	87	W.	10	W.	14										
21	29·97	30·06	24·7	23·0	31·4	21·5	80	80	N.W.	8	W.	16			3	ci.st.						
22	29·93	29·78	31·4	29·0	35·6	21·3	86	82	W.	16	W.	18					7	cu.st.			10	st.
23	29·52	28·75	33·0	32·4	33·2	26·3	89	95	S.	8	E.	25	·01	·25								
24	28·92	29·35	30·8	32·0	33·0	29·7	88	87	N.E.	12	N.E.	12	·11	S.			7	cu.st.			10	cu.st.
25	29·76	29·59	22·7	31·8	33·0	21·0	73	82	W.	4	E.	12		·15	8	ci.cu.						
26	29·96	30·11	23·7	14·0	34·8	14·0	76	72	N.W.	20	S.W.	8	·05									
27	29·74	29·52	33·8	39·7	39·7	12·7	81	73	S.	24	S.W.	24		R.	10	ci.cu.						
28	29·43	29·68	40·0	29·8	40·7	29·8	98	88	W.	14	N.W.	28	·47	·06								
29	30·02	29·95	9·7	23·8	29·8	9·2	84	87	S.W.	12	S.	12					3	st.				
30	29·44	28·97	30·2	35·3	36·2	23·1	97	95	S.E.	16	W.	16	·80	·06								
31	29·63	29·64	10·2	14·8	35·3	9·0	86	93	W.	28	S.W.	16		·06					8	ci.cu.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec: Latitude North, 46° 48′; Longitude West, 71° 13′. Height above Sea, 296 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·59	29·70	31·0	33 8	34·5	29·0	98	94	N.E.	2	W.	19	·08	·01	....	.....	10	nb.	....	.....	10	nb.
2....	30 03	30·30	28·0	20 0	33·8	20·0	75	79	N.W.	16	N.E.	12	R.	....	....	..	....	. .	1	ci.st.	....	. ..
3....	30·32	29 83	10·0	15·2	20·0	8·0	79	93	E.	14	N.E.	28	....	...	10	ci.st.	....	....	....	....	10	nb.
4....	29·21	29·28	22·0	31·0	33·0	14·5	97	98	N.E.	13	S.W.	22	·15	...	....	.....	10	nb.	....	....	5	st.
5....	29·52	29·78	26·4	23 8	31·0	23·8	93	74	S.W.	20	W.	12	·02	...	....	...	10	st.	....	.....	....	.....
6....	29 96	29·78	8·0	19·0	23·8	7·8	78	88	W.	3	N.E.	17	....	....	10	ci.st.	....	.....	10	ci.cu.	....	.....
7....	29 76	29·85	19·0	23·6	27·0	18·4	88	90	S.W.	13	W.	13	....	....	10	ci.st.	....	....	....	....	....	.....
8....	30 04	29·63	7·0	13·0	26·6	7·0	82	93	E.	13	N.E.	21	...	·06	....	.....	....	....	....	....	10	nb.
9....	29 19	29·57	13·0	— 6·0	17·5	— 6·0	89	54	W.	11	W.	28	·38	...	....	...	10	nb.	....	....	....	.....
10....	29·69	29·28	—15·2	1·0	1·0	—15·8	42	77	W.	14	N.E.	20	...	·08	....	. ...	....	.....	....	....	10	nb.
11....	29·25	29·76	12·0	7·0	15·8	1·0	80	66	W.	18	W.	12	·14	....	....	...	10	st.	....	....	....	....
12 ...	30·05	29·78	— 5·0	8·4	8·4	— 7·2	63	87	W.	1	N.E.	42	....	·34	....	.. ..	10	st.	....	....	10	nb.
13....	30·05	30·19	9·5	4·6	11·4	4·6	90	90	S.W.	16	S.	1	·10	....	...	.....	10	st.	...	.....	....	. .
14.. .	29·99	29·53	12·2	14·8	14·8	2·4	87	86	N.E.	29	N.E.	14	·02	·06	....	.....	10	nb.	....	.....	10	nb.
15 ...	29·59	29·81	15·0	— 4·4	16·5	— 4·4	68	60	W.	28	W.	16	·02	....	10	ci.st.	....	...	....	.....	...	...
16...	30·10	30·33	—19·5	—19·8	— 4·4	—20·5	29	28	W.	14	W.	17	....	....	....	.....	....	....	....	.....	....	. . .
17 ...	30·34	30·06	—30·0	— 9·2	— 9 2	—30·2	7	55	S.	2	S.W.	4	....	....	....	.....	....	.....	2	ci st.	....	. . .
18....	29·88	29·88	0 0	5·0	0·0	— 9·2	76	88	S.	4	S.W.	11	·02	·01	....	....	10	nb.	....	....	..	...
19....	30·03	29·43	5·0	23 4	23·4	1·2	88	95	N.W.	4	N.E.	25	....	·25	8	ci.st.	....	.....	....	....	10	nb.
20....	28·83	28·98	36·6	30·2	45·0	23·4	94	89	N.E.	7	S.W.	45	·21	....	....	.....	10	nb.	....	.....	....	.....
21....	29·70	30·05	— 2·2	— 5·4	30·2	— 5·4	57	40	W.	24	W.	11	·01	....	10	ci.st.	....	....	....	.....	....	.....
22 ...	30·15	30·03	—15·0	0·8	0·8	—15·6	42	77	W.	1	N.E.	27	....	·01	10	ci.st.	....	.....	10	ci.st.	....	.....
23....	30·07	30·12	— 7·0	— 7·5	0·8	— 7·5	80	47	W.	7	W.	16	·05	....	2	ci.st.	....	. .	1	ci.st.	....	.....
24....	30·10	29·99	—21·0	—13·0	— 7·5	—22·5	23	15	S.W.	16	S.W.	20	...	....	....	.....	....	.....	....	.....	....	.....
25. ..	29·87	29·73	—20·5	— 7·0	— 4·4	—21·5	9	52	S.W.	8	W.	9	.. ..	....	5	ci.	....	.....	1	ci.st.	....	. . .
26....	29·83	30·00	— 3·0	0·8	8·2	— 9·8	66	65	N.E.	7	S.W.	8	....	..	10	ci.st.	....	....	....	.....	....	.....
27....	30·19	30·04	—12·5	4·8	4·8	—13·0	75	83	S.W.	2	E.	3	.. ..	....	6	ci.	....	.....	10	ci.st.	....	....
28 ...	29·95	29·90	4·5	8·0	10·8	4·0	87	78	S.W.	6	W.	11	S.	....	....	...	10	st.	1	ci.st.	....	.....
29 ...	29·98	29·91	— 4·0	8·6	9·0	— 4·5	64	83	W.	5	S.W.	13	....	....	10	ci.st.	....	.....	10	ci.st.	....	.....
30 ...	29·97	30·23	1 0	— 3·0	8·6	— 3·0	77	75	W.	2	W.	7	·01	....	....	.....	8	st.	.. ..	.....	.. ..	.....
31....	30·35	30·08	—14·0	5·5	5·5	—14·2	45	88	W.	3	N.E.	4	....	·08	2	ci.	....	. .	....	.....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·08	29·83	0·0	16·0	16·0	0·0	82	92	W.	8	N.E.	32	·09	....	....	.....	1	st.	10	ci.st.	...	.....
2....	29·50	29·13	22·0	23·0	14·0	16·0	93	93	N.E.	28	N.E.	24	·26	01	....	.....	10	nb.	....	....	10	st.
3....	29·04	29·64	14·8	— 4·5	28·0	— 4·5	86	82	S.W.	44	S.W.	31	·04	..	10	ci.st.	....	....	....	....	....	.....
4....	30·00	30·16	—11·5	— 7·0	— 3·0	—12·5	51	40	S.W.	18	W.	11	....	....	....	.....	....	.....	....	....	..	.....
5....	30·07	29·89	0·0	4·0	4·2	—15·0	69	79	N.E.	24	N.E.	26	....	....	....	.....	10	st.	....	.....	10	st.
6....	29·83	29·88	6·0	6·0	13·0	1·0	76	71	N.E.	18	W.	20	·01	....	....	.....	10	nb.	....	.....	....	....
7....	30·08	30·05	— 3·0	7·4	11·0	— 3·0	83	73	S.W.	11	W.	9	....	....	....	.....	....	..	....	.....	....	.....
8....	29·97	29·91	5·0	11·0	17·8	3·5	88	96	S.	2	S.W.	3	·01	...	10	ci.st.	....	.....	....	.....	....	.....
9....	29·89	29·68	6·0	15·8	17·8	5·5	76	93	S.W.	2	N.E.	11	·01	....	....	.....	10	nb.	10	ci.st.	....	.....
10....	29·44	29·06	17·0	24·0	24·0	15·0	92	97	E.	5	N.E.	21	·01	16	....	.....	10	nb.	....	.....	10	nb.
11....	29·11	29·31	11·8	— 5·8	27·0	— 5·8	84	61	S.W.	35	S.W.	17	·08	..	....	.....	10	st.	....	.....	....	.
12....	29·52	29·70	—12·0	— 8·6	— 4·0	—12·5	50	61	S.W.	27	S.W.	14	....	....	10	ci.st.	....	.....	..	.....	....	....
13....	29·88	29·49	—13·0	6·0	6·0	—14·0	47	88	S.W.	6	N.E.	13	...	·10	1	ci.	...	..	....	.....	10	nb.
14....	29·17	28·34	16·8	18·8	21·0	6·0	90	88	N.E.	13	N.E.	31	·02	·10	10	ci.cu.	....	.....	...	.....	10	st.
15....	29·57	29·52	7·4	12·2	18·8	6·4	80	92	S.W.	11	S.W.	4	·14	S.	7	ci.	...	.....	....	.....	10	nb.
16....	29·42	29·53	17·0	21·4	25·6	12·5	97	77	S.W.	3	W.	9	·10	...	....	....	10	nb.	....	.....	10	st.
17....	29·51	29·73	15·8	13·4	21·4	13·4	89	59	N.E.	24	N.E.	26	05	....	...	.....	10	nb.	....	...	.	.....
18....	29·89	29·77	4·0	6·5	13·4	4·0	74	84	N.E.	25	E.	20	....	S.	....	....	8	st,	....	....	10	st.
19....	29·53	29·19	8·0	16·4	16·4	4·0	89	93	E.	20	N.E.	31	....	1·40	10	ci.cu.	....	.....	....	.....	10	nb.
20....	29·42	29·45	13·2	20·5	23·6	13·2	89	75	S.W.	18	N.	11	·10	....	....	.....	5	st.	10	ci.st.	....	....
21....	29·16	29·36	24·2	6·8	28·0	6·8	95	77	N.E.	19	S.W.	25	·06	·04	....	.....	10	nb.	....	....	8	st.
22 .	29·69	30·02	— 9·0	— 7·4	6·8	—10·5	56	35	S.W.	29	W.	13	....	..	1	ci.	....	...	...	....	....	.....
23....	30·21	30·31	—15·5	— 5·5	— 1·6	—16·5	14	43	S.W.	17	S.W.	10	....	....	1	ci.	....	.....	....	.....	....	.....
24....	30·36	29·78	—12·0	10·5	10·5	—17·0	26	49	W.	3	E.	11	....	....	2	ci.	...	....	10	ci.st.	...	.....
25....	29·33	29·78	15·0	— 2·4	19·5	— 2·4	91	67	N.	7	W.	17	·38	....	....	.....	10	nb.	....	...	....	....
26....	29·97	29·84	—15·0	— 1·4	— 1·4	—16·6	42	49	S.W.	11	W.	15	....	....	5	ci.	....	....	10	ci.cu.	...	.....
27....	29·91	30·12	— 5·0	— 1·2	4·0	— 5·8	48	56	W.	20	W.	7	....	....	10	ci.st.	....	.....	....	.....	....	.....
28 ...	30·22	30·13	— 7·4	— 0·2	4·8	—10·4	67	76	S.W.	9	W.	21	....	....	10	ci.st.	....	.....	....	....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·22	29·90	—10·0	12·5	15·4	—12·6	54	71	S.W.	6	S.W.	4	....	....	....	.....	....	.....	10	ci.cu.	....	.....
2....	29·33	29·96	20·5	23·0	24·6	11·2	93	93	N.E.	26	N.E.	32	·05	·15	....	.....	10	nb.	....	.....	10	nb.
3....	29·22	29·62	18·8	13·8	23·0	13·8	88	89	N.E.	39	N.E.	37	·28	....	....	.....	10	nb.	....	.....	10	st.
4 ..	29·80	29·75	12·0	16·0	19·0	10·5	80	86	N.E.	26	E.	4	·02	S.	....	.....	10	nb.	....	.....	10	st.
5....	29·68	29·66	13·0	16·0	25·2	9·5	96	83	S.E.	3	S.W.	3	·06	....	....	.....	10	nb.	....	.....	10	cu.st.
6....	29·77	29·93	10·0	14·0	26·0	5·5	79	91	N.	3	N.E.	6	·01	....	....	.....	10	cu.st.	....	.....	....	.....
7....	30·00	29·74	— 4·5	12·6	19·0	— 5·8	75	85	W.	4	S.	12	....	....	....	.....	....	.....	....	.....	....	.....
8....	29·61	29·55	5·0	17·5	27·8	2·0	75	76	S.W.	3	S.W.	12	....	....	10	ci.st.	....	.....	....	.....	1	st.
9....	29·87	29·96	9·0	15·0	19·8	6·8	74	58	N.W.	11	S.W.	10	....	....	....	.....	1	st.	....	.....	5	st.
10....	30·01	29·89	6·8	24·6	26·0	4·0	82	72	S.W.	7	W.	9	....	....	1	ci.st.	....	.....	....	.....	10	st.
11....	29·96	29·90	10·2	26·6	32·0	8·5	90	78	W.	5	W.	7	....	....	....	..	....	...	....	...	....	....
12....	29·91	29·56	11·8	33·8	38·0	10·0	84	69	W.	3	S.	3	....	....	....	.....	....	...	....	.....	....	.....
13....	29·35	29·41	32·5	35·0	35·5	30·2	95	80	W.	3	W.	11	·06	....	....	....	....	.....	10	ci.st.	10	st.
14....	29·61	29·60	22·8	20·0	35·0	19·0	89	85	N.E.	24	N.E.	18	S.	·10	....	.....	10	nb.	....	.....	10	st.
15...	29·73	29·65	19·0	29·0	30·4	18·5	94	89	W.	9	S.W.	8	·05	·01	...	.....	10	cu.st.	....	.....	10	st.
16....	29·97	29·90	22·4	28·0	21·6	18·0	81	77	S.W.	17	S.W.	4	....	....	...	....	....	..	....	.....	10	st.
17....	29·39	29·78	29·2	25·5	44·0	24·0	98	87	W.	5	N.W.	28	....	S.	....	....	10	st.	....	.....	1	st.
18....	30·01	30·03	10·0	20·6	25·5	8·5	79	77	W.	13	W.	15	....	....	2	ci.	....	....	....	.....	1	st.
19. ..	29·96	29·18	12·0	23·0	27·2	8·0	80	97	N.	3	E.	27	....	·06	10	ci.st.	....	....	....	... .	10	nb.
20....	29·00	29·58	24·0	24·0	32·2	21·5	97	84	N.W.	7	N.W.	20	·50	....	....	..	10	st.	....	.....	1	st.
21. ..	29·70	29·53	18·5	30·5	30·5	16·8	84	82	S.W.	13	W.	15	....	....	1	ci.	....	.....	10	ci.st.	....	.....
22...	29·50	29·09	27·5	37·5	40·0	22·0	82	67	S.W.	6	W.	4	....	....	10	ci.cu.	....	.....	....	.....	....	.....
23....	29·40	29·79	41·8	41·8	46·0	35·5	95	68	W.	16	N.	12	....	....	10	ci.cu.	10	st.	10	ci.st.	....	....
24....	29·88	29·96	26·0	23·8	41·8	23·8	88	79	N.E.	36	N.E.	28	....	....	....	....	10	st.	2	ci.	....	.....
25....	30·09	29·86	17·0	32·8	38·2	12·0	77	87	N.E.	2	W.	16	....	....	....	.....	..	..	10	ci.st.	....	.....
26....	29·63	29·80	31·4	38·0	44·8	24·0	91	54	S.W.	16	N.	12	·01	....	....	....	10	st.	1	ci.	..	..
27....	29·91	29·65	27·5	31·0	38·0	26·4	59	92	N.E.	32	N.E.	9	....	·44	10	ci.cu.	....	.....	....	.....	10	st.
28....	29·49	29·45	35·0	39·6	41·6	30·0	95	96	N.E.	4	W.	11	·27	R.	....	.....	10	nb.	....	.....	....	.....
29....	29·69	29·52	35·8	32·0	40·6	32·0	82	94	W.	13	N.E.	36	....	·04	10	ci.	....	.....	....	. ...	10	st.
30....	29·54	29·66	37·0	37·0	42·0	31·5	95	62	S.W.	29	S.W.	18	·32	....	....	.....	2	cu.st.	1	ci.cu.	....	.....
31....	29·76	29·91	31·8	31·0	37·2	27·4	64	58	S.W.	21	W.	9	...	....	....	.....	....	.....	2	ci.st.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·01	29·99	25·0	24·8	31·0	23·8	75	74	N.E.	28	N.E.	15	....		10	ci.st.	....	.....	...	.....	...	.....
2	29·99	29·84	22·0	26·2	32·4	18·0	86	76	N.	1	N.E.	5	.....	.....	1	ci.st.	.....	.....	1	ci.st.	.....	.....
3	29·73	29·71	26·0	33·8	38·8	20·0	83	79	S.W.	13	S.W.	11	.....	.....	10	ci.cu.	.....	.....	.....	.....	...	.....
4	29·75	29·67	29·0	30·0	39·7	24·6	86	84	W.	9	E.	17	....	S.	10	ci.st.	....	.....	...	.	10	nb.
5	29·59	29·61	25·0	24·8	30·3	24·8	94	77	N.E.	38	N.E.	15	30	·06	....	....	10	nb.	...	.....	10	st.
6	29·88	29·94	15·0	25·4	31·8	11·5	65	60	W.	13	N.E.	11	.....	.....	...	.....	....	..	....	.....	.....	.....
7	30·00	29·78	17·2	27·0	29·5	11·4	89	86	N.	3	N.E.	21	....	..	....	...	...	.....	...	.....	.....	.. ..
8	29·59	29·49	30·2	31·0	36·8	25·0	87	95	N.E.	30	E.	10	....	·04	10	ci.st.	...	.....	....	...	10	n.b.
9	29·33	29·06	29·8	33·0	34·5	28·0	86	80	N.E.	32	N.E.	38	42	..	.....	.....	10	st.	10	ci.st.	...	.....
10	28·88	29·09	28·0	32·0	34·0	25·2	88	78	N.E.	49	N.E.	20	28	...	...	.....	10	nb.	....	.....	10	st.
11	29·25	29·32	25·0	33·5	38·5	21·6	87	76	W.	7	N.E.	8	.....	.....	...	.. .	....	.....	1	ci.st.	.....	. .
12	29·41	29·42	28·0	37·0	44·0	24·0	88	77	W.	1	S.W.	3	....	....	2	ci.st.	..	.. .	5	ci.st.	...	. . .
13	29·36	29·21	34·2	36·0	41·5	33·5	79	70	N.E.	18	N.E.	19	.. .	....	10	ci.cu.	....	.....	2	ci.st.	....	.....
14	29·19	29·21	31·3	41·0	48·8	27·4	79	49	S.W.	6	N.W.	11	.. .	....	2	ci.cu.	...	.....	..	.....	.....	.....
15	29·38	29·39	29·5	36·6	41·0	29·5	94	61	W.	22	W.	16	....	....	9	ci.st.	.....	.....	...	....	10	S.
16	29·38	29·26	32·2	35·8	41·6	28·0	68	69	W.	14	S.W.	6	....	....	10	ci.cu.	.....	.....	....	....	10	cu.st.
17	29·20	29·28	37·0	39·0	49·0	31·0	69	68	S.W.	4	W.	11	....	...	10	ci.st.	.....	.....	1	ci.st.	....	.. .
18	29·39	29·41	37·5	37·8	45·0	30·0	62	68	S.W.	8	S.W.	22	...	....	1	ci.	. .	.....	2	ci.st.	....	...
19	29·46	29·41	37·5	36·0	46·4	32·0	91	61	W.	6	W.	7	.....	.....	6	ci.st.	....	.....	...	.....	10	st.
20	29·39	29·49	30·6	27·5	36·0	23·6	87	88	S.W.	3	N.W.	13	....	·01	10	ci.st.	..	.....	....	.....	...	.....
21	29·64	29·57	22·0	36·0	42·0	15·5	86	61	S.W.	16	S.W.	15	.....	.....	5	ci.	.....	.....	8	ci.cu.	....	.....
22	29·58	29·41	35·8	50·0	54·0	28·5	70	72	W.	7	S.W.	26	.. .	....	10	ci.st.	. .	.....	...	.....	10	st.
23	29·43	29·35	43·0	39·0	50·0	38·8	67	60	S.W.	14	N.E.	11	R.	....	.....	.....	.....	.....	10	ci.st.	....	.....
24	29·23	29·43	37·0	38·2	46·8	35·6	98	44	N.E.	10	N.W.	9	·18	....	..	. .	10	nb.	...	.....	.....	...
25	29·57	29·58	34·0	38·0	42·2	28·6	57	71	W.	12	W.	5	....	....	10	ci.st.	.....	.....	10	ci.st.	...	.....
26	29·79	29·82	39·8	38·0	45·8	33·5	62	54	N.E.	8	N.E.	16	...	....	2	ci.	....	.....	10	ci,st.	....	.....
27	30·06	30·02	35·5	45·0	52·0	32·0	85	43	S.W.	7	W.	9	·01	.....	....	.....	1	ci.st.	5	ci.st.	....	.....
28	29·99	29·81	42·5	42·8	60·8	31·2	66	58	S.E.	4	N.E.	17	...	...	5	ci.	....	.....	10	ci.ct.	...	.....
29	29·71	29·49	41·8	54·5	62·8	38·0	68	90	N.E.	18	W.	9	....	·01	10	ci.cu.	....	. .	....	.. ..	10	st.
30	29·69	29·51	41·5	34·0	54·5	31·0	96	96	N.E.	10	N.E.	32	63	·65	....	.....	10	nb.	....	.....	10	n.b.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind. Amt. Kind.
	in.	in.	°	°	°	°							in.	in.						
1	29·75	29·93	34·0	39·5	48·0	32·5	97·9	81·8	N.E.	5	N.E.	10	·04	..	....	.....	10	nb.	.....	5 cu.st.
2	30·06	29·93	38·5	38·0	49·2	30·0	76·9	71·9	N.E.	5	N.E.	21	....	....	4	ci.	..	.....	10	ci. .....
3	29·89	29·78	40·8	46·2	52·0	33·0	77·2	84·5	N.E.	15	N.E.	4	.....	.....	10	ci.cu.	....	...	.....	10 cu.st.
4	29·67	29·42	43·8	34·0	46·2	34·0	81·7	97·7	N.E.	8	N.E.	7	R.	·17	....	.....	10	nb.	.....	10 nb.
5	29·81	29·82	28·0	39·5	45·6	24·6	71·2	64·0	S.W.	20	S.W.	6	R.	....	....	.. ..	....	.....	10	ci.st. .....
6	29·78	29·65	38·6	45·0	54·0	34·5	85·2	76·2	S.W.	4	S.	3	·01	....	....	.. ..	10	nb.	....	....
7	29·66	29·54	42·5	51·8	61·5	35·6	83·1	63·4	E.	2	S.W.	10	.....	.....	....	.....	10	cu.st.	.....	....
8	29·73	29·77	41·0	43·8	51·8	38·4	73·8	45·9	N.E.	6	S.W.	8	.....	.....	10	ci.cu.	..	.....	5	ci.st. .....
9	29·71	29·41	37·8	39·8	43·8	34·6	73·7	81·9	N.E.	26	N.E.	25	...	·01	5	ci.st.	..	.....	2	ci.cu. 4 st.
10	29·26	29·42	44·0	39·4	47·0	37·4	50·7	50·2	W.	20	W.	13	....	·01	5	ci.st.	....	.....	....	.... 2 st.
11	29·47	29·50	33·5	36·0	45·2	27·0	54·6	55·0	N.E.	7	N.W.	14	.....	.....	....	.....	1	cu.st.	.....	..... 10 st.
12	29·67	29·57	34·0	44·0	51·0	31·0	49·8	52·2	W.	21	S.W.	18	.....	.....	.....	.....	10	nb.	10	ci.st. .....
13	29·50	29·45	38·0	41·0	44·0	35·0	95·3	98·3	S.W.	5	N.E.	2	·05	·30	8	ci.st.	....	.....	.....	10 nb.
14	29·69	29·80	45·5	47·0	53·8	38·2	80·4	45·5	N.E.	8	N.E.	23	·12	....	5	ci.	...	..	8	ci.st. .....
15	27·79	29·61	58·5	48·0	57·5	45·0	40·6	66·8	N.E.	20	N.E.	25	.....	.....	.....	.....	...	...	8	ci.st. .....
16	29·53	29·55	49·2	54·0	58·6	47·0	98·5	88·0	N.E.	9	S.W.	12	·10	·01	....	.....	10	nb.	.....	..... 10 st.
17	29·57	29·55	52·0	57·5	66·2	45·5	72·7	59·8	S.W.	14	S.W.	10	.....	.....	.....	.....	....	.....	.....	..... 8 st.
18	29·56	29·36	52·5	58·8	65·0	51·0	79·6	77·2	S.W.	1	S.	11	....	·01	10	ci.cu.	....	.....	.....	..... 10 nb.
19	29·45	29·44	53·5	51·2	62·0	48·8	81·2	76·4	S.W.	19	S.W.	8	·45	R.	..	.....	2	st.	.....	..... 10 cu.st.
20	29·34	29·45	47·0	38·4	52·0	38·4	90·8	59·6	S.W.	6	W.	20	·04	R.	....	.....	10	nb.	.....	....
21	29·47	29·55	47·0	42·8	50·4	33·2	50·0	66·7	N.W.	18	N.W.	20	...	R.	...	.. ..	10	cu.st.	.....	..... 10 cu.st.
22	29·68	29·64	39·2	43·8	49·4	34·0	66·5	53·5	W.	14	N.W.	10	.....	.....	.....	.. ..	10	cu.st.	.....	....
23	29·76	29·70	41·0	52·0	58·8	31·2	56·7	41·1	S.W.	9	W.	8	.....	...	1	ci.st.	....	.....	.....	..... 2 cu.st.
24	29·82	29·85	43·0	44·0	53·8	34·0	65·3	37·2	N.	5	N.W.	12	...	....	.....	.....	.....	.....	.....	....
25	29·97	29·85	34·5	46·8	57·5	36·0	60·2	60·9	S.W.	5	N.E.	22	.....	.....	.....	.....	.....	.....	1	ci.st. .....
26	29·77	29·60	49·0	49·0	56·0	39·8	54·0	57·0	N.E.	15	N.E.	11	.....	.....	8	ci.	.....	.....	10	ci.cu. .....
27	29·45	29·34	48·0	48·0	49·5	44·5	63·0	59·0	N.E.	24	N.E.	26	.....	...	5	ci.cu.	5	st.	10	ci.st. .....
28	29·41	29·40	40·0	41·8	48·0	34·4	91·0	74·0	S.W.	8	S.W.	6	·35	R.	.....	.....	10	cu.st.	.....	... 10 nb.
29	29·39	29·55	45·0	44·0	49·0	38·8	88·0	84·0	S.E.	6	N.E.	18	·06	·01	.....	.....	10	st.	.....	..... 10 st.
30	29·69	29·78	48·0	48·0	51·5	43·0	78·0	79·0	N.E.	21	N.E.	16	R.	...	...	...	....	.....	.....	..... 8 st.
31	29·86	29·79	50·0	51·8	60·0	46·0	75·0	73·0	N.E.	16	N.E.	9	....	...	10	ci.cu.	...	.....	5	ci.cu. 5 st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·74	29·58	52·0	57·4	68·0	42·2	79	61	S.	4	N.E.	13	...	...	10	ci.cu.	...	.....	5	ci,cu.	5	st.
2	29·53	29·41	55·5	58·5	70·0	47·0	68	51	N.E.	3	N.E.	17	...	...	10	ci.cu.	...	.....	10	ci.cu.	....	.....
3	29·42	29·47	54·0	52·2	58·5	52·2	67	55	N.E.	17	N.E.	33	...	...	10	ci.cu.	...	....	..	....	....	. .
4	29·62	29·59	51·4	53·5	66·5	47·2	63	52	N.E.	16	N.E.	19	...	...	10	ci.cu.	....	.....	10	ci.cu.	....	.. ..
5	29·53	29·19	50·0	53·0	54·8	49·0	82	71	N.E.	27	E.	21	R.	R.	....	.....	10	st.	10	ci.cu,	....	.....
6	29·36	29·46	47·0	47·5	53·0	46·5	92	98	N E.	25	N.E.	17	·60	·04	....	.....	10	nb.	....	.....	10	nb.
7	29·51	29·63	46·2	45·0	50·2	45·0	98	98	N.E.	21	N.E.	12	·22	·02	....	.....	10	nb.	....	.....	10	nb.
8	29·61	29·67	43·0	44·0	49 2	42·0	98	92	E.	12	E.	18	·18	R.	....	....	10	nb.	....	....	10	st.
9	29·72	29·81	44·8	43·8	46·0	42·0	92	92	N.E.	18	N.E.	21	·09	R.	....	.....	10	nb.	....	.....	10	st.
10	29·91	29·81	45·4	50·5	53·2	42·0	76	68	N.E.	24	N.E.	12	R.	....	...	...	10	st.	..	.....	...	.....
11	29·79	29·71	51·0	56·8	63·4	40·0	72	49	N,E.	10	N.E.	20	....	....	2	ci.	....	....	...	.....	....	.....
12	29·81	29·72	53·5	70·0	82·8	40·6	67	40	N.	2	S.W.	11	..	....	..	.....	....	....	....	.....	....	...
13	29·72	29·52	59·0	70·8	80·0	50·2	70	37	S.W.	10	W.	12	....	....	2	ci.	....	.....	.....	.....	...	.....
14	29·44	29·37	61·8	72·0	81·6	54·0	64	34	S.W.	14	N.	13	...	...	2	ci.	....	.....	....	. .	....	.....
15	29·55	29·54	57·0	59·0	72·0	55·0	58	61	N.E.	29	E.	7	....	....	....	.....	....	.....	6	ci.st.	....	. .
16	29·65	29·67	62·0	62·0	75·0	49·2	55	56	N,W.	12	N.E.	10	...	....	....	. .	....	.	10	ci.st.	....	.....
17	29·73	29·59	58·8	72·5	79·2	52·0	65	71	N.E.	4	W.	3	...	..	10	ci.cu.	....	....	....	.....	5	st.
18	29·62	29·60	70·0	73·0	89·0	67·0	78	73	W.	11	W.	5	....	R.	....	.....	8	st.	....	.....	....	.....
19	29·76	29·70	63·5	61·0	73·0	59·8	74	68	N.E.	21	N.E.	28	·01	...	10	ci.cu.	....	.....	10	ci,st.	....	... .
20	29·63	29·61	54·0	53·6	61·0	51·0	99	96	N.E.	21	N.E.	22	·49	R.	...	.....	10	nb.	....	.. .	10	st.
21	29·78	29·77	54·0	63·0	69 2	50·5	93	91	N.E.	4	S.W.	4	R.	R.	....	.....	10	st.	8	ci.st.	....	.....
22	29·87	29·80	64·0	76·6	85·4	56·5	89	68	W.	2	S.W.	7	....	....	....	.....	....	.....	7	ci.st.	....	.....
23	29·80	29·65	70·0	77·5	84·6	62·0	81	74	S.W.	2	W.	7	.	... .	...	....	10	cu.st.	10	ci.cu.	....	.....
24	29·63	29·53	70·0	75·0	82·2	65·0	90	86	W.	7	W.	9	·09	R.	...	.....	10	st.	10	ci.st.	....	...
25	29·63	29·52	54·0	53·0	75·0	52·0	90	93	N.E.	30	N.E.	24	·63	R.	....	.....	10	st.	....	.....	10	st.
26	29·42	29·22	51·4	52·0	58·0	49·5	96	96	N.E.	22	N.E.	28	R.	·02	....	.....	10	st.	....	.....	10	nb.
27	29·11	29·20	50·0	64·8	71·2	49·0	99	68	E.	7	S.W.	14	·80	....	....	.....	10	nb.	5	ci.	....	.....
28	29·48	29·54	60·5	71·5	80·2	54·2	74	49	S.W.	15	W.	6	....	...	....	.....	2	cu.st.	1	ci.st.	....	.....
29	29·64	29·61	63·0	73·2	81·8	52·0	80	66	S.W.	1	S.E.	4	....	....	2	ci.	....	. ...	10	ci.st.	....	.. .
30	29·61	29·38	65·0	61·0	73·2	58·5	76	97	N.E.	13	N.E.	22	...	·22	....	.....	10	st.	....	.....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·39	29·40	62·0	59·2	70·0	59·2	94	98	N.E.	13	N.E.	15	....	....	10	ci.cu.	....	.....	.....	.....	10	st.
2....	29·36	29·45	56·0	59·8	65·6	56·0	99	84	N.E.	17	S.W.	12	·11	....	....	....	10	st..	....	.....	2	cu.st.
3....	29·64	29·65	58·0	65·2	72·8	48·5	76	61	W.	9	W.	15	·11	·02	....	....	....	....	....	.....	.....	.....
4....	29·74	29·62	59·5	68·0	76·4	47·2	82	65	W.	4	S.W.	15	....	....	....	.....	....	.....	2	ci.cu.	....	....
5....	29·57	29·49	66·4	67·0	78·0	59·0	83	55	S.W.	15	N.W.	8	....	....	....	.....	5	cu.st.	3	ci.cu.	3	cu.
6....	29·57	29·50	56 8	64·0	71·4	48·0	76	72	W.	6	W.	8	....	....	....	....	....	.....	10	ci.st.	....	.....
7....	29·50	29·49	63·6	64·8	76·5	55·0	77	80	N.E.	11	N.E.	12	....	....	7	ci.cu.	....	.....	10	ci.st.	....	....
8....	29·57	29·37	62·5	65·0	77·8	57·5	90	88	E.	9	W.	8	....	R.	....	.....	10	cu.st.	....	.....	10	cu.st.
9....	29·22	29·29	64·8	63·6	71·0	61·2	90	73	S.W.	12	W.	12	·33	·04	....	....	10	cu.st.	....	....	10	cu.st.
10....	29·40	29·50	58·8	62·0	68·8	52·0	66	64	W.	18	N.W.	10	....	....	....	.....	1	cu.st.	....	.....	1	cu.st.
11....	29·62	29·52	59 8	69·0	75·8	47·6	80	66	W.	3	W.	7	....	....	1	ci.	....	.....	8	ci.st.	....	.....
12....	29·48	29·38	60·5	57 8	69·0	57·8	85	94	N.E.	19	N.E.	21	·03	·34	10	ci.cu.	....	....	....	.....	10	nb.
13....	29·52	29·59	60·5	70·5	77·5	54·0	81	63	S.W.	11	W.	9	·21	....	....	.....	1	cu.st.	10	ci.st.	....	....
14....	29·74	29·72	63·2	73·8	82·5	55·0	87	69	E.	4	W.	11	....	....	....	.....	7	st.	1	ci.st.	....	.....
15....	29·78	29·66	67·2	74·0	83·2	58·2	84	71	S.W.	1	S.W.	5	....	....	10	ci.st.	....	.....	1	ci.	....	.....
16....	29·66	29·45	68·8	73·5	79·6	63·0	81	83	S.W.	1	W.	6	....	R.	10	ci.st.	....	.....	....	....	10	st.
17....	29·57	29·53	75·0	76·5	87·5	69·6	86	78	S.W.	13	W.	4	....	....	10	ci.cu.	....	.....	1	ci.st.	....	.....
18....	29·60	29·52	71·0	76·0	85·4	65·0	89	73	S.E.	3	S.W.	22	....	R.	....	....	1	st.	5	ci.st.	....	....
19....	29·61	29·51	68·0	75·0	83·2	61·2	81	63	W.	7	S.W.	14	....	....	....	.....	2	cu.st.	10	ci.st.	....	.....
20....	29·44	29·35	71·0	65·0	83·8	61·8	75	97	W.	1	S.W.	7	....	·83	10	ci.st.	....	.....	....	....	10	st.
21....	29·41	29·46	67·0	66·8	73·8	61·0	82	64	S.W.	10	N.W.	12	....	....	....	....	8	cu.st.	....	....	1	cu.st.
22....	29·51	29·47	64·8	64·8	76·8	55·5	79	79	S.W.	6	N.E.	22	....	R.	8	ci.	....	.....	....	.....	10	nb.
23....	29·46	29·55	61·4	64·8	70·2	58·0	94	88	N.E.	21	N.E.	10	·15	....	10	ci.cu.	....	.....	....	.....	2	cu.st.
24....	29·57	29 42	64·5	63·0	75·0	58·0	85	97	E.	8	S.E.	9	....	·68	10	ci.st.	....	....	....	.....	10	nb.
15....	29·38	29·41	64·4	69·0	77·2	62·0	96	72	S.W.	8	W.	10	·91	....	....	.....	10	st.	10	ci.st.	....	.....
26....	29·25	28·88	64·0	63·5	69·0	61·2	89	78	N.E.	20	S.W.	24	....	R.	10	ci.st.	....	.....	....	.....	10	cu.st
27....	28·97	29·23	57·0	52·5	69·0	52·5	94	96	S.W.	18	N.E.	14	·02	·32	....	.....	10	st.	....	.....	10	nb.
28....	29·39	29 36	57 0	68·0	75·0	50·5	81	82	W.	8	S.W.	12	·02	....	....	....	1	cu.st	....	....	5	st.
29....	29·45	29·44	63·0	62·8	70·5	59·8	86	84	E.	9	N.E.	16	·01	....	....	.....	10	st.	10	ci.cu.	....	....
30..	29·42	29·42	58·5	58·2	62·8	58·0	94	97	N.E.	28	N.E.	26	·15	....	10	ci.cu.	....	.....	....	....	10	cu.st.
31....	29·41	29·41	59·0	62·0	74·8	56·8	99	94	N.E.	25	N.E.	14	·34	....	....	.....	10	cu.st.	10	cu.st.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·46	29·47	61·0	64·0	76·4	56·5	93	89	N.E.	7	E.	5	·01	....	....	.....	10	st.	10	ci.st.	...	.....
2	29·46	29·40	61·0	62·0	66·2	57·8	92	95	N.E.	15	N.E.	8	...	R.	....	.. ..	10	st.	2	ci st.	...	....
3	29·53	29·58	61·4	63·0	70·5	55·0	78	75	S.W.	20	S.W.	16	....	....	1	ci.	...	.....	1	ci.st.	...	.....
4	29 67	29·62	57·2	59·0	67·0	53·2	78	87	N.W.	4	N.W.	5	....	....	10	ci.cu.	....	.....	10	ci.cu.	...	.....
5	29·73	29·73	59·0	65·0	71·0	52·0	76	65	S.W.	14	W.	12	....	....	....	....	....	..	2	ci.st.	....	
6	29·72	29·66	60·2	63·0	70·4	51·5	80	94	N.	8	W.	1	....	·04	5	ci.	....	....	....	....	10	cu.st.
7	29·66	29·55	60·0	63·8	70·6	53 0	99	95	S.W.	6	W.	6	R.	·11	....	.....	...	.....	...	... .	5	st.
8	29·71	29·76	59 2	62 8	71·8	54·8	69	68	N.	9	N.W.	8	....	....	5	ci.cu.	....	. .	..	....	....	.....
9	29·83	29·67	58·0	68·8	76·0	48·0	83	66	S.	5	S.W.	14	....	....	....	.....	....	...	....	.....	5	st.
10	29·72	29·61	66·5	72·6	77·0	60·0	79	74	W.	7	S.W.	13	R.	....	6	ci.cu.	....	....	10	ci.	...	... .
11	29·54	29·50	67·0	61·0	79·5	61·0	88	95	N.E.	2	N.E.	12	·15	R.	5	ci.	...	....	.....	.....	10	n.b.
12	29·41	29·27	63·0	80·0	84·0	58·6	94	76	N.E.	4	S.W.	18	·04	...	10	ci.cu.	....	.....	..	....	10	st.
13	29·34	29·45	68·0	62·5	80·0	62·5	69	73	S.W.	25	W.	14	....	....	....	.. ..	1	cu.st.	.....	.....	10	st.
14	29·58	29·78	58·5	58·0	66·8	54·0	79	79	W.	16	W.	15	....	....	....	.....	10	st.	...	.. ..	1	st.
15	29·96	29·91	57·0	63·0	70·5	50·0	81	68	S.W.	6	S.W.	12	....	....	....	.....	....	.. ..	....	.....	....	.....
16	29·91	29·75	58·0	69·0	75·6	52·0	82	71	S.E.	2	S.W.	5	...	....	2	ci.cu.	....	...	10	ci.st.	....	.....
17	29·61	29·46	60 0	66·0	70·2	59·0	96	94	S.E.	8	S.E.	3	·32	·02	....	.....	10	nb.	....	..	1	cu.st.
18	29·71	29·93	58·0	56·4	66·0	56·4	94	65	W.	19	N.	8	..	....	10	ci.st.	....	....	....	.....	....	.....
19	29·99	29·85	50·0	60·4	68·0	43·2	90	69	S.E.	3	W.	10	....	....	2	ci.	....	. .	10	ci.cu.	....	.. ..
20	29·65	29·62	60 0	63·6	73·8	53·8	88	94	C.	0	S.W.	6	....	....	7	ci.st.	....	.....	5	ci.cu.	....	.. ..
21	29·79	29·70	55·0	57·5	65·2	49·8	87	72	N.E.	8	S.W.	6	....	....	10	ci.	....	....	8	ci.st.	...	.....
22	29·82	29·79	53·0	61·4	69·0	45·2	86	69	W.	6	S.W.	8	..	...	....	....	. .	....	1	ci.st.	....	.....
23	29·86	29·71	57·4	65·8	74·6	49·6	79	74	S.W.	7	S.W.	3	...	....	5	ci.cu.	...	.....	....	.....	.....	...
24	29·58	29·31	63·0	60·0	72·0	57·6	78	99	E.	6	E.	3	...	·83	5	ci.cu.	..	.....	....	. .	10	nb.
25	29·25	29·21	58·0	60·0	66·5	57·2	90	92	S.W.	13	S.W.	11	·02	·04	...	... ..	10	st.	....	....	10	nb.
26	29·30	29·42	51·0	51 0	60·0	49·0	86	86	S.W.	16	S.W.	10	16	·01	10	ci.cu.	....	....	10	ci.cu.	....	.....
27	29·46	29·49	51·0	52·8	58·0	47·5	79	80	S.W.	16	W.	11	R.	....	....	....	10	cu.st.	...	.....	2	cu.st.
28	29·47	29·44	52·5	54·5	59·8	46·0	83	82	S.W.	15	S.W.	15	....	....	..	....	10	st.	....	.....	10	st.
29	29·45	29·53	57·0	56·0	63·8	50 2	78	85	S.W.	17	W.	7	....	....	....	.....	8	st.	...	.....	1	st.
30	29·57	29·55	54·0	55·8	63·2	50·2	87	91	S.W.	10	S.W.	9	....	·03	..	.....	10	cu.st.	....	....	5	st.
31	29·59	29·63	55·0	56·5	64·0	50·0	87	72	W.	14	N.W.	7	....	....	....	....	2	cu.st.	....	.. .	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·46	29·63	54·6	54·0	63·2	47·0	83	87	S.	2	N.E.	13	...	...	...	...	4	cu.st.	10	ci.cu.	....	
2....	29·59	29·53	54·0	57·0	59·8	52·0	82	82	N.E.	20	N.E.	26	...	....	10	ci.cu.	....	.....	10	ci.cu.	....	.....
3....	29·55	29·73	57·0	57·2	48·5	54·5	87	86	N.E.	27	N.E.	23	....	R.	10	ci.st.	....	.....	.. .	....	10	st.
4....	29·71	29·69	55·0	55·2	57·2	54·4	95	99	N.E.	27	N.E.	13	·14	R.	....	. .	10	n.b.	....	..	10	st.
5....	29·69	29·57	56·0	56·0	59·8	53·0	87	87	N.E.	20	N.E.	22	....	. .	....	....	10	st.	10	ci.st.	...	.....
6 ...	29·46	29·41	54·5	56·2	60·4	53·0	97	93	E.	10	N.E.	10	·15	. .	....	....	10	n.b.	....	. .	10	st.
7....	29·47	29·52	56·6	61·0	68·8	51·8	92	81	W.	12	S.W.	11	·15	...	...	. .	1	st.	3	ci.st.	....	.....
8....	26·60	29·67	55·5	59·5	69·5	49 5	93	65	W.	6	N.E.	16	...	....	5	ci.	5	st.	....	.....	....	.....
9....	29·89	29·96	53·0	55·0	60·4	48·8	67	80	N.E.	26	N.E.	30	...	....	1	ci.	....	.....	5	ci.cu.	....	.....
10....	29·92	29·86	52·0	58·0	60·5	50·0	99	94	N.E.	20	N.E.	9	·64	.	. ..	.....	10	n.b.	....	.....	6	st.
11 ...	29·70	29·46	59·0	62 0	62·8	57 0	99	95	N.E.	15	N.E.	17	·27	·07	....	.	10	n.b.	....	....	10	n.b.
12 ...	29·49	29·61	60·8	58·0	64 6	57 2	86	88	S.W.	8	S.W.	13	·15	·01	7	ci.cu.	....	.....	....	....	10	st.
13...	29·88	29·95	52·0	51 0	60·4	48·0	73	72	S.W.	14	N.W.	10	....	. .	5	ci.cu.	....	.....	1	ci.st.	....	.....
14....	30·04	29·83	50·0	56·2	61·2	45·4	75	92	E.	14	N.E.	4	....	....	10	ci.cu.	.. .	.....	3	ci.st.	....	.....
15....	29·81	29·87	62·0	66·0	74·0	55·2	88	72	W.	6	N W.	12	....	R.	10	ci.cu.	....	...	....	.....	1	cu.st.
16....	29·93	29·64	53·0	56·0	66·0	52 0	86	95	N.E.	17	N.E.	6	·18	·01	10	cu.st.	....	.....	....	..	10	n.b.
17....	29·63	29·90	59 5	51·0	64 0	51 0	73	65	N.W.	13	N.W.	16	·23	....	1	ci.	....	....	....	.....	....	. .
18....	30·09	30·04	42·0	48·5	54·8	35·6	73	78	W.	3	N.E.	8	....	...	.. .	....	....	...	....	. ....	...	... .
19 ...	29·94	29·74	45·0	56·6	63·8	41 0	78	73	N.E.	5	W.	11	....	....	2	ci.	....	.....	7	cic.u.	....	. .
20 ..	29·69	29·36	53·0	64 2	67·3	48·0	86	80	S.W.	7	N.E.	4	....	....	4	ci.	....	. ...	10	ci.cu.	....	.....
21....	29,38	29·39	63·0	61·0	70·8	59·8	91	71	S.W.	19	S.W.	15	·27	....	....	...	8	cu.st.	10	ci.st.	...	.....
22....	29·44	29·60	55·0	50·5	61·0	60·5	68	73	W.	18	S.W.	9	·01	....	....	....	1	cu.st.	....	.....	1	st.
23. .	29·62	29·35	46·8	51·5	55·8	39·2	86	89	N.E.	9	N.E.	20	....	....	10	ci.cu.	....	....	....	....	10	n.b.
24....	29·13	29·06	52·0	56·0	60·4	50·0	99	88	N.E.	16	S.W.	9	·18	. .	...	...	10	n.b.	....	. .	2	st.
25....	29·11	29·42	52 8	47·0	56·4	47·0	84	77	S.W.	26	W.	14	R.	...	....	.....	10	cu.st.	5	ci.st.	...	.....
26....	29·69	29·62	39·0	42·0	47 4	34·6	82	83	S.W.	10	S.W.	11	....	....	....	.....	1	cu.st.	....	.....	1	st.
27....	29·67	29 69	40·0	43·8	49·5	37·6	73	63	W.	14	W.	9	·05	...	10	ci.cu.	....	. ....	....	.....	10	st.
28....	29 91	29·88	33·0	43·8	48·2	28·5	74	56	N.W.	10	S.W.	6	....	...	10	ci.st.	....	.	10	ci.st.	. .	..
29 ...	29·79	29·71	44·0	45·0	47·8	40·5	72	76	N.E.	28	N.E.	23	...	R.	10	ci.st.	....	.....	....	....	10	n.b.
30....	29·64	29·47	43·0	39 5	45·0	39·5	80	96	E.	9	S.W.	15	·05	·10	10	ci.cu	....	.....	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·73	29·83	11·4	43·6	53·0	37·2	83	76	N.W.	13	W.	9	·08		10	ci.cu.						
2	29·86	29·79	38·2	48·0	55·6	34·0	98	81	S.W.	5	N.	11					10	st.				
3	29·76	29·58	44·0	51·6	56·6	37·0	84	86	E.	3	N.E.	7			10	ci.cu.					10	st.
4	29·28	29·08	48·8	53·0	53·8	46·0	87	89	N.E.	26	S.W.	5	R.	·02			10	nb.			10	st.
5	29·20	29·31	43·5	43·0	53·0	40·4	79	75	W.	9	W.	10			6	ci.			10	ci.st.		
6	29·46	29·50	39·8	41·0	49·0	36·0	78	89	W.	7	S.W.	7		R.	8	ci.					1	st.
7	29·55	29·27	42·8	45·0	45·0	38·0	85	95	N.E.	13	N.E.	20	·01	·16	10	ci.cu.					10	st.
8	28·97	29·52	52·4	37·5	53·2	37·5	99	62	S.W.	6	N.W.	19	1·16	R.			10	nb.			10	st.
9	29·84	29·80	34·0	41·8	46·5	29·4	84	72	S.W.	18	S.W.	7					1	st.	10	ci.st.		
10	29·69	29·57	42·0	48·8	54·8	37·0	73	72	N.E.	12	S.E.	17		R.	2	ci.st.					10	st.
11	29·53	29·53	44·0	46·0	48·8	42·0	90	98	E.	15	E.	5	·17	·28	10	ci.cu.					10	nb.
12	29·51	29·66	46·0	45·0	51·2	44·0	98	84	S.W.	10	S.W.	5	·44		6	ci.cu.	1	st.				
13	29·76	29·75	38·0	44·0	52·0	35·2	95	82	S.E.	2	N.	10	R.				2	st.				
14	29·83	29·83	36·5	44·0	50·8	35·0	95	85	S.E.	4	S.W.	11									10	st.
15	29·84	29·85	40·0	42·8	48·5	38·0	93	83	S.W.	5	W.	8		R.			10	st.			10	st.
16	29·97	29·81	36·0	53·0	55·2	33·0	90	72	S.W.	8	S.W.	19					10	st.	10	ci.		
17	29·84	29·60	50·8	56·5	57·0	48·0	87	72	S.W.	7	S.W.	9			10	ci.cu.					10	cu.st.
18	29·32	29·67	45·0	31·0	60·0	31·0	87	77	N.W.	23	W.	15	·05				10	nb.			2	cu.st.
19	29·80	29·77	24·5	32·0	35·2	20·0	81	79	S.W.	8	S.W.	11					1	cu.st.	10	ci.cu.		
20	29·84	29·78	27·0	28·0	35·6	25·0	64	79	N.W.	8	N.W.	8			5	ci.cu.						
21	29·87	29·79	21·5	27·2	33·6	17·5	84	81	N.W.	9	S.W.	11			10	ci.cu			10	ci.cu.		
22	29·65	29·33	28·5	44·0	47·8	23·0	88	77	W.	5	S.W.	17		·02	10	ci.cu.					10	st.
23	29·35	29·54	41·0	38·0	46·0	38·0	78	72	W.	12	N.W.	15			8	ci.cu.					9	cu.st.
24	29·73	29·66	35·0	34·0	40·8	33·0	90	71	N.W.	11	S.W.	14			10	ci.cu.			1	ci.st.		
25	29·43	29·48	32·0	35·0	36·4	28·0	85	90	N.E.	2	N.W.	12					10	nb.			10	st.
26	29·82	29·96	30·5	26·4	35·0	26·4	84	83	W.	7	W.	3					1	cu.st				
27	29·90	29·71	27·5	33·1	35·2	26·4	88	89	N.E.	11	N.E.	17					10	st.			10	st.
28	29·58	26·41	40·0	41·2	42·5	27·0	95	98	N.E.	32	N.E.	21	·77	·26			10	nb.			10	nb.
29	29·47	29·46	41·2	37·0	42·0	37·0	98	81	C.	0	N.W.	13	·38								5	st.
30	23·76	30·02	25·0	32·0	37·0	23·2	87	79	N.W.	21	N.W.	11			6	ci.					1	st.
31	30·22	30·23	27·0	35·5	41·2	25·0	82	54	W.	12	W.	9										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·18	29·94	28·2	37·0	47·2	24·5	85	71	S.	7	W.	1	....	....	10	ci.	....	.....	....	.....	....	.....
2	29·75	29·52	37·5	44·4	49·0	32·0	62	85	N.E.	8	N.E.	15	....	·04	10	ci.st.	....	....	....	.....	10	nb.
3	28·96	28·89	47·2	43·2	53·0	41·5	98	98	N.E.	19	S.W.	22	·86	·07	....	.....	10	nb.	....	.. ..	10	nb.
4	29·24	29·54	32·8	30·5	43·2	30·5	80	84	S.W.	15	S.W.	11	·07	...	....	.....	10	st.	....	.....	10	st.
5	29·64	29·65	26·5	34·0	34·0	23·2	88	84	S.E.	3	N.E.	3	..	·01	10	ci.st.	....	....	....	.....	10	nb.
6	29·74	29·54	35·4	40 0	40·8	22·8	82	87	N.E.	24	N.E.	39	S.	·28	1	ci.st.	1	st.	....	.....	10	nb.
7	28 96	28·89	42·0	39·0	42·5	38·0	91	98	N.E.	53	N.E.	23	·34	·10	....	.....	10	nb.	....	.....	10	st.
8	29·18	29·37	37·0	34 6	39·0	34·6	90	90	S.W.	30	S.W.	12	·05	S.	....	.....	10	st.	....	..	10	nb.
9	29·51	29·48	33·5	37·5	42·0	32·5	84	86	S.W.	8	N.E.	8	·04	....	....	.....	10	cu.st.	7	ci.st.	....	.....
10	29 44	29·57	37·8	35·8	41·6	35·8	87	92	N W.	3	S.W.	10	R.	·02	..	.....	10	nb.	....	.....	10	st.
11	29·71	29·75	32·0	29·2	36·6	29·2	92	80	W.	3	N.W.	13	....	·02	...	.....	10	st.	....	.....	10	st.
12	29·91	29·79	20·0	26·0	29·2	18·4	85	80	W.	10	S.W.	18	...	....	....	.....	1	st.	..	.....	2	st.
13	29·56	29·33	29·6	32·4	34·2	24·0	87	84	S.W.	16	S.W.	21	....	S.	....	.....	10	cu.st.	....	....	10	nb.
14	29·45	29·75	18·0	18·2	32·4	17·2	76	65	W.	16	W.	22	·08	...	5	ci.st.	2	st.	....	..	10	st.
15	29·96	29·97	14·0	21·8	22·6	12·6	82	86	W.	5	N.W.	4	...	·02	10	ci.st.	....	.....	....	.. ..	10	st.
16	30 01	29·77	30·0	26·8	28·6	17·6	94	90	W.	7	S.W.	6	....	...	....	.....	10	st.	....	.....	10	st.
17	29·87	29·92	25·0	24·8	29·6	24·8	65	72	N.W.	13	W.	8	....	....	1	ci.	....	.....	....	....	....	.....
18	29·81	29 83	32·2	33·0	39·4	23·0	79	81	W.	8	S.W.	3	....	....	....	.....	10	cu.st.	6	ci.st.	..	.....
19	29·90	30·05	32·0	27·0	33·2	27·0	90	86	N.E.	16	N.E.	14	....	....	....	.....	10	cu.st.	...	....	10	cu.st.
20	30 20	30·12	24·0	25·6	28·5	22·5	87	85	N.E.	5	N.E.	8	...	...	....	.....	9	cu.st.	....	....	....	.....
21	29·92	29·66	31·2	37·0	37·0	24·0	81	98	N.E.	14	N.E.	4	....	·07	10	ci.st.	....	.....	....	....	10	st.
22	29·72	29·76	42·0	41·4	45·2	36·5	91	91	S.W.	19	S.W.	9	·05	....	....	.....	10	cu.st.	....	.....	10	st.
23	29·81	30·04	36·0	31 5	43·0	31·5	94	72	S.W.	14	N.W.	11	·03	....	....	..	6	st.	....	.....	2	cu.st.
24	30 20	30·15	27·0	31·0	34·0	24·6	76	84	N.E.	8	N.E.	20	....	....	....	.....	2	st.	....	...	....	.....
25	30·01	29·56	30·0	30·6	31·0	28·6	93	91	N.E.	34	N.E.	31	·01	·20	....	.....	10	nb.	....	.....	10	nb.
26	29·36	29·35	30·5	29·8	32·0	29·8	95	87	S.W.	13	S.W.	13	·14	R.	....	. ....	10	st.	....	.....	10	st.
27	29·40	29·42	27·4	23·8	31·4	23·8	86	70	S.W.	13	S.W.	16	....	....	...	ci.st.	8	cu.st.	....	.....	2	st.
28	29·43	29·42	18·8	19·5	23·8	16·2	78	92	S.W.	11	S.W.	6	....	....	....	....	2	st.	....	.....	10	st.
29	29·67	29·90	20·5	21 0	24·0	17·0	78	71	S.W.	10	W.	10	·10	....	....	.....	10	st.	....	.....	10	st.
30	30·00	29·97	11·0	19 0	22·2	11·0	80	69	W.	9	E.	5	....	....	....	.....	10	st.	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Quebec—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°								in.	in.								
1	29·96	29·79	14·0	19·0	21·6	10·8	82	84	E.	13	E.	23	·02	....	10	ci.st.	....	....	....	.....	10	st.
2	29·54	29·53	20·5	19·2	23·0	17·0	85	72	N.E.	14	W.	18	....	....	....	.....	10	st.	....	.....	10	st.
3	29·76	29·96	13·8	12·6	19·0	11·0	85	89	S.W.	16	S.W.	12	·05	....	10	ci.st.	....	....	....	.....	1	st.
4	30·02	29·95	7·0	7·4	12·6	5·5	89	95	S.W.	2	S.W.	6	....	....	....	.....	10	nb.	....	.....	....	..
5	29·89	29·65	0·2	8·4	9·5	−3·6	88	87	S.W.	10	S.W.	13	....	....	....	.....	8	cu.st.	....	....	10	st.
6	29·66	29·68	16·4	25·8	26·0	6·1	90	90	S.W.	13	S.W.	6	....	....	10	ci.st.	....	.....	....	..	10	st.
7	29·69	29·78	32·2	34·0	35·2	25·0	89	79	S.W.	18	S.W.	12	....	....	....	.....	10	st.	....	....	10	st.
8	29·82	29·77	32·4	33·8	35·2	32·0	96	92	W.	4	W.	4	....	·01	....	....	10	st.	....	.....	10	st.
9	29·78	29·56	34·0	34·8	39·4	32·5	95	90	W.	3	N.E.	20	·03	R.	....	.....	10	st.	....	....	10	nb.
10	29·19	29·13	43·8	42·8	45·8	33·5	97	98	N.E.	9	E.	5	·48	·02	....	.....	10	nb.	....	....	10	nb.
11	29·01	29·22	32·2	29·0	42·8	29·0	98	91	N.E.	30	E.	6	·31	·06	....	....	10	nb.	....	....	10	nb.
12	29·31	29·50	21·6	12·0	29·0	12·0	89	80	S.W.	13	S.W.	21	·05	....	....	....	10	st.	....	....	2	st.
13	29·72	29·91	2·0	7·4	12·0	1·5	72	73	S.W.	19	S.W.	11	....	....	....	.....	1	st.	....	.....	....	..
14	30·05	29·88	2·2	18·0	18·0	2·0	89	84	S.	6	N.E.	39	....	....	1	ci.st.	....	.....	10	ci.st.	....	.....
15	29·62	29·42	23·0	24·6	24·6	16·4	86	87	N.E.	39	N.E.	29	·22	·05	....	....	10	nb.	....	....	10	st.
16	29·35	29·44	24·2	23·6	26·5	22·8	87	87	N.E.	23	E.	10	·01	S.	....	....	10	st.	....	...	10	nb.
17	29·55	29·63	20·0	23·8	26·5	19·5	88	89	E.	1	W.	9	·01	·01	7	ci.st.	....	....	....	....	10	nb.
18	29·62	29·61	21·0	18·8	23·8	18·8	85	81	S.W.	16	S.W.	12	·03	·01	....	....	10	nb.	....	.....	10	st.
19	29·65	29·63	8·8	22·5	22·5	7·6	83	93	W.	11	S.W.	9	....	....	2	ci.st.	....	....	....	....	10	st.
20	29·59	29·60	27·0	27·8	28·0	21·5	88	88	S.W.	33	S.W.	21	....	·02	....	....	10	st.	....	.....	10	nb.
21	29·74	29·89	21·0	15·0	27·8	15·0	78	79	W.	14	S.W.	9	·01	....	....	....	....	....	8	ci.st.	....	.....
22	29·69	29·59	29·8	31·0	33·0	13·6	87	83	S.W.	28	S.W.	20	....	..	....	....	10	st.	....	.....	6	st.
23	29·43	28·81	28·8	31·2	31·8	25·0	80	96	W.	8	N.E.	38	....	·26	10	ci.st.	....	....	....	.....	10	st.
24	28·56	29·18	30·8	29·8	32·8	29·4	96	86	S.W.	20	S.W.	20	·48	....	....	....	10	nb.	....	.....	10	st.
25	29·57	29·60	15·0	15·4	29·8	14·8	68	79	W.	15	W.	12	....	....	1	ci.st.	1	st.	10	ci.st.	....	.....
26	29·70	30·01	24·0	13·0	26·5	13·0	95	85	S.W.	17	W.	7	·10	....	....	....	10	cu.st.	....	.....	....	.. ...
27	29·75	29·40	20·0	33·8	35·0	8·0	70	83	N.E.	9	S.W.	3	....	·01	10	ci.cu.	....	....	....	.	10	st.
28	29·32	29·39	38·0	30·8	38·8	30·8	98	87	W.	6	W.	22	·25	R.	....	....	....	....	....	.....	2	st.
29	29·88	29·87	1·2	15·2	30·8	−0·5	71	79	W.	11	W.	6	....	....	....	....	....	....	....	.....	10	st.
30	29·52	29·84	21·0	30·0	30·0	14·2	93	98	N.W.	17	N.E.	15	10	·06	....	....	10	nb.	....	.....	10	st.
31	29·21	29·17	13·2	8·8	30·8	7·8	74	83	W.	20	W.	·9	·01	·05	....	....	1	st.	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1906.

Father Point, Quebec: Latitude North, 18° 31′; Longitude West, 68° 19′. Height above Sea, 20 feet.
January, 1906.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.							
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°																
1	29·94	29·97	29·4	29·0	31·2	22·1	95	95	E.	6	E.	6	·10	·04	...	...	...	...	...	...	...	...
2	30·37	30·69	22·4	14·2	30·7	13·2	90	89	N.	32	N.E.	20	...	...	...	...	...	...	...	...	...	...
3	30·75	30·31	8·0	9·1	14·2	6·9	84	92	E.	5	S.E.	6	...	...	...	...	...	...	...	...	...	...
4	29·57	29·44	19·0	29·3	31·0	8·1	97	89	E.	4	W.	20	·20	·10	...	...	...	...	...	...	...	...
5	29·76	30·09	21·4	17·4	30·1	16·0	79	77	N.W.	40	N.	24	...	...	...	...	...	...	...	...	...	...
6	30·31	30·17	8·2	12·4	17·8	7·1	80	92	N.	10	S.	5	..	...	3	ci.st.	4	st.	...	...	10	st.
7	30·01	30·13	24·4	21·5	29·0	12·0	88	77	W.	12	N.W.	30	...	...	...	...	10	st.	...	...	4	st.
8	30·42	30·07	3·1	6·3	22·6	2·0	73	91	N.	6	S.E.	8	...	...	...	...	6	st.	...	...	...	...
9	29·49	29·68	15·4	— 1·7	17·4	— 2·2	93	84	W.	5	N.W.	48	15	...	...	...	...	...	...	...	10	st.
10	29·91	29·73	—10·7	— 2·5	— 1·1	—12·0	53	75	N.W.	30	S.W.	14	...	...	...	...	10	st.	..	....	10	st.
11	29·54	29·99	9·4	6·4	17·0	— 8·0	94	79	S.W.	18	N.W.	36	·10	·04	..	...	10	st.	..	...	7	cu.st.
12	30·41	30·35	1·3	2·3	7·2	— 0·7	63	91	N.	10	E.	12	...	·01	3	ci.st.	3	st.	...	...	...	...
13	30·37	30·67	2·8	1·0	5·0	— 1·0	97	92	S.	5	S.W.	16	10	...	...	...	8	st.	..	.....	...	.....
14	30·48	29·88	4·3	12·1	13·3	0·0	66	94	S.E.	8	E.	5	...	·15	...	...	10	st.	..	...	...	...
15	29·79	29·92	12·3	— 4·0	17·3	— 5·0	75	100	N.W.	38	N.W.	36	·15	..	..	...	8	cu.st.	...	...	...	...
16	30·26	30·60	—19·0	—13·5	— 2·4	—20·0	100	85	N.	34	N.W.	24	...	...	...	...	10	st.	...	...	...	...
17	30·64	30·44	—15·5	—10·5	— 8·2	—18·0	71	86	N.W.	16	S.W.	10	...	...	...	...	1	st.	...	...	9	st.
18	30·20	30·14	— 3·0	9·3	12·3	—14·0	66	72	S.W.	16	S.	14	...	...	...	...	10	st.	...	...	10	st.
19	30·36	29·95	2·0	17·0	17·8	— 3·0	72	67	S.	10	S.E.	8	...	·18	...	...	2	st.	..	...	...	...
20	29·11	29·06	40·0	31·5	45·0	15·0	91	85	S.W.	26	S.W.	60	·20	...	...	...	10	st.	..	...	...	...
21	29·87	30·29	— 1·5	0·0	35·0	— 4·0	52	39	N.W.	36	N.W.	24	...	.	...	...	10	st.	...	...	8	st.
22	30·50	30·52	— 9·0	— 8·0	0·4	—10·0	89	58	N.W.	12	S.E.	12	...	...	...	...	...	...	...	...	...	...
23	30·35	30·36	— 2·5	— 2·5	4·4	— 9·0	84	84	E.	42	N.	24	01	·04	..	...	...	...	...	...	...	...
24	30·27	30·13	—11·0	— 6·0	— 1·4	—12·0	86	100	N.W.	20	N.W.	28	...	...	...	...	2	st.	...	...	...	...
25	30·03	29·98	— 9·5	2·5	3·4	—14·6	87	86	N.W.	36	W.	24	..	...	...	...	2	st.	...	...	5	cu.st.
26	30·21	30·32	— 4·5	— 3·5	4·4	— 8·6	82	89	N.	2	S.W.	20	...	...	...	...	10	st.	...	...	...	...
27	30·54	30·41	—13·0	— 4·0	6·4	—15·3	47	65	S.	8	S.	6	...	...	...	...	1	st.	...	...	10	st.
28	30·22	30·14	1·5	9·3	16·3	— 5·0	57	72	S.	8	W.	16	...	.	3	ci.cu.	3	cu.st.	...	...	2	cu.st.
29	30·26	30·20	0·5	9·0	10·4	— 1·0	85	78	N.W.	8	N.W.	10	..	...	8	ci.st.	...	...	...	...	10	cu.st.
30	30·36	30·42	10·5	—11·0	9·4	—15·0	51	52	S.W.	1	S.E.	4	.	...	..	...	2	st.	...	...	10	cu.st.
31	30·69	30·43	—16·5	—16·5	4·4	18·0	83	87	S.	12	S.W.	14	...	...	3	ci.	...	...	...	...	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Que.—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind	Amt.	Kind	Amt.	Kird
	in.	in.	°	°	°	°							in.	in.								
1	50·43	30·33	6·0	7·0	14·3	0·0	76	54	S.W.	20	E.	8	·06	...	...	...	9	cu.st.	....	....	....	.. ..
2	29·95	29·52	13·3	16·4	19·4	4·0	95	93	E.	20	E.	13	·30	...	...	.....	....	.....	....	....	10	st.
3	29·02	29·70	22·4	— 2·3	31·0	— 4·8	97	77	S.W.	38	N. W.	48	...	...	....	....	9	cu.st.	....	.....	10	st.
4	30·14	30·44	— 5·5	3·0	3·4	— 7·0	81	73	N.W.	36	N.W.	16	...	...	....	.....	10	st.	....	....	....	.. ..
5	30·50	30·32	7·0	4·5	5·0	— 7·0	100	74	S.E.	8	E.	24	....	...	....	.....	10	st.	....	.....	10	st.
6	30·12	30·13	5·0	6·8	9·4	3·0	75	82	N.E.	28	N.	8	12	....	....	.....	...	.....	....	.....	...	.....
7	30·27	30·29	3·0	7·3	12·3	1·0	72	71	S.W.	6	S.W.	18	..	....	3	ci.cu.	2	cu.st.	...	.....	...	....
8	30·27	30·23	8·3	9·3	17·4	5·1	94	94	S.W.	18	S.	12	S.	...	....	....	10	nb.	....	.....	4	st.
9	30·26	30·05	10·0	7·0	15·3	5·0	100	54	S.	12	S.E.	2	·01	....	....	..	....	.....	....	.....	....	.....
10	29·79	29·53	18·0	22·3	22·3	5·0	68	92	S.W.	16	S.E.	8	·01	·01	...	.. ..	...	st.	....	.....	....	....
11	29·26	29·43	26·0	7·3	26·0	7·3	88	86	S,	16	W.	42	·14	....	....	.. ..	....	.....	....	....	10	st.
12	29·55	29·83	3·0	2·0	8·4	— 4·0	100	44	N.W.	28	N.	24	·08	....	....	.....	....	.....	....	.....	....	.....
13	30·11	29·89	4·0	7·5	8·0	— 5·0	100	84	N.W.	16	S.W.	9	...	·01	....	.....	5	cu.st.	....	.....	....	.....
14	29·62	29·69	12·3	15·0	16·3	6·7	98	82	S.E.	4	N.E.	26	·01	·12	....	.....	....	.....	....	.....	....	.....
15	29·81	29·79	12·0	10·3	18·0	8·0	61	73	N.	10	W.	10	...	....	3	ci.cu.	4	st.	....	....	....	.....
16	29·71	29·83	19·0	23·0	26·3	8·0	85	86	S.W.	16	N.	20	·10	....	....	.....	....	.....	....	... ..	10	st.
17	29·94	30·16	10·0	6·3	23·6	6·0	79	93	N.E.	24	E.	20	....	....	....	.....	10	st.	....	.....	10	cu.st.
18	30·30	30·16	0·5	2·5	10·4	— 4·0	85	84	E.	26	S.E.	12	....	....	....	....	10	st.	....	.....	....	.....
19	29·97	29·63	— 12·5	13·0	13·3	— 18·0	86	83	S.W.	10	E.	10	....	....	1	ci.	....	.....	..	.....	10	st.
20	29·61	29·84	20·0	14·3	27·0	10·0	85	95	S.W.	24	S.	10	·18	..	...	....	....	.....	2	ci.	....	.....
21	29·46	29·47	24·0	22·0	26·0	14·0	87	86	E.	18	W.	36	·10	·02	....	.....	....	.....	....	.....	10	st.
22	29·78	30·18	— 1·5	— 5·5	22·9	— 7·0	84	81	N.W.	38	N.W.	38	...	....	..	.....	5	cu.st.	....	...	10	cu.st.
23	30·40	30·56	—13·0	— 6·0	— 3·4	—14·0	100	100	N.W.	28	N.	26	....	....	....	.. ..	5	cu.st.	....	.....	5	cu.st.
24	30·69	30·23	—13·0	2·7	9·5	—17·0	100	75	S.	8	S.	8	....	....	....	.... .	1	st.	....	.....	....	.....
25	29·67	29·87	14·3	4·5	21·0	2·0	95	88	S.W.	16	N.W.	38	·10	....	....	.....	10	nb.	....	.....	10	cu.st.
26	30·16	30·09	— 9·0	1·5	4·5	—10·0	100	68	W.	24	N.	26	....	....	....	.....	10	cu.st.	....	.....	4	cu.
27	30·16	30·34	— 8·0	— 0·5	4·0	—10·0	58	61	N.	28	N.W.	28	....	....	....	.. ..	2	st.	....	....	....	....
28	30·52	30·40	— 8·0	3·2	6·0	—10·0	100	68	N.W.	12	S.W.	12	....	....	8	ci.cu.	....	.....	3	ci.	6	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·46	30·14	1·0	14·3	18·0	— 9·0	72	65	W.	10	W.	26	....	....	....	....	5	st.	..	....	....	..
2....	29·78	29·42	19·0	19·4	22·0	11·0	87	90	S.	4	E.	28	·04	·40	....	....	....	..	....	....	....	....
3....	29·69	30·06	10·3	7·3	22·0	7·0	94	93	E.	36	S.E.	9	·50	....	....	....	....	....	....	....	....	....
4....	30·19	30·12	— 5·0	1·8	13·3	—10·0	100	94	E.	10	S.E.	10	....	....	....	....	4	cu. st.	....	....	2	st.
5....	30·11	29·98	1·2	10·6	14·5	— 4·0	93	88	S.	4	N.E.	6	S.	....	....	....	10	nb.	....	....	....	....
6....	30·11	30·26	2·0	4·0	18·0	— 5·0	44	48	S.	8	E.	8	S.	....	..	....	6	nb.	....	....	....	....
7....	30·33	30·05	3·5	1·5	18·0	— 9·0	83	57	E.	2	W.	1	....	....	....	....	..	..	....	....	....	..
8....	29·91	29·78	7·3	20·0	27·0	— 6·0	93	85	S.W.	12	S.	10	....	·02	....	....	10	cu. st.	....	....	....	....
9....	30·08	30·24	11·3	13·0	24·0	8·8	74	98	N.W.	21	N.W.	12	·06	....	5	ci.cu.	....	..	....	....	....	....
10....	30·31	30·20	7·3	11·3	23·4	— 4·0	93	94	W.	14	W.	8	..	....	2	ci cu.	....	....	....	....	3	cu.
11....	30·22	30·19	18·0	21·0	33·3	8·0	84	86	S.W.	16	S.W.	8	....	....	....	....	1	st.	....	....	....	....
12....	30·23	29·93	17·4	17·4	30·0	9·0	77	93	S.	10	E.	6	....	....	....	....	2	st.	....	....	....	....
13....	29·63	29·68	32·0	32·3	35·7	17·0	90	97	S.W.	24	N.W.	14	....	....	....	....	10	st.	....	....	....	....
14....	30·00	29·98	17·4	17·2	33·0	16·0	77	97	N.E.	10	E.	8	....	.	5	ci.cu.	5	cu. st.	....	....	....	....
15....	30·02	30·00	16·6	19·4	29·0	12·8	92	91	C.	0	E.	7	01	....	....	....	....	....	....	....	3	st.
16....	30·22	30·18	19·7	25·0	32·0	1·8	91	75	S.W.	10	S.W.	8	....	.	3	ci.cu.	3	cu.	....	....	....	....
17....	29·59	29·84	38·0	27·4	43·2	23·0	100	78	S.W.	34	N.W.	48	....	....	....	....	10	st.	....	....	7	cu. st.
18....	30·27	30·27	17·0	23·0	28·5	15·0	83	73	N.W.	18	N.W.	24	....	....	5	ci.cu.	....	..	....	....	5	st.
19....	30·34	29·75	11·3	23·4	24·0	4·0	74	95	S.	12	S.	20	....	....	....	....	5	st.	....	....	10	st.
20....	29·36	29·76	24·4	27·0	28·0	18·0	95	76	E.	48	N.	48	·20	....	....	....	....	....	....	....	1	st.
21....	29·93	29·75	22·0	29·4	30·0	3·0	72	96	N.	24	W.	20	....	....	....	....	....	....	....	..	10	st.
22....	29·81	29·36	32·0	37·4	39·0	24·0	79	87	S.	10	S.	22	....	....	....	....	10	cu. st.	....	....	....	....
23....	29·62	30·14	33·0	34·0	43·0	31·0	89	79	E.	16	E.	24	·10	....	....	....	10	cu. st.	....	....	....	....
24....	30·31	30·34	20·4	21·4	35·0	19·0	94	80	E.	26	E.	4	....	....	....	....	10	st.	....	....	....	....
25....	30·39	29·99	20·4	35·0	37·0	8·0	80	80	S.	8	W.	12	....	....	....	....	....	....	....	....	10	st.
26....	29·82	30·13	34·0	32·4	40·0	32·0	100	96	W.	12	N.E.	36	·08	....	....	....	10	st.	....	....	10	st.
27....	30·37	30·13	22·0	27·4	33·0	18·0	72	84	E.	10	E.	6	....	·02	....	....	10	st.	....	..	10	st.
28....	29·82	29·67	36·5	34·5	38·0	26·1	95	90	S.	12	S.W.	12	·16	·02	....	....	10	cu. st.	....	....	....	....
29....	29·99	29·98	31·4	33·0	38·0	30·1	85	89	N.	32	C.	0	....	....	....	....	1	st.	....	....	10	st.
30....	29·67	29·87	36·5	38·0	42·0	26·0	95	81	W.	20	W.	24	....	..	....	....	10	st.	....	....	1	st.
31....	29·99	30·26	35·0	30·1	39·5	27·0	79	96	W.	24	W.	18	....	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·40	30·36	23·0	27·4	32·0	21·0	86	84	N.	12	E.	12	....	....	....	.....	10	cu.st.	....	.....	....	....
2....	30·30	30·15	27·0	21·4	31 0	18·0	88	80	E.	24	N.	4	....	....	....	.....	10	cu.st.	....	.....	....	.....
3....	29·98	29·90	27·0	34·5	38·0	16·0	88	75	W.	12	W.	31	....	....	....	.....	10	cu.st.	....	.....	....	.....
4....	30·01	30·08	29·0	27·9	35·0	22·3	78	90	N.	16	S.	5	....	....	....	.....	10	st.	....	.....	....	.....
5..	29·95	29·96	24·2	21·4	30·2	18·0	95	94	E.	54	E.	52	·20	·20	....	....	....	.....	....	.....	....	.....
6....	30 16	30·26	17·8	28·0	30·0	8·5	71	77	N.	38	N.	36	....	....	....	.....	....	.....	....	.....	....	.....
7....	30·40	30 19	21·2	23·1	33·5	11·1	53	85	E.	11	E.	6	....	....	....	.....	....	.....	....	.....	....	....
8....	30 06	29·85	31·0	27·0	33·0	16·0	69	76	S.E.	6	E.	14	....	....	....	.....	....	.....	....	.....	....	.....
9...	29 82	29·62	31·0	31·0	34·0	24·0	79	78	E.	12	E.	42	....	...	9	ci.st.	...	....	....	..	10	st.
10 ...	29·35	29·44	29·4	31·2	34·0	16·0	96	85	E.	48	E.	24	....	....	....	....	10	st.	...	....	6	st.
11....	29·56	29·64	32·4	32 4	37·3	27·0	96	86	E.	20	N.E.	8	....	....	4	ci.cu.	5	cu.st.	....	.....	10	st.
12 ...	29·72	29·78	36·1	31 2	10 7	30·0	80	85	C.	0	C.	0	....	....	....	.....	10	cu.st.	....	.....	....	.....
13....	29·72	29·59	31 5	34·2	38 2	23·0	85	85	E.	8	E.	28	....	...	9	ci.st.	...	.....	....	.. .	5	cu.st.
14....	29 49	29·47	35·5	35 5	42·0	20 1	85	95	N.E.	7	W.	10	..	....	3	ci.cu.	4	st.	....	. .	10	st.
15 ...	29·58	29·55	36·5	36 5	39 7	33 0	85	89	N.	10	N.	10	....	....	..	....	10	cu.st.	..	.....	10	st.
16 ...	29·60	29 14	37 0	35·5	43·4	31·2	90	87	N.	10	W.	7	....	...	....	. ..	10	cu.st.	3	ci.cu.	1	st.
17. .	29·52	29 55	38·0	32·4	45·5	30 0	81	79	E.	5	N.	0	....	...	5	ci.	....	.. ..	....	.. ..	....	.....
18....	29·68	29·69	36·0	33·7	46 0	27 6	61	79	W.	9	S.W.	0	...	....	9	ci.	....	.....	....	.....	....	....
19 ...	29·73	29·70	37·0	36·5	43·8	26 0	81	84	S.W.	0	N.W.	4	....	....	....	...	....	....	2	ci.	2	st.
20..	29·63	29·67	32 4	32·3	41·5	28 0	76	86	N.W.	1	N.	0	....	....	1	ci.cu.	..	.....	..	....	....	.....
21...	29·83	29·87	23 0	35·0	37·2	20 0	69	80	N.W.	24	N.W.	15	....	...	....	. ..	1	cu.st.	6	ci.cu.	...	.....
22....	29·77	29·67	37·5	41·6	50 7	36·0	76	69	S.W.	24	W.	26	....	....	....	....	10	cu.st.	....	. ..	10	st.
23 ...	29·79	29·73	35·0	37·0	45·0	33·8	90	71	N.	22	E.	11	·02	....	..	. .	10	st.	3	ci.	3	st.
24 ..	29·65	29 58	35·0	38·5	39 0	31 0	100	65	N.E.	26	N.	20	·04	·05	....	....	....	....	....	.....	...	....
25...	29 83	29 88	34·0	36·0	13·0	30 4	79	75	N.W.	10	S.W.	10	...	...	....	....	....	.	....	....	....	..
26 ...	29 13	30 19	39 6	37 6	45·0	32·2	71	94	N.	18	N.	3	....	....	....	....	..	...	....	....	....	....
27....	30·36	30 33	35·0	33 0	49·5	33 0	90	71	N.	16	S.W.	4	....	....	....	..	....	...	1	ci.	....	.....
28....	30·34	30·24	42·5	39·5	47·8	33·4	71	84	W.	7	N.	11	....	...	..	.....	10	st.	2	ci.cu.	2	st.
29....	30·08	29·75	13·4	40 5	58·0	35 0	79	96	N.W.	4	W.	10	....	·15	....	.. ..	10	st.	....	....	10	st.
30. ..	29·94	29·96	31·5	32 4	52·8	30 0	98	96	N.	16	N.E.	24	54	·12	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							n.	in.								
1....	30·04	30·25	32·1	33·4	42·9	32·0	86	85	N.E.	20	S.	2	....	·30	....	....	10	cu.st.	....	.....	10	nb.
2....	30·13	30·33	34·5	35·5	40·6	26·7	70	89	S.	2	E.	14	....	....	....	.....	9	st.	....	...	4	st.
3....	30·26	30·06	40·8	44·5	48·1	32·1	61	64	S.W.	8	S.	20	....	....	4	ci.	....	.	....	....	4	st.
4....	30·08	29·74	34·0	34·5	45·9	32·0	90	95	N.	22	E.	8	....	·22	....	.....	10	st.	....	.	10	nb.
5....	29·89	30·07	32·6	36·5	39·9	30·0	81	65	N.W.	38	N.	20	·18	....	....	....	6	cu.st.	....	....	.	....
6....	30·15	29·96	33·4	41·1	45·1	30·0	67	89	N.	10	S.	16	....	....	9	ci.	....	.....	....	....	2	st.
7....	30·00	29·78	43·0	52·0	56·8	35·0	75	73	C.	0	S.W.	18	....	....	....	....	....	....	....	....	10	cu.st.
8....	30·06	30·10	34·5	40·0	52·8	32·0	85	47	N.	24	S.W.	16	....	....	....	....	9	cu.st.	....	....	....	....
9....	30·14	29·76	35·5	44·1	44·6	25·0	65	52	N.E.	10	S.E.	10	....	....	....	....	10	st.	3	ci.cu.	5	st.
10....	29·49	29·63	38·0	37·0	48·9	35·0	81	81	W.	36	W.	40	·06	....	....	.	10	nb.	....	....	....	....
11....	29·78	29·70	33·0	37·0	42·9	31·0	80	71	N.W.	20	N.W.	8	....	....	....	.....	10	cu.st.	....	....	10	cu.st.
12....	29·84	29·85	36·5	36·9	41·7	33·0	75	58	N.W.	24	S.W.	8	....	....	....	....	5	cu.st.	2	ci.st.	1	cu.
13....	29·76	29·74	40·0	41·5	44·7	34·0	82	78	W.	20	S.W.	11	....	....	....	....	10	st.	....	....	5	st.
14....	30·01	30·23	40·0	39·3	51·8	36·0	65	71	N.	6	N.E.	10	....	....	....	....	....	....	3	ci.st.	3	st.
15....	30·23	29·99	45·5	42·0	47·8	36·0	57	83	S.E.	4	N.E.	4	....	....	....	....	10	st.	....	....	10	cu.st.
16....	29·87	29·82	52·5	40·8	56·9	38·9	70	93	S.W.	14	N.E.	4	....	....	....	....	9	ci.cu.	....	....	10	nb.
17....	29·81	29·83	45·0	51·5	56·8	36·0	92	76	S.W.	12	S.W.	16	....	·16	....	....	2	st.	....	....	10	cu.st.
18....	29·85	29·68	46·5	50·0	59·8	43·0	88	72	N.W.	4	N.E.	14	....	....	2	ci.	....	....	....	....	10	cu.st.
19....	29·65	29·77	49·7	47·0	57·7	41·0	75	77	W.	36	S.E.	10	·08	....	1	ci.cu.	5	cu.st.	....	....	2	st.
20....	29·62	29·60	42·5	39·5	48·8	38·0	96	86	N.E.	10	N.E.	12	·16	....	....	....	4	nb.	....	....	10	nb.
21....	29·64	29·71	41·0	42·8	46·3	35·0	74	77	N.W.	16	N.W.	14	·14	....	2	ci.	1	cu.st.	....	....	9	st.
22....	29·78	29·86	41·7	42·0	45·9	31·0	76	83	W.	18	W.	16	....	....	2	ci.	5	cu.	....	....	10	cu.st.
23....	30·00	30·02	44·5	42·3	49·7	35·0	62	81	W.	20	W.	2	....	....	5	ci.cu.	5	cu.st.	....	....	5	cu.st.
24....	30·13	30·15	40·5	43·5	49·8	34·0	61	63	N.W.	6	N.W.	8	....	....	5	ci.cu.	5	cu.st.	....	....	....	....
25....	30·26	30·20	42·5	42·5	52·8	38·0	71	71	N.	24	N.E.	6	....	....	....	....	3	cu.st.	....	....	....	....
26....	30·14	29·95	47·0	45·5	54·8	30·0	84	88	S.	8	N.E.	12	....	....	....	....	....	....	1	ci.cu.	5	cu.st.
27....	29·89	29·75	44·0	41·0	47·9	37·0	84	84	N.E.	22	N.E.	10	....	....	4	ci.st.	5	st.	....	....	10	cu.st.
28....	29·76	29·69	42·5	40·0	50·8	39·0	96	91	E.	12	N.E.	22	·04	·08	....	....	10	nb.	....	....	10	nb.
29....	29·70	29·89	38·5	39·0	40·9	37·0	95	100	N.E.	36	N.E.	20	·42	·12	....	....	10	nb.	....	....	10	cu.
30....	30·04	30·16	41·1	40·3	47·8	38·0	93	89	N.E.	20	N.E.	19	·14	....	5	ci.cu.	1	cu.st.	....	....	2	st.
31....	30·21	30·12	43·0	41·0	51·8	38·0	83	65	N.E.	10	N.E.	14	....	....	....	....	10	st.	3	ci.cu.	4	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·05	29·85	43·5	49·3	60·2	35·0	88	76	N.	6	S.W.	12									10	cu.st.
2	29·86	29·77	47·6	47·5	69·6	44·0	89	94	S.W.	6	N.E.	18					10	cu.st.			6	cu.st.
3	29·78	29·83	45·0	44·0	50·8	42·0	92	84	N.E.	36	N.E.	18					10	cu.st.				
4	29·96	29·92	36·0	44·5	53·1	33·0	69	87	N.E.	22	N.E.	12									8	st
5	29·95	29·94	50·5	47·0	56·8	42·0	75	92	N.E.	8	S.	8		R.	3	ci.st.	6	cu.st.			10	nb.
6	29·89	29·84	42·5	42·5	51·8	41·0	96	96	N.E.	36	N.E.	18	14	·04							10	cu.st.
7	29·88	29·95	42·0	40·0	45·0	41·0	91	100	N.E.	22	N.E.	36	12	·02			10	nb.				
8	29·90	30·00	40·0	40·0	41·0	31·0	100	91	N.E.	38	N.E.	26	12	·13			10	nb.			10	nb.
9	30·06	30·20	39·5	39·5	45·9	38·0	96	96	N.E.	36	N.E.	20	·02	·02							10	nb.
10	30·29	30·17	41·5	44·0	50·5	38·0	100	91	N.E.	10	N.	4			10	ci.cu.			2	ci.st.		
11	30·13	30·04	45·0	48·0	54·3	40·0	84	85	C.	0	C.	0									2	st.
12	30·09	29·97	51·5	55·5	62·7	38·0	76	65	S.W.	12	S.W.	12					4	cu.st.			5	st.
13	29·94	29·73	57·0	63·4	64·1	48·0	63	56	W.	20	S.	16			5	ci.			4	ci.cu.	4	st.
14	29·67	29·68	58·5	52·0	65·7	49·0	62	86	W.	17	N.	12			3	ci.					6	cu.st.
15	29·90	29·88	49·5	46·6	55·8	45·0	89	82	N.E.	20	E.	8			4	ci.cu.					10	st.
16	29·93	30·02	53·0	52·6	61·7	48·0	73	83	C.	0	N.E.	12			2	ci.cu.					1	st.
17	30·00	29·83	58·6	67·6	74·2	45·0	73	63	S.W.	16	S.	16			9	ci.st.						
18	29·76	29·86	59·6	55·1	68·7	52·0	75	87	S.W.	12	S.W.	18	·18									
19	30·14	30·13	53·1	51·2	65·5	48·0	73	85	N.E.	10	N.E.	14			2	ci.	2	st.			10	st.
20	30·04	29·97	54·6	48·0	56·8	46·0	90	93	S.	16	N.E.	20	·18	·12			10	nb.			10	nb.
21	30·08	30·05	50·1	55·1	62·7	46·0	92	87	E.	8	S.W.	10	·12				10	fog.			3	st.
22	30·17	30·08	55·4	61·0	71·7	48·0	93	88	S.W.	8	C.	0										
23	30·06	29·87	66·2	59·7	72·7	58·0	78	95	S.W.	16	S.W.	12			5	ci.cu.					10	st.
24	29·82	29·87	59·6	56·1	69·7	55·0	90	93	S.W.	22	N.E.	36		·04			9	cu.st.			10	cu.st.
25	29·95	29·88	49·6	41·5	56·8	44·5	94	96	N.E.	36	N.E.	18	·06				10	nb.			10	st.
26	29·76	29·59	44·0	43·5	46·9	42·0	100	92	N.E.	20	N.E.	24	·48				10	st.				
27	29·48	29·38	43·5	44·0	49·8	42·0	96	100	N.E.	28	W.	18	·98	12			10	nb.			10	nb.
28	29·66	29·86	49·0	51·7	57·8	44·0	93	88	W.	26	S.	12	16				10	cu.st.	1	ci.st.		
29	29·88	29·89	61·7	74·0	74·7	46·5	69	59	S.	16	S.	20					2	cu.st.			1	st.
30	29·99	29·88	65·6	60·6	73·7	53·0	81	85	S.	8	E.	18		·12			10	st.			10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·79	29·67	49·6	47·5	61·7	47·0	96	96	N.E.	20	N.E.	24	..	....	....	.....	...	cu.st.	....	.....	10	cu.st.
2	29·71	29·73	47·0	45·4	49·8	44·0	92	98	S.	8	S.W.	24	·04	·40	....	....	10	cu.	...	.. ...	10	fog.
3	29·91	29·95	50·6	52·8	64·6	45·0	89	98	W.	18	W.	10	....	....	..	.....	10	cu.st.	...	.....	1	cu.
4	30·02	29·88	52·8	59·6	68·7	47·0	84	78	W.	12	S.	8	...	....	10	ci.cu.	..	. .	....	...	5	st.
5	29·80	29·85	59·0	52·0	69·7	50·0	76	93	S.W.	24	N.	8	....	R.	....	....	10	cu.st.	....	...	10	cu.st.
6	29·81	29·83	51·0	56·6	65·6	48·0	87	83	W.	14	W.	12	·06	....	....	....	6	cu.st.	.	. ...	4	st.
7	29·81	29·83	54·1	51·1	59·7	44·0	78	90	N.	12	N.	18	....	....	5	cu.	..	.....	....	. ..	10	cu.
8	29·81	29·69	53·1	53·1	59·7	49·0	97	97	C.	0	N.E.	8	·24	...	....	.....	10	cu.	.	....	10	st.
9	29·50	29·47	52 1	55·1	60·8	50·1	97	94	N.E.	12	S.	20	·06	....	....	....	10	fog.	....	.....	10	cu.
10	29·55	29·73	51·1	54·1	57·7	50·0	97	90	W.	26	W.	6	·34	·22	....	....	10	fog.	..	....	10	st.
11	29·82	29·85	52·1	53·9	61·8	49·0	84	73	W.	20	W.	16	....	....	....	.....	1	st.	...	.....	7	st.
12	29·83	29·73	54·1	51·1	58·7	48·0	84	90	C.	0	C.	0	....	....	....	.....	10	cu.	....	....	10	cu.
13	29·74	29·91	52·1	51·1	60·5	50·5	97	97	W.	12	N.E.	16	·74	....	....	.....	10	fog.	....	.....	9	st.
14	30·04	30·02	54·6	57·5	62·0	48·0	90	93	C.	0	N.E.	8	...	....	3	ci.cu.	....	cu.st.	....	.....	8	cu
15	29·99	29·90	64·0	50·0	69·7	42·0	78	63	S.W.	20	S.	24	....	..	5	ci.cu.	5	cu.st	...	. .	8	cu.
16	29·92	29·81	70·6	58·6	71·7	55·5	78	91	S.	20	C.	0	....	...	.	....	10	st.	....	..	10	st.
17	29·83	29·87	58·0	53·5	68·7	52·0	87	97	C.	0	E.	14	....	....	....	.....	10	st.	. .	.. ..	5	st.
18	29·87	29·82	58·0	51·6	71·7	48·0	70	97	S.E.	12	N.E.	10	....	R.	....	.....	2	cu.st.	....	....	10	cu.st.
19	29·88	29·80	54·0	63·0	73·7	50·0	93	83	W.	4	S.	8	·18	...	6	ci.cu.	....	ci.cu.	....	.. .	10	cu.st.
20	29·78	29·62	54·0	55·6	65·2	52·0	93	97	N.E.	8	E.	10	R.	....	....	..	10	cu.st.	...	.....	10	cu.st.
21	29·62	29·66	54·6	55·4	58 9	52·0	97	99	W.	8	W.	8	·22	·04	....	..	10	nb.	....	....	10	fog.
22	29·83	29·86	53·6	53·6	61·7	51·0	97	90	N.E.	4	E.	4	·34	...	6	ci.cu.	....	fog.	....	. . .	10	st.cu.
23	29·82	29·89	61·0	58·4	63·7	55·1	88	92	S.	16	N.	4	....	·01	....	....	10	cu.st.	...	.....	10	cu.st.
24	29 91	29·80	61 0	63·6	66 5	54·0	91	75	S.	12	S.	16	....	....	....	.....	10	cu.st.	....	.....	10	cu.st.
25	29 68	29 74	61·6	57·0	73·7	55·1	81	94	S.W.	20	E.	4	·14	....	....	....	10	cu.st.	. .	....	10	cu.st.
26	29·64	29·37	63·6	58·0	69·7	52·0	81	94	S.W.	4	E.	12	...	·26	.....	.....	10	cu.st.	....	....	40	cu.st.
27	29·28	29·21	49·0	47·0	57·8	46·0	93	100	E.	24	N.E.	26	·22	·08	....	.....	....	....	....	....	10	nb.
28	29·62	29·68	51·0	54·0	60·7	45·0	93	93	S.W.	10	W.	4	·14	R.	....	.....	10	cu.st.	....	.....	10	nb.
29	29·80	29·82	54·0	55·6	62·8	44·0	81	89	W.	12	E.	4	·04	...	....	.....	10	cu.st.	...	....	1	st.
30	29·82	29·81	48·6	52·6	56·8	48·0	96	90	E.	24	E.	10	·02	·02	...	....	10	cu.st.	....	. . .	10	cu.st.
31	29·72	29·74	50·6	48·6	56·0	48·0	96	96	E.	12	E.	16	·08	·06	...	.	10	cu.st.	....	.....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·75	29·79	51·0	49·0	56·8	48·0	100	93	W.	4	E.	20	·02	..	....	.. ....	10	st.	....	.....	10	fog.
2	29·83	29·91	51·1	55·0	59·7	48·0	91	100	S.W.	6	C.	0	....	R.	2	ci.st.	....	.. ..	....	...	10	cu.st.
3	29·75	29·81	58·0	54·0	63·7	49·0	94	87	W.	16	W.	16	..	.....	..	....	2	st.	..	.....	2	st.
4	29·95	29·88	58·0	54·6	62·7	52·0	82	90	W.	16	N.W.	6	..	.....	..	.....	9	st.	....	....	10	cu.
5	29·92	29·97	55·6	56·0	63·7	52·0	81	87	W.	20	W.	16	..	.....	..	....	10	cu.	....	....	8	cu.
6	30·03	29·93	63·0	60·6	72·7	48·0	78	84	W.	8	C.	0	....	...	....	..	10	st.	....	.....	10	st.
7	29·93	29·81	63·0	62·6	67·7	54·0	83	98	W.	12	S.	16	.	·14	....	.....	...	..	....	..	....	.....
8	29·97	30·00	68·0	58·0	65·7	53·0	76	76	N.W.	16	W.	16	·02	..	....	..	10	st.	....	..	1	st.
9	30·07	29·94	59·6	59·6	63·7	51·5	85	97	W.	14	W.	8	..	·34	....	.....	10	cu.	....	....	10	nb.
10	29·97	29·93	60·0	58·6	66·5	55·0	94	95	W.	8	C.	0	·08	·02	...	.....	5	cu.	....	.....	10	nb.
11	29·89	29·78	55·6	55·0	59·7	54·0	97	100	S.	4	E.	16	·06	·06	....	..	10	nb.	....	....	10	cu.
12	29·72	29·61	53·6	53·6	57·7	52·0	97	97	S.	8	C.	0	·12	R.	....	....	10	nb.	....	....	10	st.
13	29·54	29·62	54·0	55·8	65·4	44·0	93	85	C.	0	W.	24	04	·02	..	.. ..	....		....	..	6	nb.
14	29·70	29·92	52·0	54·6	62·7	50·0	100	90	W.	24	W.	10	...	·06	....	..	10	nb.	3	ci.cu.	1	cu.
15	30·22	30·17	54·6	58·6	65·7	47·0	90	79	W.	16	S.W.	12	....	....	....	4 ci.cu.	....		....	...	....	....
16	30·21	30·05	58·6	59·6	59·7	48·0	79	79	S.W.	8	S.	12	....	....	....	.. ..	2	cu.	....	.. ..	10	st.
17	29·90	29·77	62·6	63·0	70·7	58·0	80	87	S.	24	S.W.	24	....	·01	....	.. ..	10	cu.	....	.. ..	10	cu.
18	29·92	30·15	51·6	52·0	63·7	50·1	97	93	W.	24	N.	12	06	....	....	...	10	cu.	....	.. ..	....	.. .
19	30·30	30·11	52·0	53·0	62·7	47·0	86	86	N.E.	4	W.	4	....	..	....	.....	1	st.	....	.. ..	10	cu.
20	29·93	29·83	61·6	56·0	69·1	52·0	74	94	S.W.	16	W.	16	·06	...	....	...	8	cu.	....	.. ..	.	.....
21	30·06	29·97	52·0	54·6	63·7	47·0	86	84	W.	12	S.W.	12	....	....	....	....	....	.....	..	....	....	.. .
22	30·10	30·08	54·0	54·0	64·7	45·0	80	80	W.	14	S.W.	8	.	....	....	....	....	.....	1	ci.	....	.. .
23	30·10	30·01	60·0	61·6	65·7	48·0	77	80	S.W.	12	S.W.	12	..	....	....	....	10	cu.	....	.. .	10	cu.
24	29·92	29·69	62·0	64·6	77·7	56·0	77	76	W.	16	S.	16	....	R.	5	ci.	..		..	.....	10	nb.
25	29·55	29·52	63·0	55·6	70·7	51·0	83	90	S.	20	S.	6	·40	·16	....	.....	10	cu.	....	..	10	nb.
26	29·46	29·60	50·6	50·4	57·3	40·0	97	83	W.	22	W.	22	·34	....	....	.....	10	cu.	....	.....	10	cu.
27	29·63	29·69	47·5	50·0	53·8	46·0	90	86	W.	36	W.	34	....	R.	....	.....	10	cu.	..	.....	10	nb.
28	29·63	29·59	50·0	49·6	51·8	47·0	86	88	W.	36	W.	31	04	·16	....	...	10	cu.	..	....	10	nb.
29	29·66	29·69	48·0	49·0	57·8	46·0	93	93	W.	20	W.	12	12	....	....	....	10	nb.	....	.....	1	st.
30	29·81	29·81	52·0	48·0	60·7	47·0	86	88	W.	10	S.W.	14	....	.....	10	ci.cu.	....	.....	....	....	10	st.
31	29·85	29·90	48·0	48·0	55·8	46·0	88	85	W.	8	W.	14	·14	....	....	....	10	cu.	....	.....	5	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·96	29·97	48·6	46·0	55·8	45·0	96	92	E.	8	N.E.	8	...	....	....	.....	....	.....	.....	.....	1	st.
2	29·96	29·96	44·5	48·6	53·8	44·0	88	88	C.	0	E.	18	..	....	.....	.....	10	cu.st.	.....	.....	10	st.
3	30·06	30·17	47·0	50·0	51·8	44·0	92	93	E.	20	E.	8	....	....	.....	.....	10	cu.st.	.....	.....	10	st.
4	30·19	30·03	48·6	48·0	51·8	47·0	96	100	E	10	E.	22	..	·36	.....	.....	10	st.	.....	.....	10	nb.
5	30·05	29·91	48·6	48·6	53·8	41·0	96	96	W.	4	E.	4	·06	..	.....	.....	10	fog	.....	.....	10	fog.
6	29·99	29·69	50·6	48·6	55·8	45·0	93	96	C.	0	C.	0	·01	....	.....	.....	10	fog	.....	.....	10	fog
7	29·67	29·69	53·0	51·6	57·8	47·0	91	90	W.	16	W.	4	...	..	4	ci.cu.	5	cu.st	.....	.....	1	st.
8	29·89	30·02	51·0	54·0	58·7	42·0	93	93	S.W.	6	E.	8	....	....	8	ci.cu.	....	..	....	..	5	st.
9	30·27	30·27	43·5	43·0	52·8	34·0	96	92	E.	4	C.	0	....	....	....	....	....	..	....	..	....	....
10	30·25	30·19	31·6	58·6	59·7	38·0	90	85	W.	16	S.	16	....	....	5	ci.cu.	....	..	.....	.....	5	cu.st.
11	30·08	29·84	57·0	63·6	64·7	50·0	91	91	C.	0	S.	24	....	·08	..	...	10	..	.....	.....	.....	.....
12	29·74	29·73	51·6	49·6	67·7	48·0	90	88	W.	22	S.W.	20	·20	·04	....	.....	10	..	.....	.....	5	cu.st.
13	30·10	30·23	47·5	47·5	55·8	45·0	81	89	N.W.	24	W.	22	....	....	..	...	1	..	.....	.....	5	cu.st.
14	30·40	30·07	43·5	53·6	57·7	34·0	88	83	S.W.	8	S.W.	22	..	..	..	.....	10	..	.....	.....	10	cu.st
15	29·96	30·18	62·0	50·0	69·7	44·0	88	86	S.W.	32	N.	24	....	..	5	ci cu.	3	cu.st	.....	.....	..	.....
16	30·29	29·97	48·0	51·6	52·8	37·0	78	96	W.	8	S.W.	4	..	R.	5	ci.cu.	..	..	.....	.....	10	nb.
17	29·88	30·14	47·0	50·6	56·8	46·0	92	88	N.	12	N.	26	·96	....	...	..	5	cu.st.	.....	.....	5	cu.st.
18	30·39	30·38	41·5	43·5	52·8	38·0	70	88	N.E.	24	W.	4	...	....	..	..	..	..	....	..	....	....
19	30·28	29·97	43·0	52·6	53·8	32·0	83	83	S.W.	10	S.W.	12	....	..	9	ci.cu.	....	.....	10	ci.cu.	10	st.
20	29·99	29·68	51·6	51·6	55·8	43·0	90	90	C.	0	E.	10	..	·12	9	ci.	....	..	....	..	....	....
21	29·61	29·63	48·6	55·6	60·7	46·0	96	84	N.W.	12	S.W.	14	·12	...	....	....	10	fog	....	..	....	....
22	29·67	29·91	52·6	48·6	57·7	46·0	81	81	W.	28	W.	12	....	....	....	....	1	cu.st.	....	..	5	cu.st.
23	30·01	29·76	44·0	52·0	59·7	38·0	84	86	W.	6	S.E.	8	....	R	....	....	10	st.	.....	.....	10	nb.
24	29·49	29·35	45·5	44·0	58·7	43·0	96	100	E.	16	W.	4	·22	·14	....	....	10	st.	....	....	1	st.
25	29·31	29·60	53·6	41·7	54·6	43·0	90	79	S.W.	24	N.W.	34	....	·02	4	ci.cu.	5	cu.st.	.....	.....	4	cu.st.
26	29·87	29·85	42·0	42·5	45·9	38·0	83	79	N.W.	24	S.W.	12	....	..	....	....	5	cu.st.	....	..	5	st.
27	29·87	29·96	42·0	41·5	47·9	40·0	83	87	W.	32	N.W.	36	....	..	....	....	1	cu.st.	..	.....	8	st.
28	30·15	30·23	37·0	42·0	46·9	34·0	71	83	W.	36	W.	16	..	....	....	....	1	st.	....	..	5	st.
29	30·27	30·10	38·5	39·5	44·0	36·5	86	86	S.	4	E.	12	....	....	5	ci.	.....	.....	.....	.....	10	st.
30	30·00	29·84	39·0	41·5	45·0	34·0	91	96	S.E.	4	N.	4	....	12	....	..	10	cu.st.	....	..	..	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·99	30·09	40 5	42·0	45 0	40·0	96	91	N.E.	24	W.	10	·22	....	....	.....	10	cu.st.	....	. ..	1	st.
2	30 15	30 11	41·5	38·0	56·8	33 0	96	92	W.	12	W.	6	....	....	....	.....	....	.....	.....	.....	.....	.....
3	30·09	29 93	40·0	41·5	57·8	31·0	91	87	S.W.	6	E.	8	....	....	....	.....	....	.. ..	....	. ..	5	st.
4	29·69	29·37	49 0	48 2	53 8	40·0	78	91	S.	12	S.	12	....	·10	....	....	10	cu.st.	.....	.....	10	n.b.
5	29·41	29·55	43·0	42 5	49 8	42·0	92	96	W.	24	W.	20	·06	....	.....	.....	10	cu.st.	.....	.....	5	st.
6	29 67	29 75	42·0	41·5	47·0	38·0	83	87	N.W.	8	N.	20	....	....	.....	.....	10	cu.st.	.....	.....	....	....
7	29·90	29 74	39 5	39·5	47·8	33 0	79	86	S.W.	12	E.	16	....	·12	....	...	2	st.	.....	.....	....	..
8	29·29	29·56	43·5	39·5	45·0	38·0	96	86	N.W.	12	N.W.	38	·74	06	....	....	10	n.b.	.....	.....	9	cu.st.
9	29·98	30 06	37·5	40·0	44·0	35 0	86	73	W.	24	S.W.	18	....	....	.....	.....	1	st.	.....	.....	.....	.....
10	30·08	29·96	40 5	44·0	53·8	34·0	78	68	S.	8	S.	24	....	....	.....	.....	10	st.	.....	.....	1	st.
11	29·91	29·89	42 5	47·0	47 8	38·0	71	92	S.	20	S.	12	...	·02	.....	.....	9	cu.st.	.....	.....	10	st.
12	29·79	29·90	45·0	44 5	50·8	42·0	92	88	C.	0	S.W.	18	·58	....	.....	.....	10	n.b.	.....	.....	4	cu.st.
13	30·09	30·01	37·5	33·5	46 4	31·0	86	97	W.	10	N.	4	....	....	.....	.....	1	cu.st.	.....	.....	.....	.....
14	30·12	30·11	39 0	43·5	48·8	32·0	82	96	W.	4	W.	10	....	....	.....	.....	10	st.	.....	.....	10	st.
15	30·10	30 08	42·5	41·0	47·8	38·0	87	91	S.W.	10	E.	4	....	....	5	ci.cu.	5	cu.st.	....	.....	10	cu.st.
16	30·19	30·00	40·5	49·6	51·8	38·0	89	74	W.	22	S.W.	20	·02	...	....	. ...	1	st.	.....	... .	10	cu.st.
17	30·06	29·82	45·0	54·0	55·8	44·0	92	80	W.	16	S.W.	20	..	....	.....	.....	10	cu.st.	....	.....	5	st.
18	29·48	29·84	45·5	33·5	58·2	33·0	96	95	N.W.	38	N.W.	38	·01	....	.....	.....	....	. ....	.....	.....	10	cu.st.
19	29·95	30·01	29·0	33·0	35·0	28·0	89	89	N.W.	32	N.W.	26	....	....	.....	.....	5	cu st.	.....	.....	2	cu.st.
20	30·10	30·07	30·0	31·0	34 0	28·0	89	89	W.	24	N.	18	....	....	4	ci.st.	5	cu.st.	.....	.....	10	cu.st.
21	30·07	30·03	29·0	32·0	36·0	28·0	89	79	N.	26	N.W.	31	....	....	4	ci.st.	....	. .	.....	.....	10	n.b.
22	29·96	29 58	29 0	40·0	41 0	21·0	78	100	S.	18	S.W.	24	....	·06	.....	.....	10	st.	....	.....	10	cu.st.
23	29·55	29·76	40·0	38 2	43 0	34·0	91	79	S.W.	8	N.W.	24	·22	....	...	....	10	cu.st.	....	.....	10	cu.st.
24	29 97	29 95	34·5	28·0	44·0	27·0	85	83	N.	26	S.W.	6	..	....	.....	.....	10	cu.st.	....	.....	.....	... .
25	29·71	29·67	30·4	35·5	38·0	23·0	74	95	S.W.	14	W.	34	.....	.....	.....	.. ..	10	cu.st.	....	... .	10	st.
26	29·97	30·22	34·0	33·4	38·0	32 0	90	85	N.W.	36	N.W.	18	..	...	...	....	10	cu st.	....	....	10	cu.st.
27	30·30	30·11	27·4	33·0	38·0	22·0	96	89	S.	16	S.	12	....	....	9	ci.st.	....	.....	.....	.....	.....	.....
28	30·03	29 77	37·0	42·5	49·3	30·0	90	87	E.	10	W.	6	·36	·44	...	. ..	10	n.b.	....	.....	10	n.b.
29	29·81	29 74	37·0	34·0	43·8	32·0	89	90	W.	12	N.E.	24	·52	·04	.....	.....	10	cu.st.	.....	.....	10	nb.
30	29·98	30·26	26·4	32·0	34 0	25·0	83	79	N.E.	40	N.W.	24	·12	....	10	ci.st.	10	cu.st.	....	...	....	.....
31	30·45	30·46	29·0	33 4	38 8	26 0	78	85	S.W.	16	S.W.	18	....	....	.....	.....	.....	.....	.....	.....	....	..

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt. Kind.	Amt. Kind.
	in.	in.	°	°	°	°							in.	in.						
1	30·46	30·25	33·4	36·5	42·0	26·0	85	85	S.W.	16	S.	12	....	....	10	ci.	....	....	....	....
2	30·11	29·92	34·5	42·0	48·5	30·0	85	91	S.W.	4	S.W.	8	....	....	9	ci.st.	....	....	....	2 st.
3	29·54	29·14	48·0	50·6	52·8	43·0	93	97	S.E.	10	S.	24	·10	....	....	....	10	cu.st.	....	10 cu.st.
4	29·37	29·71	37·0	34·0	50·8	32·0	81	90	N.W.	24	N.W.	28	·08	....	....	....	10	cu.st.	....	10 st.
5	30·00	30·05	26·1	26·4	34·0	25·0	87	83	S.W.	10	C.	0	....	....	....	....	5	cu.st.	....	....
6	30·15	30·09	31·4	40·5	42·8	24·0	85	96	S.	4	E.	16	....	....	....	....	7	cu.st.	....	10 st.
7	29·64	29·29	37·0	38·0	42·0	35·0	90	81	E.	48	E.	12	·12	·04	....	....	10	cu.st.	....	10 st.
8	29·34	29·58	38·5	36·5	44·0	35·0	86	87	W.	16	W.	24	·16	....	....	....	10	cu.st.	....	1 st.
9	29·68	29·82	36·5	37·5	40·3	34·0	87	86	W.	24	W.	16	....	....	4	ci.cu.	5	cu.st.	....	1 st.
10	29·70	29·78	41·0	37·8	43·1	36·0	91	92	S.W.	24	W.	16	....	·03	....	....	10	cu.st.	....	....
11	29·99	30·05	34·0	31·4	39·0	30·0	79	85	S.W.	16	N.	20	....	....	....	....	1	st.	....	10 st.
12	30·13	29·99	27·0	27·0	32·0	23·0	76	76	N.W.	20	W.	32	....	....	....	....	10	cu.st.	....	....
13	29·78	29·58	27·4	34·0	37·0	23·0	84	79	S.W.	24	W.	24	....	....	....	....	2	cu.st.	....	10 cu.st.
14	29·64	29·97	23·0	19·4	34·0	18·0	73	79	N.	24	N.W.	32	·04	....	....	....	9	cu.st.	....	10 cu st.
15	30·24	30·28	15·0	21·0	22·0	12·0	84	71	N.W.	24	W.	14	..	....	....	....	10	cu.st.	....	10 cu.st.
16	30·29	30·01	21·0	32·0	34·0	14·0	71	79	S.W.	10	W.	24	....	....	....	...	5	cu.st.	....	5 cu.st.
17	30·12	30·25	27·4	16·4	31·0	14·0	84	77	N.	26	N.	8	....	....	....	....	9	cu.st.	....	1 st.
18	29·98	30·08	32·0	35·5	40·0	14·0	79	85	S.W.	36	W.	20	....	....	....	....	10	cu.st.	....	10 cu.st.
19	30·32	30·41	26·0	20·2	37·0	19·0	88	82	E.	28	E.	20	....	....	....	....	10	cu.st.	....	9 cu.
20	30·56	30·48	16·0	18·4	27·0	12·0	66	63	W.	6	N.	6	....	....	....	....	5	cu.st.	....	....
21	30·34	29·96	24·0	39·5	40·0	18·0	74	86	W.	6	S.W.	34	....	....	....	....	10	st.	....	10 cu.st.
22	29·90	29·99	42·0	38·5	44·0	36·0	83	86	S.W.	20	S.W.	16	·06	....	....	....	2	st.	....	10 cu.st.
23	30·06	30·37	36·5	33·5	40·0	33·0	96	94	N.W.	20	N.	32	·06	....	....	....	10	nb.	....	10 cu.st.
24	30·58	30·60	26·0	26·0	34·0	20·0	75	75	N.W.	14	E.	10	....	....	....	....	1	st.	....	....
25	30·53	30·04	22·4	32·0	34·0	18·0	95	79	C.	0	E.	36	....	·10	8	ci.st.	....	....	....	....
26	29·65	29·60	35·5	33·0	38·0	30·0	95	100	N.W.	4	W.	22	·30	R.	....	....	....	....	....	....
27	29·60	29·54	32·0	31·6	34·0	30·0	79	89	W.	24	N.W.	26	·02	·06	....	....	10	nb.	....	....
28	29·61	29·73	24·4	25·4	32·0	22·0	82	83	W.	38	N.W.	20	·06	....	....	....	10	nb.	....	2 cu.st
29	29·88	30·19	22·4	22·0	26·0	20·0	95	72	N.	28	N.W.	28	S.	....	....	....	10	nb.	....	5 cu.st.
30	30·31	30·32	20·0	14·3	23·0	11·0	70	80	N.	18	S.	8	....	....	....	....	5	cu.st.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Father Point, Quebec—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·35	30·25	13·0	16·6	21·0	9·0	81	85	S.	10	S.E.	8	....	....	....	....	8	cu.st.	....	....	....	....
2	29·86	29·74	21·0	21·0	24·0	16·0	86	86	N.E.	36	N.	24	·06	·06	....	....	....	....	....	....	10	st.
3	29·97	30·24	21·0	20·0	24·0	17·0	71	85	N.	8	S.W.	10	·04	·07	....	....	10	cu.st.	....	....	....	....
4	30·32	30·25	17·0	15·0	21·0	12·0	67	80	S.W.	18	S.W.	16	·02	....	....	....	6	cu.st.	....	....	....	....
5	30·15	29·89	5·3	12·3	21·0	3·0	93	75	S.W.	12	S.W.	12	....	....	....	....	10	cu.st.	....	....	10	st.
6	29·86	29·95	22·3	27·4	29·0	11·0	81	72	N.W.	20	N.W.	10	....	....	....	....	10	cu.st.	....	....	....	....
7	29·90	29·95	32·0	29·3	35·3	26·0	90	73	S.W.	14	S.W.	12	....	....	....	....	10	cu.st.	....	....	10	st.
8	30·04	30·03	30·0	34·4	36·0	25·0	89	96	S.W.	20	S.W.	12	....	....	....	....	10	st.	....	....	10	nb.
9	30·09	29·93	32·4	33·4	36·0	30·0	96	96	N.W.	4	E.	6	....	....	....	....	10	st.	....	....	10	nb.
10	29·54	29·53	41·5	38·5	47·8	32·0	96	95	S.W.	36	C.	0	42	....	....	....	....	....	....	....	10	nb.
11	29·45	29·59	30·6	26·4	39·0	26·0	89	95	E.	36	N.E.	32	·06	·10	....	....	....	....	....	....	....	....
12	29·56	29·67	24·0	19·4	27·0	18·0	87	80	N.E.	12	N.W.	16	·16	·10	....	....	10	n.b.	....	....	....	....
13	29·82	30·08	8·0	13·3	20·0	7·0	78	77	N.W.	24	N.W.	24	·04	·01	....	....	10	cu.st.	....	....	8	cu.st.
14	30·38	30·41	16·0	12·0	18·8	10·7	66	96	N.W.	4	S.	3	01	....	....	....	9	nb.	....	....	10	st.
15	30·19	29·87	17·0	23·0	23·1	12·0	67	88	E.	8	E.	18	....	·01	....	....	10	cu.st.	....	....	10	nb.
16	29·68	29·77	25·0	11·3	26·0	10·0	87	74	N.E.	36	S.	4	16	....	....	....	....	....	....	....	....	....
17	29·87	29·94	15·0	17·0	20·0	5·0	65	83	S.	5	S.	8	....	....	....	....	10	st.	....	....	10	st.
18	29·88	29·87	22·4	22·0	25·0	15·0	95	86	S.W.	16	W.	12	·12	·02	....	....	....	....	....	....	10	cu st.
19	29·86	29·87	20·0	17·4	23·2	16·0	85	85	S.W.	16	S.W.	17	....	....	....	....	10	cu.st.	....	....	9	st.
20	29·74	29·79	27·0	27·4	32·0	16·0	88	84	S.W.	26	S.W.	24	....	....	....	....	10	cu.st.	....	....	8	st.
21	30·08	30·10	15·0	13·0	30·0	11·0	65	62	N.	26	S.W.	20	....	....	....	....	10	cu.st.	....	....	10	st.
22	29·83	29·72	27·0	29·4	34·0	11·0	76	85	S.W.	24	S.W.	24	....	....	....	....	2	cu.st.	....	....	10	st.
23	29·70	29·35	31·0	30·0	33·0	27·0	89	100	S.W.	16	E.	20	....	·01	....	....	10	st.	....	....	1	st.
24	28·70	29·30	30·4	32·0	33·0	28·0	96	90	E.	20	W.	36	·30	....	....	....	10	nb.	....	....	10	st.
25	29·77	30·01	19·4	7·0	32·0	4·0	79	77	W.	38	S.W.	1	....	....	....	....	10	cu.st.	....	....	....	....
26	29·96	30·33	18·0	9·3	20·0	6·0	68	72	S.W.	12	S.W.	6	·04	....	....	....	10	st.	....	....	....	....
27	30·10	29·68	15·0	35·0	36·0	4·0	65	90	S.E.	6	S.W.	40	....	....	....	....	10	cu.st.	....	....	10	st.
28	29·60	29·63	35·4	29·6	44·0	29·0	96	100	W.	18	N.W.	32	·06	·10	....	....	10	st.	....	....	....	....
29	30·11	30·08	9·3	16·4	18·0	5·0	72	77	N.W.	18	S.W.	24	·08	....	....	....	1	st.	....	....	1	st.
30	29·92	29·24	27·0	29·0	29·0	19·0	76	89	S.	20	C.	0	....	·02	....	....	10	st.	....	....	....	....
31	29·32	29·75	22·4	8·5	30·0	7·5	81	82	N.W.	14	N.W.	22	01	....	....	....	10	cu.st.	....	....	4	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick: Latitude North, 47° 3′; Longitude West, 65 29′. Height above Sea, 260 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation.		Clouds. 8 a.m. Upper.		Clouds. 8 a.m. Lower.		Clouds. 8 p.m. Upper.		Clouds. 8 p.m. Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt	Kind.
	in.	in	°	°	°	°							in.	in.								
1	29·93	29·86	33·5	34·5	35·5	27·5	95	95	E.	3	E.	2	·37	·06			10	nb.			10	n.b.
2	30·16	30·53	32·0	18·0	34·5	18·0	79	68	N.W.	6	N.W.	2	·14		3	ci.st.	4	cu. st.				
3	30·69	30·44	6·5	14·5	19·5	6·0	62	73	W.	3	S.W.	2									10	st.
4	29·72	29·36	23·5	30·5	48·0	12·0	86	84	S.E.	1	S.W.	2	·07				10	st.	3	ci.st.	4	cu. st.
5	29·68	29·96	25·0	22·5	34·0	22·5	74	79	N.W.	6	W.	4							3	ci.st.	4	cu. st.
6	30·27	30·24	7·5	17·5	24·0	7·0	64	75	W.	2	E.	1			2	ci.st.	1	cu. st.			10	st.
7	30·01	30·00	22·5	29·5	32·0	16·0	79	72	W.	3	N.W.	6					10	st.				
8	30·36	30·20	6·0	10·0	29·5	5·0	61	68	N.W	4	S.W.	1							1	ci.st.	2	cu. st.
9	29·57	29·40	15·5	8·0	24·0	8·0	91	64	W.	2	N.W.	14	·04	S.			10	nb.	1	ci.st.	2	cu. st.
10	29·86	29·94	−10·5	0·0	8·0	−12·0	58	84	N.W.	12	W.	4									10	st.
11	29·65	29·90	2·0	19·0	20·5	0·0	71	71	W.	2	N.W.	12	12		4	ci.st.	4	cu. st.				
12	30·44	30·38	− 6·0	7·5	19·0	− 7·0	65	76	W.	1	E.	1									10	st.
13	30·24	30·55	12·5	7·5	2·0	6·0	90	64	E.	2	W.	1	·22									
14	30·58	30·09	− 3·5	16·0	16·0	− 4·5	68	91	W.	2	E.	1		·13	3	ci.st.	3	cu. st.			10	nb.
15	29·67	29·87	23·5	1·0	24·5	1·0	79	70	W.	1	W.	8	·06				10	cu. st.				
16	30·02	30·36	−13·0	−11·5	1·0	−14·0	58	57	W.	4	N.W.	12										
17	30·52	30·44	−15·0	− 4·5	6·0	−17·0	49	66	N.W.	6	W.	3							1	ci.st.	2	cu. st.
18	30·35	30·16	−10·5	13·0	14·5	−14·0	78	71	W.	2	W.	2					10	cu. st.	3	ci.st.	3	cu. st.
19	30·46	30·28	− 6·5	14·5	18·0	− 8·0	65	81	W.	3	E.	1									10	st.
20	29·46	29·26	28·0	41·5	47·0	14·0	88	87	N.E.	2	W.	8	·32	·01			10	st.			10	st.
21	29·68	30·25	25·0	1·0	41·5	1·0	74	70	W.	10	W.	8			2	ci.st.	2	cu. st.				
22	30·52	30·57	−12·0	0·0	7·0	−14·0	55	69	W.	4	S.E.	1							2	ci.st.	3	cu. st.
23	30·12	30·21	12·5	1·0	13·0	− 3·0	90	70	E.	18	W.	2	35				10	nb.				
24	30·20	30·07	−21·5	−11·5	3·0	−26·0	62	56	W.	3	W.	2										
25	30·03	30·03	−12·5	3·5	6·5	−17·0	55	72	W.	4	S.W.	6									10	st.
26	30·22	30·24	0·0	6·0	6·0	− 4·0	69	75	N.W.	3	E.	2		·24			10	st.			10	st.
27	30·49	30·41	−16·5	− 7·5	17·5	−17·5	47	63	C.	0	E.	1	03									
28	30·24	30·12	0·0	6·0	24·0	−10·0	84	62	W.	2	W.	4					10	st.				
29	30·32	30·29	−14·0	− 5·5	17·0	−15·0	51	50	W.	1	W.	1										
30	30·36	30·42	2·0	11·0	18·0	− 8·0	71	89	E.	0	E.	2		·02	4	ci.st.	4	cu.st.			10	nb.
31	30·75	30·62	−17·5	4·5	11·0	−19·5	45	73	W.	2	S.E.	3	·02						2	ci.st.	3	cu. st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—February 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·47	30·47	1·0	0·0	22·5	−0·5	70	69	S.W.	1	E.	1	·25	..								
2	30·09	29·48	14·5	26·0	34·0	−1·0	91	81	E.	2	S.W.	1	·05	·06			10	nb.			10	st.
3	29·12	29·60	35·0	6·0	36·5	6·0	84	61	S.W.	4	N.W.	40	·06				10	st.	1	ci.st.	2	cu.st.
4	30·10	30·44	−6·0	−4·0	14·0	−8·0	65	67	W.	8	W.	2										
5	30·48	30·14	−4·0	9·0	9·0	−18·0	83	88	N.E.	3	E.	10		·25			10	st.			10	nb.
6	30·06	30·06	8·5	7·5	14·5	6·5	77	64	N.	3	W.	4	·12	..			10	st.				
7	30·26	30·38	−9·5	4·0	21·0	−11·5	60	73	W.	2	C.	0										
8	30·42	30·28	−6·0	10·0	22·0	−16·0	65	68	W.	1	S.W.	2			2	ci.st.	2	cu.st.				
9	30·29	30·15	−6·5	12·0	22·5	−12·0	65	80	N.W.	1	C.	0		·05	2	ci.st.	2	cu.st.			10	st.
10	30·01	29·75	11·0	23·0	24·0	7·0	79	86	S.	2	E.	1	·07				10	nb.			10	st.
11	29·36	29·40	32·0	20·0	36·0	20·0	84	77	S.W.	3	S.W.	2	·14		4	ci.st.	4	cu.st.	3	ci.st.	4	cu.st
12	29·53	29·71	−7·0	−2·0	20·0	−8·0	81	69	W.	8	W.	3										
13	30·00	30·05	−10·0	4·0	15·5	−16·0	58	73	W.	3	W.	1										
14	29·70	29·60	11·0	20·5	23·0	0·0	79	92	W.	2	E.	1	·06	·03			10	st.			10	nb.
15	29·75	29·88	15·5	3·0	23·5	3·0	91	72	N.E.	3	S.W.	1	·12				10	nb.	4	ci.st.	4	cu.st.
16	29·84	29·80	8·5	26·5	29·0	−8·0	77	82	W.	2	W.	2					10	st.	3	ci.st.	3	cu.st.
17	29·89	30·05	11·0	12·0	26·5	8·0	79	90	E.	2	E.	14		12			10	st.			10	nb.
18	30·21	30·08	−2·0	−2·0	12·5	−3·0	69	69	E.	8	C.	0	·06									
19	29·94	29·82	−4·0	5·0	24·0	7·5	67	74	N.	4	S.E.	1									10	st.
20	29·75	29·90	15·0	21·5	36·0	4·0	82	71	E.	1	E.	1					10	st.	1	ci.st.	2	cu.st.
21	29·38	29·53	23·5	28·0	32·0	19·5	86	76	E.	3	S.W.	1	·28				10	st.	4	ci.st.	4	cu.st.
22	29·82	29·99	3·0	0·0	28·0	0·0	72	69	W.	8	W.	6							1	ci.cu.	2	cu.
23	30·31	30·50	−12·5	−11·5	0·5	−19·0	54	56	N.W.	8	W.	6										
24	30·71	30·44	−25·5	0·0	13·0	−28·0	60	69	W.	3	S.W.	1							2	ci.cu.	2	cu.st.
25	29·90	29·61	6·0	11·5	15·0	11·0	87	79	E.	4	N.	2	·08	·10			10	nb.			10	cu.st.
26	29·94	29·96	−5·0	1·0	11·5	6·0	66	70	N.W.	8	W.	6										
27	30·00	30·18	3·5	0·0	12·5	−6·5	68	69	N.W.	3	N.W.	6			3	ci.st.	3	cu.st.				
28	30·42	30·38	−11·0	9·5	15·5	−16·5	51	77	W.	2	S.W.	2										

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·50	30·26	—12·0	10·0	24·0	—16·0	55	68	W.	3	S.W.	1	S.	·12	....	. .	....	.....	1	ci.st.	2	cu.st.
2	29·95	29·30	17·5	23·0	25·0	5·0	83	93	W.	2	E.	12	....	....	....	....	10	st.	....	....	10	nb.
3	29·60	30·04	16·5	6·0	23·0	6·0	91	75	E.	3	E.	2	26	·06	...	...	10	nb.	....	....	....	.. ...
4	30·22	30·15	— 6·0	— 7·5	19·0	—11·5	65	63	E.	1	W.	2	....	....	...	...	...	.....	....	.....	...	.....
5	30·04	29·98	—11·5	2·0	21·0	—17·5	17	71	W.	1	C.	0	....	....	2	ci.st.	3	cu.st.	....	.....	.	.... .
6	30·10	30·16	—15·0	3·0	25·5	—18·5	49	72	W.	2	E.	1	...	....	2	ci.st.	4	cu.st.	....	.....	....	.....
7	30·06	29·92	14·5	15·0	26·0	1·5	73	64	N.E.	8	N.W.	3	S.	...	3	ci.st.	3	cu.st.	....	. ..	....	.....
8	29·93	29·82	— 4·5	26·0	36·0	—10·5	67	81	N.W.	4	S.W.	2	....	....	2	ci.st.	2	cu.st.	....	... ..	10	st.
9	29·94	30·19	9·5	15·0	30·5	6·5	68	64	W.	4	N.W.	3	S.	...	....	.....	....	.....	....	.....	....	.....
10	30·37	30·23	— 5·5	15·5	32·0	— 9·0	66	74	W.	2	W.	1	...	....	....	. .	....	.....	....	.....	...	.....
11	30·32	30·24	4·5	17·5	41·0	0·0	73	67	W.	2	C.	0	....	. .	..	.....	...	.....	....	. .	...	.....
12	30·29	30·12	5·0	16·0	41·5	— 0·5	74	65	W.	3	S.W.	1	..	....	....	.....	....	.....	....	.....	...	.... .
13	29·77	29·59	23·5	35·0	39·0	5·5	79	80	W.	3	S.W.	1	...	....	....	.....	10	st.	3	ci.st.	3	cu.st.
14	29·99	29·94	25·5	20·0	35·0	20·0	74	85	N.W.	6	E.	2	....	·09	3	ci.st.	4	cu.st.	.	...	10	st.
15	30·09	30·04	21·0	10·5	28·5	10·5	85	69	N.E.	4	S.W.	2	·06	S.	....	.....	10	st.	....	.....	....	.... .
16	30·21	30·31	12·0	26·5	38·5	6·0	70	69	N.W.	3	W.	2	...	....	2	ci.st.	3	cu.st.	.	.....	....	....
17	29·92	29·70	36·0	37·5	47·5	19·0	80	76	S.W.	10	N.W.	16	...	R.	4	ci.st.	4	cu.st.	2	ci.cu.	2	cu.
18	30·22	30·26	22·5	23·0	41·5	18·0	79	72	N.W.	6	E.	1	....	....	....	.....	....	.....	....	.....	....	.... .
19	30·38	30·01	15·0	21·0	32·0	7·5	73	85	N.W.	3	E.	2	....	....	....	....	....	..	...	.....	10	st.
20	29·11	29·43	23·5	19·0	24·0	19·0	93	92	E.	20	N.E.	18	1·23	·28	....	. .	10	nb.	...	. .	10	nb.
21	29·76	29·78	19·5	31·0	35·0	15·0	69	81	N.W.	3	S.W.	2	·12	...	....	.....	...	....	....	....	10	st.
22	29·94	29·57	23·5	35·5	44·5	19·0	72	90	W.	3	S.W.	4	....	R.	. .	.....	....	.....	....	....	10	st.
23	29·46	30·00	36·5	37·5	45·0	31·5	85	81	W.	6	N.W.	3	....	. ..	4	ci.st.	4	cu.st.	2	ci.cu.	2	cu.
24	30·28	30·27	22·5	18·5	37·5	18·5	79	76	N.E.	4	E.	2	....	...	3	ci.st.	3	cu.st.	...	.....	....	.....
25	30·38	30·12	7·5	34·0	48·0	2·5	64	79	W.	4	S.W.	3	. .	...	....	. .	....	....	....	.....	....	.....
26	29·86	30·01	35·0	34·5	48·5	29·0	84	74	W.	6	S.W.	2	...	....	....	.....	10	st.	2	ci.cu.	3	cu.
27	30·39	30·31	25·0	25·5	34·5	18·0	80	82	N.	3	E.	2	....	....	....	. ...	10	st.	....	.....	10	st.
28	30·06	29·69	32·0	40·5	41·0	23·5	95	87	S.W.	3	S.W.	6	·12	·07	....	...	10	nb.	....	.....	10	st.
29	29·88	30·04	38·5	36·0	49·0	34·0	86	80	N.W.	2	S.W.	1	....	....	2	ci.cu.	3	cu.	2	ci.st.	2	cu.st.
30	29·86	29·88	36·5	46·5	54·0	33·0	95	73	S.W.	2	N.W.	8	·01	...	..	.....	10	nb.	1	ci.cu.	1	cu.
31	30·04	30·20	35·0	36·0	50·0	27·5	70	75	W.	3	W.	2	....	....	....	. . .	..	. . .	1	ci.st.	2	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	ind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·35	30·30	31·0	26·0	36·0	26·0	84	93	E.	4	E.	6	....	·16	....	....	10	st.	....	....	10	nb.
2	30·18	30·08	26·5	25·5	33·5	23·0	93	81	E.	4	E.	3	·21	·04	....	....	10	nb.	....	....	10	cu.st.
3	30·00	29·92	23·5	33·0	43·0	14·5	72	80	W.	4	W.	2	....	....	....	....	....	....	....	....	....	....
4	30·00	30·08	29·5	30·5	50·0	19·5	72	73	W.	4	W.	2	....	....	2	ci.st.	2	cu.st.	....	....	....	....
5	30·00	29·70	25·0	25·0	30·5	23·0	93	87	E.	8	E.	6	·16	·15	....	....	10	nb.	....	....	10	st.
6	29·83	30·11	21·5	21·0	28·5	18·0	78	71	N.W.	18	N.W.	4	....	....	2	ci.st.	3	cu.st.	....	....	....	....
7	30·28	30·18	21·5	23·0	42·0	5·0	71	72	N.W.	4	W.	3	....	....	....	....	....	....	....	....	....	....
8	30·16	30·03	15·0	22·6	40·0	2·0	73	71	W.	4	S.W.	2	....	....	....	....	....	....	....	....	....	....
9	29·88	29·64	24·0	28·0	32·0	15·5	79	76	E.	8	E.	14	....	....	....	....	10	st.	....	....	10	st.
10	29·28	29·32	26·5	29·0	29·5	22·0	93	88	E.	18	E.	12	·48	·06	....	....	10	nb.	....	....	10	st.
11	29·43	29·57	32·0	32·0	36·0	27·5	84	89	N.E.	1	E.	1	·08	·02	....	....	10	st.	....	....	10	st.
12	29·70	29·80	40·0	35·0	52·0	31·0	73	80	N.E.	2	S.W.	1	....	....	2	ci.st.	3	cu.st.	....	....	....	....
13	29·78	29·48	33·5	35·0	45·0	21·0	75	80	E.	2	E.	4	....	....	2	ci.st.	2	cu.st.	....	....	10	st.
14	29·26	29·32	34·0	37·0	39·0	31·5	95	76	E.	14	N.W.	4	·28	....	....	....	10	nb.	1	ci.st.	2	cu.st.
15	29·36	29·42	39·5	38·5	42·5	34·0	77	77	N.W.	8	N.	10	....	....	4	ci.st.	4	cu.st.	....	....	10	st.
16	29·53	29·52	40·0	37·0	48·5	33·5	82	81	N.	4	W.	2	....	....	....	....	10	st.	2	ci.st.	3	cu.st.
17	29·50	29·49	41·0	35·0	51·0	31·5	82	80	N.E.	3	E.	2	....	....	2	ci.st.	2	cu.st.	3	ci.st.	3	cu.st.
18	29·62	29·68	37·5	35·0	52·0	25·5	70	80	N.W.	3	E.	3	....	....	....	....	....	....	....	....	10	st.
19	29·74	29·66	36·0	34·0	50·5	24·5	71	79	S.W.	2	E.	2	....	....	2	ci.st.	3	cu.st.	....	....	....	....
20	29·50	29·54	37·0	34·0	45·5	30·0	81	71	N.	4	W.	2	....	....	....	....	10	st.	4	ci.st.	4	cu.st.
21	29·70	29·88	28·0	30·0	42·0	24·5	76	72	N.W	10	N.W.	2	....	....	....	....	....	....	....	....	....	....
22	29·96	29·82	34·0	43·5	53·5	23·5	79	79	N.W.	4	S.W.	6	....	....	2	ci.st.	1	cu.st.	2	ci.st.	2	cu.st.
23	29·80	29·80	40·5	37·0	62·0	33·5	82	71	W.	3	E.	1	....	....	4	ci.st.	4	cu.st.	....	....	....	....
24	29·50	29·22	38·0	37·0	40·5	32·0	95	95	E.	6	N.	14	·08	·18	....	....	10	nb.	....	....	10	nb.
25	29·70	29·94	40·0	41·5	51·5	33·0	82	79	N.W	6	W.	1	·30	....	....	....	....	....	....	....	....	....
26	30·10	30·18	39·0	37·0	47·0	34·0	86	95	N.	2	E.	4	R.	·06	....	....	10	st.	....	....	10	nb.
27	30·29	30·41	39·0	41·5	58·0	33·0	86	78	N.	6	E.	1	35	....	....	....	10	st.	....	....	....	....
28	30·42	30·28	42·0	43·0	66·0	29·0	74	75	N.W.	2	E.	1	....	....	1	ci.st.	2	cu.st.	....	....	....	....
29	30·26	30·00	42·5	53·5	61·0	31·5	87	90	S.W.	2	S.W.	6	....	....	....	....	10	st.	....	....	10	st.
30	29·92	29·90	57·5	37·5	66·0	37·5	87	95	S.W.	16	E.	3	....	·03	....	....	10	st.	....	....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Winds.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt	Kind.	Amt.	Kind	Amt.	Kind.	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·93	30·24	36·5	34·5	42·5	31·0	90	89	N.E.	4	E.	3	·54	S.			10	st.			10	st.
2	30·44	30·45	40·5	31·5	47·5	31·5	78	84	E.	6	E.	2	·06		1	ci.st.	2	cu.st.	2	ci.st.	3	cu.st.
3	30·40	30·24	33·0	37·5	41·0	28·5	89	86	E.	3	E.	3	·01				10	nb.	4	ci.st.	4	cu.st.
4	30·16	29·80	42·0	40·5	56·0	29·0	83	95	S.W.	4	E.	5		·16	2	cu.st.	3	cu.st.			10	nb.
5	29·77	30·02	38·5	38·0	48·0	36·0	72	54	N.W.	18	W.	10		·14	3	ci.st.	4	cu.st.				
6	30·13	29·96	43·5	46·5	59·0	32·5	51	73	W.	4	S.W.	3			1	ci.st.	2	cu.st.	1	ci.st.	1	cu.st.
7	29·98	29·88	48·5	49·5	65·0	33·0	60	68	N.W.	2	S.W.	3			1	ci.st.	1	cu.st.	2	ci.st.	2	cu.st.
8	29·93	30·10	53·5	44·0	60·5	37·0	60	79	N.W.	4	E.	3			3	ci.st.	4	cu.st.	4	ci.st.	4	cu.st.
9	30·20	29·94	40·0	36·5	51·0	33·5	64	76	E.	2	E.	3					10	st.	2	ci.st.	2	cu.st.
10	29·67	29·66	40·0	46·0	61·0	27·5	86	33	S.W.	1	N.W.	10			4	ci.st.	4	cu.st.				
11	29·80	29·60	38·0	31·5	46·0	31·5	63	95	N.W.	3	E.	5		·02			10	st.			10	st.
12	29·75	29·85	37·5	44·0	52·0	30·5	86	76	N.W.	6	N.W.	4	·04				6	cu.				
13	29·87	29·75	45·5	44·0	47·0	32·0	65	84	N.W.	6	W.	3					10	cu.st.			10	cu.st.
14	29·88	30·21	48·0	42·0	59·0	36·0	13	66	N.W.	10	E.	3							4	ci.st.	4	cu.st.
15	30·31	30·13	48·0	53·0	59·0	31·5	56	60	N.W.	6	S.W.	3			2	ci.st.	2	cu.st.			10	cu.st.
16	29·99	29·86	50·0	54·0	61·0	40·0	65	80	W.	6	W.	2					10	cu.	4	ci.st.	4	cu.st.
17	29·82	29·90	53·5	57·5	70·0	51·0	93	61	N.W.	3	W.	2	·30				10	st.	2	ci.st.	2	cu.st.
18	29·93	29·74	57·0	60·0	77·0	50·0	63	71	W.	3	E.	2		·10	2	ci.st.	2	cu.st.	2	ci.st.	3	cu.st.
19	29·73	29·77	62·0	58·0	75·0	52·0	61	70	W.	6	E.	2	·10		1	ci.st.	1	cu.st.			10	st.
20	29·64	29·62	50·0	50·5	68·5	49·0	85	96	E.	3	W.	2	·06	·05	2	ci.st.	2	cu.st.			10	nb.
21	29·61	29·64	44·5	50·0	55·0	35·0	64	51	W.	6	W.	4	·07		2	ci.st.	3	cu.st.	3	ci.st.	4	cu.st.
22	29·75	29·89	48·0	46·0	51·5	40·0	56	69	N.W.	8	W.	4		R.							10	st.
23	30·00	30·00	48·5	48·0	61·5	33·5	56	70	W.	4	E.	3			3	ci.st.	3	cu.st.	4	ci.st.	4	cu.st.
24	30·06	30·10	49·5	43·0	58·0	33·0	64	83	N.W.	2	E.	4							3	ci.st.	3	cu.st.
25	30·16	30·14	47·5	47·0	54·0	34·5	62	83	N.W.	6	N.W.	3		R.							3	cu.
26	30·06	29·98	51·0	44·0	65·5	36·0	52	76	N.W.	3	E.	2										
27	29·98	29·88	52·0	46·5	63·5	33·5	60	73	N.	3	E.	2			2	ci.st.	2	cu.st.	2	ci.st.	2	cu.st.
28	29·83	29·68	48·0	41·5	50·0	36·0	78	96	E.	3	E.	4		·30			10	st.			10	nb.
29	29·57	29·68	41·5	43·5	44·0	40·0	91	96	E.	8	E.	10	49	·12			10	nb.			10	nb.
30	29·90	30·06	43·0	45·5	47·5	42·5	92	84	E.	8	E.	6	60				10	st.			10	st.
31	30·15	30·12	47·5	42·0	55·0	42·0	74	83	N.E.	6	S.E.	4		R.			10	cu.st.	3	ci.st.	4	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—June 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·06	29·88	52·0	55·0	69·0	34·0	73	74	W.	3	W.	3	...	....	2	ci.st.	2	cu.st.	..	.....	.....	.....
2	29·84	29·85	54·5	46·5	71·0	42·0	71	77	W.	3	E.	2	....	....	3	ci.st.	3	cu.st.	3	ci.st.	4	cu.st.
3	29·84	29·86	54·0	44·0	69·0	36·0	67	84	N.E.	3	E.	2	....	....	2	ci-cu.	3	cu.st.	..	.....	.....	.....
4	29·95	30·02	54·0	48·0	65·5	35·0	61	78	E.	3	E.	2	....	...	....	.....	....	.....	3	ci.st.	3	cu.st.
5	30·11	30·05	54·0	51·5	66·0	35·5	67	79	S.E.	3	E.	4	...	....	4	ci.st.	4	cu.st.	3	ci.st.	4	cu.tt.
6	29·97	29·88	49·5	51·0	52·0	45·5	78	89	E.	4	E.	3	....	...	....	.....	10	st.	...	.....	10	st.
7	29·90	29·92	47·5	51·5	62·0	45·0	96	93	N.E.	3	E.	2	·03	·03	....	.....	10	nb.	....	.....	10	nb.
8	29·94	29·98	45·5	46·5	62·5	43·5	88	88	E.	3	N.E.	3	·43	....	....	.....	10	st.	...	.....	10	st.
9	30·02	30·14	44·0	41·0	46·5	41·0	91	92	E.	4	E.	8	·18	·06	...	....	10	st.	....	...	10	st.
10	30·21	30·11	47·0	44·0	56·0	39·0	81	84	E.	4	E.	3	....	..	....	...	10	st.	3	ci.cu.	2	cu.
11	30·03	30·00	52·0	45·0	60·0	38·5	60	76	E.	5	E.	3	....	....	3	cu.st.	....	....	....	.....	....	.....
12	30·02	29·99	59·5	63·5	83·5	36·0	57	60	N.W.	3	E.	1	....	....	....	ci.st.	4	.....	..	. .	....	.....
13	29·96	29·76	65·9	71·5	91·0	44·0	58	52	N.W.	3	W.	2	....	....	....	....	....	.....	3	ci.cu.	4	cu.st.
14	29·68	29·70	62·5	64·0	88·0	56·0	66	77	W.	3	N.W.	2	....	·02	3	ci.st.	3	cu.st.	...	.....	10	cu.st.
15	29·84	29·88	49·0	46·5	64·0	46·0	85	81	E.	8	E.	3	·08	....	....	.....	10	cu.st.	2	ci.cu.	3	cu.
16	29·94	30·08	50·0	53·0	67·5	40·0	85	86	S.W.	2	N.W.	3	.....	.....	2	ci.st.	3	cu.st.	2	ci.cu.	2	cu.st.
17	30·18	30·02	54·0	62·5	78·0	39·5	80	59	W.	2	S.W.	6	.....	....	2	ci.st.	2	cu.st.	4	ci.st.	4	cu.st.
18	29·90	29·82	63·5	77·5	93·5	55·0	75	55	W.	4	N.W.	3	.....	....	4	ci.st.	4	cu.st.	....	.....	10	st.
19	30·06	30·19	69·5	55·0	77·5	55·0	63	84	N.	4	E.	3	.....	. .	4	ci.st.	4	ci.cu.	4	ci.st.	4	cu.st.
20	30·18	29·96	51·0	66·5	70·5	50·0	89	82	E.	6	S.W.	6	·18	...	....	.....	10	st.	4	ci.st.	4	cu.st.
21	30·02	30·06	58·0	56·5	68·0	56·5	91	84	E.	2	E.	2	·07	....	....	.....	10	ci.cu.	3	ci.st.	3	cu.st.
22	30·17	30·14	82·0	68·5	88·0	49·0	83	77	N.W.	3	E.	1	....	...	2	ci.st.	3	cu.st.	1	ci.st.	2	cu.st.
23	30·14	29·96	70·0	78·0	94·0	56·0	70	58	W.	2	W.	4	...	...	....	.....	....	.....	3	ci.st.	4	cu.st.
24	29·89	29·90	73·0	69·0	89·5	68·0	77	95	W.	3	S.E.	4	....	·62	4	ci.st.	4	cu.st.	4	ci.st.	4	cu.st.
25	30·06	30·00	50·0	48·5	69·0	47·5	89	89	E.	3	E.	4	·04	....	....	....	10	st.	....	.....	10	st.
26	29·84	29·66	49·5	53·5	56·5	47·0	89	90	E.	3	E.	2	·22	....	....	.....	10	st.	....	... ..	10	st.
27	29·42	29·27	54·5	62·0	67·0	52·5	97	91	E.	4	W.	6	·40	·06	....	....	10	nb.	4	ci.st.	4	cu.st.
28	29·59	29·87	64·5	66·0	76·0	55·0	65	68	W.	20	W.	4	...	...	...	....	3	cu.	....	....	4	cu.
29	30·00	30·04	64·0	71·5	85·0	49·0	73	60	W.	2	W.	2	.....	....	....	.....	....	.....	....	ci.st.	2	cu.st.
30	30·15	30·03	62·0	59·5	71·5	56·0	80	91	W.	3	E.	2	.	·08	....	.....	10	st.	...	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·90	29·76	65·0	65·0	69·5	58·5	92	89	E.	2	W.	3	...	·18	...	.....	10	st.	3	ci.st.	3	cu st.
2	29·80	29·80	65·0	67·0	77·0	59·0	92	84	S.W.	4	N.W.	2	....	....	....	...	10	st.	3	ci.st.	4	cu.st.
3	29·87	29·96	64·5	56·5	67·0	56·5	89	90	W.	3	E.	2	..	·01	....	.....	10	st.	....	...	10	st.
4	29·95	29·97	63·0	60·0	74·5	54·0	83	82	W.	4	S.E.	2	....	....	3	ci st.	4	cu.st.	3	ci.st.	4	cu.st.
5	29·92	29·84	65·0	66·0	83·0	50·0	73	78	N.W.	6	E.	2	....	R.	....	.....	....	....	3	ci.st.	4	cu.st.
6	29·83	29·87	63·0	62·5	80·5	58·0	83	86	W.	6	E.	1	·06	....	4	ci.st.	4	cu.st.	2	ci.st.	3	cu.st.
7	29·91	29·91	60·0	63·0	78·0	55·0	94	88	S.E.	2	S.W.	6	·28	....	..	...	10	cu.st.	....	.....	10	cu.st.
8	29·91	29·80	63·0	67·5	71·0	59·0	88	87	S.W.	2	S.W.	1	..	....	....	.....	10	st.	....	.....	10	cu.st.
9	29·65	29·49	65·0	61·5	72·0	61·5	89	91	S.W.	3	W.	2	....	·45	....	.....	10	st.	5	ci.st.	5	cu.st.
10	29·52	29·67	60·0	60·5	64·5	58·5	88	80	W.	8	N.W.	6	·33	R.	4	ci.st.	4	cu.st.	4	ci.st.	3	cu.st.
11	29·76	29·84	63·0	65·0	78·0	55·0	67	73	N.W.	10	N.W.	1	...	.	.	.....	....	.....	....	.....	...	.....
12	29·86	29·74	64·0	58·0	74·0	53·0	73	97	N.W.	2	E.	2	....	·04	2	ci.st.	3	cu.st.	....	...	10	nb.
13	29·67	29·91	59·5	57·0	67·0	55·0	88	87	N.W.	3	E.	2	·17	....	....	.....	10	cu.st.	2	ci.st.	2	cu.st.
14	30·14	30·18	62·5	61·0	76·0	51·0	77	83	S.	2	S.E.	1	...	....	2	ci.st.	2	cu.st.	1	ci.st.	2	cu.st.
15	30·14	30·02	66·0	72·5	83·5	53·0	73	74	W.	6	S.W.	8	...	...	...	.	4	cu.	3	ci.st.	4	cu.st.
16	30·02	29·94	67·0	72·0	85·0	59·0	78	76	W.	6	S.W.	6	...	....	2	ci.st.	2	cu.st.	3	ci.st.	4	cu.st.
17	29·90	29·86	74·0	79·0	90·5	65·0	77	74	W.	4	S.W.	1	....	...	3	ci.st.	3	cu.st.	3	ci.st.	4	cu.st.
18	29·98	29·91	59·5	61·0	79·0	59·0	91	94	E.	2	E.	2	...	R.	....	.....	10	st.	....	.....	....	.....
19	20·87	29·81	64·0	65·0	88·0	58·5	92	89	W.	3	E.	2	.	....	4	ci.st.	5	cu.st.	....	....	4	cu.
20	29·83	29·71	70·0	67·5	85·0	59·5	75	92	W.	3	E.	2	....	·10	2	ci.st.	3	cu.st.	...	.....	10	cu.st.
21	29·62	29·57	64·5	64·0	71·0	63·5	97	89	S.W.	2	N.	3	·30	·55	....	.....	10	nb.	2	ci.st.	4	cu.st.
22	29·71	29·93	60·0	57·0	68·0	55·5	88	81	N.	6	E.	6	....	·04	5	ci.st.	5	cu.st.	..	.....	8	cu.st.
23	29·93	39·97	56·0	56·0	60·5	54·0	87	94	E.	4	E.	3	....	·26	....	.....	10	st.	....	....	10	nb.
24	30·03	29·93	58·0	59·5	67·5	52·0	88	85	E.	2	E.	1	R.	·10	4	ci.st.	4	cu.st.	4	ci.st.	4	cu.st.
25	29·88	29·88	58·5	58·5	60·5	54·5	85	91	S.W.	6	S.W.	3	·04	·40	...	.....	10	st.	....	.....	10	st.
26	29·82	29·52	59·5	58·5	64·0	56·0	91	97	S.W.	2	S.W.	3	·56	15	...	...	10	st.	...	...	10	nb.
27	29·30	29·36	59·5	55·0	71·5	55·0	91	87	N.W.	6	N.W.	6	...	....	....	...	10	st.	....	.....	10	st.
28	29·53	29·69	56·0	56·5	66·0	51·0	81	84	N.W.	8	N.	1	·03	R.	3	ci.st.	3	cu.st.	2	ci.st.	2	cu.st.
29	29·79	29·85	62·0	60·0	76·5	50·0	72	82	N.W.	5	E.	2	.	...	....	.....	....	.....	1	ci.st.	2	cu.st.
30	29·90	29·90	61·5	57·5	66·5	55·5	80	84	E.	4	E.	2	....	..	....	.....	10	cu.st.	..	.....	10	st.
31	29·82	39·82	58·5	61·5	82·0	60·0	94	92	E.	3	S.W.	2	63	04	...	.....	10	st.	...	...	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	29·86	29·87	63·5	69·0	82·0	60·0	92	90	S.W.	3	N.	6	...	·02	..	.	10	st.	....	.	10	nb.
2	29·91	29·87	68·0	70·0	75·0	65·0	85	90	W.	4	S.	1	·12	. .	2	ci.st.	3	cu.st.	....	....	10	st.
3	29·86	29·91	68·0	69·0	81·5	65·0	84	72	S.W.	4	W.	2	...	...	3	ci.st.	4	cu.st.	..	.....	....	.....
4	29·99	29·71	62·0	57·5	72·0	51·0	83	97	W.	3	E.	10	..	28	3	ci.st.	3	cu.st.	....	. .	10	nb.
5	29·95	30·04	60·0	60·0	70·5	54·5	79	82	W.	8	W.	3	24	...	..	....	....	. .	..	.	....	.....
6	30·08	30·01	60·0	67·0	80·5	49·0	79	79	W.	4	W.	3	....	..	....	. .	....	.	2	ci.st.	3	cu.st.
7	29·98	29·89	65·0	68·0	84·0	59·0	84	82	W.	4	S.W.	1	....	.	1	ci.st.	1	cu.st.	1	ci.st.	2	cu.st.
8	29·89	30·02	63·5	60·0	75·5	60·0	92	71	N.W.	3	N.W.	2	·08	.	....	..	10	st.	..	.	....	. .
9	30·12	29·99	61·5	62·0	79·0	48·0	69	83	N.W.	1	W.	6	....	...	..	...	....	....	...	.....	3	cu.
10	29·95	29·91	69·0	69·0	83·0	58·0	70	75	N.W.	8	N.E.	3	....	...	..	...	....	.....	3	ci.st.	4	cu.st.
11	29·91	29·87	64·5	56·5	70·0	56·0	81	97	N.	3	E.	6	·03	·54	4	ci.st.	4	cu.st.	....	.....	10	nb.
12	29·88	29·72	59·5	65·0	66·0	55·0	91	89	S.E.	3	S.E.	2	·14	·05	....	....	10	st.	3	ci.st.	4	cu.st.
13	29·62	29·60	68·0	70·0	87·0	62·0	90	57	W.	6	N.W.	8	·90		4	ci.st.	4	cu.st.	....	.....	....	.....
14	29·69	29·91	63·0	60·0	71·0	54·5	72	76	N.W.	6	N.W.	1	....	R.	..	...	5	cu.	...	... ..	....	.....
15	30·16	30·20	62·0	60·0	78·0	50·0	72	82	N.W.	5	C.	0	...	...	.	.....	. .	..	....	.. .	....	....
16	30·28	30·18	60·0	64·0	79·5	47·5	79	73	W.	3	S.W.	2	....	..	2	ci.st.	2	cu.st.	1	ci.st.	2	cu.st.
17	30·14	30·00	60·0	60·5	70·5	51·5	76	88	S.W.	6	S.W.	1		R.	...	....	10	cu.st.	....	...	10	cu.st.
18	29·90	30·05	65·0	61·0	74·0	59·0	84	77	W.	2	N.W.	10	05	. .	3	ci.st.	1	cu.st.	4	ci.st.	4	cu.st.
19	30·18	30·18	58·5	57·5	76·5	52·0	70	84	N.W.	6	W.	2	...	. .	....	..	....	...	1	ci.st.	2	cu.st.
20	30·10	29·84	57·5	67·5	77·5	49·0	87	82	W.	3	S.W.	2	...	R.	4	ci.st.	5	cu.st.	....	...	10	st.
21	30·02	30·02	62·0	58·0	69·5	58·0	72	82	N.W.	6	W.	2	.	...	5	ci.st.	5	cu.st.	4	ci.st.	4	cu.st.
22	30·11	30·12	55·0	58·5	76·5	46·0	77	79	S.W.	3	W.	2	....	...	.	. .	10	cu.st.	1	ci.st.	2	cu.st.
23	30·21	30·12	56·5	62·0	78·5	46·5	78	77	W.	3	W.	2	....	...	...	....	....	....	....	.....	....	...
24	30·12	29·93	60·5	59·0	75·0	52·0	68	70	S.W.	6	W.	4	....	..	2	ci.st.	1	cu.st.	1	ci.st.	2	cu.st.
25	29·72	29·56	57·5	60·5	63·5	55·5	97	94	E.	4	S.E.	2	25	·05	.	.	10	nb.	....	....	10	st.
26	29·35	29·67	60·0	57·0	72·0	56·5	88	81	W.	6	W.	2	....	..	2	ci.st.	2	cu.st.	....	.....	....	.....
27	29·70	29·72	53·0	55·5	61·0	45·0	86	78	W.	3	N.W.	4	..	...	4	ci.st.	4	cu.st.	...	.....	4	cu.
28	29·67	29·64	54·0	59·0	67·5	47·5	83	82	N.W.	3	S.W.	2	....	....	....	..	5	cu.st.	....	.....	10	st.
29	29·63	29·67	57·5	55·5	63·5	51·0	81	84	N.W.	2	N.W.	2	....	..	2	ci.st.	2	cu.st.	....	.....	....	.....
30	29·76	29·79	57·0	56·0	67·0	50·0	81	94	N.	3	N.E.	2	..	·15	3	ci.st.	4	cu.st.	....	.....	10	st.
31	29·80	29·85	55·5	52·0	62·0	50·5	87	93	N.W.	3	E.	2	.	·10	....	.....	10	cu.st.	..	. ....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—September 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1...	29·90	29·96	53·0	53·5	63·5	49·0	90	90	N.	3	E.	2	....	....	..	..	10	cu.st.	....	....	10	st.
2...	30·00	30·03	54·0	55·0	61·5	49·5	87	87	N.	4	S.E.	3	....	....	1	ci.st.	2	cu.st.	....	....	10	st.
3...	30·14	30·26	56·5	55·0	62·0	52·0	88	87	E.	2	S.E.	2	....	R.	....	....	10	st.	....	....	10	st.
4...	30·29	30·06	59·0	59·0	63·0	51·0	91	91	E.	1	E.	2	·10	·45	....	....	10	st.	....	....	10	st.
5...	30·02	29·94	63·0	58·5	69·0	58·0	91	97	N.	3	E.	2	·10	·01	....	....	10	st.	....	....	10	nb.
6..	29·82	29·70	60·0	60·0	62·0	57·0	94	94	E.	2	E.	1	·16	·03	....	....	10	st.	....	....	10	st.
7...	29·64	29·80	59·0	59·0	73·5	54·0	94	88	W,	3	S.W.	2	·25	...	2	ci.st.	3	cu.st.	....	....	...	..
8...	29·94	30·01	54·0	55·0	72·0	47·0	87	87	W.	2	S.W.	1	...	R.	2	ci.st.	2	cu.st.	....	....	....	....
9...	30·22	30·36	54·0	48·0	65·0	48·0	83	85	N.	3	E.	2	...	...	....	..	...	....	..	....	...	....
10...	30·41	30·30	47·0	58·0	68·5	39·0	85	88	N.W.	3	S.W.	2	....	....	2	ci.st.	3	cu st.	....	....	10	st.
11...	30·26	30·06	59·5	61·5	62·5	54·0	91	91	S.W.	3	S.W.	1	....	·10	....	....	10	st.	....	....	10	st.
12...	29·84	29·82	67·5	64·5	77·5	60·5	92	84	S.W.	10	S.W.	2	·21	....	....	..	10	st.	1	ci.st.	2	cu.st.
13...	30·04	30·24	57·5	50·0	67·5	50·0	67	75	W.	6	N.	4	...	....	...	....	...	....	....	....	...	....
14...	30·40	30·33	47·0	52·5	63·0	39·0	77	83	N.W.	3	E.	2	..	....	3	ci.st.	2	cu.st.	2	ci.st.	3	cu.st.
15...	30·16	30·10	56·5	61·0	77·5	49·0	84	91	W.	8	W.	3	....	18	4	ci.st.	4	cu.st.	....	....	....	....
16...	30·28	30·10	52·0	54·5	64·5	44·5	73	87	N.W.	4	E.	3	...	R.	....	....	....	....	....	....	10	st.
17...	29·70	30·00	57·5	54·0	67·5	52·0	97	74	N.W.	4	N.W.	8	.	·28	....	....	10	nb.	....	...	....	....
18...	30·25	30·36	44·0	45·5	62·5	39·0	68	76	N.W.	10	N.W.	3	....	....	....	....	....	....	....	....	....	....
19...	30·34	30·04	42·5	52·5	65·0	34·0	79	76	W.	2	S.W.	3	.	....	4	ci.st.	4	cu.st.	4	ci.st.	4	st.
20...	29·88	29·86	55·5	55·0	72·0	45·0	74	87	N.	4	S.E.	3	...	·03	....	....	....	....	....	....	10	nb.
21...	29·70	29·70	56·0	61·0	78·0	52·5	90	88	W.	8	W.	2	·07	....	4	ci.st.	4	cu.st.	4	ci.st.	4	cu.st.
22...	29·75	29·92	58·0	56·0	75·0	53·5	82	75	S.W.	2	S.W.	1	....	....	3	ci.st.	3	cu.st.	1	ci.st.	1	cu.st.
23...	30·09	29·83	49·5	53·5	59·5	41·0	78	91	E.	2	C.	0	.	·35	4	ci.st.	4	cu.st.	....	....	10	nb.
24...	29·56	29·51	53·5	63·5	72·0	52·5	93	86	N.E.	3	W.	14	88	....	..	...	10	st.	....	....	10	st.
25...	29·48	29·53	58·0	55·0	65·0	55·0	94	74	S.W.	8	N.W.	10	·05	R.	..	..	10	nb.	3	ci.st.	1	cu.st.
26...	29·88	29·95	46·0	43·5	56·5	41·0	69	75	N.W.	8	W.	3	....	....	....	....	3	cu.	..	....	4	cu.
27...	29·94	29·96	43·0	47·0	56·0	36·0	75	77	W.	4	W.	4	....	....	....	....	....	....	..	....	....	....
28..	30·19	30·24	38·0	40·0	56·0	32·0	66	73	N.W.	3	N.W.	2	....	..	2	ci.st.	3	cu.st.	....	....	....	....
29...	30·29	30·10	38·0	43·5	53·0	30·0	76	79	W.	2	E.	3	..	....	2	ci.st.	3	cu.st.	....	....	10	st.
30...	30·00	29·88	45·0	45·5	53·5	41·0	88	88	N.E.	4	E.	3	·03	R.	3	ci.st.	1	cu.st.	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitatn.		Clouds.							
									8 a.m.		8 p.m.				8 a.m				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1 ..	29·91	30·03	46·0	44·0	56·0	43·0	96	84	N.E.	8	S.E.	2	·28	...	..	...	10	nb.	1	ci.st.	2	ci st.
2....	30·07	30·05	42·0	42 0	63·5	35·0	83	83	N.W.	3	C.	0	....	....	....	...	...	.....	....	....	....	.....
3....	30·06	30·01	45 0	42·5	64 0	38·5	76	83	N.W	6	E.	2	....	....	....	...	...	...	..	.....	....	.....
1....	29·93	29 52	39·0	47·0	57·0	32·0	82	96	N.W.	3	E.	8	..	10	2	ci.st.	2	cu.st.	....	.....	10	n.b.
5....	29·40	29·55	46·5	47·5	54·5	43 0	88	74	W.	4	N.W.	6	·22	....	2	ci.st.	3	cu.st.	....	.....	10	st.
6...	29·70	29·82	40·0	40·0	55·5	35·0	82	82	N.W.	2	N.W.	3	....	....	2	ci.st.	2	cu.st.	....	.....	....	.....
7....	30·03	29·90	34 5	47·5	47·5	31·5	84	46	W.	2	S.W.	2	....	·08	....	.....	10	cu st.	....	.....	10	st.
8....	29·56	29·40	62·5	43·5	63·5	43·5	80	96	S.W.	24	S.W.	22	·04	·48	....	.....	10	cu.st.	....	.. .	10	n.b.
9....	30·03	30·18	38·0	38·0	52·5	35·0	63	81	N.W.	6	N.W.	2	·08	....	2	ci.st.	2	cu.st.	....	....	....	....
10....	30·24	30·10	34·0	47·0	55·5	30·0	79	85	W.	3	S.W.	2	....	....	3	ci.tt.	3	cu.st.	....	.....	10	st.
11....	30·08	30·04	38·5	47·5	55·0	35·5	86	89	W.	3	S.E.	1	....	....	4	ci.st.	4	cu.st.	1	cu.st.	1	cu.st.
12....	30·01	29·99	48·0	52·5	59·5	43·0	85	96	S.W.	3	S.	2	....	·04	4	ci.st.	4	cu.st.	....	.....	10	nb.
13....	30·08	30·03	44·0	48·5	54·0	42·0	88	89	N.	2	E.	3	·04	....	4	ci.st.	4	cu.st.	....	.....	10	st.
14....	30·02	30·12	44 0	45·5	49·0	43·0	84	88	N.W.	4	N.W.	2	·08	....	....	.....	10	cu.st.	2	ci.st.	2	cu.st.
15....	30·17	30·08	36·5	45·0	58·0	33·0	85	88	S.W.	3	S.W.	2	....	....	2	ci.st.	3	cu.st.	....	.....	10	cu.st.
16 ...	30·18	30·15	43·5	46·0	57·5	39·0	83	77	W.	3	W.	1	....	....	1	ci.st.	2	cu.st.	....	.....	....	...
17....	30·15	30·02	47·5	50·5	66·0	42·0	81	89	W.	3	S.W.	2	....	....	....	... .	4	cu.	2	ci.st.	3	cu.st.
18....	29·69	29·84	51·0	38·0	66·5	38·0	86	72	W.	6	N.W.	4	....	....	1	ci.st.	2	cu.st.	....	.....	....	.....
19...	30·00	30·10	30·0	28 5	39·5	26·0	67	76	N.W.	10	N.W.	3	....	....	....	.....	..	....	....	.. .	...	.....
20....	30 17	30·09	27·5	30·0	41·0	22 0	82	78	W.	1	S.W.	1	....	....	3	ci.st.	3	cu.st.	....	....	....	.....
21....	30·00	29·96	26·5	30·0	38·5	24·0	82	78	N.W.	8	N.W.	16	....	...	2	ci.st.	3	cu.st.	2	ci.st.	2	cu.st.
22....	30·08	29·76	26·5	29·5	44 0	22·0	82	77	W.	6	S.W.	4	....	....	1	ci.st.	2	cu.st.	3	ci.st.	3	cu.st.
23....	29·66	29·78	41·5	41·5	56·5	38·0	87	78	W.	3	W.	2	....	....	4	ci.st.	4	cu.st.	4	cu.st.	4	cu.st.
24 ...	29·87	29·94	37·0	32·0	42·0	32 0	81	79	N.W.	8	N.W.	6	..	....	2	ci.st.	5	cu.st.	....	.....	....	.. .
25....	29·90	29·72	26·0	43 0	47·5	22·5	75	83	W.	2	S.W.	3	.	....	....	...	....	..	....	....	10	st.
26....	29 89	30·20	36·0	34·0	43·5	32 0	80	79	W.	2	N.W.	4	....	...	2	ci.st.	3	cu.st.	3	ci.st.	2	cu.st.
27....	30·43	30·28	28·0	37·0	41·0	23·0	76	90	W.	2	S.W.	2	...	R.	3	ci.st.	3	cu.st.	....	.. .	10	st.
28....	30·21	29·96	40·0	55·0	58 5	35·0	86	94	E.	1	E.	1	·38	·02	4	ci.st.	4	cu.st.	....	.....	10	nb.
29....	29·68	29·46	59·5	48·0	63·0	48·0	97	89	S.W.	3	E.	10	·35	·12	...	.....	10	nb.	..	.....	10	st.
30 ...	29·68	30 14	35 0	30.0	48·0	30 0	84	78	N.W.	6	N.W.	8	·20	....	...	.....	10	cu.st.	...	.....	....	.....
31....	30·48	30·51	30·0	33·5	52·0	26·5	72	80	W.	2	W.	1	....	....	....	.....	....	... ..	....	.....	....	... ...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·52	30·34	28·0	36·0	58·5	24·0	76	80	W.	2	W.	1	....	....	1	ci.st.	2	cu.st.	..	..	..	....
2....	30·24	30·08	28·0	38·0	56·0	26·0	70	72	W.	2	W.	1	....	....	....	....	10	....	..	..	..	....
3....	29·85	29·36	41·0	51·5	57·0	30·5	87	89	E.	3	S.W.	4	..	·28	..	....	10	st.	....	....	10	st.
4....	29·34	29·70	46·5	35·0	51·5	35·0	88	70	S.W.	6	N.W.	8	....	....	2	ci.st.	2	cu.st.	2	ci.st.	2	cu.st.
5....	30·03	30·14	32·0	32·5	41·0	30·0	79	85	N.W.	6	N.E.	2	....	....	....	....	10	cu.st.	2	ci.st.	3	cu.st.
6....	30·30	30·19	33·5	42·0	50·0	26·5	85	83	S.W.	1	E.	3	....	....	4	ci.st.	4	cu.st.	....	....	10	st.
7....	29·73	29·44	42·5	48·0	51·5	41·0	96	89	E.	8	S.	4	1·72	·04	....	....	10	nb.	....	....	....	....
8....	29·50	29·66	43·5	40·0	48·0	40·0	79	86	S.W.	10	S.W.	6	·04	..	....	....	10	cu.st.	....	....	10	cu.st.
9....	29·83	29·96	35·5	33·5	50·0	33·5	80	79	W.	4	N.	5	R.	....	....	....	....	....	....	....	....	.
10 ...	29·91	29·80	39·0	45·5	46·0	30·0	91	96	W.	2	E.	2	....	·14	....	....	10	st.	..	.	10	nb.
11....	30·06	29·97	33·5	37·0	46·0	32·0	84	95	W.	3	E.	2	·04	·02	3	ci.st.	3	cu.st.	..	....	10	nb.
12....	30·16	30·13	25·0	27·5	37·0	23·0	74	75	W.	3	W.	2	·02	·03	....	....	....	....	....	....	....	....
13 ...	30·02	29·70	22·5	29·5	38·5	20·0	71	72	W.	3	W.	3	....	....	....	....	....	....	....	....	....	..
14 ...	29·57	29·98	32·4	21·5	37·0	26·0	85	78	W.	1	W.	2	..	....	....	....	10	cu.st.	....	....	....	....
15....	30·29	30·39	20·0	18·0	25·5	18·0	70	68	W.	3	N.W.	3	....	....	3	ci.st.	4	cu.st.	....	....	....	....
16....	30·42	30·16	19·5	26·5	39·0	14·0	77	75	W.	2	S.W.	3	....	....	3	ci.st.	2	cu.st.	1	ci.st.	2	cu.st.
17....	30·08	30·31	26·9	24·0	37·0	22·5	75	73	W.	3	N.W.	3	....	....	....	....	....	....	....	....	....	....
18....	30·28	30·16	24·0	38·5	41·0	16·0	73	86	W.	2	W.	3	....	....	2	ci.st.	3	lu.st.	....	....	10	cu.st.
19....	30·24	30·36	33·5	30·5	38·5	30·5	84	89	W.	1	N.E.	2	..	·02	....	....	10	st.	....	....	10	st.
20....	30·57	30·58	22·5	23·0	35·0	21·0	71	72	N.E.	6	S.W.	2	....	....	....	....	4	cu.	....	....	....	....
21 ...	30·52	30·25	19·5	36·5	37·0	16·0	77	85	W.	2	S.W.	2	....	R.	2	ci.st.	2	cu.st.	....	....	10	st.
22....	30·10	30·06	42·5	36·5	52·5	36·0	87	85	S.W.	2	S.W.	1	....	....	....	....	10	st.	4	ci.st.	4	cu.st.
23....	30·09	30·28	35·5	34·0	46·5	33·0	80	79	W.	2	W.	1	....	....	1	ci.st.	2	cu.st.	....	....	....	....
24....	30·54	30·63	27·0	27·0	43·0	24·5	75	75	W.	2	E.	1	....	....	....	....	....	....	....	....	....	....
25....	30·58	30·12	33·0	37·5	37·5	22·0	80	95	E.	3	E.	14	....	·11	....	.	10	cu.st.	....	....	10	nb.
26 ...	29·71	29·60	41·5	41·5	46·5	37·5	91	87	E.	6	S.W.	1	·76	·04	....	....	10	st.	..	....	10	st.
27...	29·64	29·59	33·5	32·0	41·5	32·0	84	89	W.	2	W.	1	....	·01	....	....	10	st.	....	....	10	st.
28....	29·64	29·77	26·0	25·5	32·5	24·0	75	74	N.W.	10	W.	2	·03	....	2	ci.cu.	2	cu.	....	....	....	....
29....	29·86	30·22	25·0	22·5	28·0	21·5	80	79	N.W.	2	W.	3	03	....	1	ci.cu.	4	cu.st.	3	ci.st.	3	cu.st.
30 ..	30·36	30·30	19·0	21·0	23·5	18·0	84	85	N.W.	2	N.	1	S.	S.	....	....	10	st.	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Chatham, New Brunswick—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·38	30·20	21·5	23·5	25·5	18·5	85	86	E.	3	E.	2	....	S.	....	....	10	st.	....	....	10	st.
2	29·56	29·64	27·0	23·0	27·5	22·0	93	79	N.E.	8	W.	4	·25	....	....	....	10	nb.	4	ci.st.	4	cu.st.
3	29·97	30·27	18·5	20·0	27·0	14·0	76	70	W.	3	W.	1	....	....	3	ci.st	3	cu.st.	1	ci.st.	1	cu.st.
4	30·35	30·22	8·0	17·5	26·5	5·5	76	75	S.W.	2	E.	1	....	....	....	....	....	....	....	....	....	....
5	30·10	29·76	18·0	16·0	21·0	11·0	75	71	N.	3	N.	2	....	....	..	..	10	cu.st.	2	cu.st.	2	cu.st.
6	29·77	29·99	17·5	22·0	29·0	8·0	75	71	N.W.	3	W.	2	....	..	1	ci.st.	2	cu.st.	....	.	....	....
7	30·04	30·03	23·0	21·0	32·0	14·0	79	73	S.W.	1	S.W.	1	....	....	....	....	10	cu.st.	....	..	..	..
8	30·13	30·10	23·0	33·0	38·0	19·0	70	85	W.	1	S.W.	1	....	....	....	....	....	....	....	....	10	st.
9	30·16	30·12	31·5	32·0	37·5	30·0	84	84	W.	1	S.W.	1	....	....	1	ci.st.	1	cu.st.	4	ci.st.	1	cu.st.
10	29·84	29·62	40·0	51·0	51·0	31·0	86	89	S.W.	2	W.	6	....	·05	....	....	10	st.	....	....	10	st.
11	29·47	29·47	54·0	47·5	57·5	47·5	90	89	S.W.	2	E.	1	·56	R.	....	....	10	st.	....	....	10	st.
12	29·48	29·56	39·0	29·5	47·5	29·5	82	83	W.	3	N.W.	6	....	S.	2	ci.st.	3	cu.st.	....	....	10	st.
13	29·75	29·96	15·0	9·5	29·5	9·5	64	68	N.W.	12	N.W.	8	·02	....	2	ci.st.	2	cu.st.	1	ci.cu.	1	cu.
14	30·26	30·40	20·0	25·0	32·0	8·0	70	80	N.	3	C.	0	....	....	1	ci.st.	2	cu.st.	4	ci.st.	4	cu.st.
15	30·18	29·82	25·0	29·0	29·0	22·5	87	94	N.E.	2	E.	6	·02	·09	....	..	10	nb.	....	....	10	nb.
16	29·56	29·69	27·0	19·5	29·5	19·5	93	69	N.E.	4	E.	2	·21	....	....	....	10	nb.	....	.. ..	1	cu.
17	29·91	30·00	10·0	17·0	28·0	9·0	68	75	S.E.	1	S.W.	1	....	..	3	ci.st.	3	cu.st.	1	ci.st.	3	cu.st.
18	29·99	29·89	14·0	25·5	26·0	8·5	81	68	S.W.	2	S.W.	1	....	....	....	....	10	st.	3	ci.st.	3	cu.st.
19	29·92	30·01	14·0	18·0	28·0	13·5	72	68	W.	2	W.	1	....	....	....	....	....	....	2	ci.cu.	2	cu.
20	29·97	29·92	21·0	27·5	33·5	12·0	73	82	W.	2	W.	4	....	..	3	ci.st.	3	cu.st.	3	ci.st.	3	cu.st.
21	29·93	30·24	25·0	9·5	28·0	9·5	80	68	N.W.	2	N.W.	1	....	....	3	ci.st.	4	cu.st.	....	....	....	.. ..
22	30·02	29·86	17·5	30·5	34·0	5·0	75	84	W.	3	N.W.	10	....	....	....	....	10	st.	3	ci.st.	3	cu.st.
23	29·80	29·44	27·5	33·0	33·0	26·0	82	94	S.W.	6	N.E.	2	....	17	....	....	7	cu.st.	....	....	10	nb.
24	28·81	29·28	35·0	35·0	40·0	33·0	84	80	N.W.	3	W.	8	·18	..	....	....	10	st.	1	ci.st.	2	cu.st.
25	29·75	30·04	28·5	21·5	35·0	21·5	71	71	W.	3	W.	2	....	....	....	....	....	....	....	.. ..	....	.. ..
26	30·04	30·31	21·0	21·5	32·5	14·0	81	78	E.	1	E.	1	S.	....	....	....	10	st.	2	ci.st.	2	cu.st.
27	30·42	29·98	6·5	38·5	38·5	5·0	62	86	W.	2	S.W.	6	....	....	....	....	....	....	....	.. ..	10	st.
28	29·70	29·50	41·5	39·0	42·0	38·5	87	86	S.W.	3	S.W.	1	·24	16	1	ci.st.	4	cu.st.	....	....	10	st.
29	29·96	30·22	21·0	17·0	39·0	17·0	71	67	N.W.	8	W.	3	....	..	....	..	.	.. ..	....	....	..	....
30	30·17	29·21	21·5	33·5	33·5	15·0	78	95	S.W.	2	E.	2	..	20	....	....	10	st.	....	.. .	10	nb.
31	29·09	29·70	31·0	12·0	34·5	12·0	84	63	N.W.	4	N.W.	8	·08	....	....	....	10	st.	....	..	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island: Latitude North, 46° 14′: Longitude West, 63° 10′. Height above Sea, 38 feet. January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·01	29·87	39·0	33·5	45·0	31·0	98	100	S.E.	27	N.W.	7	·45	·03			10	cu.st.			10	cu.st.
2	30·07	30·41	32·0	25·0	35·0	25·0	95	87	N.W.	6	N.	14	S.				10	cu.st.			10	cu.st.
3	30·59	30·45	20·0	19·0	26·0	18·0	93	84	N.W.	10	C.	0					10	st.			10	st.
4	29·87	29·35	28·0	37·2	41·0	19·0	97	96	S.E.	7	W.	6	·25	·12			10	st.			10	st.
5	29·64	29·93	30·0	23·3	38·0	23·3	67	83	N.W.	15	N.W.	6	R.		3	ci.					10	cu.st.
6	30·20	30·28	19·0	18·0	24·0	16·0	92	92	C.	0	C.	0					10	cu.st.				
7	30·07	29·97	28·3	29·5	34·0	18·0	91	81	S.	2	C.	0					10	st.				
8	30·26	30·21	19·0	17·0	30·0	16·3	69	83	N.W.	12	C.	0					7	cu.st.			10	st.
9	29·67	29·30	28·5	16·0	33·6	16·0	89	83	S.E.	10	N.W.	13	S.	·05			10	st.			10	st.
10	29·79	29·99	− 4·3	3·5	16·0	5·0	75	87	N.W.	12	C.	0										
11	29·71	29·94	27·3	25·0	34·0	35·0	96	68	S.	14	C.	0	S.				10	st.				
12	30·39	30·38	6·0	12·0	25·0	5·0	76	90	N.W.	7	C.	0		·05							10	st.
13	30·15	30·46	23·5	20·0	27·5	12·0	93	85	C.	0	N.E.	4	·25	S.			10	st.			10	cu.st.
14	30·52	30·21	16·5	18·3	21·3	16·5	92	94	W.	0	C.	6	S.	S.			10	cu.st.			10	st.
15	29·63	29·77	32·0	4·5	34·0	4·5	79	74	N.W.	9	N.W.	15	·25				10	st.				
16	29·92	30·21	8·5	− 10·0	4·5	− 10·2	79	91	N.W.	14	N.W.	13									10	c.ust.
17	30·41	30·12	− 8·0	7·0	− 3·0	− 11·0	92	88	N.W.	8	C.	0										
18	30·36	30·18	0·0	14·3	15·0	− 7·0	91	95	C.	0	C.	0					6	cu.st.				
19	30·44	30·36	9·3	16·5	18·0	6·5	97	87	C.	0	C.	0									10	st.
20	29·68	29·37	37·5	42·6	46·0	16·5	95	96	S.E.	28	S.W.	18	35				10	cu.st.			10	cu.st.
21	29·74	30·23	30·0	5·3	43·0	5·3	98	73	S.W.	7	N.W.	12					4	cu.st.				
22	30·52	30·61	0·5	8·0	8·0	0·0	85	78	N.W.	1	C.	0									9	cu.st.
23	30·06	30·19	24·0	10·5	29·0	8·0	90	94	S.E.	12	C.	0	·10				10	st.			9	cu.st.
24	30·17	30·06	− 2·5	4·5	11·0	− 4·5	90	89	C.	0	C.	0					7	cu.st.				
25	30·10	30·10	− 7·0	13·0	13·0	− 9·0	80	91	C.	0	C.	0									10	st.
26	30·20	30·14	13·0	12·0	16·2	10·0	91	92	C.	0	N.W.	5	·10	·05			10	st.			10	st.
27	30·38	30·32	10·5	3·2	13·0	3·2	90	95	N.E.	4	C.	0	·05				10	cu.st.				
28	30·16	30·13	8·0	− 0·3	15·0	− 0·5	93	94	C.	0	C.	0					10	st.				
29	30·30	30·36	2·6	1·0	12·3	− 0·5	97	91	C.	0	C.	0										
30	30·32	30·37	12·5	11·8	20·0	− 1·5	90	96	C.	0	C.	0			10	ci.st.					10	cu.st.
31	30·68	30·68	3·5	− 4·0	11·8	− 4·0	87	43	C.	0	C.	0					10	cu.st.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 p.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·47	30·49	14·0	8·3	20·8	— 1·0	91	94	S.	4	C.	0	·12	...	...	...	10	cu.st.	...	...	...	...
2	30·10	29·48	33·5	34·5	36·2	7·0	85	95	S.E.	13	S.	3	·10	..	...	...	10	st.	...	...	10	st.
3	29·32	29·56	35·0	19·0	39·0	19·0	90	82	S.W.	19	S.W.	10	...	...	...	...	10	st.	...	...	...	...
4	30·12	30·14	1·3	5·0	19·0	0·0	86	75	S.W.	8	C.	0	...	...	...	...	...	...	...	...	...	...
5	30·42	29·91	8·5	15·0	15·0	3·0	82	91	C.	0	N.E.	23	·05	·15	...	...	10	st.	...	...	10	st.
6	29·95	30·04	13·0	10·2	19·0	10·0	91	96	N.E.	5	C.	0	...	...	...	...	10	st.	...	...	10	st.
7	30·22	30·39	3·2	8·0	12·0	0·0	95	85	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
8	30·44	30·30	2·5	16·2	19·0	— 7·0	95	97	C.	0	C.	0	...	...	5	ci.st.	...	...	...	...	...	...
9	30·26	30·09	5·0	13·0	23·0	3·0	95	91	C.	0	C.	0	...	...	...	...	...	...	...	...	...	...
10	30·04	29·88	9·5	22·0	22·0	4·0	98	86	C.	0	C.	0	..	...	5	ci.st.	..	...	...	...	10	st.
11	29·47	29·40	32·0	26·0	38·0	22·0	90	82	S.	15	C.	0	·05	·10	...	...	6	cu.st.	...	...	5	cu.st.
12	29·55	29·72	1·5	— 1·0	26·0	— 1·0	86	91	S.W.	7	C.	0	...	.	5	ci.st.	...	...	...	..	...	..
13	29·97	30·11	— 3·0	— 1·5	4·8	— 6·0	81	91	N.W.	2	C.	0	...	...	...	...	...	...	...	...	...	...
14	29·82	29·59	28·0	39·0	39·0	— 2·0	94	95	S.W.	20	S.W.	14	·12	...	...	...	10	st.	...	...	10	cu.st.
15	29·66	29·93	20·0	12·0	39·0	12·0	85	94	N.E.	13	C.	0	·14	...	...	...	10	st.	...	...	...	...
16	29·91	29·84	16·5	28·0	28·0	4·0	92	92	C.	0	C.	0	...	...	...	...	10	st.	...	...	10	st.
17	29·88	29·88	26·0	18·0	29·0	18·0	94	97	C.	0	N.E.	19	·02	·05	...	...	10	st.	...	...	10	st.
18	30·01	29·87	1·5	2·5	18·0	1·0	94	95	N.E.	21	N.E.	16	·10	·02	...	...	10	st.	...	...	10	st.
19	29·77	29·82	8·0	9·8	14·0	2·5	85	92	N.E.	14	C.	0	·01	...	...	...	10	cu.st.	...	...	6	cu.st.
20	29·76	29·94	20·4	26·0	29·0	9·8	94	94	C.	0	C.	0	...	...	...	...	10	st.	...	...	10	st.
21	29·46	29·62	40·2	32·3	44·6	25·0	98	97	S.E.	25	S.W.	7	·61	..	...	...	10	st.	...	...	10	cu.st.
22	29·78	30·06	26·0	7·5	33·0	7·5	75	78	S.W.	5	N.W.	7	...	...	...	...	9	cu.	...	...	2	cu.
23	30·27	30·46	— 7·5	— 3·8	7·5	— 8·5	80	86	N.W.	12	N.W.	10	...	...	...	...	4	cu.	..	...	...	...
24	30·65	30·51	— 7·0	— 1·5	1·5	— 8·5	89	84	N.W.	5	C.	0	...	...	...	...	...	...	...	...	...	...
25	29·99	29·34	9·0	14·0	18·0	— 1·5	85	95	S.E.	10	N.E.	16	S.	·15	...	..	10	st	...	...	10	st.
26	29·74	29·90	1·0	0·2	14·0	0·2	91	94	N.W.	22	C.	0	·05	...	...	...	3	cu.st.	...	...	...	...
27	29·96	30·08	0·0	— 1·0	5·2	— 5·0	79	91	N.W.	4	N.W.	18	...	...	5	ci.	.	...	...	...	...	...
28	30·35	30·39	— 3·0	3·8	5·0	— 6·5	81	79	N.W.	10	C.	0	...	...	...	...	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·46	30·34	3·0	5·3	13·0	— 0·5	87	93	N.W.	2	C.	0							1	ci.		
2	30·03	29·25	18·0	31·3	31·3	5·0	92	95	C.	0	N.E.	4		·10			10	st.			10	st.
3	29·50	30·01	14·3	9·5	32·0	9·5	95	90	N.E.	12	N.E.	3	·58				10	st.				
4	30·14	30·08	5·0	5·0	14·0	1·0	85	88	N.E.	3	N.E.	3									9	cu.st.
5	29·99	29·97	5·5	5·0	12·0	3·0	93	93	N.	3	C.	0					10	cu.st.				
6	30·06	30·01	— 1·2	7·5	17·0	— 7·0	91	90	C.	0	N.E.	10			3	ci.						
7	29·76	29·79	14·5	18·0	19·0	7·5	95	73	N.E.	26	N.E.	24	·05				10	cu.st.			10	cu.st.
8	29·91	29·90	11·0	17·5	23·5	7·5	84	84	N.E.	2	C.	0									10	cu.st.
9	29·92	30·14	21·0	18·0	29·0	17·5	93	71	C.	0	N.	2									6	cu.st.
10	30·35	30·32	15·0	15·0	21·0	4·0	74	82	N.W.	5	C.	0										
11	30·35	30·22	16·0	23·5	30·0	10·0	83	80	S.	2	N.E.	4			3	ci.			3	ci.st.		
12	30·13	30·11	23·5	19·0	30·4	19·0	73	84	N.E.	13	C.	0					9	cu.st.				
13	29·88	29·62	22·0	32·5	34·0	10·0	76	97	S.	10	C.	0		S.			10	st.			10	st.
14	29·97	29·88	28·0	19·0	32·5	19·0	77	92	N.W.	5	N.E.	5		·14	6	ci.					10	st.
15	30·04	30·08	18·5	14·0	25·8	14·0	84	91	N.E.	3	C.	0	·02		8	ci.						
16	30·17	30·39	15·5	14·5	30·3	3·0	95	91	C.	0	C.	0					10	st.				
17	30·18	29·82	33·0	38·5	40·0	13·3	75	77	S.W.	14	S.W.	28					7	cu.st.			3	cu.st.
18	30·21	30·25	24·0	20·5	38·6	20·5	61	93	N.W.	13	C.	0			3	ci.						
19	30·33	30·09	21·0	22·5	28·5	15·5	85	86	N.	2	S.E.	6			3	ci.					10	cu.st.
20	28·97	28·94	29·0	22·0	34·2	22·0	89	86	S.E.	34	N.	22	·40	·10			10	st.			10	st.
21	29·61	29·81	20·0	26·0	27·2	17·0	85	88	N.W.	23	C.	0	·10				10	cu.st.	3	ci.		
22	29·94	29·66	22·0	33·5	33·5	15·0	96	95	C.	0	S.E.	15		·14							10	st.
23	29·40	29·94	37·0	31·5	38·5	31·5	86	84	W.	5	N.W.	9	·02				5	cu.st.				
24	30·21	30·23	19·0	15·0	31·5	15·0	69	82	N.W.	14	N.	6			5	ci.						
25	30·31	30·18	21·0	24·0	30·3	11·5	57	80	N.	8	C.	0							4	ci.		
26	29·95	29·99	32·0	34·0	39·8	21·0	90	84	S.W.	11	S.W.	8			8	ci.st.			5	ci.st.		
27	30·37	30·38	24·5	26·0	34·0	21·0	70	75	N.E.	2	S.E.	5			8	ci.st.					10	cu.st.
28	30·17	29·79	31·5	38·3	38·3	26·0	84	97	S.E.	24	S.W.	8		·02			10	st.			10	sl.
29	29·84	30·13	13·0	32·0	44·5	32·0	75	79	N.W.	4	C.	0	R.		4	ci.			6	ci.		
30	30·03	29·89	34·0	35·5	36·5	31·5	79	97	S.E.	12	C.	0					10	st.			6	cu.st.
31	30·08	30·20	37·0	37·0	39·5	33·5	81	83	C.	0	N.	2			5	ci.			4	ci.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1	30·33	30·23	32·5	25·5	37·5	25·5	75	93	N.E.	2	N.E.	12		·05			10	st.			10	st.
2	30·01	29·93	26·0	26·0	28·2	24·0	91	96	N.E.	14	N.E.	16	·15	·10			10	st.			10	st.
3	29·95	29·94	25·5	23·5	32·0	21·0	81	93	N.	14	C.	0	·05				10	cu.st.				
4	30·02	30·11	33·0	27·2	42·5	17·5	70	76	C.	0	C.	0			2	ci.						
5	30·06	29·73	30·2	37·0	40·0	23·0	76	81	E.	4	S.E.	12		·06			10	cu.st.			10	st.
6	29·64	29·98	22·4	20·0	37·0	20·0	86	70	N.W.	24	N.W.	21	·32				10	cu.st.			5	cu.st.
7	30·18	30·19	20·0	18·5	25·0	14·0	70	84	N.W.	18	C.	0					3	cu.				
8	30·14	30·03	25·7	22·0	31·0	12·0	79	86	N.	5	C.	0										
9	29·88	29·57	30·0	32·0	37·6	20·0	78	69	E.	5	E.	6			5	ci.					10	cu.st.
10	29·18	29·27	35·0	35·3	38·2	28·0	82	87	S.E.	14	S.	11	·30				10	st.			10	st.
11	29·39	29·50	35·0	35·0	41·3	33·0	95	90	S.	2	C.	0					10	st.			10	st.
12	29·64	29·85	33·3	30·0	39·0	30·0	92	89	N.E.	6	E.	0					10	st.				
13	29·79	29·38	32·0	32·0	37·4	26·0	85	90	E.	3	N.E.	13		S.			10	st.			10	st.
14	29·07	29·19	35·0	34·0	37·5	31·5	90	97	N.E.	7	N.W.	16	15	·05			10	st.			10	st.
15	29·32	29·39	38·5	35·0	44·0	33·5	68	90	N.W.	10	N.W.	5	S.	R.			10	st.			10	st.
16	29·47	29·57	36·0	33·0	40·5	33·0	90	89	N.W.	7	C.	0	·01				10	st.			10	cu.st.
17	29·51	29·46	36·5	32·0	43·0	32·0	90	90	C.	0	C.	0					10	cu.st.				
18	29·61	29·72	40·0	33·0	46·0	30·0	64	80	N.W.	7	C.	0							1	ci.		
19	29·74	29·70	39·0	37·5	51·4	28·5	82	81	C.	0	C.	0									10	cu.st.
20	29·49	29·56	34·0	31·5	40·5	31·5	90	89	C.	0	C.	0	12				10	st.				
21	29·78	29·89	31·0	28·0	35·0	28·0	68	88	N.W.	10	C.	0					10	cu.st.				
22	30·01	29·94	37·0	35·5	45·0	24·5	62	75	S.W.	5	S.W.	3										
23	29·89	29·85	39·5	43·8	50·5	32·3	73	80	C.	0	S.W.	5					10	cu.st.				
24	29·55	29·06	42·5	38·5	47·6	38·0	96	95	S.E.	11	S.	6	·16	·15			10	st.			10	st.
25	29·62	29·97	40·0	36·0	51·0	35·5	61	90	N.W.	20	W.	11	·02		3	ci.st.						
26	30·07	30·18	37·0	36·3	48·0	33·5	81	87	C.	0	C.	0	·04				10	st.			10	st.
27	30·19	30·50	38·0	33·5	44·5	33·5	90	89	N.W.	7	C.	0	·02				10	cu.st.				
28	30·51	30·37	35·5	39·0	54·0	25·3	75	82	C.	0	S.E.	6										
29	30·29	30·16	39·0	44·0	51·3	33·0	82	92	C.	0	S.	17					10	st.			6	cu.st.
30	30·08	29·96	53·5	47·0	60·0	39·5	80	92	S.W.	8	S.W.	12			5	ci.						

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Force.	Dir.	Force.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·87	30·21	45·0	32·0	50·0	32·0	96	90	C.	0	N.E.	5	R.				10	st.			10	st.
2	30·39	30·44	35·0	31·0	37·3	31·0	80	95	N.E.	10	N.E.	4		S.			7	cu.st.			10	st.
3	30·40	30·28	36·0	35·5	39·8	31·0	80	85	S.E.	7	C.	0					10	st.			10	st.
4	30·25	29·85	40·0	37·0	49·0	31·5	82	90	C.	0	S.E.	12		25			4	cu.			10	cu.st.
5	29·71	30·00	42·0	40·0	47·0	31·5	74	48	N.W.	10	N.W.	12					10	cu.st.				
6	30·14	30·01	13·5	39·5	55·0	34·0	43	73	N.W.	12	S.W	10		44	2	ci.						
7	29·97	29·93	42·0	42·0	58·0	34·5	83	79	C.	0	C.	0			6	ci.						
8	29·95	30·12	43·5	37·5	57·0	37·0	73	95	C.	0	N.E.	4		R.	7	ci.st.					10	cu.st.
9	30·22	30·00	40·0	40·0	51·3	35·5	39	73	N.E.	5	S.E.	7	R.				10	cu.st.			3	cu.st.
10	29·73	29·68	41·3	43·0	53·0	36·0	89	83	C.	0	N.W.	7					10	st.			5	cu.st.
11	29·80	29·43	40·0	30·0	43·0	30·0	82	97	C.	0	N.E.	13		25			10	st.			10	st.
12	29·70	29·87	38·0	37·2	44·0	28·3	72	77	N.W.	11	S.W.	11		30			6	cu.st.			3	cu.st.
13	29·95	29·78	40·5	40·0	43·8	34·0	78	86	S.W.	9	S.W.	8		01			10	cu.st.			10	cu.st.
14	29·81	30·21	47·0	33·3	50·0	33·3	66	77	N.W.	13	C.	0	03				3	cu.				
15	30·32	30·19	46·0	40·3	53·3	30·3	54	80	N.W.	4	C.	0			3	ci.					10	cu.st.
16	29·97	29·93	44·0	48·0	54·0	40·0	92	85	S.W.	7	C.	0		R.			10	cu.st.			10	cu.st.
17	29·81	29·96	51·5	40·0	62·3	45·0	100	85	S.W.	7	C.	0	16				10	st.	5	ci.		
18	30·00	29·84	51·3	49·5	63·0	42·0	75	93	C.	0	C.	0			6	ci.			8	ci.st.		
19	29·83	29·81	51·0	52·5	64·0	44·0	82	76	S.	11	C.	0			3	ci.	3	cu.st.	5	ci.		
20	29·68	29·63	46·5	52·0	61·0	45·0	88	73	S.	3	S.W.	3	R.				10	st.	4	ci.st.		
21	29·66	29·66	46·5	45·0	56·2	41·3	59	76	W.	4	C.	0			6	ci.st.					4	cu.st.
22	29·74	29·92	49·0	45·0	54·0	39·3	64	78	W.	3	S.W.	7					6	cu.st.			10	cu.st.
23	30·04	30·06	49·3	43·0	57·2	41·2	57	75	S.W.	4	C.	0			4	ci.cu.			2	ci.st.		
24	30·03	30·06	50·0	43·5	56·5	42·5	72	74	C.	0	C.	0					3	cu.st.			10	cu.st.
25	30·07	30·08	48·0	39·0	50·0	35·3	63	86	N.E.	12	N.E.	6		R.			2	cu.			3	cu.st.
26	29·98	29·98	47·0	40·0	48·5	39·0	59	78	N.W.	17	C.	0					5	cu.	2	ci.		
27	29·95	29·79	51·0	43·0	56·5	36·0	65	78	N.E.	5	C.	0			3	ci.			2	ci		
28	29·83	29·67	50·0	41·5	50·2	38·0	75	96	S.E.	3	S.E.	7		39			6	cu.st.			10	cu.st.
29	29·54	29·56	42·0	41·2	55·0	39·5	91	91	S.E.	15	N.E.	10	49	02			10	st.			10	st.
30	29·73	29·90	41·5	40·5	45·6	39·3	96	91	N.E.	15	N.E.	10	14	R.			10	cu.st.			10	cu.st.
31	30·01	30·05	42·0	37·0	45·2	37·0	87	90	N.E.	9	N.E.	3	02				10	cu.st.			10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·02	29·93	50·0	45·0	58·0	36·0	72	84	N.E.	6	C.	0	....	....	....	.....	....	....	...	.....	5	cu.st.
2	29·85	29·87	52·0	48·5	69·0	43·0	79	89	S.W.	10	E.	2	...	....	5	ci.	...	.....	...	.....	10	cu.st.
3	29·83	29·80	54·0	43·0	60·2	43·0	55	67	E.	7	N.E.	5	....	....	4	ci.	....	.....	....	.....	7	cu.st.
4	29·88	30·02	50·0	41·0	52·8	35·0	65	82	N.E.	10	C.	0	....	....	....	....	....	....	....	.....	...	.....
5	30·13	30·11	53·3	47·0	56·0	36·3	62	74	E.	2	E.	2	...	....	3	ci.	....	....	....	.....	3	cu.st.
6	30·03	29·94	54·0	47·0	57·3	43·0	64	92	S.E.	6	S.E.	14	....	·25	....	.....	9	cu.st.	....	.....	10	st.
7	29·91	29·92	54·0	52·0	69·0	46·0	93	86	S.E.	2	C.	0	·37	...	....	.....	10	st.	....	.....	3	cu.st.
8	29·94	29·96	50·0	50·0	56·0	48·0	86	89	S.	2	C.	0	....	....	....	.....	10	cu.st.	....	.....	10	cu.st.
9	29·99	30·08	45·0	43·0	50·5	42·3	84	83	S.E.	7	N.E.	6	·25	....	...	...	10	cu.st.	....	.....	4	cu.st.
10	30·11	29·99	47·0	41·0	49·8	39·3	74	82	N.E.	13	N.E.	10	....	....	....	.....	9	cu.st.	....	.....	10	cu.st.
11	29·89	29·95	43·5	39·0	54·0	39·0	84	91	N.E.	17	N.E.	2	·12	·02	....	.....	10	cu.st.	....	...	10	cu.st.
12	30·02	30·05	58·0	52·3	66·5	36·5	47	74	N.	5	C.	0	....	....	...	...	....	.....	3	ci.st.	....	.....
13	29·99	29·86	61·0	60·0	75·0	45·0	88	44	S.W.	5	S.W.	10	....	....	3	ci.	....	...	5	ci.st.	....	....
14	29·76	29·73	65·3	57·0	68·3	52·0	54	63	S.W.	6	S.W.	12	....	....	4	ci.	....	.....	....	.....	3	cu.st.
15	29·74	29·85	49·0	42·0	57·0	42·0	85	87	N.E.	8	N.E.	3	....	....	...	....	10	cu.st.	....	.....	10	st.
16	29·94	30·08	54·0	48·5	60·5	37·0	61	71	C.	0	C.	0	...	....	...	.....	6	cu.st.	2	ci.	....	.....
17	30·23	30·12	56·0	55·0	62·3	38·0	78	80	C.	0	S.W.	2	....	....	....	.....	....	.....	5	ci.	..	.....
18	29·95	29·84	61·5	69·0	73·2	58·0	77	75	S.W.	10	N.W.	10	..	....	8	ci.st.	....	.....	5	ci.st.	....	.....
19	30·04	30·19	61·5	54·0	69·5	54·0	72	87	N.	7	N.E.	7	...	....	....	.....	9	cu.st.	7	ci.st.	....	.....
20	30·22	30·07	51·3	58·3	69·5	49·0	88	89	E.	3	S.	11	·01	....	....	.....	10	st.	....	..	5	cu.st.
21	30·01	30·10	57·5	50·5	66·5	50·5	94	89	W.	3	C.	0	·14	....	...	.....	10	st.	...	....	....	.....
22	30·18	30·19	55·0	57·0	73·2	43·0	87	87	S.	7	C.	0	....	....	4	ci.st.	....	....	....	.....	...	.....
23	30·19	30·03	62·0	65·0	75·0	58·0	77	73	S.	4	S.W.	6	....	....	....	....	....	.....	2	ci.st.	....	.....
24	29·97	29·87	64·0	64·5	70·0	60·5	80	86	S.W.	3	S.W.	3	...	....	....	.....	10	st.	...	..	10	cu.st.
25	29·97	29·97	54·3	53·0	67·0	53·0	88	86	N.E.	6	N.	3	....	....	....	..	10	cu.st.	....	....	10	st.
26	29·94	29·67	59·0	61·0	69·4	52·5	88	88	E.	3	S.W.	2	....	....	....	.....	10	cu.st.	....	....	10	cu.st.
27	29·51	29·36	62·0	60·0	70·0	56·5	88	82	S.E.	12	S.W.	14	....	....	....	.....	10	cu.st.	....	....	5	cu.st.
28	29·61	29·89	68·0	59·5	75·0	55·5	65	82	S.W.	10	C.	0	....	....	....	....	....	...	....	.....	....	.....
29	30·02	30·09	64·0	63·5	74·0	54·0	73	73	S.	·2	S.W.	3	....	....	....	.....	....	.....	4	ci.st.	....	.....
30	30·21	30·10	61·5	61·0	68·0	58·0	77	77	S.	10	S.E.	10	..	....	....	.....	10	cu.st.	....	....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·99	29·82	62·0	61·5	66·5	59·5	88	91	S.W.	12	S.E.	15	·26	R.	....	.....	10	cu.st.	....	.....	10	cu st.
2....	29·86	29·88	59·0	64·0	75·0	57·0	91	86	S.	8	S.	11	·23	...	....	. ..	10	cu.st.	....	.....	5	cu.st.
3....	29·91	29·93	66·0	62·0	71·0	59·0	84	94	S.	8	N.W.	4	....	....	3	ci.	...	.....	....	.....	10	st.
4....	29·94	29·96	59·0	58·0	67·0	55·0	88	94	N.W.	6	S.	2	....	R.	....	....	10	cu.st.	....	. .	....	.....
5....	29·97	29·91	58·0	42·0	73·0	52·0	97	77	S.	4	S.E.	3	·95	....	....	.....	10	st.	....	...	3	cu.st.
6....	29·85	29·86	63·0	64·0	74·2	57·5	70	83	E.	3	S.	4	....	....	4	ci.	....	. ...	4	ci.cu.	....	.....
7....	29·95	29·98	63·5	63·5	67·0	58·0	89	89	S.W.	4	S.W.	3	...	·02	....	.....	7	cu.st.	....	....	8	cu.st.
8....	29·90	29·88	67·0	66·0	76·0	59·5	78	84	S.	10	S.	10	·05	..	....	.....	....	.....	....	.....	10	cu.st.
9....	29·72	29·50	65·0	63·0	71·5	62·0	89	94	S.W.	14	S.	8	R.	·79	....	.. .	10	cu.st.	....	.....	10	cu.st.
10....	29·54	29·67	62·0	60·5	69·0	57·5	88	82	W.	6	W.	5	....	R.	....	.....	10	cu.st.	....	.....	10	cu.st.
11....	29·73	29·84	59·0	61·0	70·0	57·0	76	82	W.	8	N.	4	...	...	....	....	10	cu.st.	....	.....	....	.....
12....	29·85	29·74	67·5	59·0	71·0	55 5	74	96	N.W.	3	E.	3	....	·23	7	ci.st.	....	.....	...	.....	10	st.
13...	29·59	29·79	59·0	55·0	63·0	55·0	97	90	N.W.	3	N.W.	16	·25	·02	...	....	10	st.	....	.....	10	cu.st.
14....	30·10	30·22	56·0	54·0	62 3	52·5	81	87	N.E.	11	E.	4	R.	....	....	.....	10	cu.st.	7	ci.st.	....	.....
15....	30·21	30·11	67·0	64·0	75·5	51·0	74	78	S.W.	8	S.W.	8	...	....	...	.....	...	.....	4	ci.st.	....	.....
16....	30·07	30·03	69·0	64·5	76·0	59·0	80	81	S.W.	14	S.W.	11	...	...	2	ci,	....	.... .	3	ci.	....	.....
17....	29·96	29·89	65·5	68·5	79·0	61·0	89	92	S.W.	10	C.	0	....	....	10	ci.st.	....	.....	3	ci.cu.	....	.. ...
18....	29·95	29 89	65·0	64·0	70·0	62·5	89	94	N.W.	2	C.	0	....	....	10	ci.st.	....	.....	10	ci.st.	....	.....
19 ...	29·84	29·82	63·5	67·0	75·5	61·0	89	98	S.	2	E.	2	·01	....	...	.....	10	st.	....	.....	7	cu.st.
20....	29·83	29·78	73·0	68·5	83·0	61·5	91	74	E.	2	S.E.	4	....	..	5	ci.st.	..	.....	...	.....	4	cu.st
21....	29·66	29·52	66·0	62·0	69·0	61·0	84	88	S.W.	6	W.	8	....	·75	....	.....	10	cu.st.	....	.....	10	cu.st.
22....	29·61	29·83	57·0	53·8	62·0	53·5	94	96	N.W.	18	N.	9	·10	·01	...	.....	10	st.	....	....	10	st.
23....	29·87	29·92	55·0	53·0	59·0	53·0	90	90	N.E.	9	N.	6	·01	..	...	....	10	st.	....	.....	10	cu.st.
24....	29·98	29·97	57·0	59·0	67·0	55·0	87	88	N.	4	S.E.	4	....	....	....	.....	10	cu.st.	....	.....	10	cu.st.
25....	29·96	29·93	57·0	59·0	64·0	56·0	94	94	S.	9	S.	9	....	·03	...	....	10	cu.st.	....	.....	10	cu.st.
26 ...	29·90	29·66	58·0	57·0	65·0	56·0	88	97	S.E.	14	E.	15	·01	·05	...	.....	....	cu.st.	....	.....	10	st.
27....	29·34	29·31	56·0	60·0	70·5	55·0	98	94	E.	6	S.W.	10	1·05	....	....	.....	....	st.	....	.....	6	cu.st.
28....	29 44	29·68	54·0	52 5	60·0	52·5	95	98	W.	12	C.	0	·02	R.	....	.....	....	cu.st.	..	.....	3	cu.
29....	29·79	29·86	65·0	59·0	72·0	51·5	84	94	W.	4	N.E.	4	....	....	....	.....	3	cu.st.	.. .	...	7	cu.st.
30....	29·88	29 88	67·0	61·0	74·0	54·0	92	94	N.E.	6	N.E.	8	....	....	....	.....	5	cu.st.	...	....	5	cu.ss.
31 ...	29·85	29·84	58·0	62·0	64·0	54·5	97	97	S.	8	S.	7	R.	·34	...	. ....	10	st.	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·89	29·92	63·0	65·0	70·3	58·0	94	84	S.W.	4	S.	8	R.	....	....	.....	10	st.	....	.....	6	cu.st.
2	29·97	29·91	64·4	65·0	74·0	60·0	87	89	S.	6	S.	5	....	....	....	.....	9	cu.st.	....	.....	9	cu.st.
3	29·88	29·93	66·0	68·5	74·0	65·0	95	92	S.	6	S.W.	4	....	....	....	.....	10	cu.st.	....	.....	6	cu.st.
4	29·99	29·70	65·5	67·0	70·0	62·5	90	94	W.	2	S.E.	15	....	·30	....	.....	10	st.	....	.....	10	cu.st.
5	29·97	30·03	62·0	61·0	70·5	56·5	74	82	W.	10	W.	4	·02	....	....	...	6	cu.st.	...	.....	5	cu.st.
6	30·08	30·05	70·0	65·0	77·0	56·0	65	92	N.W.	4	S.W.	8	....	....	....	.....	....	.....	....	.....	7	cu.
7	29·99	29·95	63·5	63·0	70·0	61·0	89	94	S.E.	6	S.	4	·11	....	....	.....	10	cu.st.	....	.....	....	....
8	29·93	29·98	64·0	60·0	69·5	60·0	94	96	S.W.	5	N.	7	·02	·20	....	.....	10	cu.st.	....	.....	10	cu.st.
9	30·11	30·04	65·3	64·0	74·0	51·2	91	72	W.	6	W.	12	....	...	....	.....	....	....	....	.....	....	.....
10	29·95	29·91	64·0	63·0	75·0	59·0	72	83	W.	5	N.	4	....	....	....	...	10	cu.st.	...	.....	6	cu.st.
11	29·88	29·86	64·0	56·0	68·0	54·5	83	94	E.	4	E.	4	·05	·20	....	.....	7	cu.st.	....	.....	10	st.
12	29·87	29·83	59·0	60·0	64·0	56·0	97	91	E.	4	S.	16	·07	·04	....	.....	10	st.	....	....	10	cu.st.
13	29·75	29·59	64·5	68·5	76·0	60·0	97	92	S.	5	S.W.	5	·29	R.	....	.....	10	st.	....	....	10	cu.st.
14	29·66	29·84	67·5	59·0	70·0	59·0	69	97	W.	9	W.	9	R.	·12	....	.....	....	.....	....	.....	10	cu.st.
15	30·11	30·21	64·0	59·0	70·0	51·0	62	88	W.	9	W.	2	....	..	....	.....	....	.. ...	....	.....	..	.. ..
16	30·27	30·24	69·0	62·2	76·5	53·3	77	76	W.	4	S.	8	....	....	3	ci.	...	....	....	. ...	4	cu.
17	30·23	30·11	66·5	61·5	69·0	58·0	64	77	S.W.	8	S.W.	12	....	....	7	cl.cu.	....	.....	....	.....	7	cu.st.
18	29·96	29·99	63·3	62·0	72·3	60·0	93	92	S.	12	W.	8	·25	·07	....	.....	10	st.	....	.....	6	cu.st.
19	30·11	30·16	57·5	52·0	62·0	52·0	85	90	N.W.	15	N.	5	·04	....	...	.....	10	cu.st.	....	....	....	.....
20	30·12	29·93	59·0	64·0	68·0	47·0	82	78	N.	2	S.	9	....	...	....	.	9	cu.st.	....	....	10	cu.st.
21	29·94	30·01	66·0	55·0	69·0	55·0	84	87	N.W.	8	N.E.	3	·19	....	....	.....	9	cu.st.	....	....	10	cu.st.
22	30·05	30·13	58·0	53·5	69·5	53·5	79	87	E.	0	W.	1	..	....	....	....	9	cu.st.	....	...	...	.....
23	30·22	30·18	68·0	62·0	75·0	50·0	65	83	W.	3	W.	6	....	..	....	.....	...	....	....	. ..	....	.....
24	30·16	30·03	66·0	62·0	71·7	56·0	71	59	S.W.	5	S.	13	....	....	4	ci.	....	. ...	5	ci.	....	....
25	29·86	29·58	61·0	59·0	65·0	57·3	85	97	S.E.	19	S.E.	18	....	1·18	....	... ..	10	cu.st.	....	... ..	10	st.
26	29·60	29·65	60·3	61·2	71·0	58·5	92	88	S.W.	4	W.	2	·03	...	....	....	10	st.	....	.....	10	cu.st.
27	29·70	29·74	61·0	57·0	64·0	51·5	77	81	S.W.	6	S.W.	6	·11	02	4	ci.	....	. ..	....	.....	10	cu.st.
28	29·71	29·67	58·0	57·0	68·5	53·3	85	87	S.W.	6	S.W.	4	....	..	.. .	.....	10	cu.st.	....	.....	....	.....
29	29·64	29·65	61·3	56·0	68·5	53·0	87	95	S.W.	3	W.	3	...	·11	....	.....	9	cu.	.. .	.....	10	cu.st.
30	29·70	29·78	56·0	56·0	65·2	53·5	97	94	W.	10	C.	0	·04	..	....	.....	10	cu.st.	....	.....	....	.... .
31	29·74	29·78	62·0	52·0	63·5	52·0	88	93	N.W.	4	N.	6	....	08	....	... ..	10	cu.st.	....	.....	3	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·81	29·88	56·0	53·0	59·0	50·3	84	90	N.E.	7	N.	7	..	....	...	.....	10	cu.st.	....	.....	....	.....
2....	29·93	30·04	56·3	53·0	60·0	51·2	94	93	N.	6	N.	3	·14	....	....	.....	10	cu.st.	....	....	4	cu.st.
3....	30·13	30·28	56·0	53·0	64·0	51·0	84	86	N.	3	N.E.	4	....	....	...	....	10	cu.st.	....	.....	....	.....
4 ...	30·33	30·14	58·0	60·0	62·0	51·3	82	100	S.E.	6	S.E.	10	....	·17	....	....	10	cu.st.	. .	.....	10	st.
5....	30·04	29·89	65·0	60·0	69·0	60·0	96	100	S.W.	4	N.W.	4	·02	·43	...	.....	10	st.	....	.....	10	st.
6....	29·81	29·72	65·2	64·5	70·0	60·0	99	97	S.W.	9	C.	0	·48	·01	....	.....	10	cu.st.	....	.....	10	cu.st.
7....	29·64	29·80	60·0	60·3	69 0	59·5	94	98	S.W.	7	C.	0	·02	....	....	.....	10	cu.st.	....	.....	5	cu.st.
8....	29·92	30·00	65·0	59·0	69·0	55·0	84	88	W.	2	N.E.	7	....	R.	4	ci.	....	....	....	.....	10	cu.st.
9....	30·13	30·33	60·0	51·5	68·0	51·0	79	86	N.E.	8	N.	3	....	....	....	....	3	cu.st.	....	.....	....	. .
10....	30·39	30·35	58·0	60·0	65·0	44·0	82	94	N.E.	3	S.	4	....	....	....	.....	4	cu.st.	....	.....	5	cu.st.
11....	30·29	30·16	61·0	62·0	67·5	56·0	88	77	S.	6	S.	14	...	....	....	.....	3	cu.st.	....	.....	8	cu.st.
12....	29 96	29·86	66·5	63·0	72·0	60·0	95	83	S.	16	S.W.	12	....	....	....	.....	8	cu.st.	...	.....	....	....
13....	29·98	30·16	62·0	50·0	66·0	50·0	88	89	S.W.	6	N.W.	5	....	....	...	.. ..	5	cu.st.	....	.....	....	.....
14....	30·34	30·38	53·5	51·0	60·5	43·5	77	92	N.W.	6	N.E.	4	...	....	...	. .	4	cu.st.	....	.....	10	st.
15....	30·23	30·06	62·5	62·0	69·5	51·0	86	94	S.W.	9	W.	8	....	....	....	.....	2	cu st.	....	.....	8	cu.st.
16....	30·22	30·17	60·0	51·0	64·0	50·5	77	86	N.	8	N.	5	....	....	...	....	2	cu.st.	....	.....	8	cu.st.
17....	29·76	29·90	62·0	54·0	64·3	51·0	96	90	S.	12	N.W.	5	·40	·12	...	...	10	cu.st.	....	.....	1	cu.st.
18....	30·08	30·29	46·0	46·0	55·0	44·0	92	92	N.W	20	N.	12	..	....	....	. .	8	cu.st.	....	. .	....	.....
19....	30·27	30·04	49·0	48·0	56·0	42·0	78	93	N.	7	N.W.	3	....	..	...	.....	7	cu.st.	....	. .	8	cu.st.
20....	29·91	29·90	56·0	49·0	62·5	43·0	92	99	N.W.	8	N.W.	0	...	....	...	.....	2	cu.st.	...	.....	....	.. ...
21....	29·78	29·74	57·0	60·0	65·0	47·5	94	100	S.	8	S.W.	3	·10	....	....	.. ...	10	cu.st.	....	....	5	cu.st.
22....	29·75	29 91	67·0	60·0	70·0	58·0	97	93	S.W.	3	S.W.	5	·02	....	....	.....	10	cu.st.	..	.... .	8	cu.st.
23....	30·08	29·78	54·0	60·5	61·0	53·0	83	94	N.E.	5	S.E.	11	....	·46	....	.....	10	cu.st.	....	. ..	10	cu.st.
24....	29 59	29·60	65·0	63·0	69·0	60·5	97	94	S.	16	S.	13	·28	·08	....	.....	10	cu.st.	....	.....	....	.....
25....	29·52	29·52	62·0	56·0	65·5	56·0	94	87	S.W.	6	S.W.	8	....	·22	....	.....	10	cu.st.	....	.....	....	.....
26....	29·81	29·94	48·5	46·0	57·0	46·0	78	84	N.W.	12	N.W.	4	....	....	....	. .	4	cu.st.	....	.....	....	.....
27....	29·99	29·97	50·0	52·5	56 5	42·0	87	87	S.W.	5	S.W.	8	. .	·13	....	..	2	cu.st.	....	.....	7	cu.st.
28 ...	30·12	30·25	44·0	38·0	54·0	37·0	88	91	N.W.	12	N.W.	2	....	....	...	....	3	cu.st.	....	...	....	.....
29....	30·25	30·00	48·0	47·0	53·8	35·5	85	92	N.W.	3	N.W.	10	....	....	....	.....	7	cu.st.	...	.. ..	10	cu.st.
30....	29·87	29·88	49·8	47·0	56 0	46·3	91	95	N.	10	N.E.	5	....	...	....	.....	10	cu.st.	....	.....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·82	29·92	46·0	46·2	50·0	44·0	96	91	N.	6	N.	6	·13	·02	....	.....	....	.....	....	....	....	.....
2	29·93	29·94	47·5	46·0	52·0	42·5	83	92	N.	14	N.	12	....	....	....	....	....	.....	....	.. ..	....	.....
3	29·95	29·97	51·3	42 5	55·5	42·0	81	83	N.	12	N.	3	....	....	....	.....	1	st.	....	.....	4	cu.st.
4	29·96	29·57	45·5	46·0	55·0	35·0	96	100	C.	0	S.	14	....	·28	....	.... ..	.	. .	....	.....	10	cu.st.
5	29·40	29·52	51·0	50 0	56·0	46·0	95	86	W.	10	W.	5	·44	....	....	.....	10	cu.st.	....	.. ..	10	cu.st.
6	29·65	29·80	47·2	43 5	55·0	40·0	85	98	N. W.	5	N. W.	7	....	·02	....	.....	2	cu.st.	....	.....	5	cu.st.
7	30 03	30·02	48·3	54·7	54·7	41·0	85	91	S.W.	6	S.W.	14	·01	·03	....	.. ..	10	cu.st.	....	.. ..	10	cu.st.
8	29·79	29·38	60·0	55·5	63·0	54·0	88	100	S.W.	31	S.W.	10	..	·62	....	.....	10	cu.st.	....	....	10	cu.st.
9	29·94	30·18	40·0	38·5	56·0	37·5	78	95	W.	15	W.	3	·10	..	....	.....	10	cu.st.	....	.....	....	.....
10	30·26	30·14	45·0	48·0	51·3	34·0	84	78	S.W.	5	S.	12	....	....	5	ci.	....	....	....	.....	10	cu.st.
11	30·09	30·08	47·0	49·0	52·0	43·0	88	93	S.W.	6	S.	10	....	...	....	.....	9	cu.st.	...	.. ..	4	cu.st.
12	30·06	30·00	50 0	50·0	54·3	44·0	86	93	S.	15	S.	7	....	...	....	.....	....	.....	....	.....	10	cu.st.
13	30·03	29·95	50·0	50·0	53·0	49·0	100	100	C.	0	N.E.	10	·06	·04	....	.....	10	st.	....	.....	10	st.
14	29·87	30·07	49·5	48·0	51 0	48·0	100	93	N.E.	12	N. W.	6	·18	·02	....	.....	10	st.	....	.....	10	cu.st.
15	30·10	30·04	47·5	42·0	52·0	42·0	92	91	N.	12	N. W.	4	...	....	....	....	9	cu.st.	....	.....	4	cu.st.
16	30·13	30·19	45 0	48·0	53·5	38·0	92	85	W.	7	S.W.	10	....	....	....	.... .	3	cu.st.	....	....	....	....
17	30·26	30·08	52·0	54·0	61·8	47·5	83	89	S.W.	8	S.W.	6	....	....	2	ci.	....	....	....	... ..	10	cu.st.
18	29·82	29·78	55·0	45·0	62·0	45·0	80	88	S.	13	N. W.	12	....	R.	. .	.....	4	cu.st.	...	.....	10	cu.st.
19	29·96	30·08	34·0	30·8	45·0	30·0	75	89	N. W.	10	W.	6	....	....	...	....	....	...	...	.....	4	cu.
20	30·20	30·06	34·0	35·5	41 0	30·0	71	95	W.	9	N. W.	6	...	·19	....	.....	2	cu.st.	....	.....	....	.....
21	29·80	29·78	33·3	30 0	36·0	30·0	99	95	N.	11	N. W.	18	·28	·14	....	.....	10	st.	....	.....	10	cu.st.
22	30 00	29·88	30·0	40·0	40 0	28·5	95	78	W.	10	S.W.	12	....	.	....	.....	4	cu.st.	....	. ...	6	cu.st.
23	29·74	29·77	46·5	47·0	51·0	46·5	88	96	S.W.	11	C.	0	·06	·04	....	.....	10	cu.st.	...	.....	10	cu.st.
24	29·75	29 79	42 0	41·3	48·0	40·0	96	84	N.	6	N. W.	12	·28	....	....	.....	10	cu.st.	....	.....	10	cu st.
25	29·89	29·80	34·5	45·0	46·0	33 0	85	76	W.	5	S.W.	13	....	....	. .	..	2	cu.st.	....	.....	10	cu.st.
26	29·83	30·14	39·7	36·5	45·5	36·0	85	62	W.	6	W	14	·03	....	....	.....	10	cu.st.	....	.....	10	cu.st.
27	30·39	30·36	35 0	39 0	41·0	29·5	75	82	W.	6	S.W.	12	..	..	....	.....	2	cu.	5	ci.st.	....	....
28	30·32	30 10	45 0	53·3	55·0	39·0	92	91	E.	3	S.E.	12	....	....	3	ci.	...	.....	4	ci.st.	....	.....
29	29·81	29·43	56·5	55·0	59 0	52·0	97	100	S.E.	20	S.	8	·03	·70	....	.....	10	st.	....	.....	10	cu.st.
30	29·51	30·04	40·0	35·0	55·0	34·0	96	70	N.	15	N. W.	16	·64	·20	....	.....	10	cu.st.	....	.....	10	cu.st.
31	30·37	30·53	35 0	30·5	40·0	30 5	80	95	W.	6	C.	0	....	....	..	.....	10	cu.st.	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1	30·51	30·37	35·0	38·0	46·5	29·0	90	95	C.	0	S.W.	4										
2	30·28	30·14	41·5	43·5	50·5	35·0	97	71	S.W.	6	S.W.	6										
3	29·94	29·46	47·0	55·0	56·0	41·2	92	93	S.E.	21	S.E.	28		R.	3	ci.st.	3	cu.st.			10	st.
4	29·46	29·66	48·0	38·5	55·0	38·5	89	68	S.W.	18	W.	11	·20				5	cu.st.			10	cu.st.
5	30·01	30·21	35·0	34·0	39·0	34·0	73	84	W.	8	E.	5					10	cu.st.				
6	30·30	30·20	39·0	45·0	47·5	34·0	91	84	S.E.	7	S.E.	10			9	ci.st.					10	cu.st.
7	29·78	29·59	45·0	50·3	54·0	42·5	92	85	S.E.	32	S.W.	14	·22	·35			10	cu.st.				
8	29·60	29·73	47·0	42·5	50·3	41·0	77	76	S.W.	16	S.W	8	R.	R.			5	cu.st.			10	cu.st.
9	29·88	29·99	43·0	45·0	49·0	39·0	83	88	S.W.	8	S.W.	3					10	cu.st.			3	cu.st.
10	29·98	29·80	48·0	51·0	54·5	42·3	89	93	S.W.	14	S.W.	10		R	5	ci.					10	cu.st.
11	30·04	29·90	43·0	39·0	53·0	39·0	92	91	N.W.	5	N.E.	6	·03	R.			10	cu.st.			10	cu.st.
12	30·02	30·17	34·0	29·0	39·0	29·0	84	83	N.W.	8	W.	4	22				10	cu.st.				
13	30·07	29·71	34·0	34·0	38·0	29·0	84	90	S.W.	10	S.W.	10		·04			10	cu.st.			10	cu.st.
14	29·62	29·90	35·0	27·0	38·5	27·0	90	88	W.	4	N.W.	20	R.	S.	7	ci.					10	cu.st.
15	30·27	30·39	24·0	28·0	28·0	23·5	86	71	N.W.	6	S.W.	7	S.				19	cu.st.	10	ci.st.		
16	30·14	30·20	33·3	27·5	36·0	21·0	80	94	S.W.	8	S.E.	4										
17	30·03	30·25	33·0	27·0	37·2	23·0	80	88	W.	5	N.	4										
18	30·33	30·22	32·0	40·5	41·0	20·5	79	80	S.W.	11	S.W.	11			5	ci.			9	ci.st.		
19	30·24	30·25	34·0	35·0	42·5	34·0	100	85	C.	0	N.E.	15			6	ci.					10	cu.st.
20	30·42	30·55	29·0	27·0	35·0	27·0	70	88	N.E.	16	N.	4					10	cu.st.				
21	30·50	30·34	25·5	40·2	40·0	23·0	94	76	S.W.	2	S.W.	10			6	ci.					8	cu.st.
22	30·19	30·10	41·0	43·0	45·0	39·0	91	96	S.W.	10	S.W.	4					10	cu.st.			10	cu.st.
23	30·07	30·21	39·0	37·5	48·0	37·5	95	95	S.W.	2	N.W.	2					7	cu·st			6	cu.st.
24	30·46	30·61	35·0	32·0	39·0	32·0	70	79	N.E.	9	N.E.	8					10	cu.st.			10	cu.st.
25	30·56	30·06	32·0	41·0	41·0	30·5	82	78	N.E.	6	S.E.	20					10	cu.st.			10	cu.st.
26	29·76	29·68	42·0	41·3	46·5	40·0	91	89	S.	14	S.W.	12	·13	·03			10	cu.st.			10	cu.st.
27	29·65	29·52	36·0	34·0	42·0	34·0	90	90	C.	0	W.	14	·10	·22			10	st.			10	cu.st.
28	29·65	29·83	30·0	28·5	34·5	28·5	73	88	W.	8	W.	5	·02				10	cu.st				
29	29·75	30·20	30·3	25·5	32·0	25·5	97	86	N.E.	6	N.W.	11	·06	S.			10	cu.st.			10	cu.st.
30	30·29	30·20	24·0	26·5	26·5	23·0	74	82	W.	3	N.	6					10	cu.st.			10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Charlottetown, Prince Edward Island—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·29	30·15	27·0	29·0	30·0	26·0	94	89	N.	2	E.	8	·56	....	....	...	10	cu.st.	..	.....	10	cu.st.
2	28·90	29·62	31·0	27·0	36·0	27·0	75	88	N.E.	20	S.W.	13	....	....	....	....	10	cu.st.	...	.....	10	cu.st.
3	29·94	30·24	21·0	23·0	27·0	19·0	85	86	W.	7	S.W.	8	....	....	....	.....	10	cu.st.	....	.....	9	cu.st.
4	30·34	30·15	20·0	22·5	24·0	18·0	85	86	W.	6	W.	4	....	....	....	.....	5	cu.st.	....	.....	8	cu.st.
5	30·01	29·46	29·0	30·0	30·0	22·0	83	84	N.E.	11	N.	16	....	...	....	.....	10	cu.st.	....	.....	10	cu.st.
6	29·64	29·90	25·2	28·0	30·0	25·0	72	88	N.W.	11	N.W.	6	....	....	....	.....	10	cu.st.	....	.....	10	cu.st.
7	30·06	30·05	25·0	31·0	35·0	22·0	87	89	S.W.	8	W.	4	....	...	....	.....	10	cu.st.	...	.....	3	cu.st.
8	30·12	30·13	32 0	35·0	36·0	27·0	90	95	S.W.	4	S.W.	6	....	....	4	ci.	....	....	....	....	4	cu.st.
9	30·14	30·17	35·0	35·5	40·0	31·5	90	95	S.W.	4	S.	5	....	..	....	.....	9	cu.st.	....	....	3	cu.st.
10	29 98	29 79	39·4	44·0	44·0	35·0	96	92	S.W.	21	S.W.	14	....	....	. ..	.....	10	cu.st.	....	.....	10	cu.st.
11	29·63	29·57	46·5	46·3	50·0	41·2	92	98	S.	19	S.	6	....	·62	....	....	10	cu.st.	....	.....	10	st.
12	29·65	29·56	38·5	35·0	46·5	35·0	91	85	S.W.	10	S.W.	5	....	....	....	.....	10	cu.st.	..	.....	10	cu.st.
13	29·68	29·91	25·0	18·0	35·0	17·0	75	84	S.W.	11	S.W.	15	....	....	....	...	10	st.	....	.....	10	cu.st.
14	30·12	30·35	24·0	28·0	33·5	17·0	87	77	W.	10	N.W.	4	...	....	....	.....	10	cu.st.	....	.....	10	cu.st.
15	30·12	29·76	28·0	31·0	31·0	25·0	88	95	E.	6	N.E.	12	....	·10	....	.....	10	cu.st.	....	.....	10	st.
16	29·37	29·55	33 0	27·5	33·0	27·3	95	88	N.E.	13	N.E.	14	·10	·10	....	..	10	st.	....	.....	10	cu.st.
17	29 81	29·99	26·4	24·0	28·0	24 0	83	87	N.	4	W.	4	....	....	....	.....	10	st.	....	... .	10	st.
18	29·99	29·00	25·0	28 5	32·0	20·0	87	94	S.W.	4	W.	4	....	....	....	.....	10	cu.st.	....	.....	10	st.
19	29·85	30·00	24·0	22·0	28·0	21·0	79	86	W.	5	W.	4	....	....	....	. .	10	cu.st.	....	....	8	st.
20	30·04	29·97	27·0	29·0	31 5	19·0	82	89	S.W.	14	S.W.	8	...	....	4	ci.	....	.....	....	.....	5	st.
21	29·92	30·17	28·0	16·0	31·0	16·0	85	83	W.	6	W.	8	....	....	....	.....	10	cu.st.	...	.....	....	.....
22	30·07	29·91	27·0	31·0	33·0	72·0	82	84	S.W.	18	S.W.	6	....	...	....	.....	6	cu.st.	....	.... .	6	cu.st.
23	29 84	29·44	35·0	47·0	48·5	31·0	90	100	S.W.	13	S.E.	14	....	·42	....	.....	10	cu.st.	....	. ..	10	st.
24	28·92	29·34	41·3	35·0	47·5	35·0	93	80	S.W.	22	S.W.	12	·43	....	....	....	10	cu.st.	....	.....	....	.....
25	29·88	30·02	31 0	29·0	36 0	29·0	84	66	W.	7	W.	8	....	....	....	.....	....	.... .	....	.....	4	cu.st.
26	30·09	30·19	27·0	28·0	34·0	22·0	88	77	S.E.	4	N.W.	8	....	·14	....	.....	10	st.	....	.....	....	.....
27	30·32	30·11	16·0	33·5	33·5	15·5	92	84	W.	2	S.W.	12	....	...	3	ci.	....	.....	....	.....	3	cu.st.
28	29·80	29·53	37·5	40·5	42·0	33·0	95	96	S.W.	11	S.W.	12	....	S.	...	.....	10	cu.st.	....	.....	10	cu.st.
29	29·83	30·23	30·0	22·5	40·5	21·5	62	80	N.W.	13	W.	4	·22	....	....	.....	3	cu.st.	....	.....	....	.....
30	30·21	29·31	28·5	41 5	41·5	21·0	89	96	S.W.	6	S.	20	....	·33	....	. ..	5	cu.st.	....	.....	10	cu.st.
31	28·91	29·64	34·0	17·3	45·0	17·3	89	79	N.W.	10	N.W.	20	·24	·30	....	.....	10	cu.st.	....	.....	..	. ...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick: Latitude North, 45° 17′; Longitude West, 66° 04′. Height above Sea, 70 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·79	29·85	47·2	39·0	48·5	35·5	97	86	S.	14	N.	16	·74	·04	....	....	10	fog.	....	....	....	....
2....	30·06	30·39	38·0	25·5	40·2	25·5	93	66	N.	14	N.	20	·02	....	....	....	....	....	....	....	....	....
3 ...	30·57	30·33	12·5	25·5	25·5	10·5	69	84	N.	8	N.	4	....	....	....	....	....	....	....	....	....	....
4....	29·57	29·32	40·6	40·0	47·2	22·5	96	86	S.	24	N.W.	20	....	·22	....	....	....	....	....	....	....	....
5....	29·74	29·90	32·0	31·7	40·0	31·0	87	93	W.	26	N.W.	16	....	....	....	....	5	cu.st.	....	....	....	....
6....	30·17	30·17	18·6	26·0	31·7	16·5	80	78	N.	11	N.	2	....	....	....	....	....	....	....	....	....	....
7....	29·97	29·97	40·0	35·2	42·6	26·0	82	73	W.	8	N.	8	....	....	....	....	10	st.	....	....	....	....
8....	30·25	30·09	15·5	25·0	35·2	14·0	74	73	N.	12	S.E.	8	....	....	....	....	....	....	....	....	....	....
9 ...	29·47	29·46	37·0	14·8	40·7	14·8	93	77	S.	14	N.W.	36	·02	....	....	....	....	....	....	....	....	....
10....	29·91	29·84	— 5·0	5·5	14·8	— 6·7	79	80	N.W.	24	N.	4	....	....	....	....	....	....	....	....	....	....
11....	29·59	29·93	35·0	25·0	37·0	5·5	88	71	W.	16	N.	18	·13	....	....	....	10	st.	....	....	....	....
12 ...	30·34	30·11	5·3	18·5	25·0	4·0	58	92	N.	12	N.E.	12	....	·18	....	....	....	....	....	....	....	....
13....	30·16	30·41	15·0	11·0	31·6	9·5	91	84	N.	12	N.	20	·04	....	....	....	10	nb.	....	....	....	....
14....	30·40	29·95	10·4	29·6	29·6	6·3	92	93	N.	4	S.E.	24	....	·08	....	....	10	nb.	....	....	....	....
15....	29·65	29·88	36·2	5·2	37·1	5·2	88	87	W.	16	N.	16	·09	....	....	....	10	st.	....	....	....	....
16....	30·06	30·35	— 8·0	—12·0	5·2	—12·2	72	71	N.W.	22	N.	18	....	....	....	....	....	....	....	....	....	....
17....	30·49	30·37	—13·2	—48·0	0·2	—17·0	80	82	N.	6	N.	8	....	....	....	....	....	....	....	....	....	....
18....	30·28	30·08	2·2	20·6	20·6	— 6·7	80	94	N.	6	N.E.	4	S.	·20	....	....	....	....	....	....	....	....
19....	30·36	30·11	11·4	27·0	27·0	10·5	86	91	N.E.	4	S.E.	24	S.	·09	5	ci.	....	....	....	....	....	....
20....	29·52	29·31	43·0	44·3	47·5	27·0	96	93	S.	18	S.W.	24	·19	....	....	....	10	fog.	....	....	10	fog.
21....	29·71	30·21	27·5	7·8	44·3	7·8	74	71	W.	16	N.	16	....	....	....	....	....	....	....	....	....	....
22....	30·50	30·35	— 2·5	16·6	16·6	— 3·5	68	78	N.W.	6	E.	12	....	....	....	....	....	....	....	....	10	st.
23....	29·97	30·19	18·5	2·5	18·5	2·5	84	83	S.W.	24	N.	14	·40	....	2	ci.	2	cu.st	....	....	....	....
24....	30·19	30·09	—10·0	— 1·5	2·5	—10·7	82	84	N.	10	N.W.	16	....	....	....	....	....	....	....	....	....	....
25..	30·10	29·97	— 9·7	6·2	8·3	—13·0	73	90	N.W.	17	N.	4	....	·04	....	....	....	....	....	....	....	....
26....	30·08	30·12	8·0	9·5	10·0	5·5	87	90	N.	8	N.W.	16	S.	·13	....	....	....	....	....	....	....	....
27....	30·31	30·27	0·7	8·5	14·5	0·3	91	82	N.	23	N.	12	S.	....	....	....	....	....	....	....	....	....
28....	30·12	30·09	5·3	16·3	19·7	2·5	78	88	N.	10	N.	8	....	....	....	....	10	st.	....	....	....	....
29 ...	30·27	30·24	5·0	14·3	17·7	4·0	85	82	N.	12	N.	4	....	....	....	....	....	....	....	....	8	cu.st.
30....	30·23	30·31	15·0	13·5	18·5	10·5	93	92	N.E.	7	N.	4	S.	....	....	....	....	....	....	....	....	....
31....	30·63	30·53	— 3·0	8·0	13·5	— 5·0	87	87	N.	12	N.	2	....	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·35	30·30	18·0	19·3	26·2	6·2	82	86	N.	4	N.E.	12	·65	....	....	.....	5	st.	....	... .	....	.... .
2....	29·78	29·44	36·0	32·0	40·7	17 3	94	97	N.E.	14	W.	2	....	....	....	.....	10	nb.	....	.....	10	fog.
3.. .	29·23	29·73	34·5	12·0	41·0	12·0	90	77	S.W.	32	N.W.	36	·04	....	...	.....	10	st.	....	.....	....	.....
4 ...	30 16	30·38	0·6	7 5	12·0	— 0·3	70	86	N.W.	20	N.W.	6	....	....	....	.....	5	cu.	....	.....	....	.....
5....	30·23	29·83	2·2	11 0	11·0	1·5	86	88	N.E.	16	N.E.	22	·06	·40	....	.....	....	....	...	.... .	....	.....
6 ...	29·91	29 99	10·0	9·5	16·5	8·5	92	85	N.E.	12	N.W.	8	·02	....	....	.....	....	. ..	....	.....	....	.....
7....	30·26	30·33	5·4	16·5	18·4	3·5	60	78	N.	18	W.	3	...	....	...	.....	....	.....	....	.....	....	.....
8....	30·32	30·13	5·0	21·2	25·7	4·2	78	91	N.W.	3	N.	6	....	·53	....	.....	10	st.	....	.....	....	.....
9....	30·12	29·99	18·3	18·5	24 2	15·5	86	83	N.	8	N.E.	10	·08	....	....	..... .	10	st.	....	.....	3	st.
10...	29·89	29·62	5·7	30·4	30·4	4·4	83	90	N.E.	5	S.E.	34	...	·03	6	ci.st.	....	...	..	.....	....	.....
11....	29·36	29·38	34·0	24·2	37·0	24·2	89	93	S.W.	20	W.	20	..	·01	....	. .	....	.....	....	.....	....	... ..
12....	29·61	29·74	— 7·2	— 1·1	24 2	— 8·0	78	85	N.W.	20	N.	20	...	....	....	.... .	....	.....	....	.....	....	.....
13 ...	29·99	30·01	— 3·8	12·8	13·4	— 6·7	90	85	N.W.	20	S.W.	4	....	....	....	...	...	.....	....	.....	....	.....
14 ...	29 65	29·49	37·0	40·5	41·0	12·8	94	96	S.W.	26	S.W.	20	·03	....	....	.....	10	st.	....	.....	10	fog.
15....	29·63	29·81	21·3	21·2	43·3	21·2	88	86	N.W.	20	N.	4	S.	....	....	.....	10	st.	..	....	....	... .
16 ...	29·74	29·73	29·8	33·0	38·4	13·7	95	89	S.W.	16	W.	6	S.	....	....	.....	....	.....	....	.....	....	. ..
17...	29·67	29·68	32·5	23·5	35·0	*23·5	94	91	E.	8	N.E.	22	·01	·06	...	.....	10	st.	....	.....	....	.....
18....	29·86	29·87	3·0	2·7	23·5	2·7	78	67	N.E.	26	N.	24	·03	....	....	.....	....	.....	..	.....	...	.....
19....	29·81	29·73	0·5	18·5	18·5	— 1·6	74	87	N.	12	N.E.	4	....	....	..	.....	...	.....	....	.....	...	. ....
20....	29·61	29·76	25·0	29·5	34·2	13·0	95	92	N.E.	7	N.E.	6	....	....	...	.....	10	fog.	....	.....	....	.....
21....	29·25	29·48	39·0	35 0	41·4	29·5	98	89	S.	10	S.W.	12	1·03	....	....	.....	10	fog.	....	.....	....	.....
22....	29·89	30·05	3·8	6·1	37·3	3·8	74	74	N.W.	24	N.W.	20	...	....	....	.....	....	.....	....	.. ..	....	.....
23....	30·33	30·46	—10·0	— 4·4	6·1	—11·3	82	79	N.	24	N.	16	....	....	....	.....	....	.....	....	.....	...	.....
24....	30·65	30·40	— 9·7	8·2	9·5	—11·0	82	84	N.W.	12	W.	10	....	....	....	.....	....	.....	5	ci.	....	.....
25....	29·60	29·49	21·2	15·8	21·5	8·2	88	84	N.E.	12	N.W.	14	·51	·01	....	.....	....	.....	9	ci.st.	....	.....
26....	29·91	29·90	— 5·7	7·5	15·8	— 7·6	81	75	N.	20	N.W.	12	....	....	....	...	....	.....	....	.....	....	.....
27.. .	29·97	30·13	0·5	3·2	8·5	— 1·0	91	68	N.W.	14	N.W.	24	S.	....	...	.....	10	nb.	....	.....	....	.....
28....	30·39	30·35	— 1·8	10·0	10·0	— 5·3	69	87	N.W.	22	N.W.	8	....	....	....	.... .	....	.....	....	. .	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·44	30·28	4·8	17·8	20·4	0·0	70	85	N.W.	7	W.	14										
2	29·82	29·10	27·6	33·0	34·5	16·0	93	97	S.	20	N.	8		·14			10	st.				
3	29·49	29·86	21·5	13·2	34·0	13·0	91	91	N.	8	N.E.	8	·10				10	st.				
4	30·03	29·99	6·7	10·0	17·0	4·2	81	79	N.E.	16	N.E.	8					10	ci.st.				
5	29·93	29·86	0·8	6·0	19·3	— 3·2	73	86	N.	10	N.E.	4										
6	29·94	29·95	8·0	14·0	23·0	— 0·6	70	87	N.	10	N.	14									10	st.
7	29·92	29·85	14·3	22·2	29·3	8·5	85	83	N.W.	20	N.	20					10	st.				
8	29·87	29·78	15·0	30·0	30·7	8·7	82	92	N.	10	S.W.	10			3 3	ci.cu. ci.						
9	29·94	30·12	21·3	22·3	22·2	18·0	84	82	N.	16	N.W.	10	·03									
10	30·33	30·22	11·7	25·4	28·5	8·2	67	89	N.W.	1	S.W.	12									4	st.
11	30·21	30·08	18·0	31·0	38·0	14·0	87	88	N.	2	N.	10			3	ci.						
12	30·14	30·04	21·0	31·5	39·2	16·6	90	81	N.W.	12	W.	8										
13	29·73	29·57	34·1	35·5	37·8	29·0	90	94	S.	14	W.	6		·08			10	st.			2	st.
14	29·83	29·69	32·3	25·3	37·4	25·3	79	96	N.	10	N.	14	·01				10	st.			10	st.
15	29·91	29·99	20·5	28·7	39·3	18·7	94	91	N.	12	S.W.	8					10	st.				
16	30·07	30·31	27·5	31·8	35·6	24·0	82	75	N.	6	W.	4	·18									
17	30·07	29·82	35·5	43·0	43·0	30·0	90	71	S.W.	28	S.W.	30					10	st.				
18	30·17	30·16	24·5	29·0	45·0	23·0	62	85	N.	12	W.	8					3	ci.				
19	30·27	29·90	19·0	27·0	29·8	15·3	50	76	N.	14	S.E.	12							10	ci.st.		
20	28·47	29·32	32·0	24·3	32·4	24·0	95	80	N.E	20	N.W.	30	·30	·03			10	nb.				
21	29·72	29·75	24·0	35·0	35·4	20·0	74	78	N.W.	38	W.	4										
22	29·86	29·58	33·0	36·5	43·4	29·5	75	90	C.	0	S.	16			3	c i.st.					10	cu.st.
23	29·46	29·91	38·3	41·2	48 0	34·7	92	67	W.	6	N.	20	·02				3	cu.st.				
24	30·12	30·12	29·5	25·0	41·2	25·0	53	65	N.	14	N.E.	8					10	cu.st.	10	ci.		
25	30·24	30·16	21·0	31·8	40·2	12·5	86	76	N.	4	W.	8							4	ci.		
26	29·94	29·94	36·6	36·0	40·2	30·0	64	84	S.W.	22	S.E.	6			8	ci.st.						
27	30·26	30·17	33·8	35·0	37·3	28·5	84	82	E.	8	E.	14			5	ci.st.					10	st.
28	29·96	29·78	38·5	38·2	39·3	34·0	95	97	S.E.	18	S.	8	·27				10	nb.			10	fog.
29	29·84	29·97	41·5	42·5	52·3	33·7	96	76	W.	4	E.	10			5	ci.st.	3	fog.			10	cu.st.
30	29·75	29·88	39·6	35·4	43·6	35·4	88	96	S.	4	S.E.	4					10	st.			10	fog.
31	30·03	30·11	40·7	37·3	47·5	32·5	47	69	N.W.	13	C.	0									10	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	3 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·18	30·06	34·8	28·0	37·3	28·0	94	97	N.	7	N.E.	14	....	·27	...	.....	10	st.	....	.....	10	st.
2....	29·98	29·96	25·5	26·5	30·2	23·0	85	85	N.	24	N.W.	20	·06	·07	..	....	....	.....	....	.....	10	st.
3 ...	29·93	29·90	27·7	33·5	37·6	20·0	69	84	N.W.	10	W.	3	....	....	....	.....	....	.....	....	.....	10	cu.st.
4....	29·98	29·96	33·3	36·8	45·0	33·3	82	78	C.	0	S.	6	....	....	....	....	....	.....	....	.....	....	.....
5....	29·84	29·53	37·5	39·0	40·3	34·2	73	96	S.E.	14	S.W.	16	....	·59	....	. .	10	cu.st.	....	.....	10	fog.
6.. .	29·77	30·03	24·3	27·5	39·0	21·0	66	64	N.W.	24	N.W.	20	·02	....	....	.....	8	cu.st.	....	. ..	....	.....
7...	30·18	30·10	18·5	30·0	36·0	13·5	61	69	N.	17	W.	6	....	..	....	... .	....	.....	...	.....	...	.. ..
8....	30·02	29·82	31·5	34·5	42·2	22·0	49	78	E.	6	E.	18	....	....	....	.....	....	.....	....	.... .	10	nb.
9....	29·65	29·22	28·7	34·5	39·5	26·5	77	92	N.E.	16	N.E.	14	·04	·14	....	....	10	nb.	....	... .	10	cu.
10....	28·94	29·09	31·5	32·5	39·0	30·0	91	96	N.E.	16	N.	10	·49	....	....	.....	10	nb.	....	.....	10	st.
11....	29·31	29·43	32·5	33·0	34·6	28·0	95	95	N.	12	N.	12	·10	·02	.. .	.....	10	nb.	....	....	9	cu.st.
12....	29·63	29·74	36·5	36·5	45·0	31·0	80	85	N.	10	C.	0	....	....	....	.....	...	.. ..	4	ci.	...	.....
13....	29·56	29·16	38·4	32·5	42·7	29·6	80	97	N.E.	12	N.E.	20	....	·21	....	.....	10	st.	....	.....	10	nb.
14 ...	29·06	29·30	33·5	38·0	40·3	32·5	96	88	N.	24	S.	4	·16	....	..	...	10	nb.	....	.....	10	nb.
15....	29·39	29·41	40·5	41·0	46·0	34·0	73	67	N.W.	26	N.	16	....	....	...	.....	2	cu.st.	....	.. ..	9	cu.st.
16....	29·49	29·49	38·0	39·5	45·0	34·5	63	75	N.	20	W.	6	...	...	..	.....	3	cu.st.	....	.....	10	st.
17....	29·40	29·40	40·2	41·3	47·8	35·0	65	68	C.	0	N.W.	6	....	....	2	ci.	3 2	cu.st. st.	....	.....	6	cu.st.
18....	29·58	29·60	41·3	37·3	48·8	34·0	74	79	C.	0	S.	4	....	....	...	...	...	...	....	.....	9	st.
19....	29·69	29·61	39·6	37·2	45·0	34·8	82	90	S.	4	S.	10	....	....	....	.....	....	.. ...	...	...	10	st.
20....	29·48	29·55	36·7	34·5	43·8	34·0	67	92	N.W.	28	N.W.	24	·03	....	....	.....	5	cu.st.	....	..	10	st.
21....	29·79	29·88	24·7	34·5	37·8	23·0	50	51	N.W.	28	W.	12	·11	....	...	.....	....	.....	....	.....	....	.....
22....	29·95	29·86	40·5	39·8	44·2	29·5	50	77	W.	18	N.W.	16	....	....	5	ci.	...	.....	5	ci.st.	...	.....
23....	29·81	29·76	40·0	40·5	43·8	35·5	89	97	S.	6	S.	6	....	....	2	ci.	....	.....	....	....	10	fog.
24...	29·14	29·20	47·0	38·0	49·0	38·0	94	95	N.E.	22	N.	34	·10	·46	....	.....	...	.....	....	.....	10	nb.
25....	29·78	29·87	40·5	42·0	50·0	35·0	56	61	N.	20	W.	16	·01	....	....	.....	8 2	cu.st. cu.	....	....	10	nb.
26..	29·96	30·02	41·5	43·7	50·2	37·0	83	92	N.E.	6	N.E.	4	·10	·01	3	ci.st.	5	nb.	....	.....	10	nb.
27....	30·18	30·39	39·4	41·0	51·7	36·2	93	82	N.	8	C.	0	·40	....	....	.....	9	cu.st.	....	...	....	.....
28....	30·36	30·27	39·8	40·5	52·3	34·5	71	82	S.E.	4	S.W.	4	...	....	....	....	...	....	....	.....	3	cu.st.
29.. .	30·21	30·06	41·7	43·0	46·3	38·8	97	98	S.E.	6	S.W.	14	·01	....	..	....	10	fog.	....	.....	10	fog.
30....	30·00	29·86	46·0	45·0	49·2	40·0	94	100	S.W.	24	S.	16	R.	....	....	.....	10	fog.	....	.....	10	fog.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1	29·80	30·07	44·0	42·5	49·8	42·0	100	91	S.	4	N.E.	6	·28	R.	....	....	10	fog.	10	ci.st.	....	....
2	30·30	30·28	38·0	35·8	50·1	34·0	72	79	N.E.	14	N.E.	14	R.	R.	8	ci.st.	8	c.	....	....	....	....
3	30·26	30·17	37·5	38·5	46·0	31·8	76	85	E.	10	S.	6	S.	S.	....	....	10	nb.	....	....	....	....
4	30·11	29·68	38·5	39·2	42·3	34.0	83	98	S.	10	E.	12	....	·46	....	....	10	nb.	....	....	10	nb.
5	29·85	30·08	39·2	42·2	50·1	38·4	62	50	N.W.	10	N.	0	·13	....	10	ci.st.	..	..	....	....	....	....
6	30·12	29·95	44·8	40·0	47·3	37·0	67	95	S.	9	S.	10	..	....	9	ci.st.	....	....	....	....	10	st.
7	29·90	29·81	47·7	50·0	54·7	35 6	71	61	N,	0	N.	9	....	....	....	....	....	...	....	....	....	....
8	29·89	29·98	47·2	49·8	56·5	42 7	79	70	S.	4	N.	8	....	...	4	ci.	..	....	8	ci.st.	....	....
9	30·05	29·83	47·7	48·8	59·4	40·0	69	71	S.	10	S.E.	10	....	....	....	..	10	st.	..	....	10	st.
10	29·61	29 62	45·7	41·2	48·8	41·2	79	95	S.	5	S.E.	8	....	....	....	....	5	st.	....	....	7	fog.
11	29·69	29·50	34·3	32·9	41·2	32 9	97	95	N.	10	N.	10	·03	·08	....	....	..		....	....	10	st.
12	29·80	29·86	34·3	38·7	49·8	32·9	77	85	N.W.	30	W.	16	·03	...	9	ci.st.	....	.	....	....	...	..
13	29·86	29·71	40·7	41·9	44·7	38·3	92	89	S.W.	12	S.	4	....	...	....	....	10	st.	6	ci.st.	....	....
14	29·81	30·09	45·0	43·0	58·8	41·9	81	68	N.W.	12	E.	16	....	....	8	ci.st.	....	....	2	ci.	..	....
15	30·26	30·14	45·2	41·5	49·0	36·4	68	66	E.	4	S.	16	....	....	8	ci.st.	...	....	6	ci.	....	....
16	29 98	29·86	44·0	44·2	45·5	39·2	87	98	S.	8	S.	4	...	·02	....	....	10	st.	....	....	10	fog.
17	29·82	29·89	51·3	52·2	63 0	43·5	94	75	N.	4	S.	4	·40	....	....	....	10	st.	....	....	9	st.
18	29 89	29·72	48·0	48·3	56·5	43·0	86	90	S.	4	S.E.	4	....	....	8	ci.st.	....	....	....	....	4	st.
19	29·75	29·69	46·8	50·3	62·4	43·0	84	87	S.	9	C.	0	....	..	10	ci.st.	..	...	....	..	10	st.
20	29·60	29·56	47·5	47·7	60·8	46·0	92	91	S.	8	W.	4	....	....	....	...	10	st.	....	....	10	nb.
21	29·63	29·64	42·8	47·3	57·6	38·5	54	61	N.W.	14	W.	16	...	....	..	....	....	....	..	.....	9	nb.
22	29·77	29·88	44·0	45·5	51·5	41·7	66	69	N.W.	24	W.	4	....	....	9	ci.st.	....	..	8	ci.st.	....	....
23	29·93	29·95	48·0	44·0	50·9	40·0	60	80	S.	8	S.	8	....	....	5	ci.st.	....	....	5	ci.st.	....	....
24	29·96	29·96	50·2	46·0	55·0	38·5	63	80	N.W.	4	N.E.	12	....	R.	....	....	....	....	5	ci.st.	....	....
25	30·06	30·04	45·6	48·0	54·8	38·3	62	56	N.E.	14	N.E.	6	....	....	4	cl.st.	....	...	3	ci.st.	....	....
26	29·98	29·85	47·3	47·5	61·2	43·5	64	96	N.W.	12	S.	4	....	....	....	....	....	....	3	ci.cu.	....	....
27	29·87	29·74	48·5	48·5	55·7	42·0	78	85	S.	6	S.	4	....	....	3 3	ci. ci.st.	....	....	....	....	10	st.
28	29·61	29·46	46·3	44·6	48·7	44·6	86	98	N.E.	16	N.E.	6	·05	·29	....	....	10	nb.	....	....	10	nb.
29	29·35	29·48	45·0	44·3	48·2	42·5	95	89	N.	6	N.	16	·14	·12	....	....	10	nb.	....	....	10	nb.
30	29·67	29·88	45·3	45·0	49·2	42·3	88	84	N.	20	N.	18	·03	....	....	....	....	..	....	....	10	nb.
31	29·97	30·00	46·3	46·7	52·8	43·7	80	76	N.	20	N.E.	6	....	...	10	ci.st.	....	..	2	ci.st.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·98	29·88	49·5	49·2	56·5	38·5	63	75	N.	6	W.	10			8	ci.						
2	29·80	29·75	49·7	51·8	59·3	42·0	69	72	S.	9	S.	2									10	cu.st.
3	29·64	29·68	59·0	53·0	68·9	48·0	56	60	E.	10	N.E.	10			8	ci-cu.					9	st.
4	29·84	29·89	52·2	50·5	65·0	40·0	48	79	N.	14	S.E.	4									9	cu.st.
5	30·00	29·93	52·0	51·5	62·4	45·2	60	79	S.E.	8	S.	3			8	ci.st.					10	st.
6	29·70	29·72	47·3	53·8	56·0	45·3	94	93	N.E.	34	E.	12	·20				10	nb.			10	st.
7	29·79	29·80	53·3	50·0	61·2	49·0	88	91	S.E.	4	S.	6					10	st.			5	st.
8	29·85	29·82	48·0	51·0	60·0	46·3	96	89	S.	4	S.	4	·02				10	st.			7	cu.st.
9	29·83	29·90	50·3	46·5	52·0	46·5	91	91	N.E.	4	N.E.	16		·03			10	st.			10	nb.
10	30·00	29·92	47·7	47·3	56·5	43·5	69	70	N.E.	18	N.	16	R.	R.			5	cu.st.	5	ci.cu.		
11	29·84	29·90	48·0	51·5	60·7	42·0	63	36	N.E.	20	N.E.	10					10	cu.st.			5	cu.st.
12	29·98	29·95	56·5	63·0	69·2	42·0	46	45	N.W.	6	W.	6										
13	29·96	29·86	54·3	49·5	70·0	51·0	72	78	S.	8	S.	14							5	ci.st.		
14	29·75	29·69	49·5	49·0	54·2	49·0	83	90	S.	14	S.	10									10	st.
15	29·63	29·75	54·3	50·5	58·8	44·8	78	92	N.	12	N.	2		R.			6	st.			5	cu.st.
16	29·89	29·98	49·3	52·2	56·5	46·7	86	90	W.	4	W.	2	R.	·02			5	cu.st.			5	fog.
17	30·15	30·08	51·3	50·0	58·0	42·5	89	67	S.	6	S.	10	·01								10	st.
18	29·93	29·83	50·5	52·7	57·4	46·3	91	84	S.	10	S.	12					10	st.			2	fog.
19	29·93	30·02	60·0	65·2	75·9	50·0	79	72	NE.	8	E.	8					10	cu.st.			10	st.
20	30·05	29·95	57·6	54·2	65·2	54·2	98	99	S.E.	12	S.	8	·22	·01			10	fog.			10	fog.
21	29·94	29·99	52·1	53·2	58·8	51·4	98	94	S.	4	S.E.	6	·04				10	fog.	2	ci.		
22	30·14	30·09	56·4	61·0	73·3	48·0	80	86	S.E.	6	S.	4	·01									
23	30·11	30·02	57·5	55·0	65·7	53·0	78	90	S.	7	S.	12										
24	29·92	29·83	53·5	52·5	59·5	51·0	90	93	S.	10	S.	8					9	st.			10	st.
25	29·86	29·83	60·0	60·0	68·4	50·5	93	80	N.	8	N.E.	14	·07				10	st.			10	nb.
26	29·70	29·56	57·5	56·2	61·9	52·4	96	99	N.	5	S.	2	·19	·01			10	st.			10	fog.
27	29·35	29·31	52·0	56·5	56·5	50·0	100	92	S.	11	W.	16	·30	·06			10	fog.			10	nb.
28	29·63	29·81	67·0	58·7	75·0	55·5	64	76	W.	12	S.	4	·02									
29	29·96	29·99	56·5	56·7	58·7	50·6	84	88	S.	4	S.	4					5	ci.st.	9	ci.st.		
30	29·97	29·87	58·5	60·0	64·2	54·5	85	97	E.	11	S.E.	16	·03	·02			10	nb.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Vel.	Dir.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·74	29·72	62·3	55·0	63·2	55·0	78	97	E.	24	S.W.	4	·11	...	...	..	10	nb.	....	.....	10	fog.
2	29·73	29·75	57·0	55·5	71·6	49·5	98	89	S.	3	S.	8	....	...	...	.. ..	10	fog.	10	ci.st.	....	.....
3	29·78	29·83	56·5	58·7	60·9	54·3	99	96	S.	6	C.	0	·05	·08	..	.....	10	fog.	....	....	10	nb.
4	29·86	29·85	65·0	62·0	76·5	58·0	76	83	N.	8	C.	0	06	....	...	.....	....	.	....	....	....	.....
5	29·87	29·79	60·0	59·2	66·5	51·7	84	84	C.	0	S.	8	....	...	...	.....	....	.	....	....	....	.....
6	29·77	29·78	58·8	57·2	65·3	53·0	87	92	S.	8	S.	4	·10	....	...	.....	3	st.	3	ci.st.	....	.....
7	29·86	29·86	56·3	55·1	58·0	52·0	96	96	S.E.	15	S.	16	·49	·15	....	.....	10	fog.	....	. ...	....	... ..
8	29·85	29·74	59·5	58·5	59·6	54·0	93	99	S.	7	S.	10	·07	·02	....	.. ..	.....		....	.....	10	fog.
9	29·56	29·45	56·7	57·5	61·8	53·5	99	99	S.	6	S.	4	·03	....	....	.....	10	fog.	....	...	10	fog.
10	29·52	29·65	62·5	61·5	69·6	56·0	69	75	N.W.	18	W.	3	....	....	....	.....	6	cu.	....	.. .	2	cu.
11	29·77	29·78	62·7	60·0	74·5	54·5	56	79	N.W.	20	S.E.	4	....	....	....	.....	.....		....	.....	9	cu.st.
12	29·79	29·58	56·5	58·0	60·5	53·0	95	95	S.	4	N.E.	8	·01	·32	...	. . .	10	nb.	....	.....	10	nb.
13	29·58	29·78	60·0	66·0	72·3	55·7	89	78	N.	12	N.E.	8	·02	....	....	.....	10	nh.	....	.....	7	cu.nb.
14	30·04	30·08	60·0	63·3	66·5	53·0	72	76	S.	6	S.	4	....	....	....	.....	3	cu.st.	....	.....	....	.....
15	30·14	30·07	55·5	57·5	66·5	52·8	97	97	S.	8	S.W.	12	...	....	....	.....	10	fog.	....	.....	10	fog.
16	30·06	29·95	56·3	56·4	65·3	53·0	92	98	S.	8	S.	10	..	....	....	.....	10	st.	...	.....	10	fog.
17	29·90	29·84	56·1	57·5	59·8	53·5	99	99	S.	12	S.	10	·02	....	....	.....	10	fog.	...	.....	10	fog.
18	29·84	29·79	59·3	59·0	66·0	54·5	99	99	S.	6	S.	6	·01	....	....	.....	10	fog.	....	.....	10	fog.
19	29·76	29·72	65·2	69·3	72·0	56·0	98	74	C.	0	S.	4	·01	....	....	.....	....		....	.....	....	... ..
20	29·76	29·67	66·2	62·1	71·4	62·1	83	88	E.	4	S.	4	...	....	....	.. ..	..	.....	..	.. .	7	cu.st.
21	29·53	29·55	60·3	69·0	74·5	58·0	96	72	W.	4	N.	16	·45	....	. .	.....	10	nb.	....	....	4	cu.st.
22	29·65	29·75	64·8	67·3	72·3	62·0	76	79	N.	22	E.	6	....	....	....	.....	8	cu.st.	6	ci.st.	3	cu.
23	29·78	29·81	58·3	61·7	67·3	55·0	84	83	N.E.	6	S.E.	4	....	R.	....	....	10	cu.st.	....	.....	10	st.
24	29·90	29·84	57·0	63·0	69·0	54·7	84	76	N.E.	6	E.	6	....	...	....	.....	10	st.	....	....	4 4	st. cu.st.
25	29·83	29·80	57·0	56·0	63·0	53·4	87	92	S.	8	S.	4	....	....	....	.....	10	st.	....	.....	10	st.
26	29·72	29·38	58·0	57·5	63·7	54·5	84	96	S.E.	10	E.	16	....	·32	....	.....	4 6	st. cu.st.	....	.. ..	....	.....
27	29·21	29·27	62·5	57·8	66·0	55·5	78	92	W.	12	W.	4	1·02	06	....	.....	2	cu.	....	...	5	.....
28	29·49	29·62	55·5	60·5	65·5	51·0	79	81	N.	26	W.	4	·02	...	....	.....	10	cu.st.	....	.....	10	cu.nb.
29	29·71	29·74	61·7	59·0	68·3	55·5	83	91	S.	4	S.	4	....	....	..	....	6	cu.	..	.....	4	cu.
30	29·75	29·72	62·5	64·0	73·0	56·3	83	63	S.W.	4	S.W.	4	....	R.	....	.....	7	cu.	....	...	10	nb.
31	29·73	29·73	57·0	58·2	64·0	56·0	98	97	S.	6	S.	4	·11	....	....	.. ..	10	fog.	....	.....	10	fog.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 p.m.	8 a.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1. .	29·81	29·82	58·0	58·0	67·2	55·0	98	97	S.	10	S.	6	·01	...	...	.....	10	fog.	.. .	...	10	fog.
2....	29·81	29·73	64·8	63·5	72·5	58·0	83	90	S.E.	10	S.	4	....	....	....	.....	10	st.	..	.....	10	fog.
3....	29·83	29·87	58·7	59·2	66·8	57·0	99	99	S.	6	S.	6	·04	....	.	.....	10	fog.	....	.....	10	fog.
4....	29·85	29·58	57·7	60·0	63·1	51·5	98	92	S.	2	N.	20	·01	·47	...	.....	10	fog.	...	.....	....	.. ..
5....	29·97	29·99	60·2	60·0	67·1	53·0	82	78	W.	10	W.	4	·08	·06	4	ci.cu.	....	.....	....	.....	3	cu.
6....	30·05	29·98	57·0	57·2	62·7	53·0	91	95	S.	8	W.	6	....	·05	....	.. .	..	.. .	....	.....	....	.....
7 .	29·86	29·86	61·5	59·1	68·5	55·7	99	93	N.	4	W.	5	·17	....	...	.....	10	st.	....	.....	....	.....
8....	29·85	29·93	55·3	64·0	65·3	53·3	98	58	S.W.	6	N.	12	·25	....	...	.....	10	nb.	....	.....	....	. . .
9....	30·08	29·99	61·8	60·0	69 3	52·5	63	64	W.	3	W.	12	....	....	....	..	....	.....	.	.....	....	.....
10....	29·92	29·84	59·2	61·5	65·7	53·5	87	90	S.	4	C.	0	...	...	....	.....	5	cu.	....	...	....	.. ...
11....	29·99	29·70	61·5	60·3	69·5	56·7	90	89	C.	0	E.	3	....	·54	....	.....	6	cu.st.	....	.....	....	.....
12....	29·96	29·71	62·2	59·0	73·2	58·0	96	97	C.	0	S.	10	·04	....	....	.....	10	nb.	....	....	10	.....
13....	29·64	29·58	58·5	57·2	59·5	57·2	96	97	S.	9	C.	0	....	.. .	....	.....	10	st.	...	. ...	....	.....
14....	29 68	29·84	62·5	61·7	68·3	56·3	64	75	N.	16	N.	16	....	....	....	.....	2	cu.	....	... .	....	. ....
15....	30·10	30 11	60·0	60·0	70·6	54·5	65	85	N.	10	C.	0	....	...	....	...	....	.....	....	. ..	....	.....
16....	30 20	30·16	59·0	58·0	64·4	53·8	83	86	S.	8	S.	5	....	....	....	.....	8	cu.st.	....	... .	....	.....
17....	30·11	29·98	57·3	56·8	61·9	53·8	84	07	S.	10	S.W.	16	....	·01	....	....	10	nb.	....	.....	....	....
18....	29·86	30 02	57·8	59·5	70·0	55·0	93	66	S.W.	6	N.	20	·12	....	....	.. .	10	st.	...	.....	10	st.
19....	30·10	30·07	57·0	64·8	70 1	52·5	69	60	N.	14	N.	8	...	....	....	.....	....	.....	10	ci.	...	..
20....	30·03	29·88	60·0	57·3	63·8	56·2	81	96	S.	5	S.	12	....	....	5	ci.cu.	....	.. ..	....	.....	10	st.
21....	29·89	29·91	66·7	62·3	70·3	55·8	77	60	N.	12	N.	6	...	....	....	...	....	cu.st.	....	.....	....	.....
22....	29·98	30·07	61·8	59·6	69·2	55·5	78	74	E.	6	S.	4	R.	.	....	....	6	cu.	....	.....	....	.....
23....	30·16	30 11	57·2	56·0	64·5	53·0	85	92	S.	4	S.	8	....	....	....	.....	...	...	....	.. .	....	... .
24 ...	30·07	29·84	56·5	60·0	67·0	52·3	79	65	S.	9	S.	14	....	....	3	ci.cu.	....	....	....	... .	3	cu.nb.
25....	29·59	29·46	58·5	58·2	60·3	57·0	67	99	S.E.	20	S.	4	·65	·06	..	.. ..	...	.. ..	....	.....	...	. ...
26 ...	29·53	29·60	54·0	60·0	58·2	52 2	100	76	C.	0	N.	4	...	·03	....	.....	10	fog.	....	.....	....	.....
27....	29·67	29·68	56·2	55·5	61·9	50·0	74	81	W.	16	W.	6	...	..	..	.....	10	cu.st.	....	. ..	....	...
28....	29·64	29·60	55 0	54·5	60·7	50 3	80	88	W.	4	S.	4	...	....	....	.....	....	.....	....	....	....	.....
29....	29·59	29·63	56·5	58·2	64 8	51·3	76	83	W.	10	W.	8	..	R.	....	. ....	2	cu.	....	.....	5	
30 ...	29·72	29·72	54·8	58·0	64·8	52·3	82	86	N.	20	W.	8	....	....	....	.....	7	cu.st.	....	.....	5	
31...	29·68	29·71	58·3	54·5	66·0	54·5	77	91	N.	10	N.	8	...	·06	....	.....	....	.....	....	.....	5	

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				3 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·76	29·82	52·5	56·0	61·6	50·0	81	81	N.	6	N.	1	·02	....	....	...	10	cu.st.	....	..	...	.....
2....	29·89	29·90	54·2	56·8	64·9	47 5	81	80	N.	7	W.	3	....	....	....	...	...	.....	...	...	....	.....
3 ...	30·02	30·10	55·8	58·0	61·0	54·0	92	85	S.E.	4	E.	8	·09	....	....	...	10	nb.	....	.....	....	.....
4....	30·10	30·03	57·2	58·4	62·5	54·5	91	99	E.	20	S.	12	·10	·03	....	, .	10	nb.	...	.....	10	fog.
5....	29·96	29·84	59·3	58·2	61·5	56·7	99	94	S.	6	S.	6	·49	·30	....	.....	...	..	....	.....	10	fog.
6....	29·74	29·62	56·5	57·5	58·4	55·3	100	99	S.	6	S.	6	·04	·42	....	....	10	fog.	....	.....	10	fog.
7....	29·61	29·73	57·8	61·5	66·7	53·0	98	91	C.	0	W.	4	·02	R.	....	. .	10	st.	....	.....	....	.....
8...	29·85	29·91	58·0	57·0	63·8	53·8	88	96	C.	0	S.	8	R.	R.	3 4	ci.st. ci.cu.	....	.....	....	.....	....	.. ..
9....	30·07	30·21	60·7	59·2	69·3	51·5	77	72	N.E.	14	E.	6	....	....	....	.....	2	cu.st.	....	.....	....	.....
10....	30·28	30·23	58·3	60·5	66·2	53·0	83	88	E.	4	C.	0	....	.	....	... .	8	cu.st.	....	....	....	.. ..
11....	30·17	30·01	60·3	61·5	64·2	56·3	87	84	S.E.	12	S.E.	18	...	R.	..	.....	10	nb.	....	.....	....	.....
12....	29·83	29·81	60·0	57·5	62·0	56·6	97	95	S.W.	10	S.W.	18	·10	...	..	. ...	10	fog.	....	...	..	.....
13....	29·99	30·11	59·5	56·4	65·1	55·0	73	62	N.	14	N.	4	....	..	...	...	....	.....	....	.....	....	.....
14 ...	30·32	30·29	50·0	53·3	59 2	44·5	67	78	N.	6	S.	10	....	...	....	.....	.	.....	....	.....	....	.....
15....	30·23	30·04	54·0	57·7	58·5	52·5	89	92	S.	12	S.E.	8	....	...	....	.....	10	st.	3	ci.	....	.....
16....	30·20	30·06	57·2	56·5	65·3	54·0	65	80	N.	7	C.	0	...	....	...	.....	10	cu.st.	....	....	10	st.
17....	29·70	29·92	56·3	56·5	67·4	54·5	99	75	S.	10	N.	8	·07	....	....	.....	10	fog.	...	. .	.....	... .
18....	30·18	30·24	44·3	50·1	57·8	41·4	93	71	N.	20	N.	10	...	....	....	.....	....	.....	....	.....	...	.....
19 ...	30·26	30·01	46·4	50·1	58·0	39·5	72	80	N.	5	W.	8	..	....	6	ci.	.	.....	....	.....	....	. ...
20....	29 89	29·79	54·0	58·5	65·7	46·4	80	79	W.	2	S.	6	.....	....	2	ci.	...	...	5	ci.st.	5	cu.st.
21....	29·69	29·68	55·3	56 7	59·5	53·5	89	96	S.	10	S.E.	10	·02	....	....	.....	10	fog.	....	.....	5	fog.
22....	29·69	29·82	56·8	58·0	66·5	54·3	98	87	C.	0	S.	4	·02	....	....	.....	10	fog.	9	ci.st.	....	. .
23.. .	29·95	29·65	55·6	58·6	60·0	54·8	88	99	E.	8	S.E.	14	·01	·78	....	.....	10	nb.	....	.....	...	.....
24....	29·54	29·53	58·0	55·0	61·8	55·0	99	99	S.W.	24	S.	12	73	·01	....	....	10	fog.	...	.....	10	fog.
25....	29·42	29·53	57 0	56·5	65·2	56·5	97	66	S.	14	W.	18	·17	.	...	.. ..	3 6	cu.st. nb.	....	...	...	.....
26....	29 86	29·92	47·5	47·5	56·5	45·8	63	70	N.	22	W.	8	....	..	....	..	...	.....	...	.....	...	.....
27 ..	29·93	29·91	52·0	51·7	57·3	42·0	65	81	S.W.	10	W.	10	....	....	....	.....	3	cu.st.	....	...	....	... .
28....	30·11	30·19	41·0	46·5	51·7	39·8	49	61	N.	12	N.	4	....	..	2	ci.	2	cu.st.	....	.....	....	.....
29....	30·15	29·87	44·5	43·2	47·5	41·0	74	90	N.E.	8	N.E.	12	....	·24	....	.....	10	nb.	....	.....	....	... .
30 ...	29·86	29·78	48·0	48·5	54·0	42·0	81	87	N.	8	W.	12	·52	·02	....	.....	5 4	n.b. cu.st.	....	.....	....	.. .

DAILY WEATHER REPORTS FOR THE YEAR 907.

St. John, New Brunswick—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1.	29·72	29·91	47·2	46·3	51·7	44·8	86	88	N.E.	14	N.	8	·05	·01	....	..	10	nb.	....	.....	5	st.
2.	29·96	29·95	43·5	50·5	57·2	39·2	83	62	N.	14	N.	4	....	....	....	.....	..	..	....	.....	....	.....
3.	29·98	29·89	46·0	50·0	58·5	37·5	77	82	N.	6	S.W.	8	....	....	....	....	....	....	....	.....	....	.....
4.	29·80	29·27	51·0	53·0	52·0	44·7	78	93	S.E.	14	E.	16	....	·66	....	.....	10	st.	....	.....	10	st.
5.	29·40	29·45	49·0	50·0	59·1	47·5	77	89	N.W.	14	N.W.	2	·04	....	....	.....	4	cu.st.	....	.....	5	st.
6.	29·57	29·76	46·5	45·5	51·8	43·0	71	80	N.	12	W.	6	....	....	....	..	10	cu.st.	....	.....	....	.....
7.	29·88	29·86	50·5	54·2	54·2	41·3	88	89	S.W.	10	S.	22	R.	·02	....	.....	10	cu.st.	....	.....	10	nb.
8.	29·58	29·41	59·0	52·0	59·0	52·0	87	89	S.W.	40	N.W.	38	·02	·20	....	.....	10	nb.	....	.....	10	nb.
9.	30·01	30·10	39·0	44·0	52·0	35·5	54	80	N.W.	22	W.	5	R.	....	....	.....	....	..	....	.....	....	.....
10.	30·12	30·01	45·0	47·5	50·4	36·6	75	85	S.	6	S.	6	....	R.	....	.....	3	cu.	....	.....	10	st.
11.	29·96	29·92	45·0	52·2	56·3	39·7	96	87	N.	3	S.E.	12	·05	....	....	.....	5	fog.	....	.....	10	st.
12.	29·89	29·89	52·0	55·0	57·2	48·5	83	90	S.E.	18	S.E.	6	·08	....	....	.....	9	nb.	....	.....	10	st.
13.	29·89	29·83	52·5	50·0	55·0	50·0	87	90	N.E.	10	N.E.	14	·04	·01	....	.....	10	nb.	....	.....	10	st.
14.	29·88	30·01	45·5	48·0	50·0	44·7	95	78	N.	16	N.W.	10	·20	....	....	....	10	nb.	....	.....	10	cu.st.
15.	30·06	30·00	42·5	48·0	53·3	39·0	79	78	N.	4	N.	8	....	....	....	..	9	cu.st.	....	.....	8	cu.st.
16.	30·16	30·17	45·0	49·0	56·1	42·5	86	87	N.	16	S.W.	12	....	....	....	..	....	.....	..	.....	....	.....
17.	30·15	30·02	50·0	52·3	60·0	45·0	79	91	S.	3	S.	4	....	....	....	.....	....	.....	....	.....	....	.....
18.	29·73	29·78	51·7	53·5	55·0	43·5	93	68	S.	26	N.W.	14	....	R.	....	..	10	st.	....	.....	....	.....
19.	29·97	30·05	32·0	33·0	43·5	30·0	54	56	N.	12	W.	6	....	....	....	....	....	.....	....	.....	....	.....
20.	30·08	29·96	35·7	37·2	49·0	30·0	93	95	S.	4	N.	2	....	·03	....	.....	10	nb.	....	....	10	st.
21.	29·84	29·92	31·0	31·5	37·2	29·2	67	74	N.	20	N.	22	·01	....	2	ci.	4	st.	....	.....	....	.....
22.	30·05	29·77	29·8	46·0	46·0	29·8	74	71	W.	8	S.W.	24	....	....	....	.....	....	....	....	.....	6	cu.st.
23.	29·63	29·64	19·5	48·7	52·5	45·3	85	78	S.W.	16	N.W.	8	....	R.	....	..	10	nb.	....	.....	10	nb.
24.	29·74	29·86	38·5	36·4	48·7	36·4	72	68	N.	22	N.W.	10	·03	....	7	ci.st.	....	.....	....	.....	....	.....
25.	29·85	29·69	36·4	46·6	47·7	30·0	61	71	W.	12	S.W.	12	....	R.	....	..	..	.....	....	.....	10	nb.
26.	29·83	30·15	37·0	33·5	46·6	33·5	87	59	N.W.	20	N.W.	10	·01	....	....	.....	10	nb.	....	.....	....	...
27.	30·34	30·21	31·2	43·2	43·2	27·3	59	73	N.	3	S.	16	..	....	....	.....	....	...	....	.....	4	cu.
28.	30·02	29·85	50·3	56·4	59·1	42·0	85	88	S.E.	26	S.E.	30	..	·04	....	....	6	cu.st.	....	.....	10	nb.
29.	29·53	29·35	60·3	49·3	60·3	49·3	97	97	S.E.	18	S.W.	4	·54	....	....	.....	10	nb.	....	.. ..	10	nb.
30.	29·59	30·09	36·0	30·5	49·3	30·5	99	85	N.	14	N.W.	14	·47	....	....	..	....	.....	4	ci.	....	.....
31.	30·40	30·44	30·7	38·0	43·4	27·0	82	65	N.	3	N.	4	....	....	....	....	..	...	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·46	30·31	34·5	41·5	48·4	30·7	74	96	N.	2	W.	6	...	....	....	....	....	....	....	....	....	....
2	30·19	30·03	37·2	44·5	49·0	34·3	97	90	C.	0	S.E.	8	....	.. .	....	....	10	fog.	....	....	....	....
3	29·57	29·34	50·2	49·3	56·2	43·0	96	96	S.E.	23	S.	16	....	·28	....	....	10	nb.	....	....	....	... .
4	29·36	29·69	47·2	37 0	48·3	37 0	83	76	S.W.	16	N.	18	....	R.	....	....	9	cu.st.	....	....	....	....
5	29·96	30·05	33·3	40 0	44·5	32 0	72	73	W.	8	S.	12	....	....	....	....	4	cu.st.	....	....	7	cu.st.
6	30·16	29·89	44·6	49·4	49·4	38·8	84	84	S.	12	E.	30	....	....	....	....	10	st.	....	....	10	st.
7	29·32	29·36	53·5	49·8	57·0	46 0	97	85	E.	28	S.	32	1·73	·02	....	....	10	n.b.	....	....	10	st.
8	29·50	29·67	45·3	42·5	50·0	42·5	71	73	W.	24	W.	12	·02	....	....	....	....	....	....	....	....	....
9	29·82	29·86	43·2	46·7	52·7	39·5	86	93	W.	12	S.	12	....	....	....	....	....	..	....	....	4	cu.st.
10	29·84	29·76	48·0	50·3	50·3	45 0	92	98	S.	12	W.	12	....	·36	....	....	10	st.	..	..	10	st.
11	29·98	29·82	39·8	41·5	50 3	39·0	79	67	N.	8	N.	12	...	....	3 3	ci.cu. ci.	...	....	....	....	10	cu.
12	30·06	30·12	31·2	30·1	41·5	30·0	72	94	N.	12	W.	12	S.	....	....	....	5	cu.st.	....	....	....	....
13	29·98	29·67	29·5	32·0	36·2	29·5	89	88	W.	8	W.	8	...	....	....	.	7	st.	....	..	....	... .
14	29·54	29·97	36·0	25·8	39·2	25·3	90	78	W.	16	N.	24	....	....	....	.	5	cu.st.	....	..	....	....
15	30·25	30 30	22·2	30·6	30·6	20·0	73	77	W.	16	C.	0	....	....	....	....	....	....	....	....	10	cu.st.
16	30 32	30·11	28·7	35·5	39·6	26·2	96	77	C.	0	C.	0	·01	....	....	....	10	st.	....	...	10	cu.st.
17	30·02	30·21	33·5	31·8	38·5	29·3	71	81	W.	10	N.	4	. .	....	....	....	....	....	....	....	....	....
18	30·23	30·13	32·0	43·8	45·2	25·3	93	81	S.	4	S.W.	10	....	....	4 3	ci. ci.st.	....	....	....	....	10	st.
19	30·12	30·10	35 0	37·0	43·8	34·0	98	86	W.	3	N.	16	....	....	....	....	....	..	....	....	10	st.
20	30·38	30·43	26·6	26·5	37·0	26·0	84	85	N.	20	N.	10	. .	....	....	...	6	cu.st.	....	....	....	....
21	30·39	30·23	28·8	42·5	42·5	23·0	92	95	N.	4	S.	20	....	R.	..	....	4	cu.st.	....	....	10	nb.
22	30·08	30·02	46·3	45·0	48·5	41 0	98	99	S.	18	C.	0	·13	....	..	....	10	nb.	....	..	10	fog.
23	30·03	30·16	39·0	39·3	48·7	37 0	100	76	C.	0	N.	12	....	....	..	....	3	fog.	....	....	....	....
24	30·42	30·45	32·5	32·2	39·6	29·0	78	80	N.E.	8	N.E.	8	....	....	....	....	....	. .	....	....	5	cu.st.
25	30·19	29·80	37·3	44·0	44·0	29·5	80	96	E.	22	E.	22	R.	·92	....	....	10	nb.	....	....	10	nb.
26	29·59	29·59	44·0	39·0	47·7	39·0	95	85	S.	16	W.	8	·35	R.	....	....	10	nb.	....	....	10	nb.
27	29·55	29·54	34·5	31·7	39·0	31·7	71	93	N.	10	W.	16	....	01	....	....	10	nb.	....	....	10	nb.
28	29·66	29 71	39·0	31·7	39·0	27·0	91	85	W.	16	C.	0	....	....	3 2	ci.st. ci.cu.	....	.	....	....	10	cu.st.
29	29·75	30·13	33·5	26 3	33·5	26·3	87	84	N.	12	N.	12	·01	....	...	.	10	nb.	....	....	10	st.
30	30·20	30·17	22·0	19·8	26·3	19·3	76	83	N.	8	N.E.	16	....	....	....	....	7	cu.st.	....	.	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John, New Brunswick—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°								in.	in.								
1	30·23	29·98	20·5	26·2	27·3	17·0	89	94	N.	12	N.E.	12					10	st.			10	st.
2	29·42	29·67	26·5	23·8	27·2	22·0	88	78	N.	22	N.W.	26	·40	S.			10	nb.			10	st.
3	29·99	30·20	19·0	22·2	25·3	16·5	81	83	N.W.	14	N.W.	4									10	st.
4	30·22	30·09	18·5	21·5	22·4	16·0	90	93	N.	4	N.	14					10	st.			10	nb.
5	29·86	29·59	21·0	23·8	25·2	17·5	93	83	N.	20	N.	24					10	st.			10	st.
6	29·79	29·91	16·5	28·0	28·0	13·0	70	85	N.	20	N.	12									10	st.
7	29·98	29·99	33·5	35·0	36·7	26·5	85	79	W.	6	W.	4					10	st.			5	st.
8	30·09	30·06	28·5	36·0	39·2	26·5	94	87	W.	3	W.	4					3	fog.			9	cu.st.
9	30·69	30·66	40·3	40·6	44·0	34·5	95	96	S.	4	S.	4					9	cu.st.			10	fog.
10	29·79	29·60	47·3	49·2	50·8	39·7	96	94	S.	12	S.	18		·02			10	cu.st.			10	fog.
11	29·42	29·41	49·0	45·3	50·3	15·3	96	98	S.W.	4	S.	12	1·12	·01			10	nb.			10	fog.
12	29·44	29·55	40·3	29·0	45·3	29·0	73	85	S.W.	20	N.W.	18					10	cu.st.			10	fog.
13	29·77	29·96	17·0	15·8	29·0	15·8	67	83	N.W.	22	N.	20					5	cu.st.				
14	30·16	30·20	13·0	28·3	28·3	10·0	81	85	N.	8	N.E.	6									10	nb.
15	29·89	29·57	28·5	28·0	30·5	26·0	91	94	N.E.	14	N.E.	12	·09	·12			10	st.			10	nb.
16	29·34	29·57	30·5	27·7	31·5	26·5	93	87	N.	16	N.	16	·07				10	nb.			6	st.
17	29·80	29·89	19·5	26·0	27·7	18·0	69	90	N.	8	N.	4		S.							10	st.
18	29·90	29·82	27·8	28·5	36·4	21·0	93	85	C.	0	N.W.	12	01				10	st.			10	st.
19	29·86	29·98	19·0	22·0	28·5	18·5	84	83	W.	8	W.	8										
20	29·98	29·92	25·0	28·5	35·7	20·5	84	87	W.	14	W.	18									5	cu.st.
21	29·92	30·16	28·7	21·2	34·4	21·2	89	80	W.	14	N.	4					5	cu.st.				
22	30·02	29·90	20·7	34·0	36·0	18·5	79	87	W.	18	S.W.	14			5	ci.st.						
23	29·78	29·14	29·3	36·0	46·0	33·0	87	93	S.W.	12	S.E.	20		·35			10	st.			10	st.
24	28·86	29·37	45·0	35·0	47·7	35·0	89	80	S.W.	24	W.	14	·65				2 3	nb. st.				
25	29·76	29·91	32·0	30·5	36·5	29·5	79	86	W.	10	N.W.	14									8	cu.
26	29·91	30·23	37·0	31·5	41·4	27·5	85	84	S.W.	4	N.W.	8					8	cu.st.			10	cu.st.
27	30·28	29·97	23·8	41·7	42·2	19·0	74	88	C.	0	S.W.	24									10	cu.st.
28	29·71	29·51	44·2	44·5	47·0	40·7	92	94	S.W.	16	S.W.	4		·11			10	cu.st.			10	cu.st.
29	29·86	30·19	25·0	25·0	44·5	23·3	62	73	N.W.	22	W.	6										
30	30·06	29·14	35·0	47·0	48·0	24·0	85	95	S.	24	S.W.	30		·66			10	st.			10	nb.
31	29·02	29·73	37·0	22·0	47·0	22·0	85	75	N.W.	26	N.W.	24	·36				5 5	cu.st. nb.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia: Latitude North, 43° 50′; Longitude West, 66° 2′. Height above Sea, 65 feet.

January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt	Kind.
	in.	in	°	°	°	°							in.	in.								
1	29·92	30·01	48·5	39·5	49·0	35·5	100	96	S.	21	N.W.	10	·45	...	..	.....	....	. .	....	.....	.....	.....
2	30·20	30·44	37·5	29·2	40·1	29·1	88	77	N.W.	8	N.	12	...	...	....	....	....	.. .	....	.....	.....	.....
3	30·63	30·45	20·4	28·4	30·0	18·8	84	90	N.E.	8	S.	10	...	...	5	ci.st.	...	.....	..	.....	...	....
4	29·78	29·46	42·5	40·6	46·1	28·2	99	99	S.W.	20	N.W.	13	·32	·37	...	. .	10	fog.	....	. .	...	.....
5	29·90	30·03	35·8	35 7	41·0	34·8	69	68	N.W.	19	N.W.	19	·03	....	3	ci.st.	4	cu.st.	...	...	6	cu.st.
6	30·29	30·28	30·0	29·2	35·7	28·6	81	88	N.W.	8	S.E.	5	...	...	...	...	3	cu.st.	...	. .	...	.....
7	30·09	30·04	32·7	38·2	42·7	28·8	94	95	S.	2	N.	8	...	...	7	ci.st.	...	. .	...	.....	...	.....
8	30·27	30·19	26·2	26·2	38·2	24 8	87	93	N.E.	6	S.E.	9	...	...	...	..	...	...	4	ci.	...	.....
9	29·55	29·34	35·2	21·2	39·0	24 0	99	87	S.	6	N.W.	34	·13	...	....	....	10	fog.	...	...	9	cu.
10	30·00	29·96	9·2	19·2	24·2	8·8	57	91	N.W.	28	S.E.	5	...	...	...	. .	10	cu.st.	..	.....	....	. .
11	29·75	30·06	38·2	30·1	40·7	18 8	91	70	W.	12	N.	12	·08	...	...	. .	10	nb.	...	.....	..	...
12	30·41	30·05	19·0	24·2	30·1	18·0	82	92	N.	7	E.	20	...	...	5	ci.st.	...	....	....	.....	...	.....
13	30·21	30·49	28·2	20·2	31·3	19·5	91	88	N.	3	N.E.	11	...	...	...	...	....	...	..	.....	...	.....
14	30·50	30·05	18·6	31·5	31·7	14·4	90	95	E.	7	S.	8	....	..	...	..	10	st.	....	....	....	....
15	29·79	29·93	35·5	19·4	37·7	19 2	82	78	N.W.	13	N.W.	20	·23	..	...	. .	10	cu.st.	....	....	10	cu.st.
16	30·17	30·41	5·2	1·1	19·7	0·8	76	78	N.W.	20	N.	18	...	..	...	...	...	.....	...	. .	...	.....
17	30·58	30·46	2·5	4·2	8·2	— 1·0	84	83	N.E.	8	N.E.	2	...	...	...	....	10	cu.st.	....	.....	...	.....
18	30·39	30·21	10·3	28·2	28·2	3·7	83	95	E.	3	S.	12	...	...	...	. .	10	st.	....	....	...	...
19	30·42	30·22	18·0	30·5	32·6	17·6	90	97	E.	2	S.E.	14	..	..	2	ci.	...	.....	...	.....	...	.....
20	29·73	29·53	42·2	43·3	50·0	30 2	99	97	S.W.	20	S.W.	20	13	02	...	.....	10	fog.	...	.....	10	fog.
21	29·88	30·31	31·0	17·0	43·7	16·8	63	67	N.W.	18	N.W.	21	...	...	...	...	10	cu.nb.	...	.....	8	cu.nb.
22	30·57	30·39	11·4	19·2	21·3	9·8	61	69	N.	9	S.E.	16	..	....	..	.....	10	cu.st.	....	....	....	. .
23	30 16	30·29	21·2	13·2	33·0	12·1	71	79	N.W.	14	N.	13	..	....	...	.....	10	cu.nb.	....	.....	10	cu.st.
24	30·28	30·22	7·2	10·2	13·5	5·8	74	74	N.	12	N.	15	...	....	...	.....	10	cu.nb.	....	.....	10	cu.nb.
25	30·22	29·98	13·7	27·2	27·5	9·8	71	98	N.W.	10	S.	5	...	...	...	.....	10	cu.st.	...	.....	...	.....
26	30·16	30·14	21·2	23·2	34 6	19·7	89	93	E.	5	N.E.	15	...	08	...	...	...	...	....	....	...	...
27	30·28	30·29	13·2	13·1	23·8	12·4	77	84	N.E.	8	N.	2	..	...	2	ci.st.	...	.....	3	ci.st.	...	.....
28	30·17	30·22	15·0	22·6	23 0	9·4	86	73	N.E.	5	N.	10	..	...	2	ci.st.	...	.....	...	.....	10	cu.st.
29	30·40	30·34	18 0	23·3	23·4	17·0	71	86	N.W.	10	W.	8	.	...	...	..	2	cu.st.	...	. .	...	....
30	30·30	30·39	18·6	22·8	26·5	17·8	84	86	E.	8	N.	7	...	...	...	....	...	....	...	.....	10	cu.nb.
31	30·70	30·61	9·2	14·2	23·2	8·6	76	89	N.E.	6	S.E.	4	...	....	...	....	10	cu.st.	...	.....	10	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·46	30·29	23·3	32·0	35·7	13·0	87	91	E.	4	E.	14					10	st.				
2	29·74	29·62	40·6	35·2	41·7	31·3	99	100	E.	16	W.	6	·20	·01							10	fog.
3	29·48	29·88	37·7	26·3	39·6	26·1	94	72	S.W.	20	N.W.	30	·04				6	cu.st.			2	cu.st.
4	30·27	30·45	14·8	14·3	26·7	13·8	61	89	N.W.	18	N.E.	2										
5	30·16	29·76	9·7	14·7	16·0	8·7	74	82	N.E.	16	N.E.	15	·22	·01								
6	30·00	30·09	16·4	19·3	26·0	14·1	87	88	N.E.	2	N.	8		·04			10	nb.st.				
7	30·38	30·44	14·7	20·7	20·7	13·4	64	85	N.W.	12	W.	6					10	cu.nb.				
8	30·42	30·22	12·2	21·7	28·0	6·8	80	92	S.E.	4	S.E.	4			5	ci.st.	5	st.	4	ct.st.		
9	30·13	30·04	21·2	25·1	30·5	18·7	73	87	N.E.	11	N.E.	3					7	cu.st.				
10	30·01	29·72	13·6	30·2	30·6	11·3	77	94	E.	6	S.E.	17		11	7	ci.st.						
11	29·53	29·57	34·3	25·5	36·7	25·2	95	69	S.W.	10	N.W.	25	·03	·01							5	cu.nb.
12	29·72	29·85	8·6	12·1	25·6	5·8	79	82	N.W.	18	N.W.	18	·04	·01								
13	30·13	30·16	7·6	18·7	18·8	4·5	80	84	N.W.	18	W.	8	·09									
14	29·84	29·65	36·0	39·7	41·0	17·8	92	99	S.	22	S.	22		R.	1	ci.st.	7	cu.st.				
15	29·70	29·93	31·2	25·4	40·1	21·5	99	84	N.W.	13	N.W.	8										
16	29·89	29·87	32·1	33·3	36·0	21·0	84	95	S.	8	S.	8					10	st.				
17	29·77	29·63	32·6	34·0	37·8	30·8	99	95	S.	4	E.	8					10	fog.				
18	29·70	29·82	16·0	10·2	34·1	9·8	73	80	N.E.	27	N.	20	·05	·25								
19	29·83	29·82	12·2	11·2	20·2	6·8	76	87	N.	12	C.	0					5	cu.st.				
20	29·70	29·78	35·2	33·2	36·7	18·2	95	92	W.	8	N.E.	4	·14	R.			5	cu.st.				
21	29·36	29·69	40·2	33·5	43·7	24·8	99	95	S.	12	W.	5	1·10				10	fog.	3	ci.st.		
22	30·01	30·18	17·0	13·2	34·1	12·3	67	77	N.W.	11	N.W.	17					8	cu.st.			10	cu.nb.
23	30·44	30·52	0·7	4·6	13·5	0·1	79	74	N.W.	11	N.	13	·04	·02			10	cu.nb.				
24	30·73	30·53	1·5	5·2	10·0	−1·0	75	74	N.	12	N.E.	3	·12								8	cu.st.
25	29·57	29·61	27·4	23·0	35·1	4·3	95	66	S.E.	22	N.W.	28	·48	·03								
26	30·02	30·04	5·2	15·2	23·0	4·6	71	75	N.	18	N.	10	05				10	cu.nb.			5	cu.st.
27	30·06	30·21	12·2	13·2	15·5	10·8	77	65	N.	8	N.	20	·04	·02							8	cu.st.
28	30·48	30·46	9·2	15·6	16·7	6·6	73	86	N.	3	N.W.	10					8	cu.st.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	30·54	30·41	15·6	18·8	21·5	13·1	70	88	N.	8	W.	6	....	....	....	.....	7	cu.st.	....	.....	3	cu.st.
2	29·91	29·26	28·7	35·0	39·1	18·2	95	94	S.E.	13	W.	10	·04	·01	....	.....	....	.....	....	.....	....	.....
3	29·55	29·80	33·8	29·2	35·8	29·2	90	90	W.	12	E.	13	16	....	....	.....	10	nb.st.	....	.....	....	.....
4	30·02	30·00	16·0	14·3	29·3	14·2	78	78	N.E.	8	N.E.	8	·01	....	....	.....	10	nb.st.	....	.....	....	.....
5	30·01	29·98	14·2	16·3	22·0	8·0	79	90	N.	5	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
6	29·96	29·97	15·8	18·0	26·7	10·1	76	73	N.E.	9	N.	14	....	....	2	ci.st.	....	.....	....	.....	....	.....
7	29·97	29·97	18·2	25·0	26·8	13·8	78	74	N.	18	N.	13	·01	....	....	.....	....	.....	....	.....	....	.....
8	30·00	29·91	25·2	30·2	33·2	20·1	87	89	N.W.	5	W.	4	....	·02	8	ci.st.	....	.....	....	.....	....	.....
9	30·04	30·20	27·0	28·0	30·7	25·0	80	77	N.	10	N.	11	·06	....	....	.....	....	.....	....	.....	....	.....
10	30·46	30·36	20·7	23·2	28·0	12·1	85	86	N.E.	4	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
11	30·23	30·07	25·0	31·2	35·8	20·1	74	79	N.E.	16	N.	12	....	....	10	ci.st.	....	.....	....	.....	....	.....
12	30·18	30·17	29·5	28·3	36·0	25·1	77	91	N.	12	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
13	29·88	29·70	33·7	34·2	36·8	26·1	96	99	S.	18	N.W.	5	·08	....	....	.....	10	nb.st.	....	.....	10	fog.
14	29·93	29·72	32·2	33·2	34·7	31·0	94	99	S.W.	4	S.E.	8	....	·06	....	.....	10	nb.st.	....	.....	....	.....
15	30·01	30·14	30·0	30·0	33·6	28·8	94	90	E.	6	N.W.	4	·09	....	....	.....	....	.....	....	.....	....	.....
16	30·16	30·48	31·1	31·3	35·3	28·6	79	95	N.	17	W.	8	....	....	....	.....	....	.....	....	.....	....	.....
17	30·32	30·05	36·0	39·2	42·2	30·1	80	91	S.	23	S.W.	23	....	....	5	ci.st.	....	.....	....	.....	....	.....
18	30·26	30·29	29·6	25·4	39·7	25·0	76	91	N.E.	7	C.	0	....	....	....	.....	....	.....	....	.....	....	.....
19	30·37	29·99	26·2	28·2	33·2	20·8	75	94	N.	9	S.	12	....	....	....	.....	....	.....	....	.....	10	st.
20	28·79	29·32	34·2	29·7	38·0	26·3	90	83	W.	30	N.	34	·52	·16	....	.....	10	cu.nb.	....	.....	....	.....
21	29·83	29·91	26·7	33·2	34·7	24·8	70	90	N.W.	16	S.W.	4	·01	....	....	.....	....	.....	....	.....	....	.....
22	29·98	29·79	37·6	38·2	44·7	31·8	87	95	N.	2	S.E.	8	....	....	....	.....	....	.....	....	.....	....	.....
23	29·60	30·00	41·7	36·2	46·8	35·5	76	82	W.	10	N.	10	·02	....	....	.....	....	.....	....	.....	....	.....
24	30·15	30·18	32·7	26·2	36·7	26·0	65	85	N.E.	6	N.E.	12	....	....	....	.....	....	.....	10	ci.st.	....	.....
25	30·33	30·22	25·0	30·0	37·0	15·8	65	88	N.	14	N.	6	....	....	....	.....	....	.....	3	ci.	....	.....
26	30·15	30·08	36·2	35·5	42·1	28·4	73	95	S.W.	14	W.	4	....	..	....	.....	....	.....	5	ci.st.	5	st.
27	30·27	30·26	37·3	34·0	47·5	31·6	58	89	E.	16	S.E.	17	....	....	....	.....	....	.....	....	.....	10	nb.st.
28	30·09	29·91	41·2	39·6	43·8	32·4	97	100	S.	14	S.	15	08	....	....	.....	....	.....	....	.....	10	fog.
29	29·93	30·02	39·6	43·3	53·5	38·0	10·0	74	N.W.	4	N.	6	·04	....	....	.....	10	fog.	....	.....	....	.....
30	29·97	30·01	39·7	35·0	46·4	34·7	98	98	S.	15	C.	0	....	....	....	.....	10	fog.	....	.....	....	.....
31	30·18	30·23	41·2	37·2	44·1	29·3	55	73	N.W.	10	C.	0	....	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·19	30·01	37·0	32·4	38·0	32·0	66	96	N.E.	11	N.E.	13	....	·07	....	.....	10	cu.st.	....	.....	....	.....
2	29·96	29·99	26·7	27·3	32·7	25·3	83	73	N.E.	14	N.	7	·20	·01	....	.....	10	st.	....	.....	3	cu.st.
3	30·05	30·04	31·2	31·2	35·8	25·6	79	83	N.	10	W.	4	..	....	....	.....	4	cu.st.	..	. .	....	....
4	30·12	30·10	38·2	32·3	44·0	30·1	58	91	N.W.	7	S.	7	.	....	....	.....	....	.....	....	.....	....	....
5	29·99	29·67	39·1	39·3	41·7	31·8	73	98	S.	14	S.	15	. .	·16	·10	ci.st.	....	....	....	.....	....	....
6	29·83	30·14	25·6	28·1	39·7	25·0	81	68	N.	17	N.	14	·01	....	....	....	10	nb.	....	....	....	.....
7	30·25	30·20	27·6	27·2	32·7	22·5	53	82	N.	10	N.	4	....	....	....	.....	....	.....	....	.....	....	.....
8	30·11	29·83	33·6	29·5	42·8	19·7	78	84	S.E.	10	S.E.	20	...	....	....	.....	....	.....	....	....	....	.....
9	29·59	29·02	31·5	35·2	36·2	29·3	95	100	E.	25	E.	29	·04	·52	...	.....	10	st.nb.	....	.....	....	.....
10	28·95	29·20	35·2	33·3	38·0	33·3	99	89	S.	10	S.W.	18	·28	·04	....	.....	....	.....	....	.....	....	...
11	29·42	29·52	33·2	33·0	37·0	31·0	85	96	W.	7	N.	7	·03	·03	...	.....	10	cu.nb.	....	. .	....	.....
12	29·73	29·83	37·0	34·8	41·3	32·3	84	93	N.	6	W.	2	·01	...	....	...	....	.....	....	. ...	....	....
13	29·55	29·04	33·8	33·2	36·0	28·5	78	99	E.	14	N.E.	15	...	·06	. .	....	10	st.nb.	....	. ...	....	.....
14	29·12	29·46	33·2	35·0	39·2	32·1	99	90	N.W.	18	S.W.	4	·14	...	....	.....	10	nb.st.		3ci.cu.	....	...
15	29·55	29·56	39·0	37·2	42·6	33·5	74	78	N.W.	12	N.W.	16	....	..	....	.....	....	.....	....	.....	....	.....
16	29·66	29·65	37·2	34·3	42·0	33·4	76	93	N.W.	14	S.W.	6	.....	.....	3	ci.cu.	....	. .	...	.....	..	.....
17	29·48	29·54	37·7	35·6	42·0	31·6	92	91	S.	10	N.W.	7	....	..	..	.....	10	st.nb.	....	..	2	cu.st.
18	29·73	29·76	39·2	35·3	46·0	33·8	83	95	N.W.	8	S.W.	6	. .	....	....	.....	....	.....	....	. .	....	....
19	29·84	29·75	39·2	34·2	45·2	31·3	79	97	N.W.	8	S.W.	7	..	·02	....	.....	....	.....	....	.....	....	.....
20	29·65	29·73	38·2	33·7	41·7	32·2	82	88	N.W.	13	N.W.	14	·10	...	....	....	5	cu.st.	....	.....	2	cu.nb.
21	29·90	30·02	29·5	34·7	36·7	28·4	73	76	N.W.	20	N.W.	12	. .	....	....	....	7	cu.st.	....	.....	..	....
22	30·14	30·04	41·2	38·1	36·6	29·0	67	83	S.W.	12	S.W.	18	....	....	....	.....	....	.....	....	.....	....	.....
23	29·98	29·87	44·0	43·2	48·5	37·0	79	97	S.W.	12	S.E.	14	.....	.....	....	.....	....	.....	8	ci.cu.	....	...
24	29·17	29·33	47·0	39·0	48·6	38·8	99	90	S.E.	12	N.W.	25	·12	·03	....	.....	10	fog.	....	.....	10	st.
25	29·93	30·02	39·6	39·2	47·0	33·8	64	83	N.W.	17	S.	7	.....	.....	....	.....	....	.....	....	.....	6	cu.st.
26	30·03	30·13	43·6	42·5	50·1	37·4	92	97	S.W.	12	S.	9	...	.	....	.....	10	st.	....	.....	8	cu.st.
27	30·28	30·45	38·4	39·5	53·2	37·8	98	94	N.W.	12	S.	4	·11	...	....	.....	....	.....	....	.....	....	.....
28	30·43	30·37	38·4	40·0	50·5	31·3	92	95	E.	7	S.E.	6	....	·03	...	.....	10	nb.st.	....	.....	....	.....
29	30·32	30·23	47·0	49·7	58·5	38·2	97	96	S.E.	8	S.W.	16	·01	...	....	....	10	fog.	....	.....	....	.....
30	30·17	30·18	54·3	48·2	57·7	39·8	96	99	S.W.	20	S.W.	22	...	....	7	ci.st.	....	.....	6	ci.st.	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							n.	in.								
1	29·70	30·14	45·2	45·2	51·5	41·2	99	91	S.W.	16	N.E.	12	05	03	....	..	10	fog.	...	.....	....	.....
2	30·32	30·34	49·6	34·4	52·1	32·0	76	95	N.E.	12	S.	3	...	..	...	.....	3	cu.st.	....	.....	..	...
3	30·31	30·28	37·5	38·2	45·2	31·8	79	90	N.E.	12	E.	2	....	....	.....	.....	...	.....	....	.....	....	.....
4	30·21	29·75	37·0	46·8	47·1	34·1	91	99	S.E.	8	S.W.	20	....	69	....	.....	..		...	.....	....	....
5	30·04	30·22	37·2	38·2	47·0	34·8	66	83	N.W.	22	N.W.	14	03	.	....	....	8	cu.st.	....	.. .	....	....
6	30·29	30·05	43·2	40·2	46·4	35·6	85	96	S.W.	10	S.	10	...	20	3	ci.st.	..	.....	....	.....	....	.....
7	29·96	29·92	47·6	41·2	56·3	39·8	83	91	N.E.	8	C.	0	05	...	..	.....	..	.....	....	.....	....	.....
8	30·00	30·11	52·2	41·6	54·7	39·3	16	88	W.	5	S.W.	4	.	....	1	ci.cu.	....	.....	....	.....	....	.....
9	30·13	29·84	47·2	43·6	54·4	35·3	79	88	S.E.	8	E.	16	....	R.	..	....	10	st.	....	. .	....	.....
10	29·74	29.76	47·2	40·2	51·0	39·8	86	98	N.W.	1	S.W.	5	01	...	....	.....	..	.....	....	.....	7	cu.st.
11	29·67	29·64	39·2	34·4	41·7	33·5	92	95	N.E.	12	N.W.	20	03	10	...	....	10	st.nb.	....	. .	8	....
12	29·96	30·06	38·0	37·9	44·1	33·3	58	83	N.W.	20	S.W.	14	.	....	....	....	....	...	....	....	....	.....
13	30·04	29·82	42·2	43·0	47·0	37·1	84	81	S.W.	15	S.W.	12	...	....	....	....	10	cu.st.	6	ci.st.	....	. .
14	29·86	30·08	50·2	47·7	52·2	40·8	75	69	N.	12	N.E.	4	...	....	5	ci.st.	....	....	....	.. .	....	....
15	30·31	30·26	44·2	38·4	51·7	31·6	53	83	S.E.	6	S.	8	....	....	....	.....	....	.....	7	ci.st.	....	.....
16	30·10	30·01	51·4	48·2	59·2	36·8	85	99	S.W.	12	S.	8	....	....	....	.....	4	st.	10	ci.st.	....	.....
17	29·89	30·02	45·0	46·2	54·7	44·3	99	87	W.	8	W.	3	10	..	....	....	....	...	..	....	....	.....
18	29·99	29·86	50·2	45·6	55·4	44·8	90	53	E.	2	N.	4	04	..	....	....	....	..	....	...	....	.....
19	29·88	29·81	50·2	49·2	60·1	41·4	87	88	S.W.	2	S.	8	...	....	5	ci.	....	..	4	ci.st.	..	.....
20	29·75	29·73	48·0	43·6	53·4	43·1	94	100	S.W.	4	S.W.	12	03	.	....	....	....	....	....	....	....	....
21	29·79	29·78	42·2	41·7	47·7	38·6	67	87	N.W.	14	W.	10	.	....	....	....	....	....	....	...	....	.....
22	29·94	30·04	43·2	40·9	48·0	40·0	77	88	N.W.	14	S.W.	12	.	....	....	.	7	cu.st.	....	. .	....	....
23	30·14	30·10	49·2	42·2	54·3	34·1	67	92	W.	5	S.W.	2	..	....	....	....	....	....	....	.....	....	....
24	30·07	29·97	46·9	44·2	56·2	37·0	83	86	W.	5	S.W.	5	....	....	....	.....	....	.....	....	.....	8	cu.nb.
25	30·11	30·14	47·2	40·9	52·5	40·3	59	88	N.	16	N.	5	..	....	....	....	....	....	....	....	....	....
26	30·09	30·02	46·2	43·2	53·1	33·4	79	85	N.W.	7	W.	4	...	....	5	ci.st.	....	.. .	10	ci.st.	....	..
27	29·97	29·83	47·6	46·9	58·0	40·5	89	83	W.	3	S.E.	2	...	....	....	.. .	10	st.nb.	..	....	....	....
28	29·63	29·50	47·2	41·6	48·9	41·2	88	100	S.E.	18	W.	8	01	02	...	...	.	...	..	.....	10	fog.
29	29·52	29·52	40·5	42·7	44·6	38·4	87	96	W.	13	N.	8	06	..	....	....	10	st.nb.	....	.....	....	.....
30	29·70	29·89	45·9	45·3	52·4	40·0	78	85	N.E.	12	N.E.	16	03	....	....	.	10	cu.nb.	....	.....	....	.
31	30·00	30·07	50·2	44·0	56·6	40·8	74	81	N.E.	16	N.E.	8	..	....	....	...	8	st.nb.	..	..	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—June 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·07	30·01	50·2	42·3	53·1	33·4	61	90	N.E.	11	N.W.	4										
2	29.94	29·82	51·1	49·9	56·4	31·7	68	67	W.	2	S.E.	7			4	ci.st.	4	cu.				
3	29·54	29·68	53·2	49·2	55·4	44·8	73	54	E.	24	E.	9	·05				10	st.nb.	4	ci.	4	cu.nb.
4	29·90	29·99	53·5	45·3	57·7	37·1	50	71	N.E.	9	N.	5							2	ci.	3	cu.
5	30·09	30·02	53·2	47·4	58·1	38·6	69	76	S.E.	10	S.E.	9		R.	4	ci.st.	3	st.				
6	29·74	29·83	54·0	48·0	55·6	45·0	98	100	S.E.	21	S.	8	·14								10	fog.
7	29·88	29·93	47·7	46·2	58·3	41·8	99	95	S.	8	S.	4										
8	29·95	29·91	55·8	45·5	62·0	40·2	84	96	S.W.	4	C.	0			1	ci.cu.	2	cu				
9	29·88	29·95	48·4	44·2	57·7	41·5	55	94	E.	4	E.	5		·07			10	st.				
10	30·00	29·95	47·5	45·9	57·6	42·3	76	70	N.E.	14	N.E.	16	·09		5	ci.st.	5	cu.				
11	29·88	29·98	45·2	48·9	59·7	40·8	78	61	N.	14	N.E.	5					10	st.nb.				
12	30·10	30·12	54·5	46·9	64·2	37·2	50	72	N.E.	8	N.W.	4			1	ci.	1	cu.				
13	30·13	30·03	53·5	46·3	59·4	39·0	67	75	W.	4	S.W.	6										
14	29·92	29·80	52·5	50·6	60·4	43·0	81	93	S.W.	10	S.	4							10	ci.st.		
15	29·69	29·81	56·2	52·2	57·3	48·2	99	85	E.	2	N.E.	6					10	fog.			10	cu.st.
16	29·95	30·09	52·9	46·2	60·0	40·2	87	95	W.	3	C.	0					7	cu.st.				
17	30·27	30·21	57·2	52·0	62·7	36·8	83	94	S.W.	4	S.	18							2	ci.st.	3	cu.
18	30·08	30·01	55·2	51·2	61·0	47·5	82	87	S.W.	8	S.W.	11			3	ci.st.	3	cu.			4	cu.
19	30·02	30·10	55·8	58·0	74·3	49·4	88	93	S.	14	S.	2	·28								10	st.nb.
20	30·15	30·07	58·2	56·2	63·5	54·2	99	100	S.E.	8	S.E.	8	·07				10	fog.			10	fog.
21	30·05	30·09	52·2	49·0	58·3	48·8	99	98	S.W.	6	C.	0	·01				10	fog.			10	fog.
22	30·20	30·21	53·2	50·2	69·2	47·8	98	97	N.W.	3	W.	4					8	fog.				
23	30·25	30·16	60·2	53·1	66·0	43·1	89	94	W.	4	S.W.	8										
24	30·07	29·99	56·5	52·2	62·5	51·1	86	99	S.W.	9	S.	5			5	ci.st.	5	cu.			10	fog.
25	29·97	29·91	55·5	50·9	62·6	50·4	93	99	W.	4	S.	4									10	fog.
26	29·81	29·68	53·7	52·2	61·0	50·6	99	99	S.	7	S.	5					10	fog.			10	fog.
27	29·51	29·56	55·8	52·8	58·8	51·0	100	89	S.	11	S.W.	12					10	fog.				
28	29·80	29·94	56·2	55·2	65·7	48·5	82	90	W.	8	S.W.	8										
29	30·06	30·12	62·2	56·2	73·1	48·2	82	90	S.	8	S.	4			2	ci.st.	2	cu.				
30	30·02	29·97	61·1	57·9	64·1	51·8	92	100	S.E.	11	S.	6	16	30			10	nb.			10	fog.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·86	29·83	56·9	53·2	63·5	53·1	99	96	S.	11	S.	2	·22	·01			10	fog.			2	cu.st.
2	29·84	29·88	61·2	59·1	67·9	48·8	89	99	S.E.	10	S.E.	4									10	fog.
3	29·90	29·93	54·5	52·8	62·7	52·3	99	97	S.	5	N.W.	6	·02				10	fog.				
4	29·97	29·99	55·5	55·9	68·7	51·3	97	80	N.W.	6	N.W.	4	·04				6	fog.				
5	29·99	29·94	59·8	52·2	69·0	50·7	80	96	S.W.	4	S.W.	4										
6	29·89	29·91	59·5	52·2	63·2	47·8	86	94	S.	8	S.	6					2	cu.nb.	5	ci.st.		
7	29·97	29·98	57·9	58·2	62·5	50·5	87	94	S.	11	S.	6		·02			10	cu.nb.			8	cu.st.
8	29·95	29·86	63·6	59·6	71·7	55·8	95	92	S.	10	S.	6										
9	29·67	29·58	58·7	53·2	64·2	53·1	100	93	S.	8	S.	6	01								7	cu.st.
10	29·68	29·76	56·2	53·2	62·7	50·8	80	90	W.	10	W.	12					10	st.				
11	29·92	29·93	56·2	55·2	66·6	50·8	82	84	N.W.	8	S.W.	6					3	st.				
12	29·88	29·66	55·5	53·9	61·0	52·8	97	99	E.	4	S.W.	4	·12	·55			10	nb.				
13	29·70	29·91	53·2	54·2	62·4	49·2	99	89	W.	8	W.	8	02									
14	30·09	30·20	65·8	53·2	69·5	46·8	71	95	N.E.	2	S.	7										
15	30·26	30·20	63·9	57·3	69·3	49·8	77	97	S.	12	S.	4										
16	30·18	30·10	63·2	55·3	66·4	53·3	95	99	S.	4	S.	5										
17	30·07	30·00	58·2	56·2	62·0	53·4	97	100	S.W.	9	S.W.	9										
18	29·97	29·94	59·2	56·7	63·4	54·2	100	99	S.W.	9	S.	2	·44	·04								
19	29·90	29·89	60·2	59·8	69·7	55·8	93	84	W.	2	W.	2			10	ci.st.						
20	29·88	29·81	64·2	58·3	72·3	54·8	85	94	N.W.	6	S.	9			1	ci.st.	2	cu.				
21	29·63	29·73	57·1	57·0	65·3	53·8	100	84	S.W.	4	N.W.	6	·04	·01			10	fog.	3	ci.cu.	4	st.
22	29·79	29·85	58·2	57·6	69·4	52·6	83	91	N.W.	7	N.W.	2							3	ci.st.	4	cu.
23	29·85	29·87	61·2	56·6	64·2	56·0	89	92	S.E.	3	C.	0	01				10	st.nb.			10	st.nb.
24	29·95	29·97	62·7	55·2	70·9	54·5	84	89	E.	3	S.	7					10	cu.st.			10	st.
25	29·94	29·90	55·3	56·0	61·5	53·3	91	96	S.	9	S.	8					10	st.nb.			10	st.
26	29·78	29·49	61·5	61·0	62·7	54·1	81	99	S.E.	12	S.	9		·33			10	st.			10	fog.
27	29·42	29·44	56·2	53·2	62·6	51·2	97	94	W.	7	W.	10	01								10	cu.nb.
28	29·63	29·79	55·3	53·2	62·7	51·1	83	93	N.W.	14	S.W.	2					8	cu.st.				
29	29·82	29·86	60·2	55·5	67·5	51·4	87	95	W.	5	S.W.	2			5	ci.cu.						
30	29·84	29·84	59·2	55·2	69·9	51·1	98	95	S.	1	S.W.	3					10	fog.				
31	29·82	29·86	59·5	55·2	63·7	54·5	100	100	S.	8	S.	5	·11				10	fog.			10	fog.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—August, 1997.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1 ..	21·91	29·93	58 0	57·2	69·3	53·8	99	93	S.	8	S.	5	·04	....	..	..	10	fog.	...	.....	10	fog.
2....	29·89	29·91	66·5	62·2	72·0	56·5	95	100	S.E.	8	S.	2	30.	....	0	.....	10	fog.	..	.....	10	fog.
3....	29·95	29·97	60·7	57·2	65·5	55·8	100	99	S.W.	6	W.	4	....	....	..	..	10	fog.	....	.....	10	fog.
4....	29·95	29·80	60·2	54·6	65·0	52·8	99	91	S.	4	N.W.	20	02	1·61	....	.....	10	fog.	..	...	2	cu.st.
5....	30·13	30·18	58·1	52 0	65·8	50·1	96	91	S.W.	8	S.W.	4	....	....	3	ci.cu.	....	.....	....	.....	....	.....
6....	30 18	30·06	58·0	59·0	66·7	51 4	94	98	S.W.	7	S.	11	....	·02	....	....	10	st.	...	.....	....	.....
7....	29·98	29·98	56·1	53 1	62·5	52·6	98	99	W.	4	W.	1	·08	....	....	..	9	fog.	....	.....	10	fog.
8 ...	29 95	30·03	56·2	55·2	65 3	50·3	98	96	S.	7	N.	4	..	04	7	ci.st.	....	....	....	.....	....	.....
9. ..	30 19	30·16	62 6	51·5	66·4	45·8	72	87	N.E.	3	W.	3	....	....	....	....	....	....	....	.....	....	.....
10 ...	30 07	29·98	59·2	57 5	66·4	47·8	91	97	S.W.	6	C.	0	....	..	....	.	....	.....	....	.....	....	.....
11. .	29·92	29·85	61·5	57·0	73·4	53·8	89	94	C.	0	S.W.	9	....	....	....	..	....	..	....	.....	....	.....
12 ...	29·85	29·84	60·5	59·7	68·7	56·4	98	97	S.	4	S.W.	8	·10	....	....	.....	10	fog.	....	.....	....	.....
13....	29·79	29·71	60·3	57·2	66·5	56·9	97	91	S.	12	S.W.	2	....	R.	....	....	....	....	....	.....	....	.....
14....	29·85	29·99	58·4	55·7	62 5	49 4	79	86	N.W.	9	N.W.	9	....	..	....	....	....	....	....	.....	....	.....
15....	30·20	30·28	58·8	54·2	66·2	49·1	83	88	N.	4	N.W.	4	....	....	....	....	....	....	....	.....	....	.....
16 ...	30·31	30·30	60 0	53·4	66·7	44·3	90	100	S.W.	4	S.W.	6	....	....	....	....	4	cu.st.	....	.....	....	.....
17....	30·24	30·09	59 2	58·2	68·5	50·8	84	99	S.	14	S.W.	14	....	....	....	....	....	....	....	.....	....	.....
18. ..	29·99	30·12	59·2	57·2	62·5	55·3	100	86	S.W.	4	W.	8	....	....	....	....	10	fog.	....	.....	5	cu.st.
19....	30·18	30·22	57·2	52·2	60·7	49·5	77	94	N.	12	W.	4	....	....	....	....	....	....	....	.....	....	.....
20....	30·16	30 01	58·2	54 2	67·7	46·0	94	99	S.W.	1	S.W.	10	....	....	....	....	....	....	....	.....	....	.....
21.. .	29 95	29·97	61·7	59·2	65·9	50·3	57	180	C.	0	N.	2	....	....	....	....	5	cu.	....	.....	....	.....
22...	30·02	30·20	57·2	54·2	67·7	53·6	94	94	N.	4	S.	4	·26	....	....	....	5	cu.	....	.....	....	.....
23....	30·28	30·24	57·0	50·7	62·7	43·8	94	97	S.	3	S.W.	4	....	....	....	....	....	....	....	.....	....	.....
24....	30·16	29·93	57·8	57·2	66·3	43·8	90	91	S.E.	10	S.E.	8	..	..	4	ci.st.	....	.....	....	.....	2	cu.st.
25....	29·69	29·63	60·9	53·5	62·4	53·3	98	99	S.E.	20	W.	1	·11	2·10	....	.....	10	nb.	....	.....	10	fog.
26....	29·66	29 75	53·6	52·4	64 7	51·8	100	98	S.W.	6	W.	3	..	...	....	....	10	fog.	....	.....	....	.....
27....	29·81	29 82	55·7	53·3	63·4	48·8	85	99	W.	8	S.W.	6	....	...	....	....	4	cu.st.	....	.....	....	...
28 ...	29·79	29·75	54·2	50·8	62·6	50·0	94	96	W.	2	S.W.	3	01	....	....	....	8	cu.st.	....	.....	....	.....
29....	29·74	29·78	55·9	54 0	60·7	49·2	84	91	W.	12	W.	8	..	....	....	.....	....	.....	....	.....	..	.....
30....	29·87	29·85	56·2	53 2	60·8	51·2	81	94	W.	10	W.	2	....	....	....	.....	....	.....	....	.....	10	nb.
31....	29·80	29·78	55·5	54·0	61·4	51·1	91	91	N.W.	7	W.	5	07	....	6	ci.	.	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·86	29·93	55·8	50·5	59·7	49·8	82	93	N.	8	N.	5	·04	...	7	ci.cu.	...	...	...	...	...	...
2	29·98	30·02	56·7	54·2	64·1	41·8	91	94	C.	0	S.W.	2	...	...	...	...	...	...	...	...	...	...
3	30·09	30·14	54·9	54·2	57·4	51·6	94	99	S.E.	4	E.	12	·08	·37	...	...	10	nb.	...	...	...	...
4	30·16	30·16	60·2	63·6	71·0	53·2	97	96	S.E.	10	S.W.	18	·59	·02	...	...	10	nb.	...	...	...	...
5	30·10	29·96	60·5	60·9	65·7	59·3	98	100	S.W.	16	S.W.	14	·02	·06	...	...	10	nb.	...	...	10	fog.
6	29·85	29·76	58·6	56·6	61·6	56·1	100	100	S.W.	13	S.	12	·03	·01	...	...	10	fog.	...	...	10	fog.
7	29·76	29·89	56·1	54·2	63·7	51·4	96	94	W.	8	W.	1	...	...	...	...	...	...	...	...	...	...
8	29·98	30·05	60·2	58·2	66·0	52·3	92	97	S.W.	1	C.	0	...	·01	5	ci.	...	...	...	...	...	...
9	30·14	30·28	60·7	56·4	69·5	54·7	98	94	E.	1	W.	1	·03	..	...	...	10	st.	...	...	...	...
10	30·36	30·33	61·7	60·0	69·7	52·8	92	96	S.E.	8	S.E.	6	...	...	7	ci.	...	...	...	...	...	...
11	30·26	30·12	63·7	62·3	69·6	58·8	88	96	S.E.	8	S.E.	16	...	·01	...	...	...	...	...	...	...	...
12	30·01	29·98	62·6	57·3	65·3	55·3	99	98	S.W.	12	S.W.	14	...	...	...	...	10	fog.	...	...	...	...
13	30·13	30·22	58·3	52·5	61·9	51·3	83	97	N.W.	6	N.	2	...	...	...	...	...	...	...	...	...	...
14	30·41	30·42	54·2	45·2	60·0	41·4	71	96	N.E.	3	C.	0	...	..	...	...	...	...	...	...	...	...
15	30·36	30·18	58·5	56·5	62·7	44·2	75	97	S.	16	W.	8	...	...	...	...	...	...	5	ci.st.	...	...
16	30·25	30·15	61·7	58·2	72·0	51·8	87	94	E.	5	S.E.	10	...	...	...	...	...	...	3	ci.cu.	...	...
17	29·88	30·04	57·5	54·1	63·4	53·6	98	83	S.W.	12	N.	8	...	...	...	...	...	...	...	...	...	...
18	30·27	30·35	48·0	40·8	54·2	41·0	60	98	N.	15	C.	0	...	...	...	...	...	...	...	...	...	...
19	30·36	30·15	50·5	47·7	58·0	36·7	79	96	S.E.	4	W.	4	...	...	...	...	...	...	...	...	...	...
20	30·01	29·94	53·9	52·2	60·0	45·9	91	97	W.	6	W.	4	...	...	...	...	...	...	8	ci.st.	...	...
21	29·85	29·84	56·6	55·2	61·0	50·8	99	100	S.	12	S.	6	·11	...	...	...	10	fog.	...	...	10	fog.
22	29·79	29·88	57·2	54·2	64·7	53·4	99	95	S.W.	9	S.W.	3	·12	...	...	...	10	fog.	...	...	...	...
23	29·81	29·74	61·2	61·6	67·7	53·1	91	99	E.	8	S.W.	28	·09	·01	8	ci.st.	...	...	...	...	...	...
24	29·65	29·60	59·7	58·5	65·9	57·5	99	100	S.W.	18	S.W.	18	·05	...	...	...	...	...	...	...	10	fog.
25	29·53	29·64	57·0	50·8	61·0	50·5	94	95	S.W.	18	W.	7	·06	...	...	...	5	cu.st.	...	...	...	...
26	29·92	30·01	51·2	46·2	53·5	45·8	76	85	N.W.	12	N.W.	7	...	...	...	...	...	...	...	...	...	...
27	30·03	30·01	53·3	52·1	58·4	43·6	78	94	W.	8	S.W.	10	...	...	...	...	...	...	3	ci.st.	...	...
28	30·08	30·18	50·5	42·2	53·7	41·2	84	77	N.E.	10	N.E.	5	...	...	...	...	10	nb.	...	...	...	...
29	30·16	29·64	44·7	42·8	48·7	41·1	91	99	E.	9	N.E.	29	·01	1·30	...	...	10	nb.	...	...	...	...
30	29·90	29·89	47·2	47·4	55·7	41·5	88	90	N.	9	N.W.	6	1·49	..	1	ci.	2	cu.st.	...	...	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia— October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·77	29·98	44·2	45·4	50·8	43·0	99	95	N.	8	N.E.	9	·34	·09	...	...	10	nb.	...	...	...	...
2	30·04	30·04	45·2	43·2	52·1	40·7	85	97	N.	11	N.	5	...	...	...	...	5	cu.st.	...	...	...	...
3	30·08	30·02	48·7	39·6	55·4	32·7	90	98	N.	4	C.	0	...	...	...	...	...	...	...	...	...	...
4	29·89	29·45	48·8	54·2	57·4	38·1	92	99	S.	6	S.W.	11	...	·80	...	...	10	nb.	...	...	...	...
5	29·54	29·58	50·0	41·5	54·2	41·2	99	99	N.W.	4	C.	0	...	...	6	ci.st.	...	...	...	...	...	...
6	29·70	29·93	47·8	47·7	50·7	11·2	93	84	N.W.	10	N.W.	8	·03	·01	...	...	10	nb.	...	...	5	st.
7	30·08	30·04	51·5	54·2	55·8	45·7	90	91	S.W.	16	S.W.	20	...	R.	...	...	10	cu.st.	...	...	...	...
8	29·78	29·62	58·0	46·2	60·8	15·0	86	93	S.	30	N.W.	25	...	·50	...	...	10	nb.	...	...	...	...
9	30·13	30·22	40·6	32·2	46·3	32·2	65	99	N.	15	C.	0	...	...	...	...	2	cu.nb.	...	...	...	...
10	30·21	30·09	40·6	45·5	51·1	30·0	92	93	S.E.	4	S.E.	3	...	...	...	...	8	cu.st.	...	...	...	...
11	30·04	30·01	48·2	51·2	59·3	39·8	98	97	E.	10	S.E.	8	...	R.	...	...	8	cu.st.	...	...	...	...
12	29·98	29·99	53·0	52·2	57·6	50·2	98	99	S.E.	1	C.	0	19	·11	...	...	...	...	...	...	...	...
13	29·94	29·82	51·6	53·6	57·0	50·1	98	96	E.	7	N.E.	10	·05	·04	...	...	10	nb.	...	...	...	...
14	29·94	30·11	47·2	47·2	54·1	46·0	96	89	N.	12	N.E.	8	·06	...	...	...	10	nb.	...	...	...	...
15	30·14	30·13	47·5	46·2	53·0	41·7	83	85	N.E.	7	N.W.	5	...	...	...	...	3	cu.st.	2	ci.cu.	...	...
16	30·29	30·35	47·2	45·1	50·7	44·0	76	92	N.W.	10	S.W.	5	...	...	...	...	...	...	...	...	...	...
17	30·31	30·16	51·5	50·0	57·7	43·2	90	97	W.	4	S.W.	8	...	...	...	...	...	...	4	ci.cu.	...	...
18	29·92	29·87	52·0	48·4	56·5	47·8	90	63	S.W.	14	N.W.	16	...	...	8	ci.st.	...	...	...	...	...	...
19	30·09	30·19	38·2	34·8	48·7	34·0	58	54	N.W.	15	N.W.	8	...	...	...	...	...	...	3	ci.cu.	...	...
20	30·24	30·05	41·7	42·8	45·1	28·6	58	88	S.W.	14	N.W.	5	...	·33	7	ci.st.	...	...	...	...	...	...
21	29·89	30·07	33·1	33·2	42·8	32·0	90	60	N.E.	13	N.W.	16	·44	...	...	...	10	cu.nb.	...	...	10	cu.st.
22	30·17	29·96	37·2	46·1	46·4	31·2	66	85	N.W.	9	S.W.	18	...	...	3	ci.st.	...	...	...	...	2	cu.st.
23	29·82	29·71	19·6	49·2	51·0	45·4	93	97	S.W.	17	S.W.	4	...	...	2	ci.st.	...	...	...	...	...	...
24	29·80	29·96	39·2	39·1	49·6	38·1	88	72	N.	16	N.	14	·10	...	...	...	10	cu.st.	...	...	10	cu nb.
25	30·02	29·86	41·8	48·5	49·3	36·0	69	89	W.	6	S.W.	15	...	...	...	...	...	...	...	...	...	...
26	29·97	30·26	41·2	38·0	49·0	37·2	74	58	N.W.	16	N.	8	R.	...	...	...	10	cu.nb.	...	...	...	...
27	30·45	30·32	34·2	40·0	42·7	24·8	60	92	E.	4	S.	9	...	...	...	...	...	...	...	...	...	...
28	30·16	29·92	53·8	55·8	61·5	38·8	85	96	S.E.	20	S.	20	...	·11	...	...	10	cu.sr.	...	...	...	...
29	29·64	29·43	51·0	51·4	60·5	47·5	100	99	S.	8	C.	0	·88	·06	...	...	10	fog.	...	...	...	...
30	29·70	30·16	37·0	33·4	51·4	32·8	91	85	N.W.	25	N.E.	13	·54	·08	...	...	10	nb.	...	...	...	...
31	30·49	30·56	34·2	29·2	12·0	27·8	72	89	N.E.	7	C.	0	...	...	...	...	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1....	30·57	30·44	37·5	31·7	49·5	26·2	54	98	C.	0	C.	0	...	...	...	.....	...	.....	..	...	...	.....
2...	30·32	30·11	37·2	43·2	51·0	29·1	66	98	S.	3	S.E.	8	...	...	...	..	...	.....	...	...	...	.....
3.. .	25·69	29·47	55·8	47·2	56·1	42·6	93	99	S.	28	S.W.	8	....	·54	....	....	10	nb.	....	...	....	.....
4....	29·55	29·79	47·0	42·4	48·7	41·4	83	75	S.W.	12	W.	10	....	...	...	....	8	cu.st.	....	...	..	...
5 . .	30·04	30·13	37·7	35·4	45·0	33·8	75	88	N.W.	4	S.	4	....	....	...	....	1	st.	..	.....	.	...
6....	30·23	29·89	39·2	49·2	51·7	32·6	96	86	S.E.	6	S.E.	17	....	....	....	.....	10	cu.st.	....	...	....	...
7...	29·43	29·52	54 2	48·7	58·0	48·6	99	83	S.	14	S.W.	20	1·74	·04	...	.....	....	....	....	.....	...	.....
8 ..	29·68	29·83	45·3	43·7	48·7	43·3	80	87	W.	11	N.W.	8	·04	..	....	....	10	cu.	...	...	..	...
9....	29·97	29·98	47·1	46·7	52·2	42·4	88	96	S.W.	8	S.	5	....	....	....	....	....	....	....	.....	....	.....
10....	29·96	29·93	49·1	51·2	59·0	45·0	97	98	S.	10	S.W.	12	....	·17	2	ci.cu.	...	.....	...	. ..	10	st.
11.. .	29·02	29·87	48·2	45·8	51·2	44·9	100	96	N.	2	N.	3	·17	·08	....	....	10	fog.	....	.....	....	...
12....	30·13	30·26	36·8	34·2	46·1	33·2	91	72	N.	10	N.W.	4	·08	....	...	....	10	cu.nb.	....	...	7	cu.st.
13....	30·09	29·78	39·2	37·2	39·5	32·8	72	74	S.W.	9	N.W.	12	....	08	....	....	10	st.	...	.....	10	cu.nb.
14...	29·71	30 11	41·2	29·2	41 6	29·1	69	75	N.W.	20	N.W.	19	....	...	....	....	10	cu.nb.	....	.....	3	cu.st.
15....	30·37	30·40	33·2	27·5	36 3	27·3	83	94	W.	8	C.	0	....	...	8	ci.cu.	...	....	....	.....	2	cu.st.
16...	30·42	30·20	28·2	29·2	42·2	23·8	87	93	E.	6	E.	3	....	...	3	ci.	...	.....	....	..	....	.....
17....	30·15	30·32	38·4	28·2	40·5	25·8	65	88	N.W.	12	C.	0	...	....	.	....	4	cu.st.	...	.	1	cu.st.
18....	30·38	30·28	38·2	42·7	44·0	24 8	51	85	S.W.	8	S.W.	9	....	.. .	....	.....	2	cu.st.	. .	....	10	cu.nb.
19. .	30·23	30·09	43·8	40·0	44·4	39·3	94	96	S.W.	3	E.	7	....	·55	....	.....	10	fog.	....	..	....	... .
20...	30·38	30·47	31·5	29·0	40·6	28 3	74	83	N.E.	18	N.E.	8	....	....	....	.....	6	cu.st.	. .	.....	....	.....
21....	30·47	30 34	28·0	40·0	41·5	21·0	94	92	E.	3	S.	6	....	·01	7	ci.st.	....	....	...	.....	8	cu.st.
22....	30·21	30·11	46·2	47·0	48·0	39·5	93	100	S.	13	W.	1	·01	·08	....	....	10	st.	....	...	10	fog.
23....	30·13	30·27	43·7	40·2	47·6	36·0	98	90	N.	4	N.	8	....	....	....	....	10	st.	...	.....	....	.....
24....	30 44	30·45	33·1	35·4	41·6	31·2	85	76	N.E.	6	E.	10	....	....	8	ci.st.	....		...	.....	....	.. .
25....	30·21	29·80	39·2	49·5	49·7	33·1	92	97	E.	24	S.E.	20	·13	1·22	....	....	10	nb.	....	.. .	....	....
26....	29·73	29·73	42·2	40·8	51·5	40·0	94	74	S.W.	12	S.W.	11	·08	....	....	....	10	nb.	....	.....	....	.....
27....	29·64	29·72	38·0	36·2	41·0	34·3	97	68	C.	0	N.W.	18	·01	·05	....	....	10	ci.st.	...	.. .	....	.....
28....	29·82	29·83	36·0	36·8	38·6	33·5	79	91	W.	14	S.W.	1	....	·02	...	....	10	cu.nb.	....	..	....	.....
29....	29·89	30·25	40·5	31·1	44·2	30·4	80	79	N.W.	14	N.E.	6	·01	·01	...	....	10	cu.nb.	....	.....	....	.....
30....	30·25	30·19	30·0	27 0	31·7	26·3	81	79	N.E.	7	N.E.	12	...	....	....	.....	10	nb.	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Yarmouth, Nova Scotia—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·27	29·91	24·2	29·4	31·0	22·2	86	72	N.E.	8	N.E.	16	....	....	....	.....	10	cu.st.	....	....	.....	.....
2	29·60	29·82	28·7	30·2	31·2	27·0	82	76	N.W.	20	N.W.	16	·80	....	....	....	8	cu.st.	....	....	.....	.....
3	30·09	30·30	29·2	31·1	31·3	27·6	73	87	N.W.	14	N.W.	5	....	....	....	....	10	cu.st.	....	....	.....	.....
4	30·27	30·09	23·8	25·3	31·1	22·2	77	87	E.	15	N.E.	12	....	·29	....	....	10	st.	....	....	.....	.....
5	29·88	29·60	24·8	27·2	29·6	22·7	81	76	N.E.	12	N.E.	20	....	10	....	....	....	.....	....	.....	.....	.....
6	29·86	30·03	25·7	32·2	32·2	23·4	72	69	N.W.	17	N.W.	12	....	....	....	....	8	cu.st.	....	.....	.....	.....
7	30·13	30·12	36·0	38·2	38·6	31·1	77	79	W.	4	N.W.	4	....	....	....	....	10	st.	....	.....	.....	.....
8	30·20	30·19	35·5	31·4	41·0	31·4	90	97	W.	1	S.	2	....	....	....	....	8	cu.st.	....	.....	.....	.....
9	30·23	30·19	31·4	34·5	41·7	30·5	100	98	S.E.	4	S.E.	4	....	....	..	....	10	fog.	....	.....	.....	.....
10	29·96	29·74	45·8	51·2	53·4	33·6	95	89	S.	19	S.	28	·04	....	....	....	5	cu.st.	....	.....	10	nb.
11	29·55	29·56	49·5	42·2	53·1	41·7	98	90	S.	16	S.W.	11	·14	14	....	....	10	nb.	....	.....	.....	....
12	29·64	29·72	37·0	31·6	42·7	31·5	74	74	W.	19	N.W.	18	..	02	....	....	10	cu.nb.	....	.....	.....	....
13	29·90	30·06	25·2	26·5	32·0	24·7	78	47	N.W.	19	N.W.	24	....	....	....	....	..	....	....	....	2	cu.
14	30·26	30·25	22·5	27·3	27·4	21·0	66	70	N.	10	E.	12	..	..	....	.	10	st.	....	....	.....	....
15	29·76	29·54	33·7	35·7	36·5	27·0	95	98	S.E.	22	E.	8	·25	06	..	....	10	nb.	....	.....	.....	.....
16	29·41	29·66	34·2	31·0	40·4	30·8	95	79	N.W.	11	N.E.	9	17	....	....	....	....	....	....	.....	.....	.....
17	29·85	30·01	28·5	31·0	33·0	27·7	83	89	N.E.	5	C.	0	....	....	....	....	10	cu.st.	....	.....	.....	....
18	30·01	29·94	32·3	34·4	36·4	29·6	95	75	C.	0	N.W.	12	·01	S.	....	....	10	cu.nb.	....	.....	10	cu.st.
19	29·96	30·13	29·5	30·7	35·0	27·8	84	74	N.W.	12	N.W.	14	..	....	....	....	4	cu.st.	....	....	.....	.....
20	30·16	30·08	34·2	36·3	37·3	30·1	72	77	W.	16	W.	16	....	....	....	....	10	st.	....	.....	10	cu.nb.
21	30·65	30·26	36·6	31·1	38·5	30·8	66	79	N.W.	16	N.	9	....	....	....	....	10	cu.st.	....	.....	4	cu.st.
22	30·21	30·09	36·2	39·1	40·7	24·2	66	83	S.W.	11	N.W.	13	....	....	....	....	1	cu.st.	....	.....	.....	....
23	29·96	29·25	42·2	50·2	51·7	38·2	96	98	S.W.	14	S.W.	24	....	80	10	ci.st	....	.....	....	.....	.....	..
24	29·10	29·57	43·6	39·2	52·3	38·3	92	72	S.W.	16	N.W.	19	·15	....	..	..	....	....	....	.....	7	cu.st.
25	29·90	30·08	32·2	36·3	43·0	31·2	87	66	C.	0	N.W.	8	....	....	....	....	....	....	....	.....	.....	....
26	30·07	30·31	41·5	35·2	44·6	34·8	92	73	S.W.	10	N.W.	6	R.	....	....	....	10	cu.st.	....	.....	.....	.....
27	30·43	30·15	26·0	39·2	39·5	24·2	89	94	C.	0	S.	14	....	....	....	....	....	....	....	.....	.....	.....
28	29·90	29·67	44·2	45·0	47·4	38·7	94	96	S.W.	14	S.W.	16	....	03	5	ci.st.	..	....	....	.....	.....	.....
29	30·01	30·30	35·0	24·3	45·0	24·0	69	87	N.W.	16	C.	0	·02	....	....	....	4	cu.st.	....	.....	.....	.....
30	30·19	29·31	32·7	49·2	50·3	21·6	83	98	S.E.	8	S.W.	24	....	66	....	....	10	cu.st.	....	.....	.....	.....
31	29·19	29·91	40·3	28·2	49·2	27·3	94	65	N.W.	20	N.W.	22	79	02	....	....	....	....	....	.....	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia: Latitude North, 44° 39′; Longitude West, 63° 36′. Height above Sea, 88 feet.

January, 1906.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°																
1....	29·96	29·78	45·4	44·6	50·3	35·5	99	95	S.W.	20	W.	11	·12	·75	..	..	10	nb.	..	..	9	nb.
2....	29·98	30·28	38·0	29·7	45·2	29·7	90	73	N.E.	12	E.	19	..	..	..	..	6	nb.	..	..	10	cu.
3....	30·50	30·37	20·8	20·6	30·0	19·6	88	87	E.	12	E.	2	..	..	..	..	6	cu.	..	..	7	cu.st.
4....	29·80	29·25	35·3	45·4	46·8	20·6	97	98	W.	18	W.	18	·31	·65	..	..	10	nb.	..	..	10	nb.
5....	29·65	29·83	34·6	30·2	45·7	30·2	75	98	W.	14	W.	17	·08	·02	..	..	4	cu.	..	..	..	..
6....	30·13	30·18	22·4	22·0	30·7	21·6	93	91	W.	11	C.	0	..	..	..	..	8	cu.	..	..	..	..
7....	30·01	29·90	32·3	34·7	40·6	22·0	93	81	S.	4	W.	12	..	..	..	..	9	cu.	..	..	..	..
8....	30·15	30·14	20·8	18·8	34·8	18·6	83	94	N.	17	N.E.	8	..	..	..	..	..	..	..	..	4	cu.
9....	29·55	29·33	35·4	22·0	38·7	18·8	98	79	S.E.	13	S.W.	18	·24	·26	..	..	10	nb.	..	..	..	..
10....	29·83	29·94	3·8	8·0	22·8	3·4	95	96	N.W.	10	C.	0	·03	..	..	..	4	cu.	..	..	1	cu.st.
11 ...	29·67	29·86	35·0	31·0	39·8	8·0	77	72	S.	20	W.	15	·01	·01	..	..	10	nb.	..	..	..	..
12 ...	30·31	30·18	15·0	22·7	31·4	15·0	82	89	N.	8	E.	15	..	·03	..	..	..	..	..	..	10	nb.
13....	30·02	30·32	24·0	19·8	29·8	18·3	96	97	N.	10	N.	17	·38	..	..	..	10	cu.	..	..	10	cu.
14 ...	30·43	30·04	15·7	28·0	28·1	14·0	93	89	N.	4	S.E.	16	..	S.	..	..	10	cu.st.	..	..	10	nb.
15....	29·61	29·70	35·8	15·8	36·6	15·8	97	86	W.	11	W.	27	·05	..	..	..	10	st.	..	..	1	cu.st.
16....	29·91	30·14	−2·0	−6·3	15·8	−7·0	100	96	N.W.	26	N.W.	33	..	..	..	..	1	cu.	..	..	..	..
17....	30·35	30·32	−8·1	1·3	6·7	−10·0	96	91	N.W.	6	N.W.	8	..	..	1	ci.cu.	..	..	..	..	..	..
18 ...	30·29	30·12	5·4	19·8	21·7	−3·0	90	99	C.	0	S.W.	3	..	·13	..	..	10	cu.	..	..	10	nb.
19....	30·31	30·27	16·3	26·3	26·6	15·8	95	91	N.	6	S.E.	19	·44	..	..	..	..	..	..	..	10	cu.
20....	29·69	29·44	40·8	47·6	47·8	26·0	98	100	S.	16	S.W.	37	·63	·14	..	..	10	nb.	..	..	10	nb.
21....	29·71	30·12	32·0	15·0	47·6	14·8	79	77	W.	16	N.W.	18	·02	..	2 2	ci.st. ci.	2	cu.st.	..	..	..	..
22....	30·44	30·46	7·6	13·4	16·3	6·3	80	85	N.	7	E.	9	..	..	6	ci-cu.	..	..	7	ci.st.	..	..
23....	30·02	30·09	32·8	11·0	33·0	11·0	92	96	S.	31	N.	12	·18	·24	..	..	10	nb.	6	ci.st.	..	..
24....	30·07	30·02	1·3	1·4	11·6	1·0	97	94	N.	13	W.	8	..	..	..	..	4	cu.	..	..	1	cu.
25 ...	30·09	29·97	4·1	16·6	16·8	−4·8	85	95	W.	8	W.	3	..	·06	..	..	1	cu.	..	..	10	nb.
26 ..	30·07	29·91	18·7	36·7	36·8	16·8	95	99	N.W.	7	W.	9	·14	·56	..	..	10	nb.	..	..	10	nb.
27 ...	30·14	30·10	13·6	8·2	37·3	8·2	91	96	N.E.	10	N.	19	·08	..	..	..	10	cu.st.	5	ci.st.	..	..
28 ..	30·02	30·06	8·0	9·0	18·4	5·2	96	96	N.	13	C.	0	..	..	..	..	10	cu.	..	..	..	..
29....	30·25	30·27	12·6	4·8	24·0	4·8	98	94	C.	0	C.	0	..	..	..	..	..	..	..	..	8	cu.
30....	30·25	30·21	14·8	19·1	25·8	4·8	98	94	W.	1	N.	10	10	·12	4	ci.cu.	4	cu.st.	..	..	1	cu.st.
31....	30·55	30·56	8·1	5·7	19·7	5·3	98	95	N.	13	C.	0	..	..	..	..	10	cu.	..	..	4	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia — February, 1907

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·40	30·30	12·7	30·1	30·5	4·2	98	97	N.	8	N.	1	·23	·10	..	..	10	nb.	..	..	10	nb.
2	29·87	29·43	35·8	35·2	37·7	30·0	95	99	E.	28	W.	11	·21	·36	..	..	10	nb.	..	..	10	nb.
3	29·34	29·60	37·8	26·6	39·8	26·6	98	97	S.	29	S.W.	30	·03	..	..	..	10	nb.	..	..	2	cu.st.
4	30·09	30·34	11·8	12·0	27·0	10·6	96	96	N.W.	8	C.	0	..	..	3	ci.st.	2	cu.	..	..	1	cu.
5	30·19	29·69	8·7	16·7	18·3	8·6	98	98	N.E.	12	N.W.	17	·09	·64	..	..	10	nb.	..	..	10	nb.
6	29·85	29·93	15·6	16·2	22·0	15·6	93	92	N.	7	C.	0	..	..	..	..	10	cu.	..	..	5	cu.
7	30·19	30·31	11·0	9·8	19·5	6·3	82	79	N.W.	12	W.	8	..	..	..	..	6	cu.	..	..	1	st.
8	30·35	30·17	5·7	20·8	24·3	— 2·2	93	84	C.	0	E.	7	..	..	4	ci.st.	4	cu.st.	..	..	10	cu.nb.
9	30·07	29·92	15·2	23·0	29·8	14·0	97	73	N.	7	N.E.	4	·04	..	2	ci.st.	2	cu.	..	..	10	cu.nb.
10	29·92	29·78	12·7	28·0	28·3	10·4	90	86	C.	0	S.	12	..	S.	..	..	..	..	..	..	10	nb.
11	29·45	29·37	34·6	31·2	40·3	28·0	97	82	W.	18	W.	12	·23	..	..	..	9	cu.	..	..	9	cu.
12	29·50	29·65	13·0	4·8	31·7	4·8	91	90	W.	11	N.W.	10	..	..	..	..	1	cu.	..	..	2	st.
13	29·92	30·05	— 0·2	6·0	13·8	— 2·6	91	88	W.	6	W.	8	..	..	..	..	..	..	..	..	..	..
14	29·80	29·60	32·0	40·3	41·0	6·0	83	98	S.	23	S.W.	30	·04	·03	..	..	10	cu.nb.	..	..	10	nb.
15	29·51	29·81	36·4	23·8	41·1	23·4	99	84	W.	13	N.	12	..	..	..	..	10	nb.	..	..	10	st.
16	29·83	29·76	24·6	29·7	32·5	20·5	86	97	W.	2	S.W.	4	..	S.	..	..	10	cu.	..	..	..	..
17	29·73	29·62	31·8	33·3	34·2	29·6	90	96	C.	0	S.	3	S.	·16	..	..	10	nb.	..	..	10	nb.
18	29·78	29·63	12·7	5·3	34·1	5·2	98	98	N.E.	16	N.W.	30	·24	·36	..	..	10	nb.	..	..	10	nb.
19	29·59	29·72	6·0	12·6	16·7	3·4	83	89	N.	25	N.	7	·13	..	..	..	2	st.	..	..	4	cu.
20	29·60	29·79	30·8	33·8	39·6	11·6	94	97	S.E.	13	E.	2	..	·03	..	..	10	nb.	..	..	10	st.
21	29·42	29·58	44·0	33·7	45·6	33·0	99	88	S.	30	S.W.	13	·67	·42	..	..	10	nb.	..	..	9	cu.st.
22	29·79	29·97	27·4	12·7	34·1	12·7	72	89	S.W.	19	W.	10	..	..	..	..	2	cu.	..	..	9	cu.
23	30·22	30·37	— 2·3	— 0·3	13·4	— 2·6	97	97	N.W.	14	N.W.	13	S.	S.	..	..	8	cu.nb.	..	..	8	cu.
24	30·58	30·43	— 5·8	2·4	6·0	— 7·8	78	81	N.	17	N.W.	3	..	..	..	..	..	..	..	..	..	..
25	29·77	29·26	22·3	16·0	33·0	— 0·8	96	97	S.E.	27	N.W.	34	·06	·48	..	..	10	nb.	..	..	10	cu.nb.
26	29·70	29·85	4·8	2·6	16·6	2·5	85	95	N.W.	26	W.	8	·02	..	..	..	1	cu.	..	..	..	..
27	29·90	30·00	5·0	5·2	14·7	— 2·6	85	90	N.W.	6	W.	10	..	..	..	..	10	st.	..	..	1	cu.
28	30·29	30·32	0·3	10·6	15·0	— 6·6	85	88	N.E.	13	N.	7	..	..	2	ci.st.	..	..	..	..	9	cu.st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—March 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·40	30·27	8·8	8·4	23·8	0·3	87	89	N.	3	C.	0	....	....	..	....	1	cu.st	....	.....	1	cu.st.
2	29·94	29·10	24·2	39·0	39·3	5·2	89	98	S.W.	7	N. W.	7	....	·66	....	.	10	cu.	...	....	10	nb.
3	29·41	29·83	27·7	16·3	40·6	16·2	79	88	N.E.	14	N.E.	14	·06	·01	..	....	10	cu.	...	....	10	nb.
4	29·97	29·89	13·0	14·7	25·3	12·2	78	88	N.E.	6	E.	6	·01	....	9	ci.cu.	....	. .	...	..	10	nb.
5	29·83	29·86	10·3	14·0	24·5	9·0	94	91	N.	12	N.E.	12	....	....	....	.....	4	cu.st.	...	.....	....	.. ..
6	29·93	29·76	8·3	12·3	23·7	4·2	91	85	N.E.	4	E.	4	....	...	1	ci.st.	...	....	....	.....	6	cu.
7	29·56	29·71	16·2	20·6	21·7	11·0	88	87	N.E.	36	N.E.	36	·01	·01	...	.....	10	nb.	....	...	...	.....
8	29·85	29·82	18·0	29·0	34·7	10·0	73	95	W.	4	W.	4	..	....	....	.....	....	.	....	.	10	cu.st.
9	29·85	30·04	27·4	24·0	34·4	23·6	74	82	N.E.	8	N.E.	8	·04	..	1	ci.cu.	....	.....	....	....	....	.. . .
10	30·31	30·26	16·2	22·0	28·2	11·3	75	83	N.E.	9	W.	9	....	....	1	ci.st.	....	.....	1	ci.cu.	....	.....
11	30·22	29·93	25·0	28·8	31·2	16·4	82	71	N.E.	5	S.W.	5	....	....	8	ci.cu.	....	.....	....	.....	...	.....
12	29·90	30·02	27·4	27·5	37·8	25·6	79	83	N.E.	26	N.E.	26	....	....	5	ci.cu.	2	cu.	..	....	....	.... ..
13	29·85	29·53	29·8	35·4	36·0	30·6	93	98	W.	8	W.	8	...	·25	....	....	10	cu.st.	....	. .	10	cu.nb.
14	29·84	29·66	33·6	31·1	37·5	20·2	94	92	N.E.	4	S.	4	R.	·46	....	...	10	nb.	...	.....	10	nb.
15	29·92	30·00	23·0	23·8	31·4	22·4	95	87	E.	3	E.	3	·05	·02	....	.....	10	nb.	....	...	6	cu.nb.
16	30·00	30·34	28·8	19·3	34·0	19·3	95	89	E.	6	C.	0	·25	·03	....	.....	10	nb.	....	.....	....	.....
17	30·24	29·88	33·0	39·3	39·5	14·6	86	87	S.W.	12	W.	12	....	R.	....	...	7	cu.	...	.....	10	nb.
18	30·12	30·15	30·0	26·6	39·7	26·6	89	91	S.W.	18	N. W.	18	...	...	...	.....	10	cu.st.	....	.....	....	.....
19	30·21	29·96	23·6	26·8	32·8	19·5	75	93	N.E.	13	S.W.	13	....	...	....	.....	....	.....	....	.....	10	st.
20	28·65	28·82	34·8	21·6	37·4	21·4	99	97	S.W.	38	N.E.	38	·84	·10	....	.....	10	nb.	....	.....	10	nb.
21	29·54	29·74	22·4	29·8	33·0	18·8	79	87	N.E.	36	W.	36	·03	....	....	.....	8	cu.	6	ci.st.	...	.....
22	29·86	29·68	35·1	33·6	41·8	29·6	76	97	N.	7	S.W.	7	...	R.	....	.....	....	.....	....	.....	10	cu.nb.
23	29·36	29·83	43·3	33·0	18·6	33·0	86	97	N.	10	N.E.	10	·01	...	...	.....	....	.....	....	.....	....	. ....
24	30·04	30·09	25·1	19·7	33·8	19·7	86	80	N.E.	22	N.E.	22	....	....	5	ci.st.	....	.....	6	ci.st.	...	.....
25	30·19	30·16	21·6	26·0	36·8	13·6	80	86	N.E.	14	N.	14	....	....	....	....	1	cu.	6	ci.st.	....	.....
26	29·97	29·93	36·6	38·8	43·8	24·4	58	73	N. W.	11	N.	11	....	....	4	ci.st.	....	.....	5	ci.cu.	....	. ....
27	30·21	30·27	34·6	30·6	41·3	29·0	46	76	N.E.	9	S.	9	....	....	6	ci.st.	..	.....	....	.....	10	cu.
28	30·10	29·81	33·0	42·6	43·3	30·5	88	97	S.	14	W.	14	·01	·36	....	.....	10	nb.	....	.....	10	nb.
29	29·77	30·00	44·0	39·0	54·4	39·0	98	72	N. W.	2	S.	2	·14	....	....	.....	10	fog.	3	ci.st.	....	.....
30	29·96	29·87	34·8	35·6	39·6	32·5	88	98	S.	14	S.	14	..	01	...	.....	10	cu.	..	....	10	nb.
31	30·01	30·10	43·7	40·6	55·8	33·8	67	48	N.E.	8	N.	8	....	....	6	ci.cu.	.	.....	....	.... .	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	n.	°	°	°	°							in.	in.								
1	30·16	29·95	36·7	31·2	41·4	31·2	95	99	S.E.	12	N.E.	16	....	·02	....	....	10	st.	....	....	10	nb.
2	29·81	29·77	29·0	26·6	32·0	26·6	92	99	N.E.	11	N.E.	16	·17	·16	....	....	10	cu.st.	....	....	10	nb.
3	29·85	29·91	27·0	26·8	35·8	24·5	88	82	N.E.	16	N.E.	5	·04	....	....	....	10	cu.nb.	....	....	1	cu.
4	29·97	29·98	37·7	34·3	50·8	23·7	73	83	N.	7	N.	4	....	....	....	....	....	....	....	....	....	....
5	29·95	29·66	35·3	37·0	44·6	28·3	85	94	S.	9	S.W.	15	....	·04	4	ci.cu.	5	cu.	....	....	10	nb.
6	29·57	29·87	26·0	24·4	41·5	24·4	88	77	N.E.	29	N.E.	33	·43	S.	....	....	10	cu.nb.	....	....	....	....
7	30·08	30·08	22·8	24·7	32·2	18·6	88	86	N.E.	24	E.	7	....	....	....	....	....	....	....	....	....	....
8	30·00	29·90	28·4	28·1	39·3	17·3	84	91	E.	4	S.W.	6	....	....	....	....	....	....	....	....	10	st.
9	29·69	29·23	30·3	33·0	34·4	28·0	82	97	S.E.	22	S.E.	40	S.	·06	....	....	10	st.	....	....	10	nb.
10	29·00	29·17	34·0	34·6	41·7	33·0	99	91	S.E.	12	W.	16	·55	·01	....	..	10	nb.	....	....	10	nb.
11	29·34	29·36	35·0	33·1	45·6	32·4	90	92	W.	13	W.	1	..	..	....	....	10	cu.nb.	....	....	10	st.
12	29·54	29·75	35·0	32·1	43·8	32·0	87	87	N.W.	13	C.	0	01	....	....	....	10	cu.nb.	....	....	....	....
13	29·57	29·08	33·3	34·7	36·0	27·6	90	96	S.	18	S.	32	....	·21	....	....	10	cu.nb.	....	....	10	nb.
14	28·85	29·21	33·2	34·0	40·3	33·2	97	89	S.	8	N.E.	21	·31	·07	....	....	10	nb.	....	....	7	cu.nb.
15	29·33	29·36	40·8	39·6	48·3	31·6	63	62	N.	13	N.W.	9	....	....	....	....	....	....	....	....	5	cu.nb.
16	29·42	29·49	41·3	38·6	46·3	32·5	66	70	W.	16	N.	1	....	....	....	....	2	cu.	....	....	10	cu.
17	29·41	29·31	41·8	39·0	48·8	33·7	64	75	W.	1	N.W.	4	....	S.	1	ci.cu.	....	....	7	ci.cu.	....	....
18	29·54	29·62	44·1	41·6	53·0	29·8	50	71	N.W.	5	C.	0	....	....	....	....	....	....	8	ci.cu.	....	....
19	29·67	29·65	43·4	37·8	59·8	32·6	73	73	C.	0	S.E.	3	....	....	....	....	....	....	....	....	10	st.
20	29·42	29·53	35·1	34·0	44·2	33·0	88	60	N.W.	6	N.E.	4	·12	....	....	....	10	cu.	....	....	....	....
21	29·65	29·85	31·1	28·6	38·1	28·6	76	98	N.W.	14	N.W.	5	·02	....	..	....	6	cu.	....	....	..	....
22	29·99	29·94	43·7	35·6	53·8	26·5	69	81	W.	8	W.	10	....	....	6	ci.st.	....	....	....	....	1	ci.st.
23	29·88	29·85	45·0	43·2	57·4	32·5	76	97	S.W.	10	W.	14	....	....	4	ci.st.	....	....	....	....	10	st.
24	29·29	29·02	40·3	39·0	47·8	38·7	99	97	S.	16	S.W.	5	·37	·57	....	....	10	nb.	....	....	10	st.
25	29·64	29·94	43·8	42·7	58·0	37·7	58	60	N.W.	30	N.	5	....	..	1	ci.cu.	....	....	6	ci.cu.	....	....
26	29·95	30·06	48·2	43·0	61·8	34·6	79	92	S.W.	7	W.	2	....	....	3	ci.cu.	5	cu.	....	....	....	....
27	30·11	30·38	44·6	41·7	50·2	40·8	95	71	S.W.	5	N.E.	2	·04	·01	....	....	10	nb.	6	ci.st.	....	....
28	30·39	30·32	37·5	33·6	41·4	30·2	82	98	S.E.	5	S.	2	....	....	....	....	7	cu.	....	....	10	nb.
29	30·29	30·18	38·0	37·8	44·7	33·6	98	97	S.	5	S.W.	5	01	·01	....	....	10	fog.	....	..	10	fog.
30	30·10	30·00	55·8	48·4	68·0	37·8	88	91	W.	21	W.	16	....	....	3	ci.st	5	cu.	....	....	10	fog.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Winds.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·86	30·04	49·6	38·1	51·6	38·1	100	91	S.W.	24	N.E.	14	·21	·16	...	...	10	nb.	..	...	10	cu.nb.
2	30·21	30·29	35·4	36·6	49·9	32·3	86	86	N.E.	13	S.	7	....	....	...	...	9	cu.nb.	....	.....	10	st,
3	30·24	30·15	36·3	35·6	39·7	33·5	85	91	S.	19	S.	12	·02	....	....	..	10	cu.nb.	....	....	10	cu.nb.
4	30·16	29·82	36·7	35·0	42·6	28·5	89	99	S.	2	S.	22	...	·05	....	.....	8	cu.nb.	....	.....	10	nb.
5	29·76	30·00	41·3	41·0	52·7	35·1	79	49	N.E.	19	N.W.	12	·63	....	....	.....	10	cu.nb.	....	....	1	cu.
6	30·14	30·00	47·9	40·3	59·8	34·6	53	78	N.W.	14	N.W.	6	...	....	1	ci.st.	....	.....	....	.....	10	cu.st.
7	29·87	29·82	50·0	41·3	60·3	38·0	66	85	N.E.	7	S.	4	....	....	2	ci.st.	3	st.	2	ci.st.	....	.. .
8	29·90	29·98	50·2	44·1	63·3	39·5	64	69	S.	3	W.	4	..	.. .	1	ci.st.	1	st.	5	ci.cu.	....	.....
9	30·10	29·87	44·7	38·8	44·8	34·7	66	86	S.	5	S.	8	..	...	6	ci.st.	3	st.	...	..	10	cu.nb.
10	29·57	29·60	43·9	45·6	59·6	39·0	97	90	N.E.	4	W.	9	·17	....	....	....	10	cu.nb.	....	.. ..	2	cu.
11	29·67	29·27	42·1	33·8	45·3	33·8	70	96	E.	12	N.E.	18	·01	01	....	....	10	cu.st.	..	.....	10	nb.
12	29·71	29·90	38·7	37·6	46·7	30·3	66	91	N.E.	22	N.W.	8	·15	....	....	....	5	cu.	....	.....	1	cu.
13	29·92	29·74	43·3	42·5	53·7	35·8	75	79	S.W.	10	W.	10	..	..	...	....	10	cu.	....	..	10	cu.st.
14	29·73	30·09	46·9	38·9	59·9	38·9	74	61	N.E.	9	N.E.	5	....	....	..	.....	10	cu.	....	.....	....	.....
15	30·24	30·16	43·4	38·1	56·7	28·6	40	63	N.E.	2	W.	10	....	.. .	8	ci.cu.	....	....	....	.....	2	cu.
16	30·02	29·90	48·7	54·2	67·6	34·7	75	83	W.	4	W.	6	....	....	....	.. .	10	cu.	....	.....	2	cu.
17	29·79	29·90	53·3	56·1	68·0	47·5	90	74	S.W.	15	C.	0	....	R.	....	.....	10	nb.	....	.. .	10	st.
18	29·89	29·69	52·7	51·8	56·8	48·6	85	93	S.W.	2	S.	5	·01	·08	....	.....	10	cu.st.	....	.....	10	nb.
19	29·81	29·75	50·6	41·0	58·8	40·9	88	97	S.	5	S.	7	·01	....	....	.....	9	cu.	....	.. .	10	st.
20	29·63	29·59	45·8	51·0	65·3	39·2	95	92	S.W.	5	W.	16	....	·02	..	.....	10	st.	....	.....	10	nb.
21	29·57	29·61	46·9	44·1	62·7	44·1	52	67	N.W.	10	W.	6	·01	....	....	.. .	9	cu.	....	.....	2	cu.
22	29·71	29·88	50·3	44·9	55·7	39·6	61	64	N.W.	11	N.W.	3	·02	...	....	.....	8	cu.	8	ci.cu.	...	.. ...
23	29·97	29·98	50·4	43·9	61·6	33·8	47	66	N.	4	N.W.	7	....	....	8	ci.st.	....	.....	....	.....	...	.....
24	29·96	29·88	46·9	46·1	67·6	34·4	75	78	S.W.	3	S.W.	4	....	R.	8	ci.cu.	...	.....	..	.....	6	cu.
25	29·93	29·98	48·7	41·8	57·3	40·2	50	72	N.E.	18	N.W.	10	R.	....	7	ci.cu.	..	.. .	....	....	1	cu.
26	29·87	29·87	50·0	46·0	59·2	37·7	49	64	N.	22	N.E.	3	....	....	..	.....	2	cu.	...	.. .	8	cu.st.
27	29·83	29·75	52·9	48·0	67·8	33·6	52	80	N.	1	C.	0	....	....	1	ci.st.	....	....	1	ci.cu.	....	.....
28	29·68	29·46	45·9	40·4	48·7	40·2	77	98	S.E.	12	S.E.	23	....	·68	....	.. .	10	cu.	....	....	10	fog.
29	29·37	29·43	41·3	40·6	47·0	39·9	97	95	S.	3	S.	6	·09	....	....	....	10	fog.	....	.....	10	fog.
30	29·55	29·72	44·9	45·2	48·9	36·3	96	91	N.E.	12	N.E.	11	..	·01	....	.....	10	cu.	....	....	8	cu.
31	29·85	29·92	46·9	42·6	57·8	41·3	97	81	N.E.	14	N.E.	15	....	....	....	....	9	cu.nb.	....	.....	3	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·91	29·86	49·2	47·0	62·8	37·6	61	81	N.E.	14	N.	10			4	ci.st.			1	ci.st.		
2	29·80	29·78	61·6	48·7	73·2	37·1	50	63	W.	7	W.	7			6	ci.st.					6	cu.st.
3	29·66	29·61	52·9	49·8	56·8	41·3	60	55	S.E.	16	N.E.	5					10	cu.st.			10	cu.st.
4	29·74	29·88	53·4	49·6	65·2	37·9	51	66	N.E.	13	N.E.	1									3	cu.st.
5	30·00	30·01	54·3	43·8	59·5	36·6	58	89	N.E.	4	S.	6			6	ci.st.			6	ci.cu.		
6	29·88	29·79	45·3	46·6	49·8	41·9	92	98	S.E.	12	S.E.	4	·02	1·44			10	cu.st.			10	nb.
7	29·82	29·86	48·7	45·4	54·9	44·9	95	96	S.	4	S.	4	·14				10	fog.	3	ci.cu.		
8	29·88	29·86	45·4	45·1	52·9	42·3	98	97	S.	5	S.	7	R.				10	cu.nb.	7	ci.cu.		
9	29·84	29·87	43·0	41·7	45·3	41·6	95	90	S.	12	E.	15		·35			10	st.			10	nb.
10	29·88	29·74	46·9	42·7	52·2	40·2	68	79	N.E.	12	N.E.	26		·03	4	ci.cu.	4	cu.st.			10	cu.
11	29·69	29·82	43·8	42·3	48·6	41·5	78	85	N.E.	12	N.	11	·01	01			10	cu.st.			10	cu.
12	29·92	29·96	54·1	53·3	71·9	38·4	48	69	N.	13	W.	6					1	cu.				
13	29·94	29·83	64·6	64·3	84·3	44·3	50	40	N.W.	1	N.W.	14									2	cu.st.
14	29·76	29·70	63·3	53·5	74·7	46·7	49	81	W.	10	W.	12									2	cu.st.
15	29·59	29·72	54·7	48·8	67·7	48·6	88	92	N.	2	N.E.	13		·07			10	cu.st.			10	nb.
16	29·85	29·96	49·4	49·4	63·9	43·0	80	92	N.	8	N.W.	2	·24	·01			10	cu.			8	cu.
17	29·16	29·13	55·8	50·9	67·4	37·3	50	85	S.	7	W.	19			1	ci.cu.					10	st.
18	29·95	29·83	58·6	58·9	77·2	48·6	78	82	S.W.	10	W.	4					10	st.	10	ci.st.		
19	29·94	30·05	60·6	56·8	72·9	55·6	97	90	N.E.	10	N.W.	6	·23	·04			10	nb.	10	ci.cu.		
20	30·13	30·05	52·7	45·7	57·4	45·7	73	97	S.E.	14	S.	9	·10	·01			10	cu.			10	nb.
21	29·93	29·96	53·1	64·2	71·3	45·3	100	89	C.	0	E.	7	·15				10	nb.			10	cu.
22	30·06	30·11	65·7	55·7	78·7	55·7	71	95	N.E.	7	N.W.	6			10	ci.st.						
23	30·13	30·01	65·8	53·8	72·9	49·3	76	91	S.W.	6	S.	7			3	ci.st.						
24	29·03	29·83	62·8	58·9	81·7	50·0	83	87	W.	4	N.W.	3			10	ci.cu.					10	cu.
25	29·85	29·84	62·9	52·4	75·4	52·4	96	93	N.W.	2	S.	7	·12	·31			10	fog.	9	ci.cu.		
26	29·75	29·60	50·7	51·2	57·3	49·5	97	96	S.	10	S.	7					10	fog.				
27	29·44	29·38	55·0	52·9	63·2	50·6	100	90	S.	8	W.	21	·01	·08			10	fog.				
28	29·62	29·80	68·9	60·2	83·1	51·6	66	82	N.W.	11	W.	5										
29	29·97	30·06	65·2	55·8	80·5	47·9	71	90	S.	6	S.	5			6	cu.st.					6	cu.
30	30·12	29·98	55·3	53·0	58·7	49·9	89	100	S.	8	S.	14	R.	·34							10	fog.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in	in.	°	°	°	°							in.	in.								
1	29·85	29·74	54·8	51·8	56·9	51·8	100	100	S.	9	S.	4	·09	·03	...	...	....	fog.	...	.....	10	fog.
2	29·79	29·83	53·0	51·7	58·1	50·6	100	96	S.	1	S.	7	01	..	...	...	10	fog.	...	.....	10	fog.
3	29·84	29·82	55·0	54·7	66·8	50·3	100	98	S.	8	S.	5	·24	R.	...	...	10	fog.	...	.....	10	fog.
4	29·81	29·84	65·8	61·4	72·7	53·9	90	93	N.	3	N.	4	·26	...	...	...	10	cu.	2 2	ci.cu. ci.st.	...	...
5	29·87	29·81	65·2	61·3	82·2	50·8	83	77	N.E.	1	N.W.	8	...	...	1	ci.st.	...	.....	1	ci.st.	...	...
6	29·79	29·80	60·3	57·8	72·7	52·0	85	88	S.	6	W.	8	...	...	4	ci.st.	...	...	...	.....	4	cu.
7	29·90	29·91	58·8	56·7	72·4	51·2	90	91	S.	6	S.	9	...	R.	...	...	10	cu.	...	...	10	cu.
8	29·89	29·80	61·3	58·3	66·6	55·6	86	100	S.	7	S.	5	..	·05	...	...	9	cu.	..	....	10	nb.
9	29·64	29·47	59·0	57·0	62·7	57·0	99	96	S.	8	N.W.	9	·47	...	...	...	10	cu.	6	ci.cu.	...	...
10	29·49	29·63	66·7	61·3	77·8	53·0	79	78	W.	4	W.	6	...	...	...	...	...	...	...	..	1	cu.
11	29·71	29·79	64·7	62·6	75·7	52·6	61	71	N.W.	13	N.W.	8	...	...	...	...	..	...	...	..	8	cu.st.
12	29·79	29·57	61·0	54·5	68·8	54·5	86	96	S.W.	3	S.E.	13	...	·56	...	...	10	cu.nb.	..	...	10	nb.
13	29·51	29·70	59·7	61·8	68·4	53·6	95	88	N.W.	10	N.	17	·03	...	...	...	10	cu.	..	..	6	cu.
14	29·96	30·09	60·0	60·0	73·2	53·8	80	88	N.E.	14	N.W.	6	...	...	...	...	9	cu.	...	...	...	...
15	30·16	30·08	65·0	58·3	76·2	49·0	78	91	W.	7	S.W.	9	...	...	...	...	...	...	...	.....	1	cu.
16	30·06	29·98	66·1	59·6	80·8	56·6	86	88	W.	3	W.	12	...	...	...	...	...	...	7	ci.cu.	...	...
17	29·94	29·86	67·0	64·5	80·5	56·6	90	94	W.	9	N.W.	7	...	...	...	...	10	cu.	...	.....	9	cu.
18	29·84	29·78	65·3	62·5	85·6	61·5	95	94	W.	7	C.	0	..	...	...	...	4	cu.	2	ci.cu.	...	...
19	29·73	29·71	68·6	67·8	83·6	60·5	85	97	N.E.	2	C.	0	...	...	3	ci.st.	4	cu.st.	...	...	10	fog.
20	29·73	29·69	72·7	66·4	86·8	59·2	72	83	N.	3	N.W.	7	..	...	6	ci.cu.	...	...	6	ci.cu.	...	...
21	29·55	29·50	58·8	65·0	74·7	57·8	99	93	S.	9	N.W.	8	·01	·03	...	...	10	fog.	...	...	1	cu.
22	25·57	29·72	67·8	60·0	73·0	59·1	70	86	N.W.	15	N.E.	11	...	...	...	...	7	cu.	...	...	8	cu.
23	29·73	29·77	58·2	59·1	71·6	54·2	84	85	N.E.	8	N.E.	5	...	...	...	...	10	cu.	2	ci.cu.	3	cu.
24	29·85	29·88	58·2	56·7	69·0	53·7	83	92	E.	5	S.	8	R.	..	...	...	10	cu.nb.	...	...	10	st.
25	29·86	29·84	54·0	54·2	60·2	53·2	98	98	S.E.	9	S.E.	8	·03	·04	...	...	10	nb.	...	...	10	...
26	29·79	29·50	56·0	56·0	58·8	52·6	100	98	S.	10	S.E.	17	·01	·76	...	...	10	st.	...	...	10	nb.
27	29·21	29·27	61·0	58·3	74·7	56·3	100	82	W.	8	W.	8	·65	..	...	...	10	cu.	...	...	9	cu.
28	29·40	29·63	60·0	54·3	64·5	54·3	82	93	N.W.	10	N.E.	5	...	·03	...	...	10	cu.	...	...	6	cu.
29	29·71	29·74	63·3	58·7	71·3	50·1	81	95	N.	2	N.	4	...	·05	5	ci.cu.	...	...	...	...	6	cu.
30	29·76	29·77	58·0	54·6	66·4	53·6	98	98	S.	3	S.E.	9	01	...	...	...	10	st.	..	...	10	nb.
31	29·76	29·76	56·5	57·6	61·4	53·6	99	98	S.	10	S.	3	·02	·02	...	...	10	nb.	...	...	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—August, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·82	29·88	59·2	56·7	65·8	56·7	98	98	S.W.	3	S.	7	·02	....	....	....	10	cu.nb.	....	....	10	nb.
2....	29·86	29·83	58·8	60·3	66·4	55·6	99	100	S.	6	C.	0	·18	R.	4	ci.cu.	3	cu.	....	....	10	fog.
3....	29·86	29·86	60·3	63·5	69·0	58·5	99	97	S.	5	W.	5	·02	R.	....	....	10	fog.	....	....	10	fog.
4....	29·89	29·65	60·7	64·7	66·6	59·5	97	100	S.	4	S.W.	25	R.	·50	....	....	10	fog.	....	....	10	fog.
5....	29·98	30·00	6·09	57·4	75·2	54·2	82	86	N.	11	N.	9	·01	....	2	ci.st.	....	....	....	....	4	nb.
6....	30·05	30·01	65.9	60·2	77·9	52 5	74	93	N.W.	10	W.	11	....	·02	3	ci.cu.	....	....	....	....	4	st.
7....	29·85	29·86	59·3	59·3	64·4	57·6	99	97	S.E.	8	S.W.	2	·27	S.	....	....	4	nb.	....	....	2	cu.st.
8....	29·85	29·89	57·9	57·5	60·6	57·4	97	97	S.	8	W.	2	....	·16	....	....	10	fog.	....	....	1	cu.
9....	30·05	30·02	61·0	55·1	71·9	52·8	77	85	N.	9	W.	10	....	....	....	....	1	cu.	....	....	3	cu.st.
10....	29·90	29·82	64·8	61·6	78·0	50·4	76	88	W.	6	N.W.	6	....	....	2	ci.st.	....	....	....	....	4	st.
11....	29·78	29·74	66·2	59·9	73·0	58·2	83	100	S.	4	S.E.	6	....	·53	4	ci.cu.	....	....	....	....	10	fog.
12....	29·77	29·78	59·8	57·9	62·8	57·9	100	98	S.	6	S.	10	17	....	....	....	10	fog.	....	....	6	cu.st.
13....	29·71	29·55	65·3	60·0	74·9	57·8	100	97	S.W.	9	W.	7	R.	....	....	....	1	cu.	....	....	2	cu.
14....	29·63	29·77	64·9	60·2	71·6	55·5	73	82	N.W.	11	N.W.	8	·02	....	....	....	....	....	....	....	....	....
15....	30·03	30·14	62·7	55·3	73.2	52·6	71	89	N.	16	N.W.	6	....	....	....	....	....	....	....	....	....	....
16....	30·20	30·17	62·9	55·9	78·3	46·3	83	86	S.W.	10	S.W.	9	....	....	....	....	....	....	....	....	....	....
17....	30·18	30·04	62·0	61·7	70·8	47·3	77	90	S.W.	7	S.W.	18	....	....	3	ci.cu.	....	....	....	....	8	cu.
18....	29·90	29·91	61·8	60·0	69·8	60·0	100	98	S.W.	10	N.W.	4	....	·30	....	....	4	st.	....	....	8	cu.
19....	29·99	30·05	61·9	56·5	68·2	54·6	78	91	N.	21	W.	5	....	....	....	....	1	cu.	5	ci.st.	....	....
20....	30·02	29·80	60·6	57·6	69·7	47·0	83	95	N.	3	S.	5	....	....	2	ci.cu.	5	cu.	6	ci.st.	....	....
21....	29·84	29·89	61·4	63·6	70·8	56·4	96	91	N.W.	3	N.E.	4	....	....	....	....	4	cu.st.	....	....	10	cu.st.
22....	29·95	30·06	55·9	53·4	63·7	51·5	96	97	E.	5	N.W.	6	1·34	·17	....	....	4	nb.	....	....	6	fog.
23....	30·16	30·13	60·7	55·8	71·6	50·6	80	93	N	3	S.W.	5	·01	....	....	....	....	....	....	....	7	cu.
24....	30·09	29·93	58·1	56·4	67·3	45 6	97	95	S.W.	3	S.	9	....	....	2	ci.st.	....	....	5	ci.cu.	....	....
25....	29 73	29·47	61·2	62·4	64 4	56·5	92	100	S.W.	21	S.W.	21	....	1·96	....	....	4	cu.	....	....	4	nb.
26....	29 54	29·69	60·6	57 6	68 7	55·6	98	99	C.	0	N.	4	03	....	....	....	4	cu.	5	ci.cu.	....	....
27....	29·66	29·69	55·7	52 5	65·0	45 9	90	93	N.W.	10	N.W.	9	....	....	....	....	4	cu.	....	....	....	....
28....	29·65	29.60	55·4	55·0	71·9	50·1	97	96	N.W.	9	N.W.	7	....	....	....	....	4	cu.	....	....	....	....
29....	29·57	29·61	58·3	54·7	71·6	45 6	86	93	N.W.	5	N.W.	9	....	....	....	....	1	cu.	....	....	....	....
30....	29·67	29·71	58·7	54 4	68·4	49·7	79	95	N.W.	14	N	4	....	....	....	....	4	cu.	....	....	....	....
31....	29·65	29·66	58·0	55·0	65 2	51·6	84	97	N.W	2	N.	11	....	·15	....	....	4	cu.st	....	....	10	nb.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·69	29·77	56·5	54·7	62·9	51·8	83	88	N.E.	10	N.E.	9	·01	R.			8	cu.			5	cu.
2	29·82	29·89	58·1	56·1	67·6	48·6	82	97	N.	12	N.W.	1		·15			5	cu.			6	cu.nb.
3	30·02	30·15	56·8	56·4	62·8	49·0	94	97	N.	2	S.	4	·01		8	ci.cu.					5	cu.st.
4	30·18	30·09	57·3	62·1	62·2	56·2	94	100	S.	22	S.W.	5	·05	·37			10	cu.r b.			10	fog.
5	30·01	29·87	65·1	65·4	76·7	56·8	99	98	W.	2	W.	13	R.	·75			10	cu.nb.			10	nb.
6	29·16	29·67	65·3	64·1	72·6	56·4	99	94	W.	4	S.W.	12	R.	·02			10	nb.			10	nb.
7	29·67	29·72	62·1	58·7	73·3	56·2	97	91	N.W.	14	N.W.	5	·45									
8	29·84	29·92	62·7	60·8	76·8	52·6	89	93	N.W.	4	N.W.	4		R.	5	ci.st.					10	nb.
9	30·02	30·18	60·2	56·6	68·7	56·6	94	89	N.W.	4	N.E.	2	·03				10	cu.st.				
10	30·28	30·28	59·8	56·0	66·4	52·3	90	91	S.	7	S.	7			8	ci.st.					1	cu.st.
11	30·22	30·09	61·3	59·2	67·3	50·1	96	97	S.	11	S.	12			1	ci.st.						
12	29·93	29·86	67·1	60·2	71·6	59·2	98	99	S.W.	12	W.	6		·10			10	cu.nb.			1	cu.st.
13	29·95	30·01	61·5	55·0	72·1	55·0	89	83	N.	13	N.	10					1	cu.				
14	30·25	30·29	52·8	50·8	61·2	43·6	81	93	N.	7	N.W.	8										
15	30·25	30·01	56·7	61·8	72·4	45·5	79	90	W.	11	N.W.	17					10	cu.	6	ci.st.		
16	30·13	30·06	59·8	55·3	70·3	55·0	80	93	N.E.	11	W.	4			4	cu.st.	2	cu.	4	ci.cu.		
17	29·75	29·83	61·2	58·6	70·3	55·1	100	80	W.	17	N.	18	·23				10	fog.			8	cu.
18	30·05	30·20	46·3	44·6	58·8	43·7	60	85	N.E.	23	N.E.	9										
19	30·20	29·98	49·0	45·2	59·7	46·4	71	80	N.	15	N.W.	7							4	ci.cu.		
20	29·82	29·81	52·4	53·5	68·7	44·6	78	92	N.	6	N.	4					9	cu.	4	ci.st.		
21	29·75	29·71	57·7	60·4	67·3	49·9	94	98	S.W.	10	W.	4	R.	·18			10	cu.nb.			10	fog.
22	29·72	29·84	60·0	59·4	69·6	56·6	100	96	W.	12	N.W.	6	·23				10	fog.	8	ci.cu.		
23	29·95	29·78	57·8	66·3	66·4	56·6	97	100	N.E.	7	S.W.	27	·06	·04			10	cu.st.			10	nb.
24	29·63	29·61	68·8	63·6	69·7	62·7	97	100	S.W.	39	S.W.	19		·10			10	cu.			10	nb.
25	29·49	29·52	61·2	54·2	68·7	54·2	99	92	S.W.	12	W.	12	·03	·05			10	nb.				
26	29·79	29·91	51·5	42·7	59·2	42·7	74	91	N.	13	N.	4					3	cu.				
27	29·98	29·96	48·7	48·1	62·0	38·7	82	90	N.W.	14	W.	12										
28	30·02	30·15	50·0	39·0	52·6	38·4	91	82	N.E.	11	N.	5					10	cu.				
29	30·13	29·77	44·6	45·2	18·8	34·6	76	97	S.E.	11	N.E.	23		·40			10	cu.st.			10	nb.
30	29·69	29·77	45·2	47·3	53·2	43·2	91	92	N.E.	14	S.E.	2	1·00				8	cu.			10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitatn.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·65	29·79	47·8	45·0	51·5	45·0	93	85	E.	12	N.E.	17	·18	·01	....	....	9	nb.	....	.....	1	cu.st.
2	29·82	29·83	47·7	43·1	53·0	41·3	80	85	N.E.	17	N.	17	....	...	....	....	7	cu.	....	.....	...	.....
3	29·87	29·90	49·2	40·6	57·4	40·6	77	95	N.	23	N.	4	....	...	....	.....	..	.....	....	.....	...	.....
4	29·87	29·42	45·3	54·0	55·4	32·7	98	98	S.	3	S.	26	....	·53	4	ci.st.	.....	..	....	.....	10	nb.
5	29·39	29·46	53·1	44·0	56·7	44·0	92	99	N.W.	12	W.	5	·26	....	....	....	10	cu.	....	.....	....	..
6	29·56	29·76	47·2	41·7	50·6	35·5	99	98	C.	0	N.W.	8	....	·12	....	.....	10	cu.	....	....	..	.....
7	29·99	30·01	47·3	54·7	55·1	37·2	91	88	W.	9	S.W.	20	·01	....	7	ci.cu.	....	.....	..	....	4	cu.st.
8	29·81	29·40	59·7	57·3	63·0	54·3	88	97	S.W.	34	N.W.	19	..	·81	.....	....	10	cu.	....	...	10	nb.
9	29·93	30·11	41·4	34·3	51·7	34·3	68	95	N.	18	N.	5	·11	....	....	.	5	cu.	....	.....	....	..
10	30·15	30·01	38·8	47·7	49·2	30·5	96	93	N.	3	S.	14	....	...	.....	....	10	cu.	....	....	10	cu.nb.
11	29·98	29·98	48·3	49·0	55·3	45·3	91	91	S.E.	6	S.E.	9	.....	....	2	ci.st.	6	cu.st.	.....	...	10	cu.st.
12	29·96	29·90	52·0	51·0	53·3	48·2	86	96	S.E.	19	S.E.	8	...	·09	....	....	9	cu.st.	....	....	10	nb.
13	29·83	29·77	51·0	52·5	55·7	49·6	99	97	N.E.	4	N.E.	5	·29	·29	....	.....	10	nb.	....	.....	10	nb.
14	29·72	29·93	51·6	49·0	55·4	49·0	93	92	N.E.	14	N.	12	·54	....	4	ci.st.	1	cu.nb.	....	.....	10	cu.nb.
15	29·98	29·95	48·0	45·2	52·6	45·2	85	85	N.E.	10	N.	9	....	....	3	ci.cu.	6	cu.st.	8	ci.cu.	....	.....
16	30·09	30·19	46·2	42·0	56·8	39·2	92	87	N.	10	N.W.	6	.....	....	9	ci.cu.	.....	.....	.....	.....	.....	.....
17	30·16	30·04	49·0	50·7	64·2	40·2	88	93	N.W.	8	W.	9	.....	....	.....	.....	.....	.....	.....	.....	2	cu.st.
18	29·83	29·66	53·0	52·8	63·3	45·5	95	92	S.W.	13	W.	10	....	....	3	ci.st.	3	cu.	....	.....	10	cu.st.
19	29·89	30·02	35·7	30·3	53·2	30·3	54	68	N.	19	N.	8	.....	.....	.....	.....	.....	.....	7	ci.cu.	....	.....
20	30·15	29·98	35·4	42·2	46·8	26·6	50	84	W.	7	S.W.	16	....	·01	....	....	....	....	.....	.....	10	cu.nb.
21	29·58	29·78	33·2	29·0	42·6	29·0	98	82	N.	22	N.W.	13	·66	...	....	....	10	nb.	4	ci.cu.	....	.....
22	30·01	29·88	29·0	35·6	38·2	24·4	86	86	N.	12	W.	13	.....	....	....	..	.....	.....	.....	.....	...	.....
23	29·73	29·66	50·0	49·1	57·8	35·0	85	96	W.	21	W.	9	.....	....	.....	.....	10	cu.	.....	.....	9	cu.st.
24	29·58	29·69	42·2	40·1	49·4	40·1	95	80	N.E.	16	N.	24	·01	R.	....	....	10	cu.nb.	.....	.....	10	cu.nb.
25	29·86	29·78	55·3	45·0	49·6	28·6	87	97	N.W.	8	S.W.	15	.....	....	.....	.....	.....	.....	.....	.....	8	cu.st.
26	29·76	30·07	42·0	37·0	48·0	37·0	89	80	N.	9	N.	12	·05	·05	....	.....	9	cu.	.....	.....	10	cu.nb.
27	30·33	30·30	33·0	32·0	43·0	26·1	64	92	N.	2	S.W.	10	...	...	6	ci.nt.	....	....	....	.....	1	cu.st.
28	30·20	30·00	48·8	52·7	54·5	32·6	96	93	S.	18	S	21	.....	....	.....	.....	9	cu.	.....	.....	10	cu.st.
29	29·66	29·36	55·0	55·0	58·1	52·6	100	100	S.	25	W.	6	·15	·48	....	.....	10	nb.	.....	.....	10	nb.
30	29·42	29·96	44·0	34·4	55·0	34·4	100	82	W	18	N.	20	·33	·08	....	.....	10	nb.	.....	...	10	cu.st.
31	30·32	30·43	34·2	32·7	41·8	31·5	78	82	N.	11	N.	5	....	...	....	.....	..	.....	.....	.....	.....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·44	30·31	35·0	34·7	51·5	25·3	63	90	W.	3	W.	2										
2	30·23	30·08	34·0	37·0	54·4	25·5	67	94	N.W.	2	S.W.	9										
3	29·79	29·39	51·7	53·6	56·2	37·6	91	97	S.	20	S.	32		·43	6	ci.st.					10	fog.
4	29·45	29·65	48·8	39·4	54·7	39·4	94	81	W.	19	N.W.	25	·28				10	nb.			10	nb.
5	29·95	30·08	36·5	30·8	43·3	30·8	71	91	N.W.	7	S.W.	5	·01				10	cu.				
6	30·20	30·02	33·0	48·8	49·4	29·0	79	89	N.	2	S.E.	22			6	ci.st.					10	cu.
7	29·52	29·50	53·0	49·4	55·7	46·6	98	93	S.E.	12	S.W.	18	1·50	·73			10	nb.			2	cu.st.
8	29·60	29·62	47·1	40·8	51·3	40·8	85	88	S.W.	15	W.	8	·06				8	cu.				
9	29·86	29·95	44·0	47·0	54·7	36·2	96	92	S.W.	7	S.W.	10					1	cu.			4	cu.st.
10	29·93	29·81	48·0	55·6	57·1	45·0	99	94	S.W.	1	W.	25					8	cu.			10	cu.
11	29·94	29·71	51·0	48·7	55·7	48·7	98	98	W.	5	W.	7	·09	·30			10	nb.			10	nb.
12	29·96	30·13	36·5	27·4	48·8	27·4	84	91	N.	16	N.W.	2	·02				4	cu.				
13	30·01	29·62	31·0	33·0	36·8	23·1	89	99	S.W.	7	N.	6		·17			10	cu.			10	nb.
14	29·59	29·90	33·3	27·4	37·8	27·1	92	71	W.	9	N.	22	·02	·05			10	cu.				
15	30·24	30·32	27·3	29·2	34·8	20·8	82	77	W.	12	N.	9					2	st.	5	ci.st		
16	30·31	30·09	27·0	31·1	38·7	22·5	75	91	E.	5	N.	6			3	ci.st.	1	cu.st.				
19	29·98	30·18	29·8	27·4	40·5	21·6	83	91	N.W.	8	N.	4		·17								
18	30·29	30·20	28·0	35·6	44·2	20·5	87	88	S.W.	4	W.	7			2	ci.st.			8	ci.st.		
19	30·15	30·02	37·8	41·2	48·0	31·6	97	99	W.	7	S.E.	5					10	cu.st.			10	nb.
20	30·21	30·40	31·0	28·0	41·8	28·0	72	84	N.E.	22	N.	13	·12				4	cu.				
21	30·38	30·27	29·8	39·2	41·6	25·2	91	86	E.	7	S.W.	11							4	ci.cu.	5	cu.nb.
22	30·16	30·03	43·4	46·5	49·1	38·4	93	98	S.W.	7	S.W.	6		·03			10	cu.st			10	n.b.
23	29·98	30·10	45·2	40·2	49·0	40·2	99	86	N.	7	N.	13	·03				10	fog.	5	ci.st.		
24	30·33	30·45	34·7	31·7	41·7	31·6	83	90	N.	8	E.	7			4	ci.cu.			4	ci.st.		
25	30·34	29·98	39·0	44·4	44·6	30·6	72	93	S.E.	25	S.E.	29		·04			10	cu.nb.			10	nb.
26	29·62	29·65	47·2	42·0	48·8	41·0	99	91	S.	5	W.	11	1·41	R.			10	fog.			10	st.
27	29·52	29·51	34·3	34·1	41·4	34·1	97	93	N.	6	N.W.	13	·38	·12			10	nb.			4	cu.nb.
28	29·66	29·74	33·0	28·0	39·1	28·0	77	95	N.W.	11	W.	6			3	ci.cu.	2	cu.				
29	29·71	30·11	41·7	30·4	44·8	28·4	83	77	N.W.	17	N.	11	·01	R.							10	st.
30	30·17	30·06	26·7	25·0	31·3	25·0	89	84	N.	7	N.E.	17	·01	·07			10	nb.			10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Halifax, Nova Scotia—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·19	29·89	25·8	30·2	31·3	23·2	86	78	N.	5	N.E.	13					10	cu.			10	cu.
2	29·20	29·64	33·8	29·8	40·0	29·8	87	80	N.W.	22	N.	16	·58	S.			8	cu.			10	nb.
3	29·93	30·19	28·0	25·2	30·2	24·3	73	81	N.	10	N.W.	5					9	cu.			10	cu.st.
4	30·22	29·99	23·6	24·6	26·7	21·7	79	92	E.	6	N.	9		·35			10	cu.st.			10	nb.
5	29·78	29·31	28·6	27·2	32·0	23·6	88	98	N.	10	N.E.	29	·05	40			10	cu.st.			10	nb.
6	29·61	29·86	21·0	21·8	27·6	21·0	85	87	N.	19	N.	6	·05								10	cu.
7	30·03	30·00	27·0	35·0	36·0	20·5	82	92	W.	5	N.W.	7					10	cu.st.			10	st.
8	30·09	30·08	29·0	29·7	42·2	23·6	94	92	N.W.	10	N.W.	7										
9	30·13	30·13	34·0	35·1	38·4	24·2	79	99	W.	5	S.W.	5					10	nb.			10	fog.
10	29·94	29·76	46·0	50·1	52·6	35·3	100	99	S.W.	14	S.W.	23		·02			10	cu.nb.			10	cu.nb.
11	29·55	29·45	53·3	49·2	51·1	18·2	91	98	S.W.	30	W.	10		·84			8 10	cu.st. cu.nb.			10	nb.
12	29·52	29·53	39·8	35·7	49·6	35·7	90	89	W.	12	W.	11	R.				10	cu.			10	st.
13	29·67	29·83	26·3	22·0	36·2	22·0	86	83	N.W.	18	N.	26					8	cu.			8	cu.
14	30·08	30·20	20·0	27·1	29·3	18·8	85	89	N.	23	N.	3					4	cu.			10	cu.st.
15	29·87	29·52	31·6	36·5	36·7	27·6	94	94	S.E.	25	S.E.	19	16	·41			10	nb.			10	nb.
16	29·14	29·45	36·3	30·4	37·3	30·4	100	85	S.W.	2	N.E.	20	·27	·01			10	fog.			10	cu.
17	29·73	29·89	25·0	21·2	31·3	21·2	81	91	N.	12	N.	3							7	ci.cu.		
18	29·90	29·81	27·6	31·7	34·6	21·2	92	93	N.W.	4	W.	5		·03			8	cu.			9	cu.
19	29·79	29·96	26·0	23·0	32·2	23·0	86	79	N.W.	8	N.	11					10	cu.st.	4	ci.cu.		
20	30·02	29·91	31·0	35·4	35·7	18·6	89	69	N.W.	7	W.	11					10	cu.			10	cu.
21	29·89	30·07	32·0	28·0	37·2	28·0	80	74	N.W.	10	N.	11					10	cu.			5	cu.
22	30·07	29·88	25·0	33·3	39·8	15·5	85	86	W.	12	W.	8							5	ci.st.		
23	29·84	29·24	37·6	46·6	47·4	31·8	90	98	W.	12	S.W.	29		·59			10	cu.			10	nb.
24	28·96	29·31	45·1	38·3	52·0	38·3	98	84	W.	24	N.	21	·19	R.			6	cu.			4	cu.nb.
25	29·75	29·97	29·3	32·4	48·4	28·6	79	87	N.W.	6	N.	11							2	ci.st.		
26	30·00	30·15	33·8	34·8	41·6	28·1	89	86	S.W.	9	N.	8		·20			10	cu.nb.			10	cu.st.
27	30·36	30·11	24·0	35·0	35·1	23·6	88	87	E.	6	N.W.	12			3	ci.st.			3	ci.cu.		
28	29·79	29·54	43·0	46·0	46·7	35·0	92	92	W.	15	W.	29					10	cu.			10	cu.nb.
29	29·77	30·14	35·3	22·7	46·3	22·7	69	74	N.	18	N.	5	·09									
30	30·12	29·25	25·2	48·7	48·7	19·6	88	100	S.	6	S.W.	38		·74			10	cu.st.			10	nb.
31	28·80	29·63	43·8	25·3	51·0	25·3	99	60	N.W.	12	N.W.	21	1·28	·25			10	cu.nb.				

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton: Latitude North, 46° 10′; Longitude West, 60° 10′. Height above Sea, 35 feet.
January, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.*				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	30·27	29·79	38 0	48 5	49·5	29·0	91	92	S.	3	S.W.	6	·14	·76	...	...	10	st.	...	...	10	st.
2....	29 97	30·22	34·5	28·5	48·5	26·0	79	77	N.W.	2	N.W.	12	...	...	...	...	10	st.	...	...	10	st.
3....	30·45	30·42	21·0	20·0	28·5	16·5	86	85	N.W.	16	N.W.	2	...	...	...	...	10	cu.st.	...	...	10	cu.st.
4....	30·09	29·39	26 0	46·0	46·0	17·0	88	91	S.E.	1	S.W.	6	·02	·38	...	...	10	st.	...	...	10	st.
5....	29·58	29·80	32·0	25·0	46·5	23·0	79	87	N.W.	8	N.W.	8	·16	...	...	...	10	st.	...	...	10	st.
6....	30·13	30·28	24·5	24·5	26·0	20·5	81	87	N.W.	6	W.	1	...	...	...	...	10	st.	...	...	10	st.
7....	30·15	29·91	26·5	34·0	36·0	21·0	88	79	S.W.	1	N.W.	4	...	...	...	...	10	st.	...	...	10	st.
8....	30·15	30·26	23·0	18·0	34·0	15·0	86	84	N.W.	16	N.W.	1	...	...	...	...	10	cu.st.	...	...	2	st.
9....	29·86	29·10	30 5	33·0	38·5	12 5	84	89	S.	1	N.W.	12	..	·60	...	...	10	st	...	...	...	...
10....	29 70	30 04	4 0	8·5	33 0	1·5	87	89	N.W.	22	S.W.	5	..	...	...	...	2	cu.st.	...	...	5	st.
11....	29·90	29 86	19 0	36·0	38·5	5·5	92	80	N.	2	C.	0	·10	·20	..	..	10	st.	..	..	...	...
12....	30 30	30·43	17·5	18·5	36 0	11·5	83	76	N.W.	8	N.	1	..	...	...	...	5	cu.st.	...	...	10	st.
13....	30 14	30 31	28·0	24 0	31·0	15·0	94	87	E.	3	N.E.	16	·25	·35	...	...	10	st.	...	...	10	st.
14....	30 49	30 30	16·5	17·0	24 5	13·0	83	83	N.	6	C.	0	..	S.	...	...	10	st.	...	...	10	st.
15....	29 63	29·61	31 0	16 5	36 0	14 0	84	83	S.W.	1	N.W.	22	·20	...	...	...	10	st.	...	...	...	...
16....	29·74	29·92	3·5	9·0	16 5	−1·4	86	78	N.W.	12	N.W.	24	...	...	...	...	10	cu.st.	...	...	...	...
17....	30·20	30·32	8·5	5·0	11·5	2·0	89	87	N.W.	20	N.W.	2	...	...	..	...	7	cu.st.	...	...	...	...
18....	30·35	30·21	6·5	13·0	13·0	0 0	88	71	W.	2	W.	3	...	...	10	ci.st.	...	...	...	...	10	st.
19....	30·34	30·46	17·5	18 0	21 5	10·5	76	84	N.W.	6	E.	1	...	...	...	...	7	cu st.	...	...	...	...
20....	30 00	29 63	34·5	50·0	50·5	14·5	79	92	S.	16	S.W.	12	·20	·12	...	...	10	st.	...	...	10	st.
21....	29·77	30·09	37·5	18 5	50·5	16·0	86	84	S.W.	1	N.W.	8	·08	...	...	...	10	st.	...	...	10	st.
22....	30·47	30 65	10 0	8·0	18 5	5·0	79	78	W.	4	C.	0	...	...	...	...	10	cu.st.	...	...	...	...
23....	30·40	30·12	24 0	32 5	32·5	5·0	80	90	E.	12	S.	6	...	·45	...	...	10	st.	...	...	10	st.
24....	29 99	30·00	16 0	−1·0	33·0	−3·4	91	100	N.W.	2	W.	2	·15	...	...	...	10	st.	...	...	...	...
25....	30·10	30 13	0 5	10·0	11·0	−8·4	85	79	W.	5	C.	0	...	...	...	...	...	...	...	...	10	st.
26....	30·21	30·06	23·0	28·0	30·0	7·0	93	88	N.E.	2	C.	0	·20	...	...	...	10	st.	...	...	10	st.
27....	30·33	30·17	20·0	23·5	44·5	17·0	92	86	N.E.	8	N.E.	20	...	...	...	...	10	st.	...	...	10	st.
28....	30·05	30·02	22·5	16·0	26·0	13·0	93	83	N.	3	N.W.	1	...	...	...	...	10	st.	...	...	...	...
29....	30·25	30·30	8·0	8·0	17·5	1·5	100	100	W.	1	C.	0	...	...	...	...	10	cu.st.	...	...	10	cu.st.
30....	30·43	30 00	10·0	23 0	26 0	−0·6	89	86	C.	0	N.	4	...	·30	...	...	10	st.	...	...	10	st.
31....	30·57	30·66	5·0	−2·0	23 0	−5·1	75	100	W.	4	C.	0	·20	...	..	..	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—February, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 p.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·57	30·50	6·0	25·5	25·5	− 6·6	100	94	W.	2	C.	0	S.	·05			10	st.			10	st.
2	30·33	29·58	33·0	39·5	39·5	21·5	80	91	S.E.	4	W.	5		·84			10	st.			10	st.
3	29·54	29·59	35·5	30·0	41·5	27·4	95	72	S.W.	4	N.W.	8					10	st.			10	st.
4	30·06	30·40	6·0	9·0	30·0	3·5	100	78	W.	18	W.	8			3	ci.cu.						
5	30·41	29·92	13·0	23·0	23·0	5·0	81	100	E.	1	N.E.	12		10			10	st.			10	st.
6	29·89	29·96	26·0	19·0	28·5	16·0	94	92	N.	4	W.	2	·10				10	st.			10	st.
7	30·15	30·37	10·5	5·5	19·5	1·5	90	88	W.	2	N.W.	4										
8	30·47	30·35	− 2·0	11·0	19·5	−10·8	100	100	C.	0	C.	0					10	st.				
9	30·29	30·11	1·5	22·0	23·0	− 1·1	100	86	C.	0	N.E.	5		S.							10	st.
10	30·03	30·05	18·5	19·0	22·5	11·5	92	76	N.	4	S.W.	1	10		5	ci.st.						
11	29·61	29·52	31·0	35·0	39·5	12·5	84	89	S.W.	6	S.W.	4	·20	S.			10	st.			10	st.
12	29·58	29·72	17·0	5·0	35·0	3·0	83	100	S.W.	2	S.W.	2	·10		2	ci.st.						
13	29·93	30·13	− 1·0	1·0	10·0	− 5·0	100	100	W.	2	S.W.	1										
14	30·06	29·75	13·5	13·0	13·0	− 5·0	91	87	S.	1	S.W.	8	S.	·06			10	st.			10	st.
15	29·67	29·90	43·0	23·5	41·0	20·5	92	80	W.	6	N.W.	2	·02	·10			10	st.				
16	29·91	29·91	18·0	22·0	26·0	11·5	84	86	C.	0	S.W.	1					10	st.			10	st.
17	29·93	29·87	29·0	28·0	32·0	19·0	83	88	S.W.	1	N.E.	6		·30			10	st.			10	st.
18	29·91	29·72	17·5	18·0	28·0	11·5	92	100	N.E.	10	N.E.	12	·10	·50			10	st.			10	st.
19	29·53	29·71	19·0	21·0	22·0	14·5	100	86	N.E.	21	N.W.	5	·50	·20			10	st.			10	st.
20	29·86	30·06	18·5	27·0	27·0	11·5	92	94	S.W.	2	C.	0					10	st.			10	st.
21	29·75	29·63	45·0	43·0	47·5	24·4	95	92	S.W.	10	S.W.	2	14	·26			10	st.			10	st
22	29·85	29·99	35·0	23·0	43·5	20·0	80	66	S.W.	3	N.W.	8									10	st.
23	30·19	30·42	1·0	− 6·0	23·0	− 8·4	85	100	W.	14	N.W.	6										
24	30·57	30·51	− 4·0	− 5·0	2·0	−11·4	64	100	N.W.	10	S.W.	5					1	cu.st.				
25	30·18	29·21	1·0	23·0	23·0	9·4	85	93	S.W.	5	S.E.	22		·30			10	st.			10	st.
26	29·47	29·83	12·0	3·5	26·5	1·0	90	87	N.W.	22	N.W.	5	·20				10	st.				
27	29·92	30·01	2·5	− 2·0	8·0	− 4·9	86	100	W.	2	N.W.	2					10	cu.st.				
28	30·21	30·37	1·5	1·0	7·0	7·0	84	85	N.W.	20	S.W.	2									10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°			°							in.	in.								
1	30·39	30·39	8·0	5·0	14·0	— 2·0	78	87	W.	2	W.	2					5	cu.st.				
2	30·10	29·41	13·0	33·0	33·0	— 6·0	81	80	S.W.	2	E.	5		·26			10	st.			10	cu.
3	29·28	30·00	29·0	11·0	33·0	8·5	83	100	N.W.	6	N.	2	·08				10	st.			5	
4	30·11	30·05	12·0	18·0	21·5	5·0	90	92	N.	4	N.	3		·05			10	st.			10	st.
5	29·92	29·92	17·5	12·0	20·0	9·5	92	90	N.	6	N.	3	·05				10	st.				
6	30·03	29·85	8·0	18·0	18·5	— 1·1	78	100	W.	1	N.	8		·05	10	ci.st.					10	st.
7	29·32	29·43	20·0	17·5	22·0	15·0	85	100	N.	32	N.W.	40	·40	·40			10	st.			10	st.
8	29·81	29·99	17·5	16·0	22·0	12·5	100	91	S.W.	10	W.	2	·35									
9	29·92	30·07	24·5	19·5	31·5	12·0	94	92	C.	0	N.W.	6					7	cu.st.				
10	30·30	30·36	13·0	11·0	20·0	6·5	81	100	N.W.	4	S.W.	2										
11	30·42	30·24	12·5	25·0	27·5	1·5	90	87	S.W.	2	N.E.	10			10	ci.st.					10	st.
12	29·95	29·95	26·5	26·0	26·5	22·0	94	88	N.E.	12	N.	10	1·00	·60			10	st.			10	st.
13	29·96	29·63	19·0	33·0	33·0	10·0	84	89	S.W.	2	C.	0		·04			10	cu.st.			10	st.
14	29·91	29·90	32·0	23·5	35·5	20·5	94	93	N.	3	E.	6	·04	·20	3	ci.st.					10	st.
15	30·02	30·05	20·5	19·5	25·5	16·0	85	92	N.	8	N.	4	·10				10	st.			10	st.
16	30·18	30·40	16·0	14·0	29·5	1·0	83	100	S.W.	2	C.	0										
17	30·33	29·94	28·5	39·0	39·5	7·0	83	82	S.W.	10	S.W.	24					10	st.			10	cu.st.
18	30·15	30·28	29·0	21·0	39·5	18·5	66	86	N.W.	14	N.E.	1					10	st.				
19	30·29	30·21	16·0	21·0	28·5	2·5	83	86	C.	0	S.E.	6			1	ci.st.					10	st.
20	29·51	28·91	26·0	32·0	34·5	18·0	94	90	S.E.	26	S.W.	4	·20	·10			10	st.			10	st.
21	29·28	29·76	22·5	21·5	32·0	18·5	93	79	N.W.	22	N.	3					10	cu.st.			5	cu.st.
22	29·87	29·87	23·0	31·5	37·0	12·5	86	84	S.W.	4	S.W.	4									10	st.
23	29·37	29·73	38·0	33·5	40·0	28·4	91	76	S.W.	1	N.W.	20	·20				10	st.			10	cu.st.
24	30·04	30·12	18·5	17·5	33·5	13·5	92	76	N.W.	18	N.W.	14					10	cu.st.			10	cu.st.
25	30·18	30·19	19·0	23·5	34·0	10·5	76	73	N.	10	W.	6										
26	29·98	29·98	32·5	39·5	46·5	17·0	79	69	W.	6	N.W.	2					10	st.			10	st.
27	30·34	30·46	25·5	24·5	40·0	21·5	69	74	N.E.	10	E.	2			5	ci.st.					10	st.
28	30·35	29·90	31·0	41·0	41·0	21·0	84	91	S.	6	S.W.	16		·26			10	st.			10	st.
29	29·80	30·11	46·0	34·0	49·0	30·4	84	71	N.W.	4	N.	6	·30				5½	cu.st.				
30	30·16	29·95	33·5	35·0	35·0	26·4	76	90	S.	4	W.	4		·02			10	st.			10	st.
31	30·08	30·18	39·0	38·0	48·0	31·4	41	72	N.E.	12	W.	2									10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	ind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1.	30·36	30·02	33·0	28·0	38·0	24·4	65	88	N.E.	4	N.E.	8	..	S.	...	...	10	st.	...	...	10	st.
2.	30·00	29·86	30·0	28·5	30·0	25·0	89	94	N.E.	16	N.E.	12	·20	·30	..	...	10	st.	...	...	10	st.
3.	29·81	29·99	28·0	24·5	23·0	21·5	77	81	N.W.	12	N.	2	·40	...	..	.	10	cu.st.	...	...	..	...
4	30·01	30·13	34·0	29·5	43·0	16·5	71	77	W.	4	E.	4	..	.	...	...	...	...	...	..	...	..
5.	30·18	29·97	30·0	36·0	11·5	19·5	72	70	E.	6	S.	1	·54	...	10	ci.st.	...	...	...	...	10	st.
6.	29·52	29·17	37·0	22·0	37·0	19·5	90	79	S.	12	N.W.	28	...	...	...	...	10	st.	...	...	10	st.
7	29·97	30·07	17·5	20·5	21·5	12·0	83	85	N.W.	22	N.W.	12	...	...	...	...	10	cu.st.	...	...	.	...
8	30·08	30·04	26·0	23·5	30·5	15·0	73	80	N.	14	E.	4	...	...	.	...	...	...	...	...	...	...
9.	29·97	29·79	26·0	29·0	34·0	14·0	88	89	N.	8	E.	10	...	...	...	...	10	st.	...	...	10	st.
10.	29·37	29·41	33·0	35·0	35·0	26·4	89	90	E.	12	S.W.	2	·60	·02	...	...	10	st.	..	...	10	st.
11.	29·54	29·54	40·0	36·0	46·0	28·4	69	80	S.W.	6	C.	0	...	...	...	...	5	cu.st.	...	...	...	...
12	29·60	29·85	35·0	33·0	45·5	28·4	80	80	N.	6	S.W	2	...	...	...	.	10	st.	...	...	...	...
13	29·88	29·53	32·5	33·0	36·0	24·0	90	89	S.	3	E.	18	..	·10	...	...	10	st.	...	...	...	...
14.	29·23	29·13	34·5	35·0	11·5	30·4	95	90	E.	2	C.	0	10	·04	...	...	10	st.	...	...	10	st.
15	29·35	29·43	38·0	37·0	43·5	31·0	76	76	S.W.	14	N.W.	5	·02	..	..	...	10	cu.st.	...	...	...	...
16	29·50	29·58	37·5	35·0	43·0	31·0	67	74	N.W.	12	N.W.	4	...	...	...	...	10	st.	...	...	...	...
17	29·57	29·43	38·5	34·0	46·5	28·0	54	79	W.	6	E.	3	...	...	...	...	10	st.	...	...	5	st.
18	29·55	29·77	42·0	34·0	46·0	25·4	50	79	N.W.	8	W.	2	...	...	...	...	10	st.	...	...	..	...
19.	29·82	29·85	40·0	32·5	52·0	29·4	73	90	S.W.	4	S.W.	6	...	...	...	...	...	...	...	...	10	st.
20.	29·44	29·55	35·0	34·5	40·0	30·0	90	79	N.	8	N.W.	8	·30	·06	...	...	10	st.	...	...	...	...
21.	29·65	29·87	37·0	28·5	38·0	25·1	53	60	N.W.	8	W.	12	...	...	5	ci.st.	...	...	...	...	...	...
22	30·06	30·04	36·0	38·0	48·5	21·5	61	63	W.	8	S.W.	8	...	...	...	...	...	...	..	...	..	...
23	29·99	29·99	43·0	44·0	56·5	29·0	62	79	S.W.	8	S.W.	8	...	...	...	...	...	...	...	...	...	...
24.	29·82	29·26	47·0	41·5	48·0	36·4	92	96	S.	8	S.W.	4	·08	·74	...	...	10	st.	...	...	10	st.
25.	29·49	30·01	43·5	38·5	45·5	31·4	71	72	N.W.	6	N.W.	2	·02	...	...	...	10	st.	...	...	...	...
26.	30·17	30·20	48·5	35·5	52·5	27·0	49	85	S.W	5	N.	4	...	...	...	...	10	st.	...	...	10	st.
27.	30·14	30·48	43·0	35·5	48·5	20·5	92	75	S.W.	6	N.E.	6	...	...	...	...	..	st.	...	...	...	...
28.	30·53	30·46	36·5	35·5	50·0	23·4	57	85	N.E.	2	S.	2	...	...	...	...	5	cu.st.	...	...	10	st.
29	30·41	30·28	39·5	47·0	59·0	32·0	95	92	E.	1	S.W.	3	...	...	...	...	10	st.	...	..	10	st.
30	30·19	30·12	49·5	49·5	63·0	41·4	92	92	S.W.	6	S.W.	6	...	...	...	...	10	st.	...	...	5	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
							8 a.m.		8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·00	30·11	52·0	40·0	55·0	36·9	92	86	S.W.	6	N.E.	6	....	·24	....	....	10	st.	....	....	10	cu.st.
2	30·32	30·45	32·5	35·0	40·5	27·9	85	80	N.	20	N.E.	6	....	....	....	....	10	st.	....	....	10	st.
3	30·44	30·32	33·0	34·0	38·0	30·4	85	89	S.E.	14	E.	6	....	....	....	....	10	st.	....	....	10	st.
4	30·27	30·12	34·5	33·5	44·5	29·4	79	95	N.E.	2	S.W.	8	....	....	....	....	10	st.	....	....	10	st.
5	29·64	29·96	45·0	38·0	45·5	30·4	87	63	W.	12	W.	11	·40	....	....	....	10	cu.st.	....	....	.	
6	30·05	30·03	41·0	44·5	51·0	32·4	11	56	N.W.	26	S.W.	6	....	....	....	....	....	....	....	....	....	....
7	29·96	29·97	50·0	46·0	60·0	31·4	61	62	S.W.	2	C.	0	....	....	....	....	....	....	....	....	5	st.
8	30·01	30·12	53·0	38·0	63·0	28·4	44	63	N.W.	2	C.	0	....	....	....	....	....	....	....	....	1	st.
9	30·25	30·16	42·0	35·5	48·0	31·9	34	59	N.E.	3	S.	2	....	....	....	....	10	st.	....	....	....	....
10	29·76	29·67	39·0	38·5	40·0	31·9	91	91	E.	12	N.	1	·30	·04	....	....	10	st.	....	....	10	st.
11	29·85	30·38	45·0	37·0	49·0	31·4	61	85	W.	2	N.E.	6	....	·58	....	....	10	st.	....	....	10	st.
12	29·62	29·88	35·5	39·0	48·5	28·9	70	64	W.	14	S.W.	6	·34	....	....	....	10	cu.st.	....	....	....	
13	29·99	29·81	45·0	39·5	51·5	30·4	53	77	W.	6	S.W.	5	....	....	10	ci.st.	....	....	....	....	10	st.
14	29·76	30·13	48·5	37·0	51·0	31·4	60	53	W.	4	N.	12	....	....	....	....	5	cu.st.	....	....	....	....
15	30·23	30·21	47·5	44·0	55·5	27·4	48	55	N.	12	C.	0	....	....	10	ci.cu.	....	....	....	....	....	....
16	30·11	29·98	45·5	52·5	58·5	32·9	61	76	S.	3	W.	2	....	....	....	....	10	st.	....	....	10	st.
17	29·87	30·00	61·0	52·0	69·0	39·4	82	79	S.W.	6	N.W.	3	·04	....	....	....	10	st.	....	....	....	....
18	30·08	29·95	58·5	45·5	63·5	41·9	58	83	S.W.	3	S.E.	5	....	....	....	....	10	st.	....	....	10	st.
19	29·97	29·96	40·0	41·0	57·0	33·9	91	91	N.	4	S.W.	3	·04	....	....	....	10	st.	....	....	10	st.
20	29·79	29·70	43·5	53·5	57·0	35·4	95	83	S.E.	2	S.W.	2	....	....	....	....	10	st.	....	....	10	st.
21	29·67	29·72	51·5	41·0	54·5	36·4	89	87	C.	0	N.E.	3	·08	·06	....	....	10	st.	....	....	10	st.
22	29·78	29·98	43·0	45·5	52·5	35·9	83	80	W.	4	N.	2	·02	·04	....	....	10	st.	....	....	10	st.
23	30·08	30·11	47·5	41·5	55·0	35·9	66	74	S.W.	4	N.	2	....	....	....	....	10	st.	....	....	....	....
24	30·10	30·03	51·0	42·0	60·0	25·9	61	83	N.	1	S.	1	....	....	10	ci.st.	....	....	....	....	10	st.
25	30·02	29·96	43·0	42·0	48·0	27·4	75	61	N.	6	N.	10	....	....	....	....	10	st.	....	....	....	....
26	29·78	29·83	43·5	44·0	46·5	32·9	59	68	N.	18	N.	20	....	....	....	....	10	cu.st.	....	....	10	st.
27	29·87	29·87	45·0	43·0	52·0	34·9	68	75	N.	16	N.	6	....	....	....	....	10	st.	....	....	10	st.
28	29·90	29·83	41·0	37·0	54·5	31·4	82	90	N.	5	S.E.	8	....	....	....	....	10	st.	....	....	10	st.
29	29·73	29·69	40·0	39·0	42·0	31·4	91	91	S.E.	10	S.E.	10	·22	42	....	....	10	st.	....	....	10	st.
30	29·72	29·84	41·0	44·5	45·0	31·9	91	83	E.	14	N.E.	14	·36	·24	....	....	10	st.	....	....	10	cu.st.
31	29·91	29·97	42·0	40·0	45·0	34·9	78	82	N.	16	N.	16	....	....	....	....	10	st.	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°		°								in.	in.								
1	29·97	29·94	39·0	36·5	52·0	32·4	74	77	N.	10	C.	0					5	cu.st.				
2	29·89	29·90	55·0	39·0	66·0	27·9	52	86	S.W.	4	N.	3									5	st.
3	29·92	29·81	41·5	40·0	53·0	31·9	74	73	N.	3	N	6					10	st.	10	ci.st.		
4	29·82	29·95	45·0	42·5	49·5	32·9	68	74	N.E.	16	N.	8									10	st.
5	30·10	30·16	48·0	41·0	55·0	36·4	62	78	N.	6	N.	2									10	st.
6	30·15	30·16	54·0	44·5	60·0	31·9	55	83	E.	4	E.	6					10	cu.st.			10	st.
7	30·06	30·07	44·5	42·0	46·0	38·9	91	91	E.	14	E.	8	·10	·62			10	st.			10	st.
8	30·04	30·10	39·5	40·5	47·5	34·9	91	91	N.	6	E.	6					10	st.			10	st.
9	30·09	30·09	40·0	40·5	43·5	34·4	91	78	E.	10	E.	14					10	st.			10	st.
10	30·08	29·91	44·0	41·0	46·5	35·9	76	82	N.	20	E.	16		·56			10	st.			10	st.
11	29·83	29·85	40·0	39·0	41·5	36·4	91	91	N.	14	N.	16	·20	·42			10	st.			10	st.
12	29·93	30·03	51·0	50·0	61·5	36·9	42	67	N.	16	C.	0			5	ci.st.					9	st.
13	30·01	29·90	67·0	60·5	78·0	38·4	42	54	S.W.	4	S.W.	3			5	ci.			10	ci.st.		
14	29·80	29·77	65·5	56·5	77·5	48·3	35	66	S.W.	8	S.W.	5			10	ci.st.					10	st.
15	29·75	29·77	59·0	45·0	60·0	41·4	76	83	S.W.	4	N.	3					10	st.			10	st.
16	29·92	30·08	46·5	43·5	54·0	40·4	80	91	N.	6	N.	8					10	st.			10	st.
17	30·22	30·19	53·0	54·5	65·0	35·9	54	55	N.	6	S.W.	4									5	st.
18	30·01	29·84	58·0	61·5	72·0	44·8	72	71	S.W.	6	S.W.	5					10	st.			10	st.
19	29·97	30·21	73·0	49·0	76·5	46·3	60	77	S.W.	1	N.	5					10	st			10	st.
20	30·31	30·21	51·0	45·5	53·0	42·3	78	91	E.	8	S.E.	2					10	st.			10	st.
21	30·06	30·08	60·0	50·5	73·5	42·3	90	92	S.W.	2	N.	4		·06			10	st			10	st.
22	30·16	30·20	48·5	52·0	65·0	40·9	92	86	C.	6	C.	0					10	st.			5	st.
23	30·21	30·10	68·5	63·5	82·0	44·4	62	59	S.W.	1	S.W.	1			3	ci.						
24	30·02	29·92	66·0	68·5	83·5	51·3	60	69	S.W.	8	S.W.	2									10	st.
25	30·00	30·03	51·0	47·5	69·0	44·8	82	92	N.	6	N.	1		·02			10	st.			10	st.
26	29·94	29·79	49·0	51·0	57·0	44·8	92	89	N.E.	1	N.	1					10	st.			10	st.
27	29·66	29·54	58·0	56·5	70·0	48·8	96	87	S.W.	2	S.W.	8					10	st.			10	st.
28	29·63	29·91	61·0	61·0	77·0	47·8	79	65	W.	10	W.	1					10	cu.st.				
29	30·06	30·18	67·5	62·0	78·5	45·8	57	68	S.	4	S.W.	3									10	st.
30	30·30	30·28	65·5	57·0	72·0	51·8	49	69	S.W.	4	S.W	2					10	st.			10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Vel.	Dir.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1....	30·18	30·04	58·0	57·0	62·0	51·3	69	93	S.	4	S.E.	3	....	....	....	.....	10	st.	....	.....	10	st.
2....	29·96	29·99	58·0	59·0	69·0	54·4	93	87	S.W.	3	S.W.	1	·12	....	....	.....	10	st.	....	.....	5	st.
3....	30·03	30·02	60·0	60·0	80·0	49·8	93	87	S.W.	3	S.W.	4	....	....	....	.....	10	st.	....	.....	10	st.
4....	29·95	29·98	60·5	52·5	68·0	50·3	96	96	S.	2	N.	3	1·68	·54	....	.....	10	st.	....	.....	10	st.
5....	29·99	29·98	55·0	54·5	60·0	49·8	93	93	N.	3	E.	0	·60	....	....	.....	10	st.	....	.....	10	st.
6....	29·94	29·93	53·5	60·0	76·5	51·3	95	87	N.	3	C.	0	·02	....	....	.....	10	st.	....	.....	8	st.
7....	30·01	30·05	61·5	63·5	76·5	49·3	82	75	S.W.	4	S.W.	2	....	....	....	.....	10	st.	....	.....	10	st.
8....	30·04	30·00	66·0	62·0	75·5	54·9	78	88	S.	1	S.W.	3	....	....	....	.....	10	st.	....	.....	10	st.
9....	29·88	29·70	59·5	59·0	63·0	55·9	96	96	S.W.	3	S.W.	5	·01	·48	....	.....	10	st.	....	.....	10	st.
10....	29·62	29·70	59·5	57·0	74·0	53·4	93	93	S.W.	3	N.	2	·04	·10	....	.....	10	st.	....	.....	10	st.
11....	29·73	29·84	62·0	60·5	65·5	52·9	77	79	W.	6	W.	2	....	....	....	.....	10	cu.st.	....	.....	10	st.
12....	29·84	29·83	68·5	58·5	76·0	52·4	67	87	W.	2	E.	2	....	....	10	ci.st.	....	.....	....	.....	10	st.
13....	29·60	29·66	56·0	58·5	66·0	53·9	96	78	S.E.	3	N.W.	8	·11	....	....	.....	10	st.	....	.....	10	st.
14....	30·01	30·21	57·0	52·0	62·0	50·3	75	79	N.E.	16	N.E.	2	·02	....	....	.....	10	cu.st.	....	.....	....	....
15....	30·26	30·17	58·0	59·5	72·0	40·9	81	79	S.W.	3	S.W.	4	....	....	10	ci.st.	....	.....	10	ci.st.	....	....
16....	30·10	30·07	66·5	67·0	77·5	54·9	71	79	S.W.	8	S.W.	2	....	....	10	ci.st.	....	.....	10	ci.st.	....	....
17....	30·02	29·92	66·0	70·0	78·5	55·4	78	84	S.W.	3	S.W.	2	....	....	....	.....	10	st.	....	.....	10	st.
18....	29·93	29·94	73·0	60·5	74·5	58·9	80	79	N.	2	E.	1	....	....	....	.....	10	st.	....	.....	10	st.
19....	29·87	29·86	64·0	60·0	76·0	56·9	88	93	E.	1	N.	4	....	....	....	.....	10	st.	....	.....	10	st.
20....	29·86	29·88	71·0	62·5	82·5	57·4	95	88	S.W.	1	W.	2	....	....	....	.....	10	st.	....	.....	10	st.
21....	29·79	29·57	67·0	59·5	75·0	54·9	78	93	S.W.	4	C.	0	....	·14	....	.....	10	st.	....	.....	10	st.
22....	29·54	29·76	59·0	58·0	66·5	56·9	90	90	S.W.	2	C.	0	·22	....	....	.....	10	st.	....	.....	10	st.
23....	29·83	29·89	55·5	57·0	60·0	53·9	83	87	N.	10	N.E.	6	....	....	....	.....	10	st.	....	.....	10	st.
24....	30·00	30·05	55·0	54·0	59·0	52·9	93	93	E.	3	S.E.	1	....	....	....	.....	10	st.	....	.....	10	st.
25....	30·03	30·01	56·0	54·0	57·5	50·8	93	93	S.E.	3	S.E.	2	·02	....	....	.....	10	st.	....	.....	10	
26....	30·00	29·91	55·0	52·0	60·0	50·8	86	86	S.E.	8	S.E.	6	....	....	....	.....	10	st.	....	.....	10	st.
27....	29·54	29·40	53·0	60·0	61·5	49·3	92	93	S.E.	8	C.	0	·62	·14	....	.....	10	st.	....	.....	10	st.
28....	29·44	29·62	60·0	54·0	63·0	52·9	84	80	S.W.	3	W.	10	....	....	....	.....	10	cu.st.	....	.....	10	st.
29....	29·79	29·91	63·0	62·5	71·5	54·0	67	74	N.W.	6	S.W.	2	....	....	....	.....	7	cu.	....	.....	10	st.
30....	29·95	29·96	62·5	56·5	68·0	51·8	64	83	E.	6	E.	2	....	....	2	ci.st.	....	.....	....	.....	....	....
31....	29·93	29·93	63·0	59·0	71·0	46·3	62	90	E.	6	S.W.	4	....	·06	10	ci.st.	....	.....	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—August 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·97	30·00	62·0	63·0	71·0	56·4	94	94	S.W.	2	S.W.	5	·04	....	....	.....	10	st.	....	...	10	st.
2....	30·04	30·02	68·0	64·0	75·0	57·9	86	91	W.	2	S.W.	3	....	....	....	.....	10	st.	....	.....	10	st.
3....	29·98	30·00	70·5	69·0	77·5	61·4	87	89	S.W.	2	S.W.	6	·02	....	....	.....	10	st.	..	.....	10	st.
4 ...	30·06	29·92	69·0	67·0	76·0	62·8	92	94	S.W.	3	S.W.	8	....	....	....	.....	10	st.	....	.....	10	st.
5....	29·98	30·06	63·5	61·0	72·0	58·9	69	71	W.	12	C.	0	....	....	....	....	10	cu.	..	.....	....	.....
6 ...	30·07	30·07	67·5	63·5	76·0	53·9	62	69	W.	5	W.	2	....	....	1	ci.st.	....	.....	....	.....	....	..
7....	30·05	30·00	63·0	60·5	69·5	55·9	88	87	S.W.	2	C.	0	·02	....	....	.....	10	st.	....	.....	10	st.
8 ...	29·98	29·94	61·0	61·5	66·5	57·9	93	91	C.	0	S.W.	2	·02	....	....	.....	10	st.	....	.....	10	st.
9....	30·08	30·09	63·0	61·0	73·5	52·4	62	65	W.	6	C.	0	....	..	....	.....	..	.....	....	.....	....	.....
10....	29·96	29·90	64·0	63·5	76·0	55·4	64	80	S.W.	5	C.	0	....	..	....	.....	10	cu.st.	....	.....	5	st.
11....	29·90	29·89	64·5	61·0	71·5	56·4	53	76	N.W.	10	C.	0	....	....	....	.....	10	st.	....	.....	10	st.
12....	29·94	29·97	60·5	58·0	66·0	53·9	79	87	C.	0	S.	4	....	....	..	..	10	st.	....	.....	10	st.
13....	29·88	29·68	61·5	65·0	75·0	55·9	93	88	W.	2	S.W.	4	·04	....	....	.....	10	st.	....	.....	10	st.
14 ..	29·63	29·79	69·5	59·5	72·0	57·9	92	81	S.W.	5	C.	0	·02	....	....	.....	....	....	....	.....	....	..
15 ...	30·04	30·21	61·5	58·0	69·5	45·8	58	72	N.	10	C.	0	....	....	....	.....	5	cu.	....	.....	....	.....
16....	30·28	30·27	68·0	63·0	77·5	47·3	69	72	S.W.	1	N.W.	1	....	....	....	.....	..	..	....	.....	10	st.
17...	30·27	30·21	66·5	59·5	73·5	53·9	68	84	S.W.	3	S.W.	5	....	....	....	.....	....	.	....	.....	3	st.
18 ...	30·07	29·96	63·5	64·0	66·0	55·9	83	94	S.W.	5	S.W.	2	·14	06	....	.....	10	st.	....	.....	10	st.
19....	29·98	30·05	64·0	59·5	67·0	57·9	83	81	N.W.	6	N.	12	....	....	....	.....	10	st.	....	.....	10	st.
20 .	30·11	30·06	58·0	57·5	65·0	54·4	78	87	N.E.	12	S.W.	9	....	....	....	.	10	st.	....	.....	10	st.
21....	29·93	30·04	61·0	59·0	74·5	53·4	93	67	S.W.	3	N.W.	6	·04	....	....	....	10	st.	....	.....	10	st.
22....	30·07	30·13	58·0	54·0	63·0	49·8	69	85	E.	4	C.	0	....	....	....	.	10	st.	....	.....	..	.
23....	30·25	30·23	61·0	58·0	74·0	36·4	71	69	C.	0	S.W.	4	....	....	....	....	....	.....	..	.....	....	....
24...	30·20	30·14	66·0	57·5	76·0	46·3	68	78	S.W.	1	S.W.	4	....	....	....	.....	....	.....	....	.....	....	.....
25. ..	30·01	29·84	63·0	57·0	68·0	45·3	59	75	S.E.	12	S.E.	6	....	....	5	ci.	....	.....	..	.....	10	st.
26....	29·71	29·69	63·5	60·5	67·0	54·9	88	93	S.	6	S.W.	1	·02	·12	....	....	10	st.	..	...	....	.....
27....	29·72	29·79	63·5	56·0	68·0	54·9	80	80	W.	1	W.	2	.	·02	....	...	3	cu.	....	.....	...	.. .
28 ...	29·79	29·74	58·0	57·0	61·5	50·8	84	93	S.W.	2	S.W.	2	.	·14	....	.....	10	st.	....	...	....	....
29....	29·70	29·69	60·5	59·5	70·0	53·4	82	90	S.W.	1	N.W.	2	....	....	....	.....	10	cu.st.	....	.....	...	....
30....	29·70	29·81	61·0	55·5	65·0	53·4	73	83	W.	3	N.W.	1	....	·04	....	.....	10	cu.	....	.....	....	....
31....	29·78	29·75	60·0	57·0	64·5	48·8	84	93	W.	1	N.	2	....	·25	..	....	10	st.	...	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1. ..	29·79	29·84	58·0	59·0	62·5	51·3	87	81	N.E.	1	N.E.	5	·12	...	...	...	10	st.	...	...	10	st.
2. ..	29·89	30·00	56·0	54·5	61·5	52·9	93	77	N.	3	N.W.	6	·60	·02	...	...	10	st.	...	...	...	...
3....	30·13	30·28	58·5	55·0	64·5	47·8	61	86	N.W.	4	N.E.	2	...	...	...	...	10	cu.st.	...	...	...	...
4....	30·39	30·29	56·5	58·0	66·5	41·4	87	87	N.	1	S.	2	...	R.	...	...	10	st.	...	...	10	st.
5....	30·08	29·96	68·0	7·0	75·5	56·4	86	89	S.W.	6	S.W.	2	·16	...	...	...	10	st.	...	...	10	st.
6. .	29·86	29·81	70·0	67·0	76·0	65·3	87	89	W.	4	S.W.	2	...	..	...	.	10	st.	...	...	10	st.
7....	29·69	29·78	65·5	61·5	75·0	60·4	94	88	W.	2	W.	2	...	·01	...	..	10	st.	...	...	...	..
8. ..	29·96	30·07	66·5	60·0	72·0	57·4	73	93	W.	1	E.	6	...	...	10	ci.cu.	...	...	...	...	10	st.
9....	30·11	30·36	62·0	55·0	63·0	54·4	77	86	E.	4	E.	5	...	...	...	..	10	cu.st.	...	...	...	...
10....	30·43	30·39	56·0	55·0	65·5	40·4	77	74	E.	1	S.	3	...	...	5	ci.st.	...	...	...	...	5	st.
11...	30·35	30·26	62·0	60·0	70·0	45·8	77	87	W.	2	S.W.	2	...	...	2	ci.st.	...	...	...	...	5	st.
12 ..	30·11	29·91	68·5	66·0	74·5	58·4	92	94	S.W.	6	S.W.	4	...	..	...	...	10	st.	...	...	10	st.
13....	29·99	30·10	65·5	57·0	68·0	55·9	75	75	W.	6	N.W.	5	...	...	...	..	5	cu.	...	..	10	st.
14....	30·27	30·40	55·0	49·5	60·0	47·8	52	74	N.	12	N.W.	3	...	...	...	.	5	cu.	...	..	...	..
15 ...	30·34	30·06	57·5	60·0	69·5	41·9	69	84	S.	4	S.	4	...	...	...	...	10	st.	2	ci.st.	...	..
16....	30·15	30·21	59·0	51·5	65·0	49·8	59	75	N.W.	12	N.W.	1	...	...	...	...	7	cu.	5	ci.st.	..	..
17 ...	29·93	29·79	56·5	56·0	64·5	40·4	90	77	S.	8	N.W.	12	·22	·04	...	...	10	st.	...	...	10	cu st.
18....	29·93	30·14	48·0	49·0	57·0	44·3	56	70	N.W.	20	N.W.	12	...	...	...	...	10	cu.	...	...	10	cu.
19....	30·17	30·03	49·0	45·5	55·5	43·3	57	75	N.	18	N.W.	3	..	...	..	...	...	...	...	...	10	st
20 ...	29·87	29·88	58·0	49·0	66·0	44·3	58	66	N.W.	6	N.W.	1	...	...	...	...	8	st.	7	ci.st.	...	..
21....	29·91	29·79	52·0	59·0	60·0	41·9	59	93	S.W.	1	S.W.	1	·02	·06	...	...	10	st.	...	...	10	st.
22....	29·84	29·91	61·0	62·5	70·0	56·4	93	96	S.W.	2	S.W.	1	...	·08	...	.	10	st.	...	...	10	st.
23....	30·13	30·01	56·0	57·0	63·0	52·9	74	93	E.	2	S.	1	...	·18	...	...	10	st.	...	...	10	st.
24....	29·82	29·78	67·5	66·0	71·0	55·4	94	89	S.W.	6	S.W.	4	..	·04	...	...	10	st.	...	...	10	st.
25....	29·61	29·56	66·5	59·5	70·5	58·0	94	87	S.W.	4	S.W.	4	·02	...	...	...	10	st.	...	...	..	...
26 ...	29·77	30·00	53·0	53·5	60·0	41·9	73	79	N.W.	6	N.W.	1	·02	...	...	..	10	st.	...	...	...	...
27....	30·01	30·03	51·0	49·0	57·5	37·9	71	88	W.	4	W.	2	..	·12	...	...	1	cu.	...	...	..	..
28....	30·07	30·23	51·0	40·5	54·0	38·9	52	78	N.W.	14	N.W.	1	..	...	8	ci.st.	...	...	...	...	...	...
29....	30·28	30·12	46·5	44·5	55·5	32·0	76	80	S.W.	2	E.	3	...	...	...	...	...	...	...	...	10	st.
30....	29·88	29·91	45·0	46·0	47·0	42·8	83	76	E.	16	E.	12	·18	·30	...	...	10	st.	...	...	10	st

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·87	29·87	44·5	47·0	47·0	42·3	91	80	E.	10	N.E.	10	·04	·14	..	.....	10	st.	....	.....	10	st.
2	29·85	29·79	49·0	49·5	50·0	44·8	74	74	N.E.	14	S.W.	20	·02	02	...	....	10	st.	....	.....	10	st.
3	29·82	29·90	48·0	47·0	51·5	45·8	62	72	N.	20	N.	16	....	....	10	ci.cu.	...	.....	.....	.....	7	st.
4	29·96	29·82	47·5	45·5	58·0	42·0	76	80	N.	2	S.E.	2	....	...	....	....	7	cu.st.	.....	.....	10	st.
5	29·46	29·56	57·5	54·5	62·5	43·8	93	93	S.W.	2	S.W.	1	·40	·08	...	.	10	st.	....	....	10	st.
6	29·66	29·81	50·0	48·5	57·0	39·4	92	88	C.	0	W.	1	02	·04	....	....	10	cu.st.	.....	.....	10	ft.
7	30·08	30·18	48·5	53·5	57·0	38·0	84	79	S.W.	2	S.W.	6	·02	....	....	.....	....	....	....	.. .	10	st.
8	30·07	29·63	61·5	63·5	63·5	52·4	68	77	S.W.	12	S.W.	4	....	....	....	...	10	st.	....	.....	3	cu.st.
9	29·85	30·20	46·0	38·0	64·5	36·4	72	86	N.W.	10	S.W.	2	·46	....	....	.....	10	cu.st.	....	.....	.....	.....
10	30·30	30·23	44·0	44·0	54·0	29·4	79	79	S.E.	1	S.E.	2	....	....	....	....	....	.....	...	....	10	st.
11	30·13	30·14	45·0	43·0	48·5	41·0	87	87	N.W.	2	S.E.	1	....	....	....	.....	10	st.	...	.....	.....	.....
12	30·16	30·12	43·5	48·0	52·0	32·4	95	88	C.	0	S.E.	1	..	...	....	.....	10	st.	....	.....	10	st.
13	30·04	29·98	50·5	51·5	52·0	44·3	96	96	N.	3	N.E.	2	·10	·66	....	.....	10	st.	...	.....	10	st.
14	29·82	29·88	51·5	51·0	53·5	48·8	96	92	N.	3	N.E.	2	1·66	·04	...	...	10	st.	....	....	10	st.
15	30·08	29·99	50·0	47·5	52·0	45·3	78	76	N.E.	8	N.E.	6	...	·04	...	....	10	st.	....	.....	10	st.
16	30·08	30·21	47·0	45·5	54·0	40·0	76	80	N.W.	2	W.	3	....	...	..	..	10	st.	...	....	....	.....
17	30·17	30·12	51·5	50·5	62·5	40·0	68	89	W.	4	C.	0	....	....	....	.....	....	.....	....	.. .	10	st.
18	29·96	29·75	53·5	54·0	64·5	44·3	83	80	W.	4	W.	4	....	....	...	.....	10	st.	..	.....	10	st.
19	29·83	30·02	44·0	36·0	55·0	35·0	56	55	N.W.	4	N.W.	10	....	....	....	.. .	10	cu	....	.....	10	st.
20	30·19	30·16	37·0	36·5	43·0	30·4	53	61	N.W.	6	W.	4	...	..	...	.....	.....	.....	....	.	10	st.
21	29·77	29·42	38·0	37·0	42·5	33·4	90	81	S.E.	10	N.W.	28	36	1·26	..	. ....	10	st.	..	.. .	19	st.
22	29·87	29·98	35·0	33·0	37·5	31·0	70	80	N.W.	18	S.W.	4	..	....	...	.....	10	st.	..	.....	.....	.....
23	29·85	29·82	47·0	50·0	54·0	31·4	80	85	S.W.	6	S.W.	4	...	....	.....	.....	10	st.	....	.....	10	st.
24	29·68	29·60	49·5	43·5	51·0	42·0	96	87	C.	0	N.	20	16	·20	....	....	10	st.	....	.....	10	st.
25	29·83	29·90	40·0	35·0	45·5	33·4	64	80	N.W.	18	W.	4	·14	....	....	.....	10	cu.st.	....	....	...	....
26	29·83	30·01	45·5	41·5	48·0	34·0	87	78	W.	4	N.W.	8	·14	....	....	.....	10	st.	....	.....	.....	.....
27	30·35	30·43	39·0	35·0	45·0	32·4	59	80	N.W.	12	W.	4	....	..	....	.....	10	cu.st.	..	.....	.....	.....
28	30·42	30·28	42·5	51·5	55·0	31·0	87	89	C.	0	S.W.	4	....	....	....	.....	10	st.	....	.....	10	st.
29	30·02	29·56	58·0	59·0	61·5	49·8	87	93	S.	10	S.W.	16	...	1·04	..	.....	10	st.	...	. .	10	st.
30	29·51	29·84	51·5	39·5	59·5	38·4	82	68	S.W.	8	N.W.	12	·10	....	....	.. ..	10	cu.st.	....	.....	10	st.
31	30·30	30·48	36·9	38·0	40·0	34·4	65	63	N.W.	14	N.W.	8	....	..	....	.....	10	st.	....	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·51	30·39	37·0	37·0	48·5	30·4	76	76	S.W.	4	C.	0	....	....	....	.....	...	....	...	.....	..	.....
2	30·27	30·21	39·0	38·5	52·5	30·0	82	86	S.W.	4	C.	0	...	...	....	.....	...	.. ..	...	....	....	.....
3	30·09	29·80	47·0	52·5	56·5	33·4	92	82	S.W.	4	S.E.	20	....	....	..	.....	10	cu.st.	....	.....	10	st.
4	29·57	29·66	51·5	48·0	56·0	46·8	89	73	S.	6	S.W.	6	1·36	....	....	...	10	cu.st.	..	.....	10	st.
5	30·00	30·22	38·5	39·0	48·5	35·4	63	64	W.	1	W.	4	....	....	....	....	....	....	....	.....	2	cu.st.
6	30·37	30·34	39·5	43·0	50·0	30·0	77	83	W	4	S.E.	4	....	....	.....	.....	10	st.	....	.....	10	st.
7	30·12	29·74	41·0	55·0	55·0	41·0	84	93	S.E.	20	S.	12	....	1·26	.....	.....	10	st.	.	....	10	st.
8	29·76	29·75	50·0	47·5	56·5	45·8	85	73	S.W.	4	S.W.	8	...	....	....	.....	10	st.	....	.....	10	st.
9	29·94	30·08	44·0	43·0	51·5	40·0	76	92	W.	8	W.	4	...	..	10	ci.st.	....	.....	....	.....	....	.....
10	30·07	29·91	48·0	59·0	61·5	42·0	92	87	S.W.	4	S.W.	4	...	....	....	.. ..	10	st.	....	.....	10	st.
11	30·05	29·89	53·0	44·0	60·0	12·8	92	91	S.W.	4	E.	6	...	·32	....	.....	10	st.	....	.....	10	st.
12	29·92	30·17	38·5	31·0	45·0	31·1	72	62	N.W.	12	W.	4	14	....	....	....	7	cu.st.	....		10	st.
13	30·16	29·74	31·5	31·5	37·5	25·1	68	89	W.	1	N.	4	...	10	....	.....	10	st.	...	. .	10	st.
14	29·67	29·75	33·5	34·5	37·5	30·4	76	84	S.W.	6	W.	8	....	S.	....	.....	10	st.	....	....	10	st.
15	30·23	30·39	26·5	29·0	34·5	25·0	82	77	W.	12	W.	4	·10	...	....	. . .	10	st.	....	.....	10	st.
16	30·47	30·24	25·0	33·5	36·0	20·5	87	76	S.W.	4	S.E.	4	...	....	....	.....	2	st.	....	.....	10	st.
17	29·97	30·19	35·5	33·0	40·0	31·4	65	61	N.W.	6	N.	14	·08	..	....	.....	.. ..	...	....	.....	10	cu.st.
18	30·37	30·28	29·5	40·0	40·0	23·4	83	68	S.W.	4	S.W.	8	....	....	10	ci.st.	....	.....	..	.....	10	st.
19	30·24	30·19	39·5	41·0	48·0	37·4	82	82	W.	4	N.E.	12	....	....	10	ci.st.	....	.....	....	.....	10	st.
20	30·31	30·46	31·5	33·5	41·5	30·0	74	70	N.E.	18	N.E.	12	..	....	.....	.....	10	cu.st.	....	.....	..	.....
21	30·50	30·41	31·0	35·5	41·0	25·4	89	80	N.E.	4	N.	4	.....	....	10	ci.st.	. .	...	....	....	10	st.
22	30·26	30·15	39·5	44·0	46·5	29·0	86	84	S.	4	S.	4	....	....	.....	.....	10	st.	....	.....	10	st.
23	30·06	30·14	45·0	37·5	47·0	36·4	91	90	S.W.	4	C.	0	·06	...	.....	.....	10	st.	....	.....	....	.....
24	30·37	30·56	37·0	34·0	39·5	32·4	71	62	N.W.	6	N.E.	8	....	....	..	.....	10	cu.st.	....	.....	....	.....
25	30·60	30·40	33·0	39·5	39·5	28·1	80	68	E.	6	S.E.	12	..	....	.....	.....	10	st.	....	.....	10	st.
26	29·96	29·77	42·0	44·5	47·0	38·0	91	87	S.E.	14	S.W.	8	·94	·24	.....	. . .	10	st.	....	. .	10	st.
27	29·71	29·59	39·5	38·5	50·0	36·4	86	86	E.	4	S.W.	8	....	14	....	....	10	st.	....	.....	10	cu.st.
28	29·67	29·85	34·0	34·5	38·5	33·0	79	71	N.W.	10	S.W.	4	·04	....	.....	.....	10	st.	....	...	...	...
29	29·82	30·15	33·5	33·0	42·0	28·0	84	89	C.	0	N.W.	12	S.	·16	....	. .	10	st.	....	.....	10	st.
30	30·29	30·13	30·0	32·5	53·0	28·0	78	85	W.	4	E.	8	...	·20	....	.....	10	st.	..	.....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

Sydney, Cape Breton —December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·24	30·19	31·0	32·0	33·0	29·0	89	74	N.E.	8	E.	12	....	....	....	.....	10	st.	....	.....	10	st.
2	29·19	29·56	41·0	31·0	44·0	30·0	91	73	S.E.	16	W.	16	·52	·54	....	....	10	st.	....	.....	....	.....
3	29·93	30·21	28·5	27·5	31·0	25·4	77	76	N.W.	12	S.W.	4	....	....	....	.....	10	cu.st.	....	....	10	st.
4	30·31	30·12	28·0	28·5	30·0	26·0	77	83	W.	6	E.	6	....	S.	....	....	10	st.	....	.....	10	st.
5	29·97	29·47	32·0	32·5	32·5	26·4	69	75	N.E.	12	N.E.	20	·20	....	....	.....	10	st.	....	....	10	st.
6	29·45	29·82	29·0	29·5	33·0	26·4	77	66	N.W.	24	N.W.	18	·50	....	....	.....	10	cu.st.	....	....	10	cu.st.
7	29·77	30·03	28·0	33·0	34·0	25·4	88	85	W.	4	W.	4	....	....	....	....	10	st.	....	....	10	st.
8	30·12	30·14	32·0	35·0	40·0	28·0	84	70	W.	4	S.W.	4	....	....	10	ci.st.	....	....	....	....	10	st.
9	30·16	30·22	35·0	35·0	42·5	33·0	90	84	S.W.	3	C.	0	....	....	....	....	10	st.	....	....	....	....
10	30·14	29·99	40·5	48·0	50·5	31·0	95	92	S.W.	4	S.W.	6	....	....	....	.....	10	st.	....	....	10	st.
11	29·85	29·67	54·0	54·0	57·5	47·3	86	23	S.W.	16	S.W.	6	....	....	....	....	10	st.	....	....	10	st.
12	29·65	29·60	43·5	39·0	54·0	37·4	91	64	S.W.	6	S.W.	8	·02	....	....	.....	10	st.	....	....	10	st.
13	29·67	29·80	31·0	24·0	39·0	22·4	68	74	S.W.	16	W.	10	....	....	....	....	10	st.	....	....	10	st.
14	30·02	30·31	32·0	29·0	35·5	23·0	84	72	N.W.	10	N.	10	S.	....	....	.....	10	st.	....	....	5	cu.st.
15	30·13	29·82	29·5	32·0	33·5	25·4	83	90	E.	4	S.E.	8	..	·05	....	.....	10	st.	....	....	10	st.
16	29·41	29·41	35·0	33·5	35·5	31·4	95	89	N.E.	4	N.E.	10	·41	·55	....	.....	10	st.	....	.....	10	st.
17	29·75	29·98	31·5	31·5	34·0	30·0	70	68	N.E.	8	N.W.	4	05	....	....	.....	10	st.	....	....	10	st.
18	30·02	29·92	27·0	32·0	33·5	25·4	88	90	W.	4	S.W.	4	....	....	..	....	10	st.	....	....	10	st.
19	29·81	29·94	30·0	27·5	33·0	25·0	89	71	W.	4	S.W.	10	10	....	....	.....	10	st.	....	....	10	st.
20	30·07	30·00	23·5	34·0	34·5	21·5	86	71	S.W.	6	W.	8	..	....	10	ci.st.	....	..	.....	....	10	st.
21	29·93	30·07	31·0	22·5	35·0	21·5	79	72	S.W.	4	N.W.	16	....	....	....	.	10	st.	....	....	10	cu.st.
22	30·09	29·91	22·5	30·0	32·5	20·0	86	78	W.	4	W.	4	....	....	....	....	10	st.	....	....	10	st.
23	29·86	29·76	31·0	39·5	41·0	29·0	89	86	W.	6	S.W.	4	....	·08	....	....	10	st.	....	....	10	st.
24	29·01	29·24	52·0	40·5	53·5	37·4	92	69	W.	5	N.W.	14	1·08	..	10	ci.st.	....	....	....	....	....	....
25	29·78	29·98	35·5	34·0	41·0	32·4	70	62	W.	8	W.	4	....	....	10	ci.st.	....	....	....	....	10	st.
26	30·15	30·13	28·5	35·5	35·5	26·0	72	90	W.	4	N.W.	8	....	S.	....	....	....	....	....	....	10	st.
27	30·39	30·26	25·0	31·5	36·0	24·0	81	79	W.	4	S.W.	6	....	....	10	ci.st.	....	....	....	....	....	....
28	29·86	29·63	45·0	44·0	47·5	30·4	87	91	S.W.	4	S.W.	4	....	....	10	ci.st.	....	....	....	....	10	cu.st.
29	29·71	30·15	37·5	27·0	46·5	26·0	76	70	N.W.	12	N.W.	8	·14	....	....	.....	10	cu.st.	....	....	....	....
30	30·27	29·77	25·0	38·0	38·0	22·4	75	81	W.	4	S.E.	20	....	·02	....	....	....	....	....	....	9	cu.st.
31	28·96	29·47	52·0	28·0	54·0	27·0	89	77	S.	8	S.W.	6	1·64	·06	10	st.	....	....	....	....	10	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland: Latitude North, 47° 34′; Longitude West, 52° 42′. Height above Sea, 125 feet.

January, 1907.

Day.	Pressure		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·37	30·01	27·0	35·0	35·0	20·0	52	53	S.	6	S.E.	11	....	....	4	ci.st.	...	.....	....	.....	....	.....
2	29·53	29·66	45·0	30·0	47·0	30·0	68	46	S.	9	N.	11	·30	·10	....	....	....	.....	....	.....	....	.....
3	29·84	29·96	26·0	14·0	30·0	14·0	51	63	N.	20	N.	7	....	·05	....	.....	....	.....	....	.....	....	.....
4	29·93	29·34	14·0	34·0	34·0	10·0	28	52	N.	8	S.E.	21	....	....	4	ci.st.	....	.....	....	.....	....	.....
5	28·86	29·36	44·0	29·0	44·0	29·0	59	54	S.E.	18	N.	15	·71	·06	....	.....	....	.....	....	.....	....	.....
6	29·62	29·91	25·0	23·0	28·0	8·0	37	37	N.	10	S.	7	....	....	4	ci.st.	....	.....	....	.....	....	.....
7	29·91	29·54	19·0	28·0	28·0	15·0	39	43	S.	7	N.	6	....	....	....	.....	....	.....	....	.....	....	.....
8	29·50	29·92	26·0	12·0	28·0	12·0	37	41	W.	7	N.	6	·10	·10	2		4	st.	....	.....	....	.....
9	29·92	29·00	9·0	35·0	35·0	3·0	35	53	N.	4	S.E.	32	....	....	....	.....	....	.....	....	.....	....	.....
10	29·07	29·70	23·0	14·0	26·0	14·0	21	28	S.	24	N.	18	·50	....	4	ci.	....	.....	....	.....	....	.....
11	29·98	29·68	23·0	38·0	38·0	14·0	51	62	S.W.	4	S.E.	17	....	....	3	ci.	3	st.	....	.....	....	.....
12	29·73	29·97	38·5	20·0	39·0	20·0	37	41	N.W.	12	N.	2	·30	....	....	....	....	.....	....	.....	....	.....
13	30·08	29·71	24·0	29·0	29·0	16·0	35	50	S.E.	4	N.E.	10	....	....	....	.....	....	.....	....	.....	....	.....
14	29·98	30·01	18·0	11·0	27·0	11·0	37	20	N.	18	N.	4	·40	....	....	....	....	.....	....	.....	....	.....
15	29·80	28·97	10·0	24·0	24·0	4·0	17	35	S.	6	N.	12	....	....	....	....	....	.....	....	.....	....	.....
16	28·91	29·07	8·0	9·0	10·0	6·0	11	100	N.W.	24	N.W.	20	·30	....	4	ci.	....	.....	....	.....	....	.....
17	29·45	29·78	7·0	3·0	10·0	1·0	30	100	N.	20	N.W.	13	....	....	4	ci.st.	....	.....	....	.....	....	.....
18	29·93	29·87	4·5	16·0	16·0	0·0	72	32	N.W.	7	S.W.	7	....	....	4	ci.cu.	....	.....	....	.....	....	.....
19	29·94	30·29	14·0	8·0	19·0	8·0	28	11	S.W.	5	N.	4	....	....	2	ci.st.	....	.....	....	.....	....	.....
20	30·21	29·83	15·0	34·0	34·0	4·0	13	52	S.	7	S.E.	18	....	R.	2	ci.cu.	....	.....	....	.....	....	.....
21	29·71	29·72	44·0	36·0	46·0	31·0	52	61	S.E.	10	S.E.	5	·80	·30	4	ci.st.	....	.....	....	.....	....	.....
22	30·02	30·41	26·0	20·0	36·0	20·0	39	26	S.W.	7	N.	5	·06	·06	5	ci.cu.	....	.....	....	.....	....	.....
23	30·42	30·19	23·0	28·0	28·0	16·0	33	43	S.	8	N.E.	9	....	....	....	.....	....	.....	....	.....	....	.....
24	29·83	29·50	30·0	37·0	37·0	28·0	36	52	S.E.	6	N.	11	....	R.	....	.....	....	.....	....	.....	....	.....
25	29·80	29·97	17·0	23·0	37·0	15·0	21	33	N.	13	N.	10	·30	....	....	....	....	.....	....	.....	....	.....
26	30·01	30·12	33·0	35·0	38·0	23·0	60	53	S.	8	S.	3	....	....	....	.....	....	.....	....	.....	....	.....
27	30·01	29·98	46·0	31·5	46·0	31·5	54	58	S.	10	N.E.	5	....	....	....	.....	....	.....	....	.....	....	.....
28	29·72	29·61	34·5	33·4	37·0	29·5	52	58	W	4	S.E.	6	·80	....	....	....	....	.....	....	.....	....	.....
29	29·76	30·06	29·0	16·0	33·4	16·0	44	32	W.	8	N.	9	....	....	....	....	....	.....	....	.....	....	.....
30	30·28	30·24	14·0	24·0	24·0	12·0	28	23	N.	10	S.E.	11	....	....	....	....	....	.....	....	.....	....	.....
31	29·96	30·22	26·0	5·0	28·0	5·0	28	100	S.E.	20	N.E.	16	....	....	....	.....	....	.....	....	.....	....	.....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—February 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·33	30·31	5·0	8·0	8·0	0·0	50	11	W.	6	N.	4	....	....	....	....	....	....	....	....	....	....
2	30·40	29·89	14·0	31·0	31·0	7·0	28	48	N.	8	S.E.	28	·10	.	....	....	....	....	....	....	....	....
3	29·45	29·36	38·0	39·5	45·0	31·0	45	47	S.	13	S.	10	1·05	·06	3	ci.cu.	....	....	....	....	....	....
4	29·55	30·05	30·0	18·0	39·5	18·0	46	37	W.	20	N.W.	6	....	....	2	ci.cu.	2	st.	....	....	....	....
5	30·31	29·82	14·0	23·0	23·0	11·0	13	33	W.	7	N.E.	8	..	·10	4	ci.st.	....	....	....	....	....	....
6	29·73	29·60	28·0	33·0	36·0	23·0	43	60	E.	10	E.	6	·02	....	....	....	....	....	....	....	....	....
7	29·60	29·97	29·0	14·0	33·0	14·0	55	13	S.W.	12	W.	8	....	....	..	....	....	....	....	....	....	....
8	30·18	30·17	9·0	10·0	15·0	5·0	14	17	W.	6	N.	6	....	....	....	....	....	....	....	..	....	....
9	30·10	29·90	14·0	17·0	18·0	7·0	28	35	S.	5	S.	6	....	....	....	....	....	....	....	....	....	....
10	29·44	29·89	20·0	14·0	20·0	14·0	41	28	N.	20	N.	10	·20	·10	....	....	....	....	....	....	....	....
11	29·94	29·45	7·0	14·0	44·0	2·0	30	52	N.	5	S.	8	....	....	....	....	....	....	....	....	....	....
12	29·24	29·41	42·0	29·0	44·0	29·0	50	55	S.	8	W.	10	·40	·03	....	....	....	....	....	....	....	....
13	29·52	29·72	18·0	16·0	29·0	11·0	37	65	W.	10	N.W.	10	....	....	....	....	....	....	....	....	....	....
14	29·95	29·72	9·0	30·0	30·0	4·0	14	56	N.	8	S.	16	....	....	....	....	....	....	....	....	....	....
15	29·71	29·55	44·0	42·0	48·0	30·0	67	57	S.	9	S.	6	·44	·12	..	..	....	....	....	....	....	....
16	29·67	29·62	28·5	25·0	42·0	25·0	43	62	S.E.	8	N.	8	·02	....	....	....	....	....	....	....	....	....
17	29·85	29·66	28·0	31·0	34·0	23·0	43	48	S.	6	S.	6	·00	....	4	ci.cu.	....	....	....	..	....	....
18	29·73	29·57	20·0	23·0	31·0	14·0	41	46	E.	20	S.E.	30	·06	....	....	....	....	....	....	....	....	....
19	29·25	29·16	30·9	32·0	36·0	18·0	56	49	S.E.	10	S.	6	1·00	R.	....	....	..	....	....	....	....	....
20	29·36	29·83	29·0	31·0	34·0	29·0	44	68	W.	18	W.	5	·06	..	4	ci.st.	4	....	....	....	4	st.
21	29·99	29·88	33·0	41·0	46·0	29·0	51	48	S.	4	S.	9	·02	....	4	ci.cu.	....	....	....	....	....	....
22	29·67	29·68	43·0	32·0	47·0	32·0	47	49	S.	7	S.W.	5	·28	....	4	ci.cu.	....	....	..	....	....	....
23	29·64	30·00	29·0	15·0	32·0	15·0	44	13	W.	10	N.	8	S.	....	4	ci.cu.	....	....	....	....	....	....
24	30·11	30·05	2·4	3·0	6·0	−1·0	100	100	N.W.	10	N.	10	....	....	2	ci.cu.	....	....	....	....	....	..
25	29·95	29·52	−3·0	4·0	4·0	−3·0	100	22	N.	8	W.	4	....	....	....	..	....	....	....	....	....	....
26	28·85	29·08	16·0	15·0	26·0	4·0	32	13	E.	12	N.E.	20	·20	·40	....	. .	....	....	....	....	....	....
27	29·35	29·53	15·0	14·0	22·0	13·0	13	28	N.	8	N.	6	....	....	..	....	....	....	....	....	....	....
28	29·55	29·83	2·0	2·0	14·0	−2·0	43	100	N.W.	6	W	12	....	..	....	....	....	....	5	ci.cu.	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—March, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1....	29·93	29·95	3·0	5·0	10·0	— 5·0	41	50	W.	10	W.	7	....	....	2	ci.cu.	....	.....	....	....	....	....
2....	29·97	29·46	3·0	26·0	26·0	— 5·0	19	39	N.	6	S.	8	....	....	2	ci.st.	....	....	....	....	....	....
3....	29·02	29·64	35·0	13·0	36·0	13·0	51	43	S.	10	N.	8	1·00	S.	....	.....	....	...	....	....	....	....
4....	29·91	29·83	14·0	15·0	18·0	8·0	28	64	S.E.	8	E.	12	·02	....	....	.....	....	....	....	....	....	....
5....	29·61	28·83	18·0	22·0	22·0	14·0	37	44	S.E.	10	S.	24	S.	·02	....	.....	....	....	....	....	....	....
6....	29·64	29·72	21·0	23·0	27·0	17·5	29	46	S.W.	6	N.E.	8	·01	....	4	ci.st.	....	....	....	....	....	....
7....	29·01	28·83	33·0	35·0	41·0	23·0	51	53	N.E.	10	S.	16	·50	....	....	.....	....	....	....	....	....	....
8....	28·95	29·71	33·0	25·0	36·0	25·0	51	37	W.	12	W.	6	·10	....	10	ci.cu.	....	.	..	....	....	....
9....	29·98	29·58	28·0	37·0	37·0	18·0	54	52	W.	7	S.	10	·00	·01	5	ci.cu.	....	..	..	....	....	....
10 ...	29·81	30·12	22·0	11·0	26·0	11·0	44	39	W.	6	N.	8	·30	....	2	ci.cu.	....	.....	....	....	....	....
11....	30·24	30·24	15·0	18·0	28·0	4·0	100	33	N.	8	S.	8	....	....	....	.....	....	..	..	....	....	..
12....	29·99	29·13	27·0	37·0	37·0	11·0	41	61	E.	10	S.E.	6	S.	1·80	....	.. ..	....	....	....	....	....	..
13....	29·20	29·52	30·0	30·0	37·0	29·0	56	56	N.	10	N.	6	·66	....	....	.....	....	....	....	....	....	....
14....	29·43	29·68	33·0	32·0	38·0	28·0	60	59	S.W.	5	S.	7	....	....	4	ci.st.	....	....	....	...	....	....
15....	29·69	29·69	21·0	18·0	32·0	18·0	57	37	E.	10	N.	4	·12	....	....	.....	....	....	....	....	....	....
16....	29·73	30·05	20·0	12·0	27·0	12·0	70	100	W.	8	N.	5	....	..	4	ci.st.	....	.....	....	....	....	....
17...	30·21	29·86	25·0	30·0	30·0	10·0	62	78	N.	6	E.	20	...	...	4	ci.st.	....	....	....	....	....	....
18....	29·70	29·92	37·0	25·0	39·0	25·0	61	62	S.	14	N.	10	·10	.	....	.....	....	..	....	....	....	....
19....	29·88	29·98	24·0	18·0	26·0	12·5	48	68	W.	6	N.	4	..	....	3	ci.cu.	....	.....	3	ci.cu.	3	st.
20....	30·63	29·17	16·0	28·0	28·0	7·0	82	65	E.	8	S.E.	36	....	....	....	.....	....	....	....	....	....	....
21....	28·85	28·87	34·5	29·0	38·0	28·0	61	77	S.	6	N.	10	·80	....	....	.....	....	.....	....	....	....	....
22....	29·46	29·73	26·0	23·0	26·0	21·0	75	73	W.	8	W.	4	·05	...	3	ci.cu.	....	.....	....	....	....	.....
23....	29·56	28·99	31·0	35·0	37·0	21·0	68	69	S.	12	S.	10	....	10	....	.....	....	....	3	....	....	.....
24....	29·14	29·31	26·0	19·0	27·0	19·0	76	84	N.	24	N.E.	30	·10	....	....	.....	..	....	....	....	....	....
25 ...	29·30	29·68	15·0	21·5	24·0	10·0	100	90	N.W.	30	N.W.	10	....	....	....	.....	..	.....	....	....	....	....
26....	29·74	29·67	27·9	32·0	37·0	17·0	64	69	W.	8	S.	4	....	....	2	ci.cu.	....	.....	....	....	....	....
27...	29·87	30·21	28·0	26·0	32·0	26·0	88	75	S.	10	N.	5	....	....	....	.....	....	.....	....	....	....	....
28.. .	30·31	29·91	18·0	32·0	32·0	9·0	84	59	S.E.	6	S.	4	...	....	4	ci.st.	....	.....	....	....	....	....
29 ...	29·42	29·75	40·0	30·0	44·0	30·0	47	78	S.	6	N.	18	1·02	....	....	.....	....	.....	....	....	....	....
30....	30·01	29·77	30·0	35·0	35·0	27·0	67	69	S.	6	S.	1	....	....	5	ci.st.	....	..	....	....	....	....
31....	29·77	29·85	38·0	36·0	41·0	33·0	53	61	S.W.	8	W.	6	·20	....	2	ci.cu.	....	.....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—April, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1.	30·04	30·04	34·0	28·0	36·0	28·0	52	100	W.	4	S.E.	4	....	....	2	ci.cu.	....	....	....	....	....	....
2.	29·92	29·76	28·0	28·0	37·0	25·5	88	88	E.	10	S.E.	14	·20	....	....	..	....	....	....	....	....	....
3.	29·31	29·57	31·5	29·0	37·0	27·0	100	77	S.E.	8	N.	10	·60	....	....	....	....	....	..	....	....	....
4.	29·67	29·84	27·5	31·0	36·0	19·0	87	68	W.	8	N.	4	....	....	2	ci.st.	..	...	....	....	....	....
5.	30·00	29·98	25·0	28·0	32·0	15·0	67	76	W.	6	E.	8	....	...	....	....	....	....	....	....	....	....
6.	29·78	29·16	28·0	33·0	33·0	24·0	76	60	E.	10	S.E.	16	..	·50	....	....	....	....	....	....	....	....
7.	28·57	28·94	34·0	25·0	36·0	25·0	61	100	S.W.	6	N.E.	40	R.	....	....	..	....	...	....	....	....	....
8.	29·28	29·54	23·0	23·0	27·0	18·0	73	73	N.E.	34	N.	16	....	....	....	....	....	....	..	..	....	....
9.	29·64	29·72	24·0	24·0	29·0	18·0	73	73	W.	6	N.	8	....	....	4	ci.st.	....	....	....	....	....	....
10.	29·56	29·33	27·0	28·0	30·0	21·0	52	88	S.E.	7	N.	3	....	....	6	ci.st.	....	....	....	....	....	....
11.	29·48	29·36	33·0	34·0	36·0	25·0	70	79	S.W.	4	N.E.	1	·30	....	....	....	....	....	....	....	....	....
12.	29·13	29·56	35·0	33·0	37·0	33·0	62	70	N.E.	17	N.	3	1·50	·10	....	....	....	.	....	....	.	....
13.	29·66	29·60	34·0	35·0	45·0	25·0	71	69	S.W.	4	S.	2	....	..	....	....	....	....	....	....	....	....
14.	29·16	29·13	35·0	39·0	40·0	33·0	79	54	S.E.	4	S.W.	10	·02	....	....	....	....	.	....	..	....	....
15.	29·17	29·13	37·0	34·0	39·0	34·0	71	79	S.W.	12	S.W.	8	·44	....	....	....	....	..	....	....	....	....
16.	29·18	29·20	33·0	35·0	41·0	28·0	80	69	S.W.	6	S.W.	7	....	....	....	....	....	..	....	....	....	....
17.	29·28	29·24	37·0	32·0	40·0	30·0	71	89	S.W.	12	S.W.	2	....	....	2	ci.	....	....	....	....	....	..
18.	29·03	29·31	34·0	31·0	34·0	26·0	79	89	N.	5	N.W.	10	....	....	....	....	....	....	....	....	....	....
19.	29·59	29·76	35·0	34·0	43·0	25·0	61	79	W.	6	S.E.	5	....	....	....	....	2	cu.	....	....	....	....
20.	29·58	28·83	33·0	30·0	37·0	26·0	89	79	S.E.	9	N.	35	....	·52	....	....	....	....	....	....	....	....
21.	29·34	29·47	35·0	35·0	39·0	30·0	79	78	S.W.	14	N.W.	10	·03	....	....	....	....	...	....	....	....	....
22.	29·62	29·90	32·0	30·0	38·0	25·5	89	89	N.W.	10	S.W.	8	....	....	....	....	6	cu.	....	....	....	....
23.	29·93	29·92	38·0	40·0	45·0	26·0	62	64	S.W.	8	S.W.	14	....	....	....	....	....	....	....	....	....	....
24.	30·03	29·77	47·0	37·5	48·0	37·0	77	90	S.W.	9	S.E.	29	....	....	....	ci.cu.	....	....	....	....	....	....
25.	29·52	29·67	40·0	37·0	40·0	35·0	91	100	S.E.	34	S.E.	2	1·30	....	6	..	..	..	....	....	....	....
26.	29·97	30·19	39·0	32·0	43·0	32·0	90	100	W.	4	N.E.	2	·35	....	....	..	....	....	....	....	....	....
27.	30·60	30·06	34·0	40·0	52·0	30·0	89	91	S.E.	4	N.	8	....	....	....	..	....	....	....	....	....	....
28.	30·38	30·37	37·0	31·0	40·0	30·0	80	89	N.E.	8	S.W.	9	....	....	....	....	....	....	....	....	....	....
29.	30·34	30·21	30·0	38·0	43·5	20·5	89	90	S.W.	5	S.W.	16	....	....	1	ci.	....	....	....	....	....	....
30.	30·18	30·05	53·0	50·0	58·0	37·0	86	71	S.W.	10	N.W.	12	....	....	....	....	2	cu.	....	....	9	st.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland.—May, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°		°							in.	in.								
1....	29·98	29·78	55·0	51·0	62·0	46·0	93	92	S.W.	10	S.E.	15	·25	....	....	....	....	....	....	....	....	....
2....	29·98	30·27	34·0	31·0	51·0	29·0	89	89	N.E.	13	N.E.	13	....	....	....	....	....	....	9	st.	....	....
3....	30·35	30·29	34·0	32·0	38·5	27·0	79	100	N.E.	9	S.E.	7	·13	....	....	....	3	cu.st.	....	....	....	....
4....	30·08	30·03	35·0	37·0	41·0	31·0	89	100	S.E.	6	S.E.	0	....	....	....	....	....	....	....	....	....	....
5....	29·78	29·50	39·0	35·0	43·0	33·0	100	89	S.E.	12	N.	20	....	....	....	....	....	....	....	....	....	....
6....	29·47	29·50	36·0	39·0	39·0	32·0	61	79	N.	25	N.W.	21	....	....	....	....	7	st.	....	....	....	....
7....	29·57	29·67	42·0	38·0	50·0	32·0	50	71	N.W.	22	S.W.	4	....	....	....	....	....	....	....	....	....	....
8....	29·74	29·86	46·0	42·0	50·0	32·0	69	66	N.W.	5	S.E.	7	....	....	10	ci.st.	....	....	....	....	....	....
9....	29·91	30·00	46·0	33·0	54·0	33·0	69	100	N.W.	6	S.E.	4	....	....	....	....	5	st.	....	....	....	....
10....	29·93	29·33	44·0	36·0	44·0	31·0	44	100	S.E.	8	S.E.	17	....	·80	....	....	....	....	....	....	....	....
11....	29·56	29·81	41·0	34·0	54·5	34·0	91	100	N.W	10	S.E.	3	·20	....	....	....	9	st.	....	....	....	....
12....	29·22	29·45	40·0	34·0	43·0	32·0	91	79	S.W.	17	S.W.	17	·27	....	....	....	....	....	....	....	....	....
13....	29·61	29·09	10·0	37·0	46·5	31·5	55	90	N.W.	20	S.W.	13	....	....	....	....	0	cu.	....	....	....	....
14....	29·36	29·51	40·0	33·0	50·0	31·0	73	89	S.W.	12	N.W.	13	·13	....	....	....	6	cu.	....	....	....	....
15....	29·62	29·78	36·0	34·0	45·0	30·0	80	79	S.W.	19	N.W.	2	....	....	....	....	10	st.	....	....	....	....
16....	29·73	29·72	42·0	30·0	48·0	28·0	66	100	N.W.	14	S.	1	....	....	....	....	2	cu.	....	....	....	....
17....	29·73	29·67	43·0	36·0	48·0	28·5	66	90	W.	3	S.	2	....	....	....	....	....	....	....	....	....	....
18....	29·80	29·77	45·0	39·0	48·0	35·0	92	100	S.W.	8	S.W.	8	·20	....	....	....	....	....	....	....	....	....
19....	29·71	29·83	39·0	33·0	40·5	33·0	100	100	S.	7	S.W.	3	....	....	....	....	....	....	....	....	....	....
20....	29·82	29·62	49·0	39·0	56·0	31·5	78	90	S.W.	5	S.W.	8	....	....	....	....	10	cu.st.	....	....	....	....
21....	29·60	29·57	56·0	49·0	66·0	38·0	93	100	S.W.	5	C.	0	....	·06	....	....	....	....	....	....	....	....
22....	29·58	29·95	50·0	40·0	54·5	40·0	92	91	S.W.	4	S.W.	2	....	....	....	....	....	....	....	....	....	....
23....	29·96	29·93	45·0	41·0	54·5	37·0	84	91	E.	6	S.W.	3	·27	....	....	....	7	cu.	2	cu.st.	9	cu.
24....	29·91	29·88	47·0	40·0	51·0	33·0	69	82	S.W.	4	S.E.	3	....	....	....	....	....	....	....	....	....	....
25....	29·72	29·39	40·0	37·0	46·0	35·5	82	90	N.	10	N.W.	6	....	·02	....	....	....	....	....	....	....	....
26....	29·24	29·38	37·0	37·0	40·0	33·0	90	90	S.E.	6	N.E.	2	·03	....	....	....	....	....	....	....	....	....
27....	29·39	29·62	43·0	36·0	47·0	33·0	66	90	S.W.	6	N.W.	1	....	....	6	st.	....	....	....	....	....	....
28....	29·71	29·75	48·0	40·0	54·0	30·0	70	91	N.E.	11	N.E.	9	....	....	....	....	....	....	....	....	....	....
29....	29·69	29·65	42·0	40·0	44·0	37·0	91	100	N.E.	10	N.E.	10	....	·30	....	....	....	....	....	....	....	....
30....	29·63	29·60	40·0	39·0	42·0	37·5	100	100	N.E.	12	N.E.	15	....	....	....	....	....	....	....	....	....	....
31....	29·60	29·62	39·0	38·0	39·0	37·0	100	99	N.	15	N.	18	·88	·06	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—June, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·55	29·51	38·0	35·0	38·0	35·0	90	100	N.	24	N.W.	19	·13	R.								
2	29·50	29·63	39·0	36·0	46·0	33·0	81	90	N.W.	18	N.	1	·01				9		5	ci.st.		
3	29·63	29·58	40·0	35·0	47·5	34·0	73	100	S.E.	6	S.W.	2					9	st.				
4	29·49	29·58	36·0	41·0	48·0	30·5	100	91	N.E.	4	N.W.	8										
5	29·61	29·82	39·0	57·0	48·0	36·5	90	80	N.W.	14	N.W.	14										
6	29·93	30·13	40·0	40·0	50·0	33·5	82	91	N.W.	15	N.W.	7					5	st.				
7	30·19	30·20	39·0	36·0	43·0	34·5	90	90	N.E.	6	E.	3									10	st.
8	30·07	30·01	38·0	37·0	39·0	34·0	90	80	S.E.	5	N.E.	6										
9	30·01	30·03	45·0	38·0	47·0	35·0	76	90	N.E.	9	N.E.	8					6	st.				
10	29·98	29·97	41·0	38·0	47·0	35·5	82	90	N.E.	10	N.E.	11					9	st.			7	st.
11	29·74	29·46	38·0	38·0	40·0	36·0	90	90	N.E.	14	N.E.	9	·45	1·10								
12	29·49	29·72	39·0	36·0	42·0	35·5	90	90	N.	11	N.	0	·10									
13	29·66	29·63	58·0	54·0	67·0	34·5	58	93	S.W.	11	S.W.	13					7	cu.				
14	29·61	29·57	68·0	52·0	74·5	44·5	42	66	S.W.	9	S.W.	7			2	ci.			5	ci.		
15	29·58	29·56	54·0	38·0	57·0	43·5	73	90	N.W.	8	N.E.	6		·35								
16	29·66	29·90	41·0	38·0	43·0	35·5	91	90	N.	13	E.	2	·05									
17	29·91	29·98	42·0	37·0	43·0	35·5	91	100	N.	8	S.W.	1		·31								
18	29·96	29·61	60·0	52·0	66·0	35·0	54	93	S.W.	9	S.W.	12			5	ci.cu.						
19	29·61	30·05	56·0	38·0	66·0	47·5	80	90	S.W.	12	N.	6							4	ci cu.		
20	30·24	30·22	50·0	43·0	58·0	32·0	71	66	S.E.	6	S.W.	4							4	ci.cu.		
21	30·07	29·88	47·0	54·0	59·0	40·0	77	93	S.E.	7	S.W.	5										
22	29·83	30·00	47·0	54·0	59·0	40·0	92	91	W.	10	W.	6		·18								
23	30·01	29·94	44·0	53·0	62·0	37·0	91	93	S.E.	5	S.W.	7			8	ci.						
24	29·88	29·83	71·0	55·0	75·0	51·0	53	86	S.W.	7	S.W.	10										
25	29·97	30·03	43·0	41·0	55·0	41·0	91	91	N.	9	E.	4										
26	29·93	29·79	42·0	47·0	52·0	39·0	100	92	S.E.	8	S.W.	1										
27	29·68	29·63	63·0	58·0	72·0	45·0	77	100	S.W.	10	S.W.	11			5	ci.cu.						
28	29·53	29·65	60·0	55·0	71·0	54·5	94	93	S.W.	7	S.W.	7	·05						1	ci.st.		
29	29·85	30·03	61·0	53·0	68·0	51·0	62	86	W.	10	S.E.	2										
30	30·14	30·17	65·0	56·0	73·0	50·0	63	80	S.E.	7	W.	0							1	ci.st.		

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—July, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1....	30·16	30·11	57·0	55·0	62·5	48·0	87	100	S.E.	3	S.E.	1	....	R.	....	.....	....	.....	....	.....	....	.....
2....	30·02	29·97	63·0	54·0	57·0	50·0	100	93	N.E.	1	S.E.	0	·04	....	....	....	....	....	....	....	....	....
3....	29·97	29·97	64·0	57·0	67·0	52·5	83	93	S.E.	4	S.E.	1	....	....	....	....	6	st.	....	....	8	cu.st.
4....	29·96	29·92	57·0	56·0	62·0	51·5	93	93	E.	3	S.E.	2	....	....	....	....	....	....	....	....	....	....
5....	29·89	29·88	54·0	53·0	58·0	50·0	93	100	E.	3	S.E.	0	·06	....	....	....	....	....	....	....	....	....
6....	29·87	29·86	54·0	54·0	56·0	50·0	100	93	S.E.	5	S.E.	3	....	·08	....	....	....	....	....	....	....	....
7....	29·83	29·89	59·0	62·0	71·0	52·0	93	94	S.E.	3	S.W.	4	....	....	....	....	....	....	2	ci.st.	....	....
8....	29·89	29·88	72·0	69·0	76·5	55·0	66	83	W.	5	W.	2	....	....	....	....	4	cu.	2	ci.st.	....	....
9....	29·85	29·81	70·0	55·0	70·0	56·5	70	93	S.E.	4	S.W.	1	....	....	2	ci.	....	....	9	ci.st.	....	....
10....	29·72	29·49	54·0	57·0	57·0	50·5	100	93	S.E.	7	S.W.	2	·04	·47	....	....	....	....	....	....	10	n.
11....	29·49	29·50	62·0	55·0	68·0	54·0	88	93	S.E.	0	W.	2	....	....	5	ci.st.	....	....	....	....	5	cu.
12....	29·55	29·67	61·0	56·0	64·0	52·5	88	93	S.W.	6	N.	0	....	....	8	ci.st.	....	....	....	....	10	cu.
13....	29·63	29·36	53·0	54·0	56·0	52·0	93	93	S.E.	3	N.E.	13	....	....	....	....	....	....	....	....	10	4t.
14....	29·45	29·87	53·0	47·0	54·0	47·0	93	84	N.E.	19	N.E.	13	·93	....	....	....	....	....	....	....	7	st.
15....	30·04	29·99	52·0	48·0	53·0	43·5	79	85	N.E.	12	S.W.	9	....	....	....	....	....	....	....	....	3	st.
16....	29·83	29·87	56·0	56·0	59·0	47·0	93	93	S.W.	14	W.	4	·14	·24	....	....	....	....	....	....	....	....
17....	29·89	29·71	48·0	56·0	63·5	46·0	92	93	S.E.	3	S.W.	4	·02	....	....	....	....	....	....	....	....	....
18....	29·70	29·76	59·5	48·0	60·0	48·6	93	100	N.W.	3	N.E.	5	....	....	....	....	....	....	....	....	....	....
19....	29·77	29·74	51·5	48·0	55·0	47·0	85	92	S.E.	4	S.E.	3	·01	....	....	....	....	....	....	....	....	....
20....	29·70	29·74	51·0	51·0	54·0	46·0	85	92	S.	3	S.E.	4	·12	....	....	....	....	....	....	....	....	....
21....	29·77	29·67	58·0	49·0	59·0	49·0	81	100	S.E.	2	S.E.	9	·01	....	4	ci.cu.	....	....	....	....	....	....
22....	29·98	29·45	57·0	55·0	66·0	48·0	87	80	W.	1	N.	0	35	....	....	....	....	....	....	....	....	....
23....	29·47	29·51	55·0	50·0	55·0	50·0	93	100	N.E.	5	N.E.	10	·14	....	....	....	....	....	....	....	....	....
24....	29·80	29·88	49·5	47·0	52·0	47·0	85	84	N.E.	10	N.E.	3	·03	....	....	....	....	....	....	....	....	....
25....	29·93	29·92	49·0	48·0	52·0	45·0	71	77	S.E.	4	S.E.	2	....	....	....	....	....	....	....	....	....	....
26....	29·88	29·88	49·0	49·0	52·0	46·0	71	85	S.E.	8	S.E.	6	....	....	....	....	....	....	....	....	....	....
27....	29·77	29·51	50·0	49·0	51·0	47·0	85	92	S.E.	14	S.E.	15	....	....	....	....	....	....	....	....	....	....
28....	29·32	29·42	54·0	57·0	70·0	47·0	93	93	S.E.	1	S.W.	8	1·18	....	....	....	....	....	....	....	....	....
29....	29·50	29·67	59·0	52·0	66·0	52·0	76	93	S.W.	12	S.W.	7	....	....	....	....	....	....	....	....	....	....
30....	29·77	29·75	62·0	52·0	69·0	47·0	71	93	W.	6	S.W.	0	....	....	....	....	....	....	....	....	....	....
31....	29·75	29·81	54·0	48·0	58·5	46·0	93	92	N.E.	8	N.	0	....	....	....	....	....	....	....	....	....	....

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—August 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 p.m.	8 a.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°								in.	in.								
1	29·89	29·96	52·0	45·5	60·0	45·0	86	93	S.E.	5	C.	0	...	....	....	.....	....	.....	....	.....	...	.....
2	29·98	29·98	58·0	58·0	69·0	52·0	87	87	S.W.	4	S.W.	5	....	....	3	ci.cu.	3	cu.st.	....	.....	...	....
3	29·97	29·93	62·0	56·0	69·0	56·0	88	93	S.W.	4	S.W.	2	....	....	....	.....	....	.....	....	.....	....	.....
4	29·92	29·93	70·0	69·0	78·0	52·0	87	94	W.	5	S.W.	7	R.	·01	....	.....	....	.....	...	....	....	.....
5	29·81	29·78	78·0	59·0	80·0	59·0	77	76	S.W.	13	S.W.	9	...	....	....	.....	4	cu.	..	...	6	st.
6	29·73	29·71	64·0	57·0	70·0	53·0	67	81	S.W.	9	N.W.	12	....	...	2	ci.st.	..	...	....	.....	....	.....
7	29·76	29·87	65·0	50·0	72·0	50·0	68	85	N.W.	11	N.E.	0	....	....	....	.....	1	cu.	....	.....	1	ci.st.
8	29·91	29·88	58·0	51·0	60·0	49·0	72	92	S.E.	3	S.	3	....	..	....	.....	6	cu.	....	.....	2	st.
9	29·73	29·76	61·0	54·5	68·0	50·0	83	84	S.W.	8	S.W.	5	....	....	....	.....	5	cu.½	..	.....	...	..
10	29·70	29·55	60·0	57·0	64·0	49·5	82	87	N.W.	12	C.	0	....	....	....	.....	....	.....	....	.....	2	st.
11	29·46	29·66	60·0	54·0	63·0	53·0	82	100	N.	8	N.W.	1	...	·02	..	.....	....	.....	....	.....	2	st.
12	29·71	29·85	52·0	46·0	54·0	46·0	86	92	N.	8	S.W.	3	....	....	....	.....	....	.....	....	.....	....	.....
13	29·89	29·65	54·0	57·5	57·5	44·0	79	100	S.	10	S.W.	9	....	....	....	....	....	.....	....	.....	....	....
14	29·33	29·37	69·0	57·0	70·0	56·0	89	87	S.W.	5	W.	11	·33	....	....	.....	....	.....	....	.....	....	.....
15	29·58	29·85	62·0	49·5	69·0	49·5	77	95	N.W.	9	C.	0	....	R.	....	.....	....	.....	....	.....	....	.....
16	30·00	30·11	60·0	48·0	60·0	45·0	70	70	S.W.	9	S.W.	1	..	...	....	...	....	.....	....	.....	....	.....
17	30·10	30·06	66·0	55·0	68·0	45·0	54	80	S.W.	5	S.W.	4	....	...	2	ci.	....	.....	....	.....	....	.....
18	30·05	30·02	70·0	57·0	72·0	51·0	57	87	S.W.	5	S.W.	2	....	....	4	ci.	....	.....	....	.....	...	.....
19	29·86	29·75	54·0	52·0	57·0	52·0	86	93	S.E.	10	S.W.	11	....	....	....	.....	10	n.	...	.....	10	n.
20	29·82	29·83	52·0	49·0	53·0	49·0	86	100	N.E.	14	N.E.	4	·66	....	....	.....	10	n.	8	ci.	....	.....
21	29·81	29·77	54·0	55·0	64·0	45·0	73	80	S.W.	4	S.W.	4	....	....	7	ci.	....	.....	....	.....	....	.....
22	29·85	29·78	64·0	52·0	64·0	52·0	67	86	S.	2	N.	8	....	....	4	ci.st.	....	.....	....	....	8	n.
23	29·97	30·02	51·0	48·0	61·0	48·0	81	85	N.E.	12	S.W.	1	1·55	....	....	.....	....	.....	....	.....	....	.....
24	30·03	30·00	48·3	45·0	60·0	42·0	77	76	S.E.	5	C.	0	....	....	....	....	....	.....	....	.....	....	....
25	29·96	29·86	56·0	52·0	56·0	40·0	89	86	S.	5	E.	5	....	....	....	.....	10	n.	....	.....	10	n.
26	29·81	29·74	55·0	54·0	57·0	50·0	86	80	S.E.	6	S.E.	5	·08	....	....	.....	fog	fog.	....	.....	....	fog.
27	29·60	29·57	54·0	57·0	62·0	51·0	80	87	S.E.	7	S.W.	6	·17	·44	..	.....	10	fog.	....	.....	....	.....
28	29·67	29·76	61·0	57·0	68·0	52·0	76	69	S.W.	8	S.W.	4	....	....	4	ci.	....	.....	....	.....	....	..
29	29·67	29·48	58·0	59·0	62·0	48·0	81	87	S.E.	11	S.E.	9	·10	....	....	.....	..	.....	....	.....	10	n.
30	29·46	29·53	60·0	55·0	66·0	55·0	88	93	S.W.	10	S.W.	5	1·00	....	....	.....	3	st.	....	.....	1	st.
31	29·67	29·60	59·5	56·0	63·5	50·0	82	93	S.W.	3	S.E.	3	....	....	3	cu.	3	st.	....	.....	10	n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—September, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				3 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	n.	in.	°	°	°	°							in.	in.								
1....	29·43	29·60	58·0	55·0	59·0	53·0	93	93	N.W.	6	N.W.	1	·62	...	...	...	7	cu.	...	...	...	...
2....	29·59	29·61	53·0	51·0	59·0	50·0	56	100	N.W.	6	W.	2	...	...	...	...	8	cu.st.	...	...	...	...
3....	29·73	29·98	53·0	46·0	54·0	46·0	79	92	N.W.	10	N.W.	0	·03	...	...	...	...	...	...	...	...	...
4....	30·11	30·10	53·0	51·0	63·0	42·5	66	85	N.W.	8	S.W.	3	...	...	...	...	...	...	...	...	...	...
5....	29·98	29·75	54·0	54·0	56·0	49·0	86	93	S.W.	1	C.	0	·02	·76	...	...	...	...	...	...	...	...
6....	29·71	29·61	55·0	63·0	65·0	53·0	93	94	S.E.	1	C.	0	·03	·02	...	...	...	...	...	...	...	...
7....	29·58	29·51	69·0	63·0	70·0	61·0	80	94	S.W.	6	C.	0	...	·41	6	ci.st.	...	...	...	...	...	...
8....	29·69	29·82	60·0	56·0	68·0	56·0	71	93	S.W.	9	S.W.	4	...	...	3	ci.	2	st.	...	...	...	...
9....	29·94	30·04	53·0	47·0	56·0	47·0	70	100	N.E.	6	E.	1	...	·01	...	...	...	...	...	...	...	...
10....	30·15	30·19	52·0	47·0	56·0	42·0	72	92	N.E.	2	S.W.	3	...	...	...	...	...	...	...	...	...	...
11....	30·17	30·14	56·0	53·5	67·0	42·0	74	93	W.	10	S.W.	4	...	...	...	...	...	...	...	...	4	st.
12....	30·13	29·97	57·0	58·5	67·0	49·0	69	87	S.W.	4	S.W.	8	...	...	5	ci.st.	...	...	...	...	...	...
13....	29·78	29·72	63·0	57·5	68·0	53·0	83	93	S.W.	9	S.W.	7	·03	...	...	...	...	...	...	...	...	...
14....	29·82	30·09	52·0	46·0	54·0	46·0	66	76	N.W.	10	N.	5	...	...	...	...	...	...	...	...	...	...
15....	30·17	29·92	49·5	47·5	54·0	44·0	78	85	N.E.	9	S.W.	3	...	...	4	ci.cu.	...	...	6	ci.st.	...	...
16....	29·65	29·90	59·0	46·0	63·0	46·0	87	84	S.W.	4	N.	9	...	...	...	...	...	...	...	...	7	st.
17....	29·93	29·49	48·0	52·0	52·2	43·5	77	86	N.E.	3	S.W.	11	...	...	...	...	...	...	...	...	...	...
18....	29·96	29·01	52·0	45·5	58·0	45·0	79	92	N.W.	9	N.W.	11	·35	...	...	...	...	...	...	...	...	...
19....	29·21	29·27	39·0	40·0	45·5	36·0	90	90	N.E.	20	N.W.	9	·80	...	...	...	...	...	...	...	...	...
20....	29·29	29·49	43·0	40·5	48·0	38·0	91	91	N.W.	9	S.E.	5	·21	·03	...	...	...	...	4	ci.cu.	...	...
21....	29·68	29·71	43·0	48·5	56·0	38·0	83	85	W.	5	S.W.	1	...	...	...	...	...	...	7	ci.cu.	...	...
22....	29·63	29·77	60·5	58·0	67·0	47·0	88	93	S.W.	6	S.W.	6	R.	...	...	...	...	...	...	...	...	...
23....	29·90	29·93	58·0	55·0	67·0	51·0	81	86	S.	5	S.	3	...	...	5	ci.st.	...	...	...	...	...	...
24....	29·77	29·69	64·0	66·0	73·0	50·0	83	94	S.W.	5	S.W.	14	·07	...	...	...	...	...	...	...	6	cu.
25....	29·61	29·39	65·0	52·5	68·0	62·0	94	94	S.W.	11	S.W.	11	·94	·70	...	...	6	cu.	...	...	...	...
26....	29·43	29·75	57·0	44·0	60·0	44·0	87	91	S.W.	10	N.W.	8	...	...	...	...	7	cu.	...	...	...	...
27....	29·85	29·79	47·0	44·0	54·0	36·0	69	91	W.	6	S.W.	5	...	...	...	...	2	cu.	...	...	...	...
28....	29·71	29·87	53·0	40·6	54·0	40·0	66	91	S.W.	10	W.	7	...	...	3	ci.st.	...	...	...	...	...	...
29....	30·02	30·03	44·0	40·0	50·0	34·0	59	82	N.W.	8	W.	3	...	...	...	...	...	...	...	...	...	...
30....	29·87	29·64	44·0	44·0	46·0	34·0	67	76	S.E.	12	N.E.	11	...	...	...	...	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—October, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·62	29·61	46·0	46·0	47·0	42·5	92	92	N.E.	16	N.E.	11	·03	...	...	...	...	...	...	...	...	...
2	29·46	29·04	46·0	46·0	47·0	45·0	92	92	N.W.	16	S.W.	9	·25	1·23	...	...	...	...	...	...	...	...
3	29·01	29·14	48·0	44·0	50·0	44·0	92	92	S.W.	12	N.	9	·70	·18	...	...	...	...	...	...	...	...
4	29·44	29·65	49·0	40·0	49·0	40·0	85	82	N.W.	8	N.	5	·01	·02	...	...	...	...	...	...	...	...
5	29·72	29·46	38·0	54·0	54·0	32·0	81	93	S.W.	3	S.E.	5	...	·44	...	...	...	...	...	...	...	...
6	29·36	29·56	58·0	52·0	59·0	52·0	93	93	S.W.	9	W.	8	·57	1·20	...	...	...	...	...	...	...	...
7	29·73	30·11	47·0	42·0	58·0	42·0	84	91	W.	9	W.	10	...	...	2	ci.cu.	...	...	...	...	...	...
8	30·12	29·91	51·0	48·5	59·0	39·0	65	78	S.W.	10	S.W.	15	...	...	2	ci.cu.	...	...	...	...	...	...
9	29·52	29·86	55·0	42·5	57·0	42·5	80	91	S.W.	16	S.E.	10	...	·12	2	ci.cu.	4	st.	...	...	...	...
10	30·13	30·10	43·0	35·0	47·0	35·0	75	100	S.E.	2	E.	5	...	...	...	...	...	...	...	...	...	...
11	29·95	29·89	42·5	42·0	48·0	34·0	91	91	E.	6	E.	5	·30	·11	...	...	...	...	...	...	...	...
12	29·98	30·04	44·0	43·0	46·0	41·0	91	91	N.E.	8	C.	0	·05	·02	...	...	...	...	...	...	...	...
13	29·99	29·86	48·0	56·0	56·0	42·0	92	93	S.E.	1	S.W.	3	·11	·03	...	...	...	...	...	...	...	...
14	29·80	29·72	62·0	60·0	69·0	54·0	94	94	S.W.	3	S.W.	8	1·00	·70	...	...	...	...	...	...	...	...
15	29·77	29·67	47·0	45·5	50·0	44·5	92	100	E.	5	S.E.	8	·02	·02	...	...	...	...	...	...	...	...
16	29·52	29·84	43·0	41·0	44·0	41·0	100	91	N.E.	13	N.W.	1	·05	·02	4	ci.	2	st.	2	ci.	...	...
17	29·93	29·86	45·0	45·0	55·0	36·0	68	92	W.	7	S.W.	7	...	...	2	ci.cu.	4	st.	...	...	...	...
18	29·85	29·75	46·0	48·5	60·0	41·0	84	85	S.W.	0	S.W.	7	...	...	...	...	...	...	6	ci.st.	...	...
19	29·61	29·47	52·0	38·0	54·0	38·0	86	90	S.	9	N.E.	11	·01	·04	...	...	...	...	...	...	...	...
20	29·82	29·95	35·0	31·0	40·0	30·0	52	100	N.W.	11	S.W.	4	...	...	3	ci.	...	...	...	...	...	...
21	29·97	28·97	37·0	50·0	50·0	28·0	61	92	S.	5	S.	13	...	1·27	...	...	...	...	...	...	...	...
22	28·96	29·63	38·0	35·0	50·0	35·0	81	62	S.W.	21	N.W.	12	·06	...	6	ci.	...	...	...	...	...	...
23	29·82	29·72	40·0	55·0	55·0	33·0	73	85	S.W	9	S.	10	...	R.	...	...	5	st.	...	...	4	st.
24	29·76	28·88	53·0	49·5	55·0	47·0	93	100	S.W.	9	S.	10	·08	2·00	4	ci.st.	...	...	...	...	...	...
25	29·26	29·67	42·0	38·0	49·5	38·0	100	90	N.W.	7	N.W.	7	·04	·06	...	...	...	...	...	...	...	...
26	29·83	29·62	42·0	46·0	50·0	34·0	90	91	S.W.	9	N.W.	17	...	·14	4	ci.	...	...	...	...	...	...
27	29·94	30·24	38·0	32·0	42·0	32·0	71	79	N.W.	9	S.W.	4	...	...	5	ci.	...	...	...	...	...	...
28	30·37	30·31	34·0	41·0	44·0	28·0	79	82	S.W.	2	S.W.	0	...	...	5	ci.	...	...	...	...	...	...
29	30·19	29·87	44·0	50·0	50·0	39·0	83	85	S.W.	8	S.W.	10	...	...	5	ci.cu.	...	...	...	...	...	...
30	29·45	29·52	53·0	48·0	58·0	47·5	69	65	S.E.	14	S.W.	9	·53	12	...	...	...	...	...	...	...	...
31	29·75	30·17	38·0	30·0	48·0	30·0	90	78	W.	15	N.W.	3	·03	...	...	...	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—November, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1...	30·22	30·06	30·0	34 5	38·0	25·0	78	89	S.W.	6	S.W.	6	....	....	....	....	....	.....	....	.....	....	.....
2 ...	29·95	29·96	40·0	38·0	57·0	32·0	73	90	S.W.	13	S.W.	2	....	....	2	ci	....	.....	....	.. .	....	.....
3....	30·00	30·00	40·0	34·0	52·0	33·0	64	100	S.W.	2	W.	0	...	....	....	. ...	...	.. ..	. .	.....	....	.....
4....	29·87	29·62	46 0	50·0	50·0	33·0	84	85	S.W.	12	S.	13	....	·60	....	.....	3	cu.	....	. .	....	...
5....	29 67	30 02	47 0	35·0	50·0	35·0	84	89	S.	8	S.W.	4	·63	....	....	....	4	cu.	...	.....	....	.....
6....	30 20	30·30	38·0	37·0	42·0	32·0	71	100	S.W.	0	E.	1	....	....	3	ci.	1	st.	....	...	....	.....
7....	30·15	30 03	36·0	42·0	42·0	32·0	90	91	S.W.	9	S.E.	4	·02	·14	....	....	....	.....	...	....	....	.....
8....	29·77	29·57	54·0	53·5	58·0	41·0	86	86	S.W.	10	S.W.	5	·36	·25	....	....	....	.....	....	.....	....	....
9....	29 74	29·94	47·0	40·0	53·5	40·0	84	91	S.W.	7	S.W.	1	·50	....	....	.. .	....	.....	....	.....	....	.....
10...	30·10	30·01	44 0	50·0	51·0	38·0	83	78	S.W.	4	S.W.	12	·05	.. .	....	.....	...	. .	....	.....	....	.....
11....	29·90	29·74	56·0	51·0	58 0	48·0	80	92	S.W.	7	S.	0	·18	·06	....	.....	....	.....	....	.....	...	.....
12....	29·30	29·70	56·0	32·0	57·0	32·0	93	79	S.W.	10	N.W.	14	...	·03	...	.....	...	.....	....	.....	2	st.
13....	30·01	29·73	30·0	38·5	39·0	26·0	100	81	S.W.	5	S.E.	15	....	·02	4	ci.st.	....	.....	....	.....	....	.....
14...	29·08	29·54	39·0	35·0	44·0	35·0	100	80	N.W.	10	S.W.	3	·79	·03	....	.....	....	.....	....	. ....	5	cu.
15 ...	29·79	30·10	33 0	30·0	36·0	30·0	89	100	N.W.	8	S.W.	4	·03	....	5	ci.cu.	....	....	....	.....	....	.....
16....	30·26	30·17	30·0	26·0	33·0	26·0	100	87	W.	2	S.W.	1	...	....	...	.....	6	st.	...	.....	....	.. ..
17 ...	29·64	29·69	33·0	32·0	34·0	25·0	100	100	N.E.	2	N.W.	9	....	....	....	.....	....	.....	2	ci.cu.	....	.....
18....	30·15	30·15	23·0	31·0	32·0	22·0	86	78	N.W.	7	S.W.	3	....	....	1	ci.cu.	....	....	. .	.....	....	.....
19....	30·14	29·97	37·0	37·0	39·0	28·0	80	90	S.W.	6	S.W.	0	...	....	....	.....	...	... .	....	.....	....	.....
20....	30·05	30·17	32·0	26·5	35·0	26·5	100	88	N.E.	16	N.	4	·15	...	....	.....	....	.....	....	.....	....	.....
21....	30·25	30·18	27·0	32·0	36 0	22·0	76	89	S.W.	3	S.W.	1	....	....	....	.....	....	.....	6	ci.cu.	. .	.....
22....	30·13	29·96	34·0	40·0	42·0	29·0	71	82	S.W.	1	S.W.	2	...	....	2	ci.cu.	....	.....	8	ci.st.	..	.....
23....	29·92	29·82	40·0	42·0	44·0	39·0	100	100	S.W.	1	W.	3	·02	·48	....	....	....	.....	....	.... .	....	... ..
24....	30·01	30·20	36·0	31·5	36·0	31·5	90	78	N.	4	N.	9	·03	....	2	ci.cu.	5	st.	....	.....	10	n.
25 ...	30·41	30·41	31·0	26·0	32·0	26·0	89	87	N.	5	S.W.	0	....	....	5	ci.st.	....	.....	....	.....	....	.....
26...	30·22	29 88	35·0	42·0	42·0	22·5	69	91	S.E.	16	S.E.	21	...	·16	....	.....	10	n.	....	.....	10	n.
27....	29·69	29·41	44·0	46·0	49·0	11·0	100	100	S.	0	N.	1	1·00	....	....	... .	....	.....	....	.....	....	.....
28....	29·38	29·66	41·0	35·0	46·0	40·0	91	69	S.W.	6	S.W.	13	·63	....	7	ci.cu.	....	.....	....	.....	10	u.
29....	29·67	29·73	41·5	40·0	46·0	34·0	91	91	S.W.	4	N.W.	11	...	....	....	.....	10	n.	....	...	....	.. ...
30....	30·09	29·98	33·0	32·0	40·0	29·0	70	100	N.W.	7	S.	0	....	....	4	ci.st.	....	.....	....	.. ...	10	n.

DAILY WEATHER REPORTS FOR THE YEAR 1907.

St. John's, Newfoundland—December, 1907.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·88	30·05	31·5	29·0	31·5	24·0	100	88	N.	9	N.	5	·60	....	....	.....	....	.....	....	.. ..	....	.....
2	29·69	29·34	34·0	38·0	38·0	27·0	79	71	S.E.	20	S.E.	16	....	·70	....	.....	....	.....	....	.....	....	.....
3	29·54	29·79	35·0	34·0	38·0	33·0	69	89	N.W.	20	N.W.	10	....	...	5	ci.st.	....	.....	....	.....	....	.....
4	30·03	29·97	32·0	32·0	36·0	31·0	89	89	S.W.	1	S.W.	4	....	....	4	ci.cu.	....	.....	....	....	....	.....
5	29·77	29·41	30·0	31·0	34·0	28·5	78	89	W.	0	N.E.	11	·20	....	..	.....	....	.....	....	.....	....	.....
6	28·77	29·11	32·0	21·0	32·0	21·0	89	85	N.E.	27	N.W.	17	·50	....	....	.. ...	....	.....	....	...	....	.....
7	29·70	29·76	22·0	29·0	29·0	19·0	86	88	N.W.	11	S.W.	7	....	...	....	.....	....	.....	....	.....	...	.....
8	29·81	29·88	32·5	34·0	36·0	27·0	89	89	N.E.	5	S.W.	2	·05	....	....	.....	....	.....	....	.....	....	.....
9	29·92	29·99	35·0	35·5	39·0	30·0	69	89	S.W.	3	S.W.	5	...	....	..	.....	....	.....	....	.....	3	st.
10	30·09	29·98	35·0	40·0	40·0	33·0	89	81	S.W.	4	S.W.	9	....	....	....	.....	....	.....	....	.....	3	st.
11	30·00	29·80	48·0	49·0	52·0	37·0	100	92	S.W.	6	S.W.	2	....	....	....	.....	....	.....	....	.....	....	.....
12	29·53	29·33	53·0	51·0	58·0	48·0	93	100	S.W.	8	W.	0	1·30	·01	....	.....	....	.....	....	.....	....	.....
13	29·33	29·36	38·0	33·0	51·0	33·0	90	80	S.W.	11	W.	7	·20	....	....	.....	....	.....	6	ci.cu.	....	.....
14	29·59	29·84	30·0	26·0	33·0	26·0	89	75	N.W.	12	N.W.	10	....	...	....	.....	....	.....	....	.....	....	.....
15	29·98	29·80	24·0	25·0	25·0	22·0	73	87	N.W.	6	W.	0	....	....	....	.....	....	.....	....	.....	...	.....
16	29·46	29·08	32·0	29·0	32·0	23·0	89	88	S.E.	12	N.E.	16	....	S.	....	.....	....	.....	....	.....	....	.....
17	29·38	29·61	26·0	24·0	29·0	24·0	87	86	N.E.	14	N.	2	1·00	....	....	.....	....	.....	....	.....	....	.....
18	29·92	29·80	22·0	29·0	29·0	15·0	72	86	S.W.	0	S.W.	2	....	....	....	.....	....	.....	....	.....	....	.....
19	29·61	29·40	30·0	29·0	33·0	28·0	89	88	S.W.	1	N.W.	14	S.	·10	....	.....	....	.....	....	.....	....	.....
20	29·83	29·77	20·0	31·0	31·0	19·0	71	89	N.W.	10	S.W.	6	....	....	4	ci.cu.	2	st.	....	.....	....	.....
21	29·79	29·49	32·0	29·0	33·0	29·0	89	88	S.W.	2	S.W.	3	·10	....	....	.....	....	.....	6	ci.cu.	....	.....
22	29·73	29·56	11·0	23·5	24·0	9·0	71	74	N.W.	10	N.W.	6	...	....	6	ci.cu.	....	.....	4	ci.cu.	..	.....
23	29·63	29·60	30·0	35·0	36·0	22·0	89	89	S.W.	2	S.W.	9	....	....	....	... .	..	....	....	.. .	....	.....
24	29·12	28·98	39·0	41·0	49·0	33·0	81	91	S.E.	12	S.W.	14	·55	·10	....	.....	...	.....	...	.....	....	.....
25	29·33	29·61	37·0	33·0	41·0	33·0	80	80	N.W.	20	N.W.	12	....	....	....	.....	....	.....	....	.....	....	.....
26	29·82	29·90	31·0	29·0	33·0	29·0	89	88	N.W.	9	W.	7	....	...	....	.....	....	.....	....	.....	.. .	.....
27	29·91	30·08	32·0	26·0	33·0	22·0	80	74	W.	8	N.W.	2	·10	....	....	.....	....	.....	....	.....	....	.....
28	29·88	29·50	32·0	42·0	42·0	26·0	72	82	S.W.	9	S.W.	14	...	...	....	... .	....	.....	....	.....	...	... .
29	29·29	29·61	45·0	30·0	45·0	30·0	92	89	S.W.	11	W.	14	....	....	....	.....	....	.....	....	.....	....	.....
0	30·04	30·04	27·0	31·0	31·0	25·0	88	89	N.W.	10	N.W.	8	....	....	....	.....	....	.....	.. ..	....	....	.....
..	29·31	28·99	40·0	36·0	50·0	31·0	82	80	S.E.	28	S.E.	22	·41	·46	....	.....	....	.....	....	.....	....	.....

PART VII.

Magnetic Results at Agincourt Observatory.

(Latitude, 45° 47′ N.; Longitude, 79° 16′ W.)

Mean Magnetic Declination West for each Civil Day (each result is the mean of 24 hourly ordinates from the Photographic Register.)

1907. Day of the Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′
1	5 48·4	5 48·9	5 48·8	5 49·2	5 49·1	5 49·8	5 48·6	5 50·5	5 51·6	5 52·8	5 52·2	5 52·4
2	5 48·3	5 49·2	5 48·8	5 49·3	5 49·5	5 49·5	5 49·4	5 51·0	5 52·1	5 52·4	5 52·2	5 52·5
3	5 48·5	5 48·3	5 48·8	5 49·0	5 49·6	5 49·5	5 50·5	5 50·7	5 51·3	5 51·9	5 52·1	5 52·3
4	5 48·6	5 48·7	5 48·9	5 49·1	5 49·6	5 49·8	5 50·3	5 50·4	5 51·4	5 52·8	5 52·6	5 52·2
5	5 49·5	5 48·0	5 48·5	5 49·0	5 49·6	5 50·1	5 50·3	5 51·4	5 52·5	5 52·7	5 53·5	5 52·4
6	5 48·3	5 47·4	5 47·9	5 50·0	5 50·2	5 49·7	5 49·1	5 51·1	5 52·7	5 52·4	5 52·7	5 52·4
7	5 48·6	5 47·4	5 48·3	5 50·1	5 50·2	5 49·6	5 48·6	5 51·6	5 51·7	5 52·1	5 52·9	5 52·1
8	5 48·8	5 48·4	5 48·5	5 49·1	5 49·4	5 50·8	5 49·7	5 50·7	5 52·1	5 52·9	5 51·8	5 52·9
9	5 48·4	5 46·5	5 49·2	5 49·6	5 50·0	5 49·9	5 49.4	5 50·9	5 51·7	5 52·6	5 52·1	5 53·1
10	5 48·0	5 50·9	5 47·4	5 49·5	5 49·9	5 49·1	5 50·1	5 50·9	5 51·7	5 52·5	5 53·9	5 54·2
11	5 49·4	5 50·1	5 47·5	5 49·8	5 50·2	5 48·7	5 48·7	5 51·9	5 50·5	5 52·3	5 52·8	5 52·7
12	5 48·4	5 49·6	5 49·1	5 49·8	5 49·5	5 48·9	5 49·9	5 51·3	5 50·4	5 52·6	5 53·4	5 53·2
13	5 48·7	5 50·1	5 50·0	5 49·8	5 48·6	5 49·6	5 51·0	5 50·9	5 51·5	5 52·8	5 53·7	5 52·9
14	5 49·0	5 52·2	5 50·0	5 49·2	.....	5 49·6	5 50·8	5 51·3	5 51·0	5 54·7	5 52·6	5 53·4
15	5 48·3	5 49·5	5 49·6	5 49·2	.....	5 49·9	5 50·7	5 51·5	5 51·5	5 52·2	5 52·4	5 53·5
16	5 48·6	5 48·6	5 49·5	5 48·5	5 49·1	5 49·9	5 49·9	5 50·8	5 51·6	5 53·7	5 52·8	5 53·3
17	5 48·8	5 49·4	5 49·1	5 49·6	5 49·6	5 50·5	5 50·1	5 50·6	5 51·0	5 53·2	5 52·6	5 53·4
18	5 49·3	5 48·8	5 49·2	5 49·7	5 52·1	5 49·4	5 49·9	5 51·2	5 51·6	5 52·5	5 52·2	5 53·2
19	5 48·7	5 49·0	5 49·0	5 49·5	5 48·3	5 49·6	5 50·1	5 51·1	5 52·8	5 52·3	5 52·5	5 53·1
20	5 48·8	5 49·4	5 48·8	5 49·5	5 49·5	5 49·3	5 50·8	5 49·1	5 51·2	5 52·8	5 52·2	5 53·5
21	5 48·8	5 48·5	5 50·1	5 49·4	5 48·8	5 49·6	5 50·6	5 50·1	5 52·2	5 53·0	5 55·9	5 53·0
22	5 49·4	5 50·4	5 49·1	5 49·8	5 49·2	5 50·0	5 50·1	5 51·5	5 52·1	5 53·4	5 53·3	5 52·9
23	5 48·9	5 49·5	5 49·5	5 49·6	5 49·6	5 50·4	5 50·8	5 51·3	5 51·9	5 52·5	5 53·2	5 52·8
24	5 49·6	5 49·0	5 48·8	5 49·7	5 49·8	5 49·3	5 51·0	5 51·2	5 52·4	5 53·1	5 52·7	5 52·7
25	5 48·7	5 49·5	5 48·9	5 50·1	5 50·2	5 49·6	5 49·3	5 52·0	5 52·3	5 53·1	5 52·9	5 52·6
26	5 48·8	5 48·8	5 49·1	5 49·7	5 50·5	5 49·9	5 50·8	5 52·6	5 52·2	5 53·5	5 52·4	5 53·1
27	5 47·9	5 48·7	5 49·3	5 49·3	5 50·8	5 49·6	5 48·4	5 51·4	5 51·8	5 56·2	5 51·9	5 52·7
28	5 48·4	5 49·4	5 48·9	5 49·7	5 50·2	5 50·0	5 49·6	5 50·9	5 51·3	5 52·3	5 52·1	5 52·2
29	5 48·6	.....	5 49·1	5 49·1	5 51·0	5 50·4	5 51·2	5 51·0	5 51·5	5 52·0	5 52·3	5 52·5
30	5 49·0	.....	5 49·2	5 49·4	5 49·9	5 49·1	5 50·7	5 52·0	5 51·3	5 52·3	5 52·5	5 52·4
31	5 48·2	.....	5 48·7	.....	5 49·7	.....	5 51·0	5 52·2	.....	5 52·5	.....	5 52·5
Mean	5 48·7	5 49·1	5 49·0	5 49·5	5 49·8	5 49·7	5 50·0	5 51·1	5 51·7	5 52·8	5 52·7	5 52·8

MONTHLY Mean Diurnal Inequality of Maguetic Declination West. The results in each month are diminished by the smallest hourly value.

1907. 75th Meridian, Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′
Values of zero.....	5 45·8	5 46·5	5 44·0	5 44·2	5 44·8	5 43·6	5 44·6	5 45·3	5 46·4	5 50·5	5 49·8	5 50·8
	′	′	′	′	′	′	′	′	′	′	′	′
1.	2·5	0·9	4·2	4·5	2·7	5·5	5·1	5·3	4·6	1·8	2·4	1·7
2.	2·4	1·3	4·6	4·7	3·7	6·4	5·3	5·4	4·5	2·4	3·0	2·3
3.	2·5	1·3	3·4	4·3	3·7	6·3	5·3	5·6	3·8	1·0	2·4	2·3
4.....	1·9	1·1	4·0	4·3	3·5	5·6	4·9	5·2	3·2	0·8	2·3	1·4
5..... ...	1·9	2·0	4·1	3·5	2·4	4·2	3·7	4·2	2·8	1·4	2·2	1·1
6.....	2·3	0·8	3·6	2·4	1·4	2·3	2·2	1·7	2·0	0·7	1·7	0·9
7.....	1·6	3·0	2·8	1·4	0·4	0·8	0·6	0·2	0·1	0·6	1·4	0·7
8.	2·2	2·2	0·9	0·3	0·0	0·0	0·0	0·0	0·0	0·5	0·8	0·2
9.....	0·0	0·6	0·0	0·0	1·0	1·4	0·8	0·9	2·2	0 0	0·0	0·0
10..... .	0·4	0·5	0·5	2·4	3·4	1·4	3·1	4·2	4·6	1·2	0·7	0·6
11.....	2·2	1·1	3·4	5·9	6·9	7·6	6·6	8·0	7·7	2·9	3·5	1·8
Noon.....	4·5	4·7	7·7	9·3	10·3	10·2	9·5	10·8	11·5	5·6	6·1	3·7
13.....	5·9	5·7	10·3	11·1	10·7	11·8	10·6	12·0	12·4	6·5	7·0	5·0
14.....	6·5	6·9	10·9	11·5	10·8	11·8	11·1	11·7	11·7	6·3	6·8	5·1
15.....	6·4	7·3	10·3	10·6	10 1	10·8	10·9	10·6	9·9	5·3	5·8	4·7
16..	5·5	6·9	8·6	9 1	8 4	9·8	9 2	9·3	7·9	4·2	5·0	4·1
17.....	4·1	4·8	7 2	7·5	6·9	7·9	7·4	7·7	6·3	3·5	4·0	3·2
18.	3·7	3·3	6·3	6·2	6·2	6·9	6 3	6·5	5·1	3·1	3·3	2·3
19.....	3·3	2·8	6·1	5·6	4·7	6·3	5·7	5·3	5·2	2·2	2·8	1·7
20...	2·6	1·4	5·3	4·9	4·9	5·7	5 6	5·3	4·3	1 2	2·2	1·6
21.....	1·5	0·0	4 5	1·1	5·0	5·4	5 1	4·9	3·8	0·3	1·7	0 5
22..	2·9	0 9	3·9	4·4	4·2	5 6	3·1	5·2	4·2	1·6	1·5	0 6
23.....	1·8	9·7	4·5	4·4	4·1	4·6	4·1	4·7	4·5	1·5	1·9	0·6
Midnight.	2·1	1·0	3·7	5·1	4·6	5·0	4 1	5·5	4·7	1·2	1·8	1·2
Mean.....	2·9	2·6	5·0	5·3	5·0	6·1	5·4	5·8	5·3	2·3	2·9	2·0

ABSOLUTE Horizontal Force for each Civil Day (each result, expressed in millionths of a dyne, is the mean of the 24 hour ordinates obtained from the Photographic Register).

1907. Day of the Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +	·163000 +
1	826	794	741	871	825	808	781	747	651	501	620	639
2	802	778	744	879	845	830	812	675	635	566	670	630
3	824	792	798	903	849	882	790	699	661	582	445	660
4	839	811	840	892	819	813	763	679	609	570	481	708
5	798	833	781	854	922	825	776	710	654	603	518	574
6	749	831	806	851	880	866	773	713	601	620	573	587
7	772	490	850	846	846	814	744	680	592	647	621	546
8	659	605	809	848	862	790	718	746	623	552	555	510
9	666	485	765	869	840	821	723	719	621	584	535	557
10	819	206	540	868	946	692	722	687	488	589	461	503
11	651	473	433	881	828	803	422	724	268	602	410	460
12	652	499	397	835	778	728	660	714	278	645	470	467
13	715	608	664	834	725	765	630	717	515	600	512	490
14	723	319	714	700	.....	783	640	744	544	310	577	545
15	710	444	753	789	.....	837	704	749	642	223	618	601
16	724	582	746	657	755	839	745	807	594	468	592	522
17	762	657	758	759	747	861	723	703	526	514	619	545
18	795	699	822	825	680	865	744	645	452	535	587	560
19	806	625	786	786	645	825	758	694	513	578	598	606
20	780	647	751	809	710	601	782	630	473	595	633	606
21	766	697	775	823	821	684	812	515	560	630	439	590
22	688	657	547	807	733	668	763	630	563	418	322	617
23	786	670	655	774	774	679	722	559	567	516	442	666
24	818	567	698	807	743	698	781	585	581	570	494	664
25	853	703	729	776	796	730	804	636	559	557	540	675
26	800	707	712	789	797	765	699	609	497	515	579	671
27	833	708	706	723	750	759	692	640	563	461	645	667
28	812	700	788	786	896	769	563	658	551	537	603	641
29	783	.....	793	790	615	786	626	685	687	583	614	623
30	838	.....	790	892	783	827	704	678	629	546	663	611
31	834	.....	815	.....	858	.....	744	587	.....	597	.....	640
Mean	770	628	726	818	795	780	720	676	556	542	548	593

Monthly Mean Diurnal Inequality of Horizontal Magnetic Force. The results are expressed in millionths of a dyne.

1906.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Values of zero	·163547	·163346	·163428	·163528	·163569	·163560	·163482	·163410	163225	·163256	·163293	·163408
1	261	283	255	344	233	219	187	320	400	323	299	192
2	253	292	315	334	222	218	215	318	414	297	316	192
3	265	264	356	351	247	228	220	317	410	328	310	210
4	283	326	377	344	248	221	247	276	417	333	328	223
5	294	324	395	343	243	220	238	279	428	363	319	247
6	308	369	405	342	242	234	255	296	423	409	362	267
7	297	356	394	313	224	217	227	264	370	362	348	258
8	301	372	363	262	161	169	185	209	234	279	260	222
9	237	302	263	145	99	68	108	110	110	128	170	157
10	138	139	142	039	5	8	0	0	66	57	59	97
11	40	0	017	0	0	0	4	20	0	0	0	32
Noon	0	1	0	49	102	77	99	86	48	71	20	0
13	58	25	53	154	212	168	210	170	183	192	122	48
14	112	155	184	294	316	288	301	289	323	279	204	116
15	214	266	310	382	361	375	409	365	406	317	270	179
16	247	368	410	411	420	408	443	354	478	358	287	245
17	259	445	455	419	401	414	424	384	470	335	310	265
18	276	485	440	376	344	370	370	371	418	368	312	968
19	267	436	380	355	293	306	310	338	414	364	311	240
20	249	390	361	333	236	273	298	333	394	362	302	216
21	248	302	343	339	223	219	266	338	399	357	303	208
22	250	291	346	337	199	191	252	327	383	342	299	199
23	238	300	335	344	181	193	235	319	392	324	312	200
Midnight	247	283	256	339	219	184	213	310	373	321	306	178
Mean	223	282	298	290	226	220	238	266	331	286	255	185

Results of Magnetic Dip Observations Made at Agincourt, 1907.

Date. — 75th Meridian, Civil Time.		Needle.	Observed Dip.	Initials of Observer.	Remarks.
	hour.		° ′		
January 8	14	A^2	74 35·8	M.	
18	14	A^1	74 35·9	M.	
25	14	A^2	74 35·7	M.	
31	14	A^1	74 36·0	M.	
February 8	14	A^2	74 36·3	M.	
15	14	A^1	74 39·1	M.	
22	14	A^2	74 36·9	M.	
26	15	A^1	74 37·7	M.	
March 7	14	A^2	74 36·1	M.	
16	14	A^1	74 37·1	M.	
22	14	A^2	74 37·6	M.	
30	14	A^1	74 36·7	M.	
April 13	14	A^2	74 35·2	M.	
17	15	A^1	74 37·1	J.	
26	14	A^2	74 35·3	M.	
29	14	A^1	74 36·2	M.	
May 10	13	A^2	74 33·4	J.	
10	15	A^2	74 33·8	J.	
14	14	A^1	74 35·6	M.	
18	12	VI.	74 36·4	W.-F.	Ottawa German Circle.
18	13	VII.	74 38·5	W.-F.	
27	14	A^2	74 35·2	M.	
31	14	A^1	74 35·9	M.	
June 10	14	A^2	74 35·2	M.	
20	15	A^1	74 36·5	M.	
26	14	A^2	74 34·7	M.	
July 3	14	A^1	74 34·9	M.	
9	14	A^2	74 35·5	M.	
17	15	A^1	74 35·4	M.	
29	15	A^2	74 35·5	M.	
August 7	14	A^1	74 36·9	M.	
17	14	A^2	74 34·4	M.	
26	15	A^1	74 38·7	M.	
31	14	A^2	74 35·4	M.	
September 6	14	A^1	74 37·1	M.	
13	14	A^2	74 36·1	M.	
19	14	A^1	74 37·5	M.	
24	14	A^2	74 35·5	M.	
October 1	14	A^1	74 38·1	M.	
14	14	A^2	74 38·0	M.	
22	14	A^1	74 39·1	J.	
November 4	12	A^2	74 37·8	B.	

RESULTS of Magnetic Dip Observations made at Agincourt, 1907—*Concluded.*

Date. — 75th Meridian, Civil Time.		Needle.	Observed Dips.	Initials of Observer.	Remarks.
	hour.		° ′		
November 5	10	A1	74 39·3	J.	
14	13	A2	74 37·7	M.	
18	14	A1	74 37·7	M.	
26	14	A2	74 36·1	M.	
December 2	15	A1	74 36·9	M.	Simultaneous.
2	15	A.VI.	74 37·5	W.-F.	Simultaneous.
3	10	A.VI.	74 35·1	W.-F.	
3	10	A.VI.	74 37·4	W.-F.	
10	14	A1	74 39·7	M.	
17	14	A1	74 38·1	M.	
24	14	A2	74 35·9	M.	
Mean of year, all dips	....	....	74 36·4		

Disturbances.

1907.	Bif.			Declin.	
	Max.	Min.		Max.	Min.
	Mill.	Mill.		1 arc.	1 arc.
February 9	106·3	— 31·0	Max was off the paper	105·0	26·0
March 10	47·0	11·0		88·5	63·1
11	45·4	Off paper.		86·0	60·5
12	39·6	Off paper.		99·0	38·5
21	107·2	19·0		103·0	54 3
May 18	43·3	28·9	May to September frequent small disturbances	103·0	43·7
19	51 0	— 2·9	" "	88·1	69·0
June 19	56·0	14·0	" "	92·5	67·3
July 10	64·3	— 1·5	" "	102·1	50·1
11	38·5	— 35·0	" "	125·0	60·2
27	46·5	15·7	" "	92·7	38·0
28	38 0	— 18·0	Off paper	117·0	64·0
September 17	37·1	— 8·0	Small	107·0	70 0
October 14	36·5	2·2		106·2	57·0
15	36·2	— 14·7		95·8	70·0
November 21	37·5	3·5		105·0	78·2
1908.					
March 26	116·0	— 20·2	Min off paper	140·0	35·0
27	93·0	Off.		101·5	47·9
28	32·0	— 2·0		101·5	70·0

DURATION of Bright Sunshine in Hours during the Year 1907.

Station.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Victoria	99	76	173	218	258	213	312	226	166	113	75	27
Nanaimo	82	71	155	237	248	219	341	236	159	145	63	33
Agassiz	90	76	98	193	204	122	227	145	132	149	41	31
Kamloops	71	56	142	208	233	185	302	206	167	167	73	43
Battleford	165	133	135	150	111	.....	.....	.....	.....	.....	.....	.....
Indian Head	98	129	152	188	192	188	243	211	175	183	84	55
Brandon	123	151	193	172	211	170	263	207	162	175	97	67
Winnipeg	109	186	200	212	225	212	313	202	189	143	89	78
Haileybury	92	124	145	183	194	238	237	215	107	115	54	51
Gravenhurst	79	132	.....	.....	.....	226	246	209	61	116	48	15
Woodstock	60	98	94	140	211	232	283	268	118	137	51	50
Lindsay	68	124	127	144	231	228	270	223	118	155	54	42
Barrie	58	109	132	166	238	285	281	248	134	145	63	29
Toronto	72	117	121	158	224	235	271	261	165	178	78	42
Kingston	60	128	145	161	227	254	269	265	126	164	66	52
Ottawa	67	116	150	176	207	205	236	243	122	136	65	49
Montreal	56	95	130	147	136	174	219	184	113	123	53	34
Quebec	80	106	144	172	170	154	202	170	127	132	61	51
Sherbrooke	64	119	163	182	173	202	249	225	128	119	60	54
Fredericton	115	125	171	159	158	180	166	212	160	137	102	58
Charlottetown	94	118	150	159	176	223	162	221	156	121	104	64


DECLINATION JANUARY 14TH 1907
AGINCOURT (Toronto)
LATITUDE 93° 97' N
LONGITUDE 79 16 W
DEC. CURVE 1 MILL. EQUALS 2'96 Arc
H.F. " " " 0 00116 Dyne
Time 5 Hours Slow of GREENWICH
HORIZONTAL FORCE
DEC. WEST
M.F. INCREASE
Noon
Mid
DECLINATION FEBRUARY 5TH 1907
HORIZONTAL FORCE
DECLINATION FEBRUARY 6TH 1907
HORIZONTAL FORCE
DECLINATION FEBRUARY 7TH 1907
HORIZONTAL FORCE


DECLINATION FEBRUARY 8TH 1907
HORIZONTAL FORCE
DECLINATION FEBRUARY 9TH 1907
DEC.ᵗ CURVE 1 MILL. EQUALS 2'.96 Arc
H.F. " " " 0.000116 Dyne.
Time 5 Hours slow of GREENWICH
AGINCOURT (Toronto)
Latitude 43° 47' N
Longitude 79 16 W
DEC.ᵗ WEST
H.F. INCREASE
HORIZONTAL FORCE


DECLINATION MARCH 11TH 1907
HORIZONTAL FORCE
DECLINATION MARCH 20TH 1907
HORIZONTAL FORCE
DECLINATION MARCH 21ST 1907
HORIZONTAL FORCE
AGINCOURT (Toronto)
LAT. 43° 47' N
LONG. 79 16 W
DEC. CURVE 1 MILL. EQUALS 2'·96 ARC
H.F. " " " 0·000116 DYNE
TIME 5 HOURS SLOW OF GREENWICH
DEC. WEST
H.F. INCREASE


Declination May 18th 1907
Horizontal Force
Declination July 10th 1907
H. Force
Agincourt (Toronto)
Lat. 43° 47' N
Long. 79 16 W
Dec. West
H.F. Increase
Dec. Curve 1 Mill. equals 2'.96 Arc
H.F. " " " 0.00116 Dyne
Time 5 Hours Slow of Greenwich
Declination July 27th 1907
H. Force


Declination October 12th 1907
12d
13d
Horizontal Force
12d
Noon
13
23
Mid
1
10
11
13d
Declination Oct. 14th 1907
14d
15d
Horizontal Force
Dec. West
H.F. Increase
Agincourt (Toronto)
Lat. 43° 47' N
Long. 79 16 W.
Dec. Curve 1 Mill. Equals 2'.96 Arc
H.F. " " " 0.00016 Dyne
Time 5 Hrs. Slow of Greenwich
Noon
13
14
15
16
17
18
19
20
21
22
23
Mid
1
2
3
4
5
6
7
8
9
14d
15d
H. Force
Noon
13
Mid
6
7
8
9
Declination Oct. 15th 1907
15d
16d
15d
16d
H. Force
10
11
Noon
23
Mid
1
8
9
10
H.F. Base Line.
10
11
Noon
23
Mid
1
8
9
10
Dec. Base Line.

P
Astron.
C

131433

Author Canada. Meteorological Service.

Title Report. 1907.

University of Toronto
Library

DO NOT
REMOVE
THE
CARD
FROM
THIS
POCKET

DISCARDED

Acme Library Card Pocket
LOWE-MARTIN CO. LIMITED